

hp

REF -19.0 dBm


AT 10 dB

PEAK

LOG

10

dB/



VA SB

SC VC

CORR

CENTER 433.879 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 100 msec

1/1

REF -19.0 dBm

AT 10 dB

MKR 375.00 μ sec

-1.04 dB

0.375ms

Worst Case: All $\int \leftarrow 2ms$

PEAK

LOG

10


dB/

Duty Cycle

$= (0.375 \times 42 + 0.25) / 100$

$= 16 / 100$ or 0.16

Average Factor = -15.9dB



VA SB

SC VC

CORR

CENTER 433.879 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 15.0 msec

hp

MKR 890.00 msec

REF -19.0 dBm

AT 10 dB

-41.96 dBm

PEAK

LOG


10

dB/

VA SB

SC VC

CORR



CENTER 433.879 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 1.00 sec

17

MKR 34.125 sec

REF -13.0 dBm

AT 10 dB

.09 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



CENTER 433.679 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 50.0 sec