# Appendix

## Measurement diagrams

Spurious Emissions radiated

# Measurement diagrams


## Spurious Emission Radiated _TX

ANT A

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:09:05 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 53.03 | QP | -9.89 | 43.14 | 43.50 | 100 | 175 | -0.36 | |
| | 232.1643 | 47.94 | peak | -8.77 | 39.17 | 46.00 | 100 | 80 | -6.83 | |
| | 267.1543 | 42.69 | peak | -6.87 | 35.82 | 46.00 | 100 | 135 | -10.18 | |
| | 298.2565 | 51.30 | QP | -5.98 | 45.32 | 46.00 | 100 | 60 | -0.68 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:09:47 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 45.01 | peak | -10.12 | 34.89 | 43.50 | 100 | 60 | -8.61 | |
| * | 166.0721 | 48.88 | peak | -9.89 | 38.99 | 43.50 | 100 | 35 | -4.51 | |
| | 298.2565 | 40.65 | peak | -5.98 | 34.67 | 46.00 | 100 | 245 | -11.33 | |
| | 799.7796 | 33.77 | peak | 1.39 | 35.16 | 46.00 | 100 | 170 | -10.84 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/3 Time: 下午 09:39:00 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:44:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:39:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/3 Temperature:24 ℃

Time: 下午 09:45:04 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:41:20 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10360.000 | 35.50 | peak | 9.36 | 44.86 | 74.00 | 150 | 175 | -29.14 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:46:45 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10360.000 | 35.99 | peak | 9.36 | 45.35 | 74.00 | 150 | 255 | -28.65 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:42:24 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15540.000 | 28.38 | peak | 20.24 | 48.62 | 74.00 | 150 | 95 | -25.38 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:47:49 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15540.000 | 29.71 | peak | 20.24 | 49.95 | 74.00 | 150 | 145 | -24.05 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:42:34 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#11 Date: 2017/7/3 Time: 下午 09:47:59 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:42:44 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:48:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:14:11 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH40

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.77 | QP | -9.89 | 42.88 | 43.50 | 100 | 95 | -0.62 | |
| | 232.1643 | 48.15 | peak | -8.77 | 39.38 | 46.00 | 100 | 60 | -6.62 | |
| | 265.2104 | 42.97 | peak | -6.96 | 36.01 | 46.00 | 100 | 245 | -9.99 | |
| | 300.2004 | 51.28 | QP | -5.94 | 45.34 | 46.00 | 100 | 170 | -0.66 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:11:28 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.33 | peak | -10.12 | 34.21 | 43.50 | 100 | 90 | -9.29 | |
| * | 166.0721 | 48.93 | peak | -9.89 | 39.04 | 43.50 | 100 | 85 | -4.46 | |
| | 232.1643 | 41.87 | peak | -8.77 | 33.10 | 46.00 | 100 | 220 | -12.90 | |
| | 300.2004 | 40.63 | peak | -5.94 | 34.69 | 46.00 | 100 | 135 | -11.31 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:54:49 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:01:16 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:55:44 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:02:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/3 Time: 下午 09:56:43 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH40

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10400.000 | 35.59 | peak | 9.21 | 44.80 | 74.00 | 150 | 145 | -29.20 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:03:36 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10400.000 | 36.12 | peak | 9.21 | 45.33 | 74.00 | 150 | 95 | -28.67 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:57:46 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15600.000 | 28.71 | peak | 21.00 | 49.71 | 74.00 | 150 | 230 | -24.29 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:04:40 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15600.000 | 28.75 | peak | 21.00 | 49.75 | 74.00 | 150 | 210 | -24.25 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#5 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:57:56 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#11 Date: 2017/7/3 Time: 下午 10:04:50 Temperature:24 ℃ Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:58:07 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:05:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:16:36 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.60 | QP | -9.89 | 42.71 | 43.50 | 100 | 155 | -0.79 | |
| | 232.1643 | 48.15 | peak | -8.77 | 39.38 | 46.00 | 100 | 240 | -6.62 | |
| * | 300.2004 | 51.62 | QP | -5.94 | 45.68 | 46.00 | 100 | 190 | -0.32 | |
| | 900.8617 | 36.27 | peak | 3.24 | 39.51 | 46.00 | 100 | 130 | -6.49 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:12:38 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.43 | peak | -10.12 | 34.31 | 43.50 | 100 | 65 | -9.19 | |
| * | 166.0721 | 48.66 | peak | -9.89 | 38.77 | 43.50 | 100 | 90 | -4.73 | |
| | 232.1643 | 41.35 | peak | -8.77 | 32.58 | 46.00 | 100 | 145 | -13.42 | |
| | 298.2565 | 40.90 | peak | -5.98 | 34.92 | 46.00 | 100 | 220 | -11.08 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃

Time: 下午 10:09:09 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH48

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:13:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:10:03 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#8 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:14:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:11:31 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10480.000 | 34.51 | peak | 9.78 | 44.29 | 74.00 | 150 | 175 | -29.71 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:15:56 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10480.000 | 35.99 | peak | 9.78 | 45.77 | 74.00 | 150 | 255 | -28.23 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/3 Time: 下午 10:12:34 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH48

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15720.000 | 27.93 | peak | 18.61 | 46.54 | 74.00 | 150 | 135 | -27.46 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:17:00 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15720.000 | 27.94 | peak | 18.61 | 46.55 | 74.00 | 150 | 90 | -27.45 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#5 Date: 2017/7/3 Time: 下午 10:12:44

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:17:10 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:12:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:17:20 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:19:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.95 | QP | -9.89 | 43.06 | 43.50 | 100 | 15 | -0.44 | |
| | 232.1643 | 48.23 | peak | -8.77 | 39.46 | 46.00 | 100 | 235 | -6.54 | |
| | 265.2104 | 42.83 | peak | -6.96 | 35.87 | 46.00 | 100 | 160 | -10.13 | |
| * | 300.2004 | 51.52 | QP | -5.94 | 45.58 | 46.00 | 100 | 90 | -0.42 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:14:30 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH52

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.52 | peak | -10.12 | 34.40 | 43.50 | 100 | 80 | -9.10 | |
| * | 166.0721 | 49.16 | peak | -9.89 | 39.27 | 43.50 | 100 | 255 | -4.23 | |
| | 298.2565 | 40.79 | peak | -5.98 | 34.81 | 46.00 | 100 | 110 | -11.19 | |
| | 797.8357 | 34.63 | peak | 1.35 | 35.98 | 46.00 | 100 | 135 | -10.02 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:07:56 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:12:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:08:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:13:50 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:09:56 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10520.000 | 35.65 | peak | 9.88 | 45.53 | 74.00 | 150 | 190 | -28.47 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:16:18 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 10517.074 | 51.67 | peak | 9.88 | 61.55 | 74.00 | 150 | 359 | -12.45 | |
| * | 10517.074 | 37.61 | AVG | 9.88 | 47.49 | 54.00 | 150 | 359 | -6.51 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:10:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15780.000 | 27.75 | peak | 18.74 | 46.49 | 74.00 | 150 | 65 | -27.51 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:17:22 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15780.000 | 29.07 | peak | 18.74 | 47.81 | 74.00 | 150 | 45 | -26.19 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:11:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:17:32 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:11:19 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:17:43 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:21:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.71 | QP | -9.89 | 42.82 | 43.50 | 100 | 175 | -0.68 | |
| | 232.1643 | 48.01 | peak | -8.77 | 39.24 | 46.00 | 100 | 50 | -6.76 | |
| | 267.1543 | 43.29 | peak | -6.87 | 36.42 | 46.00 | 100 | 110 | -9.58 | |
| * | 300.2004 | 51.60 | QP | -5.94 | 45.66 | 46.00 | 100 | 135 | -0.34 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:16:15 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.80 | peak | -10.12 | 34.68 | 43.50 | 100 | 150 | -8.82 | |
| * | 166.0721 | 48.61 | peak | -9.89 | 38.72 | 43.50 | 100 | 75 | -4.78 | |
| | 232.1643 | 40.98 | peak | -8.77 | 32.21 | 46.00 | 100 | 140 | -13.79 | |
| | 298.2565 | 40.80 | peak | -5.98 | 34.82 | 46.00 | 100 | 160 | -11.18 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:53:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:59:00 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:54:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/3 Time: 下午 10:59:55 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:56:39 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10560.000 | 34.99 | peak | 9.79 | 44.78 | 74.00 | 150 | 210 | -29.22 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:01:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10560.000 | 37.62 | peak | 9.79 | 47.41 | 74.00 | 150 | 275 | -26.59 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:57:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15840.000 | 28.07 | peak | 19.07 | 47.14 | 74.00 | 150 | 230 | -26.86 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:02:58 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15840.000 | 28.43 | peak | 19.07 | 47.50 | 74.00 | 150 | 210 | -26.50 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:57:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:03:08 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:58:02 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 11:03:18 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:24:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.47 | QP | -9.89 | 42.58 | 43.50 | 100 | 15 | -0.92 | |
| | 232.1643 | 47.99 | peak | -8.77 | 39.22 | 46.00 | 100 | 245 | -6.78 | |
| | 267.1543 | 42.71 | peak | -6.87 | 35.84 | 46.00 | 100 | 170 | -10.16 | |
| * | 300.2004 | 51.50 | QP | -5.94 | 45.56 | 46.00 | 100 | 90 | -0.44 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:17:24 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.56 | peak | -10.12 | 34.44 | 43.50 | 100 | 285 | -9.06 | |
| * | 166.0721 | 49.01 | peak | -9.89 | 39.12 | 43.50 | 100 | 90 | -4.38 | |
| | 232.1643 | 41.51 | peak | -8.77 | 32.74 | 46.00 | 100 | 110 | -13.26 | |
| | 298.2565 | 41.13 | peak | -5.98 | 35.15 | 46.00 | 100 | 175 | -10.85 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:38:49 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:44:20 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:39:44 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/3 Time: 下午 10:45:15 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/3 Time: 下午 10:41:39 Temperature:24 ℃ Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10640.000 | 35.31 | peak | 9.81 | 45.12 | 74.00 | 150 | 85 | -28.88 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:48:11 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10640.000 | 36.32 | peak | 9.81 | 46.13 | 74.00 | 150 | 175 | -27.87 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:42:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15960.000 | 29.40 | peak | 19.62 | 49.02 | 74.00 | 150 | 220 | -24.98 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:49:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15960.000 | 29.34 | peak | 19.62 | 48.96 | 74.00 | 150 | 35 | -25.04 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:42:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:49:25 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:43:02 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 10:49:35 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:27:23 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.76 | QP | -9.89 | 42.87 | 43.50 | 100 | 95 | -0.63 | |
| | 232.1643 | 48.25 | peak | -8.77 | 39.48 | 46.00 | 100 | 60 | -6.52 | |
| | 263.2664 | 42.17 | peak | -7.05 | 35.12 | 46.00 | 100 | 220 | -10.88 | |
| | 300.2004 | 51.09 | QP | -5.94 | 45.15 | 46.00 | 100 | 145 | -0.85 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:20:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.42 | peak | -10.12 | 34.30 | 43.50 | 100 | 85 | -9.20 | |
| * | 166.0721 | 49.07 | peak | -9.89 | 39.18 | 43.50 | 100 | 220 | -4.32 | |
| | 232.1643 | 41.47 | peak | -8.77 | 32.70 | 46.00 | 100 | 145 | -13.30 | |
| | 298.2565 | 40.56 | peak | -5.98 | 34.58 | 46.00 | 100 | 70 | -11.42 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:28:10 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:33:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:29:05 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 10:34:32 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:31:11 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11000.000 | 35.70 | peak | 10.63 | 46.33 | 74.00 | 150 | 270 | -27.67 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:36:18 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10998.497 | 37.46 | peak | 10.63 | 48.09 | 74.00 | 150 | 180 | -25.91 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:32:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16500.000 | 27.80 | peak | 21.10 | 48.90 | 74.00 | 150 | 80 | -25.10 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#10 Date: 2017/7/4 Time: 下午 10:37:22

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16500.000 | 27.72 | peak | 21.10 | 48.82 | 74.00 | 150 | 250 | -25.18 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:32:24 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:37:32 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:32:35 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:37:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:30:22 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.70 | QP | -9.89 | 42.81 | 43.50 | 100 | 15 | -0.69 | |
| | 232.1643 | 47.77 | peak | -8.77 | 39.00 | 46.00 | 100 | 245 | -7.00 | |
| | 265.2104 | 42.82 | peak | -6.96 | 35.86 | 46.00 | 100 | 170 | -10.14 | |
| * | 298.2565 | 51.54 | QP | -5.98 | 45.56 | 46.00 | 100 | 30 | -0.44 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:22:46 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 98.0361 | 44.97 | peak | -10.83 | 34.14 | 43.50 | 100 | 90 | -9.36 | |
| * | 166.0721 | 49.16 | peak | -9.89 | 39.27 | 43.50 | 100 | 65 | -4.23 | |
| | 300.2004 | 40.69 | peak | -5.94 | 34.75 | 46.00 | 100 | 215 | -11.25 | |
| | 799.7796 | 35.96 | peak | 1.39 | 37.35 | 46.00 | 100 | 130 | -8.65 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:48:02 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:52:33 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:48:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:53:28 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:49:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11200.000 | 34.88 | peak | 11.32 | 46.20 | 74.00 | 150 | 175 | -27.80 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:54:29 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11200.000 | 35.49 | peak | 11.32 | 46.81 | 74.00 | 150 | 240 | -27.19 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:50:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16800.000 | 25.90 | peak | 21.36 | 47.26 | 74.00 | 150 | 70 | -26.74 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3 Data :#10 Date: 2017/7/4 Time: 下午 10:55:33

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH120

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16800.000 | 25.97 | peak | 21.36 | 47.33 | 74.00 | 150 | 95 | -26.67 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:51:07 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:55:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:51:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:55:53 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:31:59 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.76 | QP | -9.89 | 42.87 | 43.50 | 100 | 85 | -0.63 | |
| | 232.1643 | 48.16 | peak | -8.77 | 39.39 | 46.00 | 100 | 265 | -6.61 | |
| | 265.2104 | 43.24 | peak | -6.96 | 36.28 | 46.00 | 100 | 90 | -9.72 | |
| * | 300.2004 | 51.81 | QP | -5.94 | 45.87 | 46.00 | 100 | 130 | -0.13 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:24:03 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.72 | peak | -10.12 | 34.60 | 43.50 | 100 | 60 | -8.90 | |
| * | 166.0721 | 49.07 | peak | -9.89 | 39.18 | 43.50 | 100 | 245 | -4.32 | |
| | 232.1643 | 41.14 | peak | -8.77 | 32.37 | 46.00 | 100 | 80 | -13.63 | |
| | 300.2004 | 41.22 | peak | -5.94 | 35.28 | 46.00 | 100 | 110 | -10.72 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:00:20 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:04:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:01:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:05:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:02:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11400.000 | 34.39 | peak | 11.70 | 46.09 | 74.00 | 150 | 165 | -27.91 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:06:50 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11400.000 | 34.80 | peak | 11.70 | 46.50 | 74.00 | 150 | 210 | -27.50 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:03:20 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17100.000 | 27.55 | peak | 23.32 | 50.87 | 74.00 | 150 | 230 | -23.13 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:07:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17100.000 | 27.67 | peak | 23.32 | 50.99 | 74.00 | 150 | 65 | -23.01 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:03:30 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:08:04 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:03:40 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:08:14 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:34:36 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 53.06 | QP | -9.89 | 43.17 | 43.50 | 100 | 65 | -0.33 | |
| | 232.1643 | 48.13 | peak | -8.77 | 39.36 | 46.00 | 100 | 220 | -6.64 | |
| | 265.2104 | 43.90 | peak | -6.96 | 36.94 | 46.00 | 100 | 75 | -9.06 | |
| | 298.2565 | 51.36 | QP | -5.98 | 45.38 | 46.00 | 100 | 80 | -0.62 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:25:24 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.67 | peak | -10.12 | 34.55 | 43.50 | 100 | 95 | -8.95 | |
| * | 166.0721 | 49.41 | peak | -9.89 | 39.52 | 43.50 | 100 | 60 | -3.98 | |
| | 232.1643 | 40.91 | peak | -8.77 | 32.14 | 46.00 | 100 | 220 | -13.86 | |
| | 298.2565 | 40.57 | peak | -5.98 | 34.59 | 46.00 | 100 | 145 | -11.41 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 09:30:04 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:36:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:30:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:37:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:32:50 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11490.000 | 34.10 | peak | 12.24 | 46.34 | 74.00 | 150 | 275 | -27.66 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:39:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11490.000 | 34.93 | peak | 12.24 | 47.17 | 74.00 | 150 | 235 | -26.83 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:33:53 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17235.000 | 27.77 | peak | 21.18 | 48.95 | 74.00 | 150 | 95 | -25.05 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:40:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17235.000 | 27.37 | peak | 21.18 | 48.55 | 74.00 | 150 | 50 | -25.45 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:34:03 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:41:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:34:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:41:19 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:36:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.74 | QP | -9.89 | 42.85 | 43.50 | 100 | 65 | -0.65 | |
| | 232.1643 | 48.28 | peak | -8.77 | 39.51 | 46.00 | 100 | 90 | -6.49 | |
| | 267.1543 | 41.54 | peak | -6.87 | 34.67 | 46.00 | 100 | 220 | -11.33 | |
| * | 298.2565 | 51.51 | QP | -5.98 | 45.53 | 46.00 | 100 | 145 | -0.47 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:26:41 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.55 | peak | -10.12 | 34.43 | 43.50 | 100 | 55 | -9.07 | |
| | 119.4188 | 36.14 | peak | -6.90 | 29.24 | 43.50 | 100 | 210 | -14.26 | |
| * | 166.0721 | 48.80 | peak | -9.89 | 38.91 | 43.50 | 100 | 175 | -4.59 | |
| | 300.2004 | 40.41 | peak | -5.94 | 34.47 | 46.00 | 100 | 90 | -11.53 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/4 Time: 下午 09:45:03

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 09:50:04 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:45:58 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:50:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 09:47:30 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11579.158 | 38.32 | peak | 12.05 | 50.37 | 74.00 | 150 | 95 | -23.63 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:52:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11569.639 | 37.85 | peak | 12.08 | 49.93 | 74.00 | 150 | 170 | -24.07 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:48:33 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17355.000 | 27.10 | peak | 22.31 | 49.41 | 74.00 | 150 | 260 | -24.59 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:53:30 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17355.000 | 27.71 | peak | 22.31 | 50.02 | 74.00 | 150 | 210 | -23.98 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:48:43 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:53:40 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:48:53 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:53:50 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:38:10 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.82 | QP | -9.89 | 42.93 | 43.50 | 100 | 95 | -0.57 | |
| | 232.1643 | 48.09 | peak | -8.77 | 39.32 | 46.00 | 100 | 60 | -6.68 | |
| | 267.1543 | 42.69 | peak | -6.87 | 35.82 | 46.00 | 100 | 220 | -10.18 | |
| | 300.2004 | 51.08 | QP | -5.94 | 45.14 | 46.00 | 100 | 175 | -0.86 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:28:46 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.66 | peak | -10.12 | 34.54 | 43.50 | 100 | 95 | -8.96 | |
| * | 166.0721 | 49.59 | peak | -9.89 | 39.70 | 43.50 | 100 | 60 | -3.80 | |
| | 298.2565 | 40.47 | peak | -5.98 | 34.49 | 46.00 | 100 | 230 | -11.51 | |
| | 797.8357 | 34.58 | peak | 1.35 | 35.93 | 46.00 | 100 | 145 | -10.07 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:08:28 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:14:34 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:09:23 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 10:15:29 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:10:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11650.000 | 35.13 | peak | 12.12 | 47.25 | 74.00 | 150 | 220 | -26.75 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:16:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11650.000 | 35.10 | peak | 12.12 | 47.22 | 74.00 | 150 | 75 | -26.78 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:11:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17475.000 | 27.71 | peak | 22.27 | 49.98 | 74.00 | 150 | 90 | -24.02 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:17:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17475.000 | 27.17 | peak | 22.27 | 49.44 | 74.00 | 150 | 210 | -24.56 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:12:04 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:18:08 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:12:14 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 10:18:19 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

ANT B


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:40:34 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH36

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.65 | QP | -9.89 | 42.76 | 43.50 | 100 | 95 | -0.74 | |
| | 232.1643 | 48.10 | peak | -8.77 | 39.33 | 46.00 | 100 | 60 | -6.67 | |
| | 265.2104 | 42.10 | peak | -6.96 | 35.14 | 46.00 | 100 | 155 | -10.86 | |
| | 300.2004 | 50.96 | QP | -5.94 | 45.02 | 46.00 | 100 | 120 | -0.98 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:31:24 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.69 | peak | -10.12 | 34.57 | 43.50 | 100 | 25 | -8.93 | |
| * | 166.0721 | 48.62 | peak | -9.89 | 38.73 | 43.50 | 100 | 175 | -4.77 | |
| | 232.1643 | 41.16 | peak | -8.77 | 32.39 | 46.00 | 100 | 90 | -13.61 | |
| | 298.2565 | 40.39 | peak | -5.98 | 34.41 | 46.00 | 100 | 130 | -11.59 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 06:59:53 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:05:22 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:00:48 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:06:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 6906.691 | 49.80 | peak | 4.89 | 54.69 | 74.00 | 220 | 235 | -19.31 | |
| * | 6906.691 | 46.76 | AVG | 4.89 | 51.65 | 54.00 | 220 | 235 | -2.35 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:01:46 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10360.000 | 36.15 | peak | 9.36 | 45.51 | 74.00 | 150 | 240 | -28.49 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:07:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10360.000 | 36.96 | peak | 9.36 | 46.32 | 74.00 | 150 | 230 | -27.68 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃

Time: 上午 07:02:49 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH36

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15540.000 | 28.95 | peak | 20.24 | 49.19 | 74.00 | 150 | 90 | -24.81 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:08:41 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15540.000 | 28.60 | peak | 20.24 | 48.84 | 74.00 | 150 | 280 | -25.16 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:02:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:08:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:03:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:09:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:42:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.52 | QP | -9.89 | 42.63 | 43.50 | 100 | 175 | -0.87 | |
| | 232.1643 | 48.50 | peak | -8.77 | 39.73 | 46.00 | 100 | 90 | -6.27 | |
| | 263.2664 | 42.19 | peak | -7.05 | 35.14 | 46.00 | 100 | 230 | -10.86 | |
| * | 300.2004 | 51.53 | QP | -5.94 | 45.59 | 46.00 | 100 | 165 | -0.41 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:32:47 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.66 | peak | -10.12 | 34.54 | 43.50 | 100 | 140 | -8.96 | |
| * | 166.0721 | 48.94 | peak | -9.89 | 39.05 | 43.50 | 100 | 220 | -4.45 | |
| | 232.1643 | 41.37 | peak | -8.77 | 32.60 | 46.00 | 100 | 80 | -13.40 | |
| | 298.2565 | 40.83 | peak | -5.98 | 34.85 | 46.00 | 100 | 175 | -11.15 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:25:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:30:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:26:47 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃

Time: 上午 07:31:12 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH40

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 6933.868 | 49.46 | peak | 4.95 | 54.41 | 74.00 | 160 | 135 | -19.59 | |
| * | 6933.868 | 46.37 | AVG | 4.95 | 51.32 | 54.00 | 160 | 135 | -2.68 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:27:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10400.000 | 35.61 | peak | 9.21 | 44.82 | 74.00 | 150 | 165 | -29.18 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3 Data :#9 Date: 2017/7/2 Time: 上午 07:33:13

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH40

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10400.000 | 36.26 | peak | 9.21 | 45.47 | 74.00 | 150 | 230 | -28.53 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:28:58 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15600.000 | 29.70 | peak | 21.00 | 50.70 | 74.00 | 150 | 190 | -23.30 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:34:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15600.000 | 29.84 | peak | 21.00 | 50.84 | 74.00 | 150 | 240 | -23.16 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:29:07 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:34:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:29:18 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:34:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:44:03 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.90 | QP | -9.89 | 43.01 | 43.50 | 100 | 55 | -0.49 | |
| | 232.1643 | 48.09 | peak | -8.77 | 39.32 | 46.00 | 100 | 185 | -6.68 | |
| | 267.1543 | 41.98 | peak | -6.87 | 35.11 | 46.00 | 100 | 20 | -10.89 | |
| | 300.2004 | 51.11 | QP | -5.94 | 45.17 | 46.00 | 100 | 145 | -0.83 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:34:06 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH48

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.52 | peak | -10.12 | 34.40 | 43.50 | 100 | 85 | -9.10 | |
| * | 166.0721 | 48.58 | peak | -9.89 | 38.69 | 43.50 | 100 | 220 | -4.81 | |
| | 232.1643 | 41.17 | peak | -8.77 | 32.40 | 46.00 | 100 | 145 | -13.60 | |
| | 298.2565 | 40.52 | peak | -5.98 | 34.54 | 46.00 | 100 | 170 | -11.46 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:42:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:47:10 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:43:08 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:48:05 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 6989.980 | 49.25 | peak | 5.07 | 54.32 | 74.00 | 160 | 235 | -19.68 | |
| * | 6989.980 | 46.30 | AVG | 5.07 | 51.37 | 54.00 | 160 | 235 | -2.63 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:44:30 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10480.000 | 36.56 | peak | 9.78 | 46.34 | 74.00 | 150 | 135 | -27.66 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:49:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10480.000 | 35.69 | peak | 9.78 | 45.47 | 74.00 | 150 | 240 | -28.53 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:45:34 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15720.000 | 28.49 | peak | 18.61 | 47.10 | 74.00 | 150 | 250 | -26.90 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:50:05 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15720.000 | 27.98 | peak | 18.61 | 46.59 | 74.00 | 150 | 230 | -27.41 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:45:43 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:50:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:45:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 07:50:25 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:45:40 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH52

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.73 | QP | -9.89 | 42.84 | 43.50 | 100 | 65 | -0.66 | |
| | 232.1643 | 48.00 | peak | -8.77 | 39.23 | 46.00 | 100 | 90 | -6.77 | |
| | 267.1543 | 41.32 | peak | -6.87 | 34.45 | 46.00 | 100 | 220 | -11.55 | |
| * | 300.2004 | 51.50 | QP | -5.94 | 45.56 | 46.00 | 100 | 145 | -0.44 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:38:34 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.44 | peak | -10.12 | 34.32 | 43.50 | 100 | 110 | -9.18 | |
| * | 166.0721 | 48.91 | peak | -9.89 | 39.02 | 43.50 | 100 | 25 | -4.48 | |
| | 232.1643 | 41.00 | peak | -8.77 | 32.23 | 46.00 | 100 | 145 | -13.77 | |
| | 300.2004 | 40.34 | peak | -5.94 | 34.40 | 46.00 | 100 | 90 | -11.60 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:00:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:05:41 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:01:04 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:06:36 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 7014.028 | 49.00 | peak | 5.11 | 54.11 | 74.00 | 190 | 275 | -19.89 | |
| * | 7014.028 | 46.29 | AVG | 5.11 | 51.40 | 54.00 | 190 | 275 | -2.60 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:02:47 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10520.000 | 35.34 | peak | 9.88 | 45.22 | 74.00 | 150 | 155 | -28.78 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:08:35 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10520.000 | 35.95 | peak | 9.88 | 45.83 | 74.00 | 150 | 270 | -28.17 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:03:50 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15780.000 | 28.40 | peak | 18.74 | 47.14 | 74.00 | 150 | 235 | -26.86 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:09:39 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15780.000 | 28.38 | peak | 18.74 | 47.12 | 74.00 | 150 | 95 | -26.88 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:04:00 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:09:48 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:04:10 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 09:09:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:47:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.97 | QP | -9.89 | 43.08 | 43.50 | 100 | 55 | -0.42 | |
| | 232.1643 | 48.11 | peak | -8.77 | 39.34 | 46.00 | 100 | 120 | -6.66 | |
| | 267.1543 | 41.77 | peak | -6.87 | 34.90 | 46.00 | 100 | 140 | -11.10 | |
| | 300.2004 | 51.47 | QP | -5.94 | 45.53 | 46.00 | 100 | 170 | -0.47 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:40:10 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.38 | peak | -10.12 | 34.26 | 43.50 | 100 | 155 | -9.24 | |
| * | 166.0721 | 48.98 | peak | -9.89 | 39.09 | 43.50 | 100 | 20 | -4.41 | |
| | 300.2004 | 40.48 | peak | -5.94 | 34.54 | 46.00 | 100 | 150 | -11.46 | |
| | 799.7796 | 34.21 | peak | 1.39 | 35.60 | 46.00 | 100 | 190 | -10.40 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:48:36 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:53:18 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#2 Date: 2017/7/2 Temperature:24 ℃

Time: 上午 08:49:31 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH56

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃

Time: 上午 08:54:13 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH56

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:50:58 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10560.000 | 35.39 | peak | 9.79 | 45.18 | 74.00 | 255 | | -28.82 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:55:23 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10560.000 | 35.97 | peak | 9.79 | 45.76 | 74.00 | 150 | 235 | -28.24 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:52:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15840.000 | 28.88 | peak | 19.07 | 47.95 | 74.00 | 150 | 175 | -26.05 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:56:27 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15840.000 | 28.57 | peak | 19.07 | 47.64 | 74.00 | 150 | 290 | -26.36 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:52:11 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:56:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:52:21 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:56:47 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:49:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.51 | QP | -9.89 | 42.62 | 43.50 | 100 | 35 | -0.88 | |
| | 232.1643 | 48.16 | peak | -8.77 | 39.39 | 46.00 | 100 | 60 | -6.61 | |
| | 267.1543 | 42.73 | peak | -6.87 | 35.86 | 46.00 | 100 | 220 | -10.14 | |
| * | 300.2004 | 51.65 | QP | -5.94 | 45.71 | 46.00 | 100 | 145 | -0.29 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:41:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.30 | peak | -10.12 | 34.18 | 43.50 | 100 | 35 | -9.32 | |
| * | 166.0721 | 49.64 | peak | -9.89 | 39.75 | 43.50 | 100 | 60 | -3.75 | |
| | 232.1643 | 40.78 | peak | -8.77 | 32.01 | 46.00 | 100 | 145 | -13.99 | |
| | 300.2004 | 40.62 | peak | -5.94 | 34.68 | 46.00 | 100 | 120 | -11.32 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:33:58 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:38:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#2 Date: 2017/7/2 Temperature:24 ℃

Time: 上午 08:34:53 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃

Time: 上午 08:39:10 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH64

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:35:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10640.000 | 35.92 | peak | 9.81 | 45.73 | 74.00 | 150 | 230 | -28.27 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:40:10 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10640.000 | 35.76 | peak | 9.81 | 45.57 | 74.00 | 150 | 98 | -28.43 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:36:56 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15960.000 | 29.66 | peak | 19.62 | 49.28 | 74.00 | 150 | 240 | -24.72 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:41:14 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15960.000 | 29.27 | peak | 19.62 | 48.89 | 74.00 | 150 | 175 | -25.11 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:37:05 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:41:23 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:37:16 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 08:41:34 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:50:56 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.82 | QP | -9.89 | 42.93 | 43.50 | 100 | 15 | -0.57 | |
| | 232.1643 | 48.10 | peak | -8.77 | 39.33 | 46.00 | 100 | 220 | -6.67 | |
| | 267.1543 | 42.37 | peak | -6.87 | 35.50 | 46.00 | 100 | 175 | -10.50 | |
| | 300.2004 | 51.32 | QP | -5.94 | 45.38 | 46.00 | 100 | 90 | -0.62 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:43:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.38 | peak | -10.12 | 34.26 | 43.50 | 100 | 25 | -9.24 | |
| * | 166.0721 | 49.24 | peak | -9.89 | 39.35 | 43.50 | 100 | 110 | -4.15 | |
| | 232.1643 | 40.90 | peak | -8.77 | 32.13 | 46.00 | 100 | 60 | -13.87 | |
| | 300.2004 | 40.40 | peak | -5.94 | 34.46 | 46.00 | 100 | 145 | -11.54 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:53:27 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃

Time: 上午 10:58:22 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH100

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:54:22 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:59:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:55:29 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11000.000 | 35.26 | peak | 10.63 | 45.89 | 74.00 | 150 | 135 | -28.11 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 11:00:14 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11000.000 | 35.88 | peak | 10.63 | 46.51 | 74.00 | 150 | 185 | -27.49 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃

Time: 上午 10:56:32 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16500.000 | 27.89 | peak | 21.10 | 48.99 | 74.00 | 150 | 235 | -25.01 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 11:01:18 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16500.000 | 28.10 | peak | 21.10 | 49.20 | 74.00 | 150 | 90 | -24.80 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:56:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 11:01:28 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:56:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 11:01:38 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:52:41 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.42 | QP | -9.89 | 42.53 | 43.50 | 100 | 35 | -0.97 | |
| | 232.1643 | 48.47 | peak | -8.77 | 39.70 | 46.00 | 100 | 60 | -6.30 | |
| | 267.1543 | 44.02 | peak | -6.87 | 37.15 | 46.00 | 100 | 220 | -8.85 | |
| * | 300.2004 | 51.53 | QP | -5.94 | 45.59 | 46.00 | 100 | 145 | -0.41 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:45:30 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.34 | peak | -10.12 | 34.22 | 43.50 | 100 | 90 | -9.28 | |
| * | 166.0721 | 49.22 | peak | -9.89 | 39.33 | 43.50 | 100 | 50 | -4.17 | |
| | 232.1643 | 41.35 | peak | -8.77 | 32.58 | 46.00 | 100 | 125 | -13.42 | |
| | 300.2004 | 40.49 | peak | -5.94 | 34.55 | 46.00 | 100 | 170 | -11.45 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃

Time: 上午 10:38:39 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH120

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:43:04 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:39:34 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:43:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:40:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11200.000 | 35.08 | peak | 11.32 | 46.40 | 74.00 | 150 | 245 | -27.60 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:48:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11200.000 | 37.07 | peak | 11.32 | 48.39 | 74.00 | 150 | 185 | -25.61 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:41:46 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16800.000 | 25.89 | peak | 21.36 | 47.25 | 74.00 | 150 | 230 | -26.75 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:49:19 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16800.000 | 26.40 | peak | 21.36 | 47.76 | 74.00 | 150 | 210 | -26.24 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:41:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:49:29 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:42:06 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:49:39 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:53:47 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 53.07 | QP | -9.89 | 43.18 | 43.50 | 100 | 25 | -0.32 | |
| | 232.1643 | 46.52 | peak | -8.77 | 37.75 | 46.00 | 100 | 60 | -8.25 | |
| | 265.2104 | 41.28 | peak | -6.96 | 34.32 | 46.00 | 100 | 110 | -11.68 | |
| | 300.2004 | 51.20 | QP | -5.94 | 45.26 | 46.00 | 100 | 15 | -0.74 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:46:52 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH140

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.47 | peak | -10.12 | 34.35 | 43.50 | 100 | 60 | -9.15 | |
| * | 166.0721 | 48.72 | peak | -9.89 | 38.83 | 43.50 | 100 | 215 | -4.67 | |
| | 232.1643 | 41.02 | peak | -8.77 | 32.25 | 46.00 | 100 | 70 | -13.75 | |
| | 300.2004 | 40.57 | peak | -5.94 | 34.63 | 46.00 | 100 | 90 | -11.37 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:24:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:29:14 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:25:46 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:30:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:26:43 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11400.000 | 35.01 | peak | 11.70 | 46.71 | 74.00 | 150 | 165 | -27.29 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:32:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11400.000 | 35.56 | peak | 11.70 | 47.26 | 74.00 | 150 | 95 | -26.74 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:27:46 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17100.000 | 27.56 | peak | 23.32 | 50.88 | 74.00 | 150 | 240 | -23.12 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:33:16 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17100.000 | 27.05 | peak | 23.32 | 50.37 | 74.00 | 150 | 210 | -23.63 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:27:56 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:33:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:28:06 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 10:33:36 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:56:50 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.87 | QP | -9.89 | 42.98 | 43.50 | 100 | 75 | -0.52 | |
| | 232.1643 | 48.20 | peak | -8.77 | 39.43 | 46.00 | 100 | 40 | -6.57 | |
| | 267.1543 | 43.85 | peak | -6.87 | 36.98 | 46.00 | 100 | 110 | -9.02 | |
| | 300.2004 | 51.27 | QP | -5.94 | 45.33 | 46.00 | 100 | 135 | -0.67 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:48:12 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.68 | peak | -10.12 | 34.56 | 43.50 | 100 | 175 | -8.94 | |
| * | 166.0721 | 48.86 | peak | -9.89 | 38.97 | 43.50 | 100 | 40 | -4.53 | |
| | 298.2565 | 40.40 | peak | -5.98 | 34.42 | 46.00 | 100 | 120 | -11.58 | |
| | 799.7796 | 34.91 | peak | 1.39 | 36.30 | 46.00 | 100 | 135 | -9.70 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃

Time: 下午 12:21:08 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:26:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#2 Date: 2017/7/2 Time: 下午 12:22:03 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃

Time: 下午 12:27:04 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/2 Time: 下午 12:23:13 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11490.000 | 35.35 | peak | 12.24 | 47.59 | 74.00 | 150 | 210 | -26.41 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#9 Date: 2017/7/2 Time: 下午 12:28:45

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11490.000 | 34.95 | peak | 12.24 | 47.19 | 74.00 | 150 | 185 | -26.81 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃

Time: 下午 12:24:16 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17235.000 | 27.08 | peak | 21.18 | 48.26 | 74.00 | 150 | 220 | -25.74 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#10 Date: 2017/7/2 Time: 下午 12:29:49 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17235.000 | 27.39 | peak | 21.18 | 48.57 | 74.00 | 150 | 240 | -25.43 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:24:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:29:58 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:24:36 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃

Time: 下午 12:30:09 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH149

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:57:59 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.41 | QP | -9.89 | 42.52 | 43.50 | 100 | 175 | -0.98 | |
| | 232.1643 | 46.59 | peak | -8.77 | 37.82 | 46.00 | 100 | 80 | -8.18 | |
| | 267.1543 | 41.76 | peak | -6.87 | 34.89 | 46.00 | 100 | 230 | -11.11 | |
| * | 300.2004 | 51.35 | QP | -5.94 | 45.41 | 46.00 | 100 | 165 | -0.59 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:50:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.62 | peak | -10.12 | 34.50 | 43.50 | 100 | 95 | -9.00 | |
| * | 166.0721 | 48.82 | peak | -9.89 | 38.93 | 43.50 | 100 | 60 | -4.57 | |
| | 300.2004 | 40.30 | peak | -5.94 | 34.36 | 46.00 | 100 | 210 | -11.64 | |
| | 799.7796 | 35.00 | peak | 1.39 | 36.39 | 46.00 | 100 | 50 | -9.61 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/2 Time: 下午 12:08:48

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:13:22 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#2 Date: 2017/7/2 Time: 下午 12:09:43 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃

Time: 下午 12:14:17 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:11:02 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11570.000 | 35.06 | peak | 12.08 | 47.14 | 74.00 | 150 | 165 | -26.86 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:15:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11570.000 | 35.66 | peak | 12.08 | 47.74 | 74.00 | 150 | 240 | -26.26 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/2 Time: 下午 12:12:05 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH157

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17355.000 | 27.36 | peak | 22.31 | 49.67 | 74.00 | 150 | 250 | -24.33 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:16:19 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17355.000 | 28.17 | peak | 22.31 | 50.48 | 74.00 | 150 | 60 | -23.52 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:12:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:16:29 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:12:25 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:16:39 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 06:03:21 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.67 | QP | -9.89 | 42.78 | 43.50 | 100 | 25 | -0.72 | |
| | 199.1182 | 43.94 | peak | -10.79 | 33.15 | 43.50 | 100 | 80 | -10.35 | |
| | 232.1643 | 48.66 | peak | -8.77 | 39.89 | 46.00 | 100 | 110 | -6.11 | |
| * | 300.2004 | 51.32 | QP | -5.94 | 45.38 | 46.00 | 100 | 135 | -0.62 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:52:23 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11a CH165

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.58 | peak | -10.12 | 34.46 | 43.50 | 100 | 75 | -9.04 | |
| * | 166.0721 | 48.64 | peak | -9.89 | 38.75 | 43.50 | 100 | 190 | -4.75 | |
| | 298.2565 | 40.41 | peak | -5.98 | 34.43 | 46.00 | 100 | 325 | -11.57 | |
| | 795.8918 | 34.37 | peak | 1.32 | 35.69 | 46.00 | 100 | 160 | -10.31 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 11:55:38 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:01:29 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 11:56:33 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/2 Temperature:24 ℃

Time: 下午 12:02:24 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11a CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 11:57:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11650.000 | 35.30 | peak | 12.12 | 47.42 | 74.00 | 150 | 175 | -26.58 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:03:23 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11650.000 | 35.04 | peak | 12.12 | 47.16 | 74.00 | 150 | 220 | -26.84 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 11:58:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17475.000 | 27.50 | peak | 22.27 | 49.77 | 74.00 | 150 | 90 | -24.23 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:04:27 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17475.000 | 27.69 | peak | 22.27 | 49.96 | 74.00 | 150 | 165 | -24.04 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 11:59:04 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:04:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/2 Temperature:24 ℃
Time: 上午 11:59:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/2 Temperature:24 ℃
Time: 下午 12:04:47 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11a CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

ANT A+B

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 06:06:50 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.81 | QP | -9.89 | 42.92 | 43.50 | 100 | 15 | -0.58 | |
| | 232.1643 | 48.33 | peak | -8.77 | 39.56 | 46.00 | 100 | 220 | -6.44 | |
| | 265.2104 | 42.82 | peak | -6.96 | 35.86 | 46.00 | 100 | 55 | -10.14 | |
| | 300.2004 | 51.21 | QP | -5.94 | 45.27 | 46.00 | 100 | 10 | -0.73 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:55:20 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.52 | peak | -10.12 | 34.40 | 43.50 | 100 | 125 | -9.10 | |
| * | 166.0721 | 49.24 | peak | -9.89 | 39.35 | 43.50 | 100 | 60 | -4.15 | |
| | 232.1643 | 41.39 | peak | -8.77 | 32.62 | 46.00 | 100 | 90 | -13.38 | |
| | 298.2565 | 40.80 | peak | -5.98 | 34.82 | 46.00 | 100 | 140 | -11.18 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:43:28 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:48:38 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:44:23 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:49:33 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:45:32 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10360.000 | 35.38 | peak | 9.36 | 44.74 | 74.00 | 150 | 235 | -29.26 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:51:43 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10360.000 | 37.17 | peak | 9.36 | 46.53 | 74.00 | 150 | 215 | -27.47 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:46:36 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15540.000 | 27.87 | peak | 20.24 | 48.11 | 74.00 | 150 | 75 | -25.89 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:52:48 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15540.000 | 27.68 | peak | 20.24 | 47.92 | 74.00 | 150 | 175 | -26.08 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:46:45 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#11 Date: 2017/7/3 Time: 下午 08:52:57 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃

Time: 下午 08:46:56 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH36

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:53:08 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH36
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 06:09:53 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.55 | QP | -9.89 | 42.66 | 43.50 | 100 | 5 | -0.84 | |
| | 232.1643 | 48.38 | peak | -8.77 | 39.61 | 46.00 | 100 | 195 | -6.39 | |
| | 265.2104 | 43.86 | peak | -6.96 | 36.90 | 46.00 | 100 | 330 | -9.10 | |
| * | 300.2004 | 51.34 | QP | -5.94 | 45.40 | 46.00 | 100 | 355 | -0.60 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:57:08 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.28 | peak | -10.12 | 34.16 | 43.50 | 100 | 35 | -9.34 | |
| * | 166.0721 | 48.73 | peak | -9.89 | 38.84 | 43.50 | 100 | 60 | -4.66 | |
| | 232.1643 | 41.10 | peak | -8.77 | 32.33 | 46.00 | 100 | 245 | -13.67 | |
| | 298.2565 | 40.54 | peak | -5.98 | 34.56 | 46.00 | 100 | 170 | -11.44 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:58:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:02:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:59:07 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:03:33 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/3 Temperature:24 ℃

Time: 下午 09:00:17 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10400.000 | 35.37 | peak | 9.21 | 44.58 | 74.00 | 150 | 230 | -29.42 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:04:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10400.000 | 35.12 | peak | 9.21 | 44.33 | 74.00 | 150 | 285 | -29.67 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/3 Time: 下午 09:01:20

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH40

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15600.000 | 28.45 | peak | 21.00 | 49.45 | 74.00 | 150 | 210 | -24.55 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:05:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15600.000 | 28.22 | peak | 21.00 | 49.22 | 74.00 | 150 | 35 | -24.78 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#5 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:01:30 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#11 Date: 2017/7/3 Time: 下午 09:06:06

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH40

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:01:41 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH40
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:06:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH40
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:12:16 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.69 | QP | -9.89 | 42.80 | 43.50 | 100 | 25 | -0.70 | |
| | 232.1643 | 48.15 | peak | -8.77 | 39.38 | 46.00 | 100 | 60 | -6.62 | |
| | 267.1543 | 41.41 | peak | -6.87 | 34.54 | 46.00 | 100 | 95 | -11.46 | |
| * | 300.2004 | 51.61 | QP | -5.94 | 45.67 | 46.00 | 100 | 30 | -0.33 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:58:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.44 | peak | -10.12 | 34.32 | 43.50 | 100 | 105 | -9.18 | |
| * | 166.0721 | 49.00 | peak | -9.89 | 39.11 | 43.50 | 100 | 240 | -4.39 | |
| | 232.1643 | 41.01 | peak | -8.77 | 32.24 | 46.00 | 100 | 75 | -13.76 | |
| | 300.2004 | 40.41 | peak | -5.94 | 34.47 | 46.00 | 100 | 90 | -11.53 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:10:20 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:14:49 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃

Time: 下午 09:11:15 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH48

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:15:44 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:12:27 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10480.000 | 35.62 | peak | 9.78 | 45.40 | 74.00 | 150 | 175 | -28.60 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3 Data :#9 Date: 2017/7/3 Time: 下午 09:16:41 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH48

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10480.000 | 36.74 | peak | 9.78 | 46.52 | 74.00 | 150 | 65 | -27.48 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#10 Date: 2017/7/3 Time: 下午 09:17:45 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15720.000 | 28.18 | peak | 18.61 | 46.79 | 74.00 | 150 | 90 | -27.21 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#11 Date: 2017/7/3 Time: 下午 09:17:55 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH48

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/3 Time: 下午 09:13:31 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH48

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15720.000 | 27.88 | peak | 18.61 | 46.49 | 74.00 | 150 | 230 | -27.51 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:13:41 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:13:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH48
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 09:18:05 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH48
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:37:25 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.85 | QP | -9.89 | 42.96 | 43.50 | 100 | 35 | -0.54 | |
| | 232.1643 | 48.02 | peak | -8.77 | 39.25 | 46.00 | 100 | 60 | -6.75 | |
| | 267.1543 | 42.49 | peak | -6.87 | 35.62 | 46.00 | 100 | 245 | -10.38 | |
| | 300.2004 | 51.18 | QP | -5.94 | 45.24 | 46.00 | 100 | 170 | -0.76 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Time: 上午 08:16:30 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.93 | peak | -10.12 | 34.81 | 43.50 | 100 | 95 | -8.69 | |
| * | 166.0721 | 49.57 | peak | -9.89 | 39.68 | 43.50 | 100 | 60 | -3.82 | |
| | 300.2004 | 40.74 | peak | -5.94 | 34.80 | 46.00 | 100 | 220 | -11.20 | |
| | 799.7796 | 34.64 | peak | 1.39 | 36.03 | 46.00 | 100 | 135 | -9.97 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:03:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH38
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:08:22 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH38
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:04:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH38
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:09:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH38
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#3 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:05:38 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH38
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10380.000 | 34.24 | peak | 9.29 | 43.53 | 74.00 | 150 | 260 | -30.47 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#9 Date: 2017/7/3 Time: 下午 08:11:41 Temperature:24 ℃ Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH38
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10379.760 | 37.05 | peak | 9.29 | 46.34 | 74.00 | 150 | 235 | -27.66 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/3 Time: 下午 08:06:41 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15570.000 | 28.48 | peak | 20.62 | 49.10 | 74.00 | 150 | 210 | -24.90 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:12:45 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH38
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15570.000 | 28.91 | peak | 20.62 | 49.53 | 74.00 | 150 | 255 | -24.47 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:06:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH38
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#11 Date: 2017/7/3 Time: 下午 08:12:55 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH38

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:07:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH38
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:13:05 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH38
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:39:22 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.69 | QP | -9.89 | 42.80 | 43.50 | 100 | 50 | -0.70 | |
| | 232.1643 | 48.55 | peak | -8.77 | 39.78 | 46.00 | 100 | 245 | -6.22 | |
| | 265.2104 | 42.67 | peak | -6.96 | 35.71 | 46.00 | 100 | 110 | -10.29 | |
| | 300.2004 | 51.06 | QP | -5.94 | 45.12 | 46.00 | 100 | 175 | -0.88 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Time: 上午 08:18:13

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.96 | peak | -10.12 | 34.84 | 43.50 | 100 | 145 | -8.66 | |
| * | 166.0721 | 49.09 | peak | -9.89 | 39.20 | 43.50 | 100 | 60 | -4.30 | |
| | 232.1643 | 41.09 | peak | -8.77 | 32.32 | 46.00 | 100 | 120 | -13.68 | |
| | 300.2004 | 41.06 | peak | -5.94 | 35.12 | 46.00 | 100 | 170 | -10.88 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:19:53 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH46
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:26:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH46
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:20:48 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH46
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:27:04 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH46
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/3 Time: 下午 08:22:26

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH46

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10460.000 | 34.49 | peak | 9.64 | 44.13 | 74.00 | 150 | 265 | -29.87 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:29:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH46
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10460.000 | 36.38 | peak | 9.64 | 46.02 | 74.00 | 150 | 210 | -27.98 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/3 Time: 下午 08:23:29 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 40M CH46

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15690.000 | 28.33 | peak | 18.80 | 47.13 | 74.00 | 150 | 240 | -26.87 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:30:47 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH46
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15690.000 | 28.11 | peak | 18.80 | 46.91 | 74.00 | 150 | 220 | -27.09 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#5 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:23:39 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH46
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#11 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:30:56 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH46
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:23:50 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH46
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 08:31:07 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH46
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 04:51:14 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.88 | QP | -9.89 | 42.99 | 43.50 | 100 | 95 | -0.51 | |
| | 232.1643 | 48.07 | peak | -8.77 | 39.30 | 46.00 | 100 | 60 | -6.70 | |
| | 265.2104 | 43.17 | peak | -6.96 | 36.21 | 46.00 | 100 | 170 | -9.79 | |
| | 300.2004 | 51.40 | QP | -5.94 | 45.46 | 46.00 | 100 | 245 | -0.54 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:00:06 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.27 | peak | -10.12 | 34.15 | 43.50 | 100 | 175 | -9.35 | |
| * | 166.0721 | 48.68 | peak | -9.89 | 38.79 | 43.50 | 100 | 80 | -4.71 | |
| | 232.1643 | 40.88 | peak | -8.77 | 32.11 | 46.00 | 100 | 220 | -13.89 | |
| | 300.2004 | 40.85 | peak | -5.94 | 34.91 | 46.00 | 100 | 135 | -11.09 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 07:48:43 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH42
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 07:53:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH42
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 07:49:38 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH42
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 07:54:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH42
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 07:51:19 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH42
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10420.000 | 35.18 | peak | 9.35 | 44.53 | 74.00 | 150 | 135 | -29.47 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 07:56:06 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH42
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10420.000 | 34.64 | peak | 9.35 | 43.99 | 74.00 | 150 | 75 | -30.01 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/3 Temperature:24 ℃

Time: 下午 07:52:22 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11ac 80M CH42

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15630.000 | 28.75 | peak | 20.27 | 49.02 | 74.00 | 150 | 95 | -24.98 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#10 Date: 2017/7/3 Time: 下午 07:57:10 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15630.000 | 27.97 | peak | 20.27 | 48.24 | 74.00 | 150 | 230 | -25.76 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#5 Date: 2017/7/3 Time: 下午 07:52:32 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH42

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 07:57:20 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH42
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 07:52:43 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH42
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/3 Temperature:24 ℃
Time: 下午 07:57:30 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH42
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:13:43 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.54 | QP | -9.89 | 42.65 | 43.50 | 100 | 35 | -0.85 | |
| | 232.1643 | 48.13 | peak | -8.77 | 39.36 | 46.00 | 100 | 60 | -6.64 | |
| | 267.1543 | 43.03 | peak | -6.87 | 36.16 | 46.00 | 100 | 245 | -9.84 | |
| * | 298.2565 | 51.21 | QP | -5.98 | 45.23 | 46.00 | 100 | 170 | -0.77 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:59:21 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.44 | peak | -10.12 | 34.32 | 43.50 | 100 | 220 | -9.18 | |
| * | 166.0721 | 49.30 | peak | -9.89 | 39.41 | 43.50 | 100 | 65 | -4.09 | |
| | 232.1643 | 41.13 | peak | -8.77 | 32.36 | 46.00 | 100 | 145 | -13.64 | |
| | 300.2004 | 40.96 | peak | -5.94 | 35.02 | 46.00 | 100 | 130 | -10.98 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:19:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:24:39 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:20:10 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:25:34 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃

Time: 上午 01:21:45 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH52

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10520.000 | 36.26 | peak | 9.88 | 46.14 | 74.00 | 150 | 145 | -27.86 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:27:03 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 10519.960 | 56.16 | peak | 9.88 | 66.04 | 74.00 | 205 | 85 | -7.96 | |
| * | 10519.960 | 43.06 | AVG | 9.88 | 52.94 | 54.00 | 205 | 85 | -1.06 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:22:48 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15780.000 | 27.77 | peak | 18.74 | 46.51 | 74.00 | 150 | 165 | -27.49 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:28:07 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15780.000 | 28.78 | peak | 18.74 | 47.52 | 74.00 | 150 | 95 | -26.48 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:22:58 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:28:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:23:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:28:28 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH52
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:16:59 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 53.08 | QP | -9.89 | 43.19 | 43.50 | 100 | 30 | -0.31 | |
| | 232.1643 | 48.37 | peak | -8.77 | 39.60 | 46.00 | 100 | 155 | -6.40 | |
| | 265.2104 | 42.98 | peak | -6.96 | 36.02 | 46.00 | 100 | 240 | -9.98 | |
| | 300.2004 | 51.52 | QP | -5.94 | 45.58 | 46.00 | 100 | 70 | -0.42 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 08:00:56 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH56

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.45 | peak | -10.12 | 34.33 | 43.50 | 100 | 35 | -9.17 | |
| * | 166.0721 | 49.47 | peak | -9.89 | 39.58 | 43.50 | 100 | 60 | -3.92 | |
| | 232.1643 | 41.08 | peak | -8.77 | 32.31 | 46.00 | 100 | 240 | -13.69 | |
| | 298.2565 | 40.66 | peak | -5.98 | 34.68 | 46.00 | 100 | 155 | -11.32 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:06:35 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:11:24 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:07:30 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃

Time: 上午 01:12:19 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH56

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:08:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10560.000 | 35.81 | peak | 9.79 | 45.60 | 74.00 | 150 | 165 | -28.40 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:13:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 10560.621 | 56.51 | peak | 9.79 | 66.30 | 74.00 | 160 | 185 | -7.70 | |
| * | 10560.621 | 43.06 | AVG | 9.79 | 52.85 | 54.00 | 160 | 185 | -1.15 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:09:45 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15840.000 | 28.09 | peak | 19.07 | 47.16 | 74.00 | 150 | 190 | -26.84 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:14:41 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15840.000 | 28.03 | peak | 19.07 | 47.10 | 74.00 | 150 | 260 | -26.90 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:09:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:14:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:10:06 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:15:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH56
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:18:42 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.47 | QP | -9.89 | 42.58 | 43.50 | 100 | 35 | -0.92 | |
| | 232.1643 | 48.26 | peak | -8.77 | 39.49 | 46.00 | 100 | 60 | -6.51 | |
| | 265.2104 | 42.52 | peak | -6.96 | 35.56 | 46.00 | 100 | 220 | -10.44 | |
| * | 300.2004 | 51.66 | QP | -5.94 | 45.72 | 46.00 | 100 | 175 | -0.28 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 08:02:05 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.38 | peak | -10.12 | 34.26 | 43.50 | 100 | 65 | -9.24 | |
| * | 166.0721 | 49.40 | peak | -9.89 | 39.51 | 43.50 | 100 | 30 | -3.99 | |
| | 232.1643 | 40.95 | peak | -8.77 | 32.18 | 46.00 | 100 | 145 | -13.82 | |
| | 300.2004 | 40.71 | peak | -5.94 | 34.77 | 46.00 | 100 | 70 | -11.23 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 | Data :#1 | Date: 2017/7/4 | Time: 上午 12:54:04 | Temperature:24 ℃ | Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH64

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:58:34 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃

Time: 上午 12:54:59 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH64

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:59:29 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:56:14 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10640.000 | 35.58 | peak | 9.81 | 45.39 | 74.00 | 150 | 225 | -28.61 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:01:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10636.773 | 38.79 | peak | 9.80 | 48.59 | 74.00 | 150 | 85 | -25.41 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:57:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15960.000 | 29.74 | peak | 19.62 | 49.36 | 74.00 | 150 | 230 | -24.64 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:02:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15960.000 | 29.48 | peak | 19.62 | 49.10 | 74.00 | 150 | 170 | -24.90 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:57:27 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:02:27 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:57:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH64
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 01:02:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH64
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:41:15 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.85 | QP | -9.89 | 42.96 | 43.50 | 100 | 35 | -0.54 | |
| | 232.1643 | 48.30 | peak | -8.77 | 39.53 | 46.00 | 100 | 60 | -6.47 | |
| | 265.2104 | 42.52 | peak | -6.96 | 35.56 | 46.00 | 100 | 220 | -10.44 | |
| * | 298.2565 | 51.72 | QP | -5.98 | 45.74 | 46.00 | 100 | 10 | -0.26 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 08:19:23 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.47 | peak | -10.12 | 34.35 | 43.50 | 100 | 35 | -9.15 | |
| * | 166.0721 | 49.93 | peak | -9.89 | 40.04 | 43.50 | 100 | 60 | -3.46 | |
| | 300.2004 | 40.59 | peak | -5.94 | 34.65 | 46.00 | 100 | 110 | -11.35 | |
| | 797.8357 | 35.12 | peak | 1.35 | 36.47 | 46.00 | 100 | 125 | -9.53 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:38:02 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:44:34 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:38:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:45:29 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:41:02 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10540.000 | 35.44 | peak | 9.83 | 45.27 | 74.00 | 150 | 195 | -28.73 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:46:33 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10540.000 | 35.33 | peak | 9.83 | 45.16 | 74.00 | 150 | 250 | -28.84 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/4 Time: 上午 12:42:05 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH54

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15780.000 | 28.58 | peak | 18.74 | 47.32 | 74.00 | 150 | 35 | -26.68 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:47:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15780.000 | 27.84 | peak | 18.74 | 46.58 | 74.00 | 150 | 165 | -27.42 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:42:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:47:47 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:42:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:47:58 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH54
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:43:00 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.91 | QP | -9.89 | 43.02 | 43.50 | 100 | 95 | -0.48 | |
| | 232.1643 | 47.99 | peak | -8.77 | 39.22 | 46.00 | 100 | 60 | -6.78 | |
| | 265.2104 | 41.81 | peak | -6.96 | 34.85 | 46.00 | 100 | 220 | -11.15 | |
| * | 300.2004 | 51.84 | QP | -5.94 | 45.90 | 46.00 | 100 | 145 | -0.10 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Time: 上午 08:20:29

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH62

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.49 | peak | -10.12 | 34.37 | 43.50 | 100 | 220 | -9.13 | |
| * | 166.0721 | 49.83 | peak | -9.89 | 39.94 | 43.50 | 100 | 65 | -3.56 | |
| | 232.1643 | 41.28 | peak | -8.77 | 32.51 | 46.00 | 100 | 145 | -13.49 | |
| | 298.2565 | 40.72 | peak | -5.98 | 34.74 | 46.00 | 100 | 70 | -11.26 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:24:46 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:29:36 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:25:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:30:31 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:26:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10620.000 | 34.71 | peak | 9.75 | 44.46 | 74.00 | 150 | 165 | -29.54 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:31:33 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10620.000 | 35.97 | peak | 9.75 | 45.72 | 74.00 | 150 | 230 | -28.28 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:27:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15930.000 | 28.97 | peak | 19.55 | 48.52 | 74.00 | 150 | 195 | -25.48 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:32:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15930.000 | 29.12 | peak | 19.55 | 48.67 | 74.00 | 150 | 175 | -25.33 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:28:05 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:32:47 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:28:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:32:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH62
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Time: 上午 04:57:12 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.88 | QP | -9.89 | 42.99 | 43.50 | 100 | 175 | -0.51 | |
| | 232.1643 | 48.07 | peak | -8.77 | 39.30 | 46.00 | 100 | 40 | -6.70 | |
| | 267.1543 | 42.73 | peak | -6.87 | 35.86 | 46.00 | 100 | 110 | -10.14 | |
| | 300.2004 | 51.10 | QP | -5.94 | 45.16 | 46.00 | 100 | 135 | -0.84 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:01:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH58
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.52 | peak | -10.12 | 34.40 | 43.50 | 100 | 60 | -9.10 | |
| * | 166.0721 | 48.67 | peak | -9.89 | 38.78 | 43.50 | 100 | 95 | -4.72 | |
| | 298.2565 | 40.76 | peak | -5.98 | 34.78 | 46.00 | 100 | 220 | -11.22 | |
| | 797.8357 | 33.69 | peak | 1.35 | 35.04 | 46.00 | 100 | 145 | -10.96 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:10:40 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH58
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:15:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH58
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:11:35 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH58
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃

Time: 上午 12:16:21 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11ac 80M CH58

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:12:49 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH58
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10580.000 | 35.00 | peak | 9.74 | 44.74 | 74.00 | 150 | 265 | -29.26 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:17:28 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH58
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 10578.938 | 50.00 | peak | 9.75 | 59.75 | 74.00 | 150 | 0 | -14.25 | |
| * | 10578.938 | 40.36 | AVG | 9.75 | 50.11 | 54.00 | 150 | 0 | -3.89 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃

Time: 上午 12:13:52 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15870.000 | 28.11 | peak | 19.28 | 47.39 | 74.00 | 150 | 235 | -26.61 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃

Time: 上午 12:18:33 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH58

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 15870.000 | 28.78 | peak | 19.28 | 48.06 | 74.00 | 150 | 265 | -25.94 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:14:02 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH58
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:18:43 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH58
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:14:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH58
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 上午 12:18:53 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH58
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:24:22 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.52 | QP | -9.89 | 42.63 | 43.50 | 100 | 35 | -0.87 | |
| | 232.1643 | 48.16 | peak | -8.77 | 39.39 | 46.00 | 100 | 60 | -6.61 | |
| | 265.2104 | 42.66 | peak | -6.96 | 35.70 | 46.00 | 100 | 220 | -10.30 | |
| * | 300.2004 | 51.35 | QP | -5.94 | 45.41 | 46.00 | 100 | 145 | -0.59 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Time: 上午 08:03:54

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH100

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.42 | peak | -10.12 | 34.30 | 43.50 | 100 | 90 | -9.20 | |
| * | 166.0721 | 49.21 | peak | -9.89 | 39.32 | 43.50 | 100 | 145 | -4.18 | |
| | 300.2004 | 40.42 | peak | -5.94 | 34.48 | 46.00 | 100 | 230 | -11.52 | |
| | 366.2926 | 36.06 | peak | -4.32 | 31.74 | 46.00 | 100 | 165 | -14.26 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:45:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:49:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:46:21 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:50:49 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:47:32 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11000.000 | 35.92 | peak | 10.63 | 46.55 | 74.00 | 150 | 135 | -27.45 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:52:28 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 10998.497 | 37.15 | peak | 10.63 | 47.78 | 74.00 | 150 | 265 | -26.22 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:48:35 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16500.000 | 27.71 | peak | 21.10 | 48.81 | 74.00 | 150 | 240 | -25.19 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:53:32 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16500.000 | 27.70 | peak | 21.10 | 48.80 | 74.00 | 150 | 70 | -25.20 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#5 Date: 2017/7/4 Time: 下午 11:48:45

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH100

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:53:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:48:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:53:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH100
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 06:26:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.94 | QP | -9.89 | 43.05 | 43.50 | 100 | 85 | -0.45 | |
| | 232.1643 | 48.22 | peak | -8.77 | 39.45 | 46.00 | 100 | 90 | -6.55 | |
| | 267.1543 | 41.66 | peak | -6.87 | 34.79 | 46.00 | 100 | 220 | -11.21 | |
| * | 300.2004 | 51.77 | QP | -5.94 | 45.83 | 46.00 | 100 | 135 | -0.17 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Time: 上午 08:06:36

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.25 | peak | -10.12 | 34.13 | 43.50 | 100 | 25 | -9.37 | |
| * | 166.0721 | 49.42 | peak | -9.89 | 39.53 | 43.50 | 100 | 60 | -3.97 | |
| | 232.1643 | 40.99 | peak | -8.77 | 32.22 | 46.00 | 100 | 110 | -13.78 | |
| | 300.2004 | 40.78 | peak | -5.94 | 34.84 | 46.00 | 100 | 135 | -11.16 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:28:49 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:35:02 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:29:44 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:35:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/4 Time: 下午 11:32:03

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH120

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11200.000 | 35.26 | peak | 11.32 | 46.58 | 74.00 | 150 | 135 | -27.42 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:37:41 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11200.000 | 35.20 | peak | 11.32 | 46.52 | 74.00 | 150 | 85 | -27.48 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:33:06 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16800.000 | 26.96 | peak | 21.36 | 48.32 | 74.00 | 150 | 90 | -25.68 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:38:45 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16800.000 | 26.07 | peak | 21.36 | 47.43 | 74.00 | 150 | 235 | -26.57 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:33:16 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:38:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:33:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:39:06 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH120
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 06:28:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 53.14 | QP | -9.89 | 43.25 | 43.50 | 100 | 15 | -0.25 | |
| | 232.1643 | 48.14 | peak | -8.77 | 39.37 | 46.00 | 100 | 235 | -6.63 | |
| | 265.2104 | 42.02 | peak | -6.96 | 35.06 | 46.00 | 100 | 90 | -10.94 | |
| | 300.2004 | 51.21 | QP | -5.94 | 45.27 | 46.00 | 100 | 10 | -0.73 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 08:10:41 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.77 | peak | -10.12 | 34.65 | 43.50 | 100 | 95 | -8.85 | |
| * | 166.0721 | 49.47 | peak | -9.89 | 39.58 | 43.50 | 100 | 60 | -3.92 | |
| | 232.1643 | 41.28 | peak | -8.77 | 32.51 | 46.00 | 100 | 245 | -13.49 | |
| | 298.2565 | 41.33 | peak | -5.98 | 35.35 | 46.00 | 100 | 170 | -10.65 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:13:30 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#7 Date: 2017/7/4 Time: 下午 11:18:49

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH140

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:14:25 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:19:44 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/4 Time: 下午 11:16:08

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH140

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11400.000 | 34.31 | peak | 11.70 | 46.01 | 74.00 | 150 | 235 | -27.99 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:21:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11400.000 | 34.73 | peak | 11.70 | 46.43 | 74.00 | 150 | 85 | -27.57 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:17:11 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17100.000 | 27.87 | peak | 23.32 | 51.19 | 74.00 | 150 | 90 | -22.81 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:22:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17100.000 | 27.65 | peak | 23.32 | 50.97 | 74.00 | 150 | 65 | -23.03 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:17:21 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:22:27 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:17:31 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:22:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH140
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:44:40 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH102

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.88 | QP | -9.89 | 42.99 | 43.50 | 100 | 65 | -0.51 | |
| | 232.1643 | 47.99 | peak | -8.77 | 39.22 | 46.00 | 100 | 220 | -6.78 | |
| | 267.1543 | 40.58 | peak | -6.87 | 33.71 | 46.00 | 100 | 75 | -12.29 | |
| * | 298.2565 | 51.65 | QP | -5.98 | 45.67 | 46.00 | 100 | 90 | -0.33 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 08:28:24 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.39 | peak | -10.12 | 34.27 | 43.50 | 100 | 240 | -9.23 | |
| * | 166.0721 | 49.01 | peak | -9.89 | 39.12 | 43.50 | 100 | 55 | -4.38 | |
| | 298.2565 | 40.83 | peak | -5.98 | 34.85 | 46.00 | 100 | 135 | -11.15 | |
| | 799.7796 | 35.48 | peak | 1.39 | 36.87 | 46.00 | 100 | 90 | -9.13 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 11:59:02 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 40M CH102

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:03:35 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 11:59:56 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:04:30 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:01:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11020.000 | 34.69 | peak | 10.62 | 45.31 | 74.00 | 150 | 235 | -28.69 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:05:28 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11020.000 | 34.97 | peak | 10.62 | 45.59 | 74.00 | 150 | 265 | -28.41 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:02:18 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16530.000 | 26.74 | peak | 20.84 | 47.58 | 74.00 | 150 | 240 | -26.42 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:06:32 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16530.000 | 26.96 | peak | 20.84 | 47.80 | 74.00 | 150 | 60 | -26.20 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:02:28 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:06:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:02:38 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:06:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH102
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:46:06 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH118

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.99 | QP | -9.89 | 43.10 | 43.50 | 100 | 65 | -0.40 | |
| | 232.1643 | 48.09 | peak | -8.77 | 39.32 | 46.00 | 100 | 235 | -6.68 | |
| | 263.2664 | 41.73 | peak | -7.05 | 34.68 | 46.00 | 100 | 90 | -11.32 | |
| | 300.2004 | 51.30 | QP | -5.94 | 45.36 | 46.00 | 100 | 110 | -0.64 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 08:39:19 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.46 | peak | -10.12 | 34.34 | 43.50 | 100 | 25 | -9.16 | |
| * | 166.0721 | 49.42 | peak | -9.89 | 39.53 | 43.50 | 100 | 110 | -3.97 | |
| | 300.2004 | 40.50 | peak | -5.94 | 34.56 | 46.00 | 100 | 170 | -11.44 | |
| | 801.7234 | 35.00 | peak | 1.43 | 36.43 | 46.00 | 100 | 135 | -9.57 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:12:24 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:18:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:13:19 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:18:56 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:14:53 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11180.000 | 35.18 | peak | 11.18 | 46.36 | 74.00 | 150 | 55 | -27.64 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:19:53 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11180.000 | 35.53 | peak | 11.18 | 46.71 | 74.00 | 150 | 310 | -27.29 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:15:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16770.000 | 25.98 | peak | 21.32 | 47.30 | 74.00 | 150 | 230 | -26.70 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:20:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16770.000 | 27.35 | peak | 21.32 | 48.67 | 74.00 | 150 | 95 | -25.33 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:16:06 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3 Data :#11 Date: 2017/7/5 Time: 上午 12:21:07

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 40M CH118

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:16:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:21:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH118
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 06:47:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.55 | QP | -9.89 | 42.66 | 43.50 | 100 | 95 | -0.84 | |
| | 232.1643 | 48.24 | peak | -8.77 | 39.47 | 46.00 | 100 | 60 | -6.53 | |
| | 267.1543 | 42.46 | peak | -6.87 | 35.59 | 46.00 | 100 | 230 | -10.41 | |
| * | 298.2565 | 51.46 | QP | -5.98 | 45.48 | 46.00 | 100 | 170 | -0.52 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 08:40:53 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.48 | peak | -10.12 | 34.36 | 43.50 | 100 | 60 | -9.14 | |
| * | 166.0721 | 49.34 | peak | -9.89 | 39.45 | 43.50 | 100 | 95 | -4.05 | |
| | 232.1643 | 41.22 | peak | -8.77 | 32.45 | 46.00 | 100 | 135 | -13.55 | |
| | 300.2004 | 40.92 | peak | -5.94 | 34.98 | 46.00 | 100 | 20 | -11.02 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/5 Time: 上午 12:26:09

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH134

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:30:49 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:27:04 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:31:44 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:28:22 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11340.000 | 35.61 | peak | 11.62 | 47.23 | 74.00 | 150 | 160 | -26.77 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:33:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11340.000 | 34.73 | peak | 11.62 | 46.35 | 74.00 | 150 | 85 | -27.65 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:29:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17010.000 | 28.20 | peak | 20.74 | 48.94 | 74.00 | 150 | 90 | -25.06 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:34:05 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17010.000 | 28.62 | peak | 20.74 | 49.36 | 74.00 | 150 | 50 | -24.64 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:29:35 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:34:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:29:46 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:34:25 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH134
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:00:35 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH106

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 53.10 | QP | -9.89 | 43.21 | 43.50 | 100 | 175 | -0.29 | |
| | 232.1643 | 48.40 | peak | -8.77 | 39.63 | 46.00 | 100 | 40 | -6.37 | |
| | 265.2104 | 43.53 | peak | -6.96 | 36.57 | 46.00 | 100 | 230 | -9.43 | |
| | 298.2565 | 51.47 | QP | -5.98 | 45.49 | 46.00 | 100 | 195 | -0.51 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:03:31 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.67 | peak | -10.12 | 34.55 | 43.50 | 100 | 85 | -8.95 | |
| * | 166.0721 | 49.05 | peak | -9.89 | 39.16 | 43.50 | 100 | 245 | -4.34 | |
| | 232.1643 | 40.67 | peak | -8.77 | 31.90 | 46.00 | 100 | 90 | -14.10 | |
| | 300.2004 | 41.06 | peak | -5.94 | 35.12 | 46.00 | 100 | 170 | -10.88 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:39:09 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:43:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:40:04 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:44:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:41:38 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11060.000 | 34.80 | peak | 10.61 | 45.41 | 74.00 | 150 | 235 | -28.59 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:46:22 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11060.000 | 34.71 | peak | 10.61 | 45.32 | 74.00 | 150 | 255 | -28.68 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:42:41 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16590.000 | 28.03 | peak | 20.33 | 48.36 | 74.00 | 150 | 210 | -25.64 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:47:26 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16590.000 | 28.71 | peak | 20.33 | 49.04 | 74.00 | 150 | 135 | -24.96 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:42:51 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:47:36 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:43:01 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 12:47:46 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH106
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 05:02:14 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.84 | QP | -9.89 | 42.95 | 43.50 | 100 | 75 | -0.55 | |
| | 199.1182 | 43.62 | peak | -10.79 | 32.83 | 43.50 | 100 | 90 | -10.67 | |
| | 232.1643 | 48.13 | peak | -8.77 | 39.36 | 46.00 | 100 | 220 | -6.64 | |
| | 298.2565 | 51.37 | QP | -5.98 | 45.39 | 46.00 | 100 | 135 | -0.61 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 07:04:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.48 | peak | -10.12 | 34.36 | 43.50 | 100 | 85 | -9.14 | |
| * | 166.0721 | 49.01 | peak | -9.89 | 39.12 | 43.50 | 100 | 60 | -4.38 | |
| | 232.1643 | 40.91 | peak | -8.77 | 32.14 | 46.00 | 100 | 220 | -13.86 | |
| | 298.2565 | 40.73 | peak | -5.98 | 34.75 | 46.00 | 100 | 135 | -11.25 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#1 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:05:04 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:10:16 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#2 Date: 2017/7/5 Temperature:24 ℃

Time: 上午 01:05:59 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11ac 80M CH122

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:11:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:07:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11220.000 | 35.39 | peak | 11.37 | 46.76 | 74.00 | 150 | 245 | -27.24 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:12:47 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11220.000 | 34.93 | peak | 11.37 | 46.30 | 74.00 | 150 | 60 | -27.70 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:08:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16830.000 | 28.25 | peak | 21.20 | 49.45 | 74.00 | 150 | 270 | -24.55 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:13:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 16830.000 | 28.08 | peak | 21.20 | 49.28 | 74.00 | 150 | 75 | -24.72 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:09:08 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:14:02 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:09:19 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/5 Temperature:24 ℃
Time: 上午 01:14:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH122
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Time: 上午 06:30:21 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.78 | QP | -9.89 | 42.89 | 43.50 | 100 | 35 | -0.61 | |
| | 232.1643 | 48.22 | peak | -8.77 | 39.45 | 46.00 | 100 | 60 | -6.55 | |
| | 265.2104 | 42.82 | peak | -6.96 | 35.86 | 46.00 | 100 | 220 | -10.14 | |
| * | 300.2004 | 51.61 | QP | -5.94 | 45.67 | 46.00 | 100 | 145 | -0.33 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Time: 上午 08:12:01

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.58 | peak | -10.12 | 34.46 | 43.50 | 100 | 0 | -9.04 | |
| * | 166.0721 | 49.26 | peak | -9.89 | 39.37 | 43.50 | 100 | 70 | -4.13 | |
| | 300.2004 | 40.85 | peak | -5.94 | 34.91 | 46.00 | 100 | 110 | -11.09 | |
| | 799.7796 | 34.74 | peak | 1.39 | 36.13 | 46.00 | 100 | 135 | -9.87 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:29:55 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:35:47 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:30:50 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:36:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/4 Time: 下午 08:32:04

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11493.487 | 36.51 | peak | 12.26 | 48.77 | 74.00 | 150 | 340 | -25.23 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:37:40 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 11489.299 | 57.13 | peak | 12.24 | 69.37 | 74.00 | 143 | 154 | -4.63 | |
| * | 11489.299 | 40.56 | AVG | 12.24 | 52.80 | 54.00 | 143 | 154 | -1.20 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:33:07 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17235.000 | 27.75 | peak | 21.18 | 48.93 | 74.00 | 150 | 230 | -25.07 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 08:38:44 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:33:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:38:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH149
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:33:27 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH149
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#12 Date: 2017/7/4 Time: 下午 08:39:04 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH149

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 06:31:11 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 166.0721 | 52.80 | QP | -9.89 | 42.91 | 43.50 | 100 | 65 | -0.59 | |
| | 232.1643 | 43.63 | peak | -8.77 | 34.86 | 46.00 | 100 | 90 | -11.14 | |
| | 269.0982 | 40.32 | peak | -6.77 | 33.55 | 46.00 | 100 | 220 | -12.45 | |
| | 300.2004 | 51.29 | QP | -5.94 | 45.35 | 46.00 | 100 | 175 | -0.65 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 08:13:20 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.94 | peak | -10.12 | 34.82 | 43.50 | 100 | 25 | -8.68 | |
| * | 166.0721 | 49.11 | peak | -9.89 | 39.22 | 43.50 | 100 | 110 | -4.28 | |
| | 298.2565 | 40.90 | peak | -5.98 | 34.92 | 46.00 | 100 | 80 | -11.08 | |
| | 550.9620 | 37.38 | peak | -1.89 | 35.49 | 46.00 | 100 | 165 | -10.51 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 | Data :#1 | Date: 2017/7/4 | Time: 下午 08:57:15 | Temperature:24 ℃ | Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:02:32 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:58:10 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:03:27 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#3 Date: 2017/7/4 Time: 下午 08:59:20

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11570.000 | 34.99 | peak | 12.08 | 47.07 | 74.00 | 150 | 165 | -26.93 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 09:05:59 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH157

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11569.639 | 38.22 | peak | 12.08 | 50.30 | 74.00 | 150 | 255 | -23.70 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 09:00:24 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17355.000 | 27.38 | peak | 22.31 | 49.69 | 74.00 | 150 | 240 | -24.31 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:07:03 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17355.000 | 27.25 | peak | 22.31 | 49.56 | 74.00 | 150 | 210 | -24.44 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:00:33 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:07:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:00:44 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:07:23 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH157
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 06:34:44 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.73 | QP | -9.89 | 42.84 | 43.50 | 100 | 10 | -0.66 | |
| | 232.1643 | 48.04 | peak | -8.77 | 39.27 | 46.00 | 100 | 110 | -6.73 | |
| | 265.2104 | 43.95 | peak | -6.96 | 36.99 | 46.00 | 100 | 155 | -9.01 | |
| * | 300.2004 | 51.64 | QP | -5.94 | 45.70 | 46.00 | 100 | 40 | -0.30 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Time: 上午 08:14:51

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 20M CH165

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.56 | peak | -10.12 | 34.44 | 43.50 | 100 | 80 | -9.06 | |
| * | 166.0721 | 49.38 | peak | -9.89 | 39.49 | 43.50 | 100 | 55 | -4.01 | |
| | 232.1643 | 41.26 | peak | -8.77 | 32.49 | 46.00 | 100 | 110 | -13.51 | |
| | 300.2004 | 40.78 | peak | -5.94 | 34.84 | 46.00 | 100 | 125 | -11.16 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 09:16:11 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:20:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 09:17:06 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 09:21:49 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 20M CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:18:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11650.000 | 34.30 | peak | 12.12 | 46.42 | 74.00 | 150 | 240 | -27.58 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:22:59 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11650.000 | 34.95 | peak | 12.12 | 47.07 | 74.00 | 150 | 250 | -26.93 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:19:15 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17475.000 | 27.04 | peak | 22.27 | 49.31 | 74.00 | 150 | 95 | -24.69 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:24:03 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17475.000 | 27.40 | peak | 22.27 | 49.67 | 74.00 | 150 | 35 | -24.33 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:19:25 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:24:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:19:35 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH165
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 09:24:23 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 20M CH165
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 06:48:58 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.51 | QP | -9.89 | 42.62 | 43.50 | 100 | 30 | -0.88 | |
| | 232.1643 | 48.67 | peak | -8.77 | 39.90 | 46.00 | 100 | 175 | -6.10 | |
| | 265.2104 | 42.34 | peak | -6.96 | 35.38 | 46.00 | 100 | 90 | -10.62 | |
| * | 300.2004 | 51.17 | QP | -5.94 | 45.23 | 46.00 | 100 | 20 | -0.77 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 08:42:06 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.34 | peak | -10.12 | 34.22 | 43.50 | 100 | 55 | -9.28 | |
| | 129.1383 | 36.63 | peak | -6.67 | 29.96 | 43.50 | 100 | 175 | -13.54 | |
| * | 166.0721 | 49.30 | peak | -9.89 | 39.41 | 43.50 | 100 | 240 | -4.09 | |
| | 300.2004 | 40.58 | peak | -5.94 | 34.64 | 46.00 | 100 | 90 | -11.36 | |


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 | Data :#1 | Date: 2017/7/4 | Time: 下午 05:51:47 | Temperature:24 ℃ | Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:57:22 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH151
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:52:42 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH151
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:58:17 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH151
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:54:57 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH151
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 11512.244 | 50.61 | peak | 12.26 | 62.87 | 74.00 | 305 | 0 | -11.13 | |
| * | 11512.244 | 35.45 | AVG | 12.26 | 47.71 | 54.00 | 305 | 0 | -6.29 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#9 Date: 2017/7/4 Time: 下午 05:59:17

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH151

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11510.000 | 36.19 | peak | 12.27 | 48.46 | 74.00 | 150 | 265 | -25.54 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:56:00 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH151
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17265.000 | 27.38 | peak | 21.75 | 49.13 | 74.00 | 150 | 95 | -24.87 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 06:00:21 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH151
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17265.000 | 27.74 | peak | 21.75 | 49.49 | 74.00 | 150 | 240 | -24.51 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:56:10 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH151
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 06:00:31 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH151
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:56:21 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH151
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 06:00:41 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH151
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃
Time: 上午 06:54:34 Humidity:60 %




Site : Chamber
Condition : FCC_part 15 RE-Class E_30-1000MHz
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.82 | QP | -9.89 | 42.93 | 43.50 | 100 | 20 | -0.57 | |
| | 232.1643 | 48.57 | peak | -8.77 | 39.80 | 46.00 | 100 | 110 | -6.20 | |
| | 267.1543 | 43.25 | peak | -6.87 | 36.38 | 46.00 | 100 | 135 | -9.62 | |
| * | 298.2565 | 51.63 | QP | -5.98 | 45.65 | 46.00 | 100 | 60 | -0.35 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 08:43:23 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.38 | peak | -10.12 | 34.26 | 43.50 | 100 | 95 | -9.24 | |
| * | 166.0721 | 49.02 | peak | -9.89 | 39.13 | 43.50 | 100 | 60 | -4.37 | |
| | 232.1643 | 41.02 | peak | -8.77 | 32.25 | 46.00 | 100 | 220 | -13.75 | |
| | 298.2565 | 40.82 | peak | -5.98 | 34.84 | 46.00 | 100 | 145 | -11.16 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 08:09:53 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11n 40M CH159

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:14:10 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:10:48 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 08:15:05 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

EUT : W6M21706-17141

M/N:

Test Mode : TX 802.11n 40M CH159

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:11:50 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11590.000 | 34.61 | peak | 12.01 | 46.62 | 74.00 | 150 | 95 | -27.38 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:16:48 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11588.677 | 36.82 | peak | 12.02 | 48.84 | 74.00 | 150 | 199 | -25.16 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:12:54 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17385.000 | 27.12 | peak | 22.25 | 49.37 | 74.00 | 150 | 220 | -24.63 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:17:52 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17385.000 | 27.82 | peak | 22.25 | 50.07 | 74.00 | 150 | 95 | -23.93 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:13:03 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:18:02 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:13:14 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 08:18:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11n 40M CH159
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Leon

File :1 Data :#1 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 05:06:50 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 166.0721 | 52.78 | QP | -9.89 | 42.89 | 43.50 | 100 | 175 | -0.61 | |
| | 232.1643 | 48.07 | peak | -8.77 | 39.30 | 46.00 | 100 | 80 | -6.70 | |
| | 267.1543 | 40.74 | peak | -6.87 | 33.87 | 46.00 | 100 | 220 | -12.13 | |
| * | 298.2565 | 51.46 | QP | -5.98 | 45.48 | 46.00 | 100 | 135 | -0.52 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :1 Data :#2 Date: 2017/7/16 Temperature:24 ℃

Time: 上午 07:08:24 Humidity:60 %




Site : Chamber

Condition : FCC_part 15 RE-Class E_30-1000MHz

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| | 99.9800 | 44.54 | peak | -10.12 | 34.42 | 43.50 | 100 | 85 | -9.08 | |
| * | 166.0721 | 49.00 | peak | -9.89 | 39.11 | 43.50 | 100 | 60 | -4.39 | |
| | 232.1643 | 41.02 | peak | -8.77 | 32.25 | 46.00 | 100 | 135 | -13.75 | |
| | 298.2565 | 40.64 | peak | -5.98 | 34.66 | 46.00 | 100 | 220 | -11.34 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Leon
File :3 Data :#1 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:31:18 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#7 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:35:37 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#2 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:32:13 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#8 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:36:32 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#3 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:33:16 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11550.000 | 35.01 | peak | 12.14 | 47.15 | 74.00 | 150 | 135 | -26.85 | |

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon

File :3 Data :#9 Date: 2017/7/4 Temperature:24 ℃

Time: 下午 05:38:08 Humidity:60 %




Site : Chamber

Condition : FCC_part 15E RE_Above 1GHz_PK

Polarization: *Vertical*

EUT : W6M21706-17141

Power : 3.3 Vd.c.

M/N:

Distance: 3m

Test Mode : TX 802.11ac 80M CH155

Note :


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 11550.000 | 35.90 | peak | 12.14 | 48.04 | 74.00 | 150 | 60 | -25.96 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#4 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:34:19 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17325.000 | 28.26 | peak | 22.36 | 50.62 | 74.00 | 150 | 90 | -23.38 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#10 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:39:12 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|
| * | 17325.000 | 27.35 | peak | 22.36 | 49.71 | 74.00 | 150 | 40 | -24.29 | |

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#5 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:34:29 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#11 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:39:22 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#6 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:34:40 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m


| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Leon
File :3 Data :#12 Date: 2017/7/4 Temperature:24 ℃
Time: 下午 05:39:32 Humidity:60 %




Site : Chamber
Condition : FCC_part 15E RE_Above 1GHz_PK
EUT : W6M21706-17141
M/N:
Test Mode : TX 802.11ac 80M CH155
Note :

Polarization: *Vertical*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBuV) | Detector | Corr. factor (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Mask (for ANT A)

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-149 Data :#1 Date: 2017/7/13 Time: 下午 08:50:04 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-149 Data :#2 Date: 2017/7/13 Time: 下午 09:24:50 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-157 Data :#1 Date: 2017/7/13 Time: 下午 08:55:07 Temperature:24 ℃ Humidity:60 %




Site : Chamber
Condition : FCC_5G Band4 Mask
EUT : W6M21706-17141
M/N:
Test Mode : 802.11A CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-157 Data :#2 Date: 2017/7/13 Time: 下午 09:26:24 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-165 Data :#1 Date: 2017/7/13 Time: 下午 08:56:55 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-165 Data :#2 Date: 2017/7/13 Time: 下午 09:28:05 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Mask (for ANT B)

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-149 Data :#1 Date: 2017/7/13 Time: 下午 09:03:20 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-149 Data :#2 Date: 2017/7/13 Time: 下午 09:29:08 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-157 Data :#1 Date: 2017/7/13 Time: 下午 09:04:40 Temperature:24 ℃ Humidity:60 %




Site : Chamber
Condition : FCC_5G Band4 Mask
EUT : W6M21706-17141
M/N:
Test Mode : 802.11A CH157
Note :

Polarization: *Horizontal*
Power : 3.3 Vd.c.
Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-157 Data :#2 Date: 2017/7/13 Time: 下午 09:29:58 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-165 Data :#1 Date: 2017/7/13 Time: 下午 09:06:11 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :A-165 Data :#2 Date: 2017/7/13 Time: 下午 09:31:01 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11A CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Mask (for ANT A+B)

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :N20-149 Data :#1 Date: 2017/7/13 Time: 下午 09:08:13 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH149

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :N20-149 Data :#2 Date: 2017/7/13 Time: 下午 09:20:12 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH149

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :N20-157 Data :#1 Date: 2017/7/13 Time: 下午 09:09:23 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH157

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :N20-157 Data :#2 Date: 2017/7/13 Time: 下午 09:21:15 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH157

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :N20-165 Data :#1 Date: 2017/7/13 Time: 下午 09:10:40 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH165

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :N20-165 Data :#2 Date: 2017/7/13 Time: 下午 09:22:35 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 20MHz CH165

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :N40-151 Data :#1 Date: 2017/7/13 Time: 下午 09:12:48 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 40MHz CH151

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :N40-151 Data :#2 Date: 2017/7/13 Time: 下午 09:17:56

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 40MHz CH151

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :N40-159 Data :#1 Date: 2017/7/13 Time: 下午 09:14:03 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 40MHz CH159

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :N40-159 Data :#2 Date: 2017/7/13 Time: 下午 09:18:58

Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11N 40MHz CH159

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|


*:Maximum data x:Over limit !:over margin

Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :AC80-155 Data :#1 Date: 2017/7/13 Time: 下午 09:15:22 Temperature:24 ℃ Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11AC 80MHz CH155

Note :

Polarization: *Horizontal*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin


Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
Tel:+886-2-6606-8877
Fax:+886-2-6606-8875

## Radiated Emission Measurement

Operator: Spencer

File :AC80-155 Data :#2 Date: 2017/7/13 Temperature:24 ℃

Time: 下午 09:16:37 Humidity:60 %




Site : Chamber

Condition : FCC_5G Band4 Mask

EUT : W6M21706-17141

M/N:

Test Mode : 802.11AC 80MHz CH155

Note :

Polarization: *Vertical*

Power : 3.3 Vd.c.

Distance: 3m

| Mk. | Frequency (MHz) | Reading (dBm) | Detector | Corr. factor (dB) | Result (dBm) | Limit (dBm) | Ant.Pos (cm) | Tab.Pos (deg.) | Margin (dB) | Comment |
|---|---|---|---|---|---|---|---|---|---|---|

*:Maximum data x:Over limit !:over margin