

WHA YU INDUSTRIAL CO., LTD. (HEAD OFFICE)
TAI HWA ELECTRONIC CO., LTD.(CHINA)
SHANGHAI HUA YU ELECTRONIC CO., LTD.(CHINA)
AEON TECH CO., LTD. (CHINA)

SPECIFICATION FOR APPROVAL

CUSTOMER: 華碩電腦股份有限公司


PART NAME: RF Antenna Assembly

PART NO.: 14G150001000

REVISION:

W. Y. P/NO.: C660-510003-A

REV.: X3

	MANUFACTURER SIGNATURE	CUSTOMER SIGNATURE
APPROVED BY :		
DATE :		

WHA YU GROUP

WHA YU INDUSTRIAL CO., LTD.(HEAD OFFICE)

譚裕實業股份有限公司

Address: No.326, Sec 2, Kung Tao 5 Road, Hsin Chu City, Taiwan, R.O.C.

Tel:+886-3-5714225(REP.)

Fax:+ 886-3-5713853 · + 886-3-5723600

TAI HWA ELECTRONIC CO., LTD. (CHINA)

台樺電業製品廠

Address: Pak Ho District, Hui Street Town, Dong Guan City, Guangdong, China

Tel: + 86-769-5599375 · + 86-769-5912375

Fax: + 86-769-5599376

HUA HONG INTERNATIONAL LTD.

華弘國際有限公司

Rm.1103A,President Commercial Centre,608 Nathan Road,Mong Kok,Kowloon,Hong Kong

Tel: + 86-852-27712210

Fax: + 86-852-23843747

SHANGHAI HUA YU ELECTRONIC CO., LTD. (CHINA)

上海譚裕電子有限公司

Address:3586,Wai Qing Song Road, Qing Pu County, Shanghai China

Tel: + 86-21-59741348 · + 86-21-59744101~4

Fax: + 86-21-59741347

SU ZHOU AEON TECH CO., LTD. (CHINA)

蘇州華廣電通有限公司

Address:Limin North Road, LiLi Town,LiLi Industrial Park,LinHu Economic Zone

Wujiang City,Jiangsu Province,China

Tel: + 86-512-63627980

Fax: + 86-512-63627981

Contents

<i>Item</i>	<i>Description</i>	<i>Page</i>
1.	天線規格表	 1
2.	成品圖	 2
3.	測試報告	 3~5
4.	Cable 規格	 6~7
5.	Connector 材質特性	 8
6.	SGS 測試	 9~42

RF Antenna Cable Assembly

Specification

1. Electrical Properties :



- 1.1 Frequency Rang..... 2.4GHz ~ 2.5GHz
- 1.2 Impedance 50Ω Nominal
- 1.3 VSWR 1.92 Max.
- 1.4 Return Loss..... -10dB Maximum
- 1.5 Electrical Wave..... $1/2 \lambda$ Diople
- 1.6 Gain..... 1.8 dBi
- 1.7 Admitted Power..... 1W

2. Physical Properties :

- 2.1 Cable..... RG-178 Cable
- 2.2 Antenna Cover..... TPE
- 2.3 Antenna Base..... PC
- 2.4 Operating Temp. -20°C ~ +65°C
- 2.5 Storage Temp. -30°C ~ +75°C
- 2.6 Color Black
- 2.7 Connector..... SMA Plug Reverse

CG-

REV	DATE	DESCRIPTION
X1	2/19-2004	New Issue
X2	9/26-2005	Modify material , Add package



自黏包裝袋

6	Cable	RG-178 , Translucent Brown ; 50 Ω	1	
5	Connector	SMA Straight Plug/Reverse	1	
4	Rivet	Brass , Zn Plated (Black)	2	
3	Antenna Base	PBT ; Color:Black	1	
2	Antenna Base	PC ; Color:Black	1	
1	Antenna Cover	TPE ; Color:Black	1	
NO	DESCRIPTION		QTY	REMARK

Packing : 1pcs/bag

CUSTOMER'S SIGNATURE

XX	±5	APPROVED
X	±1.0	CHECKED
X	±0.1	DRAWING
XX	±0.01	
XXX	±0.005	
⊕		

CUSTOMER: 華碩電腦股份有限公司

PART NO :

PARTNAME: RF Antenna Assembly

W.Y P/NO : C660-510003-A


REV UNIT FILE :


X2 m/m SHEET: 1/1

Wha Yu
INDUSTRIAL CO.,LTD.

華裕實業股份有限公司

THIS DRAWING, AND IT'S INHERANT DESIGN CONCEPTS,
ARE THE PROPERTY OF WHA YU AND AS SUCH MAY NOT
BE COPIED, REPRODUCED, OR GIVEN TO THIRD PARTIES
WITHOUT THE WRITTEN CONSENT OF WHA YU.







譚裕實業股份有限公司

WHA YU INDUSTRIAL CO., LTD

Far-field amplitude of 2.4GHz small dipole antenna-E-plane.nsi






譚裕實業股份有限公司

WHA YU INDUSTRIAL CO., LTD

Far-field amplitude of 2.4GHz small dipole antenna-H-plane.nsi



PRODUCT SPECIFICATION	ISSUED DATE	July.12, 2000	PAGE	1/2
	REVISION		REVISION NO.	


PRODUCT NAME : Coaxial Cable
RATING : -55℃ ~ 200℃
ITEM : RG 178 B/U

誠通

No.	Revised Date	Revised Details	Page	Report

REPORTED BY :

APPROVED BY :



Q.C Engineer HOON LEE




Q.C Manager SOON-MOK SHIN

PRODUCT SPECIFICATION	ISSUED DATE	July.12, 2000	PAGE	2/2
	REVISION		REVISION NO.	

1. APPLICATIONS

This specification is applies to Coaxial Cable manufactured by the YOUNG CHANG SILICONE CO.,LTD

2. STRUCTURE



- A. Conductor: SCCS
- B. Insulation : PFA
- C. Shield : Silver-Plated Copper
- D. Jacket : FEP

3. DIMENSION

Conductor (SCCS)			Insulation		Shield		Jacket	
Structure	Cross sectional area	Diameter	Material	Diameter	Material	Diameter	Material	Diameter
Q'ty/mmφ	mm ² (SQ)	mmφ		mmφ		mmφ		mmφ
7/0.102	0.06	0.30	PFA	0.84 ± 0.05	SPC	1.25	FEP	1.80 ± 0.10

4. ELECTRIC PROPERTIES

Impedance	Capacitance	Maximum Attenuation (dB/100ft)				Dielectric Sterngth
		100Mhz	400Mhz	1Ghz	3Ghz	
ohms	pF/ft(Max)					V/1min
50 ± 2	32	16.0	33.0	52.0	94.0	2000




譚裕實業股份有限公司

WHA YU INDUSTRIAL CO., LTD

Connector 材質證明書

譚裕料號 Whayu P/N	100-2001150-AZ	產品名稱 Product Name	SMA Plug Reverse Straight For RG-178
-------------------	----------------	----------------------	--------------------------------------

結構圖面



材質成份

表面處理

1	絕緣體	Teflon	PTFE					N/A
2	外殼	Brass	Cu	Pb	Fe	Fe+Sn	Zn	電著
3	本體	Brass	Cu	Pb	Fe	Fe+Sn	Zn	鍍鎳
4	絕緣體	Teflon	PTFE					N/A
5	中心針	Phos. Bronze	Cu	Sn	P	Zn	Pb	鍍金
6	尾管	Brass	Cu	Pb	Fe	Fe+Sn	Zn	鍍鎳

Remark :



ET-QA-0017-A2

SGS Test Report

Product : RF Antenna

Contents

No	Description		Report No.	Page
1	Cable	RG-178 Cable	F690501/LF-CTS500034 F690501/LF-CTS500035 F690501/LF-CTSGP06-0418 F690501/LF-CTSGP05-5552	P.10~19
2	Antenna Body	TPE EL-630	GZSCR050640653/LP	P.20~21
3	Antenna Base	PC L-1250Z	GZSCR050640656/LP	P.22~23
4	Antenna Base	PBT	SH533383/CHEM	P.24~25
5	Rivet	Brass , Zn Plated	GZML060201325 SZTYR050305623/LP	P.26~28
6	Connector	SMA Plug Reverse	SH517723/CHEM GZML060201325 GZSCR050421403/LP 2054827/EC 2054838/EC	P.29~40
7	Ground Tube	Brass ; Tin Plated	GZ0602013169/CHEM GZSCR051191692/LP	P.41~43

Result for RoHS : PASS

SGS**Test Report No. F690501/LF-CTS500034**

Date: September 22, 2005

Page 1 of 2

To: DO SOL CO., LTD
1256-7
Jungwang-dong
Shiheung-city,
KYUNGGI-DO 429-450
Korea

The following merchandise was submitted and identified by the client as :

Commodity : Please refer to the next page.
SGS File No. : GP05-0026
Received Date : September 14, 2005
Test Performing Date : September 15, 2005
Test Performed : SGS Testing Korea tested the sample(s) selected by applicant with following results
Test Results : For further details, please refer to following page(s)

SGS Testing Korea Co. Ltd.



Jeff Jang / Technical Mgr

Jason Han / Lab Director

SGS**Test Report No. F690601/LF-CTS500034**

Date: September 22, 2005

Page 2 of 2

Sample No. : GP05-0026.003

Sample Description : AgCu Wire

Style/Item No. :

Comments : Materials: METAL

Heavy Metals

Test Items	Unit	Test Method	MDL	Results
Cadmium(Cd)	mg/kg	USEPA 3050B, ICP-AES	0.5	N.D.
Lead (Pb)	mg/kg	USEPA 3050B, ICP-AES	5	N.D.
Mercury (Hg)	mg/kg	USEPA 3502, ICP-AES	2	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	USEPA 3060, UV-vis	1	N.D.

*** End ***

NOTE: N.D. = Not detected.(<MDL)
 ppm = mg/kg
 MDL = Method Detection Limit
 "-" = No Regulation
 ** = Qualitative analysis (No Unit)
 Negative = Undetectable / Positive = Detectable

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

SGS**Test Report No. F690501/LF-CTS500035**

Date: September 22, 2005

Page 1 of 2

To: DO SOL CO., LTD
1256-7
Jungwang-dong
Shiheung-city,
KYUNGGI-DO 429-450
Korea

The following merchandise was submitted and identified by the client as :

Commodity : Please refer to the next page.

SGS File No. : GP05-0026

Received Date : September 14, 2005

Test Performing Date : September 15, 2005

Test Performed : SGS Testing Korea tested the sample(s) selected by applicant with following results

Test Results : For further details, please refer to following page(s)

SGS Testing Korea Co. Ltd.




Test Report No. F690601/LF-CTS500035

Date: September 22, 2005

Page 2 of 2

Sample No. : GP05-0026.004

Sample Description : AgCp40% Wire

Style/Item No. :

Comments : Materials: METAL

Heavy Metals

Test Items	Unit	Test Method	MDL	Results
Cadmium(Cd)	mg/kg	USEPA 3050B, ICP-AES	0.5	N.D.
Lead (Pb)	mg/kg	USEPA 3050B, ICP-AES	5	N.D.
Mercury (Hg)	mg/kg	USEPA 3502, ICP-AES	2	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	USEPA 3060, UV-vis	1	N.D.

*** End ***

NOTE: N.D. = Not detected. (<MDL)
 ppm = mg/kg
 MDL = Method Detection Limit
 "-" = No Regulation
 ** = Qualitative analysis (No Unit)
 Negative = Undetectable / Positive = Detectable

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

18-34, Sanbon-dong, Gampo, Gyeonggi-do, Korea 435-040 t +82 (0)31 428 5111 f +82 (0)31 427 2314 www.sgslab.co.kr
 1002 2, Hwasan-ri Onsan-eub, Ulsu-gun, Ulsan, Korea 689 690 t +82 (0)52 239 6908-10 f +82 (0)52 239 6913



Test Report No. F690501/LF-CTSGP06-0418

Date: January 11, 2006

Page 1 of 3

To: **BOGO CHEMICAL CORPORATION**
123-4
Samsung-dong
Gangnam-gu
SEOUL
Korea

The following merchandise was submitted and identified by the client as :


Commodity : AP-210 (DAIKIN)
SGS File No. : GP06-0418
Received Date : January 06, 2006
Test Performing Date : January 09, 2006
Test Performed : SGS Testing Korea tested the sample(s) selected by applicant with following results
Test Results : For further details, please refer to following page(s)

Brendan Lee
Monet Jeong
Jully Oh
Jerry Jung
/Testing Person



Jeff Jang / Technical Mgr

SGS Testing Korea Co. Ltd.



Jason Han / Lab Director



Test Report No. F690501/LF-CTSGP06-0418

Date: January 11, 2006

Page 2 of 3

Sample No. : GP06-0418.001
Sample Description : AP-210 (DAIKIN)
Style/Item No. : N/A
Comments : Material is PFA RESIN

Heavy Metals

Test Items	Unit	Test Method	MDL	Results
Cadmium(Cd)	mg/kg	US EPA 3050B(1996), US EPA 6010B(1996)	0.5	N.D.
Lead (Pb)	mg/kg	US EPA 3050B(1996), US EPA 6010B(1996)	5	N.D.
Mercury (Hg)	mg/kg	US EPA 3052(1996), US EPA 6010B(1996)	2	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	US EPA 3060A(1996), US EPA 7196A(1992)	1	N.D.

Flame Retardants-PBBs/PBDEs

Test Items	Unit	Test Method	MDL	Results
Monobromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Dibromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Tribromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Tetrabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Heptabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Hexabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Pentabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Octabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Nonabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Decabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Monobromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Dibromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Tribromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Tetrabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Heptabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Hexabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Pentabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Octabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Nonabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Decabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	6.10

NOTE: N.D. = Not detected.(<MDL)
ppm = mg/kg
MDL = Method Detection Limit
"- " = No Regulation
** = Qualitative analysis (No Unit)
Negative = Undetectable / Positive = Detectable

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



Picture of Sample as Received:



*** End ***

NOTE: N.D. = Not detected.(<MDL)
ppm = mg/kg
MDL = Method Detection Limit
"- " = No Regulation
** = Qualitative analysis (No Unit)
Negative = Undetectable / Positive = Detectable

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



Test Report No. F690501/LF-CTSGP05-5552

Date: January 04, 2006

Page 1 of 3

To: **BOGO CHEMICAL CORPORATION**
123-4
Samsung-dong
Gangnam-gu
SEOUL
Korea

The following merchandise was submitted and identified by the client as :

Commodity : NP-21 (DAIKIN)
SGS File No. : GP05-5552
Received Date : January 02, 2006
Test Performing Date : January 03, 2006
Test Performed : SGS Testing Korea tested the sample(s) selected by applicant with following results
Test Results : For further details, please refer to following page(s)

SGS Testing Korea Co. Ltd.

Jeff Jang / Technical Mgr

Jason Han / Lab Director



Test Report No. F690501/LF-CTSGP05-5552

Date: January 04, 2006

Page 2 of 3

Sample No. : GP05-5552.001
Sample Description : NP-21 (DAIKIN)
Style/Item No. : N/A
Comments : Material is FEP Resin.

Heavy Metals

Test Items	Unit	Test Method	MDL	Results
Cadmium(Cd)	mg/kg	EN 1122(2001), US EPA 6010B(1996)	0.5	N.D.
Lead (Pb)	mg/kg	US EPA 3050B(1996), US EPA 6010B(1996)	5	N.D.
Mercury (Hg)	mg/kg	US EPA 3052(1996), US EPA 6010B(1996)	2	N.D.
Hexavalent Chromium (Cr VI)	mg/kg	US EPA 3060A(1996), US EPA 7196A(1992)	1	N.D.

Flame Retardants-PBBs/PBDEs

Test Items	Unit	Test Method	MDL	Results
Monobromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Dibromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Tribromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Tetrabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Heptabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Hexabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Pentabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Octabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Nonabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Decabromobiphenyl	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Monobromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Dibromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Tribromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Tetrabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Heptabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Hexabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Pentabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Octabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Nonabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.
Decabromobiphenyl ether	mg/kg	US EPA 3540C, GC/MS	5	N.D.

NOTE: N.D. = Not detected.(<MDL)
ppm = mg/kg
MDL = Method Detection Limit
"- " = No Regulation
** = Qualitative analysis (No Unit)
Negative = Undetectable / Positive = Detectable

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



Picture of Sample as Received:



*** End ***

NOTE: N.D. = Not detected.(<MDL)
ppm = mg/kg
MDL = Method Detection Limit
"- " = No Regulation
** = Qualitative analysis (No Unit)
Negative = Undetectable / Positive = Detectable

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



Test Report

No.: GZSGR050640653/LP

Date: JUN 27, 2005

Page 1 of 2

PIN SHINE ELECTRONIC & PLASTIC PRODUCTS (DONGGUAN) CO., LTD.
WEST PART OF LIU WU INDUSTRIAL AREA,
SAN HENG ROAD, NEW DISTRICT OF SHI JIE TOWN,
DONG GUAN CITY, GUANG DONG PROVINCE

Report on the submitted sample said to be CD-01

SGS Ref No. : GZML05062383
Sample Receiving Date : JUN 21, 2005
Testing Period : JUN 21, 2005 TO JUN 26, 2005

Test Requested : (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.
(2) Determination of PBBs (polybrominated biphenyls), PBDEs (Polybrominated diphenylethers) of the submitted sample.

Test Method : (1) Lead content - with reference to EPA method 3050B: 1996.
Cadmium content - with reference to BS EN1122: 2001 method B.
Mercury content - with reference to EPA 3052: 1996.
Hexavalent Chromium content - with reference to EPA 3060A & EPA 7196A.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.
(2) With reference to SGS in-house method. Analysis was performed by GC/MS.

RESULTS : Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

Zhang Li, Amy
Sr. Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 248258



Test Report

No.: GZSCR050640653/LP

Date: JUN 27, 2005

Page 2 of 2

Results :

(1)

Black plastic part

Lead Content (Pb)
Cadmium Content (Cd)
Mercury Content (Hg)
Hexavalent Chromium Content [Cr(VI)]

N.D.
N.D.
N.D.
N.D.

Note : - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

(2)

Flame Retardants	Black plastic part	Detection Limit (ppm)
Polybrominated Biphenyls (PBBs)		
Monobromobiphenyl	N.D.	5
Dibromobiphenyl	N.D.	5
Tribromobiphenyl	N.D.	5
Tetrabromobiphenyl	N.D.	5
Pentabromobiphenyl	N.D.	5
Hexabromobiphenyl	N.D.	5
Heptabromobiphenyl	N.D.	5
Octabromobiphenyl	N.D.	5
Nonabromodiphenyl	N.D.	5
Decabromodiphenyl	N.D.	5
Polybrominated Diphenylethers (PBDEs)		
Monobromodiphenyl ether	N.D.	5
Dibromodiphenyl ether	N.D.	5
Tribromodiphenyl ether	N.D.	5
Tetrabromodiphenyl ether	N.D.	5
Pentabromodiphenyl ether	N.D.	5
Hexabromodiphenyl ether	N.D.	5
Heptabromodiphenyl ether	N.D.	5
Octabromodiphenyl ether	N.D.	5
Nonabromodiphenyl ether	N.D.	5
Decabromodiphenyl ether	N.D.	5

Note : - N.D. = Not Detected (< 5 ppm)
- ppm = mg/kg

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 248321

4/F, Block B, Yu Jing Industrial Park, Ling Shan Road, Zhu Cun Dong Pu Area, Tianhe District, Guangzhou China 510661
中国·广州·天河区东圃珠村灵山路裕景工业园八栋四楼 邮编: 510660

1 (86-20) 82169300 1 (86-20) 82169558 www.sgs.com
1 (86-20) 82169300 1 (86-20) 82169558 sgs-china@sgs.com



Test Report

No.: GZSCR050640856/LP

Date: JUN 27, 2005

Page 1 of 2

PIN SHINE ELECTRONIC & PLASTIC PRODUCTS (DONGGUAN) CO., LTD.
WEST PART OF LIU WU INDUSTRIAL AREA,
SAN HENG ROAD, NEW DISTRICT OF SHI JIE TOWN,
DONG GUAN CITY, GUANG DONG PROVINCE

Report on the submitted sample said to be CD-05

SGS Ref No. : GZML05062386

Sample Receiving Date : JUN 21, 2005


Testing Period : JUN 21, 2005 TO JUN 26, 2005

Test Requested : (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.
(2) Determination of PBBs (polybrominated biphenyls), PBDEs (Polybrominated diphenylethers) of the submitted sample.

Test Method : (1) Lead content - with reference to EPA method 3050B: 1996.
Cadmium content - with reference to BS EN1122: 2001 method B.
Mercury content - with reference to EPA 3052: 1996.
Hexavalent Chromium content - with reference to EPA 3060A & EPA 7196A.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.
(2) With reference to SGS in-house method. Analysis was performed by GC/MS.

RESULTS : Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.



Zhang Li, Amy
Sr. Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZC 248259



Test Report

No.: GZSCR050640656/LP

Date: JUN 27, 2005

Page 2 of 2

Results :

(1)

Black plastic part

Lead Content (Pb)	N.D.
Cadmium Content (Cd)	N.D.
Mercury Content (Hg)	N.D.
Hexavalent Chromium Content [Cr(VI)]	N.D.

Note : - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

(2)

Flame Retardants	Black plastic part	Detection Limit (ppm)
Polybrominated Biphenyls (PBBs)		
Monobromobiphenyl	N.D.	5
Dibromobiphenyl	N.D.	5
Tribromobiphenyl	N.D.	5
Tetrabromobiphenyl	N.D.	5
Pentabromobiphenyl	N.D.	5
Hexabromobiphenyl	N.D.	5
Heptabromobiphenyl	N.D.	5
Octabromobiphenyl	N.D.	5
Nonabromodiphenyl	N.D.	5
Decabromodiphenyl	N.D.	5
Polybrominated Diphenylethers (PBDEs)		
Monobromodiphenyl ether	N.D.	5
Dibromodiphenyl ether	N.D.	5
Tribromodiphenyl ether	N.D.	5
Tetrabromodiphenyl ether	N.D.	5
Pentabromodiphenyl ether	N.D.	5
Hexabromodiphenyl ether	N.D.	5
Heptabromodiphenyl ether	N.D.	5
Octabromodiphenyl ether	N.D.	5
Nonabromodiphenyl ether	N.D.	5
Decabromodiphenyl ether	N.D.	5

Note : - N.D. = Not Detected (< 5 ppm)
- ppm = mg/kg

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZC00248285

Test Report

No. SH533383/CHEM

Date: 6.7.2005

Page 1 of 2

KUNSHAN XIANGXIN PRECISION MOLD CO., LTD
HUGUANG DONG ROAD, NANGANG, ZHANG PU, KUNSHAN

The following sample(s) was/were submitted and identified on behalf of the applicant as:

Sample Name : FIXED BASE
SGS Ref No. : SHEC0050612569-1
Buyer : WHA YU INDUSTRIAL CO., LTD
Model : $\Phi 13 \times 25.3$ mm
Material : PBT 310

Sample Receiving Date : June 02, 2005
Testing Period : June 02 to June 07, 2005

Test Requested : 1) To determine the Cadmium Content of the submitted sample.
2) To determine the Lead content of the submitted sample.
3) To determine Mercury Content of the submitted sample.
4) To determine Hexavalent Chromium content of the submitted sample.
5) To determine the PBBs(Polybrominated biphenyls) PBBEs(PBDEs)
(Polybrominated biphenyl ethers) Content of the submitted sample.

Test method : 1) With reference to BS EN 1122:2001, Method B
Analysis was performed by Inductively Coupled Argon Plasma – Atomic Emission Spectrometry (ICP-AES) or Atomic Absorption Spectrometry.
2) With reference to US EPA Method 3050B
Analysis was performed by Inductively Coupled Argon Plasma – Atomic Emission Spectrometry (ICP-AES) or Atomic Absorption Spectrometry.
3) With reference to US EPA 3052/EPA7473
Analysis was performed by Inductively Coupled Argon Plasma – Atomic Emission Spectrometry (ICP-AES)/Hg Analyzer.
4) With reference to US EPA3060A and US EPA7196A
Analysis was performed by UV-VIS Spectrometric method.
5) With reference to USEPA 8081/8270C/3540C/3550B, Analysis was performed by GC/MS.

Test Results : Please refer to next page

Signed for and on behalf of
SGS-CSTC Chemical Laboratory



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 274892

Test Report

No. SH533383/CHEM

Date: 6.7.2005

Page 2 of 2

Test Results

No.	Item	Unit	MDL	A
1	Cadmium (Cd)	ppm	2	N.D.
2	Lead (Pb)	ppm	2	40
3	Mercury (Hg)	ppm	2	N.D.
4	Hexavalent Chromium (Cr VI)	ppm	2	N.D.
5	PBBs(Polybrominated biphenyls)	---	---	---
	PBBs(Bromobiphenyl)	ppm	5	N.D.
	PBBs(Dibromobiphenyl)	ppm	5	N.D.
	PBBs(Tribromobiphenyl)	ppm	5	N.D.
	PBBs(Tetrabromobiphenyl)	ppm	5	N.D.
	PBBs(Pentabromobiphenyl)	ppm	5	N.D.
	PBBs(Hexabromobiphenyl)	ppm	5	N.D.
	PBBs(Heptabromobiphenyl)	ppm	5	N.D.
	PBBs(Octabromobiphenyl)	ppm	5	N.D.
	PBBs(Nonabromobiphenyl)	ppm	5	N.D.
	PBBs(Polybrominated biphenyls)	ppm	5	N.D.
	PBBEs(PBDEs)(Polybrominated biphenyl ethers)	---	---	---
	PBBEs(PBDEs)(Monobromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Dibromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Tribromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Tetrabromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Pentabromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Hexabromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Heptabromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Octabromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Nonabromobiphenyl ether)	ppm	5	N.D.
	PBBEs(PBDEs)(Decabromobiphenyl ether)	ppm	5	N.D.

Sample Appearance Description:

A. Black plastic

Note : ppm=mg/kg

MDL= Method Detection Limit

N.D. = Not detected.(<MDL)

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 274891



Test Report

No.: GZML060201325

Date: FEB 24, 2006

Page 1 of 2

ZHONG SHAN SHI YANG METAL PRODUCTS CO., LTD.
THE THIRD INDUSTRIAL AREA, NAN LANG TOWN, ZHONG SHAN CITY, GUANGDONG PROVINCE,
P.R. CHINA

Report on the submitted sample said to be COPPER (铜棒) C3804

SGS Ref No. : GZ0602015627/CHEM

Sample Receiving Date : FEB 17, 2006

Testing Period : FEB 17, 2006 TO FEB 23, 2006

Test Requested : (1) As specified by client, to determine the Lead, Cadmium & Mercury content in the submitted sample.
(2) Determination of the presence of Hexavalent Chromium Cr(VI) in the submitted metallic samples.

Test Method : (1) Lead content - With reference to EPA method 3050B: 1996 / other acid digestion.
Cadmium content - With reference to BS EN1122: 2001 method B / other acid digestion.
Mercury content - With reference to EPA 3052. 1996 / 7473: 1998 / other acid digestion.
Analysis was performed by Atomic Absorption Spectrometer / Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES).
(2) With reference to the Committee Draft of IEC 62321, Ed.1 (Sec. 9.7.2 - Boiling-water-extraction method)

Results : Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

Cathy Peng
Tech Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days. This Test Report shall not be reproduced except in full without written approval of the Company.



SGS (China) Co., Ltd. (SGS 中国有限公司) is a member of the SGS Group. The company is located at No. 108, Jiefang Road, Guangzhou, Guangdong, P.R. China. Tel: +86 (0)20 20750800, Fax: +86 (0)20 20750801, Email: china@sgs.com, Website: www.sgs.com.

FEB. 25 2006 10:49 P2

FROM: SHIYANG METAL PRODUCTS CO., LTD. FAX NO.: 0760 5214769

MAR-16-2006 16:40 FROM:

Test Report

No.: GZML060201325

Date: FEB 24, 2003 Page 2 of 2

Results:

(1)

Lead Content (Pb)(ppm)
Cadmium Content (Cd)(ppm)
Mercury Content (Hg)

Golden metal rod

3.10x10⁻⁴
19
N.D.

Note : - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

(2)

Hexavalent Chromium Content [Cr(VI)]


Golden metal rod

Negative

Note : - Negative means the concentration of Hexavalent Chromium extracted from 50cm² sample is less than the detection limit.
- Detection limit of Cr(VI) in solution = 0.02 mg/kg Cr(VI) extracted from 50cm² sample surface area by boiling-water-extraction method

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



SGS (Shanghai) Metal Products Co., Ltd. 100000 Shanghai, China
Tel: +86-21-62155573 Fax: +86-21-62155573
E-mail: sgs@sgs.com Website: www.sgs.com

Feb. 25 2006 10:50 P3

FAX NO. : 0760 5214769

FROM : SHIYANG METAL PRODUCTS CO., LTD

MAR-16-2006 16:40 FROM:



Test Report

No.: SZTYR050305623/LP

Date: MAR 10, 2005

Page 1 of 1

YING SHENG (XIN HE) ELECTRONICS & PLATING CO., LTD.
FENG HUANG SHAN SHA JIAO, HUMEN, DONGGUAN

Report on the submitted sample said to be 镀锌

Buyer : 索尼
Sample Receiving Date : MAR 04, 2005
Testing Period : MAR 05, 2005 TO MAR 09, 2005

Test Requested : To determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.

Test Method : Lead content - with reference to EPA Method 3050B: 1996 / other acid digestion.
Cadmium content - with reference to EN1122: 2001 method B / other acid digestion.
Mercury content - with reference to EPA Method 3052: 1996 / other acid digestion.
Hexavalent Chromium content - with reference to EPA Method 3060A: 1996 / other wet digestion.
Analysis was performed by Atomic Absorption Spectrometer (AAS), Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) and UV-VIS Spectrophotometer.

Results

	Silver color metal parts
Lead Content (ppm)	8
Cadmium Content	N.D.
Mercury Content	N.D.
Hexavalent Chromium Content	N.D.

Note: - N.D. = Not Detected (< 2 ppm)

- ppm = mg/kg

- Results shown are of the total weight of dry sample.

*** End of Report ***

Signed for and on behalf of
SGS-CSTC Ltd.



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

Test Report

No. SH517723/CHEM

Date: 4.14.2005

Page 1 of 4

FLUOTECH INDUSTRIES CO., LTD.
NO.26, DIN HU 2ST, KNEI-SHAN, TAO YUAN, TAIWAN

The following sample(s) was/were submitted and identified on behalf of the applicant as:

Sample Name : PTFE ROD
SGS Ref No. : SHEC0050305667
Model : 10mm STICK
Material : PTFE

Sample Receiving Date : March 31, 2005
Testing Period : March 31 to April 14, 2005

Test Requested : 1) *To determine the Cadmium Content of the submitted sample.
2) *To determine the Lead content of the submitted sample.
3) *To determine Mercury Content of the submitted sample.
4) *To determine Hexavalent Chromium content of the submitted sample.
5) *To determine the PBBs(Polybrominated biphenyls) PBBEs(PBDEs)
(Polybrominated biphenyl ethers) Content of the submitted sample.
6) *To determine the PCBs(Polychlorinated Biphenyls) Content of the submitted sample.
7) *To determine the Mirex(CAS NO:002385-85-5) Content of the submitted sample.
8) ***As specified by Client, to detection and determination of certain listed aromatic amines
derived from Azo Colorants (EN14362-2:2003).

Test method/Test Results: Please refer to next page

Conclusion : 8) *** According to the analysis as carried out, azo colorants which can release one
or more of certain listed amines by cleavage of their azo group/s were not
detected in the commodity submitted.

Signed for and on behalf of
SGS-CSTC Chemical Laboratory

Ella Zhang
Supervisor

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 245801

SGS-CSTC Standards Technical Services Co., Ltd. 1/F, 2/F, 9/F & 10/F, the 3rd Building, No. 889, Yishan Road, Xuhui District, Shanghai, China 200233 t +86 21 6455 1616*2822 f +86 21 5450 0314
Shanghai Branch Testing Center (Technical Laboratory) 中国·上海·徐汇区宜山路889号3号楼1楼、7楼、9楼、10楼 邮编: 200233 t +86 21 6455 1616*2822 f +86 21 5450 0314 www.cn.sgs.com

Member of the SGS Group (Société Générale de Surveillance)

Test Report

No. SH517723/CHEM

Date: 4.14.2005

Page 2 of 4

Test method

- 1) * ICP-AES after reference to EN 1122, method B:2001 or other acid digestion.
- 2) *ICP-AES after reference to US EPA 3050B or other acid digestion.
- 3) *ICP-AES after reference to US EPA 3052 or other acid digestion.
- 4) *UV-VIS after reference to US EPA 3060A.
- 5) *With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)
- 6) *With reference to US EPA 8082. Analysis was performed by GC/MS.
- 7) *Analysis was performed by GC/MS.
- 8) *** Extraction test on coloured textile - Detection of the use of certain azo colorants in fibres with extractable dyes with the use of Gas Chromatographic Mass Spectrometry (GC-MS) / Thin Layer Chromatography (TLC) Technique.

Test Results

No.	Test Item(s):	Unit	MDL	Result
				A.
1	Cadmium (Cd) *	ppm	2	N.D.
2	Lead (Pb) *	ppm	2	N.D.
3	Mercury (Hg) *	ppm	2	N.D.
4	Hexavalent Chromium (Cr VI)*	ppm	2	N.D.

5) *PBBs(Polybrominated biphenyls) PBBEs(PBDEs) (Polybrominated biphenyl ethers) Content

Test Item(s):	Unit	MDL	Result
			A
Monobromobiphenyl	%	0.0005	
Dibromobiphenyl	%	0.0005	N.D.
Tribromobiphenyl	%	0.0005	N.D.
Tetrabromobiphenyl	%	0.0005	N.D.
Pentabromobiphenyl	%	0.0005	N.D.
Hexabromobiphenyl	%	0.0005	N.D.
Heptabromobiphenyl	%	0.0005	N.D.
Octabromobiphenyl	%	0.0005	N.D.
Nonabromobiphenyl	%	0.0005	N.D.
Decabromobiphenyl	%	0.0005	N.D.
Total	%	-	N.D.
PBBs (Polybrominated biphenyls)/Sum of above			
Monobromobiphenyl ether	%	0.0005	N.D.
Dibromobiphenyl ether	%	0.0005	N.D.
Tribromobiphenyl ether	%	0.0005	N.D.
Tetrabromobiphenyl ether	%	0.0005	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

540-77-14048

SUN CITY, Oklahoma Indian Services Co., Inc.
Shawnee Branch, Indian Agency, Shawnee, Oklahoma

1, 7, 7F, 9F & 10F, the 3rd Building, No. 889, Yishan Road, Xuhui District, Shanghai, China 200233 t: +86 21 6495 1616*2822 f: +86 21 5450 0314
中国·上海·徐汇区宜山路889号3号楼1层、7楼、9楼、10楼 邮编: 200233 t: +86 21 6495 1616*2822 f: +86 21 5450 0314 www.cn.sgs.com

Member of the SGS Group (Société Générale de Surveillance)

Test Report

No. SH517723/CHEM

Date: 4.14.2005

Page 3 of 4

Pentabromobiphenyl ether	%	0.0005	N.D.
Hexabromobiphenyl ether	%	0.0005	N.D.
Heptabromobiphenyl ether	%	0.0005	N.D.
Octabromobiphenyl ether	%	0.0005	N.D.
Nonabromobiphenyl ether	%	0.0005	N.D.
Decabromobiphenyl ether	%	0.0005	N.D.
Total PBDEs (pbdes(Polybrominated biphenyl ethers)/Sum of above	%		N.D.

6) *PCBs Content

Test Item (s):	Unit	MDL	Result
PCBs(Polychlorinated Biphenyls) (CAS NO:001336-36-3)	ppm	0.5	N.D.

7) *Mirex Content

Test Item (s):	Unit	MDL	Result
Mirex (CAS NO:002385-85-5)	ppm	4	N.D.

8) *** To detection and determination of certain listed aromatic amines derived from Azo Colorants (EN14362-2:2003)

No.	Amines Substances	CAS-No.	Result
1.	4-aminodiphenyl/xenylamine/ Biphenyl-4-ylamine	92-67-1	n.d.
2.	Benzidin	92-87-5	n.d.
3.	4-chlor-o-toluidine	95-69-2	n.d.
4.	2-naphthylamine	91-59-8	n.d.
5.	o-aminoazotoluene/ 4-o-tolylazo-o-toluidine/ 4-amino-2',3'-dimethylazobenzene	97-56-3	n.d.
6.	2-amino-4-nitrotoluol/5-nitro-o-toluidine	99-55-8	n.d.
7.	p-chloranilin/4-chloroaniline	106-47-8	n.d.
8.	2,4-diaminoanisol/ 4-methoxy-m-phenylenediamine	615-05-4	n.d.
9.	4,4'-diaminodiphenylmethane/ 4,4'-methylenedianiline	101-77-9	n.d.
10.	3,3'-dichlorobenzidine/ 3,3'-dichlorobiphenyl-4,4'-ylenediamine	91-94-1	n.d.
11.	3,3'-dimethoxybenzidine/o-dianisidine	119-90-4	n.d.
12.	3,3'-dimethylbenzidine/4,4'-bi-o-Toluidine	119-93-7	n.d.
13.	3,3'-dimethyl-4,4'-diaminodiphenylmethane/	838-88-0	n.d.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SGS SA - SERVICES (Société Générale de Surveillance) S.A. | 1/F, 2/F, 3/F & 10/F the 3rd Building, No. 389, Yizhen Road, Xuhui District, Shanghai, China 200233 | +86 21 6495 1616*2872 | +86 21 5450 0314
 中国上海徐汇区宜山路389号3号楼11楼、7楼、9楼、10楼 邮编: 200233 | +86 21 6495 1616*2872 | +86 21 5450 0314 | www.cn.sgs.com

Member of the SGS Group (Société Générale de Surveillance)



Test Report

No. SH517723/CHEM

Date: 4.14.2005

Page 4 of 4

14.	4,4'-methylenedi-o-toluidine		
15.	p-cresidin/6-methoxy-m-toluidine	120-71-8	n.d.
16.	4,4'-methylen-bis-(2-chloro-aniline)/ 2,2'-dichloro-4,4'-methylene-dianiline	101-14-4	n.d.
17.	4,4'-oxydianiline	101-80-4	n.d.
18.	4,4'-thiodianiline	139-65-1	n.d.
19.	o-toluidine/2-aminotoluene	95-53-4	n.d.
20.	2,4-toluyldiamin/ 4-methyl-m-phenylenediamine	95-80-7	n.d.
21.	2,4,5-trimethylaniline	137-17-7	n.d.
22.	4-aminoazobenzene	60-09-3	n.d.
23.	o-anisidine/ 2-methoxyaniline	90-04-0	n.d.
24.	2,4-Xylidin	95-68-1	n.d.
	2,6-Xylidin	87-62-7	n.d.

Overall Rating

PASS

Note :

n.d. = not detectable

Detection Limit = 5 ppm (mg/kg)

Requirement: no relevant amine exceeding 30 ppm (mg/kg).

Forbidden Arylamines for Azo Dye Regulation

[] No. 1-22-Commission of the European Communities: Directive 2002/61/EC adopted by the Council on 19 July 2002

[] No. 1-20, 22-24- Greening Label: Oko-Tex Standard 100-2002 edition (European Countries)

Remarks : Azo colorants that are able to form 4-aminoazobenzene (CASNr: 60-09-3),

generate under the testing condition into aniline and 1, 4-phenylenediamine.

The detection of it can only be ascertained with the chemical structure of the colorant used.

Sample Description:

A. White solid

Note : ppm=mg/kg

0.01%= 100ppm

N.D. = Not detected.(<MDL)

MDL= Method Detection Limit

"-=" Not Applicable

***These tests were subcontracted to SGS-SHSL TEXTLIE LAB (Date of testing: 2005/03/31-04/04).

* These tests were subcontracted to SGS Taiwan Ltd (Date of testing: 2005/04/04-04/14).

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

1311014 24-10-12

SGS-STE Standards Technical Services Co., Ltd. | 1/F, 7/F, 9/F & 10/F, the Jia Building, No. 889, Yixian Road, Xuhui District, Shanghai, China 200233 | +86 21 6495 1616*2822 | +86 21 5450 0314
 中国, 上海, 徐汇区宜山路889号3号楼1楼, 7楼, 9楼, 10楼 邮编: 200233 | +86 21 6495 1616*2822 | +86 21 5450 0314 | www.cn.sgs.com

Member of the SGS Group (Société Générale de Surveillance)



Test Report

No.: GZML060201325

Date: FEB 24, 2006

Page 1 of 2

ZHONG SHAN SHI YANG METAL PRODUCTS CO., LTD.
THE THIRD INDUSTRIAL AREA, NAN LANG TOWN, ZHONG SHAN CITY, GUANGDONG PROVINCE,
P.R. CHINA

Report on the submitted sample said to be COPPER (铜棒) C3804

SGS Ref No. : GZ0602015627/CHEM

Sample Receiving Date : FEB 17, 2006

Testing Period : FEB 17, 2006 TO FEB 23, 2006

Test Requested : (1) As specified by client, to determine the Lead, Cadmium & Mercury content in the submitted sample.
(2) Determination of the presence of Hexavalent Chromium Cr(VI) in the submitted metallic samples.

Test Method : (1) Lead content - With reference to EPA method 3050B: 1996 / other acid digestion.
Cadmium content - With reference to BS EN1122: 2001 method B / other acid digestion.
Mercury content - With reference to EPA 3052. 1996 / 7473: 1998 / other acid digestion.
Analysis was performed by Atomic Absorption Spectrometer / Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES).
(2) With reference to the Committee Draft of IEC 62321, Ed.1 (Sec. 9.7.2 - Boiling-water-extraction method)

Results : Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

Cathy Peng
Tech Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days. This Test Report shall not be reproduced except in full without written approval of the Company.



SGS (China) Co., Ltd. (SGS 中国有限公司) is a member of the SGS Group. The company is located at No. 108, Jiefang Road, Guangzhou, Guangdong, P.R. China. Tel: +86 (0)20 20750800, Fax: +86 (0)20 20750801, Email: china@sgs.com, Website: www.sgs.com

FEB. 25 2006 10:49 P2

FROM: SHIYANG METAL PRODUCTS CO., LTD. FAX NO.: 0760 5214769

MAR-16-2006 16:40 FROM:

Test Report

No.: GZML060201325

Date: FEB 24, 2003 Page 2 of 2

Results:

(1)

Lead Content (Pb)(ppm)
Cadmium Content (Cd)(ppm)
Mercury Content (Hg)

Golden metal rod

3.10x10⁻⁴

19

N.D.

Note : - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

(2)

Hexavalent Chromium Content [Cr(VI)]


Golden metal rod

Negative

Note : - Negative means the concentration of Hexavalent Chromium extracted from 50cm² sample is less than the detection limit.
- Detection limit of Cr(VI) in solution = 0.02 mg/kg Cr(VI) extracted from 50cm² sample surface area by boiling-water-extraction method

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days. This Test Report shall not be reproduced except in full, without written approval of the Company.



SGS (China) Co., Ltd. (SGS (China) Co., Ltd.)
Address: 110000, Beijing, China
Tel: 86-10-85215573 Fax: 86-10-85215573
E-mail: sgs@sgs.com.cn Website: www.sgs.com.cn

Feb. 25 2006 10:50 P3

FAX NO. : 0760 5214769

FROM : SHIYANG METAL PRODUCTS CO., LTD

MAR-16-2006 16:40 FROM:



星江电署监测报

Test Report

No.: GZSC050421403/LP

Date: APR 28, 2005

Page 1 of 4

DONG GUAN UNIRES CHEMICALS CO., LTD.
HENG TANG MANAGEMENT DISTRICT,
TANG XIA TOWN, DONG GUAN,
GUANG DONG PROVINCE, CHINA

Report on the submitted sample said to be EEB-068A

SGS Ref No. : GZ050403870EC
Sample Receiving Date : APR 13, 2005
Testing Period : APR 13, 2005 TO APR 18, 2005

Test Requested : As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.

Test method : Cadmium content : With reference to BS EN 1122:2001 Method B see flowchart (1).
Lead content : Ashing after wet decomposition see flowchart (2).
Mercury content - With reference to EPA 3052: 1996.
Hexavalent Chromium content - with reference to EPA 3060A: 1996 & EPA 7196A: 1992.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.

Results : Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.


He Xiaoyan, Jane
Tech. Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

4F, Block 1, Guangzhou Park Ling Shan Road, Zhu Tan Dong Pu Area, Tianhe District, Guangzhou, China 510660 Tel: 86-20-32159559 Fax: 86-20-32159558 www.sgs.com
中国广东 天河区东圃珠村灵山路东圃工业园八栋五楼 邮编 510660 Tel: 86-20-32159559 Fax: 86-20-32159558 sgs@cn.sgs.com

Member of SGS S.A. Société Générale de Surveillance



Test Report

No.: GZSCR050421403/LP

Date: APR 26, 2005

Page 2 of 4

Results :

	Black wet paint
Lead Content (Pb)	N.D.
Cadmium Content (Cd)	N.D.
Mercury Content (Hg)	N.D.
Hexavalent Chromium Content [Cr(VI)]	N.D.

Note : - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Condition available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdiction defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



Test Report

No. GZSCR050421403/LP


Date: APR 23, 2006

Page 5 of 3

ATTACHMENTS

(1)

Flow chart of digestion (Cadmium content):



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Sams Deng
Leader : Joe Li

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdiction defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) is/are for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

Test Report


No.: GZSCR050421403/LP

Date: APR 28, 2005

Page 4 of 4

(2)

Flow chart of digestion (wet decomposition and ashing) (Lead content) :



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Vincent Li
Leader : Adams Yu

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Condition available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdiction defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

4/F, Block 8, Yu Jing Industrial Park, Ling Shan Road, Zhu Cun Dong Pu Area, Tianhe District, Guangzhou, China 510660 1 (86-20) 62169100 f (86-20) 62165558
中国·广州·天河区东圃镇林山路裕康工业园八栋四楼 邮编: 510660 1 (86-20) 62169100 f (86-20) 62165558 e: sgs-c

Member of SGS Group (Société Générale de Services)



To: JADA

Test Report

No. 2054827/EC

Date: Mar 08 2006

Page 1 of 2

SAMLUNG PRECISION METAL PLATING FACTORY SHENZHEN CHINA
XING YE XI YI ROAD, SHAJING TOWN, SHENZHEN, CHINA

Report on the submitted sample said to be 五金件鍍金.

SGS Job No. : 1990289
SGS Ref. No. : SZECD060207466RS-4.4
Buyer : SONY
Sample Receiving Date : MAR 02 2006
Testing Period : MAR 02 - 08 2006

Test Requested : 1) To determine the Cadmium content in the submitted sample.
2) To determine the Lead content in the submitted sample.
3) To determine the Mercury content in the submitted sample.
4) Determination of the presence of Hexavalent Chromium Cr(VI) in the submitted metallic samples.

Test Method : 1-3) With reference to SGS in-House Method. The sample was digested by acid. Analysis was performed by Inductively Coupled Argon Plasma - Atomic Emission Spectrometry (ICP-AES) or Atomic Absorption Spectrometry.
4) With reference to the Committee Draft of IEC 62321, Ed.1 (Sec. 9.7.2 - Boiling-water-extraction method)

Test Results	Test Item	1	Detection Limit
1)	Cadmium (Cd) Content	ND	2 ppm
2)	Lead (Pb) Content	13 ppm	2 ppm
3)	Mercury (Hg) Content	ND	2 ppm

(Results shown are of the total weight of samples)

Notes : ppm = mg/kg
ND = Not Detected
Not detected is reported when the reading is less than detection limit value

4) 1
Hexavalent Chromium [Cr(VI)] Negative

Note : - Negative means the concentration of Hexavalent Chromium extracted from 50 cm² sample surface area is less than the detection limit
- Detection limit of Cr(VI) in solution = 0.02 mg/kg Cr(VI) extracted from 50 cm² sample surface area by boiling-water-extraction method


Sample Description:
1. Coppery Metal w/ Golden Coating

Remark : Test was conducted in SGS Hong Kong Limited

Signed for and on behalf of
SGS Hong Kong Ltd

Ho Ka Tung, Family
Laboratory Executive

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions and the associated disclaimer are available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days. This Test Report shall not be reproduced except in full, without written approval of the Company.



SZE 138068

SGS

Test Report

No. 2054838/EC

Date : Mar 08 2006

Page 1 of 2

SAMLUNG PRECISION METAL PLATING FACTORY SHENZHEN CHINA
XING YE XI YI ROAD, SHAJING TOWN, SHENZHEN, CHINA

Report on the submitted sample said to be 五金件鍍鎳.

SGS Job No. : 1990319
SGS Ref. No. : SZECO060207466RS-4.1
Buyer : SONY
Sample Receiving Date : MAR 02 2006
Testing Period : MAR 02 - 08 2006

Test Requested : 1) To determine the Cadmium content in the submitted sample.
2) To determine the Lead content in the submitted sample.
3) To determine the Mercury content in the submitted sample.
4) Determination of the presence of Hexavalent Chromium Cr(VI) in the submitted metallic samples.

Test Method : 1-3) With reference to SGS In-House Method. The sample was digested by acid. Analysis was performed by Inductively Coupled Argon Plasma - Atomic Emission Spectrometry (ICP-AES) or Atomic Absorption Spectrometry.
4) With reference to the Committee Draft of IEC 62321, Ed.1 (Sec. 9.7.2 - Boiling-water-extraction method)

Test Results	Test Item	1	Detection Limit
1)	Cadmium (Cd) Content	ND	2 ppm
2)	Lead (Pb) Content	16 ppm	2 ppm
3)	Mercury (Hg) Content	ND	2 ppm

(Results shown are of the total weight of samples)

Notes : ppm = mg/kg
ND = Not Detected
Not detected is reported when the reading is less than detection limit value

4) 1
Hexavalent Chromium [Cr(VI)] Negative

Note : - Negative means the concentration of Hexavalent Chromium extracted from 50 cm² sample surface area is less than the detection limit
- Detection limit of Cr(VI) in solution = 0.02 mg/kg Cr(VI) extracted from 50 cm² sample surface area by boiling-water-extraction method

Sample Description :
1. Coppery Metal w/ Silvery Coating

Remark : Test was conducted in SGS Hong Kong Limited

Signed for and on behalf of
SGS Hong Kong Ltd

Ho Ka Tung, Family
Laboratory Executive

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days. This Test Report shall not be reproduced except in full, without written approval of the Company.



SGS
Shenzhen Ltd

2/F, Qianhai Building, Zhonghuang Road, Shengmen, Shenzhen, China 518049
中国·深圳·上梅林中心路瑞士达大厦2层

t (86-755)83114358

f (86-755)83182782

www.cn.sgs.com

t (86-755)83114358

f (86-755)83182732

s.sgs.china@sgs.com

SZE 138061

Test Report

No.: GZ0602013169/CHEM

Date: FEB 17, 2006

Page 1 of 1

SHEN ZHEN HUEYNITEH CO. LTD

5/F BUILDING, BAI SHI ZHOU YUAN ZINENG INDUSTRIAL ZONE, SHAHE TOWN, SHEN ZHEN CITY

Report on the submitted sample said to be 黄铜管

SGS Ref No. : SZ060204487RS-4.1
Material : Cu
Buyer : SONY
Sample Receiving Date : FEB 13, 2006
Testing Period : FEB 13, 2006 TO FEB 17, 2006

Test Requested : As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.

Test Method
Lead content - With reference to EPA method 3050B: 1996 / other acid digestion.
Cadmium content - With reference to BS EN1122: 2001 method B / other acid digestion.
Mercury content - With reference to EPA 3052: 1996 / 7473: 1998 / other acid digestion.
Hexavalent Chromium content - With reference to EPA 3060A : 1996 & EPA 7196A : 1992
Analysis was performed by Atomic Absorption Spectrometer / Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / Direct Mercury analyzer / UV-VIS Spectrophotometer.

Results


Item	Unit	MDL	Golden metal
Lead Content (Pb)	ppm	2	186
Cadmium Content (Cd)	ppm	2	N.D.
Mercury Content (Hg)	ppm	2	N.D.
Hexavalent Chromium (Cr VI)	ppm	2	N.D.

Note : - N.D. = Not Detected (< MDL)
- MDL= Method Detection Limit
ppm = mg/kg

Signed for and on behalf of
SGS-CSTC Ltd.


Huang Fang, Sunny
Sr. Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 90 days. This Test Report shall not be reproduced except in full, without written approval of the Company.



198 KEZHU Road, SCIENTECH Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663
中国·广州·经济技术开发区科学城科珠路198号 邮编:510663

t (86-20)82155555 (86-20)82075125 www.cn.sgs.com
t (86-20)82155555 (86-20)82075125 e sgs.china@sgs.com

GZCM 621880

Member of the SGS Group (SGS SA)



Test Report

No: GZSC051191692/LP

Date: NOV 29, 2005

Page 1 of 2

NEW-MINGTAI ELECTRONIC HARDWARE ELECTROPLATE FACTORY
OLD VILLAGE HALL (LAOXIANGFU) TONG-LE VILLAGE, LONG-GANG TOWN, SHENZHEN

Report on the submitted sample said to be 锡/铅/锡/GP Sn

SGS Ref No: SZ051125313EC-3.1

Sample Receiving Date: NOV 23, 2005

Testing Period: NOV 23, 2005 TO NOV 29, 2005

Test Requested: (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.
(2) Determination of PBBs (polybrominated biphenyls), PBDEs (Polybrominated diphenylethers) of the submitted sample.

Test Method: (1) Lead content: With reference to EPA method 3050B: 1996 / other acid digestion.
Cadmium content: With reference to BS EN1122: 2001 method B / other acid digestion.
Mercury content: With reference to EPA 1631: 1995 / 7473: 1998 / other acid digestion.
Hexavalent Chromium content: With reference to ISO 3633: 2000 (Clause 6.6).
Analysis was performed by Atomic Absorption Spectrometer / Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.
(2) With reference to EPA 3540C / 3550C. Analysis was performed by GC/MS.

RESULTS Please refer to next page

Signed for and on behalf of
SGS-CSTC Ltd.

Jiang Li Amy
Sr. Engineer

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request and are irrespective of any warranty. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies set forth therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days. This Test Report shall not be reproduced except in full, without written approval of the Company.



GZCM 379029

TUE 21 2006 09:15PM PT

PHONE NO.: 84292067

Address: 2005-11-29 14:00:00

FROM: Xiangxin



Test Report

No.: GZSCR051191692/LP

Date: NOV 29, 2005

Page 2 of 2

Results :

(1)

Item	Unit	MDL	Silvery metal part
Lead Content (Pb)	ppm	2	23
Cadmium Content (Cd)	ppm	2	N.D.
Mercury Content (Hg)	ppm	2	N.D.
Hexavalent Chromium (Cr VI)	µg/cm ²	0.02	N.D.

Note : - N.D. = Not Detected (< MDL)
 - MDL = Method Detection Limit
 - ppm = mg/kg

(2)

	Silvery metal part
Flame Retardants	
Polybrominated Biphenyls (PBBs)	
Monobromobiphenyl	N.D.
Dibromobiphenyl	N.D.
Tribromobiphenyl	N.D.
Tetrabromobiphenyl	N.D.
Pentabromobiphenyl	N.D.
Hexabromobiphenyl	N.D.
Heptabromobiphenyl	N.D.
Octabromobiphenyl	N.D.
Nonabromobiphenyl	N.D.
Decabromobiphenyl	N.D.
Polybrominated Diphenylethers (PBDEs)	
Monobromodiphenyl ether	N.D.
Dibromodiphenyl ether	N.D.
Tribromodiphenyl ether	N.D.
Tetrabromodiphenyl ether	N.D.
Pentabromodiphenyl ether	N.D.
Hexabromodiphenyl ether	N.D.
Heptabromodiphenyl ether	N.D.
Octabromodiphenyl ether	N.D.
Nonabromodiphenyl ether	N.D.
Decabromodiphenyl ether	N.D.

Note : - N.D. = Not Detected (< 5 ppm)
 - ppm = mg/kg

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies set forth herein. The results shown in this Test Report are only for the sample(s) tested, unless otherwise stated and such sample(s) are retained for 90 days after the date of test. The Company does not warrant the accuracy of the results without written approval of the Company.

GZUM



Component Vendor Self-Assessment Checklist for Green ASUS survey form
For complex component

Version 1.03

製造廠商/Vendor name	謙裕實業	填表人員/The Name of Person to fill up this	RD-JANE
華碩料號/ASUS Part No.	14G150001000	品名規格/Part Name	RF Antenna Assembly
廠商料號/Manufacture P/N	C660-510003-A	送件日期/The Date to fill in this form	2006.03.23

請確認是否準備齊全下列文件:

Green ASUS survey form 必備文件及詳細Check List			
Item	GA survey form 需附文件	附註檔案/Attached file	注意事項 (需確實填寫), 並確認填寫完整後, 請在框中打勾/Please make sure the all items of every section had been finished.
1	Certificate for Approval /不使用禁用物質證明書 (承認用)	 C660-510003-A	☒ a. 需填寫日期 / Date ☒ b. 需填寫供應商編號 / Vendor Code ☒ c. 需填寫公司名稱 / Company name ☒ d. 需填寫負責人姓名 / Responsible-person name ☒ e. 需填寫電子郵件 / E-mail ☒ f. 需填寫零件品名 / Part name ☒ g. 需填寫ASUS料號 / ASUS Part Number ☒ h. 需填寫零件廠商料號 / Part Number ☒ i. 需填寫零件生產地點 / Production plant ☒ j. 需蓋公司章在右上方處 / Company's stamp in the right upper side ☒ k. 需請負責人蓋章或簽名在上方處 / Signature of responsible-person in the upper side
2	Composition table and 3rd party test report /零件成分表及第三公正單位測試報告	 零件成分表C660-510003-A	需填寫組成成份 / Compositions : ☒ a. 使用部位 / The position for use ☒ b. 原材料名 / Raw materials ☒ c. 材料編號 / Material No. ☒ d. 生產廠家 / Vendor ☒ c. 第三公正單位測試報告 / 3rd party test report
3	GAC survey file /GAC調查檔案	 無鉛調查表C660-510003-A	☒ 此料件完全不需經過SMD與DIP製程 / Will not pass any reflow and wave-soldering process (如確認該料件完全不需經過SMD及DIP製程, 不須填寫選項e及f / If this part will not pass reflow and wave-soldering process, please skip the items e and f.) ☒ a. 需填寫ASUS料號 / ASUS part number ☒ b. 需填寫品名規格 / Part component name ☒ c. 需填寫外部電極&引線端子組成狀況 / Composition of electrode & Leading terminal : ☒ 狀態 / Status ☒ A ☐ B ☐ C ☐ D ☐ E (Please refer to Note) 預定導入日期 / Deadline : _____ d. 需填寫零件本體組成狀況 / Composition inside part component : ☒ 狀態 / Status ☒ A ☐ B ☐ C ☐ D ☐ E (Please refer to Note) 預定導入日期 / Deadline : _____ e. SMD件環境溫度耐熱調查 / SMD heat resistance capability : ☒ (1) 不需過reflow 製程, 不須填寫選項(2)及(3)/Will not pass reflow process, you can skip following items (2) and (3). (2) 瞬間溫度260度 /Peak Temp endure 260℃ ☐ Y ☐ N (3) 環境溫度維持225度60秒 / Reflow Temp endure > 225℃, 60 sec ☐ Y ☐ N f. DIP件耐溫標準, 塑膠部分在過錫爐時, 錫液和塑膠是否為 / DIP Plastic heat resistance capability : ☒ (1) 不需過波焊製程, 不須填寫選項(2),(3)及(4) /Will not pass wave-soldering process, you can skip following items (2), (3) and (4). (2) 直接接觸需承受270度5秒 / Direct contact 270℃, 5 sec ☐ Y ☐ N (3) 間接接觸需承受230度5秒 / In-direct contact 230℃, 5 sec ☐ Y ☐ N (4) 完全不接觸需承受130度5秒 / no contact 130℃, 5 sec ☐ Y ☐ N
4	Others /其他需求		