

Appendix A: Test Results of Bluetooth Low Energy

APPENDIX A: TEST RESULTS OF BLUETOOTH LOW ENERGY	1
APPENDIX A.1: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	2
30 MHz - 1GHz	2
1GHz - 18GHz	4
APPENDIX A.2: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS	16

Appendix A.1: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.
- 3) Full test performed on the right earbud and worst-case re-checked for the left earbud.

30 MHz - 1GHz

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
68.576154	24.49	40.00	15.51	100.0	H	70.0	-21.5
89.692308	33.71	43.50	9.79	100.0	H	281.0	-21.2
168.001154	39.08	43.50	4.42	100.0	H	63.0	-21.4
255.525000	40.58	46.00	5.42	100.0	H	326.0	-17.2
378.006154	34.50	46.00	11.50	100.0	H	130.0	-14.3
576.035385	29.32	46.00	16.68	100.0	H	212.0	-10.2
816.035769	32.25	46.00	13.75	100.0	H	196.0	-5.9
960.006154	32.85	54.00	21.15	100.0	H	48.0	-4.1

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robot Lawn Mower
Model: LYMOW ONE
Test Mode: BLE 1M_Mid channel
Order No/Sample No: 168557586/A004000487-002
Test Voltage:: Battery
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
41.677308	19.98	40.00	20.02	100.0	V	0.0	-19.8
92.863462	36.57	43.50	6.93	100.0	V	0.0	-20.4
168.001154	30.48	43.50	13.02	100.0	V	354.0	-21.4
216.016154	33.13	46.00	12.87	100.0	V	182.0	-18.7
275.932308	42.40	46.00	3.60	100.0	V	158.0	-16.8
335.997692	37.69	46.00	8.31	100.0	V	338.0	-15.1
388.526923	37.19	46.00	8.81	100.0	V	150.0	-14.0
816.035769	34.13	46.00	11.87	100.0	V	191.0	-5.9
960.006154	35.04	54.00	18.96	100.0	V	110.0	-4.1

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Bluetooth Fundamental

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1456.000000	---	37.24	54.00	16.76	150.0	H	342.0	2.7
1491.000000	50.56	---	74.00	23.44	150.0	H	209.0	2.5
4804.000000	55.06	---	74.00	18.94	150.0	H	103.0	13.3
4804.000000	---	48.81	54.00	5.19	150.0	H	103.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	PoI	Azimuth (deg)	Corr. (dB/m)
90.00	-67.80	-67.80	-67.80	0.00	0.00		0.00	0.00

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4803.500000	55.97	---	74.00	18.03	150.0	V	92.0	13.3
4803.500000	---	50.65	54.00	3.35	150.0	V	92.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7201.525000	44.09	---	74.00	29.91	150.0	H	308.0	8.8
7207.425000	---	36.36	54.00	17.64	150.0	H	0.0	8.8
12142.775000	51.34	---	74.00	22.66	150.0	H	209.0	16.5
12145.233333	---	42.96	54.00	11.04	150.0	H	57.0	16.6

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7191.691667	43.58	---	74.00	30.42	150.0	V	115.0	8.8
7218.241667	---	36.71	54.00	17.29	150.0	V	50.0	8.7
12145.725000	50.71	---	74.00	23.29	150.0	V	276.0	16.6
12157.525000	---	43.06	54.00	10.94	150.0	V	60.0	16.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4879.500000	---	46.13	54.00	7.87	150.0	H	111.0	13.3
4880.500000	52.85	---	74.00	21.15	150.0	H	111.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
100.00	100.00	100.00	100.00	100.00	100.00		100.00	100.00

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4880.000000	---	46.34	54.00	7.66	150.0	V	64.0	13.3
4881.000000	54.13	---	74.00	19.87	150.0	V	89.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7464.566667	---	35.94	54.00	18.06	150.0	H	359.0	8.6
7502.916667	43.82	---	74.00	30.18	150.0	H	354.0	8.7
12117.700000	50.52	---	74.00	23.48	150.0	H	255.0	15.9
12154.083333	---	43.70	54.00	10.30	150.0	H	222.0	16.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	PoI	Azimuth (deg)	Corr. (dB/m)
7460.141667	44.10	---	74.00	29.90	150.0	V	122.0	8.5
7491.608333	---	36.17	54.00	17.83	150.0	V	85.0	8.7
12135.400000	---	43.47	54.00	10.53	150.0	V	111.0	16.3
12144.250000	52.10	---	74.00	21.90	150.0	V	2.0	16.6

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4960.000000	---	45.72	54.00	8.29	150.0	H	102.0	13.3
4960.500000	54.27	---	74.00	19.73	150.0	H	107.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4959.500000	---	43.54	54.00	10.46	150.0	V	90.0	13.3
4960.000000	52.86	---	74.00	21.14	150.0	V	95.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7469.483333	---	35.75	54.00	18.25	150.0	H	47.0	8.6
7488.658333	44.08	---	74.00	29.92	150.0	H	241.0	8.7
12148.675000	51.23	---	74.00	22.77	150.0	H	116.0	16.7
12159.491667	---	42.82	54.00	11.18	150.0	H	116.0	16.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7453.750000	43.37	---	74.00	30.63	150.0	V	38.0	8.5
7456.208333	---	35.95	54.00	18.05	150.0	V	38.0	8.5
12125.566667	50.81	---	74.00	23.19	150.0	V	5.0	16.1
12152.116667	---	43.06	54.00	10.94	150.0	V	186.0	16.6


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

Appendix A.2: Test Results of Radiated Emissions in Restricted Bands

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2331.947794	---	40.33	54.00	13.67	150.0	V	119.0	8.3
2332.618382	51.59	---	74.00	22.41	150.0	V	75.0	8.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
100.0	100.0	100.0	100.0	100.0	100.0		100.0	100.0

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2339.617647	---	40.77	54.00	13.23	150.0	H	182.0	8.4
2341.266177	52.25	---	74.00	21.75	150.0	H	233.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.705882	---	42.40	54.00	11.60	150.0	V	87.0	9.0
2483.735294	61.74	---	74.00	12.26	150.0	V	73.0	9.0

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

EUT Information

EUT Name:	Robot Lawn Mower
Model:	LYMOW ONE
Test Mode:	BLE 1M_High channel
Order No/Sample No:	168557586/A004000487-002
Test Voltage::	Battery
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.834559	66.31	---	74.00	7.69	150.0	H	105.0	9.0
2484.595588	---	43.34	54.00	10.66	150.0	H	105.0	9.0


Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

Appendix A.3: Test Results of Conducted emissions of AC mains

EUT Information

EUT Name: Robot Lawn Mower
Order Number: 168557586(P01794688)
Model: LYMOW ONE
Test Voltage: AC 120V/60Hz
Test Standard: FCC Part 15B
Test By:/Review By: Junhua Sun/ Murphy Chen
Tem./Hum./Pressure: 24.9°C/50.4%/101kPa
Remark: SR2



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.188	---	51.06	54.77	3.71	L1	10.2
0.188	58.56	---	64.77	6.21	L1	10.2
0.238	51.78	---	62.17	10.39	L1	10.2
0.250	---	39.40	51.76	12.35	L1	10.2
0.330	42.72	---	59.45	16.73	L1	10.2
0.342	---	29.88	49.16	19.27	L1	10.2
0.426	---	23.66	47.33	23.67	L1	10.2
0.430	34.94	---	57.25	22.31	L1	10.2
1.722	36.95	---	56.00	19.05	L1	10.3
1.738	---	24.57	46.00	21.43	L1	10.3
4.810	---	26.10	46.00	19.90	L1	10.4
4.970	37.98	---	56.00	18.02	L1	10.4

Final Result

Frequency (MHz)	QuasiPeak (dBμV)	CAverage	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.188	55.61	---	64.15	8.53	1000.0	9.000	L1	10.2
0.188	---	48.04	54.15	6.11	1000.0	9.000	L1	10.2

EUT Information

EUT Name: Robot Lawn Mower
Order Number: 168557586(P01794688)
Model: LYMOW ONE
Test Voltage: AC 120V/60Hz
Test Standard: FCC Part 15B
Test By:/Review By: Junhua Sun/ Murphy Chen
Tem./Hum./Pressure: 24.9°C/50.4%/101kPa
Remark: SR2



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV)	Average (dBµV)	Limit (dBµV)	Margin (dB)	Line	Corr. (dB)
0.161	61.07	---	64.77	3.70	N	10.2
0.165	---	52.06	54.58	2.52	N	10.2
0.181	---	49.66	53.86	4.20	N	10.2
0.181	59.39	---	63.86	4.47	N	10.2
0.242	---	21.13	52.03	30.89	N	10.2
0.246	44.53	---	61.89	17.36	N	10.2
0.362	---	14.33	48.68	34.35	N	10.2
0.374	38.78	---	58.41	19.63	N	10.2
2.902	40.83	---	56.00	15.17	N	10.3
2.914	---	25.23	46.00	20.77	N	10.3
4.998	---	24.23	46.00	21.77	N	10.4
5.006	39.90	---	60.00	20.10	N	10.4

Final_Result

Frequency (MHz)	QuasiPeak (dBµV)	CAverage	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.161	61.01	---	65.44	4.43	1000.0	9.000	N	10.2
0.165	---	51.48	55.23	3.75	1000.0	9.000	N	10.2
0.181	---	44.89	54.46	9.58	1000.0	9.000	N	10.2
0.181	59.26	---	64.46	5.20	1000.0	9.000	N	10.2