


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT_Z_1TX
Setting 19.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1416G	59.23	74.00	-14.77	54.31	3	Vertical	191	1.21	-	31.87	6.77	33.72			
AV	5.1452G	46.55	54.00	-7.45	41.62	3	Vertical	191	1.21	-	31.88	6.77	33.72			
PK	5.243G	114.52	Inf	-Inf	110.06	3	Vertical	191	1.21	-	31.34	6.86	33.74			
AV	5.2322G	102.76	Inf	-Inf	98.24	3	Vertical	191	1.21	-	31.41	6.85	33.74			
PK	5.3648G	59.29	74.00	-14.71	54.86	3	Vertical	191	1.21	-	31.33	6.87	33.77			
AV	5.3738G	46.13	54.00	-7.87	41.68	3	Vertical	191	1.21	-	31.35	6.88	33.78			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Z_1TX
Setting 19.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.108G	59.42	74.00	-14.58	53.07	3	Horizontal	77.5	1.03	-	33.90	7.39	34.94			
AV	5.0918G	46.58	54.00	-7.42	40.28	3	Horizontal	77.5	1.03	-	33.88	7.36	34.94			
PK	5.237G	104.22	Inf	-Inf	97.37	3	Horizontal	77.5	1.03	-	34.10	7.66	34.91			
AV	5.2427G	91.88	Inf	-Inf	85.03	3	Horizontal	77.5	1.03	-	34.10	7.66	34.91			
PK	5.369G	60.32	74.00	-13.68	52.81	3	Horizontal	77.5	1.03	-	34.58	7.82	34.89			
AV	5.3891G	46.96	54.00	-7.04	39.33	3	Horizontal	77.5	1.03	-	34.66	7.85	34.88			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT_Z_1TX
Setting 19.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48879G	46.33	68.20	-21.87	63.78	3	Vertical	272	2.24	-	38.06	11.22	66.73			
PK	15.72561G	45.33	74.00	-28.67	58.48	3	Vertical	305	1.81	-	37.70	13.05	63.90			
AV	15.71271G	32.10	54.00	-21.90	45.20	3	Vertical	305	1.81	-	37.75	13.04	63.89			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5240MHz_TX

EUT_Z_1TX
Setting 19.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47502G	46.30	68.20	-21.90	63.81	3	Horizontal	129	2.50	-	38.00	11.21	66.72			
PK	15.71049G	45.80	74.00	-28.20	58.89	3	Horizontal	13	2.37	-	37.76	13.04	63.89			
AV	15.71025G	32.10	54.00	-21.90	45.19	3	Horizontal	13	2.37	-	37.76	13.04	63.89			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 19.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1304G	58.89	74.00	-15.11	54.03	3	Vertical	191	1.24	-	31.82	6.75	33.71				
AV	5.149G	46.38	54.00	-7.62	41.42	3	Vertical	191	1.24	-	31.90	6.78	33.72				
PK	5.2618G	114.54	Inf	-Inf	110.15	3	Vertical	191	1.24	-	31.28	6.86	33.75				
AV	5.263G	103.11	Inf	-Inf	98.73	3	Vertical	191	1.24	-	31.27	6.86	33.75				
PK	5.3788G	59.21	74.00	-14.79	54.75	3	Vertical	191	1.24	-	31.36	6.88	33.78				
AV	5.3506G	46.28	54.00	-7.72	41.88	3	Vertical	191	1.24	-	31.30	6.87	33.77				

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 19.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1223G	59.60	74.00	-14.40	53.21	3	Horizontal	207.8	1.34	-	33.90	7.43	34.94			
AV	5.1115G	46.46	54.00	-7.54	40.10	3	Horizontal	207.8	1.34	-	33.90	7.40	34.94			
PK	5.2573G	104.58	Inf	-Inf	97.67	3	Horizontal	207.8	1.34	-	34.14	7.68	34.91			
AV	5.2573G	91.87	Inf	-Inf	84.96	3	Horizontal	207.8	1.34	-	34.14	7.68	34.91			
PK	5.3881G	60.51	74.00	-13.49	52.89	3	Horizontal	207.8	1.34	-	34.65	7.85	34.88			
AV	5.4001G	47.06	54.00	-6.94	39.38	3	Horizontal	207.8	1.34	-	34.70	7.86	34.88			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TX




EUT_Z_1TX
Setting 19.5
03-G-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.50776G	46.54	68.20	-21.66	63.91	3	Vertical	244	1.37	-	38.12	11.23	66.72				
PK	15.79167G	45.51	74.00	-28.49	58.81	3	Vertical	331	1.03	-	37.52	13.10	63.92				
AV	15.79278G	32.28	54.00	-21.72	45.58	3	Vertical	331	1.03	-	37.51	13.11	63.92				

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5260MHz_TX

EUT_Z_1TX
Setting 19.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51208G	46.49	68.20	-21.71	63.86	3	Horizontal	332	3.00	-	38.12	11.23	66.72			
PK	15.78033G	45.66	74.00	-28.34	58.94	3	Horizontal	265	1.41	-	37.54	13.10	63.92			
AV	15.79365G	32.58	54.00	-21.42	45.88	3	Horizontal	265	1.41	-	37.51	13.11	63.92			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT_Z_1TX
Setting 20
06-E-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2976G	116.15	Inf	-Inf	111.85	3	Vertical	189	1.22	-	31.20	6.86	33.76				
AV	5.2924G	103.62	Inf	-Inf	99.30	3	Vertical	189	1.22	-	31.22	6.86	33.76				
PK	5.3528G	68.61	74.00	-5.39	64.20	3	Vertical	189	1.22	-	31.31	6.87	33.77				
AV	5.35G	49.17	54.00	-4.83	44.77	3	Vertical	189	1.22	-	31.30	6.87	33.77				

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 20
06-E-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3036G	105.14	Inf	-Inf	97.89	3	Horizontal	208.6	1.00	-	34.41	7.74	34.90			
AV	5.2922G	92.81	Inf	-Inf	85.63	3	Horizontal	208.6	1.00	-	34.35	7.73	34.90			
PK	5.35G	60.70	74.00	-13.30	53.29	3	Horizontal	208.6	1.00	-	34.50	7.80	34.89			
AV	5.3514G	47.22	54.00	-6.78	39.80	3	Horizontal	208.6	1.00	-	34.51	7.80	34.89			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TX




EUT_Z_1TX
Setting 20
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.612G	46.43	74.00	-27.57	63.57	3	Vertical	290	1.37	-	38.20	11.27	66.61				
AV	10.60525G	32.84	54.00	-21.16	49.99	3	Vertical	290	1.37	-	38.20	11.27	66.62				
PK	15.88902G	46.53	74.00	-27.47	59.53	3	Vertical	101	1.49	-	37.78	13.18	63.96				
AV	15.89874G	32.98	54.00	-21.02	45.95	3	Vertical	101	1.49	-	37.80	13.19	63.96				

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5300MHz_TX

EUT_Z_1TX
Setting 20
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59049G	46.58	68.20	-21.62	63.75	3	Horizontal	294	1.30	-	38.20	11.26	66.63			
AV	10.60774G	32.82	54.00	-21.18	49.96	3	Horizontal	294	1.30	-	38.20	11.27	66.61			
PK	15.90954G	47.27	74.00	-26.73	60.28	3	Horizontal	145	1.86	-	37.76	13.20	63.97			
AV	15.909G	33.02	54.00	-20.98	46.03	3	Horizontal	145	1.86	-	37.76	13.20	63.97			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
Setting 16.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3278G	113.86	Inf	-Inf	109.50	3	Vertical	188	1.09	-	31.26	6.87	33.77
AV	5.3174G	101.63	Inf	-Inf	97.29	3	Vertical	188	1.09	-	31.23	6.87	33.76
PK	5.3538G	71.47	74.00	-2.53	67.06	3	Vertical	188	1.09	-	31.31	6.87	33.77
AV	5.3502G	52.70	54.00	-1.30	48.30	3	Vertical	188	1.09	-	31.30	6.87	33.77

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TX




EUT_Z_1TX
Setting 16.5
06-E-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3174G	103.96	Inf	-Inf	96.67	3	Horizontal	210.6	1.00	-	34.43	7.76	34.90			
AV	5.323G	90.98	Inf	-Inf	83.67	3	Horizontal	210.6	1.00	-	34.45	7.76	34.90			
PK	5.3533G	62.49	74.00	-11.51	55.07	3	Horizontal	210.6	1.00	-	34.51	7.80	34.89			
AV	5.3514G	47.87	54.00	-6.13	40.45	3	Horizontal	210.6	1.00	-	34.51	7.80	34.89			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT_Z_1TX
Setting 18
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65071G	46.14	74.00	-27.86	63.23	3	Vertical	244	2.16	-	38.20	11.28	66.57			
AV	10.64666G	32.99	54.00	-21.01	50.08	3	Vertical	244	2.16	-	38.20	11.28	66.57			
PK	15.95247G	45.52	74.00	-28.48	58.68	3	Vertical	92	1.52	-	37.59	13.23	63.98			
AV	15.96036G	31.77	54.00	-22.23	44.95	3	Vertical	92	1.52	-	37.56	13.24	63.98			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5320MHz_TX

EUT_Z_1TX
Setting 18
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.64246G	47.53	74.00	-26.47	64.63	3	Horizontal	333	2.20	-	38.20	11.28	66.58				
AV	10.63529G	33.02	54.00	-20.98	50.12	3	Horizontal	333	2.20	-	38.20	11.28	66.58				
PK	15.96834G	44.98	74.00	-29.02	58.20	3	Horizontal	7	1.18	-	37.53	13.24	63.99				
AV	15.94626G	31.82	54.00	-22.18	44.96	3	Horizontal	7	1.18	-	37.61	13.23	63.98				

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Z_1TX
Setting 16
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	64.13	74.00	-9.87	59.50	3	Vertical	302	1.02	-	31.54	6.89	33.80			
AV	5.4594G	47.38	54.00	-6.62	42.75	3	Vertical	302	1.02	-	31.54	6.89	33.80			
PK	5.4694G	67.10	68.20	-1.10	62.43	3	Vertical	302	1.02	-	31.58	6.89	33.80			
PK	5.4982G	113.58	Inf	-Inf	108.81	3	Vertical	302	1.02	-	31.69	6.89	33.81			
AV	5.4974G	100.76	Inf	-Inf	95.99	3	Vertical	302	1.02	-	31.69	6.89	33.81			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Z_1TX
Setting 16
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4563G	60.34	74.00	-13.66	52.82	3	Horizontal	205.7	1.06	-	34.60	7.79	34.87			
AV	5.46G	47.59	54.00	-6.41	40.07	3	Horizontal	205.7	1.06	-	34.60	7.79	34.87			
PK	5.4642G	61.21	68.20	-6.99	53.70	3	Horizontal	205.7	1.06	-	34.60	7.78	34.87			
PK	5.4964G	104.57	Inf	-Inf	97.09	3	Horizontal	205.7	1.06	-	34.60	7.74	34.86			
AV	5.4981G	92.10	Inf	-Inf	84.62	3	Horizontal	205.7	1.06	-	34.60	7.74	34.86			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TX




EUT_Z_1TX
Setting 18
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00525G	47.26	74.00	-26.74	63.71	3	Vertical	81	1.31	-	38.31	11.43	66.19			
AV	10.98509G	33.49	54.00	-20.51	49.98	3	Vertical	81	1.31	-	38.30	11.42	66.21			
PK	16.51296G	46.76	68.20	-21.44	58.91	3	Vertical	174	2.04	-	38.08	13.52	63.75			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5500MHz_TX

EUT_Z_1TX
Setting 18
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99406G	47.62	74.00	-26.38	64.10	3	Horizontal	260	1.29	-	38.30	11.42	66.20			
AV	10.99022G	33.46	54.00	-20.54	49.94	3	Horizontal	260	1.29	-	38.30	11.42	66.20			
PK	16.50579G	46.13	68.20	-22.07	58.33	3	Horizontal	315	2.17	-	38.03	13.52	63.75			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Z_1TX
Setting 20.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4376G	59.37	74.00	-14.63	54.79	3	Vertical	86	2.51	-	31.48	6.89	33.79			
PK	5.4632G	59.52	68.20	-8.68	54.88	3	Vertical	86	2.51	-	31.55	6.89	33.80			
AV	5.46G	46.82	54.00	-7.18	42.19	3	Vertical	86	2.51	-	31.54	6.89	33.80			
PK	5.5784G	116.56	Inf	-Inf	111.81	3	Vertical	86	2.51	-	31.64	6.91	33.80			
AV	5.572G	103.85	Inf	-Inf	99.08	3	Vertical	86	2.51	-	31.66	6.91	33.80			
PK	5.7552G	60.29	68.20	-7.91	54.95	3	Vertical	86	2.51	-	32.00	7.12	33.78			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TX




EUT_Z_1TX
Setting 20.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3896G	57.57	74.00	-16.43	53.09	3	Horizontal	96	1.03	-	31.38	6.88	33.78			
PK	5.4696G	57.68	68.20	-10.52	53.01	3	Horizontal	96	1.03	-	31.58	6.89	33.80			
AV	5.4568G	44.61	54.00	-9.39	39.99	3	Horizontal	96	1.03	-	31.53	6.89	33.80			
PK	5.572G	105.65	Inf	-Inf	100.88	3	Horizontal	96	1.03	-	31.66	6.91	33.80			
AV	5.5784G	93.96	Inf	-Inf	89.21	3	Horizontal	96	1.03	-	31.64	6.91	33.80			
PK	5.7384G	58.60	68.20	-9.60	53.28	3	Horizontal	96	1.03	-	32.00	7.10	33.78			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT_Z_1TX
Setting 20.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16684G	48.39	74.00	-25.61	64.66	3	Vertical	315	2.73	-	38.43	11.49	66.19			
AV	11.17182G	34.17	54.00	-19.83	50.43	3	Vertical	315	2.73	-	38.44	11.49	66.19			
PK	16.75248G	47.44	68.20	-20.76	59.01	3	Vertical	105	2.87	-	38.81	13.64	64.02			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5580MHz_TX

EUT_Z_1TX
Setting 20.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17326G	48.23	74.00	-25.77	64.47	3	Horizontal	99	1.75	-	38.45	11.50	66.19			
AV	11.17278G	34.22	54.00	-19.78	50.47	3	Horizontal	99	1.75	-	38.45	11.49	66.19			
PK	16.75296G	47.73	68.20	-20.47	59.29	3	Horizontal	263	1.31	-	38.82	13.64	64.02			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TX




EUT_Z_1TX
Setting 15
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.697G	110.74	Inf	-Inf	105.51	3	Vertical	87	2.21	-	31.98	7.04	33.79			
AV	5.6976G	97.94	Inf	-Inf	92.70	3	Vertical	87	2.21	-	31.99	7.04	33.79			
PK	5.725G	66.84	68.20	-1.36	61.54	3	Vertical	87	2.21	-	32.00	7.08	33.78			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT_Z_1TX
Setting 15
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6974G	101.78	Inf	-Inf	96.55	3	Horizontal	258	1.00	-	31.98	7.04	33.79			
AV	5.7028G	89.27	Inf	-Inf	84.01	3	Horizontal	258	1.00	-	32.00	7.05	33.79			
PK	5.7492G	59.14	68.20	-9.06	53.81	3	Horizontal	258	1.00	-	32.00	7.11	33.78			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT_Z_1TX
Setting 15
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39928G	48.04	74.00	-25.96	62.75	3	Vertical	60	1.26	-	39.80	11.69	66.20			
AV	11.4123G	34.73	54.00	-19.27	49.43	3	Vertical	60	1.26	-	39.80	11.70	66.20			
PK	17.09532G	48.13	68.20	-20.07	58.30	3	Vertical	75	2.50	-	40.32	13.79	64.28			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TX

EUT_Z_1TX
Setting 15
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41056G	48.77	74.00	-25.23	63.47	3	Horizontal	28	1.29	-	39.80	11.70	66.20			
AV	11.39574G	34.71	54.00	-19.29	49.42	3	Horizontal	28	1.29	-	39.80	11.69	66.20			
PK	17.10786G	48.19	68.20	-20.01	58.35	3	Horizontal	25	2.28	-	40.32	13.80	64.28			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 24
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7176G	116.73	Inf	-Inf	111.44	3	Vertical	86	2.32	-	32.00	7.07	33.78			
AV	5.712G	104.79	Inf	-Inf	99.51	3	Vertical	86	2.32	-	32.00	7.06	33.78			
PK	5.9176G	59.83	68.20	-8.37	54.09	3	Vertical	86	2.32	-	32.24	7.26	33.76			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_1TX
Setting 24
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.718G	108.93	Inf	-Inf	101.84	3	Horizontal	95.7	1.03	-	34.20	7.82	34.93			
AV	5.712G	96.80	Inf	-Inf	89.71	3	Horizontal	95.7	1.03	-	34.20	7.81	34.92			
PK	5.9004G	60.35	68.20	-7.85	52.76	3	Horizontal	95.7	1.03	-	34.50	8.07	34.98			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_1TX
Setting 24
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43199G	47.07	74.00	-26.93	62.91	3	Vertical	210	1.87	-	38.76	11.60	66.20			
AV	11.45461G	33.11	54.00	-20.89	48.89	3	Vertical	210	1.87	-	38.81	11.61	66.20			
PK	17.15397G	48.54	68.20	-19.66	58.66	3	Vertical	112	2.50	-	40.32	13.84	64.28			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_1TX
Setting 24
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43475G	46.70	74.00	-27.30	62.53	3	Horizontal	339	2.41	-	38.77	11.60	66.20			
AV	11.42974G	33.16	54.00	-20.84	49.00	3	Horizontal	339	2.41	-	38.76	11.60	66.20			
PK	17.16444G	48.84	68.20	-19.36	58.92	3	Horizontal	65	1.66	-	40.36	13.84	64.28			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Z_1TX
Setting 22.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.636G	60.43	68.20	-7.77	55.59	3	Vertical	62	2.38	-	31.67	6.96	33.79			
PK	5.747G	116.84	Inf	-Inf	111.51	3	Vertical	62	2.38	-	32.00	7.11	33.78			
AV	5.752G	104.53	Inf	-Inf	99.19	3	Vertical	62	2.38	-	32.00	7.12	33.78			
PK	5.969G	60.20	68.20	-8.00	54.31	3	Vertical	62	2.38	-	32.34	7.30	33.75			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Z_1TX
Setting 22.5
06-E-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.627G	60.49	68.20	-7.71	53.43	3	Horizontal	203.4	1.00	-	34.30	7.66	34.90			
PK	5.7425G	107.94	Inf	-Inf	100.81	3	Horizontal	203.4	1.00	-	34.20	7.86	34.93			
AV	5.7425G	96.07	Inf	-Inf	88.94	3	Horizontal	203.4	1.00	-	34.20	7.86	34.93			
PK	5.9725G	60.22	68.20	-7.98	52.38	3	Horizontal	203.4	1.00	-	34.70	8.14	35.00			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_Z_1TX
Setting 22.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49324G	47.31	74.00	-26.69	63.00	3	Vertical	26	2.26	-	38.89	11.62	66.20			
AV	11.49792G	33.64	54.00	-20.36	49.31	3	Vertical	26	2.26	-	38.90	11.63	66.20			
PK	17.22546G	48.92	68.20	-19.28	58.68	3	Vertical	106	2.49	-	40.65	13.87	64.28			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5745MHz_TX

EUT_Z_1TX
Setting 22.5
03-G-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.499G	47.24	74.00	-26.76	62.91	3	Horizontal	291	1.65	-	38.90	11.63	66.20			
AV	11.50164G	33.81	54.00	-20.19	49.47	3	Horizontal	291	1.65	-	38.91	11.63	66.20			
PK	17.24991G	48.84	68.20	-19.36	58.44	3	Horizontal	6	2.25	-	40.80	13.88	64.28			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT_Z_1TX
Setting 21.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.606G	59.51	68.20	-8.69	54.78	3	Vertical	56	1.02	-	31.61	6.92	33.80			
PK	5.788G	116.56	Inf	-Inf	111.18	3	Vertical	56	1.02	-	32.00	7.16	33.78			
AV	5.778G	104.82	Inf	-Inf	99.45	3	Vertical	56	1.02	-	32.00	7.15	33.78			
PK	6G	62.55	68.20	-5.65	56.58	3	Vertical	56	1.02	-	32.40	7.32	33.75			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Z_1TX
Setting 21.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.561G	58.69	68.20	-9.51	53.91	3	Horizontal	84.5	1.00	-	31.68	6.90	33.80			
PK	5.787G	107.34	Inf	-Inf	101.96	3	Horizontal	84.5	1.00	-	32.00	7.16	33.78			
AV	5.788G	94.90	Inf	-Inf	89.52	3	Horizontal	84.5	1.00	-	32.00	7.16	33.78			
PK	6.032G	58.75	68.20	-9.45	52.68	3	Horizontal	84.5	1.00	-	32.46	7.34	33.73			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT_Z_1TX
Setting 21.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5787G	46.92	74.00	-27.08	62.18	3	Vertical	236	1.98	-	39.21	11.66	66.13			
AV	11.55524G	33.74	54.00	-20.26	49.12	3	Vertical	236	1.98	-	39.12	11.65	66.15			
PK	17.34258G	50.06	68.20	-18.14	59.04	3	Vertical	57	1.63	-	41.36	13.93	64.27			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5785MHz_TX

EUT_Z_1TX
Setting 21.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57612G	47.06	74.00	-26.94	62.33	3	Horizontal	177	1.41	-	39.20	11.66	66.13			
AV	11.57894G	33.78	54.00	-20.22	49.03	3	Horizontal	177	1.41	-	39.22	11.66	66.13			
PK	17.34714G	49.84	68.20	-18.36	58.80	3	Horizontal	321	2.92	-	41.38	13.93	64.27			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Z_1TX
Setting 21.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	60.13	68.20	-8.07	55.26	3	Vertical	63	2.46	-	31.69	6.97	33.79			
PK	5.823G	115.44	Inf	-Inf	109.96	3	Vertical	63	2.46	-	32.05	7.20	33.77			
AV	5.817G	103.18	Inf	-Inf	97.73	3	Vertical	63	2.46	-	32.03	7.19	33.77			
PK	6.039G	60.02	68.20	-8.18	53.93	3	Vertical	63	2.46	-	32.48	7.34	33.73			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT_Z_1TX
Setting 21.5
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	58.10	68.20	-10.10	53.21	3	Horizontal	85	1.00	-	31.70	6.98	33.79			
PK	5.827G	106.14	Inf	-Inf	100.66	3	Horizontal	85	1.00	-	32.05	7.20	33.77			
AV	5.817G	94.57	Inf	-Inf	89.12	3	Horizontal	85	1.00	-	32.03	7.19	33.77			
PK	6.063G	59.29	68.20	-8.91	53.15	3	Horizontal	85	1.00	-	32.50	7.35	33.71			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT_Z_1TX
Setting 21.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65858G	48.17	74.00	-25.83	63.14	3	Vertical	42	1.54	-	39.40	11.69	66.06			
AV	11.6554G	34.41	54.00	-19.59	49.38	3	Vertical	42	1.54	-	39.40	11.69	66.06			
PK	17.48808G	51.10	68.20	-17.10	58.96	3	Vertical	225	1.53	-	42.40	14.00	64.26			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_Z_1TX
Setting 21.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65228G	48.28	74.00	-25.72	63.25	3	Horizontal	162	2.57	-	39.40	11.69	66.06			
AV	11.64064G	34.58	54.00	-19.42	49.59	3	Horizontal	162	2.57	-	39.38	11.68	66.07			
PK	17.47698G	51.69	68.20	-16.51	59.64	3	Horizontal	243	2.94	-	42.32	13.99	64.26			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
Setting 7
06-E-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	68.60	74.00	-5.40	63.66	3	Vertical	263	2.50	-	31.89	6.77	33.72			
AV	5.15G	52.92	54.00	-1.08	47.96	3	Vertical	263	2.50	-	31.90	6.78	33.72			
PK	5.1932G	99.80	Inf	-Inf	95.05	3	Vertical	263	2.50	-	31.64	6.84	33.73			
AV	5.1752G	86.92	Inf	-Inf	82.09	3	Vertical	263	2.50	-	31.75	6.81	33.73			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Z_1TX
Setting 7
06-E-S-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1472G	62.83	74.00	-11.17	57.89	3	Horizontal	8	1.04	-	31.89	6.77	33.72			
AV	5.1496G	49.05	54.00	-4.95	44.09	3	Horizontal	8	1.04	-	31.90	6.78	33.72			
PK	5.1852G	94.42	Inf	-Inf	89.63	3	Horizontal	8	1.04	-	31.69	6.83	33.73			
AV	5.196G	81.51	Inf	-Inf	76.78	3	Horizontal	8	1.04	-	31.62	6.84	33.73			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX

EUT_Z_1TX
Setting 14.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37778G	46.65	68.20	-21.55	64.17	3	Vertical	129	2.82	-	37.99	11.17	66.68			
PK	15.55746G	47.30	74.00	-26.70	59.94	3	Vertical	20	2.94	-	38.27	12.92	63.83			
AV	15.56598G	33.69	54.00	-20.31	46.37	3	Vertical	20	2.94	-	38.24	12.92	63.84			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5190MHz_TX

EUT_Z_1TX
Setting 14.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37961G	47.23	68.20	-20.97	64.76	3	Horizontal	241	2.54	-	37.98	11.17	66.68			
PK	15.57699G	46.58	74.00	-27.42	59.30	3	Horizontal	130	2.85	-	38.19	12.93	63.84			
AV	15.5574G	33.45	54.00	-20.55	46.09	3	Horizontal	130	2.85	-	38.27	12.92	63.83			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX

EUT_Z_1TX
Setting 20
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1466G	70.25	74.00	-3.75	65.31	3	Vertical	48	2.26	-	31.89	6.77	33.72			
AV	5.15G	52.63	54.00	-1.37	47.67	3	Vertical	48	2.26	-	31.90	6.78	33.72			
PK	5.215G	113.62	Inf	-Inf	109.00	3	Vertical	48	2.26	-	31.51	6.85	33.74			
AV	5.2252G	101.02	Inf	-Inf	96.46	3	Vertical	48	2.26	-	31.45	6.85	33.74			
PK	5.38G	59.62	74.00	-14.38	55.16	3	Vertical	48	2.26	-	31.36	6.88	33.78			
AV	5.371G	46.85	54.00	-7.15	42.41	3	Vertical	48	2.26	-	31.34	6.88	33.78			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5230MHz_TX

EUT_Z_1TX
Setting 20
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1454G	61.77	74.00	-12.23	55.32	3	Horizontal	79.4	1.05	-	33.90	7.48	34.93			
AV	5.15G	47.88	54.00	-6.12	41.42	3	Horizontal	79.4	1.05	-	33.90	7.49	34.93			
PK	5.2366G	103.24	Inf	-Inf	96.39	3	Horizontal	79.4	1.05	-	34.10	7.66	34.91			
AV	5.2144G	90.81	Inf	-Inf	84.00	3	Horizontal	79.4	1.05	-	34.10	7.63	34.92			
PK	5.3752G	60.06	74.00	-13.94	52.51	3	Horizontal	79.4	1.05	-	34.60	7.83	34.88			
AV	5.3668G	47.47	54.00	-6.53	39.97	3	Horizontal	79.4	1.05	-	34.57	7.82	34.89			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Z_1TX
Setting 20.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46924G	46.41	68.20	-21.79	63.94	3	Vertical	116	1.77	-	37.98	11.21	66.72			
PK	15.68853G	46.52	74.00	-27.48	59.58	3	Vertical	272	1.54	-	37.80	13.02	63.88			
AV	15.6807G	32.86	54.00	-21.14	45.92	3	Vertical	272	1.54	-	37.80	13.02	63.88			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5230MHz_TX

EUT_Z_1TX
Setting 20.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4573G	46.44	68.20	-21.76	64.01	3	Horizontal	301	1.53	-	37.93	11.21	66.71			
PK	15.70056G	45.98	74.00	-28.02	59.04	3	Horizontal	315	1.57	-	37.80	13.03	63.89			
AV	15.69258G	32.96	54.00	-21.04	46.01	3	Horizontal	315	1.57	-	37.80	13.03	63.88			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_Z_1TX
Setting 20
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	64.63	74.00	-9.37	59.69	3	Vertical	189	1.17	-	31.89	6.77	33.72			
AV	5.1488G	48.23	54.00	-5.77	43.27	3	Vertical	189	1.17	-	31.90	6.78	33.72			
PK	5.2538G	113.64	Inf	-Inf	109.24	3	Vertical	189	1.17	-	31.29	6.86	33.75			
AV	5.2754G	100.85	Inf	-Inf	96.49	3	Vertical	189	1.17	-	31.25	6.86	33.75			
PK	5.357G	68.88	74.00	-5.12	64.47	3	Vertical	189	1.17	-	31.31	6.87	33.77			
AV	5.35G	52.50	54.00	-1.50	48.10	3	Vertical	189	1.17	-	31.30	6.87	33.77			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_Z_1TX
Setting 20
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1326G	59.81	74.00	-14.19	53.39	3	Horizontal	220.7	1.07	-	33.90	7.45	34.93			
AV	5.1479G	46.92	54.00	-7.08	40.46	3	Horizontal	220.7	1.07	-	33.90	7.49	34.93			
PK	5.2748G	102.63	Inf	-Inf	95.59	3	Horizontal	220.7	1.07	-	34.25	7.70	34.91			
AV	5.2739G	89.94	Inf	-Inf	82.91	3	Horizontal	220.7	1.07	-	34.24	7.70	34.91			
PK	5.3564G	61.36	74.00	-12.64	53.91	3	Horizontal	220.7	1.07	-	34.53	7.81	34.89			
AV	5.35G	47.86	54.00	-6.14	40.45	3	Horizontal	220.7	1.07	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5270MHz_TX

EUT_Z_1TX
Setting 20
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54426G	46.38	68.20	-21.82	63.63	3	Vertical	352	2.15	-	38.19	11.24	66.68			
PK	15.80631G	45.94	74.00	-28.06	59.22	3	Vertical	224	2.67	-	37.53	13.12	63.93			
AV	15.79788G	32.76	54.00	-21.24	46.07	3	Vertical	224	2.67	-	37.50	13.11	63.92			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TX




EUT_Z_1TX
Setting 20
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54648G	47.95	68.20	-20.25	65.20	3	Horizontal	104	1.76	-	38.19	11.24	66.68			
PK	15.81711G	45.84	74.00	-28.16	59.08	3	Horizontal	268	2.78	-	37.57	13.12	63.93			
AV	15.80295G	32.85	54.00	-21.15	46.16	3	Horizontal	268	2.78	-	37.51	13.11	63.93			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
Setting 13.5
06-E-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3064G	109.39	Inf	-Inf	105.07	3	Vertical	190	1.14	-	31.21	6.87	33.76				
AV	5.304G	96.07	Inf	-Inf	91.75	3	Vertical	190	1.14	-	31.21	6.87	33.76				
PK	5.3568G	68.26	74.00	-5.74	63.85	3	Vertical	190	1.14	-	31.31	6.87	33.77				
AV	5.3508G	52.77	54.00	-1.23	48.37	3	Vertical	190	1.14	-	31.30	6.87	33.77				

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
Setting 13.5
06-E-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3036G	98.25	Inf	-Inf	91.00	3	Horizontal	81	1.00	-	34.41	7.74	34.90			
AV	5.3032G	84.85	Inf	-Inf	77.60	3	Horizontal	81	1.00	-	34.41	7.74	34.90			
PK	5.3908G	60.21	74.00	-13.79	52.58	3	Horizontal	81	1.00	-	34.66	7.85	34.88			
AV	5.3502G	47.78	54.00	-6.22	40.37	3	Horizontal	81	1.00	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TX




EUT_Z_1TX
Setting 14
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.62477G	47.25	74.00	-26.75	64.38	3	Vertical	231	2.32	-	38.20	11.27	66.60				
AV	10.61673G	33.42	54.00	-20.58	50.55	3	Vertical	231	2.32	-	38.20	11.27	66.60				
PK	15.92043G	45.64	74.00	-28.36	58.68	3	Vertical	104	2.01	-	37.72	13.21	63.97				
AV	15.92121G	32.99	54.00	-21.01	46.03	3	Vertical	104	2.01	-	37.72	13.21	63.97				

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5310MHz_TX

EUT_Z_1TX
Setting 14
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60656G	46.95	74.00	-27.05	64.09	3	Horizontal	115	2.45	-	38.20	11.27	66.61			
AV	10.61028G	33.69	54.00	-20.31	50.83	3	Horizontal	115	2.45	-	38.20	11.27	66.61			
PK	15.91608G	45.80	74.00	-28.20	58.83	3	Horizontal	26	1.59	-	37.74	13.20	63.97			
AV	15.915G	33.02	54.00	-20.98	46.05	3	Horizontal	26	1.59	-	37.74	13.20	63.97			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Z_1TX
Setting 14
06-E-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	61.02	74.00	-12.98	56.39	3	Vertical	303	1.07	-	31.54	6.89	33.80			
AV	5.4596G	48.09	54.00	-5.91	43.46	3	Vertical	303	1.07	-	31.54	6.89	33.80			
PK	5.47G	64.98	68.20	-3.22	60.31	3	Vertical	303	1.07	-	31.58	6.89	33.80			
AV	5.4952G	95.83	Inf	-Inf	91.07	3	Vertical	303	1.07	-	31.68	6.89	33.81			
PK	5.5256G	109.07	Inf	-Inf	104.28	3	Vertical	303	1.07	-	31.70	6.90	33.81			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Z_1TX
Setting 14
06-E-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4452G	61.32	74.00	-12.68	53.78	3	Horizontal	206.6	1.06	-	34.61	7.80	34.87			
PK	5.4642G	60.76	68.20	-7.44	53.25	3	Horizontal	206.6	1.06	-	34.60	7.78	34.87			
AV	5.4598G	48.09	54.00	-5.91	40.57	3	Horizontal	206.6	1.06	-	34.60	7.79	34.87			
PK	5.5254G	100.38	Inf	-Inf	93.00	3	Horizontal	206.6	1.06	-	34.55	7.70	34.87			
AV	5.5032G	87.50	Inf	-Inf	80.04	3	Horizontal	206.6	1.06	-	34.59	7.73	34.86			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5510MHz_TX

EUT_Z_1TX
Setting 17
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01424G	45.99	74.00	-28.01	62.42	3	Vertical	177	1.70	-	38.33	11.43	66.19			
AV	11.01022G	33.36	54.00	-20.64	49.80	3	Vertical	177	1.70	-	38.32	11.43	66.19			
PK	16.52271G	46.76	68.20	-21.44	58.85	3	Vertical	65	2.09	-	38.14	13.53	63.76			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TX




EUT_Z_1TX
Setting 17
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01487G	46.11	74.00	-27.89	62.54	3	Horizontal	116	2.57	-	38.33	11.43	66.19			
AV	11.0104G	33.54	54.00	-20.46	49.98	3	Horizontal	116	2.57	-	38.32	11.43	66.19			
PK	16.53024G	46.64	68.20	-21.56	58.70	3	Horizontal	325	1.57	-	38.18	13.53	63.77			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX

EUT_Z_1TX
Setting 18
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	64.46	74.00	-9.54	56.94	3	Vertical	34	2.33	-	34.60	7.79	34.87			
AV	5.46G	50.04	54.00	-3.96	42.52	3	Vertical	34	2.33	-	34.60	7.79	34.87			
PK	5.4672G	66.83	68.20	-1.37	59.32	3	Vertical	34	2.33	-	34.60	7.78	34.87			
PK	5.544G	110.86	Inf	-Inf	103.54	3	Vertical	34	2.33	-	34.51	7.68	34.87			
AV	5.5356G	97.69	Inf	-Inf	90.34	3	Vertical	34	2.33	-	34.53	7.69	34.87			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Z_1TX
Setting 18
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4579G	60.35	74.00	-13.65	52.83	3	Horizontal	242.9	2.83	-	34.60	7.79	34.87			
AV	5.4537G	47.98	54.00	-6.02	40.46	3	Horizontal	242.9	2.83	-	34.60	7.79	34.87			
PK	5.4636G	60.49	68.20	-7.71	52.98	3	Horizontal	242.9	2.83	-	34.60	7.78	34.87			
PK	5.5437G	100.38	Inf	-Inf	93.06	3	Horizontal	242.9	2.83	-	34.51	7.68	34.87			
AV	5.5446G	87.62	Inf	-Inf	80.30	3	Horizontal	242.9	2.83	-	34.51	7.68	34.87			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5550MHz_TX

EUT_Z_1TX
Setting 19.5
06-E-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10148G	55.64	74.00	-18.36	70.64	3	Vertical	63	1.40	-	39.69	11.50	66.19			
AV	11.09642G	42.01	54.00	-11.99	56.99	3	Vertical	63	1.40	-	39.72	11.49	66.19			
PK	16.65022G	59.61	68.20	-8.59	70.08	3	Vertical	167	1.25	-	39.80	13.64	63.91			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TX




EUT_Z_1TX
Setting 19.5
06-E-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10248G	55.30	74.00	-18.70	70.30	3	Horizontal	137	2.73	-	39.69	11.50	66.19			
AV	11.10172G	41.86	54.00	-12.14	56.86	3	Horizontal	137	2.73	-	39.69	11.50	66.19			
PK	16.64914G	59.01	68.20	-9.19	69.48	3	Horizontal	112	2.52	-	39.79	13.64	63.90			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Z_1TX
Setting 19
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6536G	109.16	Inf	-Inf	102.08	3	Vertical	76	2.25	-	34.29	7.70	34.91			
AV	5.6644G	96.75	Inf	-Inf	89.67	3	Vertical	76	2.25	-	34.27	7.72	34.91			
PK	5.7288G	65.55	68.20	-2.65	58.44	3	Vertical	76	2.25	-	34.20	7.84	34.93			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT_Z_1TX
Setting 19
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6536G	104.47	Inf	-Inf	97.39	3	Horizontal	206	1.00	-	34.29	7.70	34.91			
AV	5.6544G	91.90	Inf	-Inf	84.81	3	Horizontal	206	1.00	-	34.29	7.71	34.91			
PK	5.727G	63.20	68.20	-5.00	56.10	3	Horizontal	206	1.00	-	34.20	7.83	34.93			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TX

EUT_Z_1TX
Setting 19.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.32542G	46.75	74.00	-27.25	62.84	3	Vertical	326	2.75	-	38.55	11.56	66.20			
AV	11.325G	33.67	54.00	-20.33	49.76	3	Vertical	326	2.75	-	38.55	11.56	66.20			
PK	17.01606G	48.30	68.20	-19.90	58.82	3	Vertical	134	2.15	-	40.00	13.77	64.29			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TX




EUT_Z_1TX
Setting 19.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.32632G	46.70	74.00	-27.30	62.79	3	Horizontal	80	2.37	-	38.55	11.56	66.20			
AV	11.32509G	33.72	54.00	-20.28	49.81	3	Horizontal	80	2.37	-	38.55	11.56	66.20			
PK	17.01675G	48.17	68.20	-20.03	58.69	3	Horizontal	286	1.76	-	40.00	13.77	64.29			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 25.5
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7072G	113.33	Inf	-Inf	106.25	3	Vertical	100	2.44	-	34.20	7.80	34.92			
AV	5.7048G	100.87	Inf	-Inf	93.80	3	Vertical	100	2.44	-	34.20	7.79	34.92			
PK	5.864G	66.61	68.20	-1.59	59.19	3	Vertical	100	2.44	-	34.36	8.03	34.97			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 25.5
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.708G	105.23	Inf	-Inf	98.15	3	Horizontal	235.1	1.11	-	34.20	7.80	34.92
AV	5.706G	93.02	Inf	-Inf	85.94	3	Horizontal	235.1	1.11	-	34.20	7.80	34.92
PK	5.8656G	60.95	68.20	-7.25	53.53	3	Horizontal	235.1	1.11	-	34.36	8.03	34.97

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_1TX
Setting 25.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41709G	47.04	74.00	-26.96	62.92	3	Vertical	105	2.75	-	38.73	11.59	66.20			
AV	11.40521G	33.92	54.00	-20.08	49.82	3	Vertical	105	2.75	-	38.71	11.59	66.20			
PK	17.12517G	49.26	68.20	-18.94	59.52	3	Vertical	284	1.63	-	40.20	13.82	64.28			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 25.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41274G	47.80	74.00	-26.20	63.68	3	Horizontal	160	1.35	-	38.73	11.59	66.20			
AV	11.41196G	33.88	54.00	-20.12	49.77	3	Horizontal	160	1.35	-	38.72	11.59	66.20			
PK	17.12445G	48.13	68.20	-20.07	58.39	3	Horizontal	135	1.28	-	40.20	13.82	64.28			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Z_1TX
Setting 20.5
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6475G	63.24	68.20	-4.96	56.15	3	Vertical	87	2.21	-	34.30	7.69	34.90			
PK	5.7705G	110.80	Inf	-Inf	103.63	3	Vertical	87	2.21	-	34.20	7.91	34.94			
AV	5.74G	98.78	Inf	-Inf	91.66	3	Vertical	87	2.21	-	34.20	7.85	34.93			
PK	6G	61.76	68.20	-6.44	53.90	3	Vertical	87	2.21	-	34.70	8.17	35.01			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Z_1TX
Setting 20.5
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6395G	60.46	68.20	-7.74	53.38	3	Horizontal	91	1.07	-	34.30	7.68	34.90			
PK	5.7395G	105.21	Inf	-Inf	98.09	3	Horizontal	91	1.07	-	34.20	7.85	34.93			
AV	5.7395G	93.39	Inf	-Inf	86.27	3	Horizontal	91	1.07	-	34.20	7.85	34.93			
PK	5.931G	61.44	68.20	-6.76	53.71	3	Horizontal	91	1.07	-	34.62	8.10	34.99			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX

EUT_Z_1TX
Setting 20.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51192G	47.40	74.00	-26.60	63.01	3	Vertical	45	1.52	-	38.95	11.63	66.19			
AV	11.50913G	34.57	54.00	-19.43	50.19	3	Vertical	45	1.52	-	38.94	11.63	66.19			
PK	17.25759G	49.26	68.20	-18.94	58.79	3	Vertical	301	1.98	-	40.85	13.89	64.27			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5755MHz_TX

EUT_Z_1TX
Setting 20.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50052G	47.34	74.00	-26.66	63.01	3	Horizontal	291	2.17	-	38.90	11.63	66.20			
AV	11.51972G	34.38	54.00	-19.62	49.94	3	Horizontal	291	2.17	-	38.98	11.64	66.18			
PK	17.27907G	48.96	68.20	-19.24	58.36	3	Horizontal	219	1.80	-	40.97	13.90	64.27			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Z_1TX
Setting 20.5
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	60.64	68.20	-7.56	53.59	3	Vertical	355	2.18	-	34.30	7.65	34.90
PK	5.79G	111.31	Inf	-Inf	104.12	3	Vertical	355	2.18	-	34.20	7.94	34.95
AV	5.78G	99.35	Inf	-Inf	92.17	3	Vertical	355	2.18	-	34.20	7.92	34.94
PK	5.9265G	61.33	68.20	-6.87	53.62	3	Vertical	355	2.18	-	34.61	8.09	34.99

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX

EUT_Z_1TX
Setting 20.5
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.546G	60.79	68.20	-7.41	53.47	3	Horizontal	190	1.80	-	34.51	7.68	34.87			
PK	5.782G	95.55	Inf	-Inf	88.36	3	Horizontal	190	1.80	-	34.20	7.93	34.94			
AV	5.789G	83.30	Inf	-Inf	76.11	3	Horizontal	190	1.80	-	34.20	7.94	34.95			
PK	6.0315G	60.56	68.20	-7.64	52.60	3	Horizontal	190	1.80	-	34.76	8.22	35.02			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


5795MHz_TX

EUT_Z_1TX
Setting 20.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58277G	47.61	74.00	-26.39	62.85	3	Vertical	27	1.40	-	39.23	11.66	66.13			
AV	11.59738G	34.40	54.00	-19.60	49.55	3	Vertical	27	1.40	-	39.29	11.67	66.11			
PK	17.37396G	49.36	68.20	-18.84	58.15	3	Vertical	344	2.18	-	41.54	13.94	64.27			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Z_1TX
Setting 20.5
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.60239G	47.70	74.00	-26.30	62.84	3	Horizontal	303	2.87	-	39.30	11.67	66.11			
AV	11.60212G	34.44	54.00	-19.56	49.58	3	Horizontal	303	2.87	-	39.30	11.67	66.11			
PK	17.38311G	49.98	68.20	-18.22	58.70	3	Horizontal	51	1.46	-	41.60	13.95	64.27			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
Setting 5.5
06-E-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.139G	65.01	74.00	-8.99	60.11	3	Vertical	259	2.42	-	31.86	6.76	33.72			
AV	5.145G	52.36	54.00	-1.64	47.43	3	Vertical	259	2.42	-	31.88	6.77	33.72			
PK	5.229G	95.15	Inf	-Inf	90.61	3	Vertical	259	2.42	-	31.43	6.85	33.74			
AV	5.242G	82.62	Inf	-Inf	78.15	3	Vertical	259	2.42	-	31.35	6.86	33.74			
PK	5.364G	57.31	74.00	-16.69	52.88	3	Vertical	259	2.42	-	31.33	6.87	33.77			
AV	5.378G	45.58	54.00	-8.42	41.12	3	Vertical	259	2.42	-	31.36	6.88	33.78			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
Setting 5.5
06-E-S-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	60.02	74.00	-13.98	55.08	3	Horizontal	22	1.00	-	31.89	6.77	33.72			
AV	5.149G	48.78	54.00	-5.22	43.82	3	Horizontal	22	1.00	-	31.90	6.78	33.72			
PK	5.225G	89.91	Inf	-Inf	85.35	3	Horizontal	22	1.00	-	31.45	6.85	33.74			
AV	5.225G	77.33	Inf	-Inf	72.77	3	Horizontal	22	1.00	-	31.45	6.85	33.74			
PK	5.458G	57.78	74.00	-16.22	53.16	3	Horizontal	22	1.00	-	31.53	6.89	33.80			
AV	5.394G	45.37	54.00	-8.63	40.88	3	Horizontal	22	1.00	-	31.39	6.88	33.78			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
Setting 14
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42606G	46.03	68.20	-22.17	63.64	3	Vertical	313	2.35	-	37.90	11.19	66.70			
PK	15.64254G	46.25	74.00	-27.75	59.28	3	Vertical	234	1.93	-	37.84	12.99	63.86			
AV	15.63048G	32.38	54.00	-21.62	45.34	3	Vertical	234	1.93	-	37.92	12.98	63.86			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Z_1TX
Setting 14
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40536G	46.48	68.20	-21.72	64.09	3	Horizontal	298	2.29	-	37.90	11.18	66.69			
PK	15.61659G	45.78	74.00	-28.22	58.66	3	Horizontal	260	1.46	-	38.00	12.97	63.85			
AV	15.62202G	32.40	54.00	-21.60	45.32	3	Horizontal	260	1.46	-	37.97	12.97	63.86			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Z_1TX
Setting 14
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1055G	60.33	74.00	-13.67	53.98	3	Vertical	22	2.26	-	33.90	7.39	34.94
AV	5.1375G	47.21	54.00	-6.79	40.78	3	Vertical	22	2.26	-	33.90	7.46	34.93
PK	5.265G	103.09	Inf	-Inf	96.12	3	Vertical	22	2.26	-	34.19	7.69	34.91
AV	5.268G	90.81	Inf	-Inf	83.81	3	Vertical	22	2.26	-	34.21	7.70	34.91
PK	5.3525G	66.47	74.00	-7.53	59.05	3	Vertical	22	2.26	-	34.51	7.80	34.89
AV	5.3535G	52.26	54.00	-1.74	44.84	3	Vertical	22	2.26	-	34.51	7.80	34.89
PK	5.5345G	61.73	68.20	-6.47	54.38	3	Vertical	22	2.26	-	34.53	7.69	34.87

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TX




EUT_Z_1TX
Setting 14
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.101G	59.73	74.00	-14.27	53.39	3	Horizontal	210	1.35	-	33.90	7.38	34.94			
AV	5.082G	47.20	54.00	-6.80	40.95	3	Horizontal	210	1.35	-	33.86	7.33	34.94			
PK	5.2855G	95.38	Inf	-Inf	88.25	3	Horizontal	210	1.35	-	34.31	7.72	34.90			
AV	5.2915G	82.83	Inf	-Inf	75.66	3	Horizontal	210	1.35	-	34.35	7.72	34.90			
PK	5.352G	62.65	74.00	-11.35	55.23	3	Horizontal	210	1.35	-	34.51	7.80	34.89			
AV	5.355G	48.76	54.00	-5.24	41.33	3	Horizontal	210	1.35	-	34.52	7.80	34.89			
PK	5.503G	60.74	68.20	-7.46	53.28	3	Horizontal	210	1.35	-	34.59	7.73	34.86			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Z_1TX
Setting 14
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.592G	47.22	68.20	-20.98	64.39	3	Vertical	291	2.32	-	38.20	11.26	66.63			
PK	15.8844G	46.14	74.00	-27.86	59.15	3	Vertical	319	2.29	-	37.77	13.18	63.96			
AV	15.885G	32.97	54.00	-21.03	45.98	3	Vertical	319	2.29	-	37.77	13.18	63.96			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5290MHz_TX

EUT_Z_1TX
Setting 14
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.56596G	46.86	68.20	-21.34	64.07	3	Horizontal	352	2.50	-	38.20	11.25	66.66			
PK	15.88461G	46.38	74.00	-27.62	59.39	3	Horizontal	76	1.85	-	37.77	13.18	63.96			
AV	15.88278G	32.84	54.00	-21.16	45.85	3	Horizontal	76	1.85	-	37.77	13.18	63.96			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Z_1TX
Setting 14
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3025G	60.18	68.20	-8.02	52.93	3	Vertical	41	2.21	-	34.41	7.74	34.90			
AV	5.35G	47.17	54.00	-6.83	39.76	3	Vertical	41	2.21	-	34.50	7.80	34.89			
PK	5.453G	65.96	74.00	-8.04	58.44	3	Vertical	41	2.21	-	34.60	7.79	34.87			
PK	5.4635G	66.79	68.20	-1.41	59.28	3	Vertical	41	2.21	-	34.60	7.78	34.87			
AV	5.4595G	51.79	54.00	-2.21	44.27	3	Vertical	41	2.21	-	34.60	7.79	34.87			
PK	5.545G	103.41	Inf	-Inf	96.09	3	Vertical	41	2.21	-	34.51	7.68	34.87			
AV	5.562G	91.17	Inf	-Inf	83.94	3	Vertical	41	2.21	-	34.45	7.66	34.88			
PK	5.757G	60.53	68.20	-7.67	53.39	3	Vertical	41	2.21	-	34.20	7.88	34.94			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TX




EUT_Z_1TX
Setting 14
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.308G	59.66	68.20	-8.54	52.39	3	Horizontal	206	1.01	-	34.42	7.75	34.90			
AV	5.35G	47.04	54.00	-6.96	39.63	3	Horizontal	206	1.01	-	34.50	7.80	34.89			
PK	5.446G	61.22	74.00	-12.78	53.68	3	Horizontal	206	1.01	-	34.61	7.80	34.87			
AV	5.4485G	48.88	54.00	-5.12	41.35	3	Horizontal	206	1.01	-	34.60	7.80	34.87			
PK	5.4635G	61.76	68.20	-6.44	54.25	3	Horizontal	206	1.01	-	34.60	7.78	34.87			
PK	5.549G	98.26	Inf	-Inf	90.96	3	Horizontal	206	1.01	-	34.50	7.67	34.87			
AV	5.545G	84.99	Inf	-Inf	77.67	3	Horizontal	206	1.01	-	34.51	7.68	34.87			
PK	5.7585G	61.08	68.20	-7.12	53.93	3	Horizontal	206	1.01	-	34.20	7.89	34.94			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT_Z_1TX
Setting 16
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07479G	46.90	74.00	-27.10	63.18	3	Vertical	326	1.01	-	38.45	11.46	66.19			
AV	11.07434G	34.25	54.00	-19.75	50.53	3	Vertical	326	1.01	-	38.45	11.46	66.19			
PK	16.58763G	47.04	68.20	-21.16	58.79	3	Vertical	268	1.22	-	38.53	13.56	63.84			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5530MHz_TX

EUT_Z_1TX
Setting 16
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06684G	47.26	74.00	-26.74	63.57	3	Horizontal	35	2.41	-	38.43	11.45	66.19			
AV	11.07266G	34.25	54.00	-19.75	50.54	3	Horizontal	35	2.41	-	38.45	11.45	66.19			
PK	16.60452G	47.81	68.20	-20.39	59.47	3	Horizontal	109	1.51	-	38.62	13.57	63.85			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT_Z_1TX
Setting 17
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4555G	61.73	74.00	-12.27	54.21	3	Vertical	44	1.01	-	34.60	7.79	34.87			
AV	5.4585G	48.74	54.00	-5.26	41.22	3	Vertical	44	1.01	-	34.60	7.79	34.87			
PK	5.4655G	62.93	68.20	-5.27	55.42	3	Vertical	44	1.01	-	34.60	7.78	34.87			
PK	5.598G	105.73	Inf	-Inf	98.70	3	Vertical	44	1.01	-	34.31	7.61	34.89			
AV	5.632G	93.26	Inf	-Inf	86.19	3	Vertical	44	1.01	-	34.30	7.67	34.90			
PK	5.731G	66.38	68.20	-1.82	59.27	3	Vertical	44	1.01	-	34.20	7.84	34.93			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TX




EUT_Z_1TX
Setting 17
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.377G	60.32	74.00	-13.68	52.76	3	Horizontal	198	1.58	-	34.61	7.83	34.88			
PK	5.4695G	61.20	68.20	-7.00	53.70	3	Horizontal	198	1.58	-	34.60	7.77	34.87			
AV	5.454G	48.03	54.00	-5.97	40.51	3	Horizontal	198	1.58	-	34.60	7.79	34.87			
PK	5.6085G	99.43	Inf	-Inf	92.40	3	Horizontal	198	1.58	-	34.30	7.62	34.89			
AV	5.6015G	86.20	Inf	-Inf	79.18	3	Horizontal	198	1.58	-	34.30	7.61	34.89			
PK	5.7295G	61.26	68.20	-6.94	54.15	3	Horizontal	198	1.58	-	34.20	7.84	34.93			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT_Z_1TX
Setting 19
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21043G	47.91	74.00	-26.09	64.09	3	Vertical	321	2.33	-	38.50	11.51	66.19			
AV	11.21352G	34.79	54.00	-19.21	50.97	3	Vertical	321	2.33	-	38.50	11.51	66.19			
PK	16.84317G	48.57	68.20	-19.63	59.65	3	Vertical	250	2.39	-	39.36	13.68	64.12			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TX

EUT_Z_1TX
Setting 19
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20713G	47.87	74.00	-26.13	64.05	3	Horizontal	142	1.01	-	38.50	11.51	66.19			
AV	11.20701G	34.84	54.00	-19.16	51.02	3	Horizontal	142	1.01	-	38.50	11.51	66.19			
PK	16.82262G	48.51	68.20	-19.69	59.69	3	Horizontal	257	2.45	-	39.24	13.67	64.09			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 21
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3092G	60.06	68.20	-8.14	52.79	3	Vertical	99	2.25	-	34.42	7.75	34.90			
AV	5.35G	47.07	54.00	-6.93	39.66	3	Vertical	99	2.25	-	34.50	7.80	34.89			
PK	5.458G	64.75	74.00	-9.25	57.23	3	Vertical	99	2.25	-	34.60	7.79	34.87			
AV	5.4532G	49.30	54.00	-4.70	41.78	3	Vertical	99	2.25	-	34.60	7.79	34.87			
PK	5.4676G	67.09	68.20	-1.11	59.58	3	Vertical	99	2.25	-	34.60	7.78	34.87			
PK	5.6676G	108.46	Inf	-Inf	101.38	3	Vertical	99	2.25	-	34.26	7.73	34.91			
AV	5.658G	95.76	Inf	-Inf	88.68	3	Vertical	99	2.25	-	34.28	7.71	34.91			
PK	5.8532G	63.89	68.20	-4.31	56.53	3	Vertical	99	2.25	-	34.31	8.02	34.97			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_1TX
Setting 21
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3428G	59.75	68.20	-8.45	52.36	3	Horizontal	207	1.00	-	34.49	7.79	34.89				
PK	5.4548G	60.44	74.00	-13.56	52.92	3	Horizontal	207	1.00	-	34.60	7.79	34.87				
AV	5.4564G	48.10	54.00	-5.90	40.58	3	Horizontal	207	1.00	-	34.60	7.79	34.87				
PK	5.4668G	63.01	68.20	-5.19	55.50	3	Horizontal	207	1.00	-	34.60	7.78	34.87				
PK	5.6652G	101.93	Inf	-Inf	94.85	3	Horizontal	207	1.00	-	34.27	7.72	34.91				
AV	5.6548G	89.89	Inf	-Inf	82.80	3	Horizontal	207	1.00	-	34.29	7.71	34.91				
PK	5.8524G	61.60	68.20	-6.60	54.24	3	Horizontal	207	1.00	-	34.31	8.02	34.97				

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_1TX
Setting 30
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39437G	46.69	74.00	-27.31	62.62	3	Vertical	298	2.78	-	38.69	11.58	66.20			
AV	11.39212G	33.89	54.00	-20.11	49.83	3	Vertical	298	2.78	-	38.68	11.58	66.20			
PK	17.0673G	47.33	68.20	-20.87	57.80	3	Vertical	328	2.29	-	40.03	13.79	64.29			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_1TX
Setting 30
03-G-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39203G	46.70	74.00	-27.30	62.64	3	Horizontal	129	1.13	-	38.68	11.58	66.20			
AV	11.3857G	33.80	54.00	-20.20	49.75	3	Horizontal	129	1.13	-	38.67	11.58	66.20			
PK	17.07819G	47.16	68.20	-21.04	57.59	3	Horizontal	232	1.17	-	40.06	13.80	64.29			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX


5775MHz_TX

EUT_Z_1TX
Setting 17.5
03-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6445G	65.07	68.20	-3.13	57.98	3	Vertical	116	2.81	-	34.30	7.69	34.90			
PK	5.7635G	106.74	Inf	-Inf	99.58	3	Vertical	116	2.81	-	34.20	7.90	34.94			
AV	5.743G	94.60	Inf	-Inf	87.47	3	Vertical	116	2.81	-	34.20	7.86	34.93			
PK	5.9855G	60.97	68.20	-7.23	53.13	3	Vertical	116	2.81	-	34.70	8.15	35.01			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Z_1TX
Setting 17.5
03-C-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.633G	62.38	68.20	-5.82	55.31	3	Horizontal	205	1.14	-	34.30	7.67	34.90			
PK	5.7595G	100.42	Inf	-Inf	93.27	3	Horizontal	205	1.14	-	34.20	7.89	34.94			
AV	5.7595G	88.10	Inf	-Inf	80.95	3	Horizontal	205	1.14	-	34.20	7.89	34.94			
PK	6G	61.27	68.20	-6.93	53.41	3	Horizontal	205	1.14	-	34.70	8.17	35.01			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Z_1TX
Setting 17.5
06-E-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55296G	54.58	74.00	-19.42	69.25	3	Vertical	124	1.85	-	39.69	11.79	66.15			
AV	11.55184G	42.54	54.00	-11.46	57.21	3	Vertical	124	1.85	-	39.69	11.79	66.15			
PK	17.32446G	60.30	68.20	-7.90	69.56	3	Vertical	346	2.39	-	41.14	13.87	64.27			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TX



EUT_Z_1TX
Setting 17.5
06-E-S-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54918G	55.17	74.00	-18.83	69.84	3	Horizontal	265	1.39	-	39.70	11.79	66.16			
AV	11.54668G	42.75	54.00	-11.25	57.41	3	Horizontal	265	1.39	-	39.71	11.79	66.16			
PK	17.32166G	60.09	68.20	-8.11	69.37	3	Horizontal	123	2.29	-	41.12	13.87	64.27			