


|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode 5795 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5855.2400    | 66.87                      | 9.55                    | 76.42                     | 110.73          | -34.31       | Peak     |         |
| 2   | 5883.0400    | 53.92                      | 9.60                    | 63.52                     | 99.25           | -35.73       | Peak     |         |
| 3 * | 5928.2000    | 44.66                      | 9.67                    | 54.33                     | 68.20           | -13.87       | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT40) Mode 5795 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|

86.9 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5789.7500    | 45.50                      | -0.55                   | 44.95                     | 68.20           | -23.25       | Peak     |         |
| 2 * | 13791.6500   | 43.99                      | 5.11                    | 49.10                     | 68.20           | -19.10       | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode 5775 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5623.7599    | 53.96                      | 9.17                    | 63.13                     | 68.20           | -5.07        | Peak     |         |
| 2   | 5623.7599    | 42.70                      | 9.17                    | 51.87                     | 68.20           | -16.33       | AVG      |         |
| 3   | 5679.0600    | 65.81                      | 9.26                    | 75.07                     | 89.70           | -14.63       | Peak     |         |
| 4   | 5716.4800    | 73.33                      | 9.33                    | 82.66                     | 109.81          | -27.15       | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT80) Mode 5775 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|

86.9 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5591.7000    | 60.43                      | -0.88                   | 59.55                     | 68.20           | -8.65        | Peak     |         |
| 2   | 13632.7000   | 44.74                      | 5.19                    | 49.93                     | 68.20           | -18.27       | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE20) Mode 5745 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5647.5600    | 46.54                      | 9.21                    | 55.75                     | 68.20           | -12.45       | Peak     |         |
| 2   | 5692.4200    | 59.91                      | 9.29                    | 69.20                     | 99.59           | -30.39       | Peak     |         |
| 3   | 5720.4400    | 72.31                      | 9.33                    | 81.64                     | 111.80          | -30.16       | Peak     |         |


## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE20) Mode 5745 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|

86.9 dBuV/m



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5748.1000    | 50.74                      | -0.62                   | 50.12                     | 68.20           | -18.08       | Peak     |         |
| 2   | 10610.9500   | 43.02                      | 5.64                    | 48.66                     | 74.00           | -25.34       | Peak     |         |


## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE20) Mode 5785 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|

86.9 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5781.2500    | 45.68                      | -0.57                   | 45.11                     | 68.20           | -23.09       | Peak     |         |
| 2   | 11563.8000   | 43.66                      | 5.78                    | 49.44                     | 74.00           | -24.56       | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE20) Mode 5825 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5862.0800    | 62.74                      | 9.56                    | 72.30                     | 108.82          | -36.52       | Peak     |         |
| 2   | 5876.7000    | 55.66                      | 9.59                    | 65.25                     | 103.94          | -38.69       | Peak     |         |
| 3 * | 5979.5600    | 43.19                      | 9.76                    | 52.95                     | 68.20           | -15.25       | Peak     |         |


## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE20) Mode 5825 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|

86.9 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1   | 5824.6000    | 43.16                      | -0.50                   | 42.66                     | 68.20           | -25.54       | Peak     |         |
| 2 * | 14157.1500   | 45.70                      | 4.99                    | 50.69                     | 68.20           | -17.51       | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE40) Mode 5755 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5649.1800    | 54.30                      | 9.21                    | 63.51                     | 68.20           | -4.69        | Peak     |         |
| 2   | 5649.1800    | 40.69                      | 9.21                    | 49.90                     | 68.20           | -18.30       | AVG      |         |
| 3   | 5692.5600    | 63.59                      | 9.29                    | 72.88                     | 99.69           | -26.81       | Peak     |         |
| 4   | 5718.2200    | 75.74                      | 9.33                    | 85.07                     | 110.30          | -25.23       | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE40) Mode 5755 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|

86.9 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5755.7500    | 49.93                      | -0.61                   | 49.32                     | 68.20           | -18.88       | Peak     |         |
| 2   | 11063.1500   | 42.87                      | 6.08                    | 48.95                     | 74.00           | -25.05       | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE40) Mode 5795 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|



| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5936.3600    | 44.44                      | 9.69                    | 54.13                     | 68.20           | -14.07       | Peak     |         |
| 2   | 5878.4200    | 55.16                      | 9.59                    | 64.75                     | 102.67          | -37.92       | Peak     |         |
| 3   | 5855.4800    | 62.26                      | 9.55                    | 71.81                     | 110.67          | -38.86       | Peak     |         |


## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE40) Mode 5795 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|

86.9 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5787.2000    | 45.63                      | -0.56                   | 45.07                     | 68.20           | -23.13       | Peak     |         |
| 2   | 11584.2000   | 43.46                      | 5.74                    | 49.20                     | 74.00           | -24.80       | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE80) Mode 5775 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|




| No. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Margin |          |         |
|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     | MHz       | dBuV/m        | dB             | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1 * | 5742.8600 | 103.08        | 9.37           | 112.45      | 122.20 | -9.75  | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE80) Mode 5775 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|




| No. | Mk. | Freq.<br>MHz | Reading<br>Level<br>dBuV | Correct<br>Factor | Measure-<br>ment<br>dBuV/m | Limit<br>dBuV/m | Over<br>dB | Detector | Comment |
|-----|-----|--------------|--------------------------|-------------------|----------------------------|-----------------|------------|----------|---------|
| 1   | *   | 5646.380     | 56.90                    | 9.21              | 66.11                      | 68.20           | -2.09      | peak     |         |
| 2   |     | 5646.380     | 45.53                    | 9.21              | 54.74                      | 68.20           | -13.46     | AVG      |         |
| 3   | !   | 5658.680     | 61.79                    | 9.23              | 71.02                      | 74.62           | -3.60      | peak     |         |
| 4   |     | 5658.680     | 48.09                    | 9.23              | 57.32                      | 74.62           | -17.30     | AVG      |         |
| 5   |     | 5683.800     | 70.18                    | 9.26              | 79.44                      | 93.21           | -13.77     | peak     |         |
| 6   |     | 5710.960     | 74.03                    | 9.32              | 83.35                      | 108.27          | -24.92     | peak     |         |

## REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

|           |                                  |              |            |
|-----------|----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AX(HE80) Mode 5775 MHz | Polarization | Horizontal |
|-----------|----------------------------------|--------------|------------|

86.9 dBuV/m




| No. | Freq.<br>MHz | Reading<br>Level<br>dBuV/m | Correct<br>Factor<br>dB | Measure<br>ment<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Detector | Comment |
|-----|--------------|----------------------------|-------------------------|---------------------------|-----------------|--------------|----------|---------|
| 1 * | 5583.2000    | 59.65                      | -0.89                   | 58.76                     | 68.20           | -9.44        | Peak     |         |
| 2   | 13852.0000   | 44.67                      | 5.08                    | 49.75                     | 68.20           | -18.45       | Peak     |         |

## REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

|           |                                   |              |            |
|-----------|-----------------------------------|--------------|------------|
| Test Mode | UNII-3_TX AC(VHT20) Mode 5785 MHz | Polarization | Horizontal |
|-----------|-----------------------------------|--------------|------------|



| No. | Mk. | Freq.     | Reading Level | Correct Factor | Measurement | Limit  | Over   |          |         |
|-----|-----|-----------|---------------|----------------|-------------|--------|--------|----------|---------|
|     |     | MHz       | dBuV          |                | dBuV/m      | dBuV/m | dB     | Detector | Comment |
| 1   |     | 30448.700 | 50.81         | 0.40           | 51.21       | 68.20  | -16.99 | peak     |         |
| 2   | *   | 34490.100 | 51.11         | 1.98           | 53.09       | 68.20  | -15.11 | peak     |         |

## REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

## APPENDIX E - BANDWIDTH

|           |                  |
|-----------|------------------|
| Test Mode | UNII-1_TX A Mode |
|-----------|------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 49.860                | 16.820                        |
| 40      | 5200            | 35.760                | 16.927                        |
| 48      | 5240            | 21.530                | 16.892                        |

CH36




CH40




26 dB Bandwidth



CH48




99 % Occupied Bandwidth



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 32.110                | 17.967                        |
| 40      | 5200            | 27.390                | 17.979                        |
| 48      | 5240            | 21.500                | 17.937                        |

CH36




CH40




26 dB Bandwidth



CH48



99 % Occupied Bandwidth



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT40) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38      | 5190            | 41.380                | 36.626                        |
| 46      | 5230            | 39.750                | 36.744                        |

### CH38

### CH46

#### 26 dB Bandwidth




#### 99 % Occupied Bandwidth



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-1_TX AC(VHT80) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42      | 5210            | 82.090                | 75.873                        |

## CH42 26 dB Bandwidth



## 99 % Occupied Bandwidth



|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX AX(HE20) Mode |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36      | 5180            | 29.680                | 19.270                        |
| 40      | 5200            | 25.650                | 19.200                        |
| 48      | 5240            | 21.730                | 19.192                        |

CH36




CH40


26 dB Bandwidth



CH48



99 % Occupied Bandwidth




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX AX(HE40) Mode |
|-----------|-------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38      | 5190            | 82.820                | 38.003                        |
| 46      | 5230            | 39.860                | 37.999                        |


## CH38

## CH46

### 26 dB Bandwidth



### 99 % Occupied Bandwidth




|           |                         |
|-----------|-------------------------|
| Test Mode | UNII-1_TX AX(HE80) Mode |
|-----------|-------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42      | 5210            | 100.700               | 77.233                        |

### CH42 26 dB Bandwidth




### 99 % Occupied Bandwidth



|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2A_TX A Mode |
|-----------|-------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 21.250                | 17.025                        |
| 60      | 5300            | 21.220                | 17.025                        |
| 64      | 5320            | 21.370                | 17.066                        |

CH52




CH60




26 dB Bandwidth



CH64



99 % Occupied Bandwidth





|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT20) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 21.780                | 17.982                        |
| 60      | 5300            | 26.170                | 18.001                        |
| 64      | 5320            | 23.290                | 17.878                        |




CH52

CH60  
26 dB Bandwidth

CH64



99 % Occupied Bandwidth




|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT40) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 54      | 5270            | 39.820                | 36.623                        |
| 62      | 5310            | 41.040                | 36.602                        |

### CH54

### CH62

#### 26 dB Bandwidth




#### 99 % Occupied Bandwidth




|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2A_TX AC(VHT80) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 177.300               | 75.700                        |

## CH58 26 dB Bandwidth




## 99 % Occupied Bandwidth



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX AX(HE20) Mode |
|-----------|--------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 52      | 5260            | 21.620                | 19.100                        |
| 60      | 5300            | 21.700                | 19.166                        |
| 64      | 5320            | 21.850                | 19.124                        |

CH52




CH60



26 dB Bandwidth



CH64



99 % Occupied Bandwidth



|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX AX(HE40) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 54      | 5270            | 75.490                | 38.093                        |
| 62      | 5310            | 76.490                | 37.994                        |


### CH54

### CH62

### 26 dB Bandwidth




### 99 % Occupied Bandwidth




|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2A_TX AX(HE80) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 58      | 5290            | 120.500               | 78.465                        |

## CH58 26 dB Bandwidth



## 99 % Occupied Bandwidth




|           |                   |
|-----------|-------------------|
| Test Mode | UNII-2C_TX A Mode |
|-----------|-------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 21.170                | 16.838                        |
| 116     | 5580            | 30.370                | 17.032                        |
| 140     | 5700            | 28.120                | 17.255                        |


CH100

CH116  
26 dB Bandwidth

CH140



99 % Occupied Bandwidth





|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT20) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 45.690                | 17.813                        |
| 116     | 5580            | 21.450                | 17.837                        |
| 140     | 5700            | 46.710                | 17.836                        |




CH100

CH116  
26 dB Bandwidth

CH140




99 % Occupied Bandwidth




|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT40) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 39.450                | 36.371                        |
| 110     | 5550            | 84.670                | 36.440                        |
| 134     | 5670            | 86.440                | 36.415                        |

CH102





CH110  
26 dB Bandwidth



CH134




99 % Occupied Bandwidth




|           |                           |
|-----------|---------------------------|
| Test Mode | UNII-2C_TX AC(VHT80) Mode |
|-----------|---------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 106     | 5530            | 123.800               | 75.771                        |
| 122     | 5610            | 107.100               | 75.739                        |



CH106



CH122  
26 dB Bandwidth



99 % Occupied Bandwidth





|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE20) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 100     | 5500            | 22.110                | 19.116                        |
| 116     | 5580            | 21.800                | 19.188                        |
| 140     | 5700            | 21.750                | 19.188                        |




CH100

CH116  
26 dB Bandwidth

CH140




99 % Occupied Bandwidth




|           |                          |
|-----------|--------------------------|
| Test Mode | UNII-2C_TX AX(HE40) Mode |
|-----------|--------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Occupied Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 102     | 5510            | 83.660                | 37.854                        |
| 110     | 5550            | 79.100                | 37.921                        |
| 134     | 5670            | 83.840                | 38.019                        |


CH102



CH110  
26 dB Bandwidth



CH134



99 % Occupied Bandwidth

