



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-13.04	1.20	-6.84	-1.00	Pass
6695	-15.79	1.20	-9.59	-1.00	Pass
6855	-14.37	1.20	-8.17	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-14.15	1.20	-7.95	-1.00	Pass
6995	-14.44	1.20	-8.24	-1.00	Pass
7115	-14.15	1.20	-7.95	-1.00	Pass




Test Mode	IEEE 802.11ax(HE20)_Ant.2
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-14.19	1.20	-7.99	-1.00	Pass
6175	-16.35	1.20	-10.15	-1.00	Pass
6415	-18.22	1.20	-12.02	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-19.31	1.20	-13.11	-1.00	Pass
6475	-15.86	1.20	-9.66	-1.00	Pass
6515	-18.76	1.20	-12.56	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-18.64	1.20	-12.44	-1.00	Pass
6695	-14.77	1.20	-8.57	-1.00	Pass
6855	-13.86	1.20	-7.66	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-16.53	1.20	-10.33	-1.00	Pass
6995	-17.26	1.20	-11.06	-1.00	Pass
7115	-17.64	1.20	-11.44	-1.00	Pass




Test Mode	IEEE 802.11ax(HE20)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-2.00	-1.00	Pass
6175	-2.17	-1.00	Pass
6415	-3.26	-1.00	Pass
6435	-4.49	-1.00	Pass
6475	-2.31	-1.00	Pass
6515	-3.84	-1.00	Pass
6535	-2.77	-1.00	Pass
6695	-3.03	-1.00	Pass
6855	-1.89	-1.00	Pass
6875	-2.96	-1.00	Pass
6995	-3.40	-1.00	Pass
7115	-3.33	-1.00	Pass

Test Mode IEEE 802.11ax(HE40)_Ant.1


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-15.04	1.85	-8.19	-1.00	Pass
6165	-15.54	1.85	-8.69	-1.00	Pass
6405	-14.60	1.85	-7.75	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-14.17	1.85	-7.32	-1.00	Pass
6485	-13.69	1.85	-6.84	-1.00	Pass
6525	-14.64	1.85	-7.79	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-13.99	1.85	-7.14	-1.00	Pass
6725	-14.87	1.85	-8.02	-1.00	Pass
6845	-16.50	1.85	-9.65	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-15.43	1.85	-8.58	-1.00	Pass
7005	-14.50	1.85	-7.65	-1.00	Pass
7085	-13.18	1.85	-6.33	-1.00	Pass




Test Mode IEEE 802.11ax(HE40)_Ant.2


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-14.87	1.85	-8.02	-1.00	Pass
6165	-17.49	1.85	-10.64	-1.00	Pass
6405	-18.66	1.85	-11.81	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-14.25	1.85	-7.40	-1.00	Pass
6485	-16.32	1.85	-9.47	-1.00	Pass
6525	-13.73	1.85	-6.88	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-18.91	1.85	-12.06	-1.00	Pass
6725	-15.29	1.85	-8.44	-1.00	Pass
6845	-14.89	1.85	-8.04	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-15.45	1.85	-8.60	-1.00	Pass
7005	-14.37	1.85	-7.52	-1.00	Pass
7085	-16.75	1.85	-9.90	-1.00	Pass




Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-2.08	-1.00	Pass
6165	-3.54	-1.00	Pass
6405	-3.30	-1.00	Pass
6445	-1.34	-1.00	Pass
6485	-1.94	-1.00	Pass
6525	-1.29	-1.00	Pass
6565	-2.92	-1.00	Pass
6725	-2.20	-1.00	Pass
6845	-2.75	-1.00	Pass
6885	-2.57	-1.00	Pass
7005	-1.56	-1.00	Pass
7085	-1.74	-1.00	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-13.65	1.90	-6.75	-1.00	Pass
6145	-12.76	1.90	-5.86	-1.00	Pass
6385	-13.12	1.90	-6.22	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-14.58	1.90	-7.68	-1.00	Pass

