


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.43628G	-39.18	-21.20	-17.98	7.81	-46.99	-53.22	-51.36	-54.79	-53.37
5.285G	7.765G	1M	PK	7.58892G	-36.14	-21.20	-14.94	7.81	-43.95	-49.22	-50.60	-48.80	-51.90

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.38172G	-49.39	-41.20	-8.19	7.81	-57.20	-63.34	-63.34	-63.10	-63.10
5.285G	7.765G	1M	AV	7.6038G	-46.46	-41.20	-5.26	7.81	-54.27	-60.18	-60.40	-60.18	-60.40

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.3842G	-39.21	-21.20	-18.01	7.81	-47.02	-54.15	-52.94	-52.94	-52.32
5.285G	7.765G	1M	PK	7.70548G	-36.34	-21.20	-15.14	7.81	-44.15	-50.49	-48.68	-51.37	-50.63

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.36684G	-49.34	-41.20	-8.14	7.81	-57.15	-63.35	-63.11	-63.11	-63.11
5.285G	7.765G	1M	AV	7.6038G	-46.35	-41.20	-5.15	7.81	-54.16	-60.18	-60.40	-59.97	-60.18

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.44372G	-38.95	-21.20	-17.75	7.81	-46.76	-52.29	-52.96	-53.92	-52.17
5.285G	7.765G	1M	PK	7.62736G	-36.45	-21.20	-15.25	7.81	-44.26	-52.04	-49.46	-49.52	-50.58

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.39908G	-49.39	-41.20	-8.19	7.81	-57.20	-63.11	-63.34	-63.34	-63.11
5.285G	7.765G	1M	AV	7.6038G	-46.40	-41.20	-5.20	7.81	-54.21	-60.18	-60.40	-60.18	-60.18

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.39784G	-39.15	-21.20	-17.95	7.81	-46.96	-53.91	-51.94	-53.16	-53.16
5.285G	7.765G	1M	PK	7.63232G	-36.24	-21.20	-15.04	7.81	-44.05	-49.74	-48.94	-51.82	-50.26

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.38048G	-49.39	-41.20	-8.19	7.81	-57.20	-63.10	-63.10	-63.34	-63.34
5.285G	7.765G	1M	AV	7.59264G	-46.60	-41.20	-5.40	7.81	-54.41	-60.43	-60.43	-60.43	-60.43

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.37428G	-39.05	-21.20	-17.85	7.81	-46.86	-50.61	-52.26	-55.10	-55.37
5.285G	7.765G	1M	PK	7.32108G	-36.41	-21.20	-15.21	7.81	-44.22	-51.63	-50.35	-49.52	-49.75

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.3966G	-49.28	-41.20	-8.08	7.81	-57.09	-63.11	-63.11	-63.11	-63.11
5.285G	7.765G	1M	AV	7.60504G	-46.57	-41.20	-5.37	7.81	-54.38	-60.40	-60.40	-60.40	-60.40

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

CSE Bandedge [PK]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.35444G	-39.01	-21.20	-17.81	7.81	-46.82	-54.18	-53.26	-52.97	-51.42
5.285G	7.765G	1M	PK	7.34836G	-36.33	-21.20	-15.13	7.81	-44.14	-51.62	-51.62	-49.27	-48.88

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

CSE Bandedge [AV]

6105MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.38048G	-49.33	-41.20	-8.13	7.81	-57.14	-63.34	-63.10	-63.10	-63.10
5.285G	7.765G	1M	AV	7.60008G	-46.60	-41.20	-5.40	7.81	-54.41	-60.37	-60.60	-60.37	-60.37

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.409G	-40.21	-21.20	-19.01	6.82	-47.03	-53.78	-52.55	-52.35	-53.70
5.285G	7.765G	1M	PK	7.25908G	-31.31	-21.20	-10.11	6.82	-38.13	-44.18	-43.80	-44.36	-44.27

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.36064G	-50.28	-41.20	-9.08	6.82	-57.10	-63.12	-63.12	-63.12	-63.12
5.285G	7.765G	1M	AV	7.2504G	-41.38	-41.20	-0.18	6.82	-48.20	-54.87	-54.09	-54.28	-53.72

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.38048G	-40.15	-21.20	-18.95	6.82	-46.97	-51.69	-53.68	-53.60	-53.30
5.285G	7.765G	1M	PK	7.25536G	-31.31	-21.20	-10.11	6.82	-38.13	-43.78	-43.28	-44.71	-45.09

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.3966G	-50.33	-41.20	-9.13	6.82	-57.15	-63.34	-63.11	-63.11	-63.11
5.285G	7.765G	1M	AV	7.2504G	-41.36	-41.20	-0.16	6.82	-48.18	-54.37	-53.81	-54.57	-54.09

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.41396G	-39.65	-21.20	-18.45	6.82	-46.47	-52.98	-52.77	-52.71	-51.62
5.285G	7.765G	1M	PK	7.26528G	-32.23	-21.20	-11.03	6.82	-39.05	-46.40	-44.64	-44.92	-44.57

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.3904G	-50.33	-41.20	-9.13	6.82	-57.15	-63.11	-63.34	-63.11	-63.11
5.285G	7.765G	1M	AV	7.25288G	-42.02	-41.20	-0.82	6.82	-48.84	-55.19	-54.67	-55.40	-54.28

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.4462G	-39.84	-21.20	-18.64	6.82	-46.66	-54.40	-50.88	-52.63	-53.62
5.285G	7.765G	1M	PK	7.25412G	-31.51	-21.20	-10.31	6.82	-38.33	-43.69	-44.89	-43.63	-45.50

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.36932G	-50.27	-41.20	-9.07	6.82	-57.09	-63.11	-63.34	-63.11	-62.89
5.285G	7.765G	1M	AV	7.2504G	-41.92	-41.20	-0.72	6.82	-48.74	-55.08	-54.67	-55.08	-54.28

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.36684G	-40.05	-21.20	-18.85	6.82	-46.87	-52.60	-52.81	-52.74	-53.46
5.285G	7.765G	1M	PK	7.2566G	-31.07	-21.20	-9.87	6.82	-37.89	-42.71	-43.72	-44.93	-44.64

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.38172G	-50.32	-41.20	-9.12	6.82	-57.14	-63.34	-63.10	-63.10	-63.10
5.285G	7.765G	1M	AV	7.2504G	-41.48	-41.20	-0.28	6.82	-48.30	-54.67	-54.18	-54.57	-53.90

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.39784G	-39.92	-21.20	-18.72	6.82	-46.74	-53.30	-53.23	-53.01	-51.69
5.285G	7.765G	1M	PK	7.269G	-32.28	-21.20	-11.08	6.82	-39.10	-46.02	-43.94	-47.04	-44.23

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.38048G	-50.38	-41.20	-9.18	6.82	-57.20	-63.10	-63.34	-63.34	-63.10
5.285G	7.765G	1M	AV	7.2504G	-42.33	-41.20	-1.13	6.82	-49.15	-55.51	-54.67	-55.73	-54.87

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.36808G	-40.05	-21.20	-18.85	6.82	-46.87	-54.49	-51.34	-52.53	-53.92
5.285G	7.765G	1M	PK	7.27768G	-31.30	-21.20	-10.10	6.82	-38.12	-44.88	-43.84	-44.98	-43.13

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.38172G	-50.38	-41.20	-9.18	6.82	-57.20	-63.34	-63.10	-63.10	-63.34
5.285G	7.765G	1M	AV	7.25288G	-41.74	-41.20	-0.54	6.82	-48.56	-54.09	-54.87	-55.19	-54.28

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.37056G	-40.26	-21.20	-19.06	6.82	-47.08	-53.68	-53.16	-52.60	-53.02
5.285G	7.765G	1M	PK	7.25288G	-31.70	-21.20	-10.50	6.82	-38.52	-45.37	-43.67	-45.47	-43.96

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.37676G	-50.38	-41.20	-9.18	6.82	-57.20	-62.88	-63.34	-63.34	-63.34
5.285G	7.765G	1M	AV	7.2504G	-42.03	-41.20	-0.83	6.82	-48.85	-54.97	-54.67	-55.08	-54.77

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.41644G	-40.05	-21.20	-18.85	6.82	-46.87	-54.21	-53.50	-51.33	-53.07
5.285G	7.765G	1M	PK	7.25412G	-31.68	-21.20	-10.48	6.82	-38.50	-44.86	-44.77	-44.52	-43.98

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.38668G	-50.38	-41.20	-9.18	6.82	-57.20	-63.10	-63.34	-63.34	-63.10
5.285G	7.765G	1M	AV	7.2504G	-41.80	-41.20	-0.60	6.82	-48.62	-54.67	-54.37	-54.87	-54.67

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.44744G	-40.10	-21.20	-18.90	6.82	-46.92	-52.37	-53.77	-52.77	-52.97
5.285G	7.765G	1M	PK	7.25412G	-31.02	-21.20	-9.82	6.82	-37.84	-44.99	-42.73	-44.27	-43.75

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.3718G	-50.33	-41.20	-9.13	6.82	-57.15	-63.11	-63.11	-63.11	-63.34
5.285G	7.765G	1M	AV	7.2504G	-41.72	-41.20	-0.52	6.82	-48.54	-54.67	-54.09	-54.87	-54.67

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX

CSE Bandedge [PK]

6905MHz

26/01/2024




F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	PK	5.38668G	-40.16	-21.20	-18.96	6.82	-46.98	-53.45	-52.52	-52.94	-53.15
5.285G	7.765G	1M	PK	7.27396G	-31.21	-21.20	-10.01	6.82	-38.03	-40.49	-46.47	-46.95	-45.98

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX

CSE Bandedge [AV]

6905MHz

26/01/2024



F-Start(Hz)	F-Stop(Hz)	RBW(Hz)	Type	Freq(Hz)	EIRP(dBm)	Limit(dBm)	Margin(dB)	DG(dB)	Psum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
5.285G	7.765G	1M	AV	5.39288G	-50.33	-41.20	-9.13	6.82	-57.15	-63.11	-63.34	-63.11	-63.11
5.285G	7.765G	1M	AV	7.2504G	-41.43	-41.20	-0.23	6.82	-48.25	-54.77	-54.00	-54.28	-54.09



RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel Puncturing Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	Pass	AV	12.03048G	52.10	54.00	-1.90	3	Horizontal	347	1.83
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	Pass	AV	12.174G	53.17	54.00	-0.83	3	Vertical	12	1.88
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	Pass	AV	7.25G	51.05	54.00	-2.95	3	Horizontal	0	1.50
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	Pass	AV	7.175G	48.53	68.20	-19.67	3	Horizontal	360	1.57
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	Pass	PK	7.128G	80.28	88.20	-7.92	3	Horizontal	360	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel Puncturing Appendix E.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0088G	97.29	Inf	-Inf	3	Vertical	12	2.20
7025MHz	Pass	AV	7.172G	48.21	68.20	-19.99	3	Vertical	12	2.20
7025MHz	Pass	PK	7.0088G	111.22	Inf	-Inf	3	Vertical	12	2.20
7025MHz	Pass	PK	7.1642G	62.28	88.20	-25.92	3	Vertical	12	2.20
7025MHz	Pass	AV	7.049G	98.80	Inf	-Inf	3	Horizontal	358	1.50
7025MHz	Pass	AV	7.1738G	48.42	68.20	-19.78	3	Horizontal	358	1.50
7025MHz	Pass	PK	7.0478G	111.96	Inf	-Inf	3	Horizontal	358	1.50
7025MHz	Pass	PK	7.1552G	62.04	88.20	-26.16	3	Horizontal	358	1.50
7025MHz	Pass	AV	14.0706G	45.97	68.20	-22.23	3	Vertical	320	1.41
7025MHz	Pass	PK	14.0502G	61.40	88.20	-26.80	3	Vertical	320	1.41
7025MHz	Pass	AV	14.06984G	44.12	68.20	-24.08	3	Horizontal	38	2.76
7025MHz	Pass	PK	14.05032G	57.32	88.20	-30.88	3	Horizontal	38	2.76
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0316G	97.51	Inf	-Inf	3	Vertical	3	2.16
7025MHz	Pass	AV	7.1744G	48.26	68.20	-19.94	3	Vertical	3	2.16
7025MHz	Pass	PK	7.0514G	110.72	Inf	-Inf	3	Vertical	3	2.16
7025MHz	Pass	PK	7.1504G	61.69	88.20	-26.51	3	Vertical	3	2.16
7025MHz	Pass	AV	6.989G	98.75	Inf	-Inf	3	Horizontal	356	1.43
7025MHz	Pass	AV	7.1744G	48.41	68.20	-19.79	3	Horizontal	356	1.43
7025MHz	Pass	PK	6.989G	112.08	Inf	-Inf	3	Horizontal	356	1.43
7025MHz	Pass	PK	7.1462G	62.35	88.20	-25.85	3	Horizontal	356	1.43
7025MHz	Pass	AV	14.03688G	45.68	68.20	-22.52	3	Vertical	320	1.27
7025MHz	Pass	PK	14.04968G	58.62	88.20	-29.58	3	Vertical	320	1.27
7025MHz	Pass	AV	14.03672G	43.10	68.20	-25.10	3	Horizontal	41	2.49
7025MHz	Pass	PK	14.03784G	55.92	88.20	-32.28	3	Horizontal	41	2.49
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	7.0124G	97.88	Inf	-Inf	3	Vertical	3	2.08
7025MHz	Pass	AV	7.1726G	48.22	68.20	-19.98	3	Vertical	3	2.08
7025MHz	Pass	PK	7.052G	111.35	Inf	-Inf	3	Vertical	3	2.08
7025MHz	Pass	PK	7.1294G	62.94	88.20	-25.26	3	Vertical	3	2.08
7025MHz	Pass	AV	6.9878G	98.41	Inf	-Inf	3	Horizontal	360	1.45
7025MHz	Pass	AV	7.175G	48.45	68.20	-19.75	3	Horizontal	360	1.45
7025MHz	Pass	PK	7.0478G	111.53	Inf	-Inf	3	Horizontal	360	1.45
7025MHz	Pass	PK	7.166G	62.60	88.20	-25.60	3	Horizontal	360	1.45
7025MHz	Pass	AV	14.01G	46.05	68.20	-22.15	3	Vertical	319	1.37
7025MHz	Pass	PK	14.01368G	60.06	88.20	-28.14	3	Vertical	319	1.37
7025MHz	Pass	AV	14.00936G	44.06	68.20	-24.14	3	Horizontal	38	2.73
7025MHz	Pass	PK	14.05016G	59.73	88.20	-28.47	3	Horizontal	38	2.73
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	6.998G	96.88	Inf	-Inf	3	Vertical	13	1.45
7025MHz	Pass	AV	7.1744G	48.22	68.20	-19.98	3	Vertical	13	1.45
7025MHz	Pass	PK	7.0184G	110.61	Inf	-Inf	3	Vertical	13	1.45
7025MHz	Pass	PK	7.1684G	62.03	88.20	-26.17	3	Vertical	13	1.45
7025MHz	Pass	AV	6.9878G	98.49	Inf	-Inf	3	Horizontal	360	1.57
7025MHz	Pass	AV	7.175G	48.53	68.20	-19.67	3	Horizontal	360	1.57
7025MHz	Pass	PK	6.9878G	111.60	Inf	-Inf	3	Horizontal	360	1.57
7025MHz	Pass	PK	7.1606G	63.12	88.20	-25.08	3	Horizontal	360	1.57
7025MHz	Pass	AV	14.03672G	46.66	68.20	-21.54	3	Vertical	321	1.30
7025MHz	Pass	PK	14.03784G	61.57	88.20	-26.63	3	Vertical	321	1.30
7025MHz	Pass	AV	14.03G	44.97	68.20	-23.23	3	Horizontal	38	2.71
7025MHz	Pass	PK	14.05016G	58.25	88.20	-29.95	3	Horizontal	38	2.71
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.916G	54.03	68.20	-14.17	3	Vertical	20	1.54
6025MHz	Pass	AV	6.073G	96.25	Inf	-Inf	3	Vertical	20	1.54
6025MHz	Pass	PK	5.916G	72.37	88.20	-15.83	3	Vertical	20	1.54
6025MHz	Pass	PK	6.073G	109.79	Inf	-Inf	3	Vertical	20	1.54
6025MHz	Pass	AV	5.912G	54.56	68.20	-13.64	3	Horizontal	339	2.41
6025MHz	Pass	AV	5.972G	96.35	Inf	-Inf	3	Horizontal	339	2.41
6025MHz	Pass	PK	5.911G	74.37	88.20	-13.83	3	Horizontal	339	2.41
6025MHz	Pass	PK	5.991G	109.55	Inf	-Inf	3	Horizontal	339	2.41



RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel Puncturing Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.01832G	50.84	54.00	-3.16	3	Vertical	20	1.60
6025MHz	Pass	PK	11.99848G	66.86	74.00	-7.14	3	Vertical	20	1.60
6025MHz	Pass	AV	12.03048G	52.10	54.00	-1.90	3	Horizontal	347	1.83
6025MHz	Pass	PK	11.99112G	65.93	74.00	-8.07	3	Horizontal	347	1.83
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.915G	51.86	68.20	-16.34	3	Vertical	19	1.40
6025MHz	Pass	AV	6.054G	95.86	Inf	-Inf	3	Vertical	19	1.40
6025MHz	Pass	PK	5.921G	66.93	88.20	-21.27	3	Vertical	19	1.40
6025MHz	Pass	PK	6.033G	109.23	Inf	-Inf	3	Vertical	19	1.40
6025MHz	Pass	AV	5.914G	51.60	68.20	-16.60	3	Horizontal	336	2.42
6025MHz	Pass	AV	6.053G	95.85	Inf	-Inf	3	Horizontal	336	2.42
6025MHz	Pass	PK	5.911G	68.31	88.20	-19.89	3	Horizontal	336	2.42
6025MHz	Pass	PK	5.994G	109.11	Inf	-Inf	3	Horizontal	336	2.42
6025MHz	Pass	AV	12.00872G	50.67	54.00	-3.33	3	Vertical	350	1.89
6025MHz	Pass	PK	11.98824G	65.92	74.00	-8.08	3	Vertical	350	1.89
6025MHz	Pass	AV	12.01064G	50.98	54.00	-3.02	3	Horizontal	347	2.65
6025MHz	Pass	PK	11.99048G	65.24	74.00	-8.76	3	Horizontal	347	2.65
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.95G	97.35	Inf	-Inf	3	Vertical	11	2.09
6985MHz	Pass	AV	7.128G	51.28	68.20	-16.92	3	Vertical	11	2.09
6985MHz	Pass	PK	6.95G	110.31	Inf	-Inf	3	Vertical	11	2.09
6985MHz	Pass	PK	7.128G	76.82	88.20	-11.38	3	Vertical	11	2.09
6985MHz	Pass	AV	6.948G	97.88	Inf	-Inf	3	Horizontal	360	1.50
6985MHz	Pass	AV	7.127G	53.62	68.20	-14.58	3	Horizontal	360	1.50
6985MHz	Pass	PK	6.928G	111.94	Inf	-Inf	3	Horizontal	360	1.50
6985MHz	Pass	PK	7.128G	80.28	88.20	-7.92	3	Horizontal	360	1.50
6985MHz	Pass	AV	13.99016G	48.05	68.20	-20.15	3	Vertical	320	1.45
6985MHz	Pass	PK	13.99016G	65.50	88.20	-22.70	3	Vertical	320	1.45
6985MHz	Pass	AV	13.99016G	46.22	68.20	-21.98	3	Horizontal	38	2.66
6985MHz	Pass	PK	13.98888G	62.42	88.20	-25.78	3	Horizontal	38	2.66
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.91G	97.27	Inf	-Inf	3	Vertical	11	2.09
6985MHz	Pass	AV	7.128G	51.76	68.20	-16.44	3	Vertical	11	2.09
6985MHz	Pass	PK	6.91G	111.18	Inf	-Inf	3	Vertical	11	2.09
6985MHz	Pass	PK	7.127G	71.52	88.20	-16.68	3	Vertical	11	2.09
6985MHz	Pass	AV	6.908G	98.10	Inf	-Inf	3	Horizontal	0	1.50
6985MHz	Pass	AV	7.127G	53.89	68.20	-14.31	3	Horizontal	0	1.50
6985MHz	Pass	PK	6.948G	112.08	Inf	-Inf	3	Horizontal	0	1.50
6985MHz	Pass	PK	7.127G	75.86	88.20	-12.34	3	Horizontal	0	1.50
6985MHz	Pass	AV	13.97128G	48.04	68.20	-20.16	3	Vertical	320	1.36
6985MHz	Pass	PK	13.98856G	62.01	88.20	-26.19	3	Vertical	320	1.36
6985MHz	Pass	AV	13.97064G	47.12	68.20	-21.08	3	Horizontal	38	2.70
6985MHz	Pass	PK	13.98856G	61.96	88.20	-26.24	3	Horizontal	38	2.70
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.93G	97.52	Inf	-Inf	3	Vertical	11	2.05
6985MHz	Pass	AV	7.128G	52.13	68.20	-16.07	3	Vertical	11	2.05
6985MHz	Pass	PK	6.91G	111.10	Inf	-Inf	3	Vertical	11	2.05
6985MHz	Pass	PK	7.129G	74.01	88.20	-14.19	3	Vertical	11	2.05
6985MHz	Pass	AV	6.908G	98.21	Inf	-Inf	3	Horizontal	1	1.56
6985MHz	Pass	AV	7.126G	54.37	68.20	-13.83	3	Horizontal	1	1.56
6985MHz	Pass	PK	6.908G	111.50	Inf	-Inf	3	Horizontal	1	1.56
6985MHz	Pass	PK	7.128G	76.81	88.20	-11.39	3	Horizontal	1	1.56
6985MHz	Pass	AV	13.9716G	47.74	68.20	-20.46	3	Vertical	319	1.31
6985MHz	Pass	PK	13.99912G	61.39	88.20	-26.81	3	Vertical	319	1.31
6985MHz	Pass	AV	13.97064G	47.03	68.20	-21.17	3	Horizontal	38	2.66
6985MHz	Pass	PK	13.91144G	61.35	88.20	-26.85	3	Horizontal	38	2.66
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.909G	97.07	Inf	-Inf	3	Vertical	13	2.11
6985MHz	Pass	AV	7.127G	52.38	68.20	-15.82	3	Vertical	13	2.11
6985MHz	Pass	PK	6.929G	110.31	Inf	-Inf	3	Vertical	13	2.11
6985MHz	Pass	PK	7.13G	73.59	88.20	-14.61	3	Vertical	13	2.11
6985MHz	Pass	AV	6.908G	98.20	Inf	-Inf	3	Horizontal	0	1.49



RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel Puncturing Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	7.127G	54.48	68.20	-13.72	3	Horizontal	0	1.49
6985MHz	Pass	PK	6.948G	111.68	Inf	-Inf	3	Horizontal	0	1.49
6985MHz	Pass	PK	7.128G	73.14	88.20	-15.06	3	Horizontal	0	1.49
6985MHz	Pass	AV	13.96296G	47.47	68.20	-20.73	3	Vertical	38	1.93
6985MHz	Pass	PK	13.962G	60.14	88.20	-28.06	3	Vertical	38	1.93
6985MHz	Pass	AV	13.94984G	47.21	68.20	-20.99	3	Horizontal	38	2.68
6985MHz	Pass	PK	13.9492G	60.43	88.20	-27.77	3	Horizontal	38	2.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.933G	97.13	Inf	-Inf	3	Vertical	0	1.99
6985MHz	Pass	AV	7.132G	52.74	68.20	-15.46	3	Vertical	0	1.99
6985MHz	Pass	PK	6.933G	110.55	Inf	-Inf	3	Vertical	0	1.99
6985MHz	Pass	PK	7.153G	69.04	88.20	-19.16	3	Vertical	0	1.99
6985MHz	Pass	AV	6.909G	98.03	Inf	-Inf	3	Horizontal	0	1.41
6985MHz	Pass	AV	7.127G	54.27	68.20	-13.93	3	Horizontal	0	1.41
6985MHz	Pass	PK	6.907G	111.11	Inf	-Inf	3	Horizontal	0	1.41
6985MHz	Pass	PK	7.128G	78.21	88.20	-9.99	3	Horizontal	0	1.41
6985MHz	Pass	AV	13.99016G	47.52	68.20	-20.68	3	Vertical	320	1.45
6985MHz	Pass	PK	13.98984G	62.24	88.20	-25.96	3	Vertical	320	1.45
6985MHz	Pass	AV	13.97032G	45.79	68.20	-22.41	3	Horizontal	38	2.70
6985MHz	Pass	PK	13.88872G	59.90	88.20	-28.30	3	Horizontal	38	2.70
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.91G	97.34	Inf	-Inf	3	Vertical	11	2.09
6985MHz	Pass	AV	7.128G	51.33	68.20	-16.87	3	Vertical	11	2.09
6985MHz	Pass	PK	6.95G	111.58	Inf	-Inf	3	Vertical	11	2.09
6985MHz	Pass	PK	7.129G	75.87	88.20	-12.33	3	Vertical	11	2.09
6985MHz	Pass	AV	6.908G	98.13	Inf	-Inf	3	Horizontal	0	1.48
6985MHz	Pass	AV	7.128G	53.33	68.20	-14.87	3	Horizontal	0	1.48
6985MHz	Pass	PK	6.969G	111.12	Inf	-Inf	3	Horizontal	0	1.48
6985MHz	Pass	PK	7.128G	78.11	88.20	-10.09	3	Horizontal	0	1.48
6985MHz	Pass	AV	13.97128G	47.27	68.20	-20.93	3	Vertical	320	1.29
6985MHz	Pass	PK	13.9972G	61.62	88.20	-26.58	3	Vertical	320	1.29
6985MHz	Pass	AV	13.91016G	45.63	68.20	-22.57	3	Horizontal	38	2.69
6985MHz	Pass	PK	13.90856G	60.01	88.20	-28.19	3	Horizontal	38	2.69
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.952G	97.42	Inf	-Inf	3	Vertical	3	2.04
6985MHz	Pass	AV	7.132G	51.75	68.20	-16.45	3	Vertical	3	2.04
6985MHz	Pass	PK	6.932G	110.89	Inf	-Inf	3	Vertical	3	2.04
6985MHz	Pass	PK	7.132G	76.95	88.20	-11.25	3	Vertical	3	2.04
6985MHz	Pass	AV	6.908G	98.11	Inf	-Inf	3	Horizontal	0	1.50
6985MHz	Pass	AV	7.127G	52.88	68.20	-15.32	3	Horizontal	0	1.50
6985MHz	Pass	PK	6.968G	111.57	Inf	-Inf	3	Horizontal	0	1.50
6985MHz	Pass	PK	7.129G	77.95	88.20	-10.25	3	Horizontal	0	1.50
6985MHz	Pass	AV	13.92328G	47.00	68.20	-21.20	3	Vertical	331	2.41
6985MHz	Pass	PK	13.92136G	60.28	88.20	-27.92	3	Vertical	331	2.41
6985MHz	Pass	AV	13.93928G	45.64	68.20	-22.56	3	Horizontal	35	2.37
6985MHz	Pass	PK	13.9412G	59.44	88.20	-28.76	3	Horizontal	35	2.37
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.958G	96.26	Inf	-Inf	3	Vertical	13	1.50
6985MHz	Pass	AV	7.136G	49.29	68.20	-18.91	3	Vertical	13	1.50
6985MHz	Pass	PK	6.978G	110.10	Inf	-Inf	3	Vertical	13	1.50
6985MHz	Pass	PK	7.134G	66.36	88.20	-21.84	3	Vertical	13	1.50
6985MHz	Pass	AV	6.948G	97.53	Inf	-Inf	3	Horizontal	360	1.50
6985MHz	Pass	AV	7.127G	51.25	68.20	-16.95	3	Horizontal	360	1.50
6985MHz	Pass	PK	6.988G	111.30	Inf	-Inf	3	Horizontal	360	1.50
6985MHz	Pass	PK	7.127G	73.17	88.20	-15.03	3	Horizontal	360	1.50
6985MHz	Pass	AV	13.99144G	47.10	68.20	-21.10	3	Vertical	320	1.33
6985MHz	Pass	PK	13.97032G	63.87	88.20	-24.33	3	Vertical	320	1.33
6985MHz	Pass	AV	13.99016G	44.86	68.20	-23.34	3	Horizontal	39	2.68
6985MHz	Pass	PK	13.97G	62.13	88.20	-26.07	3	Horizontal	39	2.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.91G	96.89	Inf	-Inf	3	Vertical	12	2.17
6985MHz	Pass	AV	7.128G	51.49	68.20	-16.71	3	Vertical	12	2.17



RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel Puncturing Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	6.93G	110.18	Inf	-Inf	3	Vertical	12	2.17
6985MHz	Pass	PK	7.129G	69.96	88.20	-18.24	3	Vertical	12	2.17
6985MHz	Pass	AV	6.908G	97.89	Inf	-Inf	3	Horizontal	0	1.49
6985MHz	Pass	AV	7.128G	53.14	68.20	-15.06	3	Horizontal	0	1.49
6985MHz	Pass	PK	6.908G	111.76	Inf	-Inf	3	Horizontal	0	1.49
6985MHz	Pass	PK	7.168G	73.18	88.20	-15.02	3	Horizontal	0	1.49
6985MHz	Pass	AV	13.97064G	45.13	68.20	-23.07	3	Vertical	319	1.50
6985MHz	Pass	PK	13.96968G	62.40	88.20	-25.80	3	Vertical	319	1.50
6985MHz	Pass	AV	13.93G	44.19	68.20	-24.01	3	Horizontal	39	2.68
6985MHz	Pass	PK	13.97032G	59.33	88.20	-28.87	3	Horizontal	39	2.68
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.932G	97.20	Inf	-Inf	3	Vertical	3	2.00
6985MHz	Pass	AV	7.151G	51.09	68.20	-17.11	3	Vertical	3	2.00
6985MHz	Pass	PK	7.032G	110.52	Inf	-Inf	3	Vertical	3	2.00
6985MHz	Pass	PK	7.131G	73.45	88.20	-14.75	3	Vertical	3	2.00
6985MHz	Pass	AV	6.908G	97.75	Inf	-Inf	3	Horizontal	360	1.50
6985MHz	Pass	AV	7.127G	51.79	68.20	-16.41	3	Horizontal	360	1.50
6985MHz	Pass	PK	6.908G	110.54	Inf	-Inf	3	Horizontal	360	1.50
6985MHz	Pass	PK	7.127G	75.27	88.20	-12.93	3	Horizontal	360	1.50
6985MHz	Pass	AV	13.99112G	45.90	68.20	-22.30	3	Vertical	320	1.34
6985MHz	Pass	PK	13.97G	64.99	88.20	-23.21	3	Vertical	320	1.34
6985MHz	Pass	AV	13.89064G	44.91	68.20	-23.29	3	Horizontal	38	2.67
6985MHz	Pass	PK	13.99016G	58.55	88.20	-29.65	3	Horizontal	38	2.67
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.913G	57.50	68.20	-10.70	3	Vertical	23	1.70
6105MHz	Pass	AV	6.151G	96.42	Inf	-Inf	3	Vertical	23	1.70
6105MHz	Pass	PK	5.925G	72.52	88.20	-15.68	3	Vertical	23	1.70
6105MHz	Pass	PK	6.191G	109.58	Inf	-Inf	3	Vertical	23	1.70
6105MHz	Pass	AV	5.925G	59.04	68.20	-9.16	3	Horizontal	338	2.60
6105MHz	Pass	AV	6.151G	97.02	Inf	-Inf	3	Horizontal	338	2.60
6105MHz	Pass	PK	5.911G	75.68	88.20	-12.52	3	Horizontal	338	2.60
6105MHz	Pass	PK	6.151G	109.73	Inf	-Inf	3	Horizontal	338	2.60
6105MHz	Pass	AV	12.174G	53.17	54.00	-0.83	3	Vertical	12	1.88
6105MHz	Pass	PK	12.15624G	68.58	74.00	-5.42	3	Vertical	12	1.88
6105MHz	Pass	AV	12.22728G	52.57	54.00	-1.43	3	Horizontal	350	1.94
6105MHz	Pass	PK	12.22632G	68.65	74.00	-5.35	3	Horizontal	350	1.94
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.915G	50.58	68.20	-17.62	3	Vertical	21	1.50
6105MHz	Pass	AV	6.133G	94.99	Inf	-Inf	3	Vertical	21	1.50
6105MHz	Pass	PK	5.911G	68.64	88.20	-19.56	3	Vertical	21	1.50
6105MHz	Pass	PK	6.131G	109.08	Inf	-Inf	3	Vertical	21	1.50
6105MHz	Pass	AV	5.913G	50.14	68.20	-18.06	3	Horizontal	338	2.54
6105MHz	Pass	AV	6.151G	94.96	Inf	-Inf	3	Horizontal	338	2.54
6105MHz	Pass	PK	5.909G	69.12	88.20	-19.08	3	Horizontal	338	2.54
6105MHz	Pass	PK	6.171G	108.18	Inf	-Inf	3	Horizontal	338	2.54
6105MHz	Pass	AV	12.22216G	50.71	54.00	-3.29	3	Vertical	14	1.41
6105MHz	Pass	PK	12.2452G	64.22	74.00	-9.78	3	Vertical	14	1.41
6105MHz	Pass	AV	12.22152G	49.06	54.00	-4.94	3	Horizontal	13	1.50
6105MHz	Pass	PK	12.24008G	63.33	74.00	-10.67	3	Horizontal	13	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.913G	50.97	68.20	-17.23	3	Vertical	21	1.50
6105MHz	Pass	AV	6.133G	94.99	Inf	-Inf	3	Vertical	21	1.50
6105MHz	Pass	PK	5.909G	68.70	88.20	-19.50	3	Vertical	21	1.50
6105MHz	Pass	PK	6.173G	107.89	Inf	-Inf	3	Vertical	21	1.50
6105MHz	Pass	AV	5.913G	51.12	68.20	-17.08	3	Horizontal	340	2.43
6105MHz	Pass	AV	6.151G	94.83	Inf	-Inf	3	Horizontal	340	2.43
6105MHz	Pass	PK	5.911G	71.99	88.20	-16.21	3	Horizontal	340	2.43
6105MHz	Pass	PK	6.153G	108.36	Inf	-Inf	3	Horizontal	340	2.43
6105MHz	Pass	AV	12.25896G	49.31	54.00	-4.69	3	Vertical	339	1.80
6105MHz	Pass	PK	12.25656G	66.28	74.00	-7.72	3	Vertical	339	1.80
6105MHz	Pass	AV	12.25368G	50.85	54.00	-3.15	3	Horizontal	339	1.71
6105MHz	Pass	PK	12.2532G	63.85	74.00	-10.15	3	Horizontal	339	1.71



RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel Puncturing Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.915G	50.53	68.20	-17.67	3	Vertical	21	1.61
6105MHz	Pass	AV	6.173G	94.77	Inf	-Inf	3	Vertical	21	1.61
6105MHz	Pass	PK	5.813G	67.92	88.20	-20.28	3	Vertical	21	1.61
6105MHz	Pass	PK	6.173G	108.09	Inf	-Inf	3	Vertical	21	1.61
6105MHz	Pass	AV	5.913G	50.36	68.20	-17.84	3	Horizontal	339	2.58
6105MHz	Pass	AV	6.151G	94.85	Inf	-Inf	3	Horizontal	339	2.58
6105MHz	Pass	PK	5.811G	67.05	88.20	-21.15	3	Horizontal	339	2.58
6105MHz	Pass	PK	6.131G	107.67	Inf	-Inf	3	Horizontal	339	2.58
6105MHz	Pass	AV	12.174G	50.76	54.00	-3.24	3	Vertical	12	1.86
6105MHz	Pass	PK	12.15624G	70.79	74.00	-3.21	3	Vertical	12	1.86
6105MHz	Pass	AV	12.12648G	50.05	54.00	-3.95	3	Horizontal	354	1.80
6105MHz	Pass	PK	12.14616G	68.78	74.00	-5.22	3	Horizontal	354	1.80
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.913G	51.20	68.20	-17.00	3	Vertical	21	1.57
6105MHz	Pass	AV	6.153G	94.87	Inf	-Inf	3	Vertical	21	1.57
6105MHz	Pass	PK	5.913G	68.38	88.20	-19.82	3	Vertical	21	1.57
6105MHz	Pass	PK	6.153G	108.14	Inf	-Inf	3	Vertical	21	1.57
6105MHz	Pass	AV	5.913G	50.97	68.20	-17.23	3	Horizontal	339	2.50
6105MHz	Pass	AV	6.151G	94.98	Inf	-Inf	3	Horizontal	339	2.50
6105MHz	Pass	PK	5.911G	68.61	88.20	-19.59	3	Horizontal	339	2.50
6105MHz	Pass	PK	6.171G	107.97	Inf	-Inf	3	Horizontal	339	2.50
6105MHz	Pass	AV	12.14232G	51.11	54.00	-2.89	3	Vertical	14	1.49
6105MHz	Pass	PK	12.24312G	64.78	74.00	-9.22	3	Vertical	14	1.49
6105MHz	Pass	AV	12.1452G	51.62	54.00	-2.38	3	Horizontal	337	1.00
6105MHz	Pass	PK	12.18456G	64.87	74.00	-9.13	3	Horizontal	337	1.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.915G	51.60	68.20	-16.60	3	Vertical	21	1.49
6105MHz	Pass	AV	6.133G	94.92	Inf	-Inf	3	Vertical	21	1.49
6105MHz	Pass	PK	5.851G	68.82	88.20	-19.38	3	Vertical	21	1.49
6105MHz	Pass	PK	6.033G	107.79	Inf	-Inf	3	Vertical	21	1.49
6105MHz	Pass	AV	5.911G	51.18	68.20	-17.02	3	Horizontal	339	2.49
6105MHz	Pass	AV	6.131G	94.81	Inf	-Inf	3	Horizontal	339	2.49
6105MHz	Pass	PK	5.893G	66.38	88.20	-21.82	3	Horizontal	339	2.49
6105MHz	Pass	PK	6.131G	107.34	Inf	-Inf	3	Horizontal	339	2.49
6105MHz	Pass	AV	12.0924G	50.72	54.00	-3.28	3	Vertical	13	1.90
6105MHz	Pass	PK	12.09672G	65.85	74.00	-8.15	3	Vertical	13	1.90
6105MHz	Pass	AV	12.10488G	50.79	54.00	-3.21	3	Horizontal	355	1.97
6105MHz	Pass	PK	12.1668G	65.23	74.00	-8.77	3	Horizontal	355	1.97
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.909G	93.30	Inf	-Inf	3	Vertical	12	2.10
6905MHz	Pass	AV	7.25G	50.97	54.00	-3.03	3	Vertical	12	2.10
6905MHz	Pass	PK	6.929G	107.25	Inf	-Inf	3	Vertical	12	2.10
6905MHz	Pass	PK	7.25G	63.74	74.00	-10.26	3	Vertical	12	2.10
6905MHz	Pass	AV	6.787G	94.72	Inf	-Inf	3	Horizontal	8	1.65
6905MHz	Pass	AV	7.251G	50.57	54.00	-3.43	3	Horizontal	8	1.65
6905MHz	Pass	PK	6.847G	108.06	Inf	-Inf	3	Horizontal	8	1.65
6905MHz	Pass	PK	7.275G	64.13	74.00	-9.87	3	Horizontal	8	1.65
6905MHz	Pass	AV	13.7476G	45.42	68.20	-22.78	3	Vertical	37	2.52
6905MHz	Pass	PK	13.82872G	60.59	88.20	-27.61	3	Vertical	37	2.52
6905MHz	Pass	AV	13.77592G	42.99	68.20	-25.21	3	Horizontal	35	2.53
6905MHz	Pass	PK	13.83736G	58.92	88.20	-29.28	3	Horizontal	35	2.53
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.891G	92.39	Inf	-Inf	3	Vertical	11	2.03
6905MHz	Pass	AV	7.25G	50.51	54.00	-3.49	3	Vertical	11	2.03
6905MHz	Pass	PK	6.951G	105.70	Inf	-Inf	3	Vertical	11	2.03
6905MHz	Pass	PK	7.25G	64.07	74.00	-9.93	3	Vertical	11	2.03
6905MHz	Pass	AV	6.767G	94.26	Inf	-Inf	3	Horizontal	7	1.60
6905MHz	Pass	AV	7.253G	50.25	54.00	-3.75	3	Horizontal	7	1.60
6905MHz	Pass	PK	6.767G	107.19	Inf	-Inf	3	Horizontal	7	1.60
6905MHz	Pass	PK	7.277G	64.06	74.00	-9.94	3	Horizontal	7	1.60
6905MHz	Pass	AV	13.77496G	43.98	68.20	-24.22	3	Vertical	39	1.62



RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel Puncturing Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	13.774G	58.87	88.20	-29.33	3	Vertical	39	1.62
6905MHz	Pass	AV	13.74904G	42.50	68.20	-25.70	3	Horizontal	330	2.04
6905MHz	Pass	PK	13.76872G	58.90	88.20	-29.30	3	Horizontal	330	2.04
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.871G	91.34	Inf	-Inf	3	Vertical	11	2.15
6905MHz	Pass	AV	7.25G	50.27	54.00	-3.73	3	Vertical	11	2.15
6905MHz	Pass	PK	6.871G	103.94	Inf	-Inf	3	Vertical	11	2.15
6905MHz	Pass	PK	7.287G	63.82	74.00	-10.18	3	Vertical	11	2.15
6905MHz	Pass	AV	6.767G	93.12	Inf	-Inf	3	Horizontal	6	1.54
6905MHz	Pass	AV	7.279G	50.07	54.00	-3.93	3	Horizontal	6	1.54
6905MHz	Pass	PK	6.747G	106.16	Inf	-Inf	3	Horizontal	6	1.54
6905MHz	Pass	PK	7.253G	63.05	74.00	-10.95	3	Horizontal	6	1.54
6905MHz	Pass	AV	13.69672G	43.62	68.20	-24.58	3	Vertical	37	2.20
6905MHz	Pass	PK	13.8556G	58.20	88.20	-30.00	3	Vertical	37	2.20
6905MHz	Pass	AV	13.68808G	40.58	68.20	-27.62	3	Horizontal	43	1.50
6905MHz	Pass	PK	13.68856G	54.87	88.20	-33.33	3	Horizontal	43	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.909G	91.23	Inf	-Inf	3	Vertical	11	2.11
6905MHz	Pass	AV	7.25G	50.24	54.00	-3.76	3	Vertical	11	2.11
6905MHz	Pass	PK	6.909G	104.06	Inf	-Inf	3	Vertical	11	2.11
6905MHz	Pass	PK	7.265G	64.28	74.00	-9.72	3	Vertical	11	2.11
6905MHz	Pass	AV	6.767G	92.98	Inf	-Inf	3	Horizontal	5	1.50
6905MHz	Pass	AV	7.253G	50.13	54.00	-3.87	3	Horizontal	5	1.50
6905MHz	Pass	PK	6.769G	106.03	Inf	-Inf	3	Horizontal	5	1.50
6905MHz	Pass	PK	7.293G	64.16	74.00	-9.84	3	Horizontal	5	1.50
6905MHz	Pass	AV	13.75096G	43.01	68.20	-25.19	3	Vertical	321	2.40
6905MHz	Pass	PK	13.74856G	59.40	88.20	-28.80	3	Vertical	321	2.40
6905MHz	Pass	AV	13.74808G	41.20	68.20	-27.00	3	Horizontal	329	2.17
6905MHz	Pass	PK	13.7284G	54.40	88.20	-33.80	3	Horizontal	329	2.17
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.891G	91.38	Inf	-Inf	3	Vertical	10	2.00
6905MHz	Pass	AV	7.25G	50.05	54.00	-3.95	3	Vertical	10	2.00
6905MHz	Pass	PK	6.889G	104.90	Inf	-Inf	3	Vertical	10	2.00
6905MHz	Pass	PK	7.287G	62.95	74.00	-11.05	3	Vertical	10	2.00
6905MHz	Pass	AV	6.747G	93.07	Inf	-Inf	3	Horizontal	7	1.55
6905MHz	Pass	AV	7.253G	50.11	54.00	-3.89	3	Horizontal	7	1.55
6905MHz	Pass	PK	6.747G	105.75	Inf	-Inf	3	Horizontal	7	1.55
6905MHz	Pass	PK	7.251G	63.59	74.00	-10.41	3	Horizontal	7	1.55
6905MHz	Pass	AV	13.64776G	43.18	68.20	-25.02	3	Vertical	35	1.85
6905MHz	Pass	PK	13.8268G	62.00	88.20	-26.20	3	Vertical	35	1.85
6905MHz	Pass	AV	13.77592G	41.74	68.20	-26.46	3	Horizontal	34	1.77
6905MHz	Pass	PK	13.8364G	55.92	88.20	-32.28	3	Horizontal	34	1.77
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.91G	91.22	Inf	-Inf	3	Vertical	11	2.12
6905MHz	Pass	AV	7.268G	47.29	54.00	-6.71	3	Vertical	11	2.12
6905MHz	Pass	PK	6.87G	104.79	Inf	-Inf	3	Vertical	11	2.12
6905MHz	Pass	PK	7.268G	59.85	74.00	-14.15	3	Vertical	11	2.12
6905MHz	Pass	AV	6.767G	93.28	Inf	-Inf	3	Horizontal	7	1.61
6905MHz	Pass	AV	7.253G	47.40	54.00	-6.60	3	Horizontal	7	1.61
6905MHz	Pass	PK	6.768G	105.88	Inf	-Inf	3	Horizontal	7	1.61
6905MHz	Pass	PK	7.285G	59.30	74.00	-14.70	3	Horizontal	7	1.61
6905MHz	Pass	AV	13.69672G	44.32	68.20	-23.88	3	Vertical	37	2.27
6905MHz	Pass	PK	13.75816G	57.97	88.20	-30.23	3	Vertical	37	2.27
6905MHz	Pass	AV	13.64968G	42.15	68.20	-26.05	3	Horizontal	33	2.90
6905MHz	Pass	PK	13.58824G	55.74	88.20	-32.46	3	Horizontal	33	2.90
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.911G	93.21	Inf	-Inf	3	Vertical	11	2.10
6905MHz	Pass	AV	7.25G	50.95	54.00	-3.05	3	Vertical	11	2.10
6905MHz	Pass	PK	6.929G	106.65	Inf	-Inf	3	Vertical	11	2.10
6905MHz	Pass	PK	7.265G	63.78	74.00	-10.22	3	Vertical	11	2.10
6905MHz	Pass	AV	6.747G	94.94	Inf	-Inf	3	Horizontal	6	1.57
6905MHz	Pass	AV	7.253G	50.58	54.00	-3.42	3	Horizontal	6	1.57



RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel Puncturing Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	6.887G	107.93	Inf	-Inf	3	Horizontal	6	1.57
6905MHz	Pass	PK	7.341G	64.10	74.00	-9.90	3	Horizontal	6	1.57
6905MHz	Pass	AV	13.7284G	46.25	68.20	-21.95	3	Vertical	36	2.44
6905MHz	Pass	PK	13.7476G	59.73	88.20	-28.47	3	Vertical	36	2.44
6905MHz	Pass	AV	13.68232G	44.71	68.20	-23.49	3	Horizontal	35	2.42
6905MHz	Pass	PK	13.70296G	57.97	88.20	-30.23	3	Horizontal	35	2.42
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 1_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.869G	93.73	Inf	-Inf	3	Vertical	12	2.07
6905MHz	Pass	AV	7.25G	49.91	54.00	-4.09	3	Vertical	12	2.07
6905MHz	Pass	PK	6.851G	107.94	Inf	-Inf	3	Vertical	12	2.07
6905MHz	Pass	PK	7.267G	63.44	74.00	-10.56	3	Vertical	12	2.07
6905MHz	Pass	AV	6.827G	94.95	Inf	-Inf	3	Horizontal	5	1.50
6905MHz	Pass	AV	7.253G	49.84	54.00	-4.16	3	Horizontal	5	1.50
6905MHz	Pass	PK	6.847G	108.13	Inf	-Inf	3	Horizontal	5	1.50
6905MHz	Pass	PK	7.273G	63.20	74.00	-10.80	3	Horizontal	5	1.50
6905MHz	Pass	AV	13.82776G	45.34	68.20	-22.86	3	Vertical	34	1.80
6905MHz	Pass	PK	13.82872G	59.90	88.20	-28.30	3	Vertical	34	1.80
6905MHz	Pass	AV	13.81288G	42.03	68.20	-26.17	3	Horizontal	319	1.56
6905MHz	Pass	PK	13.83112G	56.07	88.20	-32.13	3	Horizontal	319	1.56
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 2_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.909G	91.76	Inf	-Inf	3	Vertical	12	2.03
6905MHz	Pass	AV	7.25G	50.57	54.00	-3.43	3	Vertical	12	2.03
6905MHz	Pass	PK	6.909G	104.50	Inf	-Inf	3	Vertical	12	2.03
6905MHz	Pass	PK	7.267G	64.03	74.00	-9.97	3	Vertical	12	2.03
6905MHz	Pass	AV	6.767G	93.81	Inf	-Inf	3	Horizontal	5	1.60
6905MHz	Pass	AV	7.265G	50.54	54.00	-3.46	3	Horizontal	5	1.60
6905MHz	Pass	PK	6.787G	107.37	Inf	-Inf	3	Horizontal	5	1.60
6905MHz	Pass	PK	7.299G	64.18	74.00	-9.82	3	Horizontal	5	1.60
6905MHz	Pass	AV	13.73032G	44.04	68.20	-24.16	3	Vertical	323	1.72
6905MHz	Pass	PK	13.74856G	58.83	88.20	-29.37	3	Vertical	323	1.72
6905MHz	Pass	AV	13.72888G	41.73	68.20	-26.47	3	Horizontal	329	2.11
6905MHz	Pass	PK	13.74856G	54.37	88.20	-33.83	3	Horizontal	329	2.11
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.871G	91.86	Inf	-Inf	3	Vertical	12	2.06
6905MHz	Pass	AV	7.267G	50.33	54.00	-3.67	3	Vertical	12	2.06
6905MHz	Pass	PK	6.889G	105.10	Inf	-Inf	3	Vertical	12	2.06
6905MHz	Pass	PK	7.289G	63.53	74.00	-10.47	3	Vertical	12	2.06
6905MHz	Pass	AV	6.767G	93.67	Inf	-Inf	3	Horizontal	7	1.50
6905MHz	Pass	AV	7.273G	50.43	54.00	-3.57	3	Horizontal	7	1.50
6905MHz	Pass	PK	6.767G	106.82	Inf	-Inf	3	Horizontal	7	1.50
6905MHz	Pass	PK	7.279G	63.45	74.00	-10.55	3	Horizontal	7	1.50
6905MHz	Pass	AV	13.64632G	45.28	68.20	-22.92	3	Vertical	327	2.49
6905MHz	Pass	PK	13.66648G	62.45	88.20	-25.75	3	Vertical	327	2.49
6905MHz	Pass	AV	13.66504G	42.06	68.20	-26.14	3	Horizontal	32	2.29
6905MHz	Pass	PK	13.666G	56.50	88.20	-31.70	3	Horizontal	32	2.29
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.897G	92.91	Inf	-Inf	3	Vertical	50	1.54
6905MHz	Pass	AV	7.25G	48.82	54.00	-5.18	3	Vertical	50	1.54
6905MHz	Pass	PK	6.917G	106.40	Inf	-Inf	3	Vertical	50	1.54
6905MHz	Pass	PK	7.365G	62.70	74.00	-11.30	3	Vertical	50	1.54
6905MHz	Pass	AV	6.767G	95.50	Inf	-Inf	3	Horizontal	6	1.50
6905MHz	Pass	AV	7.253G	49.21	54.00	-4.79	3	Horizontal	6	1.50
6905MHz	Pass	PK	6.767G	108.18	Inf	-Inf	3	Horizontal	6	1.50
6905MHz	Pass	PK	7.275G	62.66	74.00	-11.34	3	Horizontal	6	1.50
6905MHz	Pass	AV	13.68472G	48.70	68.20	-19.50	3	Vertical	329	2.59
6905MHz	Pass	PK	13.58632G	62.71	88.20	-25.49	3	Vertical	329	2.59
6905MHz	Pass	AV	13.64776G	43.35	68.20	-24.85	3	Horizontal	36	2.87
6905MHz	Pass	PK	13.58584G	58.26	88.20	-29.94	3	Horizontal	36	2.87
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.889G	94.72	Inf	-Inf	3	Vertical	12	2.03
6905MHz	Pass	AV	7.25G	49.12	54.00	-4.88	3	Vertical	12	2.03
6905MHz	Pass	PK	6.891G	107.27	Inf	-Inf	3	Vertical	12	2.03




RSE TX above 1GHz_Non-Beamforming_Radio 2_Channel Puncturing Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	7.305G	63.01	74.00	-10.99	3	Vertical	12	2.03
6905MHz	Pass	AV	6.909G	95.55	Inf	-Inf	3	Horizontal	0	1.50
6905MHz	Pass	AV	7.25G	49.35	54.00	-4.65	3	Horizontal	0	1.50
6905MHz	Pass	PK	6.909G	108.55	Inf	-Inf	3	Horizontal	0	1.50
6905MHz	Pass	PK	7.261G	63.18	74.00	-10.82	3	Horizontal	0	1.50
6905MHz	Pass	AV	13.82728G	44.39	68.20	-23.81	3	Vertical	36	2.48
6905MHz	Pass	PK	13.84648G	59.79	88.20	-28.41	3	Vertical	36	2.48
6905MHz	Pass	AV	13.84696G	42.55	68.20	-25.65	3	Horizontal	329	1.58
6905MHz	Pass	PK	13.92712G	56.15	88.20	-32.05	3	Horizontal	329	1.58
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 8_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.911G	94.71	Inf	-Inf	3	Vertical	12	2.09
6905MHz	Pass	AV	7.25G	50.47	54.00	-3.53	3	Vertical	12	2.09
6905MHz	Pass	PK	6.849G	107.36	Inf	-Inf	3	Vertical	12	2.09
6905MHz	Pass	PK	7.267G	63.80	74.00	-10.20	3	Vertical	12	2.09
6905MHz	Pass	AV	6.849G	95.42	Inf	-Inf	3	Horizontal	0	1.54
6905MHz	Pass	AV	7.25G	50.99	54.00	-3.01	3	Horizontal	0	1.54
6905MHz	Pass	PK	6.829G	108.85	Inf	-Inf	3	Horizontal	0	1.54
6905MHz	Pass	PK	7.267G	63.87	74.00	-10.13	3	Horizontal	0	1.54
6905MHz	Pass	AV	13.97128G	43.73	68.20	-24.47	3	Vertical	321	1.45
6905MHz	Pass	PK	13.99G	62.88	88.20	-25.32	3	Vertical	321	1.45
6905MHz	Pass	AV	13.76872G	42.71	68.20	-25.49	3	Horizontal	323	1.78
6905MHz	Pass	PK	13.76968G	59.07	88.20	-29.13	3	Horizontal	323	1.78
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.869G	94.49	Inf	-Inf	3	Vertical	12	2.16
6905MHz	Pass	AV	7.25G	50.69	54.00	-3.31	3	Vertical	12	2.16
6905MHz	Pass	PK	6.891G	108.28	Inf	-Inf	3	Vertical	12	2.16
6905MHz	Pass	PK	7.263G	63.68	74.00	-10.32	3	Vertical	12	2.16
6905MHz	Pass	AV	6.889G	95.49	Inf	-Inf	3	Horizontal	0	1.50
6905MHz	Pass	AV	7.25G	51.05	54.00	-2.95	3	Horizontal	0	1.50
6905MHz	Pass	PK	6.887G	108.30	Inf	-Inf	3	Horizontal	0	1.50
6905MHz	Pass	PK	7.261G	63.67	74.00	-10.33	3	Horizontal	0	1.50
6905MHz	Pass	AV	13.73032G	45.54	68.20	-22.66	3	Vertical	321	2.41
6905MHz	Pass	PK	13.83016G	59.91	88.20	-28.29	3	Vertical	321	2.41
6905MHz	Pass	AV	13.72888G	43.64	68.20	-24.56	3	Horizontal	331	2.05
6905MHz	Pass	PK	13.82392G	56.60	88.20	-31.60	3	Horizontal	331	2.05
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.891G	94.57	Inf	-Inf	3	Vertical	10	1.97
6905MHz	Pass	AV	7.25G	50.27	54.00	-3.73	3	Vertical	10	1.97
6905MHz	Pass	PK	6.931G	107.70	Inf	-Inf	3	Vertical	10	1.97
6905MHz	Pass	PK	7.25G	63.58	74.00	-10.42	3	Vertical	10	1.97
6905MHz	Pass	AV	6.827G	95.68	Inf	-Inf	3	Horizontal	5	1.50
6905MHz	Pass	AV	7.253G	50.36	54.00	-3.64	3	Horizontal	5	1.50
6905MHz	Pass	PK	6.847G	108.82	Inf	-Inf	3	Horizontal	5	1.50
6905MHz	Pass	PK	7.253G	64.00	74.00	-10.00	3	Horizontal	5	1.50
6905MHz	Pass	AV	13.7692G	46.83	68.20	-21.37	3	Vertical	324	1.72
6905MHz	Pass	PK	13.76872G	61.08	88.20	-27.12	3	Vertical	324	1.72
6905MHz	Pass	AV	13.762G	43.93	68.20	-24.27	3	Horizontal	36	2.40
6905MHz	Pass	PK	13.77736G	58.24	88.20	-29.96	3	Horizontal	36	2.40
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 11_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.891G	94.50	Inf	-Inf	3	Vertical	10	1.96
6905MHz	Pass	AV	7.25G	49.97	54.00	-4.03	3	Vertical	10	1.96
6905MHz	Pass	PK	6.889G	108.00	Inf	-Inf	3	Vertical	10	1.96
6905MHz	Pass	PK	7.25G	63.41	74.00	-10.59	3	Vertical	10	1.96
6905MHz	Pass	AV	6.827G	95.65	Inf	-Inf	3	Horizontal	6	1.50
6905MHz	Pass	AV	7.253G	50.16	54.00	-3.84	3	Horizontal	6	1.50
6905MHz	Pass	PK	6.847G	109.26	Inf	-Inf	3	Horizontal	6	1.50
6905MHz	Pass	PK	7.279G	64.66	74.00	-9.34	3	Horizontal	6	1.50
6905MHz	Pass	AV	13.77592G	46.07	68.20	-22.13	3	Vertical	36	2.37
6905MHz	Pass	PK	13.77688G	60.76	88.20	-27.44	3	Vertical	36	2.37
6905MHz	Pass	AV	13.80616G	44.03	68.20	-24.17	3	Horizontal	329	1.76
6905MHz	Pass	PK	13.84648G	57.79	88.20	-30.41	3	Horizontal	329	1.76




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 8_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.913G	57.50	68.20	-10.70	3	Vertical	23	1.70	61.53	34.60	5.54	44.17
AV	6.151G	96.42	Inf	-Inf	3	Vertical	23	1.70	100.43	34.50	5.65	44.16
PK	5.925G	72.52	88.20	-15.68	3	Vertical	23	1.70	76.55	34.60	5.54	44.17
PK	6.191G	109.58	Inf	-Inf	3	Vertical	23	1.70	113.56	34.50	5.68	44.16

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	59.04	68.20	-9.16	3	Horizontal	338	2.60	63.07	34.60	5.54	44.17
AV	6.151G	97.02	Inf	-Inf	3	Horizontal	338	2.60	101.03	34.50	5.65	44.16
PK	5.911G	75.68	88.20	-12.52	3	Horizontal	338	2.60	79.71	34.60	5.54	44.17
PK	6.151G	109.73	Inf	-Inf	3	Horizontal	338	2.60	113.74	34.50	5.65	44.16




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 8_4TX


6105MHz_TX





6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.869G	94.49	Inf	-Inf	3	Vertical	12	2.16	96.43	36.20	5.97	44.11
AV	7.25G	50.69	54.00	-3.31	3	Vertical	12	2.16	51.15	37.30	6.18	43.94
PK	6.891G	108.28	Inf	-Inf	3	Vertical	12	2.16	110.21	36.20	5.98	44.11
PK	7.263G	63.68	74.00	-10.32	3	Vertical	12	2.16	64.15	37.27	6.19	43.93

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.889G	95.49	Inf	-Inf	3	Horizontal	0	1.50	97.42	36.20	5.98	44.11
AV	7.25G	51.05	54.00	-2.95	3	Horizontal	0	1.50	51.51	37.30	6.18	43.94
PK	6.887G	108.30	Inf	-Inf	3	Horizontal	0	1.50	110.23	36.20	5.98	44.11
PK	7.261G	63.67	74.00	-10.33	3	Horizontal	0	1.50	64.13	37.28	6.19	43.93




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 9_4TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.998G	96.88	Inf	-Inf	3	Vertical	13	1.45	98.83	36.10	6.05	44.10
AV	7.1744G	48.22	68.20	-19.98	3	Vertical	13	1.45	49.12	36.95	6.14	43.99
PK	7.0184G	110.61	Inf	-Inf	3	Vertical	13	1.45	112.43	36.21	6.06	44.09
PK	7.1684G	62.03	88.20	-26.17	3	Vertical	13	1.45	62.98	36.91	6.13	43.99

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9878G	98.49	Inf	-Inf	3	Horizontal	360	1.57	100.45	36.10	6.04	44.10
AV	7.175G	48.53	68.20	-19.67	3	Horizontal	360	1.57	49.43	36.95	6.14	43.99
PK	6.9878G	111.60	Inf	-Inf	3	Horizontal	360	1.57	113.56	36.10	6.04	44.10
PK	7.1606G	63.12	88.20	-25.08	3	Horizontal	360	1.57	64.13	36.86	6.13	44.00




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 4_4TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.95G	97.35	Inf	-Inf	3	Vertical	11	2.09	99.33	36.10	6.02	44.10
AV	7.128G	51.28	68.20	-16.92	3	Vertical	11	2.09	52.48	36.71	6.11	44.02
PK	6.95G	110.31	Inf	-Inf	3	Vertical	11	2.09	112.29	36.10	6.02	44.10
PK	7.128G	76.82	88.20	-11.38	3	Vertical	11	2.09	78.02	36.71	6.11	44.02

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.948G	97.88	Inf	-Inf	3	Horizontal	360	1.50	99.86	36.10	6.02	44.10
AV	7.127G	53.62	68.20	-14.58	3	Horizontal	360	1.50	54.82	36.71	6.11	44.02
PK	6.928G	111.94	Inf	-Inf	3	Horizontal	360	1.50	113.89	36.14	6.01	44.10
PK	7.128G	80.28	88.20	-7.92	3	Horizontal	360	1.50	81.48	36.71	6.11	44.02




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 1_4TX

6985MHz_TX





Antenna Gain(dBi)			
UNII5	UNII6	UNII7	UNII8
6.4	6.4	6.4	6.4

Contention Based protocol (802.11ax HEW20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-72.40	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-70.40	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-71.40	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-66.40	OFF	10	100	90	Pass

Contention Based protocol (802.11ax HEW160)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-71.40	OFF	10	100	90	Pass
				Center	6185	-68.40	OFF	10	100	90	Pass
				High edge	6260	-70.40	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-73.40	OFF	10	100	90	Pass
				Center	6505	-68.40	OFF	10	100	90	Pass
				High edge	6580	-70.40	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-70.40	OFF	10	100	90	Pass
				Center	6665	-69.40	OFF	10	100	90	Pass
				High edge	6740	-69.40	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-73.40	OFF	10	100	90	Pass
				Center	6985	-66.40	OFF	10	100	90	Pass
				High edge	7060	-66.40	OFF	10	100	90	Pass




Contention Based Protocol Threshold Level (802.11ax HEW20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-66.00	6.40	-72.40	≤ -62
						Minimal	-67.00	6.40	-73.40	≤ -62
						ON	-68.00	6.40	-74.40	≤ -62
6	101	20	6455	Center	6455	OFF	-64.00	6.40	-70.40	≤ -62
						Minimal	-65.00	6.40	-71.40	≤ -62
						ON	-66.00	6.40	-72.40	≤ -62
7	149	20	6695	Center	6695	OFF	-65.00	6.40	-71.40	≤ -62
						Minimal	-66.00	6.40	-72.40	≤ -62
						ON	-67.00	6.40	-73.40	≤ -62
8	213	20	7015	Center	7015	OFF	-60.00	6.40	-66.40	≤ -62
						Minimal	-61.00	6.40	-67.40	≤ -62
						ON	-62.00	6.40	-68.40	≤ -62

Contention Based Protocol Threshold Level (802.11ax HEW160)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-65.00	6.40	-71.40	≤ -62
						Minimal	-66.00	6.40	-72.40	
						ON	-67.00	6.40	-73.40	
				Center	6185	OFF	-62.00	6.40	-68.40	≤ -62
						Minimal	-63.00	6.40	-69.40	
						ON	-64.00	6.40	-70.40	
				High edge	6260	OFF	-64.00	6.40	-70.40	≤ -62
						Minimal	-65.00	6.40	-71.40	
						ON	-66.00	6.40	-72.40	
6	111	160	6505	Low edge	6430	OFF	-67.00	6.40	-73.40	≤ -62
						Minimal	-68.00	6.40	-74.40	
						ON	-69.00	6.40	-75.40	
				Center	6505	OFF	-62.00	6.40	-68.40	≤ -62
						Minimal	-63.00	6.40	-69.40	
						ON	-64.00	6.40	-70.40	
				High edge	6580	OFF	-64.00	6.40	-70.40	≤ -62
						Minimal	-65.00	6.40	-71.40	
						ON	-66.00	6.40	-72.40	
7	143	160	6665	Low edge	6590	OFF	-64.00	6.40	-70.40	≤ -62
						Minimal	-65.00	6.40	-71.40	
						ON	-66.00	6.40	-72.40	
				Center	6665	OFF	-63.00	6.40	-69.40	≤ -62
						Minimal	-64.00	6.40	-70.40	
						ON	-65.00	6.40	-71.40	
				High edge	6740	OFF	-63.00	6.40	-69.40	≤ -62
						Minimal	-64.00	6.40	-70.40	
						ON	-65.00	6.40	-71.40	
8	207	160	6985	Low edge	6910	OFF	-67.00	6.40	-73.40	≤ -62
						Minimal	-68.00	6.40	-74.40	
						ON	-69.00	6.40	-75.40	
				Center	6985	OFF	-60.00	6.40	-66.40	≤ -62
						Minimal	-61.00	6.40	-67.40	
						ON	-62.00	6.40	-68.40	
				High edge	7060	OFF	-60.00	6.40	-66.40	≤ -62
						Minimal	-61.00	6.40	-67.40	
						ON	-62.00	6.40	-68.40	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

87.825ms

All TX Sample

7026

Duty Cycle

0.87814

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

88.7375ms

All TX Sample

7099

Duty Cycle

0.887264

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

89.6375ms

All TX Sample

7171

Duty Cycle

0.896263

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

88.5875ms

All TX Sample

7087

Duty Cycle

0.885764

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

72.1ms

All TX Sample

5768

Duty Cycle

0.72091

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

77.275ms

All TX Sample

6182

Duty Cycle

0.772653

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

79.4875ms

All TX Sample

6359

Duty Cycle

0.794776

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

72.9125ms

All TX Sample

5833

Duty Cycle

0.729034


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 17.JAN.2024 16:41:12

AWGN Bandwidth: 10MHz

Frequency (MHz): 7015 MHz




Date: 17.JAN.2024 16:38:33

AWGN Bandwidth: 10MHz

802.11ax HEW160


Frequency (MHz): 6110 MHz



Date: 18.JAN.2024 08:43:42

AWGN Bandwidth: 10MHz


Frequency (MHz): 6185 MHz



Date: 18.JAN.2024 08:45:14

AWGN Bandwidth: 10MHz


Frequency (MHz): 6260 MHz



Date: 18.JAN.2024 08:45:56

AWGN Bandwidth: 10MHz


Frequency (MHz): 6430 MHz



Date: 18.JAN.2024 08:46:27

AWGN Bandwidth: 10MHz


Frequency (MHz): 6505 MHz



Date: 18.JAN.2024 08:47:06

AWGN Bandwidth: 10MHz


Frequency (MHz): 6580 MHz



Date: 18.JAN.2024 08:47:39

AWGN Bandwidth: 10MHz


Frequency (MHz): 6590 MHz



Date: 18.JAN.2024 08:48:24

AWGN Bandwidth: 10MHz


Frequency (MHz): 6665 MHz



Date: 18.JAN.2024 08:49:08

AWGN Bandwidth: 10MHz


Frequency (MHz): 6740 MHz



Date: 18.JAN.2024 08:49:47

AWGN Bandwidth: 10MHz


Frequency (MHz): 6910 MHz



Date: 18.JAN.2024 08:51:24

AWGN Bandwidth: 10MHz


Frequency (MHz): 6985 MHz



Date: 18.JAN.2024 10:10:23

AWGN Bandwidth: 10MHz


Frequency (MHz): 7060 MHz



Date: 18.JAN.2024 08:52:59


AWGN Bandwidth: 10MHz

2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -68 dBm)


Time Analysis



Bandwidth (MHz): 160


Frequency (MHz): 6110 MHz (Threshold Level: -65dBm)

Time Analysis




Frequency (MHz): 6110 MHz (Threshold Level: -66dBm)

Time Analysis




Frequency (MHz): 6110 MHz (Threshold Level: -67dBm)

Time Analysis




Frequency (MHz): 6185 MHz (Threshold Level: -62dBm)

Time Analysis




Frequency (MHz): 6185 MHz (Threshold Level: -63dBm)

Time Analysis




Frequency (MHz): 6185 MHz (Threshold Level: -64dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -64dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -65dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -66dBm)

Time Analysis



Antenna Gain(dBi)			
UNII5	UNII6	UNII7	UNII8
4.2	3.99	4.06	3.96

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-73.20	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-70.99	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-70.06	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-68.96	OFF	10	100	90	Pass


Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-69.20	OFF	10	100	90	Pass
				Center	6105	-67.20	OFF	10	100	90	Pass
				High edge	6260	-67.20	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-73.99	OFF	10	100	90	Pass
				Center	6425	-62.99	OFF	10	100	90	Pass
				High edge	6580	-72.99	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-73.06	OFF	10	100	90	Pass
				Center	6585	-68.06	OFF	10	100	90	Pass
				High edge	6740	-66.06	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-72.96	OFF	10	100	90	Pass
				Center	6905	-71.96	OFF	10	100	90	Pass
				High edge	7060	-67.96	OFF	10	100	90	Pass




Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-69.00	4.20	-73.20	≤ -62
						Minimal	-70.00	4.20	-74.20	≤ -62
						ON	-71.00	4.20	-75.20	≤ -62
6	101	20	6455	Center	6455	OFF	-67.00	3.99	-70.99	≤ -62
						Minimal	-68.00	3.99	-71.99	≤ -62
						ON	-69.00	3.99	-72.99	≤ -62
7	149	20	6695	Center	6695	OFF	-66.00	4.06	-70.06	≤ -62
						Minimal	-67.00	4.06	-71.06	≤ -62
						ON	-68.00	4.06	-72.06	≤ -62
8	213	20	7015	Center	7015	OFF	-65.00	3.96	-68.96	≤ -62
						Minimal	-66.00	3.96	-69.96	≤ -62
						ON	-67.00	3.96	-70.96	≤ -62

Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-65.00	4.20	-69.20	≤ -62
						Minimal	-66.00	4.20	-70.20	
						ON	-67.00	4.20	-71.20	
				Center	6105	OFF	-63.00	4.20	-67.20	≤ -62
						Minimal	-64.00	4.20	-68.20	
						ON	-65.00	4.20	-69.20	
				High edge	6260	OFF	-63.00	4.20	-67.20	≤ -62
						Minimal	-64.00	4.20	-68.20	
						ON	-65.00	4.20	-69.20	
5,6,7	95	320	6425	Low edge	6270	OFF	-70.00	3.99	-73.99	≤ -62
						Minimal	-71.00	3.99	-74.99	
						ON	-72.00	3.99	-75.99	
				Center	6425	OFF	-59.00	3.99	-62.99	≤ -62
						Minimal	-60.00	3.99	-63.99	
						ON	-61.00	3.99	-64.99	
				High edge	6580	OFF	-69.00	3.99	-72.99	≤ -62
						Minimal	-70.00	3.99	-73.99	
						ON	-71.00	3.99	-74.99	
6,7	127	320	6585	Low edge	6430	OFF	-69.00	4.06	-73.06	≤ -62
						Minimal	-70.00	4.06	-74.06	
						ON	-71.00	4.06	-75.06	
				Center	6585	OFF	-64.00	4.06	-68.06	≤ -62
						Minimal	-65.00	4.06	-69.06	
						ON	-66.00	4.06	-70.06	
				High edge	6740	OFF	-62.00	4.06	-66.06	≤ -62
						Minimal	-63.00	4.06	-67.06	
						ON	-64.00	4.06	-68.06	
7,8	191	320	6905	Low edge	6750	OFF	-69.00	3.96	-72.96	≤ -62
						Minimal	-70.00	3.96	-73.96	
						ON	-71.00	3.96	-74.96	
				Center	6905	OFF	-68.00	3.96	-71.96	≤ -62
						Minimal	-69.00	3.96	-72.96	
						ON	-70.00	3.96	-73.96	
				High edge	7060	OFF	-64.00	3.96	-67.96	≤ -62
						Minimal	-65.00	3.96	-68.96	
						ON	-66.00	3.96	-69.96	

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz




Bandwidth 20MHz: Traffic Loading Plot - 6455MHz



Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

93.1875ms

All TX Sample

7455

Duty Cycle

0.931759

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

91.7875ms

All TX Sample

7343

Duty Cycle

0.91776

T1[s]

T2[s]

NaNs

NaNs

T3[s]

T4[s]


NaNs

NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

52.2625ms

All TX Sample

4181

Duty Cycle

0.52256

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

51.1875ms

All TX Sample

4095

Duty Cycle

0.511811

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

50.1875ms

All TX Sample

4015

Duty Cycle

0.501812

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

47.65ms

All TX Sample

3812

Duty Cycle

0.47644


T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 17.JAN.2024 16:41:12

AWGN Bandwidth: 10MHz

Frequency (MHz): 7015 MHz




Date: 17.JAN.2024 16:38:33

AWGN Bandwidth: 10MHz

802.11be EHT320


Frequency (MHz): 5950 MHz



Date: 18.JAN.2024 10:39:51

AWGN Bandwidth: 10MHz


Frequency (MHz): 6105 MHz



Date: 17.JAN.2024 16:42:12

AWGN Bandwidth: 10MHz


Frequency (MHz): 6260 MHz



Date: 17.JAN.2024 16:43:00

AWGN Bandwidth: 10MHz


Frequency (MHz): 6270 MHz



Date: 17.JAN.2024 16:43:33

AWGN Bandwidth: 10MHz


Frequency (MHz): 6425 MHz



Date: 17.JAN.2024 16:44:10

AWGN Bandwidth: 10MHz


Frequency (MHz): 6430 MHz



Date: 18.JAN.2024 10:43:55

AWGN Bandwidth: 10MHz


Frequency (MHz): 6580 MHz



Date: 18.JAN.2024 10:46:35

AWGN Bandwidth: 10MHz


Frequency (MHz): 6585 MHz



Date: 18.JAN.2024 10:45:01

AWGN Bandwidth: 10MHz


Frequency (MHz): 6740 MHz



Date: 17.JAN.2024 16:47:34

AWGN Bandwidth: 10MHz


Frequency (MHz): 6750 MHz



Date: 17.JAN.2024 16:48:52

AWGN Bandwidth: 10MHz


Frequency (MHz): 6905 MHz



Date: 17.JAN.2024 16:39:56

AWGN Bandwidth: 10MHz


Frequency (MHz): 7060 MHz



Date: 17.JAN.2024 16:50:22


AWGN Bandwidth: 10MHz

2. Contention-Based Protocol Plot



Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.



Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot



Frequency (MHz): 6215 MHz (Threshold Level: -71dBm)


Time Analysis



Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -65dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -67dBm)

Time Analysis




Frequency (MHz): 5950 MHz (Threshold Level: -68dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -63dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -64dBm)

Time Analysis




Frequency (MHz): 6105 MHz (Threshold Level: -65 dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -63dBm)

Time Analysis




Frequency (MHz): 6260 MHz (Threshold Level: -64dBm)

Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -65dBm)

Time Analysis





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	11.48065G	43.13	54.00	-10.87	Horizontal
Mode 2	Pass	AV	11.48685G	43.43	54.00	-10.57	Horizontal
Mode 3	Pass	AV	12.35194G	45.12	54.00	-8.88	Horizontal




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.79819G	33.99	54.00	-20.01	3	Vertical	360	1.26
Mode 1	Pass	AV	4.82545G	34.03	54.00	-19.97	3	Vertical	0	2.02
Mode 1	Pass	AV	4.87424G	33.83	54.00	-20.17	3	Vertical	132	2.80
Mode 1	Pass	AV	11.48G	43.12	54.00	-10.88	3	Vertical	352	1.50
Mode 1	Pass	AV	13.64419G	53.03	68.20	-15.17	3	Vertical	336	2.38
Mode 1	Pass	PK	4.81271G	45.98	74.00	-28.02	3	Vertical	360	1.26
Mode 1	Pass	PK	4.82239G	45.85	74.00	-28.15	3	Vertical	0	2.02
Mode 1	Pass	PK	4.86215G	44.86	74.00	-29.14	3	Vertical	132	2.80
Mode 1	Pass	PK	11.49871G	55.24	74.00	-18.76	3	Vertical	352	1.50
Mode 1	Pass	PK	13.64581G	65.09	88.20	-23.11	3	Vertical	336	2.38
Mode 1	Pass	AV	4.79965G	33.79	54.00	-20.21	3	Horizontal	348	1.16
Mode 1	Pass	AV	4.82368G	33.19	54.00	-20.81	3	Horizontal	155	3.00
Mode 1	Pass	AV	4.88755G	33.26	54.00	-20.74	3	Horizontal	9	2.57
Mode 1	Pass	AV	11.48065G	43.13	54.00	-10.87	3	Horizontal	108	1.50
Mode 1	Pass	AV	13.65774G	50.98	68.20	-17.22	3	Horizontal	38	2.35
Mode 1	Pass	PK	4.79739G	46.22	74.00	-27.78	3	Horizontal	348	1.16
Mode 1	Pass	PK	4.82626G	45.74	74.00	-28.26	3	Horizontal	155	3.00
Mode 1	Pass	PK	4.874G	45.52	74.00	-28.48	3	Horizontal	9	2.57
Mode 1	Pass	PK	11.49629G	54.92	74.00	-19.08	3	Horizontal	108	1.50
Mode 1	Pass	PK	13.67839G	63.94	88.20	-24.26	-3	Horizontal	38	2.35
Mode 2	Pass	AV	4.79561G	33.58	54.00	-20.42	3	Vertical	47	1.70
Mode 2	Pass	AV	4.86505G	34.86	54.00	-19.14	3	Vertical	224	2.42
Mode 2	Pass	AV	11.49726G	43.27	54.00	-10.73	3	Vertical	154	2.93
Mode 2	Pass	AV	11.55766G	43.27	54.00	-10.73	3	Vertical	89	2.33
Mode 2	Pass	AV	13.64742G	53.61	68.20	-14.59	3	Vertical	331	2.48
Mode 2	Pass	PK	4.79868G	45.19	74.00	-28.81	3	Vertical	47	1.70
Mode 2	Pass	PK	4.87037G	46.67	74.00	-27.33	3	Vertical	224	2.42
Mode 2	Pass	PK	11.48855G	54.83	74.00	-19.17	3	Vertical	154	2.93
Mode 2	Pass	PK	11.58355G	55.13	74.00	-18.87	3	Vertical	89	2.33
Mode 2	Pass	PK	13.66677G	68.27	88.20	-19.93	3	Vertical	331	2.48
Mode 2	Pass	AV	4.81223G	34.23	54.00	-19.77	3	Horizontal	5	2.60
Mode 2	Pass	AV	4.88827G	33.87	54.00	-20.13	3	Horizontal	287	2.64
Mode 2	Pass	AV	11.48685G	43.43	54.00	-10.57	3	Horizontal	238	1.50
Mode 2	Pass	AV	11.5625G	43.20	54.00	-10.80	3	Horizontal	144	1.37
Mode 2	Pass	AV	13.67839G	50.74	68.20	-17.46	3	Horizontal	39	2.39
Mode 2	Pass	PK	4.80513G	45.58	74.00	-28.42	3	Horizontal	5	2.60
Mode 2	Pass	PK	4.87255G	46.05	74.00	-27.95	3	Horizontal	287	2.64
Mode 2	Pass	PK	11.47524G	55.22	74.00	-18.78	3	Horizontal	238	1.50
Mode 2	Pass	PK	11.55621G	55.11	74.00	-18.89	3	Horizontal	144	1.37
Mode 2	Pass	PK	13.65774G	61.39	88.20	-26.81	3	Horizontal	39	2.39
Mode 3	Pass	AV	4.794G	34.00	54.00	-20.00	3	Vertical	1	1.50
Mode 3	Pass	AV	4.87376G	34.49	54.00	-19.51	3	Vertical	40	2.25
Mode 3	Pass	AV	11.48032G	43.01	54.00	-10.99	3	Vertical	37	2.39
Mode 3	Pass	AV	12.35968G	45.09	54.00	-8.91	3	Vertical	92	1.50
Mode 3	Pass	AV	13.68613G	52.76	68.20	-15.44	3	Vertical	39	1.82
Mode 3	Pass	PK	4.79626G	45.90	74.00	-28.10	3	Vertical	1	1.50
Mode 3	Pass	PK	4.87739G	46.93	74.00	-27.07	3	Vertical	40	2.25
Mode 3	Pass	PK	11.49468G	54.68	74.00	-19.32	3	Vertical	37	2.39
Mode 3	Pass	PK	12.34032G	56.68	74.00	-17.32	3	Vertical	92	1.50
Mode 3	Pass	PK	13.66806G	64.69	88.20	-23.51	3	Vertical	39	1.82




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.79497G	33.86	54.00	-20.14	3	Horizontal	0	1.26
Mode 3	Pass	AV	4.88876G	33.81	54.00	-20.19	3	Horizontal	195	1.50
Mode 3	Pass	AV	11.48G	43.12	54.00	-10.88	3	Horizontal	39	2.98
Mode 3	Pass	AV	12.35194G	45.12	54.00	-8.88	3	Horizontal	276	2.38
Mode 3	Pass	AV	13.63839G	51.29	68.20	-16.91	3	Horizontal	33	2.20
Mode 3	Pass	PK	4.79497G	45.47	74.00	-28.53	3	Horizontal	0	1.26
Mode 3	Pass	PK	4.86384G	46.02	74.00	-27.98	3	Horizontal	195	1.50
Mode 3	Pass	PK	11.48968G	55.00	74.00	-19.00	3	Horizontal	39	2.98
Mode 3	Pass	PK	12.3829G	56.67	74.00	-17.33	3	Horizontal	276	2.38
Mode 3	Pass	PK	13.65774G	63.12	88.20	-25.08	3	Horizontal	33	2.20


Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.794G	34.00	54.00	-20.00	3.84	3	Vertical	1	1.50	30.16	32.16	6.51	34.83
AV	4.87376G	34.49	54.00	-19.51	4.28	3	Vertical	40	2.25	30.21	32.50	6.59	34.81
AV	11.48032G	43.01	54.00	-10.99	15.00	3	Vertical	37	2.39	28.01	38.86	10.59	34.45
AV	12.35968G	45.09	54.00	-8.91	15.32	3	Vertical	92	1.50	29.77	38.88	10.92	34.48
AV	13.68613G	52.76	68.20	-15.44	18.65	3	Vertical	39	1.82	34.11	39.63	11.70	32.68
PK	4.79626G	45.90	74.00	-28.10	3.86	3	Vertical	1	1.50	42.04	32.18	6.51	34.83
PK	4.87739G	46.93	74.00	-27.07	4.29	3	Vertical	40	2.25	42.64	32.51	6.59	34.81
PK	11.49468G	54.68	74.00	-19.32	15.03	3	Vertical	37	2.39	39.65	38.89	10.59	34.45
PK	12.34032G	56.68	74.00	-17.32	15.30	3	Vertical	92	1.50	41.38	38.88	10.91	34.49
PK	13.66806G	64.69	88.20	-23.51	18.67	3	Vertical	39	1.82	46.02	39.66	11.69	32.68

Radiated Emissions above 1GHz_Mode 3



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.79497G	33.86	54.00	-20.14	3.85	3	Horizontal	0	1.26	30.01	32.17	6.51	34.83
AV	4.88876G	33.81	54.00	-20.19	4.36	3	Horizontal	195	1.50	29.45	32.56	6.60	34.80
AV	11.48G	43.12	54.00	-10.88	15.00	3	Horizontal	39	2.98	28.12	38.86	10.59	34.45
AV	12.35194G	45.12	54.00	-8.88	15.33	3	Horizontal	276	2.38	29.79	38.90	10.92	34.49
AV	13.63839G	51.29	68.20	-16.91	18.75	3	Horizontal	33	2.20	32.54	39.75	11.68	32.68
PK	4.79497G	45.47	74.00	-28.53	3.85	3	Horizontal	0	1.26	41.62	32.17	6.51	34.83
PK	4.86384G	46.02	74.00	-27.98	4.23	3	Horizontal	195	1.50	41.79	32.46	6.58	34.81
PK	11.48968G	55.00	74.00	-19.00	15.02	3	Horizontal	39	2.98	39.98	38.88	10.59	34.45
PK	12.3829G	56.67	74.00	-17.33	15.30	3	Horizontal	276	2.38	41.37	38.83	10.94	34.47
PK	13.65774G	63.12	88.20	-25.08	18.69	3	Horizontal	33	2.20	44.43	39.68	11.69	32.68