





5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6225MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6185MHz_TX





5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	49.59	68.20	-18.61	4.96	3	Vertical	2	1.50	44.63	34.36	8.00	37.40
AV	6.011G	93.79	Inf	-Inf	4.95	3	Vertical	2	1.50	88.84	34.28	8.04	37.37
PK	5.925G	64.18	88.20	-24.02	4.91	3	Vertical	2	1.50	59.27	34.30	8.01	37.40
PK	6.071G	105.46	Inf	-Inf	4.87	3	Vertical	2	1.50	100.59	34.16	8.07	37.36

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.919G	49.15	68.20	-19.05	4.93	3	Horizontal	8	1.23	44.22	34.32	8.01	37.40
AV	6.119G	93.32	Inf	-Inf	4.87	3	Horizontal	8	1.23	88.45	34.14	8.09	37.36
PK	5.921G	61.65	88.20	-26.55	4.93	3	Horizontal	8	1.23	56.72	34.32	8.01	37.40
PK	6.059G	105.66	Inf	-Inf	4.89	3	Horizontal	8	1.23	100.77	34.18	8.07	37.36




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6475MHz_TX



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX


6475MHz_TX






6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6485MHz_TX



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX


6485MHz_TX






6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX






6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6625MHz_TX






6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6665MHz_TX






6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX


7095MHz_TX






6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_4TX

7095MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX






6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX


7085MHz_TX






6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX


7025MHz_TX






6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6985MHz_TX



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	6.01719G	-9.41	6.0804G	-51.30	-39.04	-12.26	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	Pass	6.09778G	-5.50	6.2958G	-53.98	-45.50	-8.48	3
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	Pass	6.23377G	-2.65	6.7366G	-51.33	-42.65	-8.68	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	6.83222G	-2.90	6.3606G	-50.57	-42.90	-7.67	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	Pass	6.99231G	-10.13	6.8355G	-62.17	-50.13	-12.04	1
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	6.91182G	-4.78	6.723G	-53.64	-44.78	-8.86	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.00669G	-10.00	6.1443G	-62.85	-50.00	-12.85	1
5985MHz	Pass	6.01169G	-9.68	6.1817G	-62.47	-49.68	-12.79	2
5985MHz	Pass	6.00769G	-9.73	6.1628G	-62.73	-49.73	-13.00	3
5985MHz	Pass	5.9782G	-9.98	6.1763G	-62.50	-49.98	-12.52	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02169G	-9.50	6.1437G	-63.15	-49.50	-13.65	1
5985MHz	Pass	6.02219G	-9.13	6.1764G	-62.67	-49.13	-13.54	2
5985MHz	Pass	6.01219G	-9.95	6.1608G	-63.43	-49.95	-13.48	3
5985MHz	Pass	6.01719G	-9.41	6.0804G	-51.30	-39.04	-12.26	4
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.99231G	-10.13	6.8355G	-62.17	-50.13	-12.04	1
7025MHz	Pass	6.99031G	-9.14	6.8562G	-62.26	-49.14	-13.12	2
7025MHz	Pass	7.0112G	-9.01	6.8532G	-61.62	-49.01	-12.61	3
7025MHz	Pass	7.012G	-8.90	6.8926G	-61.44	-48.48	-12.96	4
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-
7025MHz	Pass	6.98931G	-9.43	6.8354G	-62.37	-49.43	-12.94	1
7025MHz	Pass	6.98901G	-8.77	6.9275G	-53.15	-39.49	-13.66	2
7025MHz	Pass	6.99791G	-8.49	6.8455G	-61.86	-48.49	-13.37	3
7025MHz	Pass	7.05409G	-8.54	6.8496G	-62.08	-48.54	-13.54	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.04539G	-4.49	6.2888G	-53.89	-44.49	-9.40	1
6025MHz	Pass	6.09438G	-4.14	6.2854G	-53.17	-43.74	-9.43	2
6025MHz	Pass	6.04959G	-4.66	6.2862G	-53.50	-43.84	-9.66	3
6025MHz	Pass	6.034G	-4.51	6.291G	-54.47	-44.51	-9.96	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08838G	-5.08	6.292G	-54.60	-45.08	-9.52	1
6025MHz	Pass	6.09878G	-5.03	6.2926G	-53.92	-45.03	-8.89	2
6025MHz	Pass	6.09778G	-5.50	6.2958G	-53.98	-45.50	-8.48	3
6025MHz	Pass	5.99141G	-4.97	6.2794G	-52.99	-43.75	-9.24	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09758G	-4.56	6.3064G	-55.01	-44.56	-10.45	1
6025MHz	Pass	6.08039G	-4.70	6.3038G	-54.00	-44.70	-9.30	2
6025MHz	Pass	6.09438G	-5.11	6.292G	-54.11	-45.07	-9.04	3
6025MHz	Pass	6.09658G	-4.70	6.2894G	-55.43	-44.70	-10.73	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	7.00839G	-5.32	6.7086G	-54.64	-45.32	-9.32	1
6985MHz	Pass	6.91182G	-4.78	6.723G	-53.64	-44.78	-8.86	2
6985MHz	Pass	6.92262G	-4.01	6.7176G	-53.33	-44.01	-9.32	3
6985MHz	Pass	6.91162G	-3.88	6.6014G	-52.79	-43.88	-8.91	4
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92781G	-5.16	6.7266G	-54.04	-45.12	-8.92	1
6985MHz	Pass	6.90982G	-5.04	6.7198G	-54.77	-45.04	-9.73	2
6985MHz	Pass	6.90882G	-4.24	6.7196G	-54.86	-44.24	-10.62	3
6985MHz	Pass	6.91382G	-4.12	6.6024G	-53.16	-44.12	-9.04	4
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92841G	-4.67	6.712G	-54.51	-44.67	-9.84	1
6985MHz	Pass	6.92921G	-4.60	6.7106G	-53.61	-44.60	-9.01	2
6985MHz	Pass	6.91442G	-3.89	6.7192G	-53.43	-43.89	-9.54	3
6985MHz	Pass	6.91622G	-3.76	6.6018G	-53.36	-43.76	-9.60	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0878G	-3.02	6.6126G	-53.95	-43.02	-10.93	1
6105MHz	Pass	6.13939G	-3.02	6.6114G	-53.67	-42.99	-10.68	2
6105MHz	Pass	6.15739G	-3.06	6.6138G	-53.79	-42.73	-11.06	3
6105MHz	Pass	6.1162G	-2.39	6.6194G	-52.60	-42.39	-10.21	4



Mask_Non-Beamforming_Radio 2_Multi-RU_LPI

Appendix E.7


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.0862G	-3.10	6.6162G	-54.17	-43.10	-11.07	1
6105MHz	Pass	6.15499G	-2.70	6.6118G	-54.85	-42.69	-12.16	2
6105MHz	Pass	6.15619G	-2.80	6.6202G	-54.50	-42.80	-11.70	3
6105MHz	Pass	6.05021G	-2.84	6.617G	-53.77	-42.84	-10.93	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.01382G	-3.05	6.7182G	-52.38	-43.05	-9.33	1
6105MHz	Pass	6.19298G	-2.48	6.7402G	-51.76	-42.48	-9.28	2
6105MHz	Pass	6.23377G	-2.65	6.7366G	-51.33	-42.65	-8.68	3
6105MHz	Pass	5.97623G	-2.25	6.719G	-51.07	-42.25	-8.82	4
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.75864G	-2.89	6.3862G	-52.34	-42.89	-9.45	1
6905MHz	Pass	6.76543G	-2.39	6.397G	-51.40	-42.10	-9.30	2
6905MHz	Pass	6.84501G	-2.90	6.3854G	-52.14	-42.90	-9.24	3
6905MHz	Pass	6.83222G	-2.90	6.3606G	-50.57	-42.90	-7.67	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.83182G	-2.93	6.3742G	-52.74	-42.93	-9.81	1
6905MHz	Pass	6.83462G	-2.52	6.3898G	-51.43	-42.52	-8.91	2
6905MHz	Pass	6.84901G	-2.53	6.397G	-52.18	-42.52	-9.66	3
6905MHz	Pass	6.9162G	-2.22	6.3742G	-51.51	-42.22	-9.29	4
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.76024G	-3.24	6.3754G	-52.92	-43.24	-9.68	1
6905MHz	Pass	6.76304G	-2.34	6.381G	-52.40	-42.34	-10.06	2
6905MHz	Pass	6.76583G	-2.70	6.3118G	-51.77	-42.70	-9.07	3
6905MHz	Pass	6.76783G	-3.17	6.291G	-51.22	-43.17	-8.05	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

MASK

5985MHz_TX

02/07/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX

MASK

6025MHz_TX

04/07/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX

MASK

6105MHz_TX

04/07/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

MASK

6905MHz_TX

04/07/2026




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

MASK

7025MHz_TX

03/07/2026




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

MASK

6985MHz_TX

04/07/2026





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	11.94904G	39.88	54.00	-14.12	3	Horizontal	332	2.51
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	Pass	AV	11.98664G	40.09	54.00	-13.91	3	Vertical	48	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	AV	12.0692G	40.68	54.00	-13.32	3	Vertical	31	2.52
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	Pass	AV	7.301G	48.96	54.00	-5.04	3	Horizontal	340	2.19
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	Pass	AV	7.1678G	47.29	68.20	-20.91	3	Horizontal	3	3.00
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	Pass	AV	7.235G	48.73	68.20	-19.47	3	Vertical	21	1.44



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Multi-RU_LPI

Appendix E.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.917G	43.36	68.20	-24.84	3	Vertical	4	1.50
5985MHz	Pass	AV	5.981G	88.40	Inf	-Inf	3	Vertical	4	1.50
5985MHz	Pass	PK	5.924G	56.62	88.20	-31.58	3	Vertical	4	1.50
5985MHz	Pass	PK	5.982G	100.41	Inf	-Inf	3	Vertical	4	1.50
5985MHz	Pass	AV	5.917G	43.63	68.20	-24.57	3	Horizontal	0	1.38
5985MHz	Pass	AV	6.011G	89.28	Inf	-Inf	3	Horizontal	0	1.38
5985MHz	Pass	PK	5.918G	55.70	88.20	-32.50	3	Horizontal	0	1.38
5985MHz	Pass	PK	6.009G	101.54	Inf	-Inf	3	Horizontal	0	1.38
5985MHz	Pass	AV	11.94456G	39.72	54.00	-14.28	3	Vertical	119	1.50
5985MHz	Pass	PK	11.97816G	52.54	74.00	-21.46	3	Vertical	119	1.50
5985MHz	Pass	AV	11.95064G	39.77	54.00	-14.23	3	Horizontal	65	2.74
5985MHz	Pass	PK	11.97272G	51.98	74.00	-22.02	3	Horizontal	65	2.74
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.923G	43.21	68.20	-24.99	3	Vertical	3	1.56
5985MHz	Pass	AV	6.021G	87.90	Inf	-Inf	3	Vertical	3	1.56
5985MHz	Pass	PK	5.906G	56.57	88.20	-31.63	3	Vertical	3	1.56
5985MHz	Pass	PK	5.962G	99.72	Inf	-Inf	3	Vertical	3	1.56
5985MHz	Pass	AV	5.92G	43.33	68.20	-24.87	3	Horizontal	0	1.24
5985MHz	Pass	AV	6.011G	89.35	Inf	-Inf	3	Horizontal	0	1.24
5985MHz	Pass	PK	5.906G	56.08	88.20	-32.12	3	Horizontal	0	1.24
5985MHz	Pass	PK	6.011G	100.64	Inf	-Inf	3	Horizontal	0	1.24
5985MHz	Pass	AV	11.95016G	39.76	54.00	-14.24	3	Vertical	73	1.59
5985MHz	Pass	PK	12.00312G	52.78	74.00	-21.22	3	Vertical	73	1.59
5985MHz	Pass	AV	11.94904G	39.88	54.00	-14.12	3	Horizontal	332	2.51
5985MHz	Pass	PK	11.98216G	52.56	74.00	-21.44	3	Horizontal	332	2.51
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	6.9878G	84.38	Inf	-Inf	3	Vertical	24	1.60
7025MHz	Pass	AV	7.1726G	46.72	68.20	-21.48	3	Vertical	24	1.60
7025MHz	Pass	PK	6.9878G	100.83	Inf	-Inf	3	Vertical	24	1.60
7025MHz	Pass	PK	7.1456G	60.93	88.20	-27.27	3	Vertical	24	1.60
7025MHz	Pass	AV	7.0112G	85.24	Inf	-Inf	3	Horizontal	0	1.61
7025MHz	Pass	AV	7.1708G	46.75	68.20	-21.45	3	Horizontal	0	1.61
7025MHz	Pass	PK	6.9926G	102.06	Inf	-Inf	3	Horizontal	0	1.61
7025MHz	Pass	PK	7.1678G	60.43	88.20	-27.77	3	Horizontal	0	1.61
7025MHz	Pass	AV	14.07464G	41.69	68.20	-26.51	3	Vertical	98	1.50
7025MHz	Pass	PK	14.06376G	54.29	88.20	-33.91	3	Vertical	98	1.50
7025MHz	Pass	AV	14.08968G	41.67	68.20	-26.53	3	Horizontal	344	1.50
7025MHz	Pass	PK	14.0564G	54.44	88.20	-33.76	3	Horizontal	344	1.50
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
7025MHz	Pass	AV	6.989G	89.00	Inf	-Inf	3	Vertical	25	1.64
7025MHz	Pass	AV	7.1672G	47.27	68.20	-20.93	3	Vertical	25	1.64
7025MHz	Pass	PK	6.9896G	101.99	Inf	-Inf	3	Vertical	25	1.64
7025MHz	Pass	PK	7.1636G	60.69	88.20	-27.51	3	Vertical	25	1.64
7025MHz	Pass	AV	6.9884G	90.05	Inf	-Inf	3	Horizontal	3	3.00
7025MHz	Pass	AV	7.1678G	47.29	68.20	-20.91	3	Horizontal	3	3.00
7025MHz	Pass	PK	6.989G	102.73	Inf	-Inf	3	Horizontal	3	3.00
7025MHz	Pass	PK	7.1438G	60.40	88.20	-27.80	3	Horizontal	3	3.00
7025MHz	Pass	AV	14.07208G	42.15	68.20	-26.05	3	Vertical	321	1.27
7025MHz	Pass	PK	14.04696G	54.14	88.20	-34.06	3	Vertical	321	1.27
7025MHz	Pass	AV	14.06168G	42.14	68.20	-26.06	3	Horizontal	39	1.50
7025MHz	Pass	PK	14.06424G	55.67	88.20	-32.53	3	Horizontal	39	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.922G	43.92	68.20	-24.28	3	Vertical	6	1.43
6025MHz	Pass	AV	6.042G	89.55	Inf	-Inf	3	Vertical	6	1.43
6025MHz	Pass	PK	5.817G	56.20	88.20	-32.00	3	Vertical	6	1.43
6025MHz	Pass	PK	5.981G	101.54	Inf	-Inf	3	Vertical	6	1.43
6025MHz	Pass	AV	5.916G	43.88	68.20	-24.32	3	Horizontal	358	1.49
6025MHz	Pass	AV	6.07G	91.00	Inf	-Inf	3	Horizontal	358	1.49
6025MHz	Pass	PK	5.906G	56.89	88.20	-31.31	3	Horizontal	358	1.49
6025MHz	Pass	PK	6.03G	102.82	Inf	-Inf	3	Horizontal	358	1.49



RSE TX above 1GHz_Non-Beamforming_Radio 2_Multi-RU_LPI

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	11.98664G	40.09	54.00	-13.91	3	Vertical	48	1.50
6025MHz	Pass	PK	12.05096G	51.96	74.00	-22.04	3	Vertical	48	1.50
6025MHz	Pass	AV	11.97832G	40.04	54.00	-13.96	3	Horizontal	146	2.16
6025MHz	Pass	PK	12.03432G	51.74	74.00	-22.26	3	Horizontal	146	2.16
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.92G	43.81	68.20	-24.39	3	Vertical	4	1.50
6025MHz	Pass	AV	6.042G	84.19	Inf	-Inf	3	Vertical	4	1.50
6025MHz	Pass	PK	5.921G	64.69	88.20	-23.51	3	Vertical	4	1.50
6025MHz	Pass	PK	6.042G	100.71	Inf	-Inf	3	Vertical	4	1.50
6025MHz	Pass	AV	5.909G	43.31	68.20	-24.89	3	Horizontal	355	1.72
6025MHz	Pass	AV	6.09G	85.41	Inf	-Inf	3	Horizontal	355	1.72
6025MHz	Pass	PK	5.91G	64.20	88.20	-24.00	3	Horizontal	355	1.72
6025MHz	Pass	PK	6.089G	102.46	Inf	-Inf	3	Horizontal	355	1.72
6025MHz	Pass	AV	11.9844G	39.11	54.00	-14.89	3	Vertical	268	1.50
6025MHz	Pass	PK	11.98472G	52.61	74.00	-21.39	3	Vertical	268	1.50
6025MHz	Pass	AV	11.98344G	39.06	54.00	-14.94	3	Horizontal	323	1.67
6025MHz	Pass	PK	12.05448G	52.37	74.00	-21.63	3	Horizontal	323	1.67
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.918G	43.71	68.20	-24.49	3	Vertical	331	1.57
6025MHz	Pass	AV	5.977G	88.30	Inf	-Inf	3	Vertical	331	1.57
6025MHz	Pass	PK	5.919G	57.12	88.20	-31.08	3	Vertical	331	1.57
6025MHz	Pass	PK	6.097G	100.96	Inf	-Inf	3	Vertical	331	1.57
6025MHz	Pass	AV	5.919G	43.80	68.20	-24.40	3	Horizontal	354	1.77
6025MHz	Pass	AV	6.07G	90.80	Inf	-Inf	3	Horizontal	354	1.77
6025MHz	Pass	PK	5.921G	56.53	88.20	-31.67	3	Horizontal	354	1.77
6025MHz	Pass	PK	6.071G	102.39	Inf	-Inf	3	Horizontal	354	1.77
6025MHz	Pass	AV	12.0404G	39.99	54.00	-14.01	3	Vertical	345	1.22
6025MHz	Pass	PK	12.10728G	52.28	74.00	-21.72	3	Vertical	345	1.22
6025MHz	Pass	AV	12.018G	40.08	54.00	-13.92	3	Horizontal	288	1.35
6025MHz	Pass	PK	12.07368G	51.90	74.00	-22.10	3	Horizontal	288	1.35
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.912G	89.33	Inf	-Inf	3	Vertical	15	1.04
6985MHz	Pass	AV	7.235G	48.39	68.20	-19.81	3	Vertical	15	1.04
6985MHz	Pass	PK	6.91G	101.50	Inf	-Inf	3	Vertical	15	1.04
6985MHz	Pass	PK	7.225G	60.67	88.20	-27.53	3	Vertical	15	1.04
6985MHz	Pass	AV	6.931G	88.49	Inf	-Inf	3	Horizontal	2	1.71
6985MHz	Pass	AV	7.217G	48.23	68.20	-19.97	3	Horizontal	2	1.71
6985MHz	Pass	PK	6.931G	100.37	Inf	-Inf	3	Horizontal	2	1.71
6985MHz	Pass	PK	7.2G	61.21	88.20	-26.99	3	Horizontal	2	1.71
6985MHz	Pass	AV	14.00988G	42.24	68.20	-25.96	3	Vertical	335	1.50
6985MHz	Pass	PK	13.96424G	54.15	88.20	-34.05	3	Vertical	335	1.50
6985MHz	Pass	AV	14.0244G	42.38	68.20	-25.82	3	Horizontal	43	1.50
6985MHz	Pass	PK	13.90504G	54.82	88.20	-33.38	3	Horizontal	43	1.50
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.95G	87.96	Inf	-Inf	3	Vertical	27	1.87
6985MHz	Pass	AV	7.231G	48.40	68.20	-19.80	3	Vertical	27	1.87
6985MHz	Pass	PK	6.95G	100.52	Inf	-Inf	3	Vertical	27	1.87
6985MHz	Pass	PK	7.131G	62.94	88.20	-25.26	3	Vertical	27	1.87
6985MHz	Pass	AV	6.95G	89.11	Inf	-Inf	3	Horizontal	10	2.93
6985MHz	Pass	AV	7.235G	48.46	68.20	-19.74	3	Horizontal	10	2.93
6985MHz	Pass	PK	6.95G	100.84	Inf	-Inf	3	Horizontal	10	2.93
6985MHz	Pass	PK	7.131G	65.16	88.20	-23.04	3	Horizontal	10	2.93
6985MHz	Pass	AV	14.02312G	42.14	68.20	-26.06	3	Vertical	149	1.50
6985MHz	Pass	PK	14.0084G	55.13	88.20	-33.07	3	Vertical	149	1.50
6985MHz	Pass	AV	14.03624G	42.13	68.20	-26.07	3	Horizontal	43	1.50
6985MHz	Pass	PK	13.97448G	55.46	88.20	-32.74	3	Horizontal	43	1.50
802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.937G	87.65	Inf	-Inf	3	Vertical	21	1.44
6985MHz	Pass	AV	7.235G	48.73	68.20	-19.47	3	Vertical	21	1.44
6985MHz	Pass	PK	6.936G	99.39	Inf	-Inf	3	Vertical	21	1.44
6985MHz	Pass	PK	7.226G	60.72	88.20	-27.48	3	Vertical	21	1.44
6985MHz	Pass	AV	6.931G	89.21	Inf	-Inf	3	Horizontal	15	2.68



RSE TX above 1GHz_Non-Beamforming_Radio 2_Multi-RU_LPI

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	AV	7.231G	48.37	68.20	-19.83	3	Horizontal	15	2.68
6985MHz	Pass	PK	6.931G	102.04	Inf	-Inf	3	Horizontal	15	2.68
6985MHz	Pass	PK	7.151G	62.52	88.20	-25.68	3	Horizontal	15	2.68
6985MHz	Pass	AV	14.04072G	42.03	68.20	-26.17	3	Vertical	262	1.16
6985MHz	Pass	PK	13.91944G	53.65	88.20	-34.55	3	Vertical	262	1.16
6985MHz	Pass	AV	14.02568G	42.07	68.20	-26.13	3	Horizontal	41	1.50
6985MHz	Pass	PK	13.9732G	54.41	88.20	-33.79	3	Horizontal	41	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	44.64	68.20	-23.56	3	Vertical	6	1.47
6105MHz	Pass	AV	6.021G	87.97	Inf	-Inf	3	Vertical	6	1.47
6105MHz	Pass	PK	5.921G	61.05	88.20	-27.15	3	Vertical	6	1.47
6105MHz	Pass	PK	6.001G	99.81	Inf	-Inf	3	Vertical	6	1.47
6105MHz	Pass	AV	5.909G	44.12	68.20	-24.08	3	Horizontal	355	1.66
6105MHz	Pass	AV	6.069G	90.16	Inf	-Inf	3	Horizontal	355	1.66
6105MHz	Pass	PK	5.925G	61.67	88.20	-26.53	3	Horizontal	355	1.66
6105MHz	Pass	PK	6.089G	102.28	Inf	-Inf	3	Horizontal	355	1.66
6105MHz	Pass	AV	12.0692G	40.68	54.00	-13.32	3	Vertical	31	2.52
6105MHz	Pass	PK	12.1044G	53.03	74.00	-20.97	3	Vertical	31	2.52
6105MHz	Pass	AV	12.05G	40.51	54.00	-13.49	3	Horizontal	211	1.50
6105MHz	Pass	PK	12.1812G	53.25	74.00	-20.75	3	Horizontal	211	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 5_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.923G	43.85	68.20	-24.35	3	Vertical	6	1.46
6105MHz	Pass	AV	6.023G	87.84	Inf	-Inf	3	Vertical	6	1.46
6105MHz	Pass	PK	5.923G	56.94	88.20	-31.26	3	Vertical	6	1.46
6105MHz	Pass	PK	6.083G	100.08	Inf	-Inf	3	Vertical	6	1.46
6105MHz	Pass	AV	5.915G	43.81	68.20	-24.39	3	Horizontal	355	1.74
6105MHz	Pass	AV	6.069G	90.12	Inf	-Inf	3	Horizontal	355	1.74
6105MHz	Pass	PK	5.925G	60.25	88.20	-27.95	3	Horizontal	355	1.74
6105MHz	Pass	PK	6.091G	100.97	Inf	-Inf	3	Horizontal	355	1.74
6105MHz	Pass	AV	12.0532G	40.52	54.00	-13.48	3	Vertical	345	1.14
6105MHz	Pass	PK	12.05832G	53.06	74.00	-20.94	3	Vertical	345	1.14
6105MHz	Pass	AV	12.05G	40.44	54.00	-13.56	3	Horizontal	86	1.50
6105MHz	Pass	PK	12.31112G	52.89	74.00	-21.11	3	Horizontal	86	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	44.11	68.20	-24.09	3	Vertical	3	1.55
6105MHz	Pass	AV	6.021G	88.97	Inf	-Inf	3	Vertical	3	1.55
6105MHz	Pass	PK	5.923G	56.63	88.20	-31.57	3	Vertical	3	1.55
6105MHz	Pass	PK	6.021G	101.12	Inf	-Inf	3	Vertical	3	1.55
6105MHz	Pass	AV	5.925G	44.15	68.20	-24.05	3	Horizontal	354	1.39
6105MHz	Pass	AV	6.211G	90.32	Inf	-Inf	3	Horizontal	354	1.39
6105MHz	Pass	PK	5.871G	56.50	88.20	-31.70	3	Horizontal	354	1.39
6105MHz	Pass	PK	6.231G	101.08	Inf	-Inf	3	Horizontal	354	1.39
6105MHz	Pass	AV	12.08264G	40.50	54.00	-13.50	3	Vertical	226	1.50
6105MHz	Pass	PK	12.34248G	53.01	74.00	-20.99	3	Vertical	226	1.50
6105MHz	Pass	AV	12.05G	40.42	54.00	-13.58	3	Horizontal	28	2.95
6105MHz	Pass	PK	12.16264G	52.66	74.00	-21.34	3	Horizontal	28	2.95
802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.871G	87.96	Inf	-Inf	3	Vertical	15	1.08
6905MHz	Pass	AV	7.301G	48.89	54.00	-5.11	3	Vertical	15	1.08
6905MHz	Pass	PK	6.753G	100.19	Inf	-Inf	3	Vertical	15	1.08
6905MHz	Pass	PK	7.347G	62.13	74.00	-11.87	3	Vertical	15	1.08
6905MHz	Pass	AV	6.763G	87.94	Inf	-Inf	3	Horizontal	340	2.19
6905MHz	Pass	AV	7.301G	48.96	54.00	-5.04	3	Horizontal	340	2.19
6905MHz	Pass	PK	6.763G	99.19	Inf	-Inf	3	Horizontal	340	2.19
6905MHz	Pass	PK	7.325G	61.98	74.00	-12.02	3	Horizontal	340	2.19
6905MHz	Pass	AV	13.93032G	42.10	68.20	-26.10	3	Vertical	240	2.02
6905MHz	Pass	PK	13.9572G	55.27	88.20	-32.93	3	Vertical	240	2.02
6905MHz	Pass	AV	13.9316G	42.21	68.20	-25.99	3	Horizontal	269	3.00
6905MHz	Pass	PK	13.97G	54.77	88.20	-33.43	3	Horizontal	269	3.00
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 MRU 8_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.911G	88.95	Inf	-Inf	3	Vertical	15	1.04
6905MHz	Pass	AV	7.319G	48.60	54.00	-5.40	3	Vertical	15	1.04



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Multi-RU_LPI


Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	PK	6.913G	102.12	Inf	-Inf	3	Vertical	15	1.04
6905MHz	Pass	PK	7.337G	61.71	74.00	-12.29	3	Vertical	15	1.04
6905MHz	Pass	AV	6.991G	89.64	Inf	-Inf	3	Horizontal	11	2.75
6905MHz	Pass	AV	7.319G	48.61	54.00	-5.39	3	Horizontal	11	2.75
6905MHz	Pass	PK	6.989G	101.97	Inf	-Inf	3	Horizontal	11	2.75
6905MHz	Pass	PK	7.261G	61.72	74.00	-12.28	3	Horizontal	11	2.75
6905MHz	Pass	AV	13.92904G	41.76	68.20	-26.44	3	Vertical	246	1.50
6905MHz	Pass	PK	13.7428G	54.92	88.20	-33.28	3	Vertical	246	1.50
6905MHz	Pass	AV	13.90472G	41.78	68.20	-26.42	3	Horizontal	37	2.18
6905MHz	Pass	PK	13.9124G	54.90	88.20	-33.30	3	Horizontal	37	2.18
802.11be EHT320_Nss1,(MCS0),2xRU996 MRU 1_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.751G	89.27	Inf	-Inf	3	Vertical	17	1.44
6905MHz	Pass	AV	7.313G	48.89	54.00	-5.11	3	Vertical	17	1.44
6905MHz	Pass	PK	6.751G	103.49	Inf	-Inf	3	Vertical	17	1.44
6905MHz	Pass	PK	7.321G	62.39	74.00	-11.61	3	Vertical	17	1.44
6905MHz	Pass	AV	6.751G	88.60	Inf	-Inf	3	Horizontal	340	1.58
6905MHz	Pass	AV	7.289G	48.95	54.00	-5.05	3	Horizontal	340	1.58
6905MHz	Pass	PK	6.771G	100.77	Inf	-Inf	3	Horizontal	340	1.58
6905MHz	Pass	PK	7.373G	62.09	74.00	-11.91	3	Horizontal	340	1.58
6905MHz	Pass	AV	13.94568G	42.11	68.20	-26.09	3	Vertical	9	1.59
6905MHz	Pass	PK	13.9156G	54.14	88.20	-34.06	3	Vertical	9	1.59
6905MHz	Pass	AV	13.91304G	42.30	68.20	-25.90	3	Horizontal	192	1.50
6905MHz	Pass	PK	13.82344G	54.85	88.20	-33.35	3	Horizontal	192	1.50




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6105MHz_TX






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz_TX



6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX


6905MHz_TX






6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 MRU 4_4TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_4TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU484+RU484 MRU 1_4TX

6985MHz_TX



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	6.02039G	-9.22	6.1197G	-60.60	-49.22	-11.38	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	Pass	6.08798G	-4.82	6.287G	-52.67	-44.73	-7.94	1
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	Pass	6.1134G	-2.71	6.6146G	-50.71	-42.71	-8.00	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	Pass	6.77503G	-3.09	6.3814G	-49.73	-43.09	-6.64	2
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	7.0104G	-8.93	6.8935G	-60.37	-48.93	-11.44	2
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	Pass	6.93341G	-4.32	6.5996G	-52.49	-44.32	-8.17	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01119G	-9.11	6.1339G	-61.53	-49.11	-12.42	1
5985MHz	Pass	5.95481G	-9.50	6.1191G	-63.33	-49.50	-13.83	2
5985MHz	Pass	6.00859G	-9.37	6.1234G	-62.94	-49.37	-13.57	3
5985MHz	Pass	6.02039G	-9.22	6.1197G	-60.60	-49.22	-11.38	4
7025MHz	Pass	7.00291G	-8.69	6.8964G	-60.25	-48.39	-11.86	1
7025MHz	Pass	7.0104G	-8.93	6.8935G	-60.37	-48.93	-11.44	2
7025MHz	Pass	6.98801G	-9.58	6.8919G	-62.27	-49.58	-12.69	3
7025MHz	Pass	6.99211G	-9.64	6.8755G	-62.16	-49.64	-12.52	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08798G	-4.82	6.287G	-52.67	-44.73	-7.94	1
6025MHz	Pass	5.99201G	-5.00	6.2978G	-54.66	-45.00	-9.66	2
6025MHz	Pass	6.08039G	-4.84	6.2982G	-53.84	-44.84	-9.00	3
6025MHz	Pass	6.08858G	-4.39	6.2904G	-53.08	-44.39	-8.69	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05519G	-4.77	6.2506G	-50.42	-39.69	-10.73	1
6025MHz	Pass	6.0132G	-4.89	6.3002G	-57.14	-44.89	-12.25	2
6025MHz	Pass	6.00321G	-4.45	6.2996G	-56.86	-44.45	-12.41	3
6025MHz	Pass	6.05959G	-4.40	6.2922G	-54.91	-44.40	-10.51	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.91862G	-4.00	6.7262G	-52.50	-44.00	-8.50	1
6985MHz	Pass	6.93341G	-4.32	6.5996G	-52.49	-44.32	-8.17	2
6985MHz	Pass	6.9678G	-4.98	6.7158G	-54.38	-44.98	-9.40	3
6985MHz	Pass	6.92022G	-4.73	6.723G	-53.85	-44.73	-9.12	4
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6985MHz	Pass	6.92601G	-4.22	6.7206G	-53.18	-44.22	-8.96	1
6985MHz	Pass	6.95241G	-4.79	6.6018G	-53.02	-44.79	-8.23	2
6985MHz	Pass	6.92382G	-4.94	6.7154G	-54.77	-44.94	-9.83	3
6985MHz	Pass	6.91842G	-5.03	6.7198G	-54.35	-45.03	-9.32	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.12899G	-2.47	6.6202G	-50.72	-42.47	-8.25	1
6105MHz	Pass	6.1134G	-2.71	6.6146G	-50.71	-42.71	-8.00	2
6105MHz	Pass	6.12819G	-3.03	6.6234G	-51.66	-43.03	-8.63	3
6105MHz	Pass	6.25616G	-2.60	6.6186G	-50.81	-42.60	-8.21	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.1138G	-2.33	6.6126G	-53.55	-42.33	-11.22	1
6105MHz	Pass	6.07421G	-2.68	6.615G	-52.70	-42.68	-10.02	2
6105MHz	Pass	6.0874G	-2.97	6.6182G	-54.22	-42.95	-11.27	3
6105MHz	Pass	6.15539G	-2.47	6.6138G	-53.84	-42.42	-11.42	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.13379G	-2.27	6.6122G	-54.55	-42.27	-12.28	1
6105MHz	Pass	6.0906G	-2.79	6.5962G	-53.02	-41.68	-11.34	2
6105MHz	Pass	6.0866G	-3.12	6.6234G	-54.93	-43.12	-11.81	3
6105MHz	Pass	6.1202G	-2.39	6.623G	-54.59	-42.39	-12.20	4
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.76464G	-2.36	6.395G	-49.80	-42.30	-7.50	1
6905MHz	Pass	6.77343G	-2.85	6.3578G	-49.78	-42.85	-6.93	2
6905MHz	Pass	6.76503G	-2.88	6.3894G	-50.94	-42.88	-8.06	3
6905MHz	Pass	6.76024G	-2.08	6.381G	-50.30	-42.08	-8.22	4
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-
6905MHz	Pass	6.76743G	-2.80	6.393G	-49.71	-42.80	-6.91	1
6905MHz	Pass	6.77503G	-3.09	6.3814G	-49.73	-43.09	-6.64	2
6905MHz	Pass	6.76344G	-3.18	6.391G	-51.07	-43.18	-7.89	3
6905MHz	Pass	6.75544G	-2.48	6.3822G	-50.57	-42.39	-8.18	4
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-




Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6905MHz	Pass	6.8862G	-2.20	6.3946G	-51.83	-42.17	-9.66	1
6905MHz	Pass	6.899G	-2.59	6.3938G	-50.98	-42.52	-8.46	2
6905MHz	Pass	6.84462G	-2.51	6.3878G	-53.29	-42.51	-10.78	3
6905MHz	Pass	6.83502G	-2.12	6.3798G	-52.43	-42.12	-10.31	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_3_4TX

MASK

5985MHz_TX

15/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01119G	-9.11	6.1339G	-61.53	-49.11	-12.42	1
5.95481G	-9.50	6.1191G	-63.33	-49.50	-13.83	2
6.00859G	-9.37	6.1234G	-62.94	-49.37	-13.57	3
6.02039G	-9.22	6.1197G	-60.60	-49.22	-11.38	4

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP_3_4TX

MASK

7025MHz_TX

15/06/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00291G	-8.69	6.8964G	-60.25	-48.39	-11.86	1
7.0104G	-8.93	6.8935G	-60.37	-48.93	-11.44	2
6.98801G	-9.58	6.8919G	-62.27	-49.58	-12.69	3
6.99211G	-9.64	6.8755G	-62.16	-49.64	-12.52	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

MASK

6025MHz_TX

15/06/2026




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

MASK

6025MHz_TX

15/06/2026




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX

MASK

6985MHz_TX

15/06/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91862G	-4.00	6.7262G	-52.50	-44.00	-8.50	1
6.93341G	-4.32	6.5996G	-52.49	-44.32	-8.17	2
6.9678G	-4.98	6.7158G	-54.38	-44.98	-9.40	3
6.92022G	-4.73	6.723G	-53.85	-44.73	-9.12	4


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

MASK

6985MHz_TX

15/06/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92601G	-4.22	6.7206G	-53.18	-44.22	-8.96	1
6.95241G	-4.79	6.6018G	-53.02	-44.79	-8.23	2
6.92382G	-4.94	6.7154G	-54.77	-44.94	-9.83	3
6.91842G	-5.03	6.7198G	-54.35	-45.03	-9.32	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

MASK

6105MHz_TX

15/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX

MASK

6105MHz_TX

15/06/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX

MASK

6105MHz_TX

15/06/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

MASK

6905MHz_TX

15/06/2026




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX

MASK

6905MHz_TX

16/06/2026

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76743G	-2.80	6.393G	-49.71	-42.80	-6.91	1
6.77503G	-3.09	6.3814G	-49.73	-43.09	-6.64	2
6.76344G	-3.18	6.391G	-51.07	-43.18	-7.89	3
6.75544G	-2.48	6.3822G	-50.57	-42.39	-8.18	4


6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX

MASK

6905MHz_TX

16/06/2026

CF (Hz)
6.905G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
6.4m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8862G	-2.20	6.3946G	-51.83	-42.17	-9.66	1
6.899G	-2.59	6.3938G	-50.98	-42.52	-8.46	2
6.84462G	-2.51	6.3878G	-53.29	-42.51	-10.78	3
6.83502G	-2.12	6.3798G	-52.43	-42.12	-10.31	4



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Channel Puncturing_LPI

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	AV	11.9792G	39.01	54.00	-14.99	3	Horizontal	228	2.73
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	Pass	AV	12.05516G	39.53	54.00	-14.47	3	Vertical	168	1.01
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	Pass	AV	12.21608G	39.83	54.00	-14.17	3	Vertical	177	1.50
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	Pass	AV	7.175G	51.85	68.20	-16.35	3	Horizontal	0	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	Pass	AV	7.201G	52.12	68.20	-16.08	3	Horizontal	10	3.00
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	Pass	AV	7.301G	51.30	54.00	-2.70	3	Horizontal	351	1.00



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Channel Puncturing_LPI

Appendix E.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	47.92	68.20	-20.28	3	Vertical	317	1.50
5985MHz	Pass	AV	6.006G	89.42	Inf	-Inf	3	Vertical	317	1.50
5985MHz	Pass	PK	5.872G	59.84	88.20	-28.36	3	Vertical	317	1.50
5985MHz	Pass	PK	6.007G	100.10	Inf	-Inf	3	Vertical	317	1.50
5985MHz	Pass	AV	5.924G	47.81	68.20	-20.39	3	Horizontal	12	1.15
5985MHz	Pass	AV	6.023G	89.26	Inf	-Inf	3	Horizontal	12	1.15
5985MHz	Pass	PK	5.847G	59.89	88.20	-28.31	3	Horizontal	12	1.15
5985MHz	Pass	PK	6.023G	101.84	Inf	-Inf	3	Horizontal	12	1.15
5985MHz	Pass	AV	11.97596G	38.93	54.00	-15.07	3	Vertical	151	1.50
5985MHz	Pass	PK	11.97356G	50.76	74.00	-23.24	3	Vertical	151	1.50
5985MHz	Pass	AV	11.9792G	39.01	54.00	-14.99	3	Horizontal	228	2.73
5985MHz	Pass	PK	11.96392G	50.42	74.00	-23.58	3	Horizontal	228	2.73
7025MHz	Pass	AV	6.9932G	90.28	Inf	-Inf	3	Vertical	17	1.00
7025MHz	Pass	AV	7.1744G	51.82	68.20	-16.38	3	Vertical	17	1.00
7025MHz	Pass	PK	6.9938G	101.74	Inf	-Inf	3	Vertical	17	1.00
7025MHz	Pass	PK	7.1732G	64.31	88.20	-23.89	3	Vertical	17	1.00
7025MHz	Pass	AV	7.0112G	89.20	Inf	-Inf	3	Horizontal	0	1.50
7025MHz	Pass	AV	7.175G	51.85	68.20	-16.35	3	Horizontal	0	1.50
7025MHz	Pass	PK	7.0508G	101.35	Inf	-Inf	3	Horizontal	0	1.50
7025MHz	Pass	PK	7.151G	64.36	88.20	-23.84	3	Horizontal	0	1.50
7025MHz	Pass	AV	14.05508G	41.21	68.20	-26.99	3	Vertical	4	2.90
7025MHz	Pass	PK	14.05524G	53.67	88.20	-34.53	3	Vertical	4	2.90
7025MHz	Pass	AV	14.05504G	41.22	68.20	-26.98	3	Horizontal	199	1.34
7025MHz	Pass	PK	14.05716G	53.38	88.20	-34.82	3	Horizontal	199	1.34
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.921G	48.13	68.20	-20.07	3	Vertical	4	1.50
6025MHz	Pass	AV	6.062G	89.67	Inf	-Inf	3	Vertical	4	1.50
6025MHz	Pass	PK	5.892G	60.37	88.20	-27.83	3	Vertical	4	1.50
6025MHz	Pass	PK	6.082G	101.53	Inf	-Inf	3	Vertical	4	1.50
6025MHz	Pass	AV	5.919G	48.34	68.20	-19.86	3	Horizontal	351	2.52
6025MHz	Pass	AV	6.059G	91.23	Inf	-Inf	3	Horizontal	351	2.52
6025MHz	Pass	PK	5.861G	59.88	88.20	-28.32	3	Horizontal	351	2.52
6025MHz	Pass	PK	6.08G	102.44	Inf	-Inf	3	Horizontal	351	2.52
6025MHz	Pass	AV	12.05612G	39.30	54.00	-14.70	3	Vertical	274	1.52
6025MHz	Pass	PK	12.05476G	52.21	74.00	-21.79	3	Vertical	274	1.52
6025MHz	Pass	AV	12.05412G	39.32	54.00	-14.68	3	Horizontal	183	1.50
6025MHz	Pass	PK	12.04732G	51.86	74.00	-22.14	3	Horizontal	183	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.921G	48.21	68.20	-19.99	3	Vertical	5	1.50
6025MHz	Pass	AV	6.061G	90.31	Inf	-Inf	3	Vertical	5	1.50
6025MHz	Pass	PK	5.925G	59.94	88.20	-28.26	3	Vertical	5	1.50
6025MHz	Pass	PK	6.021G	102.66	Inf	-Inf	3	Vertical	5	1.50
6025MHz	Pass	AV	5.92G	48.55	68.20	-19.65	3	Horizontal	351	2.51
6025MHz	Pass	AV	6.039G	91.65	Inf	-Inf	3	Horizontal	351	2.51
6025MHz	Pass	PK	5.895G	59.98	88.20	-28.22	3	Horizontal	351	2.51
6025MHz	Pass	PK	6.06G	103.04	Inf	-Inf	3	Horizontal	351	2.51
6025MHz	Pass	AV	12.05516G	39.53	54.00	-14.47	3	Vertical	168	1.01
6025MHz	Pass	PK	12.04836G	51.38	74.00	-22.62	3	Vertical	168	1.01
6025MHz	Pass	AV	12.05696G	39.37	54.00	-14.63	3	Horizontal	319	1.50
6025MHz	Pass	PK	12.05876G	51.90	74.00	-22.10	3	Horizontal	319	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.849G	94.75	Inf	-Inf	3	Vertical	25	1.50
6985MHz	Pass	AV	7.203G	52.05	68.20	-16.15	3	Vertical	25	1.50
6985MHz	Pass	PK	6.858G	106.95	Inf	-Inf	3	Vertical	25	1.50
6985MHz	Pass	PK	7.211G	64.27	88.20	-23.93	3	Vertical	25	1.50
6985MHz	Pass	AV	6.856G	95.24	Inf	-Inf	3	Horizontal	5	2.95
6985MHz	Pass	AV	7.232G	52.09	68.20	-16.11	3	Horizontal	5	2.95
6985MHz	Pass	PK	6.857G	107.62	Inf	-Inf	3	Horizontal	5	2.95
6985MHz	Pass	PK	7.177G	64.58	88.20	-23.62	3	Horizontal	5	2.95
6985MHz	Pass	AV	13.9792G	40.93	68.20	-27.27	3	Vertical	126	1.67



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Channel Puncturing_LPI

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.96872G	53.77	88.20	-34.43	3	Vertical	126	1.67
6985MHz	Pass	AV	13.96052G	40.90	68.20	-27.30	3	Horizontal	59	1.59
6985MHz	Pass	PK	13.96452G	53.50	88.20	-34.70	3	Horizontal	59	1.59
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6985MHz	Pass	AV	6.849G	94.41	Inf	-Inf	3	Vertical	25	1.50
6985MHz	Pass	AV	7.198G	52.02	68.20	-16.18	3	Vertical	25	1.50
6985MHz	Pass	PK	6.849G	107.05	Inf	-Inf	3	Vertical	25	1.50
6985MHz	Pass	PK	7.162G	65.32	88.20	-22.88	3	Vertical	25	1.50
6985MHz	Pass	AV	6.856G	95.56	Inf	-Inf	3	Horizontal	10	3.00
6985MHz	Pass	AV	7.201G	52.12	68.20	-16.08	3	Horizontal	10	3.00
6985MHz	Pass	PK	6.858G	106.85	Inf	-Inf	3	Horizontal	10	3.00
6985MHz	Pass	PK	7.189G	64.36	88.20	-23.84	3	Horizontal	10	3.00
6985MHz	Pass	AV	13.9798G	40.88	68.20	-27.32	3	Vertical	36	1.50
6985MHz	Pass	PK	13.97616G	53.06	88.20	-35.14	3	Vertical	36	1.50
6985MHz	Pass	AV	13.96488G	40.91	68.20	-27.29	3	Horizontal	213	2.52
6985MHz	Pass	PK	13.96652G	53.28	88.20	-34.92	3	Horizontal	213	2.52
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.915G	48.49	68.20	-19.71	3	Vertical	332	1.50
6105MHz	Pass	AV	6.175G	89.95	Inf	-Inf	3	Vertical	332	1.50
6105MHz	Pass	PK	5.915G	66.43	88.20	-21.77	3	Vertical	332	1.50
6105MHz	Pass	PK	6.155G	101.58	Inf	-Inf	3	Vertical	332	1.50
6105MHz	Pass	AV	5.925G	48.50	68.20	-19.70	3	Horizontal	354	1.50
6105MHz	Pass	AV	6.149G	89.74	Inf	-Inf	3	Horizontal	354	1.50
6105MHz	Pass	PK	5.917G	63.19	88.20	-25.01	3	Horizontal	354	1.50
6105MHz	Pass	PK	6.151G	100.59	Inf	-Inf	3	Horizontal	354	1.50
6105MHz	Pass	AV	12.21608G	39.83	54.00	-14.17	3	Vertical	177	1.50
6105MHz	Pass	PK	12.2054G	51.79	74.00	-22.21	3	Vertical	177	1.50
6105MHz	Pass	AV	12.21696G	39.80	54.00	-14.20	3	Horizontal	0	1.50
6105MHz	Pass	PK	12.21976G	51.99	74.00	-22.01	3	Horizontal	0	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 4_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.915G	48.77	68.20	-19.43	3	Vertical	331	1.50
6105MHz	Pass	AV	6.175G	90.39	Inf	-Inf	3	Vertical	331	1.50
6105MHz	Pass	PK	5.913G	62.75	88.20	-25.45	3	Vertical	331	1.50
6105MHz	Pass	PK	6.175G	100.92	Inf	-Inf	3	Vertical	331	1.50
6105MHz	Pass	AV	5.909G	48.27	68.20	-19.93	3	Horizontal	357	1.30
6105MHz	Pass	AV	6.171G	90.08	Inf	-Inf	3	Horizontal	357	1.30
6105MHz	Pass	PK	5.913G	61.62	88.20	-26.58	3	Horizontal	357	1.30
6105MHz	Pass	PK	6.029G	100.56	Inf	-Inf	3	Horizontal	357	1.30
6105MHz	Pass	AV	12.2G	39.75	54.00	-14.25	3	Vertical	167	1.28
6105MHz	Pass	PK	12.21536G	51.61	74.00	-22.39	3	Vertical	167	1.28
6105MHz	Pass	AV	12.2098G	39.76	54.00	-14.24	3	Horizontal	251	1.50
6105MHz	Pass	PK	12.20076G	52.68	74.00	-21.32	3	Horizontal	251	1.50
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 6_4TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	48.53	68.20	-19.67	3	Vertical	3	1.50
6105MHz	Pass	AV	6.101G	89.29	Inf	-Inf	3	Vertical	3	1.50
6105MHz	Pass	PK	5.919G	60.71	88.20	-27.49	3	Vertical	3	1.50
6105MHz	Pass	PK	6.083G	101.22	Inf	-Inf	3	Vertical	3	1.50
6105MHz	Pass	AV	5.909G	48.33	68.20	-19.87	3	Horizontal	356	1.37
6105MHz	Pass	AV	6.131G	89.77	Inf	-Inf	3	Horizontal	356	1.37
6105MHz	Pass	PK	5.875G	60.26	88.20	-27.94	3	Horizontal	356	1.37
6105MHz	Pass	PK	6.009G	100.66	Inf	-Inf	3	Horizontal	356	1.37
6105MHz	Pass	AV	12.2104G	39.81	54.00	-14.19	3	Vertical	109	1.50
6105MHz	Pass	PK	12.2132G	51.53	74.00	-22.47	3	Vertical	109	1.50
6105MHz	Pass	AV	12.21288G	39.79	54.00	-14.21	3	Horizontal	148	1.50
6105MHz	Pass	PK	12.20232G	51.79	74.00	-22.21	3	Horizontal	148	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.857G	95.84	Inf	-Inf	3	Vertical	350	1.50
6905MHz	Pass	AV	7.179G	50.95	68.20	-17.25	3	Vertical	350	1.50
6905MHz	Pass	AV	7.323G	51.06	54.00	-2.94	3	Vertical	350	1.50
6905MHz	Pass	PK	6.857G	107.41	Inf	-Inf	3	Vertical	350	1.50
6905MHz	Pass	PK	7.199G	62.36	88.20	-25.84	3	Vertical	350	1.50
6905MHz	Pass	PK	7.397G	62.19	74.00	-11.81	3	Vertical	350	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Channel Puncturing_LPI


Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6905MHz	Pass	AV	6.857G	99.69	Inf	-Inf	3	Horizontal	351	1.00
6905MHz	Pass	AV	7.199G	51.88	68.20	-16.32	3	Horizontal	351	1.00
6905MHz	Pass	AV	7.301G	51.30	54.00	-2.70	3	Horizontal	351	1.00
6905MHz	Pass	PK	6.855G	111.09	Inf	-Inf	3	Horizontal	351	1.00
6905MHz	Pass	PK	7.125G	64.35	88.20	-23.85	3	Horizontal	351	1.00
6905MHz	Pass	PK	7.379G	62.56	74.00	-11.44	3	Horizontal	351	1.00
6905MHz	Pass	AV	13.81164G	41.15	68.20	-27.05	3	Vertical	177	1.41
6905MHz	Pass	PK	13.8168G	53.30	88.20	-34.90	3	Vertical	177	1.41
6905MHz	Pass	AV	13.81992G	41.16	68.20	-27.04	3	Horizontal	245	1.50
6905MHz	Pass	PK	13.80056G	53.53	88.20	-34.67	3	Horizontal	245	1.50
802.11be EHT320_Nss1,(MCS0),3xRU996 CP 3_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.857G	95.98	Inf	-Inf	3	Vertical	349	1.50
6905MHz	Pass	AV	7.207G	49.99	68.20	-18.21	3	Vertical	349	1.50
6905MHz	Pass	AV	7.313G	50.30	54.00	-3.70	3	Vertical	349	1.50
6905MHz	Pass	PK	6.857G	107.37	Inf	-Inf	3	Vertical	349	1.50
6905MHz	Pass	PK	7.191G	62.40	88.20	-25.80	3	Vertical	349	1.50
6905MHz	Pass	PK	7.345G	62.27	74.00	-11.73	3	Vertical	349	1.50
6905MHz	Pass	AV	6.857G	97.94	Inf	-Inf	3	Horizontal	349	1.22
6905MHz	Pass	AV	7.245G	50.69	68.20	-17.51	3	Horizontal	349	1.22
6905MHz	Pass	AV	7.309G	50.96	54.00	-3.04	3	Horizontal	349	1.22
6905MHz	Pass	PK	6.855G	107.77	Inf	-Inf	3	Horizontal	349	1.22
6905MHz	Pass	PK	7.239G	61.86	88.20	-26.34	3	Horizontal	349	1.22
6905MHz	Pass	PK	7.299G	62.77	74.00	-11.23	3	Horizontal	349	1.22
6905MHz	Pass	AV	13.81928G	41.19	68.20	-27.01	3	Vertical	310	1.50
6905MHz	Pass	PK	13.81388G	52.79	88.20	-35.41	3	Vertical	310	1.50
6905MHz	Pass	AV	13.8196G	41.17	68.20	-27.03	3	Horizontal	105	1.43
6905MHz	Pass	PK	13.80452G	53.52	88.20	-34.68	3	Horizontal	105	1.43
802.11be EHT320_Nss1,(MCS0),2xRU996+RU484 CP 10_4TX	-	-	-	-	-	-	-	-	-	-
6905MHz	Pass	AV	6.859G	96.81	Inf	-Inf	3	Vertical	349	1.50
6905MHz	Pass	AV	7.231G	50.91	68.20	-17.29	3	Vertical	349	1.50
6905MHz	Pass	AV	7.317G	51.03	54.00	-2.97	3	Vertical	349	1.50
6905MHz	Pass	PK	6.859G	106.57	Inf	-Inf	3	Vertical	349	1.50
6905MHz	Pass	PK	7.249G	62.25	88.20	-25.95	3	Vertical	349	1.50
6905MHz	Pass	PK	7.353G	64.81	74.00	-9.19	3	Vertical	349	1.50
6905MHz	Pass	AV	6.857G	98.89	Inf	-Inf	3	Horizontal	354	1.01
6905MHz	Pass	AV	7.201G	50.81	68.20	-17.39	3	Horizontal	354	1.01
6905MHz	Pass	AV	7.291G	51.07	54.00	-2.93	3	Horizontal	354	1.01
6905MHz	Pass	PK	6.857G	109.66	Inf	-Inf	3	Horizontal	354	1.01
6905MHz	Pass	PK	7.217G	61.84	88.20	-26.36	3	Horizontal	354	1.01
6905MHz	Pass	PK	7.329G	63.49	74.00	-10.51	3	Horizontal	354	1.01
6905MHz	Pass	AV	13.81908G	41.18	68.20	-27.02	3	Vertical	360	1.50
6905MHz	Pass	PK	13.80172G	53.28	88.20	-34.92	3	Vertical	360	1.50
6905MHz	Pass	AV	13.81676G	41.22	68.20	-26.98	3	Horizontal	349	1.50
6905MHz	Pass	PK	13.80364G	53.52	88.20	-34.68	3	Horizontal	349	1.50




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


5985MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 4_4TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX


6105MHz_TX






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 7_4TX

6105MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX


7025MHz_TX






6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_4TX

7025MHz_TX






RSE TX above 1GHz_Non-Beamforming_Radio 2_ Channel Puncturing_LPI

Appendix E.10


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX


6985MHz_TX






6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_4TX


6985MHz_TX





6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.857G	95.84	Inf	-Inf	7.15	3	Vertical	350	1.50	88.69	35.81	8.61	37.27
AV	7.179G	50.95	68.20	-17.25	8.32	3	Vertical	350	1.50	42.63	36.87	8.72	37.27
AV	7.323G	51.06	54.00	-2.94	8.41	3	Vertical	350	1.50	42.65	36.86	8.84	37.29
PK	6.857G	107.41	Inf	-Inf	7.15	3	Vertical	350	1.50	100.26	35.81	8.61	37.27
PK	7.199G	62.36	88.20	-25.84	8.44	3	Vertical	350	1.50	53.92	36.99	8.72	37.27
PK	7.397G	62.19	74.00	-11.81	8.04	3	Vertical	350	1.50	54.15	36.42	8.92	37.30

6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX


6905MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.857G	99.69	Inf	-Inf	7.15	3	Horizontal	351	1.00	92.54	35.81	8.61	37.27
AV	7.199G	51.88	68.20	-16.32	8.44	3	Horizontal	351	1.00	43.44	36.99	8.72	37.27
AV	7.301G	51.30	54.00	-2.70	8.52	3	Horizontal	351	1.00	42.78	36.99	8.82	37.29
PK	6.855G	111.09	Inf	-Inf	7.15	3	Horizontal	351	1.00	103.94	35.81	8.61	37.27
PK	7.125G	64.35	88.20	-23.85	8.04	3	Horizontal	351	1.00	56.31	36.60	8.71	37.27
PK	7.379G	62.56	74.00	-11.44	8.13	3	Horizontal	351	1.00	54.43	36.53	8.90	37.30


6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0),3xRU996+RU484 CP 3_4TX

6905MHz_TX




Antenna Gain(dBi)			
UNII5	UNII6	UNII7	UNII8
1.6	0.9	1.6	1.6

Contention Based protocol (802.11ax HEW20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-74.60	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-74.90	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-72.60	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-74.60	OFF	10	100	90	Pass


Contention Based protocol (802.11ax HEW160)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-67.60	OFF	10	100	90	Pass
				Center	6185	-68.60	OFF	10	100	90	Pass
				High edge	6260	-72.60	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-67.90	OFF	10	100	90	Pass
				Center	6505	-66.90	OFF	10	100	90	Pass
				High edge	6580	-68.90	OFF	10	100	90	Pass
7	143	160	6665	Low edge	6590	-67.60	OFF	10	100	90	Pass
				Center	6665	-64.60	OFF	10	100	90	Pass
				High edge	6740	-69.60	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-69.60	OFF	10	100	90	Pass
				Center	6985	-66.60	OFF	10	100	90	Pass
				High edge	7060	-70.60	OFF	10	100	90	Pass

Contention Based Protocol Threshold Level (802.11ax HEW20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-73.00	1.60	-74.60	≤ -62
						Minimal	-74.00	1.60	-75.60	≤ -62
						ON	-75.00	1.60	-76.60	≤ -62
6	101	20	6455	Center	6455	OFF	-74.00	0.90	-74.90	≤ -62
						Minimal	-75.00	0.90	-75.90	≤ -62
						ON	-76.00	0.90	-76.90	≤ -62
7	149	20	6695	Center	6695	OFF	-71.00	1.60	-72.60	≤ -62
						Minimal	-72.00	1.60	-73.60	≤ -62
						ON	-73.00	1.60	-74.60	≤ -62
8	213	20	7015	Center	7015	OFF	-73.00	1.60	-74.60	≤ -62
						Minimal	-74.00	1.60	-75.60	≤ -62
						ON	-75.00	1.60	-76.60	≤ -62


Contention Based Protocol Threshold Level (802.11ax HEW160)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-66.00	1.60	-67.60	≤ -62
						Minimal	-67.00	1.60	-68.60	
						ON	-68.00	1.60	-69.60	
				Center	6185	OFF	-67.00	1.60	-68.60	≤ -62
						Minimal	-68.00	1.60	-69.60	
						ON	-69.00	1.60	-70.60	
				High edge	6260	OFF	-71.00	1.60	-72.60	≤ -62
						Minimal	-72.00	1.60	-73.60	
						ON	-73.00	1.60	-74.60	
6	111	160	6505	Low edge	6430	OFF	-67.00	0.90	-67.90	≤ -62
						Minimal	-68.00	0.90	-68.90	
						ON	-69.00	0.90	-69.90	
				Center	6505	OFF	-66.00	0.90	-66.90	≤ -62
						Minimal	-67.00	0.90	-67.90	
						ON	-68.00	0.90	-68.90	
				High edge	6580	OFF	-68.00	0.90	-68.90	≤ -62
						Minimal	-69.00	0.90	-69.90	
						ON	-70.00	0.90	-70.90	
7	143	160	6665	Low edge	6590	OFF	-66.00	1.60	-67.60	≤ -62
						Minimal	-67.00	1.60	-68.60	
						ON	-68.00	1.60	-69.60	
				Center	6665	OFF	-63.00	1.60	-64.60	≤ -62
						Minimal	-64.00	1.60	-65.60	
						ON	-65.00	1.60	-66.60	
				High edge	6740	OFF	-68.00	1.60	-69.60	≤ -62
						Minimal	-69.00	1.60	-70.60	
						ON	-70.00	1.60	-71.60	
8	207	160	6985	Low edge	6910	OFF	-68.00	1.60	-69.60	≤ -62
						Minimal	-69.00	1.60	-70.60	
						ON	-69.00	1.60	-70.60	
				Center	6985	OFF	-65.00	1.60	-66.60	≤ -62
						Minimal	-66.00	1.60	-67.60	
						ON	-66.00	1.60	-67.60	
				High edge	7060	OFF	-69.00	1.60	-70.60	≤ -62
						Minimal	-70.00	1.60	-71.60	
						ON	-71.00	1.60	-72.60	




1. Incumbent signal (AWGN) Plot



2. Contention-Based Protocol Plot




Test CH 149 ; Incumbent signal 6695 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 213 ; Incumbent signal 7015 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.




Test CH 47 ; Incumbent signal 6260 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot




Frequency (MHz): 6215 MHz (Threshold Level: -75 dBm)




Bandwidth (MHz): 160


Frequency (MHz): 6110 MHz (Threshold Level: -66dBm)




Frequency (MHz): 6110 MHz (Threshold Level: -67dBm)




Frequency (MHz): 6110 MHz (Threshold Level: -68dBm)




Frequency (MHz): 6185 MHz (Threshold Level: -67dBm)




Frequency (MHz): 6185 MHz (Threshold Level: -68dBm)




Frequency (MHz): 6185 MHz (Threshold Level: -69 dBm)




Frequency (MHz): 6260 MHz (Threshold Level: -71dBm)



Frequency (MHz): 6260 MHz (Threshold Level: -72dBm)



Frequency (MHz): 6260 MHz (Threshold Level: -73dBm)




Antenna Gain(dBi)			
UNII5	UNII6	UNII7	UNII8
2.2	3.5	3.1	1.7

Contention Based protocol (802.11be EHT20)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-74.20	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-73.50	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-73.10	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-72.70	OFF	10	100	90	Pass


Contention Based protocol (802.11be EHT320)											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-70.20	OFF	10	100	90	Pass
				Center	6105	-70.20	OFF	10	100	90	Pass
				High edge	6260	-66.20	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-73.50	OFF	10	100	90	Pass
				Center	6425	-74.50	OFF	10	100	90	Pass
				High edge	6580	-66.50	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-70.10	OFF	10	100	90	Pass
				Center	6585	-72.10	OFF	10	100	90	Pass
				High edge	6740	-68.10	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-69.70	OFF	10	100	90	Pass
				Center	6905	-72.70	OFF	10	100	90	Pass
				High edge	7060	-64.70	OFF	10	100	90	Pass

Contention Based Protocol Threshold Level (802.11be EHT20)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-72.00	2.20	-74.20	≤ -62
						Minimal	-73.00	2.20	-75.20	≤ -62
						ON	-74.00	2.20	-76.20	≤ -62
6	101	20	6455	Center	6455	OFF	-70.00	3.50	-73.50	≤ -62
						Minimal	-71.00	3.50	-74.50	≤ -62
						ON	-72.00	3.50	-75.50	≤ -62
7	149	20	6695	Center	6695	OFF	-70.00	3.10	-73.10	≤ -62
						Minimal	-71.00	3.10	-74.10	≤ -62
						ON	-72.00	3.10	-75.10	≤ -62
8	213	20	7015	Center	7015	OFF	-71.00	1.70	-72.70	≤ -62
						Minimal	-72.00	1.70	-73.70	≤ -62
						ON	-73.00	1.70	-74.70	≤ -62


Contention Based Protocol Threshold Level (802.11be EHT320)										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-68.00	2.20	-70.20	≤ -62
						Minimal	-69.00	2.20	-71.20	
						ON	-69.00	2.20	-71.20	
				Center	6105	OFF	-68.00	2.20	-70.20	≤ -62
						Minimal	-72.00	2.20	-74.20	
						ON	-73.00	2.20	-75.20	
				High edge	6260	OFF	-64.00	2.20	-66.20	≤ -62
						Minimal	-65.00	2.20	-67.20	
						ON	-65.00	2.20	-67.20	
5,6,7	95	320	6425	Low edge	6270	OFF	-70.00	3.50	-73.50	≤ -62
						Minimal	-71.00	3.50	-74.50	
						ON	-71.00	3.50	-74.50	
				Center	6425	OFF	-71.00	3.50	-74.50	≤ -62
						Minimal	-72.00	3.50	-75.50	
						ON	-73.00	3.50	-76.50	
				High edge	6580	OFF	-63.00	3.50	-66.50	≤ -62
						Minimal	-64.00	3.50	-67.50	
						ON	-65.00	3.50	-68.50	
6,7	127	320	6585	Low edge	6430	OFF	-67.00	3.10	-70.10	≤ -62
						Minimal	-68.00	3.10	-71.10	
						ON	-68.00	3.10	-71.10	
				Center	6585	OFF	-69.00	3.10	-72.10	≤ -62
						Minimal	-70.00	3.10	-73.10	
						ON	-71.00	3.10	-74.10	
				High edge	6740	OFF	-65.00	3.10	-68.10	≤ -62
						Minimal	-66.00	3.10	-69.10	
						ON	-67.00	3.10	-70.10	
7,8	191	320	6905	Low edge	6750	OFF	-68.00	1.70	-69.70	≤ -62
						Minimal	-69.00	1.70	-70.70	
						ON	-70.00	1.70	-71.70	
				Center	6905	OFF	-71.00	1.70	-72.70	≤ -62
						Minimal	-72.00	1.70	-73.70	
						ON	-73.00	1.70	-74.70	
				High edge	7060	OFF	-63.00	1.70	-64.70	≤ -62
						Minimal	-64.00	1.70	-65.70	
						ON	-65.00	1.70	-66.70	




1. Incumbent signal (AWGN) Plot



2. Contention-Based Protocol Plot




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.


Test CH 213 ; Incumbent signal 7015 MHz



Note: M1: Inject AWGN signal; M2: Remove AWGN signal.




Test CH 31 ; Incumbent signal 6260 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz




Note: M1: Inject AWGN signal; M2: Remove AWGN signal.

3. Contention Based Protocol Threshold Level Verify Plot




Frequency (MHz): 6215 MHz (Threshold Level: -74 dBm)




Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -68dBm)




Frequency (MHz): 5950 MHz (Threshold Level: -69dBm)




Frequency (MHz): 6105 MHz (Threshold Level: -68dBm)




Frequency (MHz): 6105 MHz (Threshold Level: -72dBm)




Frequency (MHz): 6105 MHz (Threshold Level: -73dBm)



Frequency (MHz): 6260 MHz (Threshold Level: -64 dBm)



Frequency (MHz): 6260 MHz (Threshold Level: -65 dBm)



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.95997G	44.84	54.00	-9.16	Vertical
Mode 2	Pass	AV	4.95997G	45.01	54.00	-8.99	Vertical
Mode 3	Pass	AV	4.96G	45.05	54.00	-8.95	Vertical




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.82403G	31.13	54.00	-22.87	3	Vertical	43	1.23
Mode 1	Pass	AV	4.924G	29.80	54.00	-24.20	3	Vertical	22	1.37
Mode 1	Pass	AV	4.95997G	44.84	54.00	-9.16	3	Vertical	355	1.12
Mode 1	Pass	AV	11.48166G	40.44	54.00	-13.56	3	Vertical	230	1.00
Mode 1	Pass	AV	13.33123G	41.26	54.00	-12.74	3	Vertical	113	1.50
Mode 1	Pass	PK	4.83267G	42.18	74.00	-31.82	3	Vertical	43	1.23
Mode 1	Pass	PK	4.92622G	41.96	74.00	-32.04	3	Vertical	22	1.37
Mode 1	Pass	PK	4.95943G	50.91	74.00	-23.09	3	Vertical	355	1.12
Mode 1	Pass	PK	11.48061G	53.43	74.00	-20.57	3	Vertical	230	1.00
Mode 1	Pass	PK	13.3258G	54.47	74.00	-19.53	3	Vertical	113	1.50
Mode 1	Pass	AV	4.82409G	35.02	54.00	-18.98	3	Horizontal	2	1.52
Mode 1	Pass	AV	4.92394G	30.10	54.00	-23.90	3	Horizontal	354	1.43
Mode 1	Pass	AV	4.95994G	44.00	54.00	-10.00	3	Horizontal	348	1.29
Mode 1	Pass	AV	11.49522G	40.24	54.00	-13.76	3	Horizontal	5	1.50
Mode 1	Pass	AV	13.32568G	41.25	54.00	-12.75	3	Horizontal	337	2.52
Mode 1	Pass	PK	4.82415G	43.40	74.00	-30.60	3	Horizontal	2	1.52
Mode 1	Pass	PK	4.92385G	41.94	74.00	-32.06	3	Horizontal	354	1.43
Mode 1	Pass	PK	4.95937G	50.00	74.00	-24.00	3	Horizontal	348	1.29
Mode 1	Pass	PK	11.49102G	53.39	74.00	-20.61	3	Horizontal	5	1.50
Mode 1	Pass	PK	13.33306G	55.23	74.00	-18.77	3	Horizontal	337	2.52
Mode 2	Pass	AV	4.82403G	35.20	54.00	-18.80	3	Vertical	349	2.01
Mode 2	Pass	AV	4.95997G	45.01	54.00	-8.99	3	Vertical	353	1.13
Mode 2	Pass	AV	11.49636G	40.09	54.00	-13.91	3	Vertical	29	1.50
Mode 2	Pass	AV	11.56043G	39.59	54.00	-14.41	3	Vertical	41	2.44
Mode 2	Pass	AV	13.33168G	41.47	54.00	-12.53	3	Vertical	134	1.50
Mode 2	Pass	PK	4.82424G	44.30	74.00	-29.70	3	Vertical	349	2.01
Mode 2	Pass	PK	4.96048G	51.15	74.00	-22.85	3	Vertical	353	1.13
Mode 2	Pass	PK	11.48415G	53.58	74.00	-20.42	3	Vertical	29	1.50
Mode 2	Pass	PK	11.57387G	53.41	74.00	-20.59	3	Vertical	41	2.44
Mode 2	Pass	PK	13.32169G	54.62	74.00	-19.38	3	Vertical	134	1.50
Mode 2	Pass	AV	4.82409G	31.83	54.00	-22.17	3	Horizontal	360	1.95
Mode 2	Pass	AV	4.95994G	44.61	54.00	-9.39	3	Horizontal	350	1.30
Mode 2	Pass	AV	11.48037G	40.11	54.00	-13.89	3	Horizontal	125	1.50
Mode 2	Pass	AV	11.55818G	39.63	54.00	-14.37	3	Horizontal	143	1.50
Mode 2	Pass	AV	13.31761G	41.25	54.00	-12.75	3	Horizontal	159	1.05
Mode 2	Pass	PK	4.82787G	43.77	74.00	-30.23	3	Horizontal	360	1.95
Mode 2	Pass	PK	4.95949G	50.94	74.00	-23.06	3	Horizontal	350	1.30
Mode 2	Pass	PK	11.48415G	53.34	74.00	-20.66	3	Horizontal	125	1.50
Mode 2	Pass	PK	11.55635G	53.90	74.00	-20.10	3	Horizontal	143	1.50
Mode 2	Pass	PK	13.32469G	54.41	74.00	-19.59	3	Horizontal	159	1.05
Mode 3	Pass	AV	4.82397G	34.60	54.00	-19.40	3	Vertical	343	2.18
Mode 3	Pass	AV	4.96G	45.05	54.00	-8.95	3	Vertical	352	1.12
Mode 3	Pass	AV	11.49854G	40.14	54.00	-13.86	3	Vertical	249	1.50
Mode 3	Pass	AV	13.36602G	41.22	54.00	-12.78	3	Vertical	181	1.50
Mode 3	Pass	AV	13.4767G	41.77	68.20	-26.43	3	Vertical	357	1.74
Mode 3	Pass	PK	4.82406G	42.93	74.00	-31.07	3	Vertical	343	2.18
Mode 3	Pass	PK	4.95943G	51.08	74.00	-22.92	3	Vertical	352	1.12
Mode 3	Pass	PK	11.4842G	53.36	74.00	-20.64	3	Vertical	249	1.50
Mode 3	Pass	PK	13.36452G	54.89	74.00	-19.11	3	Vertical	181	1.50
Mode 3	Pass	PK	13.3966G	54.35	74.00	-19.65	3	Vertical	357	1.74


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 3	Pass	AV	4.82412G	34.92	54.00	-19.08	3	Horizontal	360	1.36
Mode 3	Pass	AV	4.95997G	44.48	54.00	-9.52	3	Horizontal	352	1.30
Mode 3	Pass	AV	11.49552G	40.25	54.00	-13.75	3	Horizontal	68	1.50
Mode 3	Pass	AV	13.3374G	41.67	54.00	-12.33	3	Horizontal	67	1.61
Mode 3	Pass	AV	13.36733G	41.24	54.00	-12.76	3	Horizontal	74	1.17
Mode 3	Pass	PK	4.82409G	43.34	74.00	-30.66	3	Horizontal	360	1.36
Mode 3	Pass	PK	4.95964G	50.64	74.00	-23.36	3	Horizontal	352	1.30
Mode 3	Pass	PK	11.49508G	53.50	74.00	-20.50	3	Horizontal	68	1.50
Mode 3	Pass	PK	13.3G	54.70	74.00	-19.30	3	Horizontal	67	1.61
Mode 3	Pass	PK	13.37408G	54.78	74.00	-19.22	3	Horizontal	74	1.17

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82403G	31.13	54.00	-22.87	-0.11	3	Vertical	43	1.23	-	31.24	32.50	5.57	38.18
AV	4.924G	29.80	54.00	-24.20	0.39	3	Vertical	22	1.37	-	29.41	32.89	5.62	38.12
AV	4.95997G	44.84	54.00	-9.16	0.67	3	Vertical	355	1.12	-	44.17	33.14	5.63	38.10
AV	11.48166G	40.44	54.00	-13.56	10.09	3	Vertical	230	1.00	-	30.35	39.26	8.61	37.78
AV	13.33123G	41.26	54.00	-12.74	10.49	3	Vertical	113	1.50	-	30.77	39.96	9.25	38.72
PK	4.83267G	42.18	74.00	-31.82	-0.08	3	Vertical	43	1.23	-	42.26	32.53	5.57	38.18
PK	4.92622G	41.96	74.00	-32.04	0.41	3	Vertical	22	1.37	-	41.55	32.91	5.62	38.12
PK	4.95943G	50.91	74.00	-23.09	0.67	3	Vertical	355	1.12	-	50.24	33.14	5.63	38.10
PK	11.48061G	53.43	74.00	-20.57	10.09	3	Vertical	230	1.00	-	43.34	39.26	8.61	37.78
PK	13.3258G	54.47	74.00	-19.53	10.48	3	Vertical	113	1.50	-	43.99	39.95	9.25	38.72

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82409G	35.02	54.00	-18.98	-0.11	3	Horizontal	2	1.52	-	35.13	32.50	5.57	38.18
AV	4.92394G	30.10	54.00	-23.90	0.39	3	Horizontal	354	1.43	-	29.71	32.89	5.62	38.12
AV	4.95994G	44.00	54.00	-10.00	0.67	3	Horizontal	348	1.29	-	43.33	33.14	5.63	38.10
AV	11.49522G	40.24	54.00	-13.76	10.12	3	Horizontal	5	1.50	-	30.12	39.29	8.61	37.78
AV	13.32568G	41.25	54.00	-12.75	10.48	3	Horizontal	337	2.52	-	30.77	39.95	9.25	38.72
PK	4.82415G	43.40	74.00	-30.60	-0.11	3	Horizontal	2	1.52	-	43.51	32.50	5.57	38.18
PK	4.92385G	41.94	74.00	-32.06	0.39	3	Horizontal	354	1.43	-	41.55	32.89	5.62	38.12
PK	4.95937G	50.00	74.00	-24.00	0.67	3	Horizontal	348	1.29	-	49.33	33.14	5.63	38.10
PK	11.49102G	53.39	74.00	-20.61	10.11	3	Horizontal	5	1.50	-	43.28	39.28	8.61	37.78
PK	13.33306G	55.23	74.00	-18.77	10.50	3	Horizontal	337	2.52	-	44.73	39.97	9.25	38.72


Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3

