



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	43.44	54.00	-10.56	2.44	3	Vertical	77	1.08	41.00	33.22	6.76	37.54
AV	5.4992G	98.83	Inf	-Inf	2.56	3	Vertical	77	1.08	96.27	33.30	6.80	37.54
PK	5.4576G	55.37	74.00	-18.63	2.44	3	Vertical	77	1.08	52.93	33.22	6.76	37.54
PK	5.4692G	57.29	68.20	-10.91	2.47	3	Vertical	77	1.08	54.82	33.24	6.77	37.54
PK	5.499G	107.25	Inf	-Inf	2.56	3	Vertical	77	1.08	104.69	33.30	6.80	37.54

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	46.39	54.00	-7.61	2.44	3	Horizontal	3	1.01	43.95	33.22	6.76	37.54
AV	5.4994G	110.42	Inf	-Inf	2.56	3	Horizontal	3	1.01	107.86	33.30	6.80	37.54
PK	5.459G	59.26	74.00	-14.74	2.44	3	Horizontal	3	1.01	56.82	33.22	6.76	37.54
PK	5.4694G	66.67	68.20	-1.53	2.47	3	Horizontal	3	1.01	64.20	33.24	6.77	37.54
PK	5.4992G	118.57	Inf	-Inf	2.56	3	Horizontal	3	1.01	116.01	33.30	6.80	37.54


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	44.90	54.00	-9.10	2.43	3	Vertical	111	1.00	42.47	33.21	6.76	37.54
AV	5.499G	98.19	Inf	-Inf	2.56	3	Vertical	111	1.00	95.63	33.30	6.80	37.54
PK	5.4544G	56.84	74.00	-17.16	2.42	3	Vertical	111	1.00	54.42	33.21	6.75	37.54
PK	5.4682G	58.52	68.20	-9.68	2.47	3	Vertical	111	1.00	56.05	33.24	6.77	37.54
PK	5.4982G	109.24	Inf	-Inf	2.56	3	Vertical	111	1.00	106.68	33.30	6.80	37.54

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.29	54.00	-5.71	2.44	3	Horizontal	4	1.00	45.85	33.22	6.76	37.54
AV	5.4994G	109.50	Inf	-Inf	2.56	3	Horizontal	4	1.00	106.94	33.30	6.80	37.54
PK	5.4574G	62.84	74.00	-11.16	2.43	3	Horizontal	4	1.00	60.41	33.21	6.76	37.54
PK	5.4696G	66.32	68.20	-1.88	2.47	3	Horizontal	4	1.00	63.85	33.24	6.77	37.54
PK	5.4988G	121.29	Inf	-Inf	2.56	3	Horizontal	4	1.00	118.73	33.30	6.80	37.54


5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	45.07	54.00	-8.93	2.44	3	Vertical	73	1.00	42.63	33.22	6.76	37.54
AV	5.5088G	94.22	Inf	-Inf	2.59	3	Vertical	73	1.00	91.63	33.32	6.81	37.54
PK	5.4144G	57.38	74.00	-16.62	2.37	3	Vertical	73	1.00	55.01	33.20	6.71	37.54
PK	5.47G	59.27	68.20	-8.93	2.47	3	Vertical	73	1.00	56.80	33.24	6.77	37.54
PK	5.5084G	105.08	Inf	-Inf	2.59	3	Vertical	73	1.00	102.49	33.32	6.81	37.54

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.38	54.00	-4.62	2.44	3	Horizontal	3	1.00	46.94	33.22	6.76	37.54
AV	5.5088G	104.95	Inf	-Inf	2.59	3	Horizontal	3	1.00	102.36	33.32	6.81	37.54
PK	5.46G	66.79	74.00	-7.21	2.44	3	Horizontal	3	1.00	64.35	33.22	6.76	37.54
PK	5.4696G	67.16	68.20	-1.04	2.47	3	Horizontal	3	1.00	64.69	33.24	6.77	37.54
PK	5.5088G	116.84	Inf	-Inf	2.59	3	Horizontal	3	1.00	114.25	33.32	6.81	37.54


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	45.00	54.00	-9.00	2.41	3	Vertical	123	1.00	42.59	33.20	6.75	37.54
AV	5.606G	92.49	Inf	-Inf	2.83	3	Vertical	123	1.00	89.66	33.42	6.91	37.50
PK	5.391G	57.03	74.00	-16.97	2.34	3	Vertical	123	1.00	54.69	33.18	6.70	37.54
PK	5.469G	56.88	68.20	-11.32	2.47	3	Vertical	123	1.00	54.41	33.24	6.77	37.54
PK	5.606G	102.92	Inf	-Inf	2.83	3	Vertical	123	1.00	100.09	33.42	6.91	37.50
PK	5.817G	59.27	68.20	-8.93	4.18	3	Vertical	123	1.00	55.09	34.40	7.21	37.43

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	47.64	54.00	-6.36	2.41	3	Horizontal	9	1.00	45.23	33.20	6.75	37.54
AV	5.608G	103.37	Inf	-Inf	2.85	3	Horizontal	9	1.00	100.52	33.43	6.92	37.50
PK	5.448G	60.68	74.00	-13.32	2.41	3	Horizontal	9	1.00	58.27	33.20	6.75	37.54
PK	5.468G	62.47	68.20	-5.73	2.47	3	Horizontal	9	1.00	60.00	33.24	6.77	37.54
PK	5.607G	114.91	Inf	-Inf	2.84	3	Horizontal	9	1.00	112.07	33.43	6.91	37.50
PK	5.725G	65.23	68.20	-2.97	3.63	3	Horizontal	9	1.00	61.60	33.95	7.14	37.46


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	AV	5.121G	49.36	54.00	-4.64	3	Horizontal	183	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	Pass	AV	5.351G	53.29	54.00	-0.71	3	Horizontal	9	2.26
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	Pass	PK	5.4072G	73.75	74.00	-0.25	3	Horizontal	183	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	PK	5.464G	67.82	68.20	-0.38	3	Horizontal	12	3.00
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	Pass	PK	5.7752G	66.79	68.20	-1.41	3	Horizontal	9	2.94
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	Pass	PK	5.619G	68.05	68.20	-0.15	3	Horizontal	12	2.71



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.123G	46.56	54.00	-7.44	3	Vertical	100	2.94
5210MHz_TX	Pass	AV	5.185G	91.92	Inf	-Inf	3	Vertical	100	2.94
5210MHz_TX	Pass	AV	5.368G	44.62	54.00	-9.38	3	Vertical	100	2.94
5210MHz_TX	Pass	PK	5.132G	61.26	74.00	-12.74	3	Vertical	100	2.94
5210MHz_TX	Pass	PK	5.184G	103.09	Inf	-Inf	3	Vertical	100	2.94
5210MHz_TX	Pass	PK	5.36G	57.13	74.00	-16.87	3	Vertical	100	2.94
5210MHz_TX	Pass	AV	5.121G	49.36	54.00	-4.64	3	Horizontal	183	1.50
5210MHz_TX	Pass	AV	5.179G	97.11	Inf	-Inf	3	Horizontal	183	1.50
5210MHz_TX	Pass	AV	5.366G	44.02	54.00	-9.98	3	Horizontal	183	1.50
5210MHz_TX	Pass	PK	5.133G	68.07	74.00	-5.93	3	Horizontal	183	1.50
5210MHz_TX	Pass	PK	5.177G	108.44	Inf	-Inf	3	Horizontal	183	1.50
5210MHz_TX	Pass	PK	5.353G	56.11	74.00	-17.89	3	Horizontal	183	1.50
5210MHz_TX	Pass	AV	15.62344G	40.53	54.00	-13.47	3	Vertical	82	1.36
5210MHz_TX	Pass	PK	10.39344G	50.88	68.20	-17.32	3	Vertical	166	2.25
5210MHz_TX	Pass	PK	15.63176G	52.03	74.00	-21.97	3	Vertical	82	1.36
5210MHz_TX	Pass	AV	15.59032G	40.43	54.00	-13.57	3	Horizontal	247	2.56
5210MHz_TX	Pass	PK	10.45536G	51.08	68.20	-17.12	3	Horizontal	223	2.73
5210MHz_TX	Pass	PK	15.59128G	53.13	74.00	-20.87	3	Horizontal	247	2.56
802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_TX	Pass	AV	5.04G	44.38	54.00	-9.62	3	Vertical	248	3.00
5290MHz_TX	Pass	AV	5.312G	83.47	Inf	-Inf	3	Vertical	248	3.00
5290MHz_TX	Pass	AV	5.355G	45.11	54.00	-8.89	3	Vertical	248	3.00
5290MHz_TX	Pass	PK	5.11G	56.05	74.00	-17.95	3	Vertical	248	3.00
5290MHz_TX	Pass	PK	5.312G	94.83	Inf	-Inf	3	Vertical	248	3.00
5290MHz_TX	Pass	PK	5.419G	57.20	74.00	-16.80	3	Vertical	248	3.00
5290MHz_TX	Pass	PK	5.467G	56.61	68.20	-11.59	3	Vertical	248	3.00
5290MHz_TX	Pass	AV	5.149G	46.01	54.00	-7.99	3	Horizontal	9	2.26
5290MHz_TX	Pass	AV	5.275G	101.03	Inf	-Inf	3	Horizontal	9	2.26
5290MHz_TX	Pass	AV	5.351G	53.29	54.00	-0.71	3	Horizontal	9	2.26
5290MHz_TX	Pass	PK	5.146G	59.18	74.00	-14.82	3	Horizontal	9	2.26
5290MHz_TX	Pass	PK	5.254G	113.88	Inf	-Inf	3	Horizontal	9	2.26
5290MHz_TX	Pass	PK	5.35G	69.01	74.00	-4.99	3	Horizontal	9	2.26
5290MHz_TX	Pass	PK	5.532G	57.41	68.20	-10.79	3	Horizontal	9	2.26
5290MHz_TX	Pass	AV	10.61152G	40.45	54.00	-13.55	3	Vertical	183	1.48
5290MHz_TX	Pass	AV	15.84664G	40.41	54.00	-13.59	3	Vertical	141	2.43
5290MHz_TX	Pass	PK	10.616G	52.34	74.00	-21.66	3	Vertical	183	1.48
5290MHz_TX	Pass	PK	15.83336G	52.60	74.00	-21.40	3	Vertical	141	2.43
5290MHz_TX	Pass	AV	10.61376G	40.20	54.00	-13.80	3	Horizontal	62	1.06
5290MHz_TX	Pass	AV	15.84776G	40.25	54.00	-13.75	3	Horizontal	19	2.57
5290MHz_TX	Pass	PK	10.55248G	51.81	68.20	-16.39	3	Horizontal	62	1.06
5290MHz_TX	Pass	PK	15.86952G	51.57	74.00	-22.43	3	Horizontal	19	2.57
5530MHz_TX	Pass	AV	5.35G	44.14	54.00	-9.86	3	Vertical	311	1.00
5530MHz_TX	Pass	AV	5.436G	44.61	54.00	-9.39	3	Vertical	311	1.00
5530MHz_TX	Pass	AV	5.506G	85.18	Inf	-Inf	3	Vertical	311	1.00
5530MHz_TX	Pass	PK	5.309G	57.03	68.20	-11.17	3	Vertical	311	1.00
5530MHz_TX	Pass	PK	5.412G	57.12	74.00	-16.88	3	Vertical	311	1.00
5530MHz_TX	Pass	PK	5.464G	56.09	68.20	-12.11	3	Vertical	311	1.00
5530MHz_TX	Pass	PK	5.505G	97.01	Inf	-Inf	3	Vertical	311	1.00
5530MHz_TX	Pass	PK	5.776G	57.70	68.20	-10.50	3	Vertical	311	1.00
5530MHz_TX	Pass	AV	5.35G	45.97	54.00	-8.03	3	Horizontal	8	2.94
5530MHz_TX	Pass	AV	5.458G	50.19	54.00	-3.81	3	Horizontal	8	2.94
5530MHz_TX	Pass	AV	5.507G	102.25	Inf	-Inf	3	Horizontal	8	2.94
5530MHz_TX	Pass	PK	5.317G	58.85	68.20	-9.35	3	Horizontal	8	2.94
5530MHz_TX	Pass	PK	5.449G	67.58	74.00	-6.42	3	Horizontal	8	2.94
5530MHz_TX	Pass	PK	5.463G	67.31	68.20	-0.89	3	Horizontal	8	2.94
5530MHz_TX	Pass	PK	5.506G	113.39	Inf	-Inf	3	Horizontal	8	2.94
5530MHz_TX	Pass	PK	5.773G	58.58	68.20	-9.62	3	Horizontal	8	2.94
5530MHz_TX	Pass	AV	11.06576G	40.03	54.00	-13.97	3	Vertical	112	1.81
5530MHz_TX	Pass	PK	11.0568G	51.34	74.00	-22.66	3	Vertical	112	1.81
5530MHz_TX	Pass	PK	16.61208G	52.65	68.20	-15.55	3	Vertical	74	2.08

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz_TX	Pass	AV	11.09872G	40.22	54.00	-13.78	3	Horizontal	269	2.64
5530MHz_TX	Pass	PK	11.0904G	51.54	74.00	-22.46	3	Horizontal	269	2.64
5530MHz_TX	Pass	PK	16.61144G	52.22	68.20	-15.98	3	Horizontal	16	2.21
802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5610MHz_TX	Pass	AV	5.458G	44.71	54.00	-9.29	3	Vertical	307	3.00
5610MHz_TX	Pass	AV	5.588G	90.96	Inf	-Inf	3	Vertical	307	3.00
5610MHz_TX	Pass	PK	5.416G	56.57	74.00	-17.43	3	Vertical	307	3.00
5610MHz_TX	Pass	PK	5.467G	56.15	68.20	-12.05	3	Vertical	307	3.00
5610MHz_TX	Pass	PK	5.587G	101.61	Inf	-Inf	3	Vertical	307	3.00
5610MHz_TX	Pass	PK	5.838G	58.86	68.20	-9.34	3	Vertical	307	3.00
5610MHz_TX	Pass	AV	5.458G	50.57	54.00	-3.43	3	Horizontal	12	3.00
5610MHz_TX	Pass	AV	5.588G	105.86	Inf	-Inf	3	Horizontal	12	3.00
5610MHz_TX	Pass	PK	5.397G	68.83	74.00	-5.17	3	Horizontal	12	3.00
5610MHz_TX	Pass	PK	5.464G	67.82	68.20	-0.38	3	Horizontal	12	3.00
5610MHz_TX	Pass	PK	5.587G	117.04	Inf	-Inf	3	Horizontal	12	3.00
5610MHz_TX	Pass	PK	5.762G	65.58	68.20	-2.62	3	Horizontal	12	3.00
5610MHz_TX	Pass	AV	11.23824G	40.44	54.00	-13.56	3	Vertical	80	1.09
5610MHz_TX	Pass	PK	11.23776G	52.11	74.00	-21.89	3	Vertical	80	1.09
5610MHz_TX	Pass	PK	16.81848G	51.90	68.20	-16.30	3	Vertical	122	2.96
5610MHz_TX	Pass	AV	11.24992G	40.49	54.00	-13.51	3	Horizontal	56	2.84
5610MHz_TX	Pass	PK	11.2064G	52.51	74.00	-21.49	3	Horizontal	56	2.84
5610MHz_TX	Pass	PK	16.84616G	52.28	68.20	-15.92	3	Horizontal	203	2.47
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4584G	44.37	54.00	-9.63	3	Vertical	231	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6672G	86.53	Inf	-Inf	3	Vertical	231	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4212G	56.39	74.00	-17.61	3	Vertical	231	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.462G	55.67	68.20	-12.53	3	Vertical	231	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6672G	97.87	Inf	-Inf	3	Vertical	231	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9372G	58.56	68.20	-9.64	3	Vertical	231	3.00
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4584G	45.53	54.00	-8.47	3	Horizontal	12	2.63
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6516G	100.47	Inf	-Inf	3	Horizontal	12	2.63
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4584G	58.68	74.00	-15.32	3	Horizontal	12	2.63
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4692G	58.22	68.20	-9.98	3	Horizontal	12	2.63
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6516G	112.42	Inf	-Inf	3	Horizontal	12	2.63
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.9312G	58.84	68.20	-9.36	3	Horizontal	12	2.63
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.36064G	40.26	54.00	-13.74	3	Vertical	306	2.98
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.3936G	52.63	74.00	-21.37	3	Vertical	306	2.98
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	17.08056G	51.83	68.20	-16.37	3	Vertical	154	1.45
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.3664G	40.32	54.00	-13.68	3	Horizontal	210	2.53
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.37728G	51.91	74.00	-22.09	3	Horizontal	210	2.53
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	17.08568G	51.67	68.20	-16.53	3	Horizontal	106	1.77
5775MHz_TX	Pass	AV	5.7522G	92.40	Inf	-Inf	3	Vertical	128	2.68
5775MHz_TX	Pass	PK	5.6334G	59.92	68.20	-8.28	3	Vertical	128	2.68
5775MHz_TX	Pass	PK	5.7522G	104.36	Inf	-Inf	3	Vertical	128	2.68
5775MHz_TX	Pass	PK	5.9346G	59.92	68.20	-8.28	3	Vertical	128	2.68
5775MHz_TX	Pass	AV	5.7534G	103.81	Inf	-Inf	3	Horizontal	12	2.71
5775MHz_TX	Pass	PK	5.619G	68.05	68.20	-0.15	3	Horizontal	12	2.71
5775MHz_TX	Pass	PK	5.751G	115.80	Inf	-Inf	3	Horizontal	12	2.71
5775MHz_TX	Pass	PK	6.0318G	58.88	68.20	-9.32	3	Horizontal	12	2.71
5775MHz_TX	Pass	AV	11.53688G	39.41	54.00	-14.59	3	Vertical	72	2.96
5775MHz_TX	Pass	PK	11.58856G	51.15	74.00	-22.85	3	Vertical	72	2.96
5775MHz_TX	Pass	PK	17.31396G	53.07	68.20	-15.13	3	Vertical	316	1.12
5775MHz_TX	Pass	AV	11.54056G	39.49	54.00	-14.51	3	Horizontal	359	2.87
5775MHz_TX	Pass	PK	11.51576G	52.56	74.00	-21.44	3	Horizontal	359	2.87
5775MHz_TX	Pass	PK	17.31412G	52.82	68.20	-15.38	3	Horizontal	298	2.21
802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1492G	46.53	54.00	-7.47	3	Vertical	112	2.81
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.2068G	88.53	Inf	-Inf	3	Vertical	112	2.81
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.3832G	48.36	54.00	-5.64	3	Vertical	112	2.81
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.124G	63.60	74.00	-10.40	3	Vertical	112	2.81
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.2572G	99.60	Inf	-Inf	3	Vertical	112	2.81
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.35G	67.58	74.00	-6.42	3	Vertical	112	2.81
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4684G	59.54	68.20	-8.66	3	Vertical	112	2.81

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.15G	52.34	54.00	-1.66	3	Horizontal	183	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1996G	96.91	Inf	-Inf	3	Horizontal	183	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.388G	51.85	54.00	-2.15	3	Horizontal	183	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1168G	72.20	74.00	-1.80	3	Horizontal	183	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1972G	107.73	Inf	-Inf	3	Horizontal	183	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4072G	73.75	74.00	-0.25	3	Horizontal	183	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4636G	66.73	68.20	-1.47	3	Horizontal	183	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	15.75256G	40.49	54.00	-13.51	3	Vertical	20	1.49
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.5688G	51.70	68.20	-16.50	3	Vertical	77	1.82
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	15.68056G	52.27	74.00	-21.73	3	Vertical	20	1.49
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	15.74968G	40.58	54.00	-13.42	3	Horizontal	131	2.29
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.5624G	51.81	68.20	-16.39	3	Horizontal	296	2.47
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	15.77368G	52.73	74.00	-21.27	3	Horizontal	131	2.29
802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz_TX	Pass	AV	5.4056G	44.69	54.00	-9.31	3	Vertical	302	2.93
5570MHz_TX	Pass	AV	5.528G	84.09	Inf	-Inf	3	Vertical	302	2.93
5570MHz_TX	Pass	PK	5.2916G	56.54	68.20	-11.66	3	Vertical	302	2.93
5570MHz_TX	Pass	PK	5.4332G	57.96	74.00	-16.04	3	Vertical	302	2.93
5570MHz_TX	Pass	PK	5.4644G	55.86	68.20	-12.34	3	Vertical	302	2.93
5570MHz_TX	Pass	PK	5.5352G	95.63	Inf	-Inf	3	Vertical	302	2.93
5570MHz_TX	Pass	PK	5.7344G	58.56	68.20	-9.64	3	Vertical	302	2.93
5570MHz_TX	Pass	AV	5.4476G	49.86	54.00	-4.14	3	Horizontal	9	2.94
5570MHz_TX	Pass	AV	5.5076G	99.50	Inf	-Inf	3	Horizontal	9	2.94
5570MHz_TX	Pass	PK	5.3084G	60.35	68.20	-7.85	3	Horizontal	9	2.94
5570MHz_TX	Pass	PK	5.4344G	71.03	74.00	-2.97	3	Horizontal	9	2.94
5570MHz_TX	Pass	PK	5.4668G	66.61	68.20	-1.59	3	Horizontal	9	2.94
5570MHz_TX	Pass	PK	5.5052G	111.08	Inf	-Inf	3	Horizontal	9	2.94
5570MHz_TX	Pass	PK	5.7752G	66.79	68.20	-1.41	3	Horizontal	9	2.94
5570MHz_TX	Pass	AV	11.16272G	40.46	54.00	-13.54	3	Vertical	168	2.18
5570MHz_TX	Pass	PK	11.14672G	52.45	74.00	-21.55	3	Vertical	168	2.18
5570MHz_TX	Pass	PK	16.65688G	52.58	68.20	-15.62	3	Vertical	97	2.16
5570MHz_TX	Pass	AV	11.20272G	40.42	54.00	-13.58	3	Horizontal	178	1.92
5570MHz_TX	Pass	PK	11.20112G	52.22	74.00	-21.78	3	Horizontal	178	1.92
5570MHz_TX	Pass	PK	16.73656G	52.44	68.20	-15.76	3	Horizontal	55	2.37


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	44.71	54.00	-9.29	3.28	3	Vertical	307	3.00	41.43	33.22	7.60	37.54
AV	5.588G	90.96	Inf	-Inf	3.61	3	Vertical	307	3.00	87.35	33.40	7.72	37.51
PK	5.416G	56.57	74.00	-17.43	3.22	3	Vertical	307	3.00	53.35	33.20	7.56	37.54
PK	5.467G	56.15	68.20	-12.05	3.29	3	Vertical	307	3.00	52.86	33.23	7.60	37.54
PK	5.587G	101.61	Inf	-Inf	3.61	3	Vertical	307	3.00	98.00	33.40	7.72	37.51
PK	5.838G	58.86	68.20	-9.34	4.95	3	Vertical	307	3.00	53.91	34.40	7.98	37.43

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.57	54.00	-3.43	3.28	3	Horizontal	12	3.00	47.29	33.22	7.60	37.54
AV	5.588G	105.86	Inf	-Inf	3.61	3	Horizontal	12	3.00	102.25	33.40	7.72	37.51
PK	5.397G	68.83	74.00	-5.17	3.19	3	Horizontal	12	3.00	65.64	33.19	7.54	37.54
PK	5.464G	67.82	68.20	-0.38	3.29	3	Horizontal	12	3.00	64.53	33.23	7.60	37.54
PK	5.587G	117.04	Inf	-Inf	3.61	3	Horizontal	12	3.00	113.43	33.40	7.72	37.51
PK	5.762G	65.58	68.20	-2.62	4.64	3	Horizontal	12	3.00	60.94	34.17	7.92	37.45


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU484+3xRU242 MRU 1_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU242+RU242 MRU 1_2TX

5775MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	Pass	AV	5.148G	49.79	54.00	-4.21	3	Horizontal	7	1.00
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	AV	5.35G	51.94	54.00	-2.06	3	Horizontal	174	2.16
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	Pass	PK	5.142G	73.50	74.00	-0.50	3	Horizontal	174	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	PK	5.467G	67.67	68.20	-0.53	3	Horizontal	3	1.00
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	Pass	PK	5.4608G	67.21	68.20	-0.99	3	Horizontal	9	1.00
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	Pass	PK	5.6226G	65.62	68.20	-2.58	3	Horizontal	9	1.01

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.146G	45.60	54.00	-8.40	3	Vertical	92	1.00
5210MHz_TX	Pass	AV	5.207G	87.96	Inf	-Inf	3	Vertical	92	1.00
5210MHz_TX	Pass	AV	5.403G	45.19	54.00	-8.81	3	Vertical	92	1.00
5210MHz_TX	Pass	PK	5.141G	58.37	74.00	-15.63	3	Vertical	92	1.00
5210MHz_TX	Pass	PK	5.207G	99.51	Inf	-Inf	3	Vertical	92	1.00
5210MHz_TX	Pass	PK	5.376G	57.43	74.00	-16.57	3	Vertical	92	1.00
5210MHz_TX	Pass	AV	5.148G	49.79	54.00	-4.21	3	Horizontal	7	1.00
5210MHz_TX	Pass	AV	5.208G	96.15	Inf	-Inf	3	Horizontal	7	1.00
5210MHz_TX	Pass	AV	5.4G	45.43	54.00	-8.57	3	Horizontal	7	1.00
5210MHz_TX	Pass	PK	5.149G	63.90	74.00	-10.10	3	Horizontal	7	1.00
5210MHz_TX	Pass	PK	5.207G	107.45	Inf	-Inf	3	Horizontal	7	1.00
5210MHz_TX	Pass	PK	5.457G	57.84	74.00	-16.16	3	Horizontal	7	1.00
5210MHz_TX	Pass	PK	10.38624G	50.05	68.20	-18.15	3	Vertical	156	1.50
5210MHz_TX	Pass	PK	10.43648G	49.90	68.20	-18.30	3	Horizontal	325	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5290MHz_TX	Pass	AV	5.15G	44.81	54.00	-9.19	3	Vertical	108	3.00
5290MHz_TX	Pass	AV	5.302G	86.62	Inf	-Inf	3	Vertical	108	3.00
5290MHz_TX	Pass	AV	5.363G	46.75	54.00	-7.25	3	Vertical	108	3.00
5290MHz_TX	Pass	PK	5.149G	57.32	74.00	-16.68	3	Vertical	108	3.00
5290MHz_TX	Pass	PK	5.304G	97.70	Inf	-Inf	3	Vertical	108	3.00
5290MHz_TX	Pass	PK	5.36G	63.58	74.00	-10.42	3	Vertical	108	3.00
5290MHz_TX	Pass	PK	5.53G	57.75	68.20	-10.45	3	Vertical	108	3.00
5290MHz_TX	Pass	AV	5.15G	45.43	54.00	-8.57	3	Horizontal	174	2.16
5290MHz_TX	Pass	AV	5.292G	97.20	Inf	-Inf	3	Horizontal	174	2.16
5290MHz_TX	Pass	AV	5.35G	51.94	54.00	-2.06	3	Horizontal	174	2.16
5290MHz_TX	Pass	PK	5.111G	58.47	74.00	-15.53	3	Horizontal	174	2.16
5290MHz_TX	Pass	PK	5.292G	108.45	Inf	-Inf	3	Horizontal	174	2.16
5290MHz_TX	Pass	PK	5.351G	71.32	74.00	-2.68	3	Horizontal	174	2.16
5290MHz_TX	Pass	PK	5.536G	57.72	68.20	-10.48	3	Horizontal	174	2.16
5290MHz_TX	Pass	PK	10.57328G	50.44	68.20	-17.76	3	Vertical	320	1.50
5290MHz_TX	Pass	PK	10.57504G	50.26	68.20	-17.94	3	Horizontal	53	1.50
5530MHz_TX	Pass	AV	5.35G	44.24	54.00	-9.76	3	Vertical	74	1.00
5530MHz_TX	Pass	AV	5.45G	45.20	54.00	-8.80	3	Vertical	74	1.00
5530MHz_TX	Pass	AV	5.532G	82.22	Inf	-Inf	3	Vertical	74	1.00
5530MHz_TX	Pass	PK	5.288G	56.42	68.20	-11.78	3	Vertical	74	1.00
5530MHz_TX	Pass	PK	5.448G	58.05	74.00	-15.95	3	Vertical	74	1.00
5530MHz_TX	Pass	PK	5.464G	59.12	68.20	-9.08	3	Vertical	74	1.00
5530MHz_TX	Pass	PK	5.532G	93.30	Inf	-Inf	3	Vertical	74	1.00
5530MHz_TX	Pass	PK	5.766G	58.37	68.20	-9.83	3	Vertical	74	1.00
5530MHz_TX	Pass	AV	5.35G	44.51	54.00	-9.49	3	Horizontal	6	1.00
5530MHz_TX	Pass	AV	5.451G	48.53	54.00	-5.47	3	Horizontal	6	1.00
5530MHz_TX	Pass	AV	5.532G	92.15	Inf	-Inf	3	Horizontal	6	1.00
5530MHz_TX	Pass	PK	5.294G	56.96	68.20	-11.24	3	Horizontal	6	1.00
5530MHz_TX	Pass	PK	5.448G	65.27	74.00	-8.73	3	Horizontal	6	1.00
5530MHz_TX	Pass	PK	5.465G	66.16	68.20	-2.04	3	Horizontal	6	1.00
5530MHz_TX	Pass	PK	5.532G	102.93	Inf	-Inf	3	Horizontal	6	1.00
5530MHz_TX	Pass	PK	5.775G	58.09	68.20	-10.11	3	Horizontal	6	1.00
5530MHz_TX	Pass	AV	11.02864G	37.94	54.00	-16.06	3	Vertical	351	1.50
5530MHz_TX	Pass	PK	11.02832G	49.70	74.00	-24.30	3	Vertical	351	1.50
5530MHz_TX	Pass	AV	11.03392G	37.86	54.00	-16.14	3	Horizontal	98	1.50
5530MHz_TX	Pass	PK	11.06112G	50.20	74.00	-23.80	3	Horizontal	98	1.50
5610MHz_TX	Pass	AV	5.456G	46.25	54.00	-7.75	3	Vertical	80	1.01
5610MHz_TX	Pass	AV	5.611G	92.03	Inf	-Inf	3	Vertical	80	1.01
5610MHz_TX	Pass	PK	5.458G	59.53	74.00	-14.47	3	Vertical	80	1.01
5610MHz_TX	Pass	PK	5.463G	58.47	68.20	-9.73	3	Vertical	80	1.01
5610MHz_TX	Pass	PK	5.612G	103.30	Inf	-Inf	3	Vertical	80	1.01
5610MHz_TX	Pass	PK	5.726G	60.32	68.20	-7.88	3	Vertical	80	1.01
5610MHz_TX	Pass	AV	5.457G	51.12	54.00	-2.88	3	Horizontal	3	1.00
5610MHz_TX	Pass	AV	5.612G	102.15	Inf	-Inf	3	Horizontal	3	1.00
5610MHz_TX	Pass	PK	5.452G	68.49	74.00	-5.51	3	Horizontal	3	1.00


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz_TX	Pass	PK	5.467G	67.67	68.20	-0.53	3	Horizontal	3	1.00
5610MHz_TX	Pass	PK	5.612G	112.35	Inf	-Inf	3	Horizontal	3	1.00
5610MHz_TX	Pass	PK	5.734G	66.88	68.20	-1.32	3	Horizontal	3	1.00
5610MHz_TX	Pass	AV	11.24304G	38.06	54.00	-15.94	3	Vertical	170	1.50
5610MHz_TX	Pass	PK	11.19904G	50.12	74.00	-23.88	3	Vertical	170	1.50
5610MHz_TX	Pass	AV	11.24608G	38.16	54.00	-15.84	3	Horizontal	243	1.50
5610MHz_TX	Pass	PK	11.18432G	50.26	74.00	-23.74	3	Horizontal	243	1.50
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 1_2TX	-	-	-	-	-	-	-	-	-	-
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.4236G	44.55	54.00	-9.45	3	Vertical	89	1.08
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6864G	91.20	Inf	-Inf	3	Vertical	89	1.08
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4176G	57.10	74.00	-16.90	3	Vertical	89	1.08
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.462G	56.04	68.20	-12.16	3	Vertical	89	1.08
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6876G	102.47	Inf	-Inf	3	Vertical	89	1.08
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.8508G	59.33	68.20	-8.87	3	Vertical	89	1.08
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.3984G	45.34	54.00	-8.66	3	Horizontal	5	1.23
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	5.6876G	100.81	Inf	-Inf	3	Horizontal	5	1.23
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.39G	57.75	74.00	-16.25	3	Horizontal	5	1.23
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.4668G	57.21	68.20	-10.99	3	Horizontal	5	1.23
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.6864G	112.40	Inf	-Inf	3	Horizontal	5	1.23
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	5.906G	59.80	68.20	-8.40	3	Horizontal	5	1.23
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.40656G	38.57	54.00	-15.43	3	Vertical	44	1.79
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.35696G	50.55	74.00	-23.45	3	Vertical	44	1.79
5690MHz Straddle 5.47-5.725GHz_TX	Pass	AV	11.40528G	38.74	54.00	-15.26	3	Horizontal	72	1.32
5690MHz Straddle 5.47-5.725GHz_TX	Pass	PK	11.40784G	50.43	74.00	-23.57	3	Horizontal	72	1.32
802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_TX	Pass	AV	5.7762G	91.15	Inf	-Inf	3	Vertical	64	1.00
5775MHz_TX	Pass	PK	5.637G	58.97	68.20	-9.23	3	Vertical	64	1.00
5775MHz_TX	Pass	PK	5.7786G	102.02	Inf	-Inf	3	Vertical	64	1.00
5775MHz_TX	Pass	PK	5.931G	59.36	68.20	-8.84	3	Vertical	64	1.00
5775MHz_TX	Pass	AV	5.7762G	101.76	Inf	-Inf	3	Horizontal	9	1.01
5775MHz_TX	Pass	PK	5.6226G	65.62	68.20	-2.58	3	Horizontal	9	1.01
5775MHz_TX	Pass	PK	5.7762G	112.12	Inf	-Inf	3	Horizontal	9	1.01
5775MHz_TX	Pass	PK	6.039G	58.17	68.20	-10.03	3	Horizontal	9	1.01
5775MHz_TX	Pass	AV	11.5364G	38.23	54.00	-15.77	3	Vertical	182	1.50
5775MHz_TX	Pass	PK	11.5292G	50.16	74.00	-23.84	3	Vertical	182	1.50
5775MHz_TX	Pass	AV	11.53576G	38.20	54.00	-15.80	3	Horizontal	44	2.80
5775MHz_TX	Pass	PK	11.5324G	50.11	74.00	-23.89	3	Horizontal	44	2.80
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 5_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.142G	47.44	54.00	-6.56	3	Vertical	108	2.95
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.2428G	85.43	Inf	-Inf	3	Vertical	108	2.95
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.3832G	46.96	54.00	-7.04	3	Vertical	108	2.95
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1468G	64.72	74.00	-9.28	3	Vertical	108	2.95
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.2452G	96.64	Inf	-Inf	3	Vertical	108	2.95
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.3628G	64.82	74.00	-9.18	3	Vertical	108	2.95
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4612G	58.03	68.20	-10.17	3	Vertical	108	2.95
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1372G	53.00	54.00	-1.00	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.238G	93.53	Inf	-Inf	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.358G	51.09	54.00	-2.91	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.148G	72.87	74.00	-1.13	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.238G	105.15	Inf	-Inf	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.352G	72.71	74.00	-1.29	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4672G	61.13	68.20	-7.07	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.452G	49.51	68.20	-18.69	3	Vertical	258	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.55856G	50.19	68.20	-18.01	3	Horizontal	325	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1432G	46.22	54.00	-7.78	3	Vertical	107	2.94
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.2428G	85.88	Inf	-Inf	3	Vertical	107	2.94
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.3628G	45.95	54.00	-8.05	3	Vertical	107	2.94
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.1288G	64.21	74.00	-9.79	3	Vertical	107	2.94
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.2464G	96.80	Inf	-Inf	3	Vertical	107	2.94
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4036G	63.84	74.00	-10.16	3	Vertical	107	2.94
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.5008G	57.72	68.20	-10.48	3	Vertical	107	2.94



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.1372G	50.77	54.00	-3.23	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.238G	93.69	Inf	-Inf	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	AV	5.358G	48.46	54.00	-5.54	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.142G	73.50	74.00	-0.50	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.178G	104.62	Inf	-Inf	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4024G	66.32	74.00	-7.68	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	5.4672G	60.16	68.20	-8.04	3	Horizontal	174	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.46672G	50.43	68.20	-17.77	3	Vertical	356	1.50
5250MHz Straddle 5.25-5.35GHz_TX	Pass	PK	10.52752G	49.78	68.20	-18.42	3	Horizontal	298	1.50
802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 CP 6_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz_TX	Pass	AV	5.4488G	45.78	54.00	-8.22	3	Vertical	68	1.00
5570MHz_TX	Pass	AV	5.5676G	74.78	Inf	-Inf	3	Vertical	68	1.00
5570MHz_TX	Pass	PK	5.312G	57.28	68.20	-10.92	3	Vertical	68	1.00
5570MHz_TX	Pass	PK	5.4392G	61.24	74.00	-12.76	3	Vertical	68	1.00
5570MHz_TX	Pass	PK	5.4668G	59.21	68.20	-8.99	3	Vertical	68	1.00
5570MHz_TX	Pass	PK	5.5652G	85.42	Inf	-Inf	3	Vertical	68	1.00
5570MHz_TX	Pass	PK	5.8148G	59.16	68.20	-9.04	3	Vertical	68	1.00
5570MHz_TX	Pass	AV	5.4476G	49.97	54.00	-4.03	3	Horizontal	3	1.24
5570MHz_TX	Pass	AV	5.5676G	83.39	Inf	-Inf	3	Horizontal	3	1.24
5570MHz_TX	Pass	PK	5.3468G	58.34	68.20	-9.86	3	Horizontal	3	1.24
5570MHz_TX	Pass	PK	5.4488G	70.96	74.00	-3.04	3	Horizontal	3	1.24
5570MHz_TX	Pass	PK	5.4632G	66.77	68.20	-1.43	3	Horizontal	3	1.24
5570MHz_TX	Pass	PK	5.5664G	95.13	Inf	-Inf	3	Horizontal	3	1.24
5570MHz_TX	Pass	PK	5.7284G	60.18	68.20	-8.02	3	Horizontal	3	1.24
5570MHz_TX	Pass	AV	11.11344G	37.90	54.00	-16.10	3	Vertical	45	1.50
5570MHz_TX	Pass	PK	11.21648G	50.51	74.00	-23.49	3	Vertical	45	1.50
5570MHz_TX	Pass	AV	11.116G	37.88	54.00	-16.12	3	Horizontal	319	1.31
5570MHz_TX	Pass	PK	11.11152G	50.03	74.00	-23.97	3	Horizontal	319	1.31
802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX	-	-	-	-	-	-	-	-	-	-
5570MHz_TX	Pass	AV	5.408G	44.65	54.00	-9.35	3	Vertical	74	1.00
5570MHz_TX	Pass	AV	5.528G	76.68	Inf	-Inf	3	Vertical	74	1.00
5570MHz_TX	Pass	PK	5.3072G	56.85	68.20	-11.35	3	Vertical	74	1.00
5570MHz_TX	Pass	PK	5.4332G	57.76	74.00	-16.24	3	Vertical	74	1.00
5570MHz_TX	Pass	PK	5.4644G	58.86	68.20	-9.34	3	Vertical	74	1.00
5570MHz_TX	Pass	PK	5.5256G	88.01	Inf	-Inf	3	Vertical	74	1.00
5570MHz_TX	Pass	PK	5.8424G	59.06	68.20	-9.14	3	Vertical	74	1.00
5570MHz_TX	Pass	AV	5.4488G	45.68	54.00	-8.32	3	Horizontal	9	1.00
5570MHz_TX	Pass	AV	5.5712G	86.27	Inf	-Inf	3	Horizontal	9	1.00
5570MHz_TX	Pass	PK	5.3432G	57.57	68.20	-10.63	3	Horizontal	9	1.00
5570MHz_TX	Pass	PK	5.4344G	67.02	74.00	-6.98	3	Horizontal	9	1.00
5570MHz_TX	Pass	PK	5.4608G	67.21	68.20	-0.99	3	Horizontal	9	1.00
5570MHz_TX	Pass	PK	5.5712G	97.30	Inf	-Inf	3	Horizontal	9	1.00
5570MHz_TX	Pass	PK	5.798G	59.03	68.20	-9.17	3	Horizontal	9	1.00
5570MHz_TX	Pass	AV	11.11216G	37.93	54.00	-16.07	3	Vertical	1	2.06
5570MHz_TX	Pass	PK	11.20912G	49.42	74.00	-24.58	3	Vertical	1	2.06
5570MHz_TX	Pass	AV	11.16336G	37.85	54.00	-16.15	3	Horizontal	34	1.50
5570MHz_TX	Pass	PK	11.212G	49.97	74.00	-24.03	3	Horizontal	34	1.50

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	45.60	54.00	-8.40	2.51	3	Vertical	92	1.00	43.09	33.38	6.66	37.53
AV	5.207G	87.96	Inf	-Inf	2.65	3	Vertical	92	1.00	85.31	33.47	6.71	37.53
AV	5.403G	45.19	54.00	-8.81	2.36	3	Vertical	92	1.00	42.83	33.20	6.70	37.54
PK	5.141G	58.37	74.00	-15.63	2.49	3	Vertical	92	1.00	55.88	33.36	6.66	37.53
PK	5.207G	99.51	Inf	-Inf	2.65	3	Vertical	92	1.00	96.86	33.47	6.71	37.53
PK	5.376G	57.43	74.00	-16.57	2.31	3	Vertical	92	1.00	55.12	33.15	6.70	37.54

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.79	54.00	-4.21	2.52	3	Horizontal	7	1.00	47.27	33.39	6.66	37.53
AV	5.208G	96.15	Inf	-Inf	2.65	3	Horizontal	7	1.00	93.50	33.47	6.71	37.53
AV	5.4G	45.43	54.00	-8.57	2.36	3	Horizontal	7	1.00	43.07	33.20	6.70	37.54
PK	5.149G	63.90	74.00	-10.10	2.53	3	Horizontal	7	1.00	61.37	33.40	6.66	37.53
PK	5.207G	107.45	Inf	-Inf	2.65	3	Horizontal	7	1.00	104.80	33.47	6.71	37.53
PK	5.457G	57.84	74.00	-16.16	2.43	3	Horizontal	7	1.00	55.41	33.21	6.76	37.54


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 3_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 3_2TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	46.25	54.00	-7.75	2.43	3	Vertical	80	1.01	43.82	33.21	6.76	37.54
AV	5.611G	92.03	Inf	-Inf	2.86	3	Vertical	80	1.01	89.17	33.44	6.92	37.50
PK	5.458G	59.53	74.00	-14.47	2.44	3	Vertical	80	1.01	57.09	33.22	6.76	37.54
PK	5.463G	58.47	68.20	-9.73	2.45	3	Vertical	80	1.01	56.02	33.23	6.76	37.54
PK	5.612G	103.30	Inf	-Inf	2.87	3	Vertical	80	1.01	100.43	33.45	6.92	37.50
PK	5.726G	60.32	68.20	-7.88	3.65	3	Vertical	80	1.01	56.67	33.96	7.15	37.46

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	51.12	54.00	-2.88	2.43	3	Horizontal	3	1.00	48.69	33.21	6.76	37.54
AV	5.612G	102.15	Inf	-Inf	2.87	3	Horizontal	3	1.00	99.28	33.45	6.92	37.50
PK	5.452G	68.49	74.00	-5.51	2.41	3	Horizontal	3	1.00	66.08	33.20	6.75	37.54
PK	5.467G	67.67	68.20	-0.53	2.46	3	Horizontal	3	1.00	65.21	33.23	6.77	37.54
PK	5.612G	112.35	Inf	-Inf	2.87	3	Horizontal	3	1.00	109.48	33.45	6.92	37.50
PK	5.734G	66.88	68.20	-1.32	3.70	3	Horizontal	3	1.00	63.18	34.00	7.16	37.46


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5610MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 CP 2_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 CP 2_2TX

5775MHz_TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.91397G	52.56	54.00	-1.44	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.91397G	52.56	54.00	-1.44	3	Vertical	58	1.51	-
Mode 1	Pass	AV	7.37217G	48.01	54.00	-5.99	3	Vertical	316	1.65	-
Mode 1	Pass	AV	11.00171G	48.25	54.00	-5.75	3	Vertical	41	1.60	-
Mode 1	Pass	AV	12.28593G	47.86	54.00	-6.14	3	Vertical	316	1.58	-
Mode 1	Pass	AV	13.39006G	44.56	54.00	-9.44	3	Vertical	192	1.50	-
Mode 1	Pass	PK	4.91397G	54.97	74.00	-19.03	3	Vertical	58	1.51	-
Mode 1	Pass	PK	7.37244G	54.66	74.00	-19.34	3	Vertical	316	1.65	-
Mode 1	Pass	PK	10.99691G	59.49	74.00	-14.51	3	Vertical	41	1.60	-
Mode 1	Pass	PK	12.28659G	56.90	74.00	-17.10	3	Vertical	316	1.58	-
Mode 1	Pass	PK	13.38136G	56.31	74.00	-17.69	3	Vertical	192	1.50	-
Mode 1	Pass	AV	4.914G	51.94	54.00	-2.06	3	Horizontal	31	1.50	-
Mode 1	Pass	AV	7.37223G	51.52	54.00	-2.48	3	Horizontal	2	2.13	-
Mode 1	Pass	AV	10.9982G	46.55	54.00	-7.45	3	Horizontal	67	1.73	-
Mode 1	Pass	AV	12.28626G	49.32	54.00	-4.68	3	Horizontal	287	1.87	-
Mode 1	Pass	AV	13.3945G	46.55	54.00	-7.45	3	Horizontal	286	1.86	-
Mode 1	Pass	PK	4.91409G	54.44	74.00	-19.56	3	Horizontal	31	1.50	-
Mode 1	Pass	PK	7.37241G	56.54	74.00	-17.46	3	Horizontal	2	2.13	-
Mode 1	Pass	PK	11.00276G	57.79	74.00	-16.21	3	Horizontal	67	1.73	-
Mode 1	Pass	PK	12.28692G	57.70	74.00	-16.30	3	Horizontal	287	1.87	-
Mode 1	Pass	PK	13.39552G	58.55	74.00	-15.45	3	Horizontal	286	1.86	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.91397G	52.56	54.00	-1.44	-4.81	3	Vertical	58	1.51	-	57.37	33.01	7.94	45.76
AV	7.37217G	48.01	54.00	-5.99	1.37	3	Vertical	316	1.65	-	46.64	36.97	9.59	45.19
AV	11.00171G	48.25	54.00	-5.75	6.82	3	Vertical	41	1.60	-	41.43	38.70	11.39	43.27
AV	12.28593G	47.86	54.00	-6.14	8.34	3	Vertical	316	1.58	-	39.52	39.13	11.93	42.72
AV	13.39006G	44.56	54.00	-9.44	9.63	3	Vertical	192	1.50	-	34.93	40.12	12.11	42.60
PK	4.91397G	54.97	74.00	-19.03	-4.81	3	Vertical	58	1.51	-	59.78	33.01	7.94	45.76
PK	7.37244G	54.66	74.00	-19.34	1.37	3	Vertical	316	1.65	-	53.29	36.97	9.59	45.19
PK	10.99691G	59.49	74.00	-14.51	6.83	3	Vertical	41	1.60	-	52.66	38.71	11.39	43.27
PK	12.28659G	56.90	74.00	-17.10	8.34	3	Vertical	316	1.58	-	48.56	39.13	11.93	42.72
PK	13.38136G	56.31	74.00	-17.69	9.65	3	Vertical	192	1.50	-	46.66	40.14	12.10	42.59

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.914G	51.94	54.00	-2.06	-4.81	3	Horizontal	31	1.50	-	56.75	33.01	7.94	45.76
AV	7.37223G	51.52	54.00	-2.48	1.37	3	Horizontal	2	2.13	-	50.15	36.97	9.59	45.19
AV	10.9982G	46.55	54.00	-7.45	6.83	3	Horizontal	67	1.73	-	39.72	38.71	11.39	43.27
AV	12.28626G	49.32	54.00	-4.68	8.34	3	Horizontal	287	1.87	-	40.98	39.13	11.93	42.72
AV	13.3945G	46.55	54.00	-7.45	9.62	3	Horizontal	286	1.86	-	36.93	40.11	12.11	42.60
PK	4.91409G	54.44	74.00	-19.56	-4.81	3	Horizontal	31	1.50	-	59.25	33.01	7.94	45.76
PK	7.37241G	56.54	74.00	-17.46	1.37	3	Horizontal	2	2.13	-	55.17	36.97	9.59	45.19
PK	11.00276G	57.79	74.00	-16.21	6.83	3	Horizontal	67	1.73	-	50.96	38.71	11.39	43.27
PK	12.28692G	57.70	74.00	-16.30	8.34	3	Horizontal	287	1.87	-	49.36	39.13	11.93	42.72
PK	13.39552G	58.55	74.00	-15.45	9.62	3	Horizontal	286	1.86	-	48.93	40.11	12.11	42.60




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	12.05864G	50.98	54.00	-3.02	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (?X)	Height (m)	Comments
Mode 1	Pass	AV	4.824G	41.93	54.00	-12.07	3	Vertical	20	2.90	-
Mode 1	Pass	AV	10.36582G	41.57	68.20	-26.63	3	Vertical	327	2.86	-
Mode 1	Pass	AV	12.0586G	49.88	54.00	-4.12	3	Vertical	296	1.82	-
Mode 1	Pass	AV	13.39004G	42.42	54.00	-11.58	3	Vertical	304	1.62	-
Mode 1	Pass	AV	15.54552G	36.80	54.00	-17.20	3	Vertical	75	1.50	-
Mode 1	Pass	PK	4.82384G	46.85	74.00	-27.15	3	Vertical	20	2.90	-
Mode 1	Pass	PK	10.36576G	52.66	88.20	-35.54	3	Vertical	327	2.86	-
Mode 1	Pass	PK	12.05848G	56.56	74.00	-17.44	3	Vertical	296	1.82	-
Mode 1	Pass	PK	13.38956G	54.54	74.00	-19.46	3	Vertical	304	1.62	-
Mode 1	Pass	PK	15.54348G	48.99	74.00	-25.01	3	Vertical	75	1.50	-
Mode 1	Pass	AV	4.824G	40.53	54.00	-13.47	3	Horizontal	37	1.80	-
Mode 1	Pass	AV	10.36127G	41.71	68.20	-26.49	3	Horizontal	47	1.50	-
Mode 1	Pass	AV	12.05864G	50.98	54.00	-3.02	3	Horizontal	349	1.60	-
Mode 1	Pass	AV	13.39132G	39.56	54.00	-14.44	3	Horizontal	205	1.50	-
Mode 1	Pass	AV	15.5421G	36.87	54.00	-17.13	3	Horizontal	168	1.50	-
Mode 1	Pass	PK	4.82396G	45.87	74.00	-28.13	3	Horizontal	37	1.80	-
Mode 1	Pass	PK	10.3576G	51.45	88.20	-36.75	3	Horizontal	47	1.50	-
Mode 1	Pass	PK	12.05908G	57.78	74.00	-16.22	3	Horizontal	349	1.60	-
Mode 1	Pass	PK	13.39465G	51.70	74.00	-22.30	3	Horizontal	205	1.50	-
Mode 1	Pass	PK	15.54348G	49.57	74.00	-24.43	3	Horizontal	168	1.50	-

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

