



802.11ax-HE20 26 dB Bandwidth & 99% Bandwidth


Channel 140 (5700 MHz)




Channel 144 (5720 MHz)




Channel 149 (5745 MHz)



Channel 157 (5785 MHz)




Channel 165 (5825 MHz)




802.11ax-HE40 26 dB Bandwidth & 99% Bandwidth


Channel 38 (5190 MHz)




Channel 46 (5230 MHz)




Channel 54 (5270 MHz)




Channel 62 (5310 MHz)




Channel 102 (5510 MHz)




Channel 110 (5550 MHz)




Channel 134 (5670 MHz)




Channel 142 (5710 MHz)






802.11ax-HE80 26 dB Bandwidth & 99% Bandwidth


Channel 42 (5210 MHz)




Channel 58 (5290 MHz)




Channel 106 (5530 MHz)




Channel 122 (5610 MHz)




Channel 138 (5690 MHz)




Channel 155 (5775 MHz)






802.11be-EHT20 26 dB Bandwidth & 99% Bandwidth


Channel 36 (5180 MHz)




Channel 44 (5220 MHz)




Channel 48 (5240 MHz)




Channel 52 (5260 MHz)




Channel 60 (5300 MHz)




Channel 64 (5320 MHz)



Channel 100 (5500 MHz)




Channel 116 (5580 MHz)




802.11be-EHT20 26 dB Bandwidth & 99% Bandwidth


Channel 140 (5700 MHz)




Channel 144 (5720 MHz)




Channel 149 (5745 MHz)



Channel 157 (5785 MHz)





Channel 165 (5825 MHz)



802.11be-EHT40 26 dB Bandwidth & 99% Bandwidth


Channel 38 (5190 MHz)






802.11be-EHT80 26 dB Bandwidth & 99% Bandwidth


Channel 42 (5210 MHz)




Channel 58 (5290 MHz)




Channel 106 (5530 MHz)




Channel 122 (5610 MHz)




Channel 138 (5690 MHz)



Channel 155 (5775 MHz)






A.3 6 dB Bandwidth Test Result


Test Site	WZ-SR5	Test Engineer	Molly Wu
Test Date	2026-01-15		

Test Mode	Data Rate / MCS	Channel No.	Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)
11a	6 Mbps	149	5745	16.36	≥0.5
11a	6 Mbps	157	5785	16.39	≥0.5
11a	6 Mbps	165	5825	16.37	≥0.5
11ac-VHT20	MCS0	149	5745	17.62	≥0.5
11ac-VHT20	MCS0	157	5785	17.60	≥0.5
11ac-VHT20	MCS0	165	5825	17.62	≥0.5
11ac-VHT40	MCS0	151	5755	36.37	≥0.5
11ac-VHT40	MCS0	159	5795	36.39	≥0.5
11ac-VHT80	MCS0	155	5775	75.51	≥0.5
11ax-HE20	MCS0	149	5745	19.00	≥0.5
11ax-HE20	MCS0	157	5785	18.96	≥0.5
11ax-HE20	MCS0	165	5825	18.76	≥0.5
11ax-HE40	MCS0	151	5755	38.36	≥0.5
11ax-HE40	MCS0	159	5795	38.23	≥0.5
11ax-HE80	MCS0	155	5775	77.73	≥0.5
11be-EHT20	MCS0	149	5745	18.97	≥0.5
11be-EHT20	MCS0	157	5785	18.95	≥0.5
11be-EHT20	MCS0	165	5825	18.97	≥0.5
11be-EHT40	MCS0	151	5755	38.15	≥0.5
11be-EHT40	MCS0	159	5795	38.21	≥0.5
11be-EHT80	MCS0	155	5775	77.44	≥0.5




802.11ac-VHT20 6 dB Bandwidth


Channel 149 (5745 MHz)



Channel 157 (5785 MHz)




Channel 165 (5825 MHz)





802.11ac-VHT40 6 dB Bandwidth

Channel 151 (5755 MHz)




Channel 159 (5795 MHz)






802.11ax-HE20 6 dB Bandwidth


Channel 149 (5745 MHz)



Channel 157 (5785 MHz)




Channel 165 (5825 MHz)





802.11ax-HE40 6 dB Bandwidth

Channel 151 (5755 MHz)




Channel 159 (5795 MHz)






802.11be-EHT20 6 dB Bandwidth


Channel 149 (5745 MHz)



Channel 157 (5785 MHz)




Channel 165 (5825 MHz)





802.11be-EHT40 6 dB Bandwidth

Channel 151 (5755 MHz)



Channel 159 (5795 MHz)





A.4 Output Power Test Result

Test Site	WZ-SR5	Test Engineer	Molly Wu
Test Date	2026-01-03 ~ 2026-01-15		

Test Mode	Data Rate / MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Power Limit (dBm)
				Ant 0	Ant 1		
11a	6 Mbps	36	5180	16.27	16.67	19.48	≤ 28.00
11a	6 Mbps	44	5220	19.11	19.85	22.51	≤ 28.00
11a	6 Mbps	48	5240	19.03	19.96	22.53	≤ 28.00
11a	6 Mbps	52	5260	13.46	13.76	16.62	≤ 21.98
11a	6 Mbps	60	5300	13.60	13.70	16.66	≤ 21.98
11a	6 Mbps	64	5320	14.25	14.52	17.40	≤ 21.98
11a	6 Mbps	100	5500	13.39	13.72	16.57	≤ 21.98
11a	6 Mbps	116	5580	14.35	14.72	17.55	≤ 21.98
11a	6 Mbps	140	5700	13.56	13.67	16.63	≤ 21.98
11a	6 Mbps	144	5720	13.45	13.14	16.31	≤ 21.12
11a	6 Mbps	149	5745	19.32	19.67	22.51	≤ 28.00
11a	6 Mbps	157	5785	20.27	20.69	23.50	≤ 28.00
11a	6 Mbps	165	5825	18.22	18.52	21.38	≤ 28.00
11ac-VHT20	MCS0	36	5180	16.49	16.83	19.67	≤ 28.00
11ac-VHT20	MCS0	44	5220	19.18	20.07	22.66	≤ 28.00
11ac-VHT20	MCS0	48	5240	19.32	19.98	22.67	≤ 28.00
11ac-VHT20	MCS0	52	5260	14.68	14.74	17.72	≤ 21.98
11ac-VHT20	MCS0	60	5300	14.52	14.41	17.48	≤ 21.98
11ac-VHT20	MCS0	64	5320	14.50	14.36	17.44	≤ 21.98
11ac-VHT20	MCS0	100	5500	14.41	14.51	17.47	≤ 21.98
11ac-VHT20	MCS0	116	5580	14.37	14.62	17.51	≤ 21.98
11ac-VHT20	MCS0	140	5700	14.55	14.76	17.67	≤ 21.98
11ac-VHT20	MCS0	144	5720	14.54	14.73	17.65	≤ 21.19
11ac-VHT20	MCS0	149	5745	19.24	19.87	22.58	≤ 28.00
11ac-VHT20	MCS0	157	5785	20.45	20.63	23.55	≤ 28.00
11ac-VHT20	MCS0	165	5825	18.25	18.63	21.45	≤ 28.00

Test Mode	Data Rate / MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Power Limit (dBm)
				Ant 0	Ant 1		
11ac-VHT40	MCS0	38	5190	14.43	14.98	17.72	≤ 28.00
11ac-VHT40	MCS0	46	5230	18.80	18.83	21.83	≤ 28.00
11ac-VHT40	MCS0	54	5270	18.55	18.76	21.67	≤ 21.98
11ac-VHT40	MCS0	62	5310	12.32	12.54	15.44	≤ 21.98
11ac-VHT40	MCS0	102	5510	15.36	15.71	18.55	≤ 21.98
11ac-VHT40	MCS0	110	5550	18.43	18.60	21.53	≤ 21.98
11ac-VHT40	MCS0	134	5670	18.06	18.10	21.09	≤ 21.98
11ac-VHT40	MCS0	142	5710	18.02	17.85	20.95	≤ 21.98
11ac-VHT40	MCS0	151	5755	19.70	19.88	22.80	≤ 28.00
11ac-VHT40	MCS0	159	5795	19.63	19.95	22.80	≤ 28.00
11ac-VHT80	MCS0	42	5210	15.40	15.94	18.69	≤ 28.00
11ac-VHT80	MCS0	58	5290	11.28	11.62	14.46	≤ 21.98
11ac-VHT80	MCS0	106	5530	14.08	14.80	17.47	≤ 21.98
11ac-VHT80	MCS0	122	5610	18.31	18.58	21.46	≤ 21.98
11ac-VHT80	MCS0	138	5690	18.68	18.72	21.71	≤ 21.98
11ac-VHT80	MCS0	155	5775	20.20	20.68	23.46	≤ 28.00
11ac-VHT160	MCS0	50	5250	10.39	11.08	13.76	≤ 21.98
11ac-VHT160	MCS0	114	5570	10.21	10.90	13.58	≤ 21.98
11ax-HE20	MCS0	36	5180	17.48	17.85	20.68	≤ 28.00
11ax-HE20	MCS0	44	5220	19.32	20.16	22.77	≤ 28.00
11ax-HE20	MCS0	48	5240	19.43	20.08	22.78	≤ 28.00
11ax-HE20	MCS0	52	5260	14.70	14.95	17.84	≤ 21.98
11ax-HE20	MCS0	60	5300	14.82	14.78	17.81	≤ 21.98
11ax-HE20	MCS0	64	5320	14.68	14.73	17.72	≤ 21.98
11ax-HE20	MCS0	100	5500	14.74	14.88	17.82	≤ 21.98
11ax-HE20	MCS0	116	5580	14.62	14.99	17.82	≤ 21.98
11ax-HE20	MCS0	140	5700	14.95	14.94	17.96	≤ 21.98
11ax-HE20	MCS0	144	5720	14.81	14.97	17.90	≤ 21.07
11ax-HE20	MCS0	149	5745	19.39	19.86	22.64	≤ 28.00
11ax-HE20	MCS0	157	5785	20.37	20.73	23.56	≤ 28.00
11ax-HE20	MCS0	165	5825	19.23	19.71	22.49	≤ 28.00

Test Mode	Data Rate / MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Power Limit (dBm)
				Ant 0	Ant 1		
1ax-HE40	MCS0	38	5190	14.30	14.96	17.65	≤ 28.00
11ax-HE40	MCS0	46	5230	19.26	19.58	22.43	≤ 28.00
11ax-HE40	MCS0	54	5270	17.02	17.47	20.26	≤ 21.98
11ax-HE40	MCS0	62	5310	10.23	10.50	13.38	≤ 21.98
11ax-HE40	MCS0	102	5510	14.39	14.66	17.54	≤ 21.98
11ax-HE40	MCS0	110	5550	17.04	17.03	20.05	≤ 21.98
11ax-HE40	MCS0	134	5670	17.13	16.90	20.03	≤ 21.98
11ax-HE40	MCS0	142	5710	17.49	17.39	20.45	≤ 21.98
11ax-HE40	MCS0	151	5755	19.23	19.48	22.37	≤ 28.00
11ax-HE40	MCS0	159	5795	19.20	19.42	22.32	≤ 28.00
11ax-HE80	MCS0	42	5210	14.40	14.90	17.67	≤ 28.00
11ax-HE80	MCS0	58	5290	10.49	10.75	13.63	≤ 21.98
11ax-HE80	MCS0	106	5530	14.46	14.70	17.59	≤ 21.98
11ax-HE80	MCS0	122	5610	18.26	18.63	21.46	≤ 21.98
11ax-HE80	MCS0	138	5690	18.70	18.42	21.57	≤ 21.98
11ax-HE80	MCS0	155	5775	20.06	20.52	23.31	≤ 28.00
11ax-HE160	MCS0	50	5250	10.33	11.12	13.75	≤ 21.98
11ax-HE160	MCS0	114	5570	12.48	12.71	15.61	≤ 21.98
11be-EHT20	MCS0	36	5180	16.39	16.74	19.58	≤ 28.00
11be-EHT20	MCS0	44	5220	19.06	19.83	22.47	≤ 28.00
11be-EHT20	MCS0	48	5240	19.32	19.90	22.63	≤ 28.00
11be-EHT20	MCS0	52	5260	14.75	14.95	17.86	≤ 21.98
11be-EHT20	MCS0	60	5300	14.68	14.70	17.70	≤ 21.98
11be-EHT20	MCS0	64	5320	14.46	14.24	17.36	≤ 21.98
11be-EHT20	MCS0	100	5500	14.54	14.68	17.62	≤ 21.98
11be-EHT20	MCS0	116	5580	14.51	14.62	17.58	≤ 21.98
11be-EHT20	MCS0	140	5700	14.72	15.10	17.92	≤ 21.98
11be-EHT20	MCS0	144	5720	14.67	15.14	17.92	≤ 21.18
11be-EHT20	MCS0	149	5745	19.21	19.70	22.47	≤ 28.00
11be-EHT20	MCS0	157	5785	20.14	20.74	23.46	≤ 28.00
11be-EHT20	MCS0	165	5825	18.25	18.53	21.40	≤ 28.00

Test Mode	Data Rate / MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Power Limit (dBm)
				Ant 0	Ant 1		
11be-EHT40	MCS0	38	5190	14.39	14.81	17.62	≤ 28.00
11be-EHT40	MCS0	46	5230	19.51	19.84	22.69	≤ 28.00
11be-EHT40	MCS0	54	5270	16.93	17.12	20.04	≤ 21.98
11be-EHT40	MCS0	62	5310	11.25	11.47	14.37	≤ 21.98
11be-EHT40	MCS0	102	5510	15.41	15.65	18.54	≤ 21.98
11be-EHT40	MCS0	110	5550	17.02	17.42	20.23	≤ 21.98
11be-EHT40	MCS0	134	5670	17.39	16.89	20.16	≤ 21.98
11be-EHT40	MCS0	142	5710	17.63	17.39	20.52	≤ 21.98
11be-EHT40	MCS0	151	5755	20.18	20.81	23.52	≤ 28.00
11be-EHT40	MCS0	159	5795	20.65	20.65	23.66	≤ 28.00
11be-EHT80	MCS0	42	5210	14.32	14.91	17.64	≤ 28.00
11be-EHT80	MCS0	58	5290	11.16	11.69	14.44	≤ 21.98
11be-EHT80	MCS0	106	5530	14.30	14.70	17.51	≤ 21.98
11be-EHT80	MCS0	122	5610	18.15	18.67	21.43	≤ 21.98
11be-EHT80	MCS0	138	5690	18.08	17.89	21.00	≤ 21.98
11be-EHT80	MCS0	155	5775	19.57	20.31	22.97	≤ 28.00
11be-EHT160	MCS0	50	5250	9.62	10.65	13.18	≤ 21.98
11be-EHT160	MCS0	114	5570	12.20	12.83	15.54	≤ 21.98

Note 1: Total Average Power (dBm) = $10 \times \log \{10^{(\text{Ant 0 Average Power} / 10)} + 10^{(\text{Ant 1 Average Power} / 10)}\}$.

Note 2: For Band-Crossing channel, Average Power Limit = 23.98 dBm or $11 + 10 \times \log_{10} \text{EBW}_{2C}$, which is less.

A.5 Power Spectral Density Test Result

Test Site	WZ-SR5	Test Engineer	Molly Wu
Test Date	2026-01-03 ~ 2026-01-15		
Test Item	Power Spectral Density (UNII-1 & UNII-2A & UNII-2C)		

Test Mode	Data Rate / MCS	Channel No.	Freq. (MHz)	AVPSD (dBm/ MHz)		Duty Cycle (%)	Total PSD (dBm/ MHz)	PSD Limit (dBm/ MHz)
				Ant 0	Ant 1			
11a	6 Mbps	36	5180	4.596	4.997	99.24	7.811	≤ 11.99
11a	6 Mbps	44	5220	6.603	7.171	99.24	9.907	≤ 11.99
11a	6 Mbps	48	5240	6.524	7.286	99.24	9.932	≤ 11.99
11a	6 Mbps	52	5260	2.027	2.348	99.24	5.201	≤ 5.99
11a	6 Mbps	60	5300	1.943	2.386	99.24	5.180	≤ 5.99
11a	6 Mbps	64	5320	2.624	3.113	99.24	5.886	≤ 5.99
11a	6 Mbps	100	5500	2.180	2.450	99.24	5.327	≤ 5.99
11a	6 Mbps	116	5580	2.511	3.120	99.24	5.836	≤ 5.99
11a	6 Mbps	140	5700	2.270	2.529	99.24	5.412	≤ 5.99
11a	6 Mbps	144	5720	2.067	2.407	99.24	5.251	≤ 5.99
11ac-VHT20	MCS0	36	5180	3.310	4.112	84.74	7.459	≤ 11.99
11ac-VHT20	MCS0	44	5220	5.587	6.495	84.74	9.794	≤ 11.99
11ac-VHT20	MCS0	48	5240	5.767	6.308	84.74	9.775	≤ 11.99
11ac-VHT20	MCS0	52	5260	1.708	2.170	84.74	5.675	≤ 5.99
11ac-VHT20	MCS0	60	5300	1.555	1.986	84.74	5.505	≤ 5.99
11ac-VHT20	MCS0	64	5320	1.554	1.617	84.74	5.315	≤ 5.99
11ac-VHT20	MCS0	100	5500	1.543	2.005	84.74	5.510	≤ 5.99
11ac-VHT20	MCS0	116	5580	1.614	1.907	84.74	5.492	≤ 5.99
11ac-VHT20	MCS0	140	5700	1.778	2.095	84.74	5.669	≤ 5.99
11ac-VHT20	MCS0	144	5720	1.533	2.166	84.74	5.590	≤ 5.99
11ac-VHT40	MCS0	38	5190	-2.128	-1.901	89.56	1.476	≤ 11.99
11ac-VHT40	MCS0	46	5230	1.758	1.857	89.56	5.297	≤ 11.99
11ac-VHT40	MCS0	54	5270	1.565	2.245	89.56	5.407	≤ 5.99
11ac-VHT40	MCS0	62	5310	-3.837	-3.927	89.56	-0.393	≤ 5.99
11ac-VHT40	MCS0	102	5510	-0.697	-0.734	89.56	2.774	≤ 5.99
11ac-VHT40	MCS0	110	5550	1.787	1.979	89.56	5.373	≤ 5.99
11ac-VHT40	MCS0	134	5670	2.094	1.800	89.56	5.439	≤ 5.99
11ac-VHT40	MCS0	142	5710	1.517	1.342	89.56	4.920	≤ 5.99

Test Mode	Data Rate / MCS	Channel No.	Freq. (MHz)	AVPSD (dBm/ MHz)		Duty Cycle (%)	Total PSD (dBm/ MHz)	PSD Limit (dBm/ MHz)
				Ant 0	Ant 1			
11ac-VHT80	MCS0	42	5210	-5.344	-4.231	53.57	0.969	≤ 11.99
11ac-VHT80	MCS0	58	5290	-8.873	-8.681	53.57	-3.055	≤ 5.99
11ac-VHT80	MCS0	106	5530	-6.202	-5.420	53.57	-0.072	≤ 5.99
11ac-VHT80	MCS0	122	5610	-1.831	-1.511	53.57	4.053	≤ 5.99
11ac-VHT80	MCS0	138	5690	-0.941	-1.474	53.57	4.522	≤ 5.99
11ac-VHT160	MCS0	50	5250	-14.273	-13.095	45.41	-7.205	≤ 5.99
11ac-VHT160	MCS0	114	5570	-14.003	-12.318	45.41	-6.641	≤ 5.99
11ax-HE20	MCS0	36	5180	3.529	3.995	81.44	7.670	≤ 11.99
11ax-HE20	MCS0	44	5220	5.402	5.921	81.44	9.571	≤ 11.99
11ax-HE20	MCS0	48	5240	5.651	6.092	81.44	9.779	≤ 11.99
11ax-HE20	MCS0	52	5260	1.483	1.761	81.44	5.526	≤ 5.99
11ax-HE20	MCS0	60	5300	1.339	1.311	81.44	5.227	≤ 5.99
11ax-HE20	MCS0	64	5320	1.314	1.258	81.44	5.188	≤ 5.99
11ax-HE20	MCS0	100	5500	1.263	1.426	81.44	5.247	≤ 5.99
11ax-HE20	MCS0	116	5580	1.400	1.557	81.44	5.381	≤ 5.99
11ax-HE20	MCS0	140	5700	1.764	1.218	81.44	5.401	≤ 5.99
11ax-HE20	MCS0	144	5720	1.610	1.409	81.44	5.413	≤ 5.99
11ax-HE40	MCS0	38	5190	-2.870	-2.130	68.82	2.149	≤ 11.99
11ax-HE40	MCS0	46	5230	2.377	2.951	68.82	7.307	≤ 11.99
11ax-HE40	MCS0	54	5270	0.190	0.777	68.82	5.127	≤ 5.99
11ax-HE40	MCS0	62	5310	-6.074	-6.273	68.82	-1.539	≤ 5.99
11ax-HE40	MCS0	102	5510	-2.363	-1.950	68.82	2.482	≤ 5.99
11ax-HE40	MCS0	110	5550	0.261	0.513	68.82	5.022	≤ 5.99
11ax-HE40	MCS0	134	5670	0.605	0.844	68.82	5.359	≤ 5.99
11ax-HE40	MCS0	142	5710	1.257	1.149	68.82	5.836	≤ 5.99
11ax-HE80	MCS0	42	5210	-6.421	-5.624	56.50	-0.514	≤ 11.99
11ax-HE80	MCS0	58	5290	-10.223	-9.736	56.50	-4.483	≤ 5.99
11ax-HE80	MCS0	106	5530	-5.221	-5.376	56.50	0.192	≤ 5.99
11ax-HE80	MCS0	122	5610	-1.720	-1.935	56.50	3.664	≤ 5.99
11ax-HE80	MCS0	138	5690	-1.103	-1.339	56.50	4.270	≤ 5.99
11ax-HE160	MCS0	50	5250	-13.564	-13.064	43.51	-6.682	≤ 5.99
11ax-HE160	MCS0	114	5570	-11.572	-10.863	43.51	-4.579	≤ 5.99