



802.11be-EHT20 26 dB Bandwidth


Channel 1 (5955 MHz)




Channel 49 (6195 MHz)




Channel 93 (6415 MHz)




Channel 97 (6435 MHz)



Channel 105 (6475 MHz)




Channel 113 (6515 MHz)




802.11be-EHT20 26 dB Bandwidth


Channel 117 (6535 MHz)




Channel 149 (6695 MHz)




Channel 181 (6855 MHz)




Channel 185 (6875 MHz)




Channel 189 (6895 MHz)



Channel 209 (6995 MHz)




Channel 229 (7095 MHz)




802.11be-EHT40 26 dB Bandwidth


Channel 3 (5965 MHz)




Channel 51 (6205 MHz)




Channel 91 (6405 MHz)




Channel 99 (6445 MHz)



Channel 107 (6485 MHz)




Channel 115 (6525 MHz)




802.11be-EHT40 26 dB Bandwidth


Channel 123 (6565 MHz)




Channel 147 (6685 MHz)




Channel 179 (6845 MHz)




Channel 187 (6885 MHz)




Channel 195 (6925 MHz)



Channel 211 (7005 MHz)




Channel 227 (7085 MHz)




802.11be-EHT80 26 dB Bandwidth


Channel 7 (5985 MHz)




Channel 55 (6225 MHz)




Channel 87 (6385 MHz)




Channel 103 (6465 MHz)



Channel 119 (6545 MHz)




Channel 135 (6625 MHz)




802.11be-EHT80 26 dB Bandwidth


Channel 151 (6705 MHz)




Channel 167 (6785 MHz)




Channel 183 (6865 MHz)



Channel 199 (6945 MHz)




Channel 215 (7025 MHz)




802.11be-EHT160 26 dB Bandwidth


Channel 15 (6025 MHz)




Channel 47 (6185 MHz)




Channel 79 (6345 MHz)




Channel 111 (6505 MHz)




Channel 143 (6665 MHz)



Channel 175 (6825 MHz)




Channel 207 (6985 MHz)




802.11be-EHT320-1 26 dB Bandwidth


Channel 31 (6105 MHz)



Channel 95 (6425 MHz)




Channel 159 (6745 MHz)




802.11be-EHT320-2 26 dB Bandwidth


Channel 63 (6265 MHz)



Channel 127 (6585 MHz)



Channel 191 (6905 MHz)



A.3 Output Power Test Result

Test Site	WZ-SR5	Test Engineer	Molly Wu
Test Date	2026-01-04 ~ 2026-01-05		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1				
802.11ax-HE20	MCS0	1	5955	2.68	2.02	5.37	8.00	13.37	≤ 30.00
802.11ax-HE20	MCS0	49	6195	3.90	3.82	6.87	8.00	14.87	≤ 30.00
802.11ax-HE20	MCS0	93	6415	3.35	3.61	6.49	8.00	14.49	≤ 30.00
802.11ax-HE20	MCS0	97	6435	3.27	3.66	6.48	8.00	14.48	≤ 30.00
802.11ax-HE20	MCS0	105	6475	3.12	3.58	6.37	8.00	14.37	≤ 30.00
802.11ax-HE20	MCS0	113	6515	3.32	3.52	6.43	8.00	14.43	≤ 30.00
802.11ax-HE20	MCS0	117	6535	3.42	3.58	6.51	8.00	14.51	≤ 30.00
802.11ax-HE20	MCS0	149	6695	3.81	3.59	6.71	8.00	14.71	≤ 30.00
802.11ax-HE20	MCS0	181	6855	4.09	4.10	7.11	8.00	15.11	≤ 30.00
802.11ax-HE20	MCS0	185	6875	3.80	4.01	6.92	8.00	14.92	≤ 30.00
802.11ax-HE20	MCS0	189	6895	3.94	4.05	7.01	8.00	15.01	≤ 30.00
802.11ax-HE20	MCS0	209	6995	3.70	3.62	6.67	8.00	14.67	≤ 30.00
802.11ax-HE20	MCS0	229	7095	3.60	3.76	6.69	8.00	14.69	≤ 30.00
802.11ax-HE40	MCS0	3	5965	6.08	5.93	9.02	8.00	17.02	≤ 30.00
802.11ax-HE40	MCS0	51	6205	5.50	5.64	8.58	8.00	16.58	≤ 30.00
802.11ax-HE40	MCS0	91	6405	5.66	5.50	8.59	8.00	16.59	≤ 30.00
802.11ax-HE40	MCS0	99	6445	5.30	5.39	8.36	8.00	16.36	≤ 30.00
802.11ax-HE40	MCS0	107	6485	5.56	5.28	8.43	8.00	16.43	≤ 30.00
802.11ax-HE40	MCS0	115	6525	5.26	5.28	8.28	8.00	16.28	≤ 30.00
802.11ax-HE40	MCS0	123	6565	5.22	5.13	8.19	8.00	16.19	≤ 30.00
802.11ax-HE40	MCS0	147	6685	5.75	5.33	8.56	8.00	16.56	≤ 30.00
802.11ax-HE40	MCS0	179	6845	5.10	5.00	8.06	8.00	16.06	≤ 30.00
802.11ax-HE40	MCS0	187	6885	5.92	5.70	8.82	8.00	16.82	≤ 30.00
802.11ax-HE40	MCS0	195	6925	5.69	5.57	8.64	8.00	16.64	≤ 30.00
802.11ax-HE40	MCS0	211	7005	5.57	5.32	8.46	8.00	16.46	≤ 30.00
802.11ax-HE40	MCS0	227	7085	5.59	5.30	8.46	8.00	16.46	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1				
802.11ax-HE80	MCS0	7	5985	8.08	8.04	11.07	8.00	19.07	≤ 30.00
802.11ax-HE80	MCS0	55	6225	8.87	9.07	11.98	8.00	19.98	≤ 30.00
802.11ax-HE80	MCS0	87	6385	9.00	8.79	11.91	8.00	19.91	≤ 30.00
802.11ax-HE80	MCS0	103	6465	9.94	9.82	12.89	8.00	20.89	≤ 30.00
802.11ax-HE80	MCS0	119	6545	9.62	9.74	12.69	8.00	20.69	≤ 30.00
802.11ax-HE80	MCS0	135	6625	9.09	9.13	12.12	8.00	20.12	≤ 30.00
802.11ax-HE80	MCS0	151	6705	9.11	8.82	11.98	8.00	19.98	≤ 30.00
802.11ax-HE80	MCS0	167	6785	8.70	8.48	11.60	8.00	19.60	≤ 30.00
802.11ax-HE80	MCS0	183	6865	9.37	9.05	12.22	8.00	20.22	≤ 30.00
802.11ax-HE80	MCS0	199	6945	9.05	8.95	12.01	8.00	20.01	≤ 30.00
802.11ax-HE80	MCS0	215	7025	8.97	8.67	11.83	8.00	19.83	≤ 30.00
802.11ax-HE160	MCS0	15	6025	10.97	11.01	14.00	8.00	22.00	≤ 30.00
802.11ax-HE160	MCS0	47	6185	10.99	11.13	14.07	8.00	22.07	≤ 30.00
802.11ax-HE160	MCS0	79	6345	11.19	11.45	14.33	8.00	22.33	≤ 30.00
802.11ax-HE160	MCS0	111	6505	10.95	10.97	13.97	8.00	21.97	≤ 30.00
802.11ax-HE160	MCS0	143	6665	11.16	11.01	14.10	8.00	22.10	≤ 30.00
802.11ax-HE160	MCS0	175	6825	11.64	11.49	14.58	8.00	22.58	≤ 30.00
802.11ax-HE160	MCS0	207	6985	11.16	11.01	14.10	8.00	22.10	≤ 30.00
802.11be-EHT20	MCS0	1	5955	2.74	2.19	5.48	8.00	13.48	≤ 30.00
802.11be-EHT20	MCS0	49	6195	2.58	2.64	5.62	8.00	13.62	≤ 30.00
802.11be-EHT20	MCS0	93	6415	3.34	3.38	6.37	8.00	14.37	≤ 30.00
802.11be-EHT20	MCS0	97	6435	3.30	3.42	6.37	8.00	14.37	≤ 30.00
802.11be-EHT20	MCS0	105	6475	3.25	3.38	6.33	8.00	14.33	≤ 30.00
802.11be-EHT20	MCS0	113	6515	3.43	3.33	6.39	8.00	14.39	≤ 30.00
802.11be-EHT20	MCS0	117	6535	3.43	3.41	6.43	8.00	14.43	≤ 30.00
802.11be-EHT20	MCS0	149	6695	4.22	3.70	6.98	8.00	14.98	≤ 30.00
802.11be-EHT20	MCS0	181	6855	3.42	3.16	6.30	8.00	14.30	≤ 30.00
802.11be-EHT20	MCS0	185	6875	3.25	3.13	6.20	8.00	14.20	≤ 30.00
802.11be-EHT20	MCS0	189	6895	3.15	3.03	6.10	8.00	14.10	≤ 30.00
802.11be-EHT20	MCS0	209	6995	3.18	2.84	6.02	8.00	14.02	≤ 30.00
802.11be-EHT20	MCS0	229	7095	2.85	2.62	5.75	8.00	13.75	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1				
802.11be-EHT40	MCS0	3	5965	5.58	5.50	8.55	8.00	16.55	≤ 30.00
802.11be-EHT40	MCS0	51	6205	5.48	5.14	8.32	8.00	16.32	≤ 30.00
802.11be-EHT40	MCS0	91	6405	5.78	5.59	8.70	8.00	16.70	≤ 30.00
802.11be-EHT40	MCS0	99	6445	5.32	5.50	8.42	8.00	16.42	≤ 30.00
802.11be-EHT40	MCS0	107	6485	5.46	5.52	8.50	8.00	16.50	≤ 30.00
802.11be-EHT40	MCS0	115	6525	5.23	5.01	8.13	8.00	16.13	≤ 30.00
802.11be-EHT40	MCS0	123	6565	5.21	5.14	8.19	8.00	16.19	≤ 30.00
802.11be-EHT40	MCS0	147	6685	5.62	5.38	8.51	8.00	16.51	≤ 30.00
802.11be-EHT40	MCS0	179	6845	5.80	5.71	8.77	8.00	16.77	≤ 30.00
802.11be-EHT40	MCS0	187	6885	5.62	5.57	8.61	8.00	16.61	≤ 30.00
802.11be-EHT40	MCS0	195	6925	5.52	5.62	8.58	8.00	16.58	≤ 30.00
802.11be-EHT40	MCS0	211	7005	5.18	5.10	8.15	8.00	16.15	≤ 30.00
802.11be-EHT40	MCS0	227	7085	5.42	5.18	8.31	8.00	16.31	≤ 30.00
802.11be-EHT80	MCS0	7	5985	8.84	8.63	11.75	8.00	19.75	≤ 30.00
802.11be-EHT80	MCS0	55	6225	8.66	8.80	11.74	8.00	19.74	≤ 30.00
802.11be-EHT80	MCS0	87	6385	8.60	8.52	11.57	8.00	19.57	≤ 30.00
802.11be-EHT80	MCS0	103	6465	8.56	8.46	11.52	8.00	19.52	≤ 30.00
802.11be-EHT80	MCS0	119	6545	8.46	8.31	11.40	8.00	19.40	≤ 30.00
802.11be-EHT80	MCS0	135	6625	8.70	8.74	11.73	8.00	19.73	≤ 30.00
802.11be-EHT80	MCS0	151	6705	8.72	8.53	11.64	8.00	19.64	≤ 30.00
802.11be-EHT80	MCS0	167	6785	8.64	8.42	11.54	8.00	19.54	≤ 30.00
802.11be-EHT80	MCS0	183	6865	9.31	9.00	12.17	8.00	20.17	≤ 30.00
802.11be-EHT80	MCS0	199	6945	9.01	8.90	11.97	8.00	19.97	≤ 30.00
802.11be-EHT80	MCS0	215	7025	8.79	8.70	11.76	8.00	19.76	≤ 30.00
802.11be-EHT160	MCS0	15	6025	7.96	7.83	10.91	8.00	18.91	≤ 30.00
802.11be-EHT160	MCS0	47	6185	9.07	9.19	12.14	8.00	20.14	≤ 30.00
802.11be-EHT160	MCS0	79	6345	9.03	9.42	12.24	8.00	20.24	≤ 30.00
802.11be-EHT160	MCS0	111	6505	9.04	8.86	11.96	8.00	19.96	≤ 30.00
802.11be-EHT160	MCS0	143	6665	9.10	9.05	12.09	8.00	20.09	≤ 30.00
802.11be-EHT160	MCS0	175	6825	8.74	8.37	11.57	8.00	19.57	≤ 30.00
802.11be-EHT160	MCS0	207	6985	9.18	8.92	12.06	8.00	20.06	≤ 30.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Average Power (dBm)		Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
				Ant 0	Ant 1				
802.11be-EHT320-1	MCS0	31	6105	9.64	10.11	12.89	8.00	20.89	≤ 30.00
802.11be-EHT320-1	MCS0	95	6425	11.15	11.24	14.21	8.00	22.21	≤ 30.00
802.11be-EHT320-1	MCS0	159	6745	11.20	11.26	14.24	8.00	22.24	≤ 30.00
802.11be-EHT320-2	MCS0	63	6265	10.18	10.54	13.37	8.00	21.37	≤ 30.00
802.11be-EHT320-2	MCS0	127	6585	10.79	10.99	13.90	8.00	21.90	≤ 30.00
802.11be-EHT320-2	MCS0	191	6905	10.43	10.47	13.46	8.00	21.46	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \cdot \log \{10^{(\text{Ant 0 Average Power} / 10)} + 10^{(\text{Ant 1 Average Power} / 10)}\}$.

Note 2: EIRP (dBm) = Total Average Power (dBm) + Antenna Gain for Power (dBi).

A.4 Power Spectral Density Test Result

Test Site	WZ-SR5	Test Engineer	Molly Wu
Test Date	2026-01-04 ~ 2026-01-05		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)		Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1				
802.11ax-HE20	MCS0	1	5955	-10.122	-10.545	97.80	11.01	3.79	≤ 5.00
802.11ax-HE20	MCS0	49	6195	-9.720	-10.079	97.80	11.01	4.22	≤ 5.00
802.11ax-HE20	MCS0	93	6415	-10.055	-10.338	97.80	11.01	3.92	≤ 5.00
802.11ax-HE20	MCS0	97	6435	-9.869	-10.364	97.80	11.01	4.01	≤ 5.00
802.11ax-HE20	MCS0	105	6475	-10.282	-10.341	97.80	11.01	3.81	≤ 5.00
802.11ax-HE20	MCS0	113	6515	-10.303	-10.583	97.80	11.01	3.68	≤ 5.00
802.11ax-HE20	MCS0	117	6535	-10.281	-10.429	97.80	11.01	3.76	≤ 5.00
802.11ax-HE20	MCS0	149	6695	-9.375	-9.938	97.80	11.01	4.47	≤ 5.00
802.11ax-HE20	MCS0	181	6855	-8.945	-9.583	97.80	11.01	4.86	≤ 5.00
802.11ax-HE20	MCS0	185	6875	-9.238	-9.815	97.80	11.01	4.60	≤ 5.00
802.11ax-HE20	MCS0	189	6895	-9.426	-9.797	97.80	11.01	4.51	≤ 5.00
802.11ax-HE20	MCS0	209	6995	-9.324	-10.097	97.80	11.01	4.42	≤ 5.00
802.11ax-HE20	MCS0	229	7095	-9.817	-10.220	97.80	11.01	4.10	≤ 5.00
802.11ax-HE40	MCS0	3	5965	-10.849	-10.949	68.68	11.01	4.75	≤ 5.00
802.11ax-HE40	MCS0	51	6205	-10.752	-10.769	68.68	11.01	4.89	≤ 5.00
802.11ax-HE40	MCS0	91	6405	-10.854	-10.964	68.68	11.01	4.74	≤ 5.00
802.11ax-HE40	MCS0	99	6445	-11.169	-11.087	68.68	11.01	4.52	≤ 5.00
802.11ax-HE40	MCS0	107	6485	-11.070	-11.016	68.68	11.01	4.61	≤ 5.00
802.11ax-HE40	MCS0	115	6525	-10.969	-11.345	68.68	11.01	4.50	≤ 5.00
802.11ax-HE40	MCS0	123	6565	-11.413	-11.507	68.68	11.01	4.19	≤ 5.00
802.11ax-HE40	MCS0	147	6685	-11.027	-11.346	68.68	11.01	4.47	≤ 5.00
802.11ax-HE40	MCS0	179	6845	-11.516	-11.469	68.68	11.01	4.16	≤ 5.00
802.11ax-HE40	MCS0	187	6885	-11.040	-10.985	68.68	11.01	4.64	≤ 5.00
802.11ax-HE40	MCS0	195	6925	-10.832	-11.335	68.68	11.01	4.58	≤ 5.00
802.11ax-HE40	MCS0	211	7005	-11.068	-11.452	68.68	11.01	4.40	≤ 5.00
802.11ax-HE40	MCS0	227	7085	-10.900	-11.759	68.68	11.01	4.34	≤ 5.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)		Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1				
802.11ax-HE80	MCS0	7	5985	-12.320	-12.310	54.95	11.01	4.31	≤ 5.00
802.11ax-HE80	MCS0	55	6225	-11.586	-12.031	54.95	11.01	4.82	≤ 5.00
802.11ax-HE80	MCS0	87	6385	-11.759	-12.552	54.95	11.01	4.48	≤ 5.00
802.11ax-HE80	MCS0	103	6465	-11.780	-12.010	54.95	11.01	4.73	≤ 5.00
802.11ax-HE80	MCS0	119	6545	-12.175	-11.732	54.95	11.01	4.67	≤ 5.00
802.11ax-HE80	MCS0	135	6625	-11.738	-12.367	54.95	11.01	4.58	≤ 5.00
802.11ax-HE80	MCS0	151	6705	-12.110	-12.434	54.95	11.01	4.35	≤ 5.00
802.11ax-HE80	MCS0	167	6785	-12.388	-12.635	54.95	11.01	4.11	≤ 5.00
802.11ax-HE80	MCS0	183	6865	-11.801	-12.459	54.95	11.01	4.50	≤ 5.00
802.11ax-HE80	MCS0	199	6945	-12.603	-12.503	54.95	11.01	4.07	≤ 5.00
802.11ax-HE80	MCS0	215	7025	-12.207	-12.416	54.95	11.01	4.31	≤ 5.00
802.11ax-HE160	MCS0	15	6025	-12.645	-12.886	45.15	11.01	4.71	≤ 5.00
802.11ax-HE160	MCS0	47	6185	-13.113	-12.941	45.15	11.01	4.45	≤ 5.00
802.11ax-HE160	MCS0	79	6345	-13.077	-13.156	45.15	11.01	4.36	≤ 5.00
802.11ax-HE160	MCS0	111	6505	-12.976	-13.453	45.15	11.01	4.27	≤ 5.00
802.11ax-HE160	MCS0	143	6665	-13.260	-13.467	45.15	11.01	4.11	≤ 5.00
802.11ax-HE160	MCS0	175	6825	-12.771	-12.919	45.15	11.01	4.63	≤ 5.00
802.11ax-HE160	MCS0	207	6985	-13.184	-12.949	45.15	11.01	4.41	≤ 5.00
802.11be-EHT20	MCS0	1	5955	-10.577	-11.088	80.53	11.01	4.14	≤ 5.00
802.11be-EHT20	MCS0	49	6195	-10.694	-10.885	80.53	11.01	4.17	≤ 5.00
802.11be-EHT20	MCS0	93	6415	-10.404	-10.579	80.53	11.01	4.47	≤ 5.00
802.11be-EHT20	MCS0	97	6435	-10.307	-10.534	80.53	11.01	4.54	≤ 5.00
802.11be-EHT20	MCS0	105	6475	-10.547	-10.507	80.53	11.01	4.43	≤ 5.00
802.11be-EHT20	MCS0	113	6515	-10.369	-10.551	80.53	11.01	4.50	≤ 5.00
802.11be-EHT20	MCS0	117	6535	-10.540	-10.432	80.53	11.01	4.48	≤ 5.00
802.11be-EHT20	MCS0	149	6695	-10.029	-10.283	80.53	11.01	4.81	≤ 5.00
802.11be-EHT20	MCS0	181	6855	-10.870	-10.450	80.53	11.01	4.31	≤ 5.00
802.11be-EHT20	MCS0	185	6875	-10.502	-10.878	80.53	11.01	4.27	≤ 5.00
802.11be-EHT20	MCS0	189	6895	-10.388	-10.749	80.53	11.01	4.40	≤ 5.00
802.11be-EHT20	MCS0	209	6995	-10.717	-11.176	80.53	11.01	4.02	≤ 5.00
802.11be-EHT20	MCS0	229	7095	-10.736	-11.060	80.53	11.01	4.07	≤ 5.00


Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)		Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1				
802.11be-EHT40	MCS0	3	5965	-10.847	-11.146	69.89	11.01	4.58	≤ 5.00
802.11be-EHT40	MCS0	51	6205	-10.876	-10.712	69.89	11.01	4.78	≤ 5.00
802.11be-EHT40	MCS0	91	6405	-10.651	-11.080	69.89	11.01	4.72	≤ 5.00
802.11be-EHT40	MCS0	99	6445	-11.205	-11.292	69.89	11.01	4.33	≤ 5.00
802.11be-EHT40	MCS0	107	6485	-11.010	-11.298	69.89	11.01	4.42	≤ 5.00
802.11be-EHT40	MCS0	115	6525	-11.148	-11.288	69.89	11.01	4.36	≤ 5.00
802.11be-EHT40	MCS0	123	6565	-11.135	-11.496	69.89	11.01	4.26	≤ 5.00
802.11be-EHT40	MCS0	147	6685	-10.887	-10.916	69.89	11.01	4.67	≤ 5.00
802.11be-EHT40	MCS0	179	6845	-10.627	-10.723	69.89	11.01	4.90	≤ 5.00
802.11be-EHT40	MCS0	187	6885	-10.810	-10.770	69.89	11.01	4.79	≤ 5.00
802.11be-EHT40	MCS0	195	6925	-10.881	-11.103	69.89	11.01	4.59	≤ 5.00
802.11be-EHT40	MCS0	211	7005	-10.848	-11.201	69.89	11.01	4.56	≤ 5.00
802.11be-EHT40	MCS0	227	7085	-10.897	-11.351	69.89	11.01	4.46	≤ 5.00
802.11be-EHT80	MCS0	7	5985	-11.543	-11.689	57.84	11.01	4.78	≤ 5.00
802.11be-EHT80	MCS0	55	6225	-11.857	-11.666	57.84	11.01	4.64	≤ 5.00
802.11be-EHT80	MCS0	87	6385	-11.855	-11.736	57.84	11.01	4.60	≤ 5.00
802.11be-EHT80	MCS0	103	6465	-12.103	-11.968	57.84	11.01	4.36	≤ 5.00
802.11be-EHT80	MCS0	119	6545	-11.699	-12.541	57.84	11.01	4.30	≤ 5.00
802.11be-EHT80	MCS0	135	6625	-11.483	-11.962	57.84	11.01	4.68	≤ 5.00
802.11be-EHT80	MCS0	151	6705	-11.535	-12.225	57.84	11.01	4.53	≤ 5.00
802.11be-EHT80	MCS0	167	6785	-11.847	-12.302	57.84	11.01	4.33	≤ 5.00
802.11be-EHT80	MCS0	183	6865	-11.356	-11.710	57.84	11.01	4.87	≤ 5.00
802.11be-EHT80	MCS0	199	6945	-11.674	-11.794	57.84	11.01	4.66	≤ 5.00
802.11be-EHT80	MCS0	215	7025	-11.739	-12.256	57.84	11.01	4.41	≤ 5.00
802.11be-EHT160	MCS0	15	6025	-12.492	-13.186	47.73	11.01	4.41	≤ 5.00
802.11be-EHT160	MCS0	47	6185	-12.281	-12.526	47.73	11.01	4.83	≤ 5.00
802.11be-EHT160	MCS0	79	6345	-12.576	-12.458	47.73	11.01	4.72	≤ 5.00
802.11be-EHT160	MCS0	111	6505	-12.360	-12.708	47.73	11.01	4.70	≤ 5.00
802.11be-EHT160	MCS0	143	6665	-12.525	-12.928	47.73	11.01	4.51	≤ 5.00
802.11be-EHT160	MCS0	175	6825	-12.629	-13.316	47.73	11.01	4.27	≤ 5.00
802.11be-EHT160	MCS0	207	6985	-12.387	-12.749	47.73	11.01	4.67	≤ 5.00

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	PSD (dBm/MHz)		Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
				Ant 0	Ant 1				
802.11be-EHT320-1	MCS0	31	6105	-13.710	-13.579	39.78	11.01	4.38	≤ 5.00
802.11be-EHT320-1	MCS0	95	6425	-13.278	-13.469	39.78	11.01	4.65	≤ 5.00
802.11be-EHT320-1	MCS0	159	6745	-13.113	-13.361	39.78	11.01	4.79	≤ 5.00
802.11be-EHT320-2	MCS0	63	6265	-13.958	-13.863	39.78	11.01	4.11	≤ 5.00
802.11be-EHT320-2	MCS0	127	6585	-13.738	-13.695	39.78	11.01	4.31	≤ 5.00
802.11be-EHT320-2	MCS0	191	6905	-13.629	-14.094	39.78	11.01	4.17	≤ 5.00


Note: When EUT duty cycle < 98%, EIRP PSD (dBm/MHz) = $10 \cdot \log \{10^{(\text{Ant 0 PSD}/10)} + 10^{(\text{Ant 1 PSD}/10)}\}$
(dBm/MHz) + $10 \cdot \log (1/\text{Duty Cycle})$ + Antenna Gain for PSD (dBi).

802.11ax-HE20 Power Spectral Density- Ant 0


Channel 1 (5955 MHz)




Channel 49 (6195 MHz)




Channel 93 (6415 MHz)



Channel 97 (6435 MHz)



Channel 105 (6475 MHz)




Channel 113 (6515 MHz)




802.11ax-HE20 Power Spectral Density- Ant 0


Channel 117 (6535 MHz)




Channel 149 (6695 MHz)




Channel 181 (6855 MHz)




Channel 185 (6875 MHz)




Channel 189 (6895 MHz)



Channel 209 (6995 MHz)




Channel 229 (7095 MHz)



802.11ax-HE40 Power Spectral Density- Ant 0

Channel 3 (5965 MHz)



Channel 51 (6205 MHz)




Channel 91 (6405 MHz)



Channel 99 (6445 MHz)



Channel 107 (6485 MHz)



Channel 115 (6525 MHz)

