







Reference levelCH06	Spectrum Ref Level20.50 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT132.7 μs VBW300 kHz ModeAuto FFT Count100/100 1Pk Max M1[1] 1.28 dBm 2.4355240 GHz M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.437 GHz 691 pts Span 60.0 MHz Date: 22 APR. 2024 19:15:41
CH06	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT30.1 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -51.89 dBm 898.9130 MHz M1 -20 dBm -18.720 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 22 APR. 2024 19:15:57
	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT250 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -43.42 dBm 15.815833 GHz M1 -20 dBm -18.720 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 22 APR. 2024 19:16:12

Reference levelCH09	Spectrum Ref Level20.50 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT132.7 μs VBW300 kHz ModeAuto FFT Count100/100 1Pk Max M1[1] 1.17 dBm 2.4494820 GHz M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.452 GHz 691 pts Span 60.0 MHz Date: 22 APR. 2024 19:17:09
CH09	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT30.1 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -51.89 dBm 874.6640 MHz M1 -20 dBm -18.830 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 22 APR. 2024 19:17:24
	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT250 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -44.15 dBm 15.267500 GHz M1 -20 dBm -18.830 dBm 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 22 APR. 2024 19:17:40

Test Item:	SE	802.11 (ax40)	Antenna 0
Reference levelCH03	Spectrum Ref Level20.50 dBm Att30 dB Count100/100 Offset0.50 dB SWT132.7 μs RBW100 kHz VBW300 kHz ModeAuto FFT  CF 2.422 GHz691 ptsSpan 60.0 MHz Date:23 APR 2024 11:49:30		
CH03	Spectrum Ref Level20.00 dBm Att30 dB Count10/10 Offset0.50 dB SWT30.1 ms RBW100 kHz VBW300 kHz ModeAuto Sweep  Start 30.0 MHz30001 ptsStop 1.0 GHz Date:23 APR 2024 11:49:45		
	Spectrum Ref Level20.00 dBm Att30 dB Count10/10 Offset0.50 dB SWT250 ms RBW100 kHz VBW300 kHz ModeAuto Sweep  Start 1.0 GHz30001 ptsStop 26.0 GHz Date:23 APR 2024 11:50:00		

Reference level	CH06
	 Spectrum plot for CH06. The plot shows a signal at 2.4364790 GHz with a peak level of 0.43 dBm. The plot includes parameters: Ref Level 20.50 dBm, Att 30 dB, Offset 0.50 dB, RBW 100 kHz, Mode Auto FFT, Span 60.0 MHz, and Date: 23 APR 2024 11:50:51.
CH06	 Spectrum plot for CH06. The plot shows a signal at 869.0060 MHz with a peak level of -50.11 dBm. The plot includes parameters: Ref Level 20.00 dBm, Att 30 dB, Offset 0.50 dB, RBW 100 kHz, Mode Auto Sweep, Span 1.0 GHz, and Date: 23 APR 2024 11:51:06.
	 Spectrum plot for CH06. The plot shows a signal at 21.200000 GHz with a peak level of -43.56 dBm. The plot includes parameters: Ref Level 20.00 dBm, Att 30 dB, Offset 0.50 dB, RBW 100 kHz, Mode Auto Sweep, Span 26.0 GHz, and Date: 23 APR 2024 11:51:21.

Reference level

CH09

Spectrum

Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz
Att 30 dB SWT 132.7 μ s VBW 300 kHz Mode Auto FFT
Count 100/100

1Pk Max

M1[1] 1.62 dBm
2.451710 GHz

CF 2.452 GHz 691 pts Span 60.0 MHz

Date: 23 APR 2024 11:52:16

CH09

Spectrum

Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz
Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep
Count 10/10

1Pk Max

M1[1] -49.12 dBm
868.9740 MHz

D1 -18.380 dBm

Start 30.0 MHz 30001 pts Stop 1.0 GHz

Date: 23 APR 2024 11:52:31

Spectrum

Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz
Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep
Count 10/10


1Pk Max

M1[1] -43.63 dBm
16.390000 GHz

D1 -18.380 dBm

Start 1.0 GHz 30001 pts Stop 26.0 GHz


Date: 23 APR 2024 11:52:46





Reference levelCH11	Spectrum Ref Level20.50 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT75.9 μs VBW300 kHz ModeAuto FFT Count100/100 1Pk Max M1[1] 6.85 dBm 2.4624780 GHz CF 2.462 GHz 691 pts Span 30.0 MHz Date: 23 APR 2024 11:28:35
CH11	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT30.1 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -49.44 dBm 869.0710 MHz Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 23 APR 2024 11:28:50
	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT250 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -43.63 dBm 16.822500 GHz Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 23 APR 2024 11:29:05

Test Item:	SE	802.11 g	Antenna 1
Reference level CH01			
CH01			

Reference level CH06




CH06





Reference levelCH06	Spectrum Ref Level20.50 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT75.9 μs VBW300 kHz ModeAuto FFT Count100/100 1Pk Max M1[1] 4.87 dBm 2.4382590 GHz M1 CF 2.437 GHz 691 pts Span 30.0 MHz Date: 22 APR. 2024 19:33:41
CH06	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT30.1 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -51.00 dBm 870.1700 MHz M1 Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 22 APR. 2024 19:33:56
	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT250 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -43.49 dBm 20.805833 GHz M1 Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 22 APR. 2024 19:34:12

Reference level CH11



CH11



Reference levelCH06	Spectrum Ref Level20.50 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT75.9 μs VBW300 kHz ModeAuto FFT Count100/100 1Pk Max M1[1] 4.48 dBm 2.4383020 GHz M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.437 GHz 691 pts Span 30.0 MHz Date: 23 APR. 2024 13:29:57
CH06	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT30.1 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -51.73 dBm 807.2840 MHz N1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 23 APR. 2024 13:30:12
	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT250 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -43.24 dBm 23.294167 GHz M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 23 APR. 2024 13:30:27

Reference level

CH11

Spectrum

Ref Level 20.50 dBm Offset 0.50 dB RBW 100 kHz
Att 30 dB SWT 75.9 μs VBW 300 kHz Mode Auto FFT
Count 100/100

1Pk Max

M1[1] 5.28 dBm 2.4607410 GHz

M1

CF 2.462 GHz 691 pts Span 30.0 MHz

Date: 23 APR 2024 13:31:09

CH11

Spectrum

Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz
Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep
Count 10/10

1Pk Max

M1[1] -51.76 dBm 874.5670 MHz

M1

D1 -14.720 dBm

Start 30.0 MHz 30001 pts Stop 1.0 GHz

Date: 23 APR 2024 13:31:24

Spectrum

Ref Level 20.00 dBm Offset 0.50 dB RBW 100 kHz
Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep
Count 10/10

1Pk Max

M1[1] -43.85 dBm 19.485000 GHz

M1

D1 -14.720 dBm

Start 1.0 GHz 30001 pts Stop 26.0 GHz

Date: 23 APR 2024 13:31:29

Test Item:	SE	802.11 n(HT40)	Antenna 1
Reference levelCH03	Spectrum Ref Level20.50 dBm Att30 dB Count100/100 Offset0.50 dB SWT132.7 μs RBW100 kHz VBW300 kHz ModeAuto FFT IPk Max M1[1] 1.65 dBm 2.4245180 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.422 GHz 691 pts Span 60.0 MHz Date:22 APR 2024 19:36:15		
CH03	Spectrum Ref Level20.00 dBm Att30 dB Count10/10 Offset0.50 dB SWT30.1 ms RBW100 kHz VBW300 kHz ModeAuto Sweep IPk Max M1[1] -51.82 dBm 885.3660 MHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date:22 APR 2024 19:36:30		
	Spectrum Ref Level20.00 dBm Att30 dB Count10/10 Offset0.50 dB SWT250 ms RBW100 kHz VBW300 kHz ModeAuto Sweep IPk Max M1[1] -43.57 dBm 19.227500 GHz 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date:22 APR 2024 19:36:45		

Reference levelCH06	Spectrum Ref Level20.50 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT132.7 μs VBW300 kHz ModeAuto FFT Count100/100 1Pk Max M1[1] 2.07 dBm 2.4407340 GHz M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.437 GHz 691 pts Span 60.0 MHz Date: 22 APR. 2024 19:37:16
CH06	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT30.1 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -52.07 dBm 949.2220 MHz D1 -17.930 dBm M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 22 APR. 2024 19:37:31
	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT250 ms VBW300 kHz ModeAuto Sweep Count10/10 1Pk Max M1[1] -43.93 dBm 21.011667 GHz D1 -17.930 dBm M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 22 APR. 2024 19:37:46

Reference level

CH09

This spectrum plot shows a signal at 2.45 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in GHz, ranging from 2.449 to 2.451. The signal is a narrowband peak at 2.45 GHz with a power level of approximately 2.45 dBm. The plot includes a reference level of 20.50 dBm and an attenuation of 30 dB. The span is 60.0 MHz and the resolution bandwidth is 100 kHz.


CH09

This spectrum plot shows a signal at 651.7650 MHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in MHz, ranging from 651.7 to 651.8. The signal is a narrowband peak at 651.7650 MHz with a power level of approximately -51.24 dBm. The plot includes a reference level of 20.00 dBm and an attenuation of 30 dB. The span is 1.0 GHz and the resolution bandwidth is 100 kHz.



This spectrum plot shows a signal at 16.426667 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in GHz, ranging from 16.4 to 16.5. The signal is a narrowband peak at 16.426667 GHz with a power level of approximately -44.07 dBm. The plot includes a reference level of 20.00 dBm and an attenuation of 30 dB. The span is 26.0 GHz and the resolution bandwidth is 100 kHz.

Test Item:	SE	802.11 (ax40)	Antenna 1
Reference levelCH03	Spectrum Ref Level20.50 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT132.7 μs VBW300 kHz ModeAuto FFT Count100/100 IPk Max 0.78 dBm 2.4240840 GHz M1[1] M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.422 GHz 691 pts Span 60.0 MHz Date: 23 APR 2024 13:38:23		
CH03	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT30.1 ms VBW300 kHz ModeAuto Sweep Count10/10 IPk Max -52.18 dBm 928.5620 MHz M1[1] M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 30.0 MHz 30001 pts Stop 1.0 GHz Date: 23 APR 2024 13:38:38		
	Spectrum Ref Level20.00 dBm Offset0.50 dB RBW100 kHz Att30 dB SWT250 ms VBW300 kHz ModeAuto Sweep Count10/10 IPk Max -43.71 dBm 16.680000 GHz M1[1] M1 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm Start 1.0 GHz 30001 pts Stop 26.0 GHz Date: 23 APR 2024 13:38:53		

Reference level CH09



CH09



.....End of Report.....