



Test Mode: UNII-1/TX N40 Mode_ANT 4

TX mode CH38



Date: 8.JUN.2015 18:13:10


TX mode CH46



Date: 8.JUN.2015 18:14:22


Test Mode: UNII-3/TX A Mode

TX A Mode CH149



Date: 8.JUN.2015 16:53:03


TX A Mode CH165



Date: 8.JUN.2015 16:56:24


Test Mode: UNII-3/TX N20 Mode_ANT 3

TX HT20 mode CH149



Date: 8.JUN.2015 17:06:38


TX HT20 mode CH165



Date: 8.JUN.2015 17:09:13


Test Mode:	UNII-3/TX N20 Mode_ANT 4
------------	--------------------------

TX HT20 mode CH149




Date: 8.JUN.2015 17:15:45

X HT20 mode CH165




Test Mode:	UNII-3/TX N40 Mode_ANT 3
------------	--------------------------

UNII-3/TX HT40 mode CH151



Date: 8.JUN.2015 17:59:00


UNII-3/TX HT40 mode CH159



Date: 8.JUN.2015 18:04:42


Test Mode:	UNII-3/TX N40 Mode_ANT 4
------------	--------------------------

TX HT40 mode CH151




Date: 8.JUN.2015 18:16:10

HT40 mode CH159




Test Mode: UNII-1/TX AC20 Mode_ANT 3

TX mode CH36



Date: 8.JUN.2015 17:22:21


TX mode CH48



Date: 8.JUN.2015 17:26:53


Test Mode: UNII-1/TX AC40 Mode_ANT 3

TX mode CH38



Date: 8.JUN.2015 18:53:56


TX mode CH46



Date: 8.JUN.2015 18:56:01


Test Mode: UNII-1/TX AC40 Mode_ANT 4

TX mode CH38



Date: 8.JUN.2015 19:25:12


TX mode CH46




Date: 8.JUN.2015 19:26:30

Test Mode: UNII-1/TX AC80 Mode_ANT 3

TX mode CH42




Date: 8.JUN.2015 19:37:46



Date: 8.JUN.2015 19:37:54


Test Mode: UNII-3/TX AC20 Mode_ANT 3

TX AC HT20 mode CH149



Date: 8.JUN.2015 17:28:42


TX AC HT20 mode CH165



Date: 8.JUN.2015 17:31:15


Test Mode: UNII-3/TX AC20 Mode_ANT 4

TX AC HT20 mode CH149




Date: 8.JUN.2015 17:39:17

TX AC HT20 mode CH165




Test Mode: UNII-3/TX AC40 Mode_ANT 3

TX AC HT40 mode CH151



Date: 8.JUN.2015 19:19:56


TX AC HT40 mode CH159



Date: 8.JUN.2015 19:21:35


Test Mode: UNII-3/TX AC40 Mode_ANT 4

TX AC HT40 mode CH151




Date: 8.JUN.2015 19:31:14

TX AC HT40 mode CH159




Test Mode: UNII-3/TX AC80 Mode_ANT 3

TX AC HT80 mode CH155




Date: 8.JUN.2015 19:40:38




Date: 8.JUN.2015 19:40:51

Test Mode:	UNII-3/TX AC80 Mode_ANT 4
------------	---------------------------

TX AC HT80 mode CH155




Date: 8.JUN.2015 19:48:58



Date: 8.JUN.2015 19:49:09


Test Mode: UNII-1/TX N20 Mode_ANT 3

TX mode CH36



Date: 10.JUN.2015 17:29:34


TX mode CH48



Date: 10.JUN.2015 17:32:03


Test Mode: UNII-1/TX N40 Mode_ANT 4

TX mode CH38



Date: 10.JUN.2015 18:15:33


TX mode CH46



Date: 10.JUN.2015 18:16:39


Test Mode: UNII-3/TX A Mode

TX A Mode CH149



Date: 10.JUN.2015 17:24:15


TX A Mode CH165



Date: 10.JUN.2015 17:27:18


Test Mode: UNII-3/TX N20 Mode_ANT 3

TX HT20 mode CH149



Date: 10.JUN.2015 17:34:11


TX HT20 mode CH165



Date: 10.JUN.2015 17:36:27


Test Mode: UNII-3/TX N20 Mode_ANT 4

TX HT20 mode CH149




Date: 10.JUN.2015 17:43:23

X HT20 mode CH165




Test Mode:	UNII-3/TX N40 Mode_ANT 3
------------	--------------------------

UNII-3/TX HT40 mode CH151



Date: 10.JUN.2015 18:11:55


UNII-3/TX HT40 mode CH159



Date: 10.JUN.2015 18:13:04


Test Mode: UNII-3/TX N40 Mode_ANT 4

TX HT40 mode CH151



Date: 10.JUN.2015 18:18:26


HT40 mode CH159



Date: 10.JUN.2015 18:47:58


Test Mode: UNII-1/TX AC20 Mode_ANT 3

TX mode CH36



Date: 10.JUN.2015 17:48:21


TX mode CH48



Date: 10.JUN.2015 17:50:42


Test Mode: UNII-1/TX AC40 Mode_ANT 3

TX mode CH38



Date: 10.JUN.2015 18:51:17


TX mode CH46



Date: 10.JUN.2015 18:52:47


Test Mode: UNII-1/TX AC40 Mode_ANT 4

TX mode CH38



Date: 10.JUN.2015 19:01:52


TX mode CH46




Date: 10.JUN.2015 19:03:16

Test Mode: UNII-1/TX AC80 Mode_ANT 3

TX mode CH42




Date: 10.JUN.2015 19:09:18




Date: 10.JUN.2015 19:09:28

Test Mode: UNII-1/TX AC80 Mode_ANT 4

TX mode CH42




Date: 10.JUN.2015 19:14:33



Date: 10.JUN.2015 19:14:40


Test Mode: UNII-3/TX AC20 Mode_ANT 3

TX AC HT20 mode CH149



Date: 10.JUN.2015 17:52:33


TX AC HT20 mode CH165



Date: 10.JUN.2015 17:54:56


Test Mode: UNII-3/TX AC20 Mode_ANT 4

TX AC HT20 mode CH149



Date: 10.JUN.2015 18:01:46


TX AC HT20 mode CH165



Date: 10.JUN.2015 18:05:44


Test Mode: UNII-3/TX AC40 Mode_ANT 3

TX AC HT40 mode CH151



Date: 10.JUN.2015 18:54:53


TX AC HT40 mode CH159



Date: 10.JUN.2015 18:57:17


Test Mode: UNII-3/TX AC40 Mode_ANT 4

TX AC HT40 mode CH151




Date: 10.JUN.2015 19:05:22

TX AC HT40 mode CH159




Test Mode: UNII-3/TX AC80 Mode_ANT 3

TX AC HT80 mode CH155




Date: 10.JUN.2015 19:11:12




Date: 10.JUN.2015 19:11:20

Test Mode: UNII-3/TX AC80 Mode_ANT 4

TX AC HT80 mode CH155



Date: 10.JUN.2015 19:16:27



Date: 10.JUN.2015 19:16:35

ATTACHMENT H - POWER SPECTRAL DENSITY


Internal antenna

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.67	0.10	3.77	17.00
CH40	5200	3.40	0.10	3.50	17.00
CH48	5240	3.89	0.10	3.99	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	3.77	3.38	7.15	10.00
CH40	5200	3.50	3.38	6.88	10.00
CH48	5240	3.99	3.38	7.37	10.00

CH36




Date: 8.JUN.2015 16:44:28

CH40



Date: 8.JUN.2015 16:46:02

CH48




Date: 8.JUN.2015 16:47:36

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.28	0.29	0.57	17.00
CH40	5200	0.51	0.29	0.80	17.00
CH48	5240	0.72	0.29	1.01	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	0.57	3.38	3.95	10.00
CH40	5200	0.80	3.38	4.18	10.00
CH48	5240	1.01	3.38	4.39	10.00

CH36




Date: 8.JUN.2015 17:01:20

CH40



Date: 8.JUN.2015 17:03:13

CH48




Date: 8.JUN.2015 17:04:27

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.96	0.29	-0.67	17.00
CH40	5200	-1.23	0.29	-0.94	17.00
CH48	5240	-1.73	0.29	-1.44	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-0.67	3.08	2.41	10.00
CH40	5200	-0.94	3.08	2.14	10.00
CH48	5240	-1.44	3.08	1.64	10.00

CH36




Date: 8.JUN.2015 17:11:25

CH40



Date: 8.JUN.2015 17:12:43

CH48



Date: 8.JUN.2015 17:13:54

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.00	17.00
CH40	5200	3.03	17.00
CH48	5240	2.97	17.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	6.26	10.00
CH40	5200	6.32	10.00
CH48	5240	6.03	10.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.15	0.76	0.61	17.00
CH46	5230	-0.04	0.76	0.72	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	0.61	3.38	3.99	10.00
CH46	5230	0.72	3.38	4.10	10.00

CH38



Date: 8.JUN.2015 17:47:34

CH46




Date: 8.JUN.2015 17:49:10

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-2.09	0.76	-1.33	17.00
CH46	5230	-2.38	0.76	-1.62	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-1.33	3.08	1.75	10.00
CH46	5230	-1.62	3.08	1.46	10.00

CH38



Date: 8.JUN.2015 18:13:03

CH46



Date: 8.JUN.2015 18:14:14

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.76	17.00
CH46	5230	2.72	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	6.02	10.00
CH46	5230	5.99	10.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-3.64	0.10	-3.54	30.00
CH157	5785	-4.46	0.10	-4.36	30.00
CH165	5825	-4.87	0.10	-4.77	30.00

TX CH149




Date: 8.JUN.2015 16:52:55

TX CH157



Date: 8.JUN.2015 16:54:45

TX CH165




Date: 8.JUN.2015 16:56:17

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-6.51	0.29	-6.22	30.00
CH157	5785	-7.13	0.29	-6.84	30.00
CH165	5825	-7.89	0.29	-7.60	30.00

TX CH149




Date: 8.JUN.2015 17:06:30

TX CH157



Date: 8.JUN.2015 17:07:59

TX CH165




Date: 8.JUN.2015 17:09:05

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-4.64	0.29	-4.35	30.00
CH157	5785	-5.38	0.29	-5.09	30.00
CH165	5825	-5.20	0.29	-4.91	30.00

TX CH149




Date: 8.JUN.2015 17:15:38

TX CH157



Date: 8.JUN.2015 17:16:54

TX CH165



Date: 8.JUN.2015 17:18:00


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.17	30.00
CH157	5785	-2.87	30.00
CH165	5825	-3.04	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.99	0.76	-1.23	30.00
CH159	5795	-2.03	0.76	-1.27	30.00

TX CH151



Date: 8.JUN.2015 17:55:26

TX CH159




Date: 8.JUN.2015 18:04:34

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-4.47	0.76	-3.71	30.00
CH159	5795	-4.88	0.76	-4.12	30.00

TX CH151



Date: 8.JUN.2015 18:16:02

TX CH159



Date: 8.JUN.2015 18:17:32

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	0.71	30.00
CH159	5795	0.55	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.90	1.20	3.10	17.00
CH40	5200	2.42	1.20	3.62	17.00
CH48	5240	2.50	1.20	3.70	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	3.10	3.38	6.48	10.00
CH40	5200	3.62	3.38	7.00	10.00
CH48	5240	3.70	3.38	7.08	10.00

CH36




Date: 18.JUN.2015 22:48:25

CH40



Date: 18.JUN.2015 22:49:59

CH48




Date: 18.JUN.2015 22:52:50

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.48	1.20	2.68	17.00
CH40	5200	1.18	1.20	2.38	17.00
CH48	5240	0.04	1.20	1.24	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	2.68	3.08	5.76	10.00
CH40	5200	2.38	3.08	5.46	10.00
CH48	5240	1.24	3.08	4.32	10.00

CH36




Date: 8.JUN.2015 17:34:03

CH40



Date: 8.JUN.2015 17:35:13

CH48



Date: 8.JUN.2015 17:36:43

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	6.92	17.00
CH40	5200	6.74	17.00
CH48	5240	6.43	17.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	9.15	10.00
CH40	5200	9.31	10.00
CH48	5240	8.93	10.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.77	2.34	4.11	17.00
CH46	5230	2.23	2.34	4.57	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	4.11	3.38	7.49	10.00
CH46	5230	4.57	3.38	7.95	10.00

CH38



Date: 8.JUN.2015 18:53:49

CH46




Date: 8.JUN.2015 18:55:54

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.62	2.34	2.96	17.00
CH46	5230	-3.89	2.34	-1.55	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	2.96	3.08	6.04	10.00
CH46	5230	-1.55	3.08	1.53	10.00

CH38



Date: 8.JUN.2015 19:25:05

CH46



Date: 8.JUN.2015 19:26:23

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.58	17.00
CH46	5230	5.52	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	9.84	10.00
CH46	5230	8.84	10.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.53	1.05	1.58	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	1.58	3.38	4.96	10.00




Date: 8.JUN.2015 19:37:30

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-0.42	1.05	0.63	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	0.63	3.08	3.71	10.00



Date: 8.JUN.2015 19:44:19

Test Mode: UNII-1/TX AC80 Mode_CH42_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	4.14	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	7.39	10.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-5.22	1.20	-4.02	30.00
CH157	5785	-2.21	1.20	-1.01	30.00
CH165	5825	-2.90	1.20	-1.70	30.00

TX CH149




Date: 8.JUN.2015 17:28:34

TX CH157



Date: 8.JUN.2015 17:29:48

TX CH165




Date: 8.JUN.2015 17:31:08

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.25	1.20	-1.05	30.00
CH157	5785	-1.99	1.20	-0.79	30.00
CH165	5825	-2.51	1.20	-1.31	30.00

TX CH149




Date: 8.JUN.2015 17:39:09

TX CH157



Date: 8.JUN.2015 17:41:49

TX CH165



Date: 8.JUN.2015 17:43:03


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.72	30.00
CH157	5785	2.11	30.00
CH165	5825	1.51	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-3.40	2.34	-1.06	30.00
CH159	5795	1.43	2.34	3.77	30.00

TX CH151



Date: 8.JUN.2015 19:17:25

TX CH159




Date: 8.JUN.2015 19:21:27

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-2.15	2.34	0.19	30.00
CH159	5795	-1.81	2.34	0.53	30.00

TX CH151



Date: 8.JUN.2015 19:31:06

TX CH159



Date: 8.JUN.2015 19:33:02


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	2.62	30.00
CH159	5795	5.46	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-4.73	1.05	-3.68	30.00

TX CH155




Date: 8.JUN.2015 19:39:54

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-3.34	1.05	-2.29	30.00

TX CH155



Date: 8.JUN.2015 19:46:10

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	0.08	30.00


External antenna

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.80	0.18	4.98	17.00
CH40	5200	4.64	0.18	4.82	17.00
CH48	5240	4.62	0.18	4.80	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	4.98	4.64	9.62	10.00
CH40	5200	4.82	4.64	9.46	10.00
CH48	5240	4.80	4.64	9.44	10.00

CH36




Date: 10.JUN.2015 17:18:41

CH40



Date: 10.JUN.2015 17:20:33

CH48




Date: 10.JUN.2015 17:21:59

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.40	0.13	0.53	17.00
CH40	5200	0.47	0.13	0.60	17.00
CH48	5240	0.47	0.13	0.60	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	0.53	4.64	5.17	10.00
CH40	5200	0.60	4.64	5.24	10.00
CH48	5240	0.60	4.64	5.24	10.00

CH36




Date: 10.JUN.2015 17:29:26

CH40



Date: 10.JUN.2015 17:30:50

CH48




Date: 10.JUN.2015 17:31:55

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-7.43	0.13	-7.30	17.00
CH40	5200	-7.00	0.13	-6.87	17.00
CH48	5240	-7.32	0.13	-7.19	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-7.30	4.64	-2.66	10.00
CH40	5200	-6.87	4.64	-2.23	10.00
CH48	5240	-7.19	4.64	-2.55	10.00

CH36




Date: 10.JUN.2015 17:39:03

CH40



Date: 10.JUN.2015 17:40:10

CH48



Date: 10.JUN.2015 17:41:22

Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.19	17.00
CH40	5200	1.32	17.00
CH48	5240	1.27	17.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	5.83	10.00
CH40	5200	3.01	10.00
CH48	5240	2.69	10.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.28	0.90	-0.38	17.00
CH46	5230	-1.99	0.90	-1.09	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-0.38	4.64	4.26	10.00
CH46	5230	-1.09	4.64	3.55	10.00

CH38



Date: 10.JUN.2015 18:08:15

CH46




Date: 10.JUN.2015 18:09:55

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-7.00	0.90	-6.10	17.00
CH46	5230	-6.97	0.90	-6.07	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	-6.10	4.64	-1.46	10.00
CH46	5230	-6.07	4.64	-1.43	10.00

CH38



Date: 10.JUN.2015 18:15:25

CH46



Date: 10.JUN.2015 18:16:32

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.65	17.00
CH46	5230	0.11	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	5.29	10.00
CH46	5230	4.75	10.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	0.79	0.18	0.97	30.00
CH157	5785	0.55	0.18	0.73	30.00
CH165	5825	0.55	0.18	0.73	30.00

TX CH149




Date: 10.JUN.2015 17:24:07

TX CH157



Date: 10.JUN.2015 17:25:47

TX CH165




Date: 10.JUN.2015 17:27:10

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-2.75	0.13	-2.62	30.00
CH157	5785	-3.05	0.13	-2.92	30.00
CH165	5825	-2.85	0.13	-2.72	30.00

TX CH149




Date: 10.JUN.2015 17:34:04

TX CH157



Date: 10.JUN.2015 17:35:16

TX CH165




Date: 10.JUN.2015 17:36:19

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-9.26	0.13	-9.13	30.00
CH157	5785	-9.08	0.13	-8.95	30.00
CH165	5825	-8.87	0.13	-8.74	30.00

TX CH149




Date: 10.JUN.2015 17:43:15

TX CH157



Date: 10.JUN.2015 17:44:25

TX CH165



Date: 10.JUN.2015 17:45:36


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-1.74	30.00
CH157	5785	-1.95	30.00
CH165	5825	-1.75	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-5.48	0.90	-4.58	30.00
CH159	5795	-5.81	0.90	-4.91	30.00

TX CH151



Date: 10.JUN.2015 18:11:47

TX CH159




Date: 10.JUN.2015 18:12:56

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-13.71	0.90	-12.81	30.00
CH159	5795	-8.67	0.90	-7.77	30.00

TX CH151



Date: 10.JUN.2015 18:18:18

TX CH159



Date: 10.JUN.2015 18:47:50

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-3.97	30.00
CH159	5795	-3.10	30.00

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.50	1.88	3.38	17.00
CH40	5200	2.30	1.88	3.80	17.00
CH48	5240	2.21	1.88	4.57	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	3.38	4.64	8.02	10.00
CH40	5200	3.80	4.64	8.44	10.00
CH48	5240	4.51	4.64	9.15	10.00

CH36




Date: 18.JUN.2015 22:57:38

CH40



Date: 18.JUN.2015 22:58:15

CH48




Date: 18.JUN.2015 22:59:46

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.67	1.88	-0.79	17.00
CH40	5200	-2.76	1.88	-0.88	17.00
CH48	5240	-4.00	1.88	-2.12	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	-0.79	4.64	3.85	10.00
CH40	5200	-0.88	4.64	3.76	10.00
CH48	5240	-2.12	4.64	2.52	10.00

CH36




Date: 10.JUN.2015 17:56:59

CH40



Date: 10.JUN.2015 17:58:19

CH48



Date: 10.JUN.2015 17:59:30

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.86	17.00
CH40	5200	5.31	17.00
CH48	5240	5.01	17.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH36	5180	9.43	10.00
CH40	5200	9.71	10.00
CH48	5240	10.00	10.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-0.08	2.85	2.77	17.00
CH46	5230	-0.22	2.85	2.63	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	4.39	4.64	7.41	10.00
CH46	5230	3.82	4.64	7.27	10.00

CH38



Date: 19.JUN.2015 10:28:25

CH46




Date: 19.JUN.2015 10:31:38

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.07	2.85	1.78	17.00
CH46	5230	-2.27	2.85	0.58	17.00


Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	1.78	4.64	6.42	10.00
CH46	5230	0.58	4.64	5.22	10.00

CH38



Date: 10.JUN.2015 19:01:44

CH46



Date: 10.JUN.2015 19:03:08

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.29	17.00
CH46	5230	5.51	17.00


Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH38	5190	9.95	10.00
CH46	5230	9.38	10.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.82	0.67	1.49	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	1.49	4.64	6.13	10.00

CH42



Date: 10.JUN.2015 19:09:01

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.78	0.67	-2.11	17.00

Channel	Frequency (MHz)	Power Density + Duty Factor (dBm/MHz)	Antenna Gain (dBi)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	-2.11	4.64	2.53	10.00



Date: 10.JUN.2015 19:14:25

Test Mode: UNII-1/TX AC80 Mode_CH42_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	3.06	17.00

Channel	Frequency (MHz)	EIRP Power Density (dBm/MHz)	EIRP Limit (dBm/MHz)
CH42	5210	7.70	10.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-0.10	1.88	1.78	30.00
CH157	5785	-0.43	1.88	1.45	30.00
CH165	5825	-1.02	1.88	0.86	30.00

TX CH149




Date: 10.JUN.2015 17:52:25

TX CH157



Date: 10.JUN.2015 17:53:35

TX CH165




Date: 10.JUN.2015 17:54:48

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	-8.22	1.88	-6.34	30.00
CH157	5785	-7.64	1.88	-5.76	30.00
CH165	5825	-6.95	1.88	-5.07	30.00

TX CH149




Date: 10.JUN.2015 18:01:39

TX CH157



Date: 10.JUN.2015 18:02:50

TX CH165



Date: 10.JUN.2015 18:05:36


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH149	5745	2.40	30.00
CH157	5785	2.21	30.00
CH165	5825	1.85	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-1.57	2.85	1.28	30.00
CH159	5795	-1.74	2.85	1.11	30.00

TX CH151



Date: 10.JUN.2015 18:54:45

TX CH159




Date: 10.JUN.2015 18:57:09

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	-8.39	2.85	-5.54	30.00
CH159	5795	-7.83	2.85	-4.98	30.00

TX CH151



Date: 10.JUN.2015 19:05:14

TX CH159



Date: 10.JUN.2015 19:06:29


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH151	5755	2.10	30.00
CH159	5795	2.07	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-2.76	0.67	-2.09	30.00

TX CH155




Date: 10.JUN.2015 19:11:04

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor (dBm/MHz)	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-7.30	0.67	-6.63	30.00

TX CH155



Date: 10.JUN.2015 19:16:19

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH155	5775	-0.78	30.00

ATTACHMENT I - FREQUENCY STABILITY

Internal antenna

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0840
120	5180.0950
108	5180.0670
Max. Deviation (MHz)	0.0950
Max. Deviation (ppm)	18.3398

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0830
5	5180.0810
15	5180.0880
25	5180.0950
35	5180.0960
40	5180.0970
Max. Deviation (MHz)	5180.0980
Max. Deviation (ppm)	0.0980

Test Mode:	UNII-3
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0910
120	5745.0950
108	5745.0970
Max. Deviation (MHz)	0.0970
Max. Deviation (ppm)	16.8842

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0870
5	5745.0860
15	5745.0880
25	5745.0950
35	5745.0970
40	5745.0980
Max. Deviation (MHz)	5745.0960
Max. Deviation (ppm)	0.0980

External antenna

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5180.0930
120	5180.0950
108	5180.0980
Max. Deviation (MHz)	0.0980
Max. Deviation (ppm)	18.9189

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0910
5	5180.0930
15	5180.0940
25	5180.0950
35	5180.0970
40	5180.0960
Max. Deviation (MHz)	0.0980
Max. Deviation (ppm)	18.9189

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5745.0920
120	5745.0950
108	5745.0970
Max. Deviation (MHz)	0.0970
Max. Deviation (ppm)	16.8842

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5745.0910
5	5745.0940
15	5745.0920
25	5745.0950
35	5745.0970
40	5745.0960
Max. Deviation (MHz)	0.0980
Max. Deviation (ppm)	17.0583