


802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1358G	49.01	54.00	-4.99	8.81	3	Vertical	165	2.78	-	40.20	33.97	9.07	34.23
AV	5.2648G	110.81	Inf	-Inf	8.81	3	Vertical	165	2.78	-	102.00	33.90	9.15	34.24
AV	5.3602G	48.78	54.00	-5.22	9.05	3	Vertical	165	2.78	-	39.73	34.04	9.26	34.25
PK	5.1472G	60.99	74.00	-13.01	8.83	3	Vertical	165	2.78	-	52.16	33.99	9.07	34.23
PK	5.2654G	120.95	Inf	-Inf	8.81	3	Vertical	165	2.78	-	112.14	33.90	9.15	34.24
PK	5.3632G	60.81	74.00	-13.19	9.03	3	Vertical	165	2.78	-	51.78	34.02	9.26	34.25

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	48.32	54.00	-5.68	8.84	3	Horizontal	175	2.76	-	39.48	34.00	9.07	34.23
AV	5.2642G	104.01	Inf	-Inf	8.81	3	Horizontal	175	2.76	-	95.20	33.90	9.15	34.24
AV	5.353G	48.45	54.00	-5.55	9.08	3	Horizontal	175	2.76	-	39.37	34.08	9.25	34.25
PK	5.1142G	60.42	74.00	-13.58	8.77	3	Horizontal	175	2.76	-	51.65	33.93	9.07	34.23
PK	5.2642G	114.46	Inf	-Inf	8.81	3	Horizontal	175	2.76	-	105.65	33.90	9.15	34.24
PK	5.4028G	60.52	74.00	-13.48	8.86	3	Horizontal	175	2.76	-	51.66	33.81	9.30	34.25

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.77904G	52.38	54.00	-1.62	23.22	3	Vertical	150	1.30	-	29.16	42.94	14.88	34.60
PK	10.51836G	62.89	68.20	-5.31	17.03	3	Vertical	237	1.00	-	45.86	39.16	12.43	34.56
PK	15.78004G	65.72	74.00	-8.28	23.22	3	Vertical	150	1.30	-	42.50	42.94	14.88	34.60

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.78628G	51.24	54.00	-2.76	23.24	3	Horizontal	286	2.80	-	28.00	42.96	14.88	34.60
PK	10.52448G	59.15	68.20	-9.05	17.05	3	Horizontal	10	1.50	-	42.10	39.17	12.43	34.55
PK	15.77388G	64.85	74.00	-9.15	23.21	3	Horizontal	286	2.80	-	41.64	42.92	14.88	34.59

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.306G	109.64	Inf	-Inf	8.88	3	Vertical	49	2.90	-	100.76	33.92	9.20	34.24
AV	5.3504G	49.50	54.00	-4.50	9.10	3	Vertical	49	2.90	-	40.40	34.10	9.25	34.25
PK	5.3012G	120.25	Inf	-Inf	8.85	3	Vertical	49	2.90	-	111.40	33.90	9.19	34.24
PK	5.3512G	61.82	74.00	-12.18	9.09	3	Vertical	49	2.90	-	52.73	34.09	9.25	34.25

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	101.76	Inf	-Inf	8.85	3	Horizontal	169	2.87	-	92.91	33.90	9.19	34.24
AV	5.356G	48.69	54.00	-5.31	9.06	3	Horizontal	169	2.87	-	39.63	34.06	9.25	34.25
PK	5.2988G	111.83	Inf	-Inf	8.85	3	Horizontal	169	2.87	-	102.98	33.90	9.19	34.24
PK	5.3608G	60.61	74.00	-13.39	9.05	3	Horizontal	169	2.87	-	51.56	34.04	9.26	34.25

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8986G	52.94	54.00	-1.06	22.91	3	Vertical	356	1.00	-	30.03	42.70	14.92	34.71
PK	10.59936G	62.21	68.20	-5.99	17.37	3	Vertical	241	1.09	-	44.84	39.40	12.46	34.49
PK	15.90452G	66.42	74.00	-7.58	22.91	3	Vertical	356	1.00	-	43.51	42.70	14.92	34.71

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90136G	51.96	54.00	-2.04	22.91	3	Horizontal	240	1.50	-	29.05	42.70	14.92	34.71
PK	10.5994G	57.82	68.20	-10.38	17.37	3	Horizontal	20	2.13	-	40.45	39.40	12.46	34.49
PK	15.90372G	65.12	74.00	-8.88	22.91	3	Horizontal	240	1.50	-	42.21	42.70	14.92	34.71

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3208G	107.09	Inf	-Inf	8.94	3	Vertical	52	2.90	-	98.15	33.98	9.21	34.25
AV	5.35G	52.94	54.00	-1.06	9.10	3	Vertical	52	2.90	-	43.84	34.10	9.25	34.25
PK	5.3208G	117.20	Inf	-Inf	8.94	3	Vertical	52	2.90	-	108.26	33.98	9.21	34.25
PK	5.3512G	69.47	74.00	-4.53	9.09	3	Vertical	52	2.90	-	60.38	34.09	9.25	34.25

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.319G	99.21	Inf	-Inf	8.94	3	Horizontal	167	2.89	-	90.27	33.98	9.21	34.25
AV	5.35G	49.24	54.00	-4.76	9.10	3	Horizontal	167	2.89	-	40.14	34.10	9.25	34.25
PK	5.3186G	109.51	Inf	-Inf	8.93	3	Horizontal	167	2.89	-	100.58	33.97	9.21	34.25
PK	5.35G	63.33	74.00	-10.67	9.10	3	Horizontal	167	2.89	-	54.23	34.10	9.25	34.25

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63944G	47.45	54.00	-6.55	17.30	3	Vertical	241	1.07	-	30.15	39.28	12.48	34.46
AV	15.9608G	52.19	54.00	-1.81	22.82	3	Vertical	304	2.64	-	29.37	42.64	14.94	34.76
PK	10.63436G	60.61	74.00	-13.39	17.31	3	Vertical	241	1.07	-	43.30	39.30	12.48	34.47
PK	15.9646G	65.43	74.00	-8.57	22.81	3	Vertical	304	2.64	-	42.62	42.64	14.94	34.77

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63964G	43.61	54.00	-10.39	17.30	3	Horizontal	24	2.08	-	26.31	39.28	12.48	34.46
AV	15.96904G	52.24	54.00	-1.76	22.80	3	Horizontal	360	1.02	-	29.44	42.63	14.94	34.77
PK	10.64828G	56.77	74.00	-17.23	17.28	3	Horizontal	24	2.08	-	39.49	39.26	12.48	34.46
PK	15.9604G	65.29	74.00	-8.71	22.82	3	Horizontal	360	1.02	-	42.47	42.64	14.94	34.76

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.71	54.00	-5.29	8.95	3	Vertical	48	3.00	-	39.76	33.86	9.35	34.26
AV	5.5058G	104.28	Inf	-Inf	8.82	3	Vertical	48	3.00	-	95.46	33.70	9.38	34.26
PK	5.4698G	66.87	68.20	-1.33	8.92	3	Vertical	48	3.00	-	57.95	33.82	9.36	34.26
PK	5.5014G	115.06	Inf	-Inf	8.82	3	Vertical	48	3.00	-	106.24	33.70	9.38	34.26

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	48.18	54.00	-5.82	8.96	3	Horizontal	194	2.95	-	39.22	33.87	9.35	34.26
AV	5.5014G	98.85	Inf	-Inf	8.82	3	Horizontal	194	2.95	-	90.03	33.70	9.38	34.26
PK	5.4698G	61.94	68.20	-6.26	8.92	3	Horizontal	194	2.95	-	53.02	33.82	9.36	34.26
PK	5.5012G	109.50	Inf	-Inf	8.82	3	Horizontal	194	2.95	-	100.68	33.70	9.38	34.26

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00016G	44.49	54.00	-9.51	17.74	3	Vertical	253	1.00	-	26.75	39.30	12.63	34.19
PK	11.00056G	58.11	74.00	-15.89	17.74	3	Vertical	253	1.00	-	40.37	39.30	12.63	34.19
PK	16.5G	64.98	68.20	-3.22	22.27	3	Vertical	68	1.50	-	42.71	41.30	15.24	34.27

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11G	41.66	54.00	-12.34	17.74	3	Horizontal	285	2.01	-	23.92	39.30	12.63	34.19
PK	10.99452G	55.26	74.00	-18.74	17.73	3	Horizontal	285	2.01	-	37.53	39.29	12.63	34.19
PK	16.49036G	65.58	68.20	-2.62	22.26	3	Horizontal	251	1.92	-	43.32	41.30	15.24	34.28

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4402G	47.45	54.00	-6.55	8.95	3	Vertical	194	2.79	-	38.50	33.88	9.33	34.26
AV	5.5782G	108.02	Inf	-Inf	8.76	3	Vertical	194	2.79	-	99.26	33.59	9.44	34.27
PK	5.4636G	59.33	68.20	-8.87	8.94	3	Vertical	194	2.79	-	50.39	33.85	9.35	34.26
PK	5.5782G	118.49	Inf	-Inf	8.76	3	Vertical	194	2.79	-	109.73	33.59	9.44	34.27
PK	5.727G	58.71	68.20	-9.49	8.87	3	Vertical	194	2.79	-	49.84	33.65	9.50	34.28

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.436G	47.38	54.00	-6.62	8.95	3	Horizontal	61	2.51	-	38.43	33.87	9.33	34.25
AV	5.5824G	102.79	Inf	-Inf	8.75	3	Horizontal	61	2.51	-	94.04	33.57	9.45	34.27
PK	5.4666G	58.85	68.20	-9.35	8.92	3	Horizontal	61	2.51	-	49.93	33.83	9.35	34.26
PK	5.5824G	113.54	Inf	-Inf	8.75	3	Horizontal	61	2.51	-	104.79	33.57	9.45	34.27
PK	5.7282G	58.44	68.20	-9.76	8.86	3	Horizontal	61	2.51	-	49.58	33.64	9.50	34.28

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15908G	48.91	54.00	-5.09	11.34	3	Vertical	141	1.09	-	37.57	39.70	12.70	41.06
PK	11.1592G	61.95	74.00	-12.05	11.34	3	Vertical	141	1.09	-	50.61	39.70	12.70	41.06
PK	16.74804G	66.19	68.20	-2.01	17.04	3	Vertical	65	1.22	-	49.15	43.43	15.39	41.78

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15886G	45.09	54.00	-8.91	11.33	3	Horizontal	321	1.00	-	33.76	39.69	12.70	41.06
PK	11.16018G	58.33	74.00	-15.67	11.34	3	Horizontal	321	1.00	-	46.99	39.70	12.70	41.06
PK	16.74066G	63.02	68.20	-5.18	16.97	3	Horizontal	181	1.12	-	46.05	43.37	15.38	41.78

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7024G	104.47	Inf	-Inf	8.91	3	Vertical	168	2.95	-	95.56	33.70	9.49	34.28
PK	5.6972G	114.66	Inf	-Inf	8.90	3	Vertical	168	2.95	-	105.76	33.69	9.49	34.28
PK	5.7264G	66.18	68.20	-2.02	8.87	3	Vertical	168	2.95	-	57.31	33.65	9.50	34.28

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6984G	99.34	Inf	-Inf	8.90	3	Horizontal	86	2.56	-	90.44	33.69	9.49	34.28
PK	5.6984G	109.79	Inf	-Inf	8.90	3	Horizontal	86	2.56	-	100.89	33.69	9.49	34.28
PK	5.7336G	60.80	68.20	-7.40	8.85	3	Horizontal	86	2.56	-	51.95	33.63	9.50	34.28

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39996G	42.77	54.00	-11.23	12.21	3	Vertical	50	1.58	-	30.56	40.50	12.80	41.09
PK	11.40384G	55.59	74.00	-18.41	12.22	3	Vertical	50	1.58	-	43.37	40.51	12.80	41.09
PK	17.10868G	62.27	68.20	-5.93	18.22	3	Vertical	72	2.34	-	44.05	44.56	15.60	41.94

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39672G	42.75	54.00	-11.25	12.20	3	Horizontal	346	2.01	-	30.55	40.49	12.80	41.09
PK	11.39448G	56.15	74.00	-17.85	12.19	3	Horizontal	346	2.01	-	43.96	40.48	12.80	41.09
PK	17.09556G	61.58	68.20	-6.62	18.15	3	Horizontal	355	2.32	-	43.43	44.50	15.59	41.94

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	47.42	54.00	-6.58	8.95	3	Vertical	175	2.80	-	38.47	33.87	9.33	34.25
AV	5.7164G	107.78	Inf	-Inf	8.88	3	Vertical	175	2.80	-	98.90	33.67	9.49	34.28
PK	5.46G	58.62	68.20	-9.58	8.95	3	Vertical	175	2.80	-	49.67	33.86	9.35	34.26
PK	5.7164G	118.54	Inf	-Inf	8.88	3	Vertical	175	2.80	-	109.66	33.67	9.49	34.28
PK	5.9372G	59.80	68.20	-8.40	9.38	3	Vertical	175	2.80	-	50.42	34.05	9.63	34.30

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	47.21	54.00	-6.79	8.98	3	Horizontal	63	2.30	-	38.23	33.90	9.34	34.26
AV	5.7224G	101.93	Inf	-Inf	8.88	3	Horizontal	63	2.30	-	93.05	33.66	9.50	34.28
PK	5.4656G	58.21	68.20	-9.99	8.93	3	Horizontal	63	2.30	-	49.28	33.84	9.35	34.26
PK	5.7164G	111.93	Inf	-Inf	8.88	3	Horizontal	63	2.30	-	103.05	33.67	9.49	34.28
PK	5.9204G	59.52	68.20	-8.68	9.44	3	Horizontal	63	2.30	-	50.08	34.12	9.62	34.30

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44272G	45.07	54.00	-8.93	12.31	3	Vertical	52	2.20	-	32.76	40.59	12.82	41.10
PK	11.4386G	58.02	74.00	-15.98	12.29	3	Vertical	52	2.20	-	45.73	40.58	12.81	41.10
PK	17.15852G	66.96	68.20	-1.24	18.59	3	Vertical	198	1.04	-	48.37	44.91	15.63	41.95

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.44212G	42.57	54.00	-11.43	12.30	3	Horizontal	184	1.54	-	30.27	40.58	12.82	41.10
PK	11.44372G	55.89	74.00	-18.11	12.31	3	Horizontal	184	1.54	-	43.58	40.59	12.82	41.10
PK	17.15524G	61.59	68.20	-6.61	18.58	3	Horizontal	248	1.07	-	43.01	44.89	15.63	41.94

802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1358G	47.02	54.00	-6.98	8.81	3	Vertical	51	2.82	-	38.21	33.97	9.07	34.23
AV	5.2618G	109.94	Inf	-Inf	8.81	3	Vertical	51	2.82	-	101.13	33.90	9.15	34.24
AV	5.3518G	47.48	54.00	-6.52	9.09	3	Vertical	51	2.82	-	38.39	34.09	9.25	34.25
PK	5.1454G	59.47	74.00	-14.53	8.83	3	Vertical	51	2.82	-	50.64	33.99	9.07	34.23
PK	5.2648G	120.86	Inf	-Inf	8.81	3	Vertical	51	2.82	-	112.05	33.90	9.15	34.24
PK	5.3746G	60.08	74.00	-13.92	8.97	3	Vertical	51	2.82	-	51.11	33.95	9.27	34.25

802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.90	54.00	-7.10	8.84	3	Horizontal	174	2.80	-	38.06	34.00	9.07	34.23
AV	5.2558G	102.46	Inf	-Inf	8.80	3	Horizontal	174	2.80	-	93.66	33.90	9.14	34.24
AV	5.3506G	47.10	54.00	-6.90	9.10	3	Horizontal	174	2.80	-	38.00	34.10	9.25	34.25
PK	5.1448G	59.87	74.00	-14.13	8.83	3	Horizontal	174	2.80	-	51.04	33.99	9.07	34.23
PK	5.2558G	114.54	Inf	-Inf	8.80	3	Horizontal	174	2.80	-	105.74	33.90	9.14	34.24
PK	5.3872G	59.45	74.00	-14.55	8.92	3	Horizontal	174	2.80	-	50.53	33.88	9.29	34.25

802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.77668G	51.57	54.00	-2.43	23.22	3	Vertical	218	1.00	-	28.35	42.93	14.88	34.59
PK	10.51568G	60.67	68.20	-7.53	17.02	3	Vertical	144	2.25	-	43.65	39.15	12.43	34.56
PK	15.77504G	65.53	74.00	-8.47	23.22	3	Vertical	218	1.00	-	42.31	42.93	14.88	34.59

802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.77256G	50.77	54.00	-3.23	23.21	3	Horizontal	116	2.03	-	27.56	42.92	14.88	34.59
PK	10.53182G	57.36	68.20	-10.84	17.08	3	Horizontal	316	1.00	-	40.28	39.20	12.43	34.55
PK	15.76518G	64.67	74.00	-9.33	23.20	3	Horizontal	116	2.03	-	41.47	42.90	14.88	34.58

802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3016G	108.07	Inf	-Inf	8.86	3	Vertical	170	2.30	-	99.21	33.91	9.19	34.24
AV	5.35G	49.20	54.00	-4.80	9.10	3	Vertical	170	2.30	-	40.10	34.10	9.25	34.25
PK	5.302G	118.62	Inf	-Inf	8.86	3	Vertical	170	2.30	-	109.76	33.91	9.19	34.24
PK	5.3508G	63.30	74.00	-10.70	9.10	3	Vertical	170	2.30	-	54.20	34.10	9.25	34.25

802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3032G	101.66	Inf	-Inf	8.86	3	Horizontal	192	2.98	-	92.80	33.91	9.19	34.24
AV	5.35G	47.71	54.00	-6.29	9.10	3	Horizontal	192	2.98	-	38.61	34.10	9.25	34.25
PK	5.3044G	112.65	Inf	-Inf	8.87	3	Horizontal	192	2.98	-	103.78	33.92	9.19	34.24
PK	5.35G	61.31	74.00	-12.69	9.10	3	Horizontal	192	2.98	-	52.21	34.10	9.25	34.25

802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8949G	52.21	54.00	-1.79	22.94	3	Vertical	258	3.00	-	29.27	42.72	14.92	34.70
PK	10.59682G	62.01	68.20	-6.19	17.35	3	Vertical	146	2.11	-	44.66	39.39	12.46	34.50
PK	15.89118G	66.10	74.00	-7.90	22.95	3	Vertical	258	3.00	-	43.15	42.73	14.92	34.70

802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.91458G	51.28	54.00	-2.72	22.89	3	Horizontal	257	1.50	-	28.39	42.69	14.92	34.72
PK	10.59634G	57.63	68.20	-10.57	17.35	3	Horizontal	130	2.88	-	40.28	39.39	12.46	34.50
PK	15.8985G	65.15	74.00	-8.85	22.91	3	Horizontal	257	1.50	-	42.24	42.70	14.92	34.71

802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3236G	106.38	Inf	-Inf	8.96	3	Vertical	52	2.90	-	97.42	33.99	9.22	34.25
AV	5.35G	51.81	54.00	-2.19	9.10	3	Vertical	52	2.90	-	42.71	34.10	9.25	34.25
PK	5.3234G	117.95	Inf	-Inf	8.96	3	Vertical	52	2.90	-	108.99	33.99	9.22	34.25
PK	5.3506G	68.79	74.00	-5.21	9.10	3	Vertical	52	2.90	-	59.69	34.10	9.25	34.25

802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3172G	99.03	Inf	-Inf	8.93	3	Horizontal	176	3.00	-	90.10	33.97	9.21	34.25
AV	5.3508G	47.72	54.00	-6.28	9.10	3	Horizontal	176	3.00	-	38.62	34.10	9.25	34.25
PK	5.3174G	110.83	Inf	-Inf	8.93	3	Horizontal	176	3.00	-	101.90	33.97	9.21	34.25
PK	5.35G	60.62	74.00	-13.38	9.10	3	Horizontal	176	3.00	-	51.52	34.10	9.25	34.25

802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63754G	46.93	54.00	-7.07	17.30	3	Vertical	143	2.11	-	29.63	39.29	12.48	34.47
AV	15.96204G	51.44	54.00	-2.56	22.81	3	Vertical	0	1.04	-	28.63	42.64	14.94	34.77
PK	10.63826G	61.72	74.00	-12.28	17.31	3	Vertical	143	2.11	-	44.41	39.29	12.48	34.46
PK	15.94908G	65.26	74.00	-8.74	22.83	3	Vertical	0	1.04	-	42.43	42.65	14.93	34.75

802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.6388G	43.26	54.00	-10.74	17.30	3	Horizontal	308	1.05	-	25.96	39.28	12.48	34.46
AV	15.96222G	51.48	54.00	-2.52	22.81	3	Horizontal	360	1.50	-	28.67	42.64	14.94	34.77
PK	10.63952G	56.88	74.00	-17.12	17.30	3	Horizontal	308	1.05	-	39.58	39.28	12.48	34.46
PK	15.97002G	65.48	74.00	-8.52	22.80	3	Horizontal	360	1.50	-	42.68	42.63	14.94	34.77

802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	48.43	54.00	-5.57	8.95	3	Vertical	160	2.47	-	39.48	33.86	9.35	34.26
AV	5.4984G	105.48	Inf	-Inf	8.83	3	Vertical	160	2.47	-	96.65	33.71	9.38	34.26
PK	5.4694G	66.98	68.20	-1.22	8.92	3	Vertical	160	2.47	-	58.06	33.82	9.36	34.26
PK	5.497G	116.66	Inf	-Inf	8.83	3	Vertical	160	2.47	-	107.83	33.71	9.38	34.26

802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	46.87	54.00	-7.13	8.95	3	Horizontal	194	2.80	-	37.92	33.86	9.35	34.26
AV	5.5036G	100.52	Inf	-Inf	8.82	3	Horizontal	194	2.80	-	91.70	33.70	9.38	34.26
PK	5.468G	67.02	68.20	-1.18	8.92	3	Horizontal	194	2.80	-	58.10	33.83	9.35	34.26
PK	5.5046G	112.48	Inf	-Inf	8.82	3	Horizontal	194	2.80	-	103.66	33.70	9.38	34.26

802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99322G	45.25	54.00	-8.75	17.72	3	Vertical	148	2.70	-	27.53	39.29	12.63	34.20
PK	10.99292G	59.46	74.00	-14.54	17.72	3	Vertical	148	2.70	-	41.74	39.29	12.63	34.20
PK	16.4922G	65.31	68.20	-2.89	22.26	3	Vertical	146	1.50	-	43.05	41.30	15.24	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99376G	43.17	54.00	-10.83	17.73	3	Horizontal	218	1.00	-	25.44	39.29	12.63	34.19
PK	10.99496G	56.89	74.00	-17.11	17.73	3	Horizontal	218	1.00	-	39.16	39.29	12.63	34.19
PK	16.50612G	65.01	68.20	-3.19	22.35	3	Horizontal	262	1.50	-	42.66	41.36	15.25	34.26

802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.448G	48.21	54.00	-5.79	8.98	3	Vertical	68	2.79	-	39.23	33.90	9.34	34.26
AV	5.583G	109.05	Inf	-Inf	8.75	3	Vertical	68	2.79	-	100.30	33.57	9.45	34.27
PK	5.4672G	60.04	68.20	-8.16	8.92	3	Vertical	68	2.79	-	51.12	33.83	9.35	34.26
PK	5.5836G	120.65	Inf	-Inf	8.75	3	Vertical	68	2.79	-	111.90	33.57	9.45	34.27
PK	5.7264G	59.74	68.20	-8.46	8.87	3	Vertical	68	2.79	-	50.87	33.65	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4354G	47.49	54.00	-6.51	8.95	3	Horizontal	352	2.61	-	38.54	33.87	9.33	34.25
AV	5.5722G	103.69	Inf	-Inf	8.78	3	Horizontal	352	2.61	-	94.91	33.61	9.44	34.27
PK	5.466G	59.57	68.20	-8.63	8.93	3	Horizontal	352	2.61	-	50.64	33.84	9.35	34.26
PK	5.5746G	114.66	Inf	-Inf	8.77	3	Horizontal	352	2.61	-	105.89	33.60	9.44	34.27
PK	5.7252G	59.56	68.20	-8.64	8.87	3	Horizontal	352	2.61	-	50.69	33.65	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15808G	48.70	54.00	-5.30	11.33	3	Vertical	140	1.01	-	37.37	39.69	12.70	41.06
PK	11.15784G	62.92	74.00	-11.08	11.33	3	Vertical	140	1.01	-	51.59	39.69	12.70	41.06
PK	16.7484G	66.37	68.20	-1.83	17.05	3	Vertical	64	1.24	-	49.32	43.44	15.39	41.78

802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16072G	44.29	54.00	-9.71	11.34	3	Horizontal	217	3.00	-	32.95	39.70	12.70	41.06
PK	11.15968G	57.47	74.00	-16.53	11.34	3	Horizontal	217	3.00	-	46.13	39.70	12.70	41.06
PK	16.75008G	61.03	68.20	-7.17	17.05	3	Horizontal	41	1.00	-	43.98	43.45	15.39	41.79

802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6944G	102.61	Inf	-Inf	8.89	3	Vertical	190	2.95	-	93.72	33.68	9.49	34.28
PK	5.6932G	113.52	Inf	-Inf	8.88	3	Vertical	190	2.95	-	104.64	33.67	9.49	34.28
PK	5.7284G	66.09	68.20	-2.11	8.86	3	Vertical	190	2.95	-	57.23	33.64	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.708G	96.64	Inf	-Inf	8.89	3	Horizontal	66	2.34	-	87.75	33.68	9.49	34.28
PK	5.7056G	107.32	Inf	-Inf	8.90	3	Horizontal	66	2.34	-	98.42	33.69	9.49	34.28
PK	5.7276G	66.97	68.20	-1.23	8.86	3	Horizontal	66	2.34	-	58.11	33.64	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40004G	45.07	54.00	-8.93	12.21	3	Vertical	140	1.00	-	32.86	40.50	12.80	41.09
PK	11.40176G	58.87	74.00	-15.13	12.21	3	Vertical	140	1.00	-	46.66	40.50	12.80	41.09
PK	17.10232G	62.67	68.20	-5.53	18.17	3	Vertical	72	1.50	-	44.50	44.52	15.59	41.94

802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39332G	42.56	54.00	-11.44	12.18	3	Horizontal	112	1.50	-	30.38	40.47	12.80	41.09
PK	11.40364G	56.85	74.00	-17.15	12.22	3	Horizontal	112	1.50	-	44.63	40.51	12.80	41.09
PK	17.09048G	61.74	68.20	-6.46	18.16	3	Horizontal	176	1.50	-	43.58	44.50	15.59	41.93

802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4236G	47.61	54.00	-6.39	8.92	3	Vertical	235	2.40	-	38.69	33.85	9.32	34.25
AV	5.7152G	109.43	Inf	-Inf	8.88	3	Vertical	235	2.40	-	100.55	33.67	9.49	34.28
PK	5.468G	59.86	68.20	-8.34	8.92	3	Vertical	235	2.40	-	50.94	33.83	9.35	34.26
PK	5.7164G	120.15	Inf	-Inf	8.88	3	Vertical	235	2.40	-	111.27	33.67	9.49	34.28
PK	5.8832G	60.83	68.20	-7.37	9.36	3	Vertical	235	2.40	-	51.47	34.07	9.59	34.30

802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4452G	47.42	54.00	-6.58	8.97	3	Horizontal	349	3.00	-	38.45	33.89	9.34	34.26
AV	5.7152G	104.29	Inf	-Inf	8.88	3	Horizontal	349	3.00	-	95.41	33.67	9.49	34.28
PK	5.4692G	60.00	68.20	-8.20	8.92	3	Horizontal	349	3.00	-	51.08	33.82	9.36	34.26
PK	5.7164G	115.81	Inf	-Inf	8.88	3	Horizontal	349	3.00	-	106.93	33.67	9.49	34.28
PK	5.9456G	60.49	68.20	-7.71	9.36	3	Horizontal	349	3.00	-	51.13	34.02	9.64	34.30

802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43864G	46.55	54.00	-7.45	12.29	3	Vertical	139	1.02	-	34.26	40.58	12.81	41.10
PK	11.43848G	60.60	74.00	-13.40	12.29	3	Vertical	139	1.02	-	48.31	40.58	12.81	41.10
PK	17.17216G	66.13	68.20	-2.07	18.70	3	Vertical	197	1.06	-	47.43	45.01	15.64	41.95

802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4436G	42.64	54.00	-11.36	12.31	3	Horizontal	152	1.76	-	30.33	40.59	12.82	41.10
PK	11.42432G	56.45	74.00	-17.55	12.26	3	Horizontal	152	1.76	-	44.19	40.55	12.81	41.10
PK	17.17368G	61.76	68.20	-6.44	18.71	3	Horizontal	184	1.98	-	43.05	45.02	15.64	41.95

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2776G	106.67	Inf	-Inf	8.83	3	Vertical	240	2.60	-	97.84	33.90	9.17	34.24
AV	5.3512G	51.72	54.00	-2.28	9.09	3	Vertical	240	2.60	-	42.63	34.09	9.25	34.25
PK	5.2784G	116.99	Inf	-Inf	8.83	3	Vertical	240	2.60	-	108.16	33.90	9.17	34.24
PK	5.3556G	67.15	74.00	-6.85	9.07	3	Vertical	240	2.60	-	58.08	34.07	9.25	34.25

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.272G	97.90	Inf	-Inf	8.82	3	Horizontal	154	2.36	-	89.08	33.90	9.16	34.24
AV	5.3508G	49.42	54.00	-4.58	9.10	3	Horizontal	154	2.36	-	40.32	34.10	9.25	34.25
PK	5.2728G	108.16	Inf	-Inf	8.82	3	Horizontal	154	2.36	-	99.34	33.90	9.16	34.24
PK	5.3516G	64.25	74.00	-9.75	9.09	3	Horizontal	154	2.36	-	55.16	34.09	9.25	34.25

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8248G	51.73	54.00	-2.27	23.18	3	Vertical	360	3.00	-	28.55	42.93	14.89	34.64
PK	10.5352G	58.64	68.20	-9.56	17.10	3	Vertical	144	2.20	-	41.54	39.21	12.43	34.54
PK	15.8159G	64.73	74.00	-9.27	23.21	3	Vertical	360	3.00	-	41.52	42.95	14.89	34.63

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8223G	51.69	54.00	-2.31	23.18	3	Horizontal	29	1.01	-	28.51	42.93	14.89	34.64
PK	10.5502G	56.15	68.20	-12.05	17.16	3	Horizontal	205	2.18	-	38.99	39.25	12.44	34.53
PK	15.8336G	65.03	74.00	-8.97	23.15	3	Horizontal	29	1.01	-	41.88	42.90	14.90	34.65

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3088G	100.30	Inf	-Inf	8.90	3	Vertical	66	2.91	-	91.40	33.94	9.20	34.24
AV	5.35G	52.65	54.00	-1.35	9.10	3	Vertical	66	2.91	-	43.55	34.10	9.25	34.25
PK	5.3084G	109.37	Inf	-Inf	8.89	3	Vertical	66	2.91	-	100.48	33.93	9.20	34.24
PK	5.3504G	65.88	74.00	-8.12	9.10	3	Vertical	66	2.91	-	56.78	34.10	9.25	34.25

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3072G	90.59	Inf	-Inf	8.89	3	Horizontal	143	3.00	-	81.70	33.93	9.20	34.24
AV	5.3504G	48.78	54.00	-5.22	9.10	3	Horizontal	143	3.00	-	39.68	34.10	9.25	34.25
PK	5.3064G	99.68	Inf	-Inf	8.89	3	Horizontal	143	3.00	-	90.79	33.93	9.20	34.24
PK	5.3552G	60.43	74.00	-13.57	9.07	3	Horizontal	143	3.00	-	51.36	34.07	9.25	34.25

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.629G	42.72	54.00	-11.28	17.31	3	Vertical	256	2.10	-	25.41	39.31	12.47	34.47
AV	15.9437G	52.26	54.00	-1.74	22.84	3	Vertical	58	1.15	-	29.42	42.66	14.93	34.75
PK	10.6324G	55.41	74.00	-18.59	17.31	3	Vertical	256	2.10	-	38.10	39.30	12.48	34.47
PK	15.9062G	64.91	74.00	-9.09	22.90	3	Vertical	58	1.15	-	42.01	42.69	14.92	34.71

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.62452G	42.44	54.00	-11.56	17.32	3	Horizontal	259	2.13	-	25.12	39.33	12.47	34.48
AV	15.92748G	51.92	54.00	-2.08	22.87	3	Horizontal	220	1.99	-	29.05	42.67	14.93	34.73
PK	10.62448G	56.04	74.00	-17.96	17.32	3	Horizontal	259	2.13	-	38.72	39.33	12.47	34.48
PK	15.92056G	65.28	74.00	-8.72	22.87	3	Horizontal	220	1.99	-	42.41	42.68	14.92	34.73

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.80	54.00	-4.20	8.95	3	Vertical	60	3.00	-	40.85	33.86	9.35	34.26
AV	5.508G	102.50	Inf	-Inf	8.83	3	Vertical	60	3.00	-	93.67	33.70	9.39	34.26
PK	5.468G	66.93	68.20	-1.27	8.92	3	Vertical	60	3.00	-	58.01	33.83	9.35	34.26
PK	5.5076G	112.07	Inf	-Inf	8.83	3	Vertical	60	3.00	-	103.24	33.70	9.39	34.26

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4568G	48.39	54.00	-5.61	8.96	3	Horizontal	98	2.37	-	39.43	33.87	9.35	34.26
AV	5.5172G	95.44	Inf	-Inf	8.83	3	Horizontal	98	2.37	-	86.61	33.70	9.39	34.26
PK	5.4648G	60.99	68.20	-7.21	8.93	3	Horizontal	98	2.37	-	52.06	33.84	9.35	34.26
PK	5.5184G	105.33	Inf	-Inf	8.83	3	Horizontal	98	2.37	-	96.50	33.70	9.39	34.26

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02744G	43.47	54.00	-10.53	17.78	3	Vertical	150	3.00	-	25.69	39.33	12.64	34.19
PK	11.02768G	56.13	74.00	-17.87	17.78	3	Vertical	150	3.00	-	38.35	39.33	12.64	34.19
PK	16.5282G	65.52	68.20	-2.68	22.62	3	Vertical	234	1.26	-	42.90	41.58	15.26	34.22

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.01408G	43.61	54.00	-10.39	17.76	3	Horizontal	8	1.06	-	25.85	39.31	12.64	34.19
PK	11.01784G	56.51	74.00	-17.49	17.77	3	Horizontal	8	1.06	-	38.74	39.32	12.64	34.19
PK	16.53048G	65.09	68.20	-3.11	22.65	3	Horizontal	59	2.20	-	42.44	41.60	15.26	34.21

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	48.93	54.00	-5.07	8.95	3	Vertical	157	2.42	-	39.98	33.86	9.35	34.26
AV	5.548G	105.32	Inf	-Inf	8.86	3	Vertical	157	2.42	-	96.46	33.70	9.42	34.26
PK	5.4664G	66.89	68.20	-1.31	8.92	3	Vertical	157	2.42	-	57.97	33.83	9.35	34.26
PK	5.5476G	115.84	Inf	-Inf	8.86	3	Vertical	157	2.42	-	106.98	33.70	9.42	34.26

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	47.66	54.00	-6.34	8.96	3	Horizontal	193	2.64	-	38.70	33.87	9.35	34.26
AV	5.556G	101.26	Inf	-Inf	8.83	3	Horizontal	193	2.64	-	92.43	33.68	9.42	34.27
PK	5.4696G	62.12	68.20	-6.08	8.92	3	Horizontal	193	2.64	-	53.20	33.82	9.36	34.26
PK	5.5552G	111.31	Inf	-Inf	8.83	3	Horizontal	193	2.64	-	102.48	33.68	9.42	34.27

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.09632G	43.24	54.00	-10.76	17.89	3	Vertical	136	1.19	-	25.35	39.40	12.67	34.18
PK	11.10168G	56.20	74.00	-17.80	17.90	3	Vertical	136	1.19	-	38.30	39.41	12.67	34.18
PK	16.63136G	65.68	68.20	-2.52	23.81	3	Vertical	58	1.18	-	41.87	42.52	15.32	34.03

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.10128G	41.78	54.00	-12.22	17.90	3	Horizontal	51	2.26	-	23.88	39.41	12.67	34.18
PK	11.0956G	55.08	74.00	-18.92	17.89	3	Horizontal	51	2.26	-	37.19	39.40	12.67	34.18
PK	16.6624G	65.32	68.20	-2.88	24.11	3	Horizontal	91	1.50	-	41.21	42.74	15.34	33.97

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6616G	102.20	Inf	-Inf	8.75	3	Vertical	182	2.69	-	93.45	33.55	9.48	34.28
PK	5.6622G	111.59	Inf	-Inf	8.75	3	Vertical	182	2.69	-	102.84	33.55	9.48	34.28
PK	5.7252G	66.20	68.20	-2.00	8.87	3	Vertical	182	2.69	-	57.33	33.65	9.50	34.28

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6628G	96.14	Inf	-Inf	8.75	3	Horizontal	88	2.51	-	87.39	33.55	9.48	34.28
PK	5.6622G	106.22	Inf	-Inf	8.75	3	Horizontal	88	2.51	-	97.47	33.55	9.48	34.28
PK	5.7264G	62.21	68.20	-5.99	8.87	3	Horizontal	88	2.51	-	53.34	33.65	9.50	34.28

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3456G	44.77	54.00	-9.23	11.97	3	Vertical	36	2.28	-	32.80	40.28	12.78	41.09
PK	11.3272G	57.78	74.00	-16.22	11.90	3	Vertical	36	2.28	-	45.88	40.21	12.77	41.08
PK	17.01016G	63.37	68.20	-4.83	18.12	3	Vertical	339	1.20	-	45.25	44.50	15.54	41.92

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.34192G	43.99	54.00	-10.01	11.96	3	Horizontal	51	2.22	-	32.03	40.27	12.77	41.08
PK	11.31104G	56.91	74.00	-17.09	11.82	3	Horizontal	51	2.22	-	45.09	40.14	12.76	41.08
PK	17.03256G	63.30	68.20	-4.90	18.12	3	Horizontal	221	1.77	-	45.18	44.50	15.55	41.93

802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4316G	47.19	54.00	-6.81	8.94	3	Vertical	337	2.60	-	38.25	33.86	9.33	34.25
AV	5.7028G	106.10	Inf	-Inf	8.90	3	Vertical	337	2.60	-	97.20	33.69	9.49	34.28
PK	5.4664G	58.53	68.20	-9.67	8.92	3	Vertical	337	2.60	-	49.61	33.83	9.35	34.26
PK	5.7016G	116.19	Inf	-Inf	8.91	3	Vertical	337	2.60	-	107.28	33.70	9.49	34.28
PK	5.8504G	64.58	68.20	-3.62	9.06	3	Vertical	337	2.60	-	55.52	33.80	9.56	34.30

802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4244G	47.28	54.00	-6.72	8.92	3	Horizontal	84	2.82	-	38.36	33.85	9.32	34.25
AV	5.704G	101.65	Inf	-Inf	8.90	3	Horizontal	84	2.82	-	92.75	33.69	9.49	34.28
PK	5.46G	59.32	68.20	-8.88	8.95	3	Horizontal	84	2.82	-	50.37	33.86	9.35	34.26
PK	5.7052G	111.93	Inf	-Inf	8.90	3	Horizontal	84	2.82	-	103.03	33.69	9.49	34.28
PK	5.8888G	59.82	68.20	-8.38	9.40	3	Horizontal	84	2.82	-	50.42	34.11	9.59	34.30

802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.42336G	47.36	54.00	-6.64	12.26	3	Vertical	35	1.00	-	35.10	40.55	12.81	41.10
PK	11.42144G	59.58	74.00	-14.42	12.25	3	Vertical	35	1.00	-	47.33	40.54	12.81	41.10
PK	17.13032G	66.94	68.20	-1.26	18.38	3	Vertical	341	1.18	-	48.56	44.71	15.61	41.94

802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.42016G	44.40	54.00	-9.60	12.25	3	Horizontal	222	1.50	-	32.15	40.54	12.81	41.10
PK	11.40176G	57.67	74.00	-16.33	12.21	3	Horizontal	222	1.50	-	45.46	40.50	12.80	41.09
PK	17.13128G	65.23	68.20	-2.97	18.39	3	Horizontal	315	1.15	-	46.84	44.72	15.61	41.94

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.148G	48.53	54.00	-5.47	8.84	3	Vertical	67	2.92	-	39.69	34.00	9.07	34.23
AV	5.31G	94.68	Inf	-Inf	8.90	3	Vertical	67	2.92	-	85.78	33.94	9.20	34.24
AV	5.35G	51.78	54.00	-2.22	9.10	3	Vertical	67	2.92	-	42.68	34.10	9.25	34.25
PK	5.121G	61.88	74.00	-12.12	8.78	3	Vertical	67	2.92	-	53.10	33.94	9.07	34.23
PK	5.312G	104.85	Inf	-Inf	8.91	3	Vertical	67	2.92	-	95.94	33.95	9.20	34.24
PK	5.465G	60.46	68.20	-7.74	8.93	3	Vertical	67	2.92	-	51.53	33.84	9.35	34.26

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	48.16	54.00	-5.84	8.83	3	Horizontal	282	2.62	-	39.33	33.99	9.07	34.23
AV	5.31G	86.89	Inf	-Inf	8.90	3	Horizontal	282	2.62	-	77.99	33.94	9.20	34.24
AV	5.351G	49.40	54.00	-4.60	9.09	3	Horizontal	282	2.62	-	40.31	34.09	9.25	34.25
PK	5.066G	60.42	74.00	-13.58	8.73	3	Horizontal	282	2.62	-	51.69	33.90	9.06	34.23
PK	5.312G	95.86	Inf	-Inf	8.91	3	Horizontal	282	2.62	-	86.95	33.95	9.20	34.24
PK	5.521G	60.71	68.20	-7.49	8.84	3	Horizontal	282	2.62	-	51.87	33.70	9.40	34.26

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.60064G	42.50	54.00	-11.50	17.37	3	Vertical	14	1.96	-	25.13	39.40	12.46	34.49
AV	15.89976G	51.99	54.00	-2.01	22.91	3	Vertical	176	1.77	-	29.08	42.70	14.92	34.71
PK	10.60992G	54.84	74.00	-19.16	17.35	3	Vertical	14	1.96	-	37.49	39.37	12.47	34.49
PK	15.90792G	64.78	74.00	-9.22	22.89	3	Vertical	176	1.77	-	41.89	42.69	14.92	34.72

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.61664G	42.55	54.00	-11.45	17.34	3	Horizontal	203	2.48	-	25.21	39.35	12.47	34.48
AV	15.86424G	51.79	54.00	-2.21	23.04	3	Horizontal	17	2.21	-	28.75	42.81	14.91	34.68
PK	10.60304G	55.90	74.00	-18.10	17.36	3	Horizontal	203	2.48	-	38.54	39.39	12.46	34.49
PK	15.85768G	64.64	74.00	-9.36	23.07	3	Horizontal	17	2.21	-	41.57	42.83	14.91	34.67

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.447G	52.68	54.00	-1.32	8.97	3	Vertical	56	2.60	-	43.71	33.89	9.34	34.26
AV	5.527G	98.43	Inf	-Inf	8.84	3	Vertical	56	2.60	-	89.59	33.70	9.40	34.26
PK	5.465G	66.28	68.20	-1.92	8.93	3	Vertical	56	2.60	-	57.35	33.84	9.35	34.26
PK	5.525G	108.04	Inf	-Inf	8.84	3	Vertical	56	2.60	-	99.20	33.70	9.40	34.26
PK	5.774G	60.29	68.20	-7.91	8.92	3	Vertical	56	2.60	-	51.37	33.70	9.51	34.29

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.93	54.00	-4.07	8.95	3	Horizontal	354	2.82	-	40.98	33.86	9.35	34.26
AV	5.53G	94.59	Inf	-Inf	8.84	3	Horizontal	354	2.82	-	85.75	33.70	9.40	34.26
PK	5.464G	61.06	68.20	-7.14	8.93	3	Horizontal	354	2.82	-	52.13	33.84	9.35	34.26
PK	5.522G	101.04	Inf	-Inf	8.84	3	Horizontal	354	2.82	-	92.20	33.70	9.40	34.26
PK	5.737G	60.52	68.20	-7.68	8.85	3	Horizontal	354	2.82	-	51.67	33.63	9.50	34.28

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0248G	42.88	54.00	-11.12	17.77	3	Vertical	221	1.98	-	25.11	39.32	12.64	34.19
PK	11.03808G	55.78	74.00	-18.22	17.80	3	Vertical	221	1.98	-	37.98	39.34	12.65	34.19
PK	16.60856G	64.65	68.20	-3.55	23.60	3	Vertical	348	2.50	-	41.05	42.36	15.31	34.07

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0224G	42.77	54.00	-11.23	17.77	3	Horizontal	8	1.07	-	25.00	39.32	12.64	34.19
PK	11.03424G	56.55	74.00	-17.45	17.78	3	Horizontal	8	1.07	-	38.77	39.33	12.64	34.19
PK	16.58856G	65.41	68.20	-2.79	23.37	3	Horizontal	276	2.48	-	42.04	42.19	15.29	34.11

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.452G	49.79	54.00	-4.21	8.97	3	Vertical	201	2.35	-	40.82	33.89	9.34	34.26
AV	5.618G	98.96	Inf	-Inf	8.70	3	Vertical	201	2.35	-	90.26	33.50	9.47	34.27
PK	5.469G	64.65	68.20	-3.55	8.92	3	Vertical	201	2.35	-	55.73	33.82	9.36	34.26
PK	5.618G	108.69	Inf	-Inf	8.70	3	Vertical	201	2.35	-	99.99	33.50	9.47	34.27
PK	5.743G	66.69	68.20	-1.51	8.83	3	Vertical	201	2.35	-	57.86	33.61	9.50	34.28

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.459G	48.59	54.00	-5.41	8.95	3	Horizontal	319	2.49	-	39.64	33.86	9.35	34.26
AV	5.62G	96.90	Inf	-Inf	8.70	3	Horizontal	319	2.49	-	88.20	33.50	9.47	34.27
PK	5.468G	59.71	68.20	-8.49	8.92	3	Horizontal	319	2.49	-	50.79	33.83	9.35	34.26
PK	5.619G	106.45	Inf	-Inf	8.70	3	Horizontal	319	2.49	-	97.75	33.50	9.47	34.27
PK	5.727G	64.09	68.20	-4.11	8.87	3	Horizontal	319	2.49	-	55.22	33.65	9.50	34.28

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.2136G	46.68	54.00	-7.32	11.59	3	Vertical	29	2.69	-	35.09	39.93	12.72	41.06
PK	11.21328G	59.86	74.00	-14.14	11.59	3	Vertical	29	2.69	-	48.27	39.93	12.72	41.06
PK	16.81944G	62.66	68.20	-5.54	17.55	3	Vertical	305	1.18	-	45.11	43.94	15.43	41.82

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.21968G	44.40	54.00	-9.60	11.59	3	Horizontal	225	2.36	-	32.81	39.94	12.72	41.07
PK	11.2328G	56.73	74.00	-17.27	11.63	3	Horizontal	225	2.36	-	45.10	39.97	12.73	41.07
PK	16.84392G	61.27	68.20	-6.93	17.59	3	Horizontal	208	2.98	-	43.68	43.99	15.44	41.84

802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4176G	48.60	54.00	-5.40	8.90	3	Vertical	236	2.42	-	39.70	33.84	9.31	34.25
AV	5.6852G	102.34	Inf	-Inf	8.85	3	Vertical	236	2.42	-	93.49	33.64	9.49	34.28
PK	5.4692G	60.35	68.20	-7.85	8.92	3	Vertical	236	2.42	-	51.43	33.82	9.36	34.26
PK	5.6852G	112.67	Inf	-Inf	8.85	3	Vertical	236	2.42	-	103.82	33.64	9.49	34.28
PK	5.8532G	66.59	68.20	-1.61	9.09	3	Vertical	236	2.42	-	57.50	33.83	9.56	34.30

802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4032G	48.04	54.00	-5.96	8.86	3	Horizontal	317	2.34	-	39.18	33.81	9.30	34.25
AV	5.6816G	96.61	Inf	-Inf	8.83	3	Horizontal	317	2.34	-	87.78	33.63	9.48	34.28
PK	5.4644G	59.64	68.20	-8.56	8.93	3	Horizontal	317	2.34	-	50.71	33.84	9.35	34.26
PK	5.6804G	105.63	Inf	-Inf	8.82	3	Horizontal	317	2.34	-	96.81	33.62	9.48	34.28
PK	5.8916G	60.91	68.20	-7.29	9.42	3	Horizontal	317	2.34	-	51.49	34.13	9.59	34.30

802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.37616G	44.89	54.00	-9.11	12.10	3	Vertical	35	2.10	-	32.79	40.40	12.79	41.09
PK	11.39536G	57.69	74.00	-16.31	12.19	3	Vertical	35	2.10	-	45.50	40.48	12.80	41.09
PK	17.03096G	61.87	68.20	-6.33	18.13	3	Vertical	328	1.98	-	43.74	44.50	15.55	41.92

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.36064G	43.66	54.00	-10.34	12.03	3	Horizontal	262	2.10	-	31.63	40.34	12.78	41.09
PK	11.3912G	56.91	74.00	-17.09	12.16	3	Horizontal	262	2.10	-	44.75	40.46	12.79	41.09
PK	17.04248G	62.50	68.20	-5.70	18.13	3	Horizontal	137	1.35	-	44.37	44.50	15.56	41.93

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.86	54.00	-1.14	3	Vertical	147	1.17	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3528G	51.94	54.00	-2.06	3	Vertical	148	1.20	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.98	54.00	-1.02	3	Vertical	148	1.22	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.01	54.00	-1.99	3	Vertical	57	1.50	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.15636G	66.79	68.20	-1.41	3	Vertical	357	1.00	-
802.11ac VHT20_Nss1,(MCS0)_2TX	Pass	PK	17.1642G	67.04	68.20	-1.16	3	Vertical	357	1.06	-
802.11ac VHT40_Nss1,(MCS0)_2TX	Pass	PK	17.14086G	66.83	68.20	-1.37	3	Vertical	333	1.16	-
802.11ac VHT80_Nss1,(MCS0)_2TX	Pass	AV	5.46G	52.59	54.00	-1.41	3	Vertical	323	1.96	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1478G	47.98	54.00	-6.02	3	Vertical	146	1.16	-
5260MHz	Pass	AV	5.2636G	109.25	Inf	-Inf	3	Vertical	146	1.16	-
5260MHz	Pass	AV	5.3578G	48.34	54.00	-5.66	3	Vertical	146	1.16	-
5260MHz	Pass	PK	5.1388G	59.61	74.00	-14.39	3	Vertical	146	1.16	-
5260MHz	Pass	PK	5.2642G	119.40	Inf	-Inf	3	Vertical	146	1.16	-
5260MHz	Pass	PK	5.3632G	60.05	74.00	-13.95	3	Vertical	146	1.16	-
5260MHz	Pass	AV	15.77352G	50.59	54.00	-3.41	3	Vertical	194	2.50	-
5260MHz	Pass	PK	10.51716G	54.67	68.20	-13.53	3	Vertical	351	1.86	-
5260MHz	Pass	PK	15.78436G	64.21	74.00	-9.79	3	Vertical	194	2.50	-
5260MHz	Pass	AV	15.7874G	50.48	54.00	-3.52	3	Horizontal	89	1.52	-
5260MHz	Pass	PK	10.52096G	54.24	68.20	-13.96	3	Horizontal	58	1.73	-
5260MHz	Pass	PK	15.77164G	63.42	74.00	-10.58	3	Horizontal	89	1.52	-
5300MHz	Pass	AV	5.2992G	110.59	Inf	-Inf	3	Vertical	148	1.21	-
5300MHz	Pass	AV	5.35G	51.56	54.00	-2.44	3	Vertical	148	1.21	-
5300MHz	Pass	PK	5.2992G	120.26	Inf	-Inf	3	Vertical	148	1.21	-
5300MHz	Pass	PK	5.3508G	67.08	74.00	-6.92	3	Vertical	148	1.21	-
5300MHz	Pass	AV	15.9056G	51.08	54.00	-2.92	3	Vertical	200	1.64	-
5300MHz	Pass	PK	10.59968G	57.76	68.20	-10.44	3	Vertical	138	3.00	-
5300MHz	Pass	PK	15.9094G	64.22	74.00	-9.78	3	Vertical	200	1.64	-
5300MHz	Pass	AV	15.908G	50.92	54.00	-3.08	3	Horizontal	351	1.56	-
5300MHz	Pass	PK	10.59448G	54.42	68.20	-13.78	3	Horizontal	159	2.26	-
5300MHz	Pass	PK	15.89852G	63.87	74.00	-10.13	3	Horizontal	351	1.56	-
5320MHz	Pass	AV	5.319G	106.86	Inf	-Inf	3	Vertical	147	1.17	-
5320MHz	Pass	AV	5.35G	52.86	54.00	-1.14	3	Vertical	147	1.17	-
5320MHz	Pass	PK	5.3242G	117.02	Inf	-Inf	3	Vertical	147	1.17	-
5320MHz	Pass	PK	5.3502G	69.34	74.00	-4.66	3	Vertical	147	1.17	-
5320MHz	Pass	AV	10.647G	41.68	54.00	-12.32	3	Vertical	251	1.31	-
5320MHz	Pass	AV	15.9626G	51.05	54.00	-2.95	3	Vertical	23	1.57	-
5320MHz	Pass	PK	10.64248G	55.13	74.00	-18.87	3	Vertical	251	1.31	-
5320MHz	Pass	PK	15.95988G	63.77	74.00	-10.23	3	Vertical	23	1.57	-
5320MHz	Pass	AV	10.64388G	41.71	54.00	-12.29	3	Horizontal	69	1.58	-
5320MHz	Pass	AV	15.95588G	51.07	54.00	-2.93	3	Horizontal	187	2.44	-
5320MHz	Pass	PK	10.63492G	54.58	74.00	-19.42	3	Horizontal	69	1.58	-
5320MHz	Pass	PK	15.95224G	63.89	74.00	-10.11	3	Horizontal	187	2.44	-
5500MHz	Pass	AV	5.453G	49.19	54.00	-4.81	3	Vertical	146	1.00	-
5500MHz	Pass	AV	5.504G	107.04	Inf	-Inf	3	Vertical	146	1.00	-
5500MHz	Pass	PK	5.469G	66.56	68.20	-1.64	3	Vertical	146	1.00	-
5500MHz	Pass	PK	5.5038G	117.57	Inf	-Inf	3	Vertical	146	1.00	-
5500MHz	Pass	AV	10.99544G	41.16	54.00	-12.84	3	Vertical	153	1.18	-
5500MHz	Pass	PK	10.99564G	54.07	74.00	-19.93	3	Vertical	153	1.18	-
5500MHz	Pass	PK	16.49464G	64.61	68.20	-3.59	3	Vertical	69	2.11	-
5500MHz	Pass	AV	10.9996G	41.49	54.00	-12.51	3	Horizontal	85	2.14	-
5500MHz	Pass	PK	10.99752G	54.30	74.00	-19.70	3	Horizontal	85	2.14	-
5500MHz	Pass	PK	16.50056G	64.68	68.20	-3.52	3	Horizontal	101	1.04	-
5580MHz	Pass	AV	5.4384G	47.44	54.00	-6.56	3	Vertical	172	1.47	-
5580MHz	Pass	AV	5.5824G	107.55	Inf	-Inf	3	Vertical	172	1.47	-
5580MHz	Pass	PK	5.4696G	59.94	68.20	-8.26	3	Vertical	172	1.47	-
5580MHz	Pass	PK	5.5824G	118.11	Inf	-Inf	3	Vertical	172	1.47	-
5580MHz	Pass	PK	5.7288G	58.70	68.20	-9.50	3	Vertical	172	1.47	-
5580MHz	Pass	AV	11.16064G	46.82	54.00	-7.18	3	Vertical	280	2.04	-
5580MHz	Pass	PK	11.1606G	60.38	74.00	-13.62	3	Vertical	280	2.04	-
5580MHz	Pass	PK	16.74456G	66.62	68.20	-1.58	3	Vertical	137	1.14	-
5580MHz	Pass	AV	11.16092G	43.51	54.00	-10.49	3	Horizontal	200	1.02	-
5580MHz	Pass	PK	11.15992G	56.38	74.00	-17.62	3	Horizontal	200	1.02	-
5580MHz	Pass	PK	16.74324G	63.76	68.20	-4.44	3	Horizontal	175	1.14	-
5700MHz	Pass	AV	5.7028G	104.38	Inf	-Inf	3	Vertical	259	1.04	-
5700MHz	Pass	PK	5.7024G	115.47	Inf	-Inf	3	Vertical	259	1.04	-
5700MHz	Pass	PK	5.7284G	66.10	68.20	-2.10	3	Vertical	259	1.04	-
5700MHz	Pass	AV	11.39032G	43.15	54.00	-10.85	3	Vertical	170	2.45	-
5700MHz	Pass	PK	11.4054G	55.87	74.00	-18.13	3	Vertical	170	2.45	-



RSE TX above 1GHz_Non Beamforming_Sample 2

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	PK	17.10236G	61.51	68.20	-6.69	3	Vertical	80	1.50	-
5700MHz	Pass	AV	11.40708G	43.38	54.00	-10.62	3	Horizontal	26	1.73	-
5700MHz	Pass	PK	11.40872G	56.39	74.00	-17.61	3	Horizontal	26	1.73	-
5700MHz	Pass	PK	17.296G	62.09	68.20	-6.11	3	Horizontal	88	1.09	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	47.30	54.00	-6.70	3	Vertical	259	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	109.98	Inf	-Inf	3	Vertical	259	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	58.01	68.20	-10.19	3	Vertical	259	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	119.10	Inf	-Inf	3	Vertical	259	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8844G	59.95	68.20	-8.25	3	Vertical	259	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43904G	45.65	54.00	-8.35	3	Vertical	169	2.16	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43828G	58.05	74.00	-15.95	3	Vertical	169	2.16	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15636G	66.79	68.20	-1.41	3	Vertical	357	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43716G	43.51	54.00	-10.49	3	Horizontal	72	1.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43388G	56.55	74.00	-17.45	3	Horizontal	72	1.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16968G	61.95	68.20	-6.25	3	Horizontal	17	1.96	-
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1358G	47.01	54.00	-6.99	3	Vertical	147	1.23	-
5260MHz	Pass	AV	5.2558G	108.42	Inf	-Inf	3	Vertical	147	1.23	-
5260MHz	Pass	AV	5.3506G	47.55	54.00	-6.45	3	Vertical	147	1.23	-
5260MHz	Pass	PK	5.1154G	59.42	74.00	-14.58	3	Vertical	147	1.23	-
5260MHz	Pass	PK	5.257G	119.30	Inf	-Inf	3	Vertical	147	1.23	-
5260MHz	Pass	PK	5.3512G	60.07	74.00	-13.93	3	Vertical	147	1.23	-
5260MHz	Pass	AV	15.7782G	49.64	54.00	-4.36	3	Vertical	110	1.82	-
5260MHz	Pass	PK	10.53G	54.98	68.20	-13.22	3	Vertical	242	2.39	-
5260MHz	Pass	PK	15.77448G	64.06	74.00	-9.94	3	Vertical	110	1.82	-
5260MHz	Pass	AV	15.77328G	49.54	54.00	-4.46	3	Horizontal	188	2.10	-
5260MHz	Pass	PK	10.51864G	53.83	68.20	-14.37	3	Horizontal	354	2.00	-
5260MHz	Pass	PK	15.7794G	63.55	74.00	-10.45	3	Horizontal	188	2.10	-
5300MHz	Pass	AV	5.2968G	109.24	Inf	-Inf	3	Vertical	148	1.25	-
5300MHz	Pass	AV	5.3532G	49.09	54.00	-4.91	3	Vertical	148	1.25	-
5300MHz	Pass	PK	5.2956G	120.17	Inf	-Inf	3	Vertical	148	1.25	-
5300MHz	Pass	PK	5.3552G	64.45	74.00	-9.55	3	Vertical	148	1.25	-
5300MHz	Pass	AV	15.89992G	50.22	54.00	-3.78	3	Vertical	268	2.14	-
5300MHz	Pass	PK	10.59796G	54.28	68.20	-13.92	3	Vertical	20	1.50	-
5300MHz	Pass	PK	15.89196G	63.83	74.00	-10.17	3	Vertical	268	2.14	-
5300MHz	Pass	AV	15.90736G	50.03	54.00	-3.97	3	Horizontal	235	1.18	-
5300MHz	Pass	PK	10.59428G	54.83	68.20	-13.37	3	Horizontal	345	1.98	-
5300MHz	Pass	PK	15.904G	64.30	74.00	-9.70	3	Horizontal	235	1.18	-
5320MHz	Pass	AV	5.3172G	106.70	Inf	-Inf	3	Vertical	148	1.20	-
5320MHz	Pass	AV	5.3528G	51.94	54.00	-2.06	3	Vertical	148	1.20	-
5320MHz	Pass	PK	5.317G	117.62	Inf	-Inf	3	Vertical	148	1.20	-
5320MHz	Pass	PK	5.3544G	68.74	74.00	-5.26	3	Vertical	148	1.20	-
5320MHz	Pass	AV	10.64039G	42.47	54.00	-11.53	3	Vertical	175	2.05	-
5320MHz	Pass	AV	15.95967G	50.17	54.00	-3.83	3	Vertical	353	1.50	-
5320MHz	Pass	PK	10.63845G	56.90	74.00	-17.10	3	Vertical	175	2.05	-
5320MHz	Pass	PK	15.96191G	64.02	74.00	-9.98	3	Vertical	353	1.50	-
5320MHz	Pass	AV	10.64238G	40.88	54.00	-13.12	3	Horizontal	209	2.50	-
5320MHz	Pass	AV	15.95926G	50.12	54.00	-3.88	3	Horizontal	92	1.27	-
5320MHz	Pass	PK	10.64047G	55.12	74.00	-18.88	3	Horizontal	209	2.50	-
5320MHz	Pass	PK	15.95932G	63.82	74.00	-10.18	3	Horizontal	92	1.27	-
5500MHz	Pass	AV	5.459G	49.56	54.00	-4.44	3	Vertical	148	1.14	-
5500MHz	Pass	AV	5.4954G	107.42	Inf	-Inf	3	Vertical	148	1.14	-
5500MHz	Pass	PK	5.4698G	65.37	68.20	-2.83	3	Vertical	148	1.14	-
5500MHz	Pass	PK	5.496G	119.18	Inf	-Inf	3	Vertical	148	1.14	-
5500MHz	Pass	AV	10.999G	41.50	54.00	-12.50	3	Vertical	322	1.23	-
5500MHz	Pass	PK	11.00636G	55.56	74.00	-18.44	3	Vertical	322	1.23	-
5500MHz	Pass	PK	16.50672G	64.50	68.20	-3.70	3	Vertical	5	1.24	-
5500MHz	Pass	AV	11.00584G	41.36	54.00	-12.64	3	Horizontal	187	1.10	-
5500MHz	Pass	PK	10.997G	54.77	74.00	-19.23	3	Horizontal	187	1.10	-
5500MHz	Pass	PK	16.5048G	64.51	68.20	-3.69	3	Horizontal	240	2.12	-
5580MHz	Pass	AV	5.448G	47.06	54.00	-6.94	3	Vertical	325	1.81	-
5580MHz	Pass	AV	5.577G	106.82	Inf	-Inf	3	Vertical	325	1.81	-



RSE TX above 1GHz_Non Beamforming_Sample 2

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	5.463G	58.77	68.20	-9.43	3	Vertical	325	1.81	-
5580MHz	Pass	PK	5.5794G	117.64	Inf	-Inf	3	Vertical	325	1.81	-
5580MHz	Pass	PK	5.73G	59.22	68.20	-8.98	3	Vertical	325	1.81	-
5580MHz	Pass	AV	11.15912G	43.84	54.00	-10.16	3	Vertical	349	1.50	-
5580MHz	Pass	PK	11.16472G	58.00	74.00	-16.00	3	Vertical	349	1.50	-
5580MHz	Pass	PK	16.7412G	66.27	68.20	-1.93	3	Vertical	139	1.12	-
5580MHz	Pass	AV	11.16768G	42.51	54.00	-11.49	3	Horizontal	249	1.76	-
5580MHz	Pass	PK	11.15576G	56.14	74.00	-17.86	3	Horizontal	249	1.76	-
5580MHz	Pass	PK	16.7324G	60.18	68.20	-8.02	3	Horizontal	96	1.50	-
5700MHz	Pass	AV	5.692G	103.31	Inf	-Inf	3	Vertical	259	1.03	-
5700MHz	Pass	PK	5.6932G	113.63	Inf	-Inf	3	Vertical	259	1.03	-
5700MHz	Pass	PK	5.7264G	66.06	68.20	-2.14	3	Vertical	259	1.03	-
5700MHz	Pass	AV	11.3922G	42.41	54.00	-11.59	3	Vertical	41	1.83	-
5700MHz	Pass	PK	11.39556G	55.82	74.00	-18.18	3	Vertical	41	1.83	-
5700MHz	Pass	PK	17.10604G	61.84	68.20	-6.36	3	Vertical	28	1.50	-
5700MHz	Pass	AV	11.3904G	42.46	54.00	-11.54	3	Horizontal	55	1.62	-
5700MHz	Pass	PK	11.4034G	55.96	74.00	-18.04	3	Horizontal	55	1.62	-
5700MHz	Pass	PK	17.09856G	62.16	68.20	-6.04	3	Horizontal	215	1.80	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	46.91	54.00	-7.09	3	Vertical	260	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.726G	109.29	Inf	-Inf	3	Vertical	260	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.82	68.20	-10.38	3	Vertical	260	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	119.57	Inf	-Inf	3	Vertical	260	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9396G	60.71	68.20	-7.49	3	Vertical	260	1.04	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4398G	45.70	54.00	-8.30	3	Vertical	168	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44016G	59.08	74.00	-14.92	3	Vertical	168	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1642G	67.04	68.20	-1.16	3	Vertical	357	1.06	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43696G	42.82	54.00	-11.18	3	Horizontal	302	1.96	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43752G	56.45	74.00	-17.55	3	Horizontal	302	1.96	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15704G	61.92	68.20	-6.28	3	Horizontal	173	2.14	-
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2656G	106.35	Inf	-Inf	3	Vertical	145	1.23	-
5270MHz	Pass	AV	5.35G	52.23	54.00	-1.77	3	Vertical	145	1.23	-
5270MHz	Pass	PK	5.2656G	116.74	Inf	-Inf	3	Vertical	145	1.23	-
5270MHz	Pass	PK	5.3576G	67.05	74.00	-6.95	3	Vertical	145	1.23	-
5270MHz	Pass	AV	15.82048G	50.94	54.00	-3.06	3	Vertical	186	1.50	-
5270MHz	Pass	PK	10.53568G	55.22	68.20	-12.98	3	Vertical	153	1.64	-
5270MHz	Pass	PK	15.79464G	64.38	74.00	-9.62	3	Vertical	186	1.50	-
5270MHz	Pass	AV	15.8204G	50.91	54.00	-3.09	3	Horizontal	22	3.00	-
5270MHz	Pass	PK	10.55944G	55.48	68.20	-12.72	3	Horizontal	301	1.09	-
5270MHz	Pass	PK	15.81408G	63.95	74.00	-10.05	3	Horizontal	22	3.00	-
5310MHz	Pass	AV	5.3068G	99.76	Inf	-Inf	3	Vertical	148	1.22	-
5310MHz	Pass	AV	5.35G	52.98	54.00	-1.02	3	Vertical	148	1.22	-
5310MHz	Pass	PK	5.3076G	109.78	Inf	-Inf	3	Vertical	148	1.22	-
5310MHz	Pass	PK	5.3508G	64.20	74.00	-9.80	3	Vertical	148	1.22	-
5310MHz	Pass	AV	10.64G	42.11	54.00	-11.89	3	Vertical	231	1.73	-
5310MHz	Pass	AV	15.91G	51.45	54.00	-2.55	3	Vertical	148	1.50	-
5310MHz	Pass	PK	10.60136G	55.90	74.00	-18.10	3	Vertical	231	1.73	-
5310MHz	Pass	PK	15.94904G	64.32	74.00	-9.68	3	Vertical	148	1.50	-
5310MHz	Pass	AV	10.63944G	42.18	54.00	-11.82	3	Horizontal	218	2.68	-
5310MHz	Pass	AV	15.93232G	51.46	54.00	-2.54	3	Horizontal	0	1.72	-
5310MHz	Pass	PK	10.61368G	54.76	74.00	-19.24	3	Horizontal	218	2.68	-
5310MHz	Pass	PK	15.91864G	64.95	74.00	-9.05	3	Horizontal	0	1.72	-
5510MHz	Pass	AV	5.4588G	50.49	54.00	-3.51	3	Vertical	148	1.00	-
5510MHz	Pass	AV	5.5064G	102.72	Inf	-Inf	3	Vertical	148	1.00	-
5510MHz	Pass	PK	5.4672G	66.11	68.20	-2.09	3	Vertical	148	1.00	-
5510MHz	Pass	PK	5.5076G	112.81	Inf	-Inf	3	Vertical	148	1.00	-
5510MHz	Pass	AV	11.01G	42.11	54.00	-11.89	3	Vertical	214	1.50	-
5510MHz	Pass	PK	11.02016G	54.79	74.00	-19.21	3	Vertical	214	1.50	-
5510MHz	Pass	PK	16.52968G	65.06	68.20	-3.14	3	Vertical	272	1.50	-
5510MHz	Pass	AV	11.02776G	42.25	54.00	-11.75	3	Horizontal	73	1.31	-
5510MHz	Pass	PK	11.03424G	55.33	74.00	-18.67	3	Horizontal	73	1.31	-
5510MHz	Pass	PK	16.52104G	64.49	68.20	-3.71	3	Horizontal	212	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5550MHz	Pass	AV	5.4504G	49.22	54.00	-4.78	3	Vertical	148	1.08	-
5550MHz	Pass	AV	5.5448G	105.81	Inf	-Inf	3	Vertical	148	1.08	-
5550MHz	Pass	PK	5.4664G	63.22	68.20	-4.98	3	Vertical	148	1.08	-
5550MHz	Pass	PK	5.5464G	115.76	Inf	-Inf	3	Vertical	148	1.08	-
5550MHz	Pass	AV	11.1068G	42.26	54.00	-11.74	3	Vertical	0	1.50	-
5550MHz	Pass	PK	11.09976G	55.77	74.00	-18.23	3	Vertical	0	1.50	-
5550MHz	Pass	PK	16.66328G	65.19	68.20	-3.01	3	Vertical	50	1.50	-
5550MHz	Pass	AV	11.09232G	42.19	54.00	-11.81	3	Horizontal	0	2.66	-
5550MHz	Pass	PK	11.08872G	54.99	74.00	-19.01	3	Horizontal	0	2.66	-
5550MHz	Pass	PK	16.66856G	65.55	68.20	-2.65	3	Horizontal	83	1.01	-
5670MHz	Pass	AV	5.6634G	101.65	Inf	-Inf	3	Vertical	78	1.00	-
5670MHz	Pass	PK	5.6634G	111.07	Inf	-Inf	3	Vertical	78	1.00	-
5670MHz	Pass	PK	5.7318G	65.41	68.20	-2.79	3	Vertical	78	1.00	-
5670MHz	Pass	AV	11.33488G	43.25	54.00	-10.75	3	Vertical	328	2.11	-
5670MHz	Pass	PK	11.3364G	56.44	74.00	-17.56	3	Vertical	328	2.11	-
5670MHz	Pass	PK	17.00852G	61.44	68.20	-6.76	3	Vertical	38	1.50	-
5670MHz	Pass	AV	11.34928G	43.10	54.00	-10.90	3	Horizontal	324	1.00	-
5670MHz	Pass	PK	11.33636G	56.01	74.00	-17.99	3	Horizontal	324	1.00	-
5670MHz	Pass	PK	17.0118G	62.07	68.20	-6.13	3	Horizontal	356	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4232G	47.84	54.00	-6.16	3	Vertical	150	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	108.34	Inf	-Inf	3	Vertical	150	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	59.02	68.20	-9.18	3	Vertical	150	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	118.56	Inf	-Inf	3	Vertical	150	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.95G	60.86	68.20	-7.34	3	Vertical	150	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4113G	47.05	54.00	-6.95	3	Vertical	207	2.16	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42996G	60.22	74.00	-13.78	3	Vertical	207	2.16	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14086G	66.83	68.20	-1.37	3	Vertical	333	1.16	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4131G	44.21	54.00	-9.79	3	Horizontal	347	1.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40968G	56.81	74.00	-17.19	3	Horizontal	347	1.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12424G	63.52	68.20	-4.68	3	Horizontal	145	1.07	-
802.11ac VHT80_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.143G	47.60	54.00	-6.40	3	Vertical	57	1.50	-
5290MHz	Pass	AV	5.327G	94.24	Inf	-Inf	3	Vertical	57	1.50	-
5290MHz	Pass	AV	5.35G	52.01	54.00	-1.99	3	Vertical	57	1.50	-
5290MHz	Pass	PK	5.135G	59.19	74.00	-14.81	3	Vertical	57	1.50	-
5290MHz	Pass	PK	5.325G	103.14	Inf	-Inf	3	Vertical	57	1.50	-
5290MHz	Pass	PK	5.53G	59.20	68.20	-9.00	3	Vertical	57	1.50	-
5290MHz	Pass	AV	15.87408G	46.26	54.00	-7.74	3	Vertical	251	1.70	-
5290MHz	Pass	PK	10.59104G	55.30	68.20	-12.90	3	Vertical	64	1.50	-
5290MHz	Pass	PK	15.88218G	59.30	74.00	-14.70	3	Vertical	251	1.70	-
5290MHz	Pass	AV	15.87918G	46.18	54.00	-7.82	3	Horizontal	202	1.96	-
5290MHz	Pass	PK	10.59338G	54.90	68.20	-13.30	3	Horizontal	123	3.00	-
5290MHz	Pass	PK	15.8844G	59.30	74.00	-14.70	3	Horizontal	202	1.96	-
5530MHz	Pass	AV	5.46G	52.59	54.00	-1.41	3	Vertical	323	1.96	-
5530MHz	Pass	AV	5.506G	96.02	Inf	-Inf	3	Vertical	323	1.96	-
5530MHz	Pass	PK	5.466G	66.26	68.20	-1.94	3	Vertical	323	1.96	-
5530MHz	Pass	PK	5.505G	105.11	Inf	-Inf	3	Vertical	323	1.96	-
5530MHz	Pass	PK	5.731G	59.52	68.20	-8.68	3	Vertical	323	1.96	-
5530MHz	Pass	AV	11.0468G	42.12	54.00	-11.88	3	Vertical	229	2.69	-
5530MHz	Pass	PK	11.05232G	54.84	74.00	-19.16	3	Vertical	229	2.69	-
5530MHz	Pass	PK	16.60434G	59.23	68.20	-8.97	3	Vertical	310	1.50	-
5530MHz	Pass	AV	11.05238G	41.86	54.00	-12.14	3	Horizontal	48	1.12	-
5530MHz	Pass	PK	11.05964G	55.80	74.00	-18.20	3	Horizontal	48	1.12	-
5530MHz	Pass	PK	16.59054G	58.69	68.20	-9.51	3	Horizontal	313	1.50	-
5610MHz	Pass	AV	5.46G	49.23	54.00	-4.77	3	Vertical	325	1.83	-
5610MHz	Pass	AV	5.608G	98.45	Inf	-Inf	3	Vertical	325	1.83	-
5610MHz	Pass	PK	5.469G	63.57	68.20	-4.63	3	Vertical	325	1.83	-
5610MHz	Pass	PK	5.606G	107.97	Inf	-Inf	3	Vertical	325	1.83	-
5610MHz	Pass	PK	5.727G	66.15	68.20	-2.05	3	Vertical	325	1.83	-
5610MHz	Pass	AV	11.20578G	42.72	54.00	-11.28	3	Vertical	310	1.50	-
5610MHz	Pass	PK	11.22432G	55.33	74.00	-18.67	3	Vertical	310	1.50	-
5610MHz	Pass	PK	16.83816G	61.29	68.20	-6.91	3	Vertical	336	1.27	-




RSE TX above 1GHz_Non Beamforming_Sample 2

Appendix D.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	11.22678G	43.00	54.00	-11.00	3	Horizontal	134	2.81	-
5610MHz	Pass	PK	11.22018G	55.88	74.00	-18.12	3	Horizontal	134	2.81	-
5610MHz	Pass	PK	16.83984G	60.26	68.20	-7.94	3	Horizontal	78	1.19	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	47.62	54.00	-6.38	3	Vertical	176	1.23	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6972G	101.70	Inf	-Inf	3	Vertical	176	1.23	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	58.29	68.20	-9.91	3	Vertical	176	1.23	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.696G	110.73	Inf	-Inf	3	Vertical	176	1.23	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8796G	66.67	68.20	-1.53	3	Vertical	176	1.23	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37736G	43.43	54.00	-10.57	3	Vertical	40	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3944G	56.24	74.00	-17.76	3	Vertical	40	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06376G	63.24	68.20	-4.96	3	Vertical	333	1.07	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37628G	43.47	54.00	-10.53	3	Horizontal	360	1.14	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37958G	56.78	74.00	-17.22	3	Horizontal	360	1.14	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0574G	61.66	68.20	-6.54	3	Horizontal	166	1.50	-

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	47.98	54.00	-6.02	8.84	3	Vertical	146	1.16	-	39.14	34.00	9.07	34.23
AV	5.2636G	109.25	Inf	-Inf	8.81	3	Vertical	146	1.16	-	100.44	33.90	9.15	34.24
AV	5.3578G	48.34	54.00	-5.66	9.05	3	Vertical	146	1.16	-	39.29	34.05	9.25	34.25
PK	5.1388G	59.61	74.00	-14.39	8.82	3	Vertical	146	1.16	-	50.79	33.98	9.07	34.23
PK	5.2642G	119.40	Inf	-Inf	8.81	3	Vertical	146	1.16	-	110.59	33.90	9.15	34.24
PK	5.3632G	60.05	74.00	-13.95	9.03	3	Vertical	146	1.16	-	51.02	34.02	9.26	34.25

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.77352G	50.59	54.00	-3.41	23.21	3	Vertical	194	2.50	-	27.38	42.92	14.88	34.59
PK	10.51716G	54.67	68.20	-13.53	17.02	3	Vertical	351	1.86	-	37.65	39.15	12.43	34.56
PK	15.78436G	64.21	74.00	-9.79	23.23	3	Vertical	194	2.50	-	40.98	42.95	14.88	34.60

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7874G	50.48	54.00	-3.52	23.24	3	Horizontal	89	1.52	-	27.24	42.96	14.88	34.60
PK	10.52096G	54.24	68.20	-13.96	17.04	3	Horizontal	58	1.73	-	37.20	39.16	12.43	34.55
PK	15.77164G	63.42	74.00	-10.58	23.20	3	Horizontal	89	1.52	-	40.22	42.91	14.88	34.59

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2992G	110.59	Inf	-Inf	8.85	3	Vertical	148	1.21	-	101.74	33.90	9.19	34.24
AV	5.35G	51.56	54.00	-2.44	9.10	3	Vertical	148	1.21	-	42.46	34.10	9.25	34.25
PK	5.2992G	120.26	Inf	-Inf	8.85	3	Vertical	148	1.21	-	111.41	33.90	9.19	34.24
PK	5.3508G	67.08	74.00	-6.92	9.10	3	Vertical	148	1.21	-	57.98	34.10	9.25	34.25

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.9056G	51.08	54.00	-2.92	22.90	3	Vertical	200	1.64	-	28.18	42.69	14.92	34.71
PK	10.59968G	57.76	68.20	-10.44	17.37	3	Vertical	138	3.00	-	40.39	39.40	12.46	34.49
PK	15.9094G	64.22	74.00	-9.78	22.89	3	Vertical	200	1.64	-	41.33	42.69	14.92	34.72

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.908G	50.92	54.00	-3.08	22.89	3	Horizontal	351	1.56	-	28.03	42.69	14.92	34.72
PK	10.59448G	54.42	68.20	-13.78	17.34	3	Horizontal	159	2.26	-	37.08	39.38	12.46	34.50
PK	15.89852G	63.87	74.00	-10.13	22.91	3	Horizontal	351	1.56	-	40.96	42.70	14.92	34.71

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.319G	106.86	Inf	-Inf	8.94	3	Vertical	147	1.17	-	97.92	33.98	9.21	34.25
AV	5.35G	52.86	54.00	-1.14	9.10	3	Vertical	147	1.17	-	43.76	34.10	9.25	34.25
PK	5.3242G	117.02	Inf	-Inf	8.97	3	Vertical	147	1.17	-	108.05	34.00	9.22	34.25
PK	5.3502G	69.34	74.00	-4.66	9.10	3	Vertical	147	1.17	-	60.24	34.10	9.25	34.25

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.647G	41.68	54.00	-12.32	17.28	3	Vertical	251	1.31	-	24.40	39.26	12.48	34.46
AV	15.9626G	51.05	54.00	-2.95	22.81	3	Vertical	23	1.57	-	28.24	42.64	14.94	34.77
PK	10.64248G	55.13	74.00	-18.87	17.29	3	Vertical	251	1.31	-	37.84	39.27	12.48	34.46
PK	15.95988G	63.77	74.00	-10.23	22.82	3	Vertical	23	1.57	-	40.95	42.64	14.94	34.76

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64388G	41.71	54.00	-12.29	17.29	3	Horizontal	69	1.58	-	24.42	39.27	12.48	34.46
AV	15.95588G	51.07	54.00	-2.93	22.82	3	Horizontal	187	2.44	-	28.25	42.64	14.94	34.76
PK	10.63492G	54.58	74.00	-19.42	17.31	3	Horizontal	69	1.58	-	37.27	39.30	12.48	34.47
PK	15.95224G	63.89	74.00	-10.11	22.82	3	Horizontal	187	2.44	-	41.07	42.65	14.93	34.76

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.453G	49.19	54.00	-4.81	8.97	3	Vertical	146	1.00	-	40.22	33.89	9.34	34.26
AV	5.504G	107.04	Inf	-Inf	8.82	3	Vertical	146	1.00	-	98.22	33.70	9.38	34.26
PK	5.469G	66.56	68.20	-1.64	8.92	3	Vertical	146	1.00	-	57.64	33.82	9.36	34.26
PK	5.5038G	117.57	Inf	-Inf	8.82	3	Vertical	146	1.00	-	108.75	33.70	9.38	34.26

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.99544G	41.16	54.00	-12.84	17.73	3	Vertical	153	1.18	-	23.43	39.29	12.63	34.19
PK	10.99564G	54.07	74.00	-19.93	17.73	3	Vertical	153	1.18	-	36.34	39.29	12.63	34.19
PK	16.49464G	64.61	68.20	-3.59	22.26	3	Vertical	69	2.11	-	42.35	41.30	15.24	34.28

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.9996G	41.49	54.00	-12.51	17.74	3	Horizontal	85	2.14	-	23.75	39.30	12.63	34.19
PK	10.99752G	54.30	74.00	-19.70	17.74	3	Horizontal	85	2.14	-	36.56	39.30	12.63	34.19
PK	16.50056G	64.68	68.20	-3.52	22.28	3	Horizontal	101	1.04	-	42.40	41.31	15.24	34.27

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4384G	47.44	54.00	-6.56	8.95	3	Vertical	172	1.47	-	38.49	33.88	9.33	34.26
AV	5.5824G	107.55	Inf	-Inf	8.75	3	Vertical	172	1.47	-	98.80	33.57	9.45	34.27
PK	5.4696G	59.94	68.20	-8.26	8.92	3	Vertical	172	1.47	-	51.02	33.82	9.36	34.26
PK	5.5824G	118.11	Inf	-Inf	8.75	3	Vertical	172	1.47	-	109.36	33.57	9.45	34.27
PK	5.7288G	58.70	68.20	-9.50	8.86	3	Vertical	172	1.47	-	49.84	33.64	9.50	34.28

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16064G	46.82	54.00	-7.18	11.34	3	Vertical	280	2.04	-	35.48	39.70	12.70	41.06
PK	11.1606G	60.38	74.00	-13.62	11.34	3	Vertical	280	2.04	-	49.04	39.70	12.70	41.06
PK	16.74456G	66.62	68.20	-1.58	17.01	3	Vertical	137	1.14	-	49.61	43.40	15.39	41.78

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16092G	43.51	54.00	-10.49	11.34	3	Horizontal	200	1.02	-	32.17	39.70	12.70	41.06
PK	11.15992G	56.38	74.00	-17.62	11.34	3	Horizontal	200	1.02	-	45.04	39.70	12.70	41.06
PK	16.74324G	63.76	68.20	-4.44	16.99	3	Horizontal	175	1.14	-	46.77	43.39	15.38	41.78

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7028G	104.38	Inf	-Inf	8.90	3	Vertical	259	1.04	-	95.48	33.69	9.49	34.28
PK	5.7024G	115.47	Inf	-Inf	8.91	3	Vertical	259	1.04	-	106.56	33.70	9.49	34.28
PK	5.7284G	66.10	68.20	-2.10	8.86	3	Vertical	259	1.04	-	57.24	33.64	9.50	34.28

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.39032G	43.15	54.00	-10.85	12.16	3	Vertical	170	2.45	-	30.99	40.46	12.79	41.09
PK	11.4054G	55.87	74.00	-18.13	12.22	3	Vertical	170	2.45	-	43.65	40.51	12.80	41.09
PK	17.10236G	61.51	68.20	-6.69	18.17	3	Vertical	80	1.50	-	43.34	44.52	15.59	41.94

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.40708G	43.38	54.00	-10.62	12.21	3	Horizontal	26	1.73	-	31.17	40.51	12.80	41.10
PK	11.40872G	56.39	74.00	-17.61	12.22	3	Horizontal	26	1.73	-	44.17	40.52	12.80	41.10
PK	17.296G	62.09	68.20	-6.11	19.61	3	Horizontal	88	1.09	-	42.48	45.87	15.71	41.97

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.432G	47.30	54.00	-6.70	8.94	3	Vertical	259	1.00	-	38.36	33.86	9.33	34.25
AV	5.7164G	109.98	Inf	-Inf	8.88	3	Vertical	259	1.00	-	101.10	33.67	9.49	34.28
PK	5.468G	58.01	68.20	-10.19	8.92	3	Vertical	259	1.00	-	49.09	33.83	9.35	34.26
PK	5.7176G	119.10	Inf	-Inf	8.88	3	Vertical	259	1.00	-	110.22	33.66	9.50	34.28
PK	5.8844G	59.95	68.20	-8.25	9.37	3	Vertical	259	1.00	-	50.58	34.08	9.59	34.30

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43904G	45.65	54.00	-8.35	12.29	3	Vertical	169	2.16	-	33.36	40.58	12.81	41.10
PK	11.43828G	58.05	74.00	-15.95	12.29	3	Vertical	169	2.16	-	45.76	40.58	12.81	41.10
PK	17.15636G	66.79	68.20	-1.41	18.57	3	Vertical	357	1.00	-	48.22	44.89	15.63	41.95

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43716G	43.51	54.00	-10.49	12.28	3	Horizontal	72	1.26	-	31.23	40.57	12.81	41.10
PK	11.43388G	56.55	74.00	-17.45	12.28	3	Horizontal	72	1.26	-	44.27	40.57	12.81	41.10
PK	17.16968G	61.95	68.20	-6.25	18.67	3	Horizontal	17	1.96	-	43.28	44.99	15.63	41.95

802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1358G	47.01	54.00	-6.99	8.81	3	Vertical	147	1.23	-	38.20	33.97	9.07	34.23
AV	5.2558G	108.42	Inf	-Inf	8.80	3	Vertical	147	1.23	-	99.62	33.90	9.14	34.24
AV	5.3506G	47.55	54.00	-6.45	9.10	3	Vertical	147	1.23	-	38.45	34.10	9.25	34.25
PK	5.1154G	59.42	74.00	-14.58	8.77	3	Vertical	147	1.23	-	50.65	33.93	9.07	34.23
PK	5.257G	119.30	Inf	-Inf	8.80	3	Vertical	147	1.23	-	110.50	33.90	9.14	34.24
PK	5.3512G	60.07	74.00	-13.93	9.09	3	Vertical	147	1.23	-	50.98	34.09	9.25	34.25

802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7782G	49.64	54.00	-4.36	23.21	3	Vertical	110	1.82	-	26.43	42.93	14.88	34.60
PK	10.53G	54.98	68.20	-13.22	17.07	3	Vertical	242	2.39	-	37.91	39.19	12.43	34.55
PK	15.77448G	64.06	74.00	-9.94	23.21	3	Vertical	110	1.82	-	40.85	42.92	14.88	34.59

802.11ac VHT20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.77328G	49.54	54.00	-4.46	23.21	3	Horizontal	188	2.10	-	26.33	42.92	14.88	34.59
PK	10.51864G	53.83	68.20	-14.37	17.03	3	Horizontal	354	2.00	-	36.80	39.16	12.43	34.56
PK	15.7794G	63.55	74.00	-10.45	23.22	3	Horizontal	188	2.10	-	40.33	42.94	14.88	34.60

802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	109.24	Inf	-Inf	8.85	3	Vertical	148	1.25	-	100.39	33.90	9.19	34.24
AV	5.3532G	49.09	54.00	-4.91	9.08	3	Vertical	148	1.25	-	40.01	34.08	9.25	34.25
PK	5.2956G	120.17	Inf	-Inf	8.85	3	Vertical	148	1.25	-	111.32	33.90	9.19	34.24
PK	5.3552G	64.45	74.00	-9.55	9.07	3	Vertical	148	1.25	-	55.38	34.07	9.25	34.25

802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.89992G	50.22	54.00	-3.78	22.91	3	Vertical	268	2.14	-	27.31	42.70	14.92	34.71
PK	10.59796G	54.28	68.20	-13.92	17.35	3	Vertical	20	1.50	-	36.93	39.39	12.46	34.50
PK	15.89196G	63.83	74.00	-10.17	22.94	3	Vertical	268	2.14	-	40.89	42.72	14.92	34.70

802.11ac VHT20_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.90736G	50.03	54.00	-3.97	22.90	3	Horizontal	235	1.18	-	27.13	42.69	14.92	34.71
PK	10.59428G	54.83	68.20	-13.37	17.34	3	Horizontal	345	1.98	-	37.49	39.38	12.46	34.50
PK	15.904G	64.30	74.00	-9.70	22.91	3	Horizontal	235	1.18	-	41.39	42.70	14.92	34.71

802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3172G	106.70	Inf	-Inf	8.93	3	Vertical	148	1.20	-	97.77	33.97	9.21	34.25
AV	5.3528G	51.94	54.00	-2.06	9.08	3	Vertical	148	1.20	-	42.86	34.08	9.25	34.25
PK	5.317G	117.62	Inf	-Inf	8.93	3	Vertical	148	1.20	-	108.69	33.97	9.21	34.25
PK	5.3544G	68.74	74.00	-5.26	9.07	3	Vertical	148	1.20	-	59.67	34.07	9.25	34.25

802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64039G	42.47	54.00	-11.53	17.30	3	Vertical	175	2.05	-	25.17	39.28	12.48	34.46
AV	15.95967G	50.17	54.00	-3.83	22.82	3	Vertical	353	1.50	-	27.35	42.64	14.94	34.76
PK	10.63845G	56.90	74.00	-17.10	17.30	3	Vertical	175	2.05	-	39.60	39.28	12.48	34.46
PK	15.96191G	64.02	74.00	-9.98	22.82	3	Vertical	353	1.50	-	41.20	42.64	14.94	34.76

802.11ac VHT20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64238G	40.88	54.00	-13.12	17.29	3	Horizontal	209	2.50	-	23.59	39.27	12.48	34.46
AV	15.95926G	50.12	54.00	-3.88	22.82	3	Horizontal	92	1.27	-	27.30	42.64	14.94	34.76
PK	10.64047G	55.12	74.00	-18.88	17.30	3	Horizontal	209	2.50	-	37.82	39.28	12.48	34.46
PK	15.95932G	63.82	74.00	-10.18	22.82	3	Horizontal	92	1.27	-	41.00	42.64	14.94	34.76

802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.56	54.00	-4.44	8.95	3	Vertical	148	1.14	-	40.61	33.86	9.35	34.26
AV	5.4954G	107.42	Inf	-Inf	8.84	3	Vertical	148	1.14	-	98.58	33.72	9.38	34.26
PK	5.4698G	65.37	68.20	-2.83	8.92	3	Vertical	148	1.14	-	56.45	33.82	9.36	34.26
PK	5.496G	119.18	Inf	-Inf	8.84	3	Vertical	148	1.14	-	110.34	33.72	9.38	34.26

802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.999G	41.50	54.00	-12.50	17.74	3	Vertical	322	1.23	-	23.76	39.30	12.63	34.19
PK	11.00636G	55.56	74.00	-18.44	17.75	3	Vertical	322	1.23	-	37.81	39.31	12.63	34.19
PK	16.50672G	64.50	68.20	-3.70	22.36	3	Vertical	5	1.24	-	42.14	41.37	15.25	34.26

802.11ac VHT20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.00584G	41.36	54.00	-12.64	17.75	3	Horizontal	187	1.10	-	23.61	39.31	12.63	34.19
PK	10.997G	54.77	74.00	-19.23	17.73	3	Horizontal	187	1.10	-	37.04	39.29	12.63	34.19
PK	16.5048G	64.51	68.20	-3.69	22.34	3	Horizontal	240	2.12	-	42.17	41.35	15.25	34.26

802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.448G	47.06	54.00	-6.94	8.98	3	Vertical	325	1.81	-	38.08	33.90	9.34	34.26
AV	5.577G	106.82	Inf	-Inf	8.76	3	Vertical	325	1.81	-	98.06	33.59	9.44	34.27
PK	5.463G	58.77	68.20	-9.43	8.94	3	Vertical	325	1.81	-	49.83	33.85	9.35	34.26
PK	5.5794G	117.64	Inf	-Inf	8.75	3	Vertical	325	1.81	-	108.89	33.58	9.44	34.27
PK	5.73G	59.22	68.20	-8.98	8.86	3	Vertical	325	1.81	-	50.36	33.64	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.15912G	43.84	54.00	-10.16	11.34	3	Vertical	349	1.50	-	32.50	39.70	12.70	41.06
PK	11.16472G	58.00	74.00	-16.00	11.36	3	Vertical	349	1.50	-	46.64	39.72	12.70	41.06
PK	16.7412G	66.27	68.20	-1.93	16.97	3	Vertical	139	1.12	-	49.30	43.37	15.38	41.78

802.11ac VHT20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.16768G	42.51	54.00	-11.49	11.38	3	Horizontal	249	1.76	-	31.13	39.74	12.70	41.06
PK	11.15576G	56.14	74.00	-17.86	11.33	3	Horizontal	249	1.76	-	44.81	39.68	12.70	41.05
PK	16.7324G	60.18	68.20	-8.02	16.89	3	Horizontal	96	1.50	-	43.29	43.29	15.38	41.78

802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.692G	103.31	Inf	-Inf	8.88	3	Vertical	259	1.03	-	94.43	33.67	9.49	34.28
PK	5.6932G	113.63	Inf	-Inf	8.88	3	Vertical	259	1.03	-	104.75	33.67	9.49	34.28
PK	5.7264G	66.06	68.20	-2.14	8.87	3	Vertical	259	1.03	-	57.19	33.65	9.50	34.28

802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3922G	42.41	54.00	-11.59	12.17	3	Vertical	41	1.83	-	30.24	40.47	12.79	41.09
PK	11.39556G	55.82	74.00	-18.18	12.19	3	Vertical	41	1.83	-	43.63	40.48	12.80	41.09
PK	17.10604G	61.84	68.20	-6.36	18.20	3	Vertical	28	1.50	-	43.64	44.54	15.60	41.94

802.11ac VHT20_Nss1,(MCS0)_2TX


5700MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.3904G	42.46	54.00	-11.54	12.16	3	Horizontal	55	1.62	-	30.30	40.46	12.79	41.09
PK	11.4034G	55.96	74.00	-18.04	12.22	3	Horizontal	55	1.62	-	43.74	40.51	12.80	41.09
PK	17.09856G	62.16	68.20	-6.04	18.15	3	Horizontal	215	1.80	-	44.01	44.50	15.59	41.94

802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4236G	46.91	54.00	-7.09	8.92	3	Vertical	260	1.04	-	37.99	33.85	9.32	34.25
AV	5.726G	109.29	Inf	-Inf	8.87	3	Vertical	260	1.04	-	100.42	33.65	9.50	34.28
PK	5.4668G	57.82	68.20	-10.38	8.92	3	Vertical	260	1.04	-	48.90	33.83	9.35	34.26
PK	5.7272G	119.57	Inf	-Inf	8.87	3	Vertical	260	1.04	-	110.70	33.65	9.50	34.28
PK	5.9396G	60.71	68.20	-7.49	9.37	3	Vertical	260	1.04	-	51.34	34.04	9.63	34.30

802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4398G	45.70	54.00	-8.30	12.29	3	Vertical	168	1.98	-	33.41	40.58	12.81	41.10
PK	11.44016G	59.08	74.00	-14.92	12.29	3	Vertical	168	1.98	-	46.79	40.58	12.81	41.10
PK	17.1642G	67.04	68.20	-1.16	18.63	3	Vertical	357	1.06	-	48.41	44.95	15.63	41.95

802.11ac VHT20_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.43696G	42.82	54.00	-11.18	12.28	3	Horizontal	302	1.96	-	30.54	40.57	12.81	41.10
PK	11.43752G	56.45	74.00	-17.55	12.29	3	Horizontal	302	1.96	-	44.16	40.58	12.81	41.10
PK	17.15704G	61.92	68.20	-6.28	18.58	3	Horizontal	173	2.14	-	43.34	44.90	15.63	41.95

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.2656G	106.35	Inf	-Inf	8.81	3	Vertical	145	1.23	-	97.54	33.90	9.15	34.24
AV	5.35G	52.23	54.00	-1.77	9.10	3	Vertical	145	1.23	-	43.13	34.10	9.25	34.25
PK	5.2656G	116.74	Inf	-Inf	8.81	3	Vertical	145	1.23	-	107.93	33.90	9.15	34.24
PK	5.3576G	67.05	74.00	-6.95	9.05	3	Vertical	145	1.23	-	58.00	34.05	9.25	34.25

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.82048G	50.94	54.00	-3.06	23.20	3	Vertical	186	1.50	-	27.74	42.94	14.89	34.63
PK	10.53568G	55.22	68.20	-12.98	17.10	3	Vertical	153	1.64	-	38.12	39.21	12.43	34.54
PK	15.79464G	64.38	74.00	-9.62	23.26	3	Vertical	186	1.50	-	41.12	42.98	14.89	34.61

802.11ac VHT40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.8204G	50.91	54.00	-3.09	23.20	3	Horizontal	22	3.00	-	27.71	42.94	14.89	34.63
PK	10.55944G	55.48	68.20	-12.72	17.20	3	Horizontal	301	1.09	-	38.28	39.28	12.44	34.52
PK	15.81408G	63.95	74.00	-10.05	23.22	3	Horizontal	22	3.00	-	40.73	42.96	14.89	34.63

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.3068G	99.76	Inf	-Inf	8.89	3	Vertical	148	1.22	-	90.87	33.93	9.20	34.24
AV	5.35G	52.98	54.00	-1.02	9.10	3	Vertical	148	1.22	-	43.88	34.10	9.25	34.25
PK	5.3076G	109.78	Inf	-Inf	8.89	3	Vertical	148	1.22	-	100.89	33.93	9.20	34.24
PK	5.3508G	64.20	74.00	-9.80	9.10	3	Vertical	148	1.22	-	55.10	34.10	9.25	34.25

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.64G	42.11	54.00	-11.89	17.30	3	Vertical	231	1.73	-	24.81	39.28	12.48	34.46
AV	15.91G	51.45	54.00	-2.55	22.89	3	Vertical	148	1.50	-	28.56	42.69	14.92	34.72
PK	10.60136G	55.90	74.00	-18.10	17.37	3	Vertical	231	1.73	-	38.53	39.40	12.46	34.49
PK	15.94904G	64.32	74.00	-9.68	22.83	3	Vertical	148	1.50	-	41.49	42.65	14.93	34.75

802.11ac VHT40_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	10.63944G	42.18	54.00	-11.82	17.30	3	Horizontal	218	2.68	-	24.88	39.28	12.48	34.46
AV	15.93232G	51.46	54.00	-2.54	22.86	3	Horizontal	0	1.72	-	28.60	42.67	14.93	34.74
PK	10.61368G	54.76	74.00	-19.24	17.35	3	Horizontal	218	2.68	-	37.41	39.36	12.47	34.48
PK	15.91864G	64.95	74.00	-9.05	22.87	3	Horizontal	0	1.72	-	42.08	42.68	14.92	34.73

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	50.49	54.00	-3.51	8.95	3	Vertical	148	1.00	-	41.54	33.86	9.35	34.26
AV	5.5064G	102.72	Inf	-Inf	8.83	3	Vertical	148	1.00	-	93.89	33.70	9.39	34.26
PK	5.4672G	66.11	68.20	-2.09	8.92	3	Vertical	148	1.00	-	57.19	33.83	9.35	34.26
PK	5.5076G	112.81	Inf	-Inf	8.83	3	Vertical	148	1.00	-	103.98	33.70	9.39	34.26

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.01G	42.11	54.00	-11.89	17.75	3	Vertical	214	1.50	-	24.36	39.31	12.63	34.19
PK	11.02016G	54.79	74.00	-19.21	17.77	3	Vertical	214	1.50	-	37.02	39.32	12.64	34.19
PK	16.52968G	65.06	68.20	-3.14	22.64	3	Vertical	272	1.50	-	42.42	41.60	15.26	34.22

802.11ac VHT40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.02776G	42.25	54.00	-11.75	17.78	3	Horizontal	73	1.31	-	24.47	39.33	12.64	34.19
PK	11.03424G	55.33	74.00	-18.67	17.78	3	Horizontal	73	1.31	-	37.55	39.33	12.64	34.19
PK	16.52104G	64.49	68.20	-3.71	22.53	3	Horizontal	212	1.50	-	41.96	41.51	15.25	34.23

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4504G	49.22	54.00	-4.78	8.98	3	Vertical	148	1.08	-	40.24	33.90	9.34	34.26
AV	5.5448G	105.81	Inf	-Inf	8.86	3	Vertical	148	1.08	-	96.95	33.70	9.42	34.26
PK	5.4664G	63.22	68.20	-4.98	8.92	3	Vertical	148	1.08	-	54.30	33.83	9.35	34.26
PK	5.5464G	115.76	Inf	-Inf	8.86	3	Vertical	148	1.08	-	106.90	33.70	9.42	34.26

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.1068G	42.26	54.00	-11.74	17.92	3	Vertical	0	1.50	-	24.34	39.43	12.67	34.18
PK	11.09976G	55.77	74.00	-18.23	17.89	3	Vertical	0	1.50	-	37.88	39.40	12.67	34.18
PK	16.66328G	65.19	68.20	-3.01	24.11	3	Vertical	50	1.50	-	41.08	42.74	15.34	33.97

802.11ac VHT40_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.09232G	42.19	54.00	-11.81	17.88	3	Horizontal	0	2.66	-	24.31	39.39	12.67	34.18
PK	11.08872G	54.99	74.00	-19.01	17.88	3	Horizontal	0	2.66	-	37.11	39.39	12.67	34.18
PK	16.66856G	65.55	68.20	-2.65	24.16	3	Horizontal	83	1.01	-	41.39	42.78	15.34	33.96

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.6634G	101.65	Inf	-Inf	8.75	3	Vertical	78	1.00	-	92.90	33.55	9.48	34.28
PK	5.6634G	111.07	Inf	-Inf	8.75	3	Vertical	78	1.00	-	102.32	33.55	9.48	34.28
PK	5.7318G	65.41	68.20	-2.79	8.86	3	Vertical	78	1.00	-	56.55	33.64	9.50	34.28

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.33488G	43.25	54.00	-10.75	11.93	3	Vertical	328	2.11	-	31.32	40.24	12.77	41.08
PK	11.3364G	56.44	74.00	-17.56	11.94	3	Vertical	328	2.11	-	44.50	40.25	12.77	41.08
PK	17.00852G	61.44	68.20	-6.76	18.12	3	Vertical	38	1.50	-	43.32	44.50	15.54	41.92

802.11ac VHT40_Nss1,(MCS0)_2TX


5670MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.34928G	43.10	54.00	-10.90	11.99	3	Horizontal	324	1.00	-	31.11	40.30	12.78	41.09
PK	11.33636G	56.01	74.00	-17.99	11.94	3	Horizontal	324	1.00	-	44.07	40.25	12.77	41.08
PK	17.0118G	62.07	68.20	-6.13	18.12	3	Horizontal	356	1.50	-	43.95	44.50	15.54	41.92

802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4232G	47.84	54.00	-6.16	8.92	3	Vertical	150	1.01	-	38.92	33.85	9.32	34.25
AV	5.7052G	108.34	Inf	-Inf	8.90	3	Vertical	150	1.01	-	99.44	33.69	9.49	34.28
PK	5.4616G	59.02	68.20	-9.18	8.94	3	Vertical	150	1.01	-	50.08	33.85	9.35	34.26
PK	5.7064G	118.56	Inf	-Inf	8.90	3	Vertical	150	1.01	-	109.66	33.69	9.49	34.28
PK	5.95G	60.86	68.20	-7.34	9.34	3	Vertical	150	1.01	-	51.52	34.00	9.64	34.30

802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4113G	47.05	54.00	-6.95	12.22	3	Vertical	207	2.16	-	34.83	40.52	12.80	41.10
PK	11.42996G	60.22	74.00	-13.78	12.27	3	Vertical	207	2.16	-	47.95	40.56	12.81	41.10
PK	17.14086G	66.83	68.20	-1.37	18.47	3	Vertical	333	1.16	-	48.36	44.79	15.62	41.94

802.11ac VHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.4131G	44.21	54.00	-9.79	12.23	3	Horizontal	347	1.38	-	31.98	40.53	12.80	41.10
PK	11.40968G	56.81	74.00	-17.19	12.22	3	Horizontal	347	1.38	-	44.59	40.52	12.80	41.10
PK	17.12424G	63.52	68.20	-4.68	18.34	3	Horizontal	145	1.07	-	45.18	44.67	15.61	41.94

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.143G	47.60	54.00	-6.40	8.83	3	Vertical	57	1.50	-	38.77	33.99	9.07	34.23
AV	5.327G	94.24	Inf	-Inf	8.98	3	Vertical	57	1.50	-	85.26	34.01	9.22	34.25
AV	5.35G	52.01	54.00	-1.99	9.10	3	Vertical	57	1.50	-	42.91	34.10	9.25	34.25
PK	5.135G	59.19	74.00	-14.81	8.81	3	Vertical	57	1.50	-	50.38	33.97	9.07	34.23
PK	5.325G	103.14	Inf	-Inf	8.97	3	Vertical	57	1.50	-	94.17	34.00	9.22	34.25
PK	5.53G	59.20	68.20	-9.00	8.84	3	Vertical	57	1.50	-	50.36	33.70	9.40	34.26

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.87408G	46.26	54.00	-7.74	15.89	3	Vertical	251	1.70	-	30.37	42.78	14.91	41.80
PK	10.59104G	55.30	68.20	-12.90	10.86	3	Vertical	64	1.50	-	44.44	39.37	12.46	40.97
PK	15.88218G	59.30	74.00	-14.70	15.85	3	Vertical	251	1.70	-	43.45	42.75	14.91	41.81

802.11ac VHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.87918G	46.18	54.00	-7.82	15.87	3	Horizontal	202	1.96	-	30.31	42.76	14.91	41.80
PK	10.59338G	54.90	68.20	-13.30	10.87	3	Horizontal	123	3.00	-	44.03	39.38	12.46	40.97
PK	15.8844G	59.30	74.00	-14.70	15.85	3	Horizontal	202	1.96	-	43.45	42.75	14.91	41.81

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	52.59	54.00	-1.41	8.95	3	Vertical	323	1.96	-	43.64	33.86	9.35	34.26
AV	5.506G	96.02	Inf	-Inf	8.82	3	Vertical	323	1.96	-	87.20	33.70	9.38	34.26
PK	5.466G	66.26	68.20	-1.94	8.93	3	Vertical	323	1.96	-	57.33	33.84	9.35	34.26
PK	5.505G	105.11	Inf	-Inf	8.82	3	Vertical	323	1.96	-	96.29	33.70	9.38	34.26
PK	5.731G	59.52	68.20	-8.68	8.86	3	Vertical	323	1.96	-	50.66	33.64	9.50	34.28

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.0468G	42.12	54.00	-11.88	10.96	3	Vertical	229	2.69	-	31.16	39.35	12.65	41.04
PK	11.05232G	54.84	74.00	-19.16	10.96	3	Vertical	229	2.69	-	43.88	39.35	12.65	41.04
PK	16.60434G	59.23	68.20	-8.97	15.92	3	Vertical	310	1.50	-	43.31	42.33	15.30	41.71

802.11ac VHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.05238G	41.86	54.00	-12.14	10.96	3	Horizontal	48	1.12	-	30.90	39.35	12.65	41.04
PK	11.05964G	55.80	74.00	-18.20	10.98	3	Horizontal	48	1.12	-	44.82	39.36	12.66	41.04
PK	16.59054G	58.69	68.20	-9.51	15.81	3	Horizontal	313	1.50	-	42.88	42.21	15.30	41.70

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.46G	49.23	54.00	-4.77	8.95	3	Vertical	325	1.83	-	40.28	33.86	9.35	34.26
AV	5.608G	98.45	Inf	-Inf	8.69	3	Vertical	325	1.83	-	89.76	33.50	9.46	34.27
PK	5.469G	63.57	68.20	-4.63	8.92	3	Vertical	325	1.83	-	54.65	33.82	9.36	34.26
PK	5.606G	107.97	Inf	-Inf	8.69	3	Vertical	325	1.83	-	99.28	33.50	9.46	34.27
PK	5.727G	66.15	68.20	-2.05	8.87	3	Vertical	325	1.83	-	57.28	33.65	9.50	34.28

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.20578G	42.72	54.00	-11.28	11.57	3	Vertical	310	1.50	-	31.15	39.91	12.72	41.06
PK	11.22432G	55.33	74.00	-18.67	11.60	3	Vertical	310	1.50	-	43.73	39.95	12.72	41.07
PK	16.83816G	61.29	68.20	-6.91	17.59	3	Vertical	336	1.27	-	43.70	43.98	15.44	41.83

802.11ac VHT80_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.22678G	43.00	54.00	-11.00	11.61	3	Horizontal	134	2.81	-	31.39	39.95	12.73	41.07
PK	11.22018G	55.88	74.00	-18.12	11.59	3	Horizontal	134	2.81	-	44.29	39.94	12.72	41.07
PK	16.83984G	60.26	68.20	-7.94	17.59	3	Horizontal	78	1.19	-	42.67	43.98	15.44	41.83

802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.4548G	47.62	54.00	-6.38	8.96	3	Vertical	176	1.23	-	38.66	33.88	9.34	34.26
AV	5.6972G	101.70	Inf	-Inf	8.90	3	Vertical	176	1.23	-	92.80	33.69	9.49	34.28
PK	5.4668G	58.29	68.20	-9.91	8.92	3	Vertical	176	1.23	-	49.37	33.83	9.35	34.26
PK	5.696G	110.73	Inf	-Inf	8.89	3	Vertical	176	1.23	-	101.84	33.68	9.49	34.28
PK	5.8796G	66.67	68.20	-1.53	9.32	3	Vertical	176	1.23	-	57.35	34.04	9.58	34.30

802.11ac VHT80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.37736G	43.43	54.00	-10.57	12.11	3	Vertical	40	1.50	-	31.32	40.41	12.79	41.09
PK	11.3944G	56.24	74.00	-17.76	12.19	3	Vertical	40	1.50	-	44.05	40.48	12.80	41.09
PK	17.06376G	63.24	68.20	-4.96	18.14	3	Vertical	333	1.07	-	45.10	44.50	15.57	41.93

802.11ac VHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.37628G	43.47	54.00	-10.53	12.11	3	Horizontal	360	1.14	-	31.36	40.41	12.79	41.09
PK	11.37958G	56.78	74.00	-17.22	12.12	3	Horizontal	360	1.14	-	44.66	40.42	12.79	41.09
PK	17.0574G	61.66	68.20	-6.54	18.14	3	Horizontal	166	1.50	-	43.52	44.50	15.57	41.93