


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 25
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.19542G	56.36	74.00	-17.64	40.90	3	Horizontal	328	2.94	-	39.02	11.21	34.77			
AV	12.195G	44.74	54.00	-9.26	29.28	3	Horizontal	328	2.94	-	39.02	11.21	34.77			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 25
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.31722G	45.20	83.54	-38.34	40.75	1	Vertical	203	1.68	-	37.37	15.61	48.53			
AV	18.31152G	32.49	63.54	-31.05	28.05	1	Vertical	203	1.68	-	37.35	15.61	48.52			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 25
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31924G	44.80	83.54	-38.74	40.34	1	Horizontal	64	1.78	-	37.38	15.61	48.53			
AV	18.31974G	32.49	63.54	-31.05	28.03	1	Horizontal	64	1.78	-	37.38	15.61	48.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 27
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52226G	57.00	74.00	-17.00	41.94	3	Vertical	180	1.80	-	38.60	11.41	34.95			
AV	12.5234G	44.07	54.00	-9.93	29.01	3	Vertical	180	1.80	-	38.60	11.41	34.95			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 27
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.53204G	56.14	74.00	-17.86	41.07	3	Horizontal	103	2.85	-	38.60	11.42	34.95			
AV	12.52148G	44.07	54.00	-9.93	29.01	3	Horizontal	103	2.85	-	38.60	11.41	34.95			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 27
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79556G	45.77	83.54	-37.77	41.09	1	Vertical	78	1.80	-	37.62	15.84	48.78			
AV	18.79622G	33.24	63.54	-30.30	28.56	1	Vertical	78	1.80	-	37.62	15.84	48.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 27
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79364G	45.33	83.54	-38.21	40.64	1	Horizontal	146	1.95	-	37.63	15.84	48.78			
AV	18.79638G	33.23	63.54	-30.31	28.56	1	Horizontal	146	1.95	-	37.61	15.84	48.78			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 25
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8554G	57.92	88.20	-30.28	41.77	3	Vertical	244	1.80	-	39.49	11.62	34.96			
RMS	12.83806G	44.45	68.20	-23.75	28.32	3	Vertical	244	1.80	-	39.48	11.61	34.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6425MHz_TX




EUT_Y_2TX
Setting 25
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84052G	57.51	88.20	-30.69	41.38	3	Horizontal	64	2.19	-	39.48	11.61	34.96			
RMS	12.8356G	44.45	68.20	-23.75	28.33	3	Horizontal	64	2.19	-	39.47	11.61	34.96			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 25
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27394G	46.55	83.54	-36.99	41.58	1	Vertical	14	1.38	-	37.76	16.06	48.85			
AV	19.27628G	33.67	63.54	-29.87	28.71	1	Vertical	14	1.38	-	37.74	16.06	48.84			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz_TX

EUT_Y_2TX
Setting 25
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27978G	46.30	83.54	-37.24	41.36	1	Horizontal	265	1.77	-	37.72	16.06	48.84			
AV	19.27644G	33.67	63.54	-29.87	28.71	1	Horizontal	265	1.77	-	37.74	16.06	48.84			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 26
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.18416G	57.80	88.20	-30.40	41.36	3	Vertical	307	2.98	-	39.50	11.82	34.88			
RMS	13.18212G	45.69	68.20	-22.51	29.25	3	Vertical	307	2.98	-	39.50	11.82	34.88			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 26
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.17552G	58.23	88.20	-29.97	41.80	3	Horizontal	158	1.56	-	39.50	11.82	34.89			
RMS	13.18416G	45.69	68.20	-22.51	29.25	3	Horizontal	158	1.56	-	39.50	11.82	34.88			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 26
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75168G	46.38	83.54	-37.16	41.52	1	Vertical	123	1.97	-	37.50	16.26	48.90			
AV	19.75598G	32.41	63.54	-31.13	27.54	1	Vertical	123	1.97	-	37.50	16.27	48.90			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




EUT_Y_2TX
Setting 26
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.75824G	45.55	83.54	-37.99	40.68	1	Horizontal	110	1.59	-	37.50	16.27	48.90				
AV	19.75672G	32.41	63.54	-31.13	27.54	1	Horizontal	110	1.59	-	37.50	16.27	48.90				

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 25
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.49354G	58.68	88.20	-29.52	41.20	3	Vertical	323	2.61	-	40.19	12.02	34.73			
RMS	13.49972G	46.27	68.20	-21.93	28.78	3	Vertical	323	2.61	-	40.20	12.02	34.73			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 25
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48574G	58.68	88.20	-29.52	41.24	3	Horizontal	233	3.00	-	40.17	12.01	34.74			
RMS	13.50158G	46.24	68.20	-21.96	28.74	3	Horizontal	233	3.00	-	40.21	12.02	34.73			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 25
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2348G	44.24	83.54	-39.30	39.27	1	Vertical	297	1.59	-	37.44	16.48	48.95			
AV	20.2379G	32.09	63.54	-31.45	27.11	1	Vertical	297	1.59	-	37.45	16.48	48.95			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6745MHz_TX




EUT_Y_2TX
Setting 25
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23874G	44.79	83.54	-38.75	39.81	1	Horizontal	190	2.02	-	37.45	16.48	48.95			
AV	20.23576G	32.10	63.54	-31.44	27.13	1	Horizontal	190	2.02	-	37.44	16.48	48.95			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 24
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8634G	96.48	Inf	-Inf	87.01	3	Vertical	48	1.93	-	34.68	8.20	33.41			
RMS	6.8618G	85.87	Inf	-Inf	76.41	3	Vertical	48	1.93	-	34.67	8.20	33.41			
PK	7.2218G	71.62	88.20	-16.58	60.27	3	Vertical	48	1.93	-	36.34	8.51	33.50			
RMS	7.1258G	59.16	68.20	-9.04	48.08	3	Vertical	48	1.93	-	36.10	8.44	33.46			
PK	7.2634G	57.60	74.00	-16.40	46.05	3	Vertical	48	1.93	-	36.45	8.62	33.52			
AV	7.25G	47.13	54.00	-6.87	35.66	3	Vertical	48	1.93	-	36.40	8.58	33.51			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 24
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.857G	100.04	Inf	-Inf	90.62	3	Horizontal	69	2.35	-	34.64	8.19	33.41			
RMS	6.9802G	90.12	Inf	-Inf	79.87	3	Horizontal	69	2.35	-	35.26	8.39	33.40			
PK	7.1818G	78.86	88.20	-9.34	67.63	3	Horizontal	69	2.35	-	36.26	8.45	33.48			
RMS	7.125G	64.33	68.20	-3.87	53.24	3	Horizontal	69	2.35	-	36.10	8.44	33.45			
PK	7.2666G	63.26	74.00	-10.74	51.68	3	Horizontal	69	2.35	-	36.47	8.63	33.52			
AV	7.265G	50.96	54.00	-3.04	39.40	3	Horizontal	69	2.35	-	36.46	8.62	33.52			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 24
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.82092G	58.06	88.20	-30.14	40.25	3	Vertical	35	1.02	-	40.30	12.22	34.71			
RMS	13.79758G	46.40	68.20	-21.80	28.61	3	Vertical	35	1.02	-	40.30	12.20	34.71			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 24
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80862G	58.47	88.20	-29.73	40.67	3	Horizontal	96	2.92	-	40.30	12.21	34.71			
RMS	13.79776G	46.40	68.20	-21.80	28.61	3	Horizontal	96	2.92	-	40.30	12.20	34.71			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




EUT_Y_2TX
Setting 24
06-U-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71244G	45.41	83.54	-38.13	40.04	1	Vertical	282	1.37	-	37.57	16.70	48.90			
AV	20.71828G	32.98	63.54	-30.56	27.56	1	Vertical	282	1.37	-	37.61	16.71	48.90			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX



EUT_Y_2TX
Setting 24
06-U-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71422G	44.89	83.54	-38.65	39.49	1	Horizontal	19	1.94	-	37.59	16.71	48.90			
AV	20.71786G	32.98	63.54	-30.56	27.56	1	Horizontal	19	1.94	-	37.61	16.71	48.90			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.69	68.20	-0.51	3	Horizontal	63	2.12	BP 1MHz

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8982G	58.21	88.20	-29.99	52.24	3	Vertical	5	2.30	-	32.20	7.53	33.76
RMS	5.9248G	48.04	68.20	-20.16	41.98	3	Vertical	5	2.30	-	32.25	7.57	33.76
PK	5.9634G	109.09	Inf	-Inf	102.87	3	Vertical	5	2.30	-	32.33	7.64	33.75
RMS	5.9482G	98.89	Inf	-Inf	92.73	3	Vertical	5	2.30	-	32.30	7.62	33.76

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9238G	59.08	88.20	-29.12	53.02	3	Horizontal	2.9	2.51	-	32.25	7.57	33.76			
RMS	5.9246G	48.04	68.20	-20.16	41.98	3	Horizontal	2.9	2.51	-	32.25	7.57	33.76			
PK	5.9622G	110.20	Inf	-Inf	103.99	3	Horizontal	2.9	2.51	-	32.32	7.64	33.75			
RMS	5.9636G	99.04	Inf	-Inf	92.82	3	Horizontal	2.9	2.51	-	32.33	7.64	33.75			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 16
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91018G	47.39	74.00	-26.61	40.93	3	Vertical	53	1.13	-	38.90	13.50	45.94			
AV	11.91G	34.26	54.00	-19.74	27.80	3	Vertical	53	1.13	-	38.90	13.50	45.94			
PK	17.86914G	57.99	74.00	-16.01	40.62	3	Vertical	290	1.66	-	46.34	16.31	45.28			
AV	17.87976G	44.27	54.00	-9.73	26.61	3	Vertical	290	1.66	-	46.63	16.31	45.28			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 16
04-C-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91117G	47.25	74.00	-26.75	40.79	3	Horizontal	349	2.06	-	38.90	13.50	45.94			
AV	11.9223G	34.22	54.00	-19.78	27.75	3	Horizontal	349	2.06	-	38.90	13.51	45.94			
PK	17.87298G	57.27	74.00	-16.73	39.80	3	Horizontal	216	1.48	-	46.44	16.31	45.28			
AV	17.87958G	44.07	54.00	-9.93	26.41	3	Horizontal	216	1.48	-	46.63	16.31	45.28			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81736G	56.29	83.54	-27.25	42.30	1	Vertical	357	1.81	-	38.90	22.99	47.90			
RMS	23.81991G	44.51	63.54	-19.03	30.52	1	Vertical	357	1.81	-	38.90	22.99	47.90			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80656G	55.82	83.54	-27.72	41.84	1	Horizontal	339	1.56	-	38.90	22.98	47.90			
RMS	23.81988G	44.43	63.54	-19.11	30.44	1	Horizontal	339	1.56	-	38.90	22.99	47.90			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 15
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38802G	47.38	74.00	-26.62	40.18	3	Vertical	23	2.91	-	38.82	13.95	45.57			
AV	12.40131G	34.09	54.00	-19.91	26.90	3	Vertical	23	2.91	-	38.79	13.96	45.56			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 15
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38235G	47.51	74.00	-26.49	40.31	3	Horizontal	223	2.74	-	38.84	13.94	45.58			
AV	12.40311G	34.17	54.00	-19.83	26.99	3	Horizontal	223	2.74	-	38.78	13.96	45.56			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58641G	54.29	83.54	-29.25	44.68	1	Vertical	18	1.80	-	37.65	20.61	48.65			
RMS	18.59481G	40.44	63.54	-23.10	30.81	1	Vertical	18	1.80	-	37.68	20.61	48.66			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5712G	53.58	74.00	-20.42	44.03	1	Horizontal	107	1.71	-	37.58	20.61	48.64			
AV	18.59664G	40.42	54.00	-13.58	30.78	1	Horizontal	107	1.71	-	37.69	20.61	48.66			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 14
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.818G	46.42	88.20	-41.78	38.77	3	Vertical	95	2.96	-	39.04	14.36	45.75			
RMS	12.82544G	33.43	68.20	-34.77	25.77	3	Vertical	95	2.96	-	39.05	14.37	45.76			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 14
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81596G	46.28	88.20	-41.92	38.64	3	Horizontal	98	1.18	-	39.03	14.36	45.75			
RMS	12.82121G	33.26	68.20	-34.94	25.61	3	Horizontal	98	1.18	-	39.04	14.37	45.76			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 14
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24638G	48.71	74.00	-25.29	43.63	1	Vertical	289	1.19	-	37.88	16.05	48.85			
AV	19.23567G	35.29	54.00	-18.71	30.29	1	Vertical	289	1.19	-	37.81	16.04	48.85			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24299G	48.41	74.00	-25.59	43.36	1	Horizontal	190	1.11	-	37.86	16.04	48.85			
AV	19.24758G	35.29	54.00	-18.71	30.20	1	Horizontal	190	1.11	-	37.89	16.05	48.85			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 15
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	59.26	88.20	-28.94	53.23	3	Vertical	355	2.14	-	32.23	7.56	33.76
RMS	5.9238G	47.92	68.20	-20.28	41.86	3	Vertical	355	2.14	-	32.25	7.57	33.76
PK	5.9834G	109.02	Inf	-Inf	102.72	3	Vertical	355	2.14	-	32.37	7.68	33.75
RMS	5.9834G	99.67	Inf	-Inf	93.37	3	Vertical	355	2.14	-	32.37	7.68	33.75

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 15
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	74.50	88.20	-13.70	68.44	3	Horizontal	2	2.27	-	32.25	7.57	33.76			
RMS	5.9246G	52.33	68.20	-15.87	46.27	3	Horizontal	2	2.27	-	32.25	7.57	33.76			
PK	5.9794G	110.57	Inf	-Inf	104.29	3	Horizontal	2	2.27	-	32.36	7.67	33.75			
RMS	5.9822G	99.61	Inf	-Inf	93.32	3	Horizontal	2	2.27	-	32.36	7.68	33.75			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 15
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93702G	55.70	74.00	-18.30	40.49	3	Vertical	221	1.80	-	38.80	11.07	34.66			
AV	11.92178G	42.54	54.00	-11.46	27.33	3	Vertical	221	1.80	-	38.80	11.07	34.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 15
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91812G	56.67	74.00	-17.33	41.46	3	Horizontal	13	1.78	-	38.80	11.07	34.66			
AV	11.93108G	43.21	54.00	-10.79	28.00	3	Horizontal	13	1.78	-	38.80	11.07	34.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.87446G	55.99	74.00	-18.01	41.96	1	Vertical	269	2.45	-	38.90	23.03	47.90			
AV	23.87218G	43.24	54.00	-10.76	29.21	1	Vertical	269	2.45	-	38.90	23.03	47.90			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.87128G	56.03	83.54	-27.51	42.00	1	Horizontal	170	2.86	-	38.90	23.03	47.90			
RMS	23.86942G	43.06	63.54	-20.48	29.03	1	Horizontal	170	2.86	-	38.90	23.03	47.90			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39584G	56.52	74.00	-17.48	41.36	3	Vertical	165	1.11	-	38.71	11.34	34.89			
AV	12.39608G	43.56	54.00	-10.44	28.40	3	Vertical	165	1.11	-	38.71	11.34	34.89			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41222G	58.00	74.00	-16.00	42.87	3	Horizontal	12	2.09	-	38.68	11.35	34.90			
AV	12.4154G	43.41	54.00	-10.59	28.29	3	Horizontal	12	2.09	-	38.67	11.35	34.90			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60222G	53.62	74.00	-20.38	43.97	1	Vertical	145	2.74	-	37.70	20.61	48.66			
AV	18.61092G	40.60	54.00	-13.40	30.98	1	Vertical	145	2.74	-	37.68	20.61	48.67			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61878G	53.69	74.00	-20.31	44.09	1	Horizontal	359	1.71	-	37.66	20.61	48.67			
AV	18.60672G	40.48	54.00	-13.52	30.84	1	Horizontal	359	1.71	-	37.69	20.61	48.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81168G	56.36	88.20	-31.84	40.31	3	Vertical	44	1.48	-	39.42	11.59	34.96			
AV	12.80898G	43.42	68.20	-24.78	27.37	3	Vertical	44	1.48	-	39.42	11.59	34.96			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7968G	56.37	88.20	-31.83	40.37	3	Horizontal	95	2.61	-	39.38	11.58	34.96			
AV	12.80922G	43.26	68.20	-24.94	27.21	3	Horizontal	95	2.61	-	39.42	11.59	34.96			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20408G	48.48	74.00	-25.52	43.69	1	Vertical	26	2.40	-	37.62	16.03	48.86			
AV	19.2225G	35.19	54.00	-18.81	30.28	1	Vertical	26	2.40	-	37.73	16.04	48.86			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	77.26	88.20	-10.94	71.20	3	Vertical	19	2.45	-	32.25	7.57	33.76			
RMS	5.9234G	61.83	68.20	-6.37	55.77	3	Vertical	19	2.45	-	32.25	7.57	33.76			
PK	6.0002G	110.45	Inf	-Inf	104.09	3	Vertical	19	2.45	-	32.40	7.71	33.75			
RMS	5.9998G	99.33	Inf	-Inf	92.97	3	Vertical	19	2.45	-	32.40	7.71	33.75			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	80.90	88.20	-7.30	74.83	3	Horizontal	343	1.80	-	32.25	7.58	33.76			
RMS	5.9246G	64.62	68.20	-3.58	58.56	3	Horizontal	343	1.80	-	32.25	7.57	33.76			
PK	5.9514G	109.63	Inf	-Inf	103.47	3	Horizontal	343	1.80	-	32.30	7.62	33.76			
RMS	5.9518G	98.65	Inf	-Inf	92.49	3	Horizontal	343	1.80	-	32.30	7.62	33.76			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.98404G	56.27	74.00	-17.73	40.90	3	Vertical	359	1.80	-	38.94	11.09	34.66			
AV	11.98476G	42.60	54.00	-11.40	27.23	3	Vertical	359	1.80	-	38.94	11.09	34.66			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



EUT_Y_2TX
Setting 22
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95728G	54.87	74.00	-19.13	39.62	3	Horizontal	227	1.43	-	38.83	11.08	34.66			
AV	11.98038G	42.19	54.00	-11.81	26.84	3	Horizontal	227	1.43	-	38.92	11.09	34.66			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.96016G	53.50	74.00	-20.50	44.24	1	Vertical	174	2.12	-	37.32	20.23	48.29			
AV	17.9475G	40.50	54.00	-13.50	31.26	1	Vertical	174	2.12	-	37.29	20.21	48.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.94522G	54.06	74.00	-19.94	44.81	1	Horizontal	250	2.43	-	37.29	20.21	48.25			
AV	17.95242G	40.49	54.00	-13.51	31.24	1	Horizontal	250	2.43	-	37.30	20.22	48.27			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.43788G	56.70	74.00	-17.30	41.63	3	Vertical	348	1.87	-	38.62	11.36	34.91			
AV	12.43788G	42.88	54.00	-11.12	27.81	3	Vertical	348	1.87	-	38.62	11.36	34.91			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44844G	56.23	74.00	-17.77	41.18	3	Horizontal	226	2.92	-	38.60	11.37	34.92			
AV	12.45432G	42.88	54.00	-11.12	27.83	3	Horizontal	226	2.92	-	38.60	11.37	34.92			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 17
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67182G	53.91	74.00	-20.09	44.43	1	Vertical	352	2.18	-	37.56	20.62	48.70			
AV	18.6663G	40.17	54.00	-13.83	30.68	1	Vertical	352	2.18	-	37.57	20.62	48.70			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 17
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67974G	53.74	74.00	-20.26	44.29	1	Horizontal	305	2.10	-	37.54	20.62	48.71			
AV	18.6702G	40.17	54.00	-13.83	30.69	1	Horizontal	305	2.10	-	37.56	20.62	48.70			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 20
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78086G	55.90	88.20	-32.30	40.00	3	Vertical	62	1.72	-	39.29	11.57	34.96			
RMS	12.78452G	42.86	68.20	-25.34	26.93	3	Vertical	62	1.72	-	39.31	11.58	34.96			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 20
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.75998G	55.90	88.20	-32.30	40.14	3	Horizontal	329	2.17	-	39.16	11.56	34.96			
RMS	12.7838G	43.08	68.20	-25.12	27.16	3	Horizontal	329	2.17	-	39.30	11.58	34.96			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15566G	53.30	74.00	-20.70	43.66	1	Vertical	43	2.36	-	37.78	20.73	48.87			
AV	19.1418G	40.46	54.00	-13.54	30.83	1	Vertical	43	2.36	-	37.78	20.72	48.87			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16532G	53.82	74.00	-20.18	44.21	1	Horizontal	54	1.79	-	37.74	20.74	48.87			
AV	19.14252G	40.20	54.00	-13.80	30.56	1	Horizontal	54	1.79	-	37.79	20.72	48.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9082G	74.26	88.20	-13.94	68.26	3	Vertical	-0.1	2.04	-	32.22	7.54	33.76				
RMS	5.925G	55.11	68.20	-13.09	49.04	3	Vertical	-0.1	2.04	-	32.25	7.58	33.76				
PK	6.0442G	109.82	Inf	-Inf	103.37	3	Vertical	-0.1	2.04	-	32.49	7.68	33.72				
RMS	6.0514G	99.45	Inf	-Inf	92.99	3	Vertical	-0.1	2.04	-	32.50	7.68	33.72				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9098G	84.55	88.20	-3.65	78.54	3	Horizontal	24.9	2.03	-	32.22	7.55	33.76			
RMS	5.9114G	63.04	68.20	-5.16	57.03	3	Horizontal	24.9	2.03	-	32.22	7.55	33.76			
PK	5.9738G	108.03	Inf	-Inf	101.77	3	Horizontal	24.9	2.03	-	32.35	7.66	33.75			
RMS	5.9626G	97.65	Inf	-Inf	91.43	3	Horizontal	24.9	2.03	-	32.33	7.64	33.75			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05966G	56.60	74.00	-17.40	41.02	3	Vertical	174	1.56	-	39.14	11.13	34.69			
AV	12.06332G	43.17	54.00	-10.83	27.59	3	Vertical	174	1.56	-	39.15	11.13	34.70			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.06176G	55.91	74.00	-18.09	40.33	3	Horizontal	235	1.21	-	39.15	11.13	34.70			
AV	12.0587G	43.39	54.00	-10.61	27.82	3	Horizontal	235	1.21	-	39.13	11.13	34.69			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08826G	53.05	74.00	-20.95	43.88	1	Vertical	334	1.20	-	37.28	20.33	48.44			
AV	18.0618G	40.30	54.00	-13.70	31.19	1	Vertical	334	1.20	-	37.22	20.31	48.42			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08046G	53.53	74.00	-20.47	44.38	1	Horizontal	33	2.99	-	37.26	20.32	48.43			
AV	18.06294G	40.23	54.00	-13.77	31.12	1	Horizontal	33	2.99	-	37.23	20.31	48.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 21
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3625G	55.92	74.00	-18.08	40.71	3	Vertical	160	1.48	-	38.77	11.31	34.87			
AV	12.37642G	43.19	54.00	-10.81	28.00	3	Vertical	160	1.48	-	38.75	11.32	34.88			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 21
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.35518G	56.67	74.00	-17.33	41.44	3	Horizontal	252	1.77	-	38.79	11.31	34.87			
AV	12.35998G	43.16	54.00	-10.84	27.94	3	Horizontal	252	1.77	-	38.78	11.31	34.87			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 21
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54768G	53.69	74.00	-20.31	44.22	1	Vertical	84	2.94	-	37.50	20.60	48.63			
AV	18.56274G	40.23	54.00	-13.77	30.71	1	Vertical	84	2.94	-	37.55	20.61	48.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 21
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55482G	53.32	83.54	-30.22	43.82	1	Horizontal	333	2.57	-	37.52	20.61	48.63			
RMS	18.56652G	40.22	63.54	-23.32	30.68	1	Horizontal	333	2.57	-	37.57	20.61	48.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 20
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68178G	56.04	74.00	-17.96	40.43	3	Vertical	240	2.88	-	39.06	11.51	34.96			
AV	12.67938G	43.24	54.00	-10.76	27.63	3	Vertical	240	2.88	-	39.06	11.51	34.96			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 20
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68586G	56.42	74.00	-17.58	40.79	3	Horizontal	196	1.50	-	39.07	11.52	34.96			
AV	12.67962G	43.36	54.00	-10.64	27.75	3	Horizontal	196	1.50	-	39.06	11.51	34.96			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03188G	52.99	74.00	-21.01	43.45	1	Vertical	338	2.39	-	37.76	20.67	48.89			
AV	19.03254G	40.29	54.00	-13.71	30.74	1	Vertical	338	2.39	-	37.77	20.67	48.89			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02852G	53.39	74.00	-20.61	43.86	1	Horizontal	40	1.69	-	37.76	20.66	48.89			
AV	19.04412G	40.24	54.00	-13.76	30.67	1	Horizontal	40	1.69	-	37.79	20.67	48.89			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT Y_2TX
Setting 24
04-C-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	75.84	88.20	-12.36	77.95	3	Vertical	360	1.80	-	32.40	8.89	43.40			
RMS	5.925G	66.52	68.20	-1.68	68.63	3	Vertical	360	1.80	-	32.40	8.89	43.40			
PK	6.2082G	109.17	Inf	-Inf	110.39	3	Vertical	360	1.80	-	32.75	9.26	43.23			
RMS	6.2042G	99.23	Inf	-Inf	100.48	3	Vertical	360	1.80	-	32.73	9.25	43.23			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT Y_2TX
Setting 24
04-C-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9202G	79.15	88.20	-9.05	81.27	3	Horizontal	69	1.80	-	32.40	8.88	43.40			
RMS	5.925G	66.48	68.20	-1.72	68.59	3	Horizontal	69	1.80	-	32.40	8.89	43.40			
PK	6.113G	107.42	Inf	-Inf	109.00	3	Horizontal	69	1.80	-	32.53	9.17	43.28			
RMS	6.077G	95.86	Inf	-Inf	97.53	3	Horizontal	69	1.80	-	32.50	9.13	43.30			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 24
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.19788G	55.67	74.00	-18.33	40.22	3	Vertical	344	2.11	-	39.01	11.21	34.77			
AV	12.20517G	43.28	54.00	-10.72	27.85	3	Vertical	344	2.11	-	38.99	11.22	34.78			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 24
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.22323G	55.96	74.00	-18.04	40.57	3	Horizontal	351	1.17	-	38.95	11.23	34.79			
AV	12.20325G	43.35	54.00	-10.65	27.92	3	Horizontal	351	1.17	-	38.99	11.22	34.78			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 24
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32193G	52.64	74.00	-21.36	43.30	1	Vertical	198	2.85	-	37.39	20.48	48.53			
AV	18.32958G	39.70	54.00	-14.30	30.32	1	Vertical	198	2.85	-	37.42	20.49	48.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 24
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.30102G	52.41	74.00	-21.59	43.16	1	Horizontal	328	2.95	-	37.30	20.47	48.52			
AV	18.32979G	39.76	54.00	-14.24	30.38	1	Horizontal	328	2.95	-	37.42	20.49	48.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 24
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.54332G	45.87	74.00	-28.13	41.34	3	Vertical	74	1.21	-	38.60	11.43	45.50			
AV	12.53573G	32.77	54.00	-21.23	28.24	3	Vertical	74	1.21	-	38.60	11.42	45.49			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 24
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52826G	46.33	74.00	-27.67	41.80	3	Horizontal	195	1.52	-	38.60	11.42	45.49			
AV	12.53501G	32.74	54.00	-21.26	28.21	3	Horizontal	195	1.52	-	38.60	11.42	45.49			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 24
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.80526G	52.59	74.00	-21.41	43.14	1	Vertical	229	1.97	-	37.60	20.63	48.78			
AV	18.78582G	39.25	54.00	-14.75	29.73	1	Vertical	229	1.97	-	37.66	20.63	48.77			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 24
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.80238G	52.47	74.00	-21.53	43.02	1	Horizontal	16	1.59	-	37.60	20.63	48.78			
AV	18.79065G	39.27	54.00	-14.73	29.77	1	Horizontal	16	1.59	-	37.64	20.63	48.77			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_2TX
Setting 25
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8479G	55.43	88.20	-32.77	39.27	3	Vertical	288	1.57	-	39.50	11.62	34.96			
RMS	12.86251G	42.78	68.20	-25.42	26.65	3	Vertical	288	1.57	-	39.47	11.62	34.96			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_2TX
Setting 25
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.85741G	55.83	88.20	-32.37	39.68	3	Horizontal	183	1.25	-	39.49	11.62	34.96			
RMS	12.86254G	42.78	68.20	-25.42	26.65	3	Horizontal	183	1.25	-	39.47	11.62	34.96			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_2TX
Setting 25
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.26603G	53.16	74.00	-20.84	43.42	1	Vertical	75	2.42	-	37.80	20.79	48.85			
AV	19.26531G	39.85	54.00	-14.15	30.10	1	Vertical	75	2.42	-	37.81	20.79	48.85			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Y_2TX
Setting 25
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.26351G	53.02	74.00	-20.98	43.26	1	Horizontal	55	1.48	-	37.82	20.79	48.85			
AV	19.26096G	39.77	54.00	-14.23	30.00	1	Horizontal	55	1.48	-	37.83	20.79	48.85			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 15
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.87993G	47.29	88.20	-40.91	39.58	3	Vertical	113	2.54	-	39.10	14.42	45.81			
RMS	12.88287G	33.53	68.20	-34.67	25.81	3	Vertical	113	2.54	-	39.10	14.43	45.81			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6435MHz_TX

EUT_Y_2TX
Setting 15
04-C-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.86784G	46.51	88.20	-41.69	38.80	3	Horizontal	263	1.80	-	39.10	14.41	45.80			
RMS	12.88416G	33.46	68.20	-34.74	25.74	3	Horizontal	263	1.80	-	39.10	14.43	45.81			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_V_2TX
Setting 15
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31958G	53.25	74.00	-20.75	43.63	1	Vertical	317	1.48	-	37.64	20.82	48.84			
AV	19.29588G	39.66	54.00	-14.34	30.08	1	Vertical	317	1.48	-	37.62	20.80	48.84			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.31742G	52.07	74.00	-21.93	42.46	1	Horizontal	232	1.88	-	37.63	20.82	48.84			
AV	19.29651G	39.55	54.00	-14.45	29.97	1	Horizontal	232	1.88	-	37.62	20.80	48.84			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 12
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.96149G	46.38	88.20	-41.82	38.58	3	Vertical	292	2.74	-	39.18	14.50	45.88			
RMS	12.93869G	33.79	68.20	-34.41	25.99	3	Vertical	292	2.74	-	39.18	14.48	45.86			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_V_2TX
Setting 12
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94391G	47.05	88.20	-41.15	39.24	3	Horizontal	130	2.60	-	39.19	14.49	45.87			
RMS	12.94928G	33.77	68.20	-34.43	25.95	3	Horizontal	130	2.60	-	39.20	14.49	45.87			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 12
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.42995G	54.27	74.00	-19.73	44.57	1	Vertical	276	2.01	-	37.64	20.87	48.81			
AV	19.43946G	40.73	54.00	-13.27	31.04	1	Vertical	276	2.01	-	37.62	20.88	48.81			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 12
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.43847G	53.05	74.00	-20.95	43.36	1	Horizontal	198	2.30	-	37.62	20.88	48.81			
AV	19.43181G	40.59	54.00	-13.41	30.89	1	Horizontal	198	2.30	-	37.64	20.87	48.81			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 11
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02667G	45.97	88.20	-42.23	38.28	3	Vertical	63	2.19	-	38.99	14.57	45.87			
RMS	13.015G	33.47	68.20	-34.73	25.77	3	Vertical	63	2.19	-	39.04	14.55	45.89			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 11
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0171G	46.59	88.20	-41.61	38.89	3	Horizontal	158	2.03	-	39.03	14.56	45.89			
RMS	13.01509G	33.37	68.20	-34.83	25.67	3	Horizontal	158	2.03	-	39.04	14.55	45.89			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 11
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.54257G	53.61	74.00	-20.39	43.96	1	Vertical	81	1.59	-	37.59	20.88	48.82			
AV	19.55859G	41.01	54.00	-12.99	31.36	1	Vertical	81	1.59	-	37.60	20.87	48.82			

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 11
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.5492G	54.96	74.00	-19.04	45.31	1	Horizontal	335	1.69	-	37.60	20.87	48.82			
AV	19.5366G	40.97	54.00	-13.03	31.33	1	Horizontal	335	1.69	-	37.57	20.88	48.81			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 15
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.90098G	56.82	88.20	-31.38	40.74	3	Vertical	356	1.80	-	39.40	11.65	34.97			
AV	12.89G	44.04	68.20	-24.16	27.95	3	Vertical	356	1.80	-	39.42	11.64	34.97			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 15
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88052G	56.28	88.20	-31.92	40.17	3	Horizontal	243	1.18	-	39.44	11.64	34.97			
AV	12.89G	43.88	68.20	-24.32	27.79	3	Horizontal	243	1.18	-	39.42	11.64	34.97			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.35G	52.24	74.00	-21.76	42.54	1	Vertical	156	2.85	-	37.70	20.83	48.83			
AV	19.34382G	39.78	54.00	-14.22	30.09	1	Vertical	156	2.85	-	37.69	20.83	48.83			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




EUT_Y_2TX
Setting 15
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.34982G	52.64	74.00	-21.36	42.94	1	Horizontal	75	1.83	-	37.70	20.83	48.83			
AV	19.33674G	39.82	54.00	-14.18	30.15	1	Horizontal	75	1.83	-	37.67	20.83	48.83			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.98362G	56.42	88.20	-31.78	40.19	3	Vertical	322	2.78	-	39.50	11.70	34.97			
AV	12.95728G	43.70	68.20	-24.50	27.49	3	Vertical	322	2.78	-	39.50	11.68	34.97			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_V_2TX
Setting 16
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.964G	56.43	88.20	-31.77	40.21	3	Horizontal	334	2.37	-	39.50	11.69	34.97			
AV	12.96574G	43.57	68.20	-24.63	27.35	3	Horizontal	334	2.37	-	39.50	11.69	34.97			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.46898G	54.10	74.00	-19.90	44.46	1	Vertical	119	1.82	-	37.56	20.89	48.81			
AV	19.45344G	41.00	54.00	-13.00	31.33	1	Vertical	119	1.82	-	37.59	20.89	48.81			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.458G	54.19	74.00	-19.81	44.53	1	Horizontal	352	1.33	-	37.58	20.89	48.81			
AV	19.4547G	40.98	54.00	-13.02	31.31	1	Horizontal	352	1.33	-	37.59	20.89	48.81			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 14
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0614G	56.26	88.20	-31.94	40.15	3	Vertical	1	1.37	-	39.30	11.75	34.94			
AV	13.0353G	43.77	68.20	-24.43	27.63	3	Vertical	1	1.37	-	39.36	11.73	34.95			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 14
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.04898G	56.26	88.20	-31.94	40.17	3	Horizontal	94	1.91	-	39.30	11.74	34.95			
AV	13.03842G	43.64	68.20	-24.56	27.51	3	Horizontal	94	1.91	-	39.35	11.73	34.95			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 14
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57194G	55.47	74.00	-18.53	45.84	1	Vertical	123	1.70	-	37.60	20.86	48.83			
AV	19.57212G	41.13	54.00	-12.87	31.50	1	Vertical	123	1.70	-	37.60	20.86	48.83			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 14
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.56366G	54.52	74.00	-19.48	44.89	1	Horizontal	272	2.02	-	37.60	20.86	48.83			
AV	19.58376G	41.18	54.00	-12.82	31.56	1	Horizontal	272	2.02	-	37.60	20.85	48.83			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 18
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.942G	56.14	88.20	-32.06	39.96	3	Vertical	210	1.23	-	39.48	11.67	34.97			
AV	12.9369G	43.38	68.20	-24.82	27.21	3	Vertical	210	1.23	-	39.47	11.67	34.97			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_Y_2TX
Setting 18
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.94038G	56.46	88.20	-31.74	40.28	3	Horizontal	233	2.10	-	39.48	11.67	34.97			
AV	12.94446G	43.27	68.20	-24.93	27.07	3	Horizontal	233	2.10	-	39.49	11.68	34.97			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_V_2TX
Setting 18
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.39092G	54.15	74.00	-19.85	44.42	1	Vertical	73	1.81	-	37.70	20.85	48.82			
AV	19.40616G	40.09	54.00	-13.91	30.36	1	Vertical	73	1.81	-	37.69	20.86	48.82			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




EUT_V_2TX
Setting 18
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38912G	53.32	74.00	-20.68	43.59	1	Horizontal	15	1.69	-	37.70	20.85	48.82			
AV	19.40658G	40.16	54.00	-13.84	30.43	1	Horizontal	15	1.69	-	37.69	20.86	48.82			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 18
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.08442G	56.65	88.20	-31.55	40.52	3	Vertical	278	1.45	-	39.30	11.76	34.93			
AV	13.09264G	43.29	68.20	-24.91	27.15	3	Vertical	278	1.45	-	39.30	11.77	34.93			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 18
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07818G	56.31	88.20	-31.89	40.18	3	Horizontal	266	2.17	-	39.30	11.76	34.93			
AV	13.08886G	43.22	68.20	-24.98	27.08	3	Horizontal	266	2.17	-	39.30	11.77	34.93			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 18
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.38642G	53.47	74.00	-20.53	43.74	1	Vertical	29	2.25	-	37.70	20.85	48.82			
AV	19.40874G	40.05	54.00	-13.95	30.33	1	Vertical	29	2.25	-	37.68	20.86	48.82			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 18
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.62774G	53.45	74.00	-20.55	43.94	1	Horizontal	77	2.85	-	37.54	20.82	48.85			
AV	19.6248G	40.61	54.00	-13.39	31.09	1	Horizontal	77	2.85	-	37.55	20.82	48.85			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 20
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.02272G	56.82	88.20	-31.38	40.65	3	Vertical	140	1.11	-	39.41	11.72	34.96			
RMS	13.01342G	43.92	68.20	-24.28	27.71	3	Vertical	140	1.11	-	39.45	11.72	34.96			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 20
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.004G	56.99	88.20	-31.21	40.77	3	Horizontal	329	2.73	-	39.48	11.71	34.97			
RMS	13.0214G	43.94	68.20	-24.26	27.77	3	Horizontal	329	2.73	-	39.41	11.72	34.96			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.52196G	54.70	74.00	-19.30	45.08	1	Vertical	42	1.28	-	37.54	20.89	48.81			
AV	19.50414G	40.93	54.00	-13.07	31.31	1	Vertical	42	1.28	-	37.51	20.91	48.80			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.50672G	53.76	74.00	-20.24	44.14	1	Horizontal	61	1.29	-	37.51	20.91	48.80			
AV	19.51968G	40.91	54.00	-13.09	31.28	1	Horizontal	61	1.29	-	37.54	20.90	48.81			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16076G	46.16	88.20	-42.04	40.48	3	Vertical	236	2.70	-	39.50	11.81	45.63			
RMS	13.1616G	32.93	68.20	-35.27	27.25	3	Vertical	236	2.70	-	39.50	11.81	45.63			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1628G	56.66	88.20	-31.54	40.24	3	Horizontal	231	2.78	-	39.50	11.81	34.89			
RMS	13.16751G	43.80	68.20	-24.40	27.38	3	Horizontal	231	2.78	-	39.50	11.81	34.89			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.74546G	52.51	74.00	-21.49	43.16	1	Vertical	248	2.56	-	37.52	20.73	48.90			
AV	19.74051G	39.68	54.00	-14.32	30.30	1	Vertical	248	2.56	-	37.54	20.74	48.90			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75761G	52.24	74.00	-21.76	42.92	1	Horizontal	122	1.18	-	37.50	20.72	48.90			
AV	19.7457G	39.58	54.00	-14.42	30.23	1	Horizontal	122	1.18	-	37.52	20.73	48.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 12
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07621G	46.05	88.20	-42.15	38.32	3	Vertical	153	1.03	-	38.90	14.61	45.78			
RMS	13.08431G	33.46	68.20	-34.74	25.71	3	Vertical	153	1.03	-	38.90	14.62	45.77			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 12
04-C-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.05983G	46.20	88.20	-42.00	38.51	3	Horizontal	255	2.03	-	38.90	14.60	45.81			
RMS	13.08164G	33.47	68.20	-34.73	25.72	3	Horizontal	255	2.03	-	38.90	14.62	45.77			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 12
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61925G	53.95	74.00	-20.05	44.42	1	Vertical	217	2.28	-	37.56	20.82	48.85			
AV	19.5918G	40.93	54.00	-13.07	31.33	1	Vertical	217	2.28	-	37.60	20.84	48.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 12
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59462G	53.95	74.00	-20.05	44.35	1	Horizontal	220	2.91	-	37.60	20.84	48.84			
AV	19.59453G	40.87	54.00	-13.13	31.27	1	Horizontal	220	2.91	-	37.60	20.84	48.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 11
04-C-I-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39699G	49.20	74.00	-24.80	39.98	3	Vertical	48	2.90	-	39.49	14.93	45.20			
AV	13.37893G	35.23	54.00	-18.77	26.09	3	Vertical	48	2.90	-	39.46	14.91	45.23			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 11
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38901G	48.44	74.00	-25.56	39.25	3	Horizontal	243	1.10	-	39.48	14.92	45.21			
AV	13.38967G	35.15	54.00	-18.85	25.96	3	Horizontal	243	1.10	-	39.48	14.92	45.21			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 11
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08056G	53.04	74.00	-20.96	44.06	1	Vertical	224	2.30	-	37.26	20.70	48.98			
AV	20.07207G	40.21	54.00	-13.79	31.28	1	Vertical	224	2.30	-	37.24	20.68	48.99			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 11
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09964G	54.16	74.00	-19.84	45.11	1	Horizontal	86	2.86	-	37.30	20.73	48.98			
AV	20.07207G	40.23	54.00	-13.77	31.30	1	Horizontal	86	2.86	-	37.24	20.68	48.99			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 11
03-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70628G	64.81	88.20	-23.39	45.96	3	Vertical	159	1.92	-	40.81	11.40	33.36			
RMS	13.71876G	52.73	68.20	-15.47	33.85	3	Vertical	159	1.92	-	40.84	11.41	33.37			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 11
03-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7175G	64.85	88.20	-23.35	45.97	3	Horizontal	276	2.59	-	40.84	11.41	33.37			
RMS	13.71816G	52.80	68.20	-15.40	33.92	3	Horizontal	276	2.59	-	40.84	11.41	33.37			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 11
03-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55774G	48.70	83.54	-34.84	43.44	1	Vertical	305	1.13	-	37.53	16.63	48.90			
AV	20.5593G	38.08	63.54	-25.46	32.81	1	Vertical	305	1.13	-	37.54	16.63	48.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6855MHz_TX

EUT_Y_2TX
Setting 11
03-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57526G	49.10	83.54	-34.44	43.76	1	Horizontal	42	1.27	-	37.60	16.64	48.90			
AV	20.57268G	38.03	63.54	-25.51	32.70	1	Horizontal	42	1.27	-	37.59	16.64	48.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 11
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.75828G	51.31	88.20	-36.89	41.10	3	Vertical	112	1.91	-	40.00	15.28	45.07			
RMS	13.75342G	38.12	68.20	-30.08	27.92	3	Vertical	112	1.91	-	40.00	15.27	45.07			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 11
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7401G	50.79	88.20	-37.41	40.55	3	Horizontal	269	1.59	-	40.04	15.26	45.06			
RMS	13.74199G	38.10	68.20	-30.10	27.87	3	Horizontal	269	1.59	-	40.03	15.26	45.06			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 11
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.61915G	54.77	74.00	-19.23	44.43	1	Vertical	146	2.73	-	37.66	21.58	48.90			
AV	20.62512G	41.57	54.00	-12.43	31.23	1	Vertical	146	2.73	-	37.65	21.59	48.90			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 11
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.63823G	54.67	74.00	-19.33	44.35	1	Horizontal	61	1.18	-	37.62	21.60	48.90			
AV	20.62497G	41.40	54.00	-12.60	31.06	1	Horizontal	61	1.18	-	37.65	21.59	48.90			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 15
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13978G	56.31	88.20	-31.89	39.95	3	Vertical	85	1.89	-	39.46	11.80	34.90			
AV	13.13174G	43.37	68.20	-24.83	27.06	3	Vertical	85	1.89	-	39.43	11.79	34.91			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 15
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13492G	56.51	88.20	-31.69	40.19	3	Horizontal	102	1.53	-	39.44	11.79	34.91			
AV	13.14338G	43.49	68.20	-24.71	27.12	3	Horizontal	102	1.53	-	39.47	11.80	34.90			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68228G	53.57	74.00	-20.43	44.03	1	Vertical	232	2.01	-	37.63	20.78	48.87			
AV	19.68198G	40.24	54.00	-13.76	30.70	1	Vertical	232	2.01	-	37.63	20.78	48.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 15
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70034G	53.27	74.00	-20.73	43.68	1	Horizontal	349	1.59	-	37.70	20.77	48.88			
AV	19.69152G	40.31	54.00	-13.69	30.75	1	Horizontal	349	1.59	-	37.67	20.77	48.88			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 12
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37024G	58.09	74.00	-15.91	40.90	3	Vertical	5	1.41	-	40.04	11.94	34.79			
AV	13.37744G	44.06	54.00	-9.94	26.86	3	Vertical	5	1.41	-	40.05	11.94	34.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 12
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37258G	56.96	74.00	-17.04	39.76	3	Horizontal	263	2.53	-	40.05	11.94	34.79			
AV	13.38296G	44.21	54.00	-9.79	26.98	3	Horizontal	263	2.53	-	40.07	11.95	34.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 12
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04366G	53.18	74.00	-20.82	44.31	1	Vertical	0	2.55	-	37.23	20.63	48.99			
AV	20.06616G	40.39	54.00	-13.61	31.48	1	Vertical	0	2.55	-	37.23	20.67	48.99			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 12
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04738G	52.97	74.00	-21.03	44.11	1	Horizontal	322	1.39	-	37.21	20.64	48.99			
AV	20.06358G	40.38	54.00	-13.62	31.47	1	Horizontal	322	1.39	-	37.23	20.67	48.99			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 13
03-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70044G	64.27	88.20	-23.93	45.43	3	Vertical	100	1.72	-	40.80	11.40	33.36			
RMS	13.67638G	52.44	68.20	-15.76	33.72	3	Vertical	100	1.72	-	40.66	11.40	33.34			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 13
03-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6762G	65.33	88.20	-22.87	46.61	3	Horizontal	91	2.02	-	40.66	11.40	33.34			
RMS	13.69084G	52.49	68.20	-15.71	33.69	3	Horizontal	91	2.02	-	40.75	11.40	33.35			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 13
03-D-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.52522G	48.78	83.54	-34.76	43.51	1	Vertical	58	2.21	-	37.55	16.62	48.90			
AV	20.54466G	37.50	63.54	-26.04	32.26	1	Vertical	58	2.21	-	37.51	16.63	48.90			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 13
03-D-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53602G	49.27	83.54	-34.27	44.02	1	Horizontal	89	1.28	-	37.53	16.62	48.90			
AV	20.54724G	37.50	63.54	-26.04	32.26	1	Horizontal	89	1.28	-	37.51	16.63	48.90			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 14
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77798G	61.36	88.20	-26.84	43.62	3	Vertical	329	2.07	-	40.26	12.19	34.71			
AV	13.77564G	48.66	68.20	-19.54	30.93	3	Vertical	329	2.07	-	40.25	12.19	34.71			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 14
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76964G	62.00	88.20	-26.20	44.28	3	Horizontal	72	1.81	-	40.24	12.19	34.71			
RMS	13.76772G	48.78	68.20	-19.42	31.06	3	Horizontal	72	1.81	-	40.24	12.19	34.71			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 14
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.65308G	54.24	74.00	-19.76	43.93	1	Vertical	78	1.02	-	37.59	21.62	48.90			
AV	20.64438G	41.44	54.00	-12.56	31.12	1	Vertical	78	1.02	-	37.61	21.61	48.90			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 14
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.64348G	54.58	74.00	-19.42	44.26	1	Horizontal	140	1.86	-	37.61	21.61	48.90			
AV	20.65224G	41.30	54.00	-12.70	30.98	1	Horizontal	140	1.86	-	37.60	21.62	48.90			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24226G	56.18	88.20	-32.02	39.59	3	Vertical	248	2.20	-	39.58	11.86	34.85			
AV	13.24496G	43.52	68.20	-24.68	26.92	3	Vertical	248	2.20	-	39.59	11.86	34.85			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25144G	56.22	74.00	-17.78	39.60	3	Horizontal	271	1.99	-	39.60	11.87	34.85			
AV	13.25636G	43.46	54.00	-10.54	26.84	3	Horizontal	271	1.99	-	39.60	11.87	34.85			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87014G	52.26	83.54	-31.28	42.95	1	Vertical	130	2.28	-	37.62	20.64	48.95			
AV	19.86018G	38.93	63.54	-24.61	29.56	1	Vertical	130	2.28	-	37.66	20.65	48.94			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86864G	51.98	83.54	-31.56	42.66	1	Horizontal	194	1.79	-	37.63	20.64	48.95			
AV	19.87794G	38.87	63.54	-24.67	29.59	1	Horizontal	194	1.79	-	37.59	20.64	48.95			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41312G	57.41	88.20	-30.79	40.11	3	Vertical	144	1.22	-	40.10	11.97	34.77			
RMS	13.4055G	44.55	68.20	-23.65	27.27	3	Vertical	144	1.22	-	40.10	11.96	34.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39566G	57.42	74.00	-16.58	40.15	3	Horizontal	194	2.35	-	40.09	11.96	34.78			
RMS	13.42344G	44.47	68.20	-23.73	27.17	3	Horizontal	194	2.35	-	40.10	11.97	34.77			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87584G	52.13	74.00	-21.87	42.84	1	Vertical	184	2.29	-	37.60	20.64	48.95			
AV	19.8879G	38.92	54.00	-15.08	29.70	1	Vertical	184	2.29	-	37.55	20.63	48.96			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88958G	52.36	74.00	-21.64	43.15	1	Horizontal	191	2.82	-	37.54	20.63	48.96			
AV	19.86558G	38.90	54.00	-15.10	29.56	1	Horizontal	191	2.82	-	37.64	20.65	48.95			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56796G	58.73	88.20	-29.47	41.01	3	Vertical	12	2.94	-	40.39	12.06	34.73			
RMS	13.5559G	45.58	68.20	-22.62	27.80	3	Vertical	12	2.94	-	40.46	12.05	34.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56178G	58.74	88.20	-29.46	40.98	3	Horizontal	252	2.45	-	40.43	12.06	34.73			
RMS	13.56712G	45.54	68.20	-22.66	27.81	3	Horizontal	252	2.45	-	40.40	12.06	34.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.36814G	52.87	74.00	-21.13	43.08	1	Vertical	105	2.73	-	37.50	21.22	48.93			
AV	20.36016G	39.63	54.00	-14.37	29.85	1	Vertical	105	2.73	-	37.50	21.21	48.93			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34792G	53.82	74.00	-20.18	44.08	1	Horizontal	102	1.68	-	37.49	21.18	48.93			
AV	20.35104G	39.71	54.00	-14.29	29.95	1	Horizontal	102	1.68	-	37.50	21.19	48.93			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74266G	61.09	88.20	-27.11	43.44	3	Vertical	327	1.01	-	40.20	12.17	34.72			
RMS	13.74458G	48.47	68.20	-19.73	30.82	3	Vertical	327	1.01	-	40.20	12.17	34.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 17
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.74056G	61.30	88.20	-26.90	43.65	3	Horizontal	215	2.00	-	40.20	12.17	34.72			
RMS	13.74314G	48.47	68.20	-19.73	30.82	3	Horizontal	215	2.00	-	40.20	12.17	34.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 17
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.58882G	54.80	74.00	-19.20	44.49	1	Vertical	192	2.12	-	37.66	21.55	48.90			
AV	20.5896G	41.37	54.00	-12.63	31.06	1	Vertical	192	2.12	-	37.66	21.55	48.90			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 17
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59524G	54.43	74.00	-19.57	44.09	1	Horizontal	95	2.37	-	37.68	21.56	48.90			
AV	20.58666G	41.37	54.00	-12.63	31.07	1	Horizontal	95	2.37	-	37.65	21.55	48.90			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 19
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.32232G	57.14	74.00	-16.86	40.27	3	Vertical	288	2.32	-	39.78	11.91	34.82			
AV	13.3306G	44.01	54.00	-9.99	27.07	3	Vertical	288	2.32	-	39.84	11.91	34.81			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 19
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.34212G	56.81	74.00	-17.19	39.76	3	Horizontal	127	2.77	-	39.94	11.92	34.81			
AV	13.34182G	43.89	54.00	-10.11	26.85	3	Horizontal	127	2.77	-	39.93	11.92	34.81			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 19
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99314G	52.98	74.00	-21.02	44.00	1	Vertical	256	1.18	-	37.43	20.55	49.00			
AV	20.00346G	40.13	54.00	-13.87	31.18	1	Vertical	256	1.18	-	37.39	20.56	49.00			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 19
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98654G	53.28	74.00	-20.72	44.26	1	Horizontal	12	1.66	-	37.45	20.56	48.99			
AV	20.00664G	40.01	54.00	-13.99	31.08	1	Horizontal	12	1.66	-	37.37	20.56	49.00			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.66074G	60.34	88.20	-27.86	42.82	3	Vertical	219	1.51	-	40.12	12.12	34.72			
RMS	13.64532G	47.67	68.20	-20.53	30.17	3	Vertical	219	1.51	-	40.11	12.11	34.72			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65114G	60.90	88.20	-27.30	43.41	3	Horizontal	56	1.27	-	40.10	12.11	34.72			
RMS	13.66314G	47.90	68.20	-20.30	30.37	3	Horizontal	56	1.27	-	40.13	12.12	34.72			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.4672G	53.01	74.00	-20.99	43.05	1	Vertical	168	2.29	-	37.47	21.40	48.91			
AV	20.48724G	40.46	54.00	-13.54	30.37	1	Vertical	168	2.29	-	37.55	21.44	48.90			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.48634G	53.28	74.00	-20.72	43.19	1	Horizontal	125	1.66	-	37.55	21.44	48.90			
AV	20.49G	40.51	54.00	-13.49	30.41	1	Horizontal	125	1.66	-	37.56	21.44	48.90			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49951G	57.93	88.20	-30.27	40.44	3	Vertical	174	2.95	-	40.20	12.02	34.73			
RMS	13.475G	45.09	68.20	-23.11	27.68	3	Vertical	174	2.95	-	40.15	12.00	34.74			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.47764G	57.83	88.20	-30.37	40.40	3	Horizontal	188	2.24	-	40.16	12.01	34.74			
RMS	13.49849G	45.31	68.20	-22.89	27.82	3	Horizontal	188	2.24	-	40.20	12.02	34.73			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6745MHz Straddle 6.525-6.875GHz_TX


EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.22105G	53.45	74.00	-20.55	44.08	1	Vertical	139	1.79	-	37.38	20.95	48.96			
AV	20.22438G	40.54	54.00	-13.46	31.14	1	Vertical	139	1.79	-	37.40	20.96	48.96			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 22
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.22528G	54.33	74.00	-19.67	44.92	1	Horizontal	173	2.24	-	37.40	20.96	48.95			
AV	20.22489G	40.58	54.00	-13.42	31.18	1	Horizontal	173	2.24	-	37.40	20.96	48.96			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
04-C-I-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	6.8168G	109.77	Inf	-Inf	108.80	3	Vertical	24.3	2.97	-	34.17	9.73	42.93			
RMS	6.8222G	99.70	Inf	-Inf	98.71	3	Vertical	24.3	2.97	-	34.19	9.73	42.93			
PK	7.1882G	76.11	88.20	-12.09	72.59	3	Vertical	24.3	2.97	-	36.03	10.22	42.73			
RMS	7.1894G	55.50	68.20	-12.70	51.97	3	Vertical	24.3	2.97	-	36.04	10.22	42.73			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
04-C-I-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9278G	105.21	Inf	-Inf	103.45	3	Horizontal	64	2.39	-	34.81	9.83	42.88			
RMS	6.908G	95.08	Inf	-Inf	93.43	3	Horizontal	64	2.39	-	34.73	9.81	42.89			
PK	7.1852G	76.69	88.20	-11.51	73.21	3	Horizontal	64	2.39	-	36.01	10.21	42.74			
RMS	7.1906G	57.89	68.20	-10.31	54.36	3	Horizontal	64	2.39	-	36.04	10.22	42.73			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.81075G	51.47	88.20	-36.73	44.04	3	Vertical	105	1.80	-	40.30	12.21	45.08			
RMS	13.80643G	38.31	68.20	-29.89	30.88	3	Vertical	105	1.80	-	40.30	12.21	45.08			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80721G	50.85	88.20	-37.35	43.42	3	Horizontal	318	2.06	-	40.30	12.21	45.08			
RMS	13.80547G	38.28	68.20	-29.92	30.85	3	Horizontal	318	2.06	-	40.30	12.21	45.08			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.71218G	54.48	74.00	-19.52	44.13	1	Vertical	308	1.30	-	37.57	21.68	48.90			
AV	20.71992G	42.87	54.00	-11.13	32.47	1	Vertical	308	1.30	-	37.62	21.68	48.90			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71977G	55.05	74.00	-18.95	44.65	1	Horizontal	146	2.08	-	37.62	21.68	48.90			
AV	20.71995G	42.76	54.00	-11.24	32.36	1	Horizontal	146	2.08	-	37.62	21.68	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 9
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97503G	52.26	88.20	-35.94	41.23	3	Vertical	94	2.86	-	40.65	15.49	45.11			
RMS	14.00332G	39.52	68.20	-28.68	28.32	3	Vertical	94	2.86	-	40.81	15.51	45.12			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 9
04-C-I-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.99633G	51.89	88.20	-36.31	40.72	3	Horizontal	232	1.67	-	40.78	15.51	45.12			
RMS	14.00053G	39.44	68.20	-28.76	28.25	3	Horizontal	232	1.67	-	40.80	15.51	45.12			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 9
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.97297G	52.95	74.00	-21.05	42.16	1	Vertical	6	1.64	-	37.75	21.94	48.90			
AV	20.99349G	40.27	54.00	-13.73	29.50	1	Vertical	6	1.64	-	37.71	21.96	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




EUT_Y_2TX
Setting 9
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.98725G	53.52	74.00	-20.48	42.73	1	Horizontal	359	1.18	-	37.73	21.96	48.90			
AV	20.99751G	40.17	54.00	-13.83	29.40	1	Horizontal	359	1.18	-	37.70	21.97	48.90			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7095MHz_TX


EUT_Y_2TX
Setting 10
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0966G	105.66	Inf	-Inf	94.70	3	Vertical	33	2.63	-	35.97	8.43	33.44			
RMS	7.0976G	94.81	Inf	-Inf	83.84	3	Vertical	33	2.63	-	35.98	8.43	33.44			
PK	7.144G	64.77	88.20	-23.43	53.61	3	Vertical	33	2.63	-	36.18	8.44	33.46			
RMS	7.1424G	53.45	68.20	-14.75	42.30	3	Vertical	33	2.63	-	36.17	8.44	33.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 10
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1012G	110.55	Inf	-Inf	99.55	3	Horizontal	58	2.19	-	36.00	8.44	33.44			
RMS	7.1026G	99.19	Inf	-Inf	88.19	3	Horizontal	58	2.19	-	36.01	8.44	33.45			
PK	7.125G	67.30	88.20	-20.90	56.21	3	Horizontal	58	2.19	-	36.10	8.44	33.45			
RMS	7.1353G	53.43	68.20	-14.77	42.31	3	Horizontal	58	2.19	-	36.14	8.44	33.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 10
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.18268G	64.10	88.20	-24.10	45.71	3	Vertical	308	1.44	-	40.60	12.48	34.69			
RMS	14.18856G	50.93	68.20	-17.27	32.54	3	Vertical	308	1.44	-	40.60	12.48	34.69			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 10
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.18598G	62.66	88.20	-25.54	44.27	3	Horizontal	299	1.55	-	40.60	12.48	34.69			
RMS	14.1915G	49.68	68.20	-18.52	31.29	3	Horizontal	299	1.55	-	40.60	12.48	34.69			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_Y_2TX
Setting 10
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.297G	55.20	74.00	-18.80	44.57	1	Vertical	181	1.56	-	37.62	21.79	48.78			
AV	21.27408G	41.68	54.00	-12.32	30.91	1	Vertical	181	1.56	-	37.76	21.80	48.79			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




EUT_V_2TX
Setting 10
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.28098G	54.97	74.00	-19.03	44.25	1	Horizontal	180	1.53	-	37.71	21.80	48.79			
AV	21.27162G	41.72	54.00	-12.28	30.94	1	Horizontal	180	1.53	-	37.77	21.80	48.79			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 5
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1235G	96.66	Inf	-Inf	85.58	3	Vertical	20	1.70	BP 1MHz	36.09	8.44	33.45			
AV	7.1235G	91.06	Inf	-Inf	79.98	3	Vertical	20	1.70	BP 1MHz	36.09	8.44	33.45			
PK	7.1255G	75.54	88.20	-12.66	64.46	3	Vertical	20	1.70	BP 1MHz	36.10	8.44	33.46			
AV	7.1255G	64.58	68.20	-3.62	53.50	3	Vertical	20	1.70	BP 1MHz	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


7115MHz_TX

EUT_Y_2TX
Setting 5
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1085G	101.59	Inf	-Inf	90.57	3	Horizontal	63	2.12	BP 1MHz	36.03	8.44	33.45			
AV	7.1085G	95.48	Inf	-Inf	84.46	3	Horizontal	63	2.12	BP 1MHz	36.03	8.44	33.45			
PK	7.1255G	78.25	88.20	-9.95	67.17	3	Horizontal	63	2.12	BP 1MHz	36.10	8.44	33.46			
AV	7.1255G	67.69	68.20	-0.51	56.61	3	Horizontal	63	2.12	BP 1MHz	36.10	8.44	33.46			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 5
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.24284G	62.12	88.20	-26.08	43.69	3	Vertical	65	1.80	-	40.60	12.52	34.69			
AV	14.22148G	48.17	68.20	-20.03	29.75	3	Vertical	65	1.80	-	40.60	12.51	34.69			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 5
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.2288G	61.62	88.20	-26.58	43.20	3	Horizontal	259	1.66	-	40.60	12.51	34.69			
AV	14.23372G	48.25	68.20	-19.95	29.82	3	Horizontal	259	1.66	-	40.60	12.52	34.69			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 5
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.35382G	56.10	74.00	-17.90	45.41	1	Vertical	283	1.18	-	37.70	21.75	48.76			
AV	21.34488G	41.19	54.00	-12.81	30.50	1	Vertical	283	1.18	-	37.69	21.76	48.76			

6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




EUT_Y_2TX
Setting 5
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.34374G	54.56	74.00	-19.44	43.87	1	Horizontal	122	2.70	-	37.69	21.76	48.76			
AV	21.34368G	41.22	54.00	-12.78	30.53	1	Horizontal	122	2.70	-	37.69	21.76	48.76			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 11
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.02188G	61.12	88.20	-27.08	42.88	3	Vertical	109	2.12	-	40.59	12.35	34.70			
AV	14.01954G	48.22	68.20	-19.98	29.99	3	Vertical	109	2.12	-	40.58	12.35	34.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 11
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.01714G	60.61	88.20	-27.59	42.40	3	Horizontal	201	1.82	-	40.57	12.34	34.70			
AV	14.02248G	48.14	68.20	-20.06	29.90	3	Horizontal	201	1.82	-	40.59	12.35	34.70			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 11
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.03G	48.73	74.00	-25.27	43.01	1	Vertical	71	2.84	-	37.76	16.85	48.89			
AV	21.02928G	35.42	54.00	-18.58	29.70	1	Vertical	71	2.84	-	37.76	16.85	48.89			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




EUT_Y_2TX
Setting 11
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.02106G	53.79	74.00	-20.21	42.98	1	Horizontal	339	2.88	-	37.74	21.96	48.89			
AV	21.0276G	40.49	54.00	-13.51	29.67	1	Horizontal	339	2.88	-	37.76	21.95	48.89			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_V_2TX
Setting 13
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0714G	106.19	Inf	-Inf	95.42	3	Vertical	36.9	2.55	-	35.77	8.43	33.43			
RMS	7.0678G	95.36	Inf	-Inf	84.62	3	Vertical	36.9	2.55	-	35.74	8.43	33.43			
PK	7.1378G	55.13	88.20	-33.07	44.00	3	Vertical	36.9	2.55	-	36.15	8.44	33.46			
RMS	7.221G	41.39	68.20	-26.81	30.04	3	Vertical	36.9	2.55	-	36.34	8.51	33.50			
PK	7.2778G	51.38	74.00	-22.62	39.73	3	Vertical	36.9	2.55	-	36.51	8.66	33.52			
AV	7.2818G	40.78	54.00	-13.22	29.10	3	Vertical	36.9	2.55	-	36.53	8.67	33.52			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_V_2TX
Setting 13
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.1026G	107.30	Inf	-Inf	96.30	3	Horizontal	81	2.15	-	36.01	8.44	33.45			
RMS	7.1002G	96.21	Inf	-Inf	85.21	3	Horizontal	81	2.15	-	36.00	8.44	33.44			
PK	7.1258G	59.33	88.20	-28.87	48.25	3	Horizontal	81	2.15	-	36.10	8.44	33.46			
RMS	7.125G	43.00	68.20	-25.20	31.91	3	Horizontal	81	2.15	-	36.10	8.44	33.45			
PK	7.2778G	51.55	74.00	-22.45	39.90	3	Horizontal	81	2.15	-	36.51	8.66	33.52			
AV	7.2818G	40.91	54.00	-13.09	29.23	3	Horizontal	81	2.15	-	36.53	8.67	33.52			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 13
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16814G	61.77	88.20	-26.43	43.40	3	Vertical	339	2.97	-	40.60	12.46	34.69			
AV	14.17186G	48.57	68.20	-19.63	30.19	3	Vertical	339	2.97	-	40.60	12.47	34.69			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 13
06-U-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16736G	62.39	88.20	-25.81	44.02	3	Horizontal	103	2.42	-	40.60	12.46	34.69			
AV	14.18086G	48.56	68.20	-19.64	30.18	3	Horizontal	103	2.42	-	40.60	12.47	34.69			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 13
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25068G	55.23	74.00	-18.77	44.32	1	Vertical	92	1.67	-	37.90	21.81	48.80			
AV	21.2442G	41.90	54.00	-12.10	31.01	1	Vertical	92	1.67	-	37.87	21.82	48.80			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




EUT_Y_2TX
Setting 13
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.25248G	54.69	74.00	-19.31	43.79	1	Horizontal	118	1.24	-	37.89	21.81	48.80			
AV	21.24306G	41.83	54.00	-12.17	30.95	1	Horizontal	118	1.24	-	37.86	21.82	48.80			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 16
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.87782G	61.81	88.20	-26.39	43.91	3	Vertical	154	1.29	-	40.36	12.25	34.71			
RMS	13.87938G	48.53	68.20	-19.67	30.62	3	Vertical	154	1.29	-	40.36	12.26	34.71			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6945MHz_TX


EUT_Y_2TX
Setting 16
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.8795G	62.58	88.20	-25.62	44.67	3	Horizontal	87	2.51	-	40.36	12.26	34.71			
RMS	13.88328G	48.45	68.20	-19.75	30.53	3	Horizontal	87	2.51	-	40.37	12.26	34.71			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.82066G	52.89	74.00	-21.11	42.40	1	Vertical	148	2.19	-	37.60	21.79	48.90			
AV	20.82204G	40.44	54.00	-13.56	29.95	1	Vertical	148	2.19	-	37.60	21.79	48.90			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




EUT_Y_2TX
Setting 16
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.82966G	53.61	74.00	-20.39	43.11	1	Horizontal	38	2.76	-	37.60	21.80	48.90			
AV	20.8218G	40.43	54.00	-13.57	29.94	1	Horizontal	38	2.76	-	37.60	21.79	48.90			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 14
06-U-J-11-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0634G	110.85	Inf	-Inf	100.14	3	Vertical	35	2.57	-	35.71	8.43	33.43
RMS	7.0634G	99.52	Inf	-Inf	88.81	3	Vertical	35	2.57	-	35.71	8.43	33.43
PK	7.129G	65.81	88.20	-22.39	54.71	3	Vertical	35	2.57	-	36.12	8.44	33.46
RMS	7.2162G	54.24	68.20	-13.96	42.92	3	Vertical	35	2.57	-	36.33	8.49	33.50

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 14
06-U-J-11-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0578G	108.68	Inf	-Inf	98.02	3	Horizontal	71.5	2.10	-	35.66	8.43	33.43			
RMS	7.0486G	98.01	Inf	-Inf	87.41	3	Horizontal	71.5	2.10	-	35.59	8.43	33.42			
PK	7.1738G	65.21	88.20	-22.99	53.99	3	Horizontal	71.5	2.10	-	36.25	8.45	33.48			
RMS	7.199G	54.15	68.20	-14.05	42.89	3	Horizontal	71.5	2.10	-	36.30	8.45	33.49			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 14
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0446G	61.43	88.20	-26.77	43.08	3	Vertical	220	1.12	-	40.68	12.37	34.70			
RMS	14.04436G	48.32	68.20	-19.88	29.97	3	Vertical	220	1.12	-	40.68	12.37	34.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 14
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.0644G	60.94	88.20	-27.26	42.53	3	Horizontal	151	2.05	-	40.73	12.38	34.70			
RMS	14.05552G	48.41	68.20	-19.79	30.03	3	Horizontal	151	2.05	-	40.71	12.37	34.70			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 14
06-E-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83836G	52.89	74.00	-21.11	42.38	1	Vertical	330	1.45	-	37.60	21.81	48.90			
AV	20.84232G	40.35	54.00	-13.65	29.84	1	Vertical	330	1.45	-	37.60	21.81	48.90			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




EUT_Y_2TX
Setting 14
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.83128G	53.70	74.00	-20.30	43.20	1	Horizontal	55	1.67	-	37.60	21.80	48.90			
AV	20.82084G	40.38	54.00	-13.62	29.89	1	Horizontal	55	1.67	-	37.60	21.79	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 20
06-U-V-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.949G	111.09	Inf	-Inf	100.96	3	Vertical	40	1.80	-	35.19	8.34	33.40			
RMS	6.9538G	101.93	Inf	-Inf	91.77	3	Vertical	40	1.80	-	35.21	8.35	33.40			
PK	7.1266G	84.40	88.20	-3.80	73.31	3	Vertical	40	1.80	-	36.11	8.44	33.46			
RMS	7.1314G	65.33	68.20	-2.87	54.22	3	Vertical	40	1.80	-	36.13	8.44	33.46			
PK	7.2538G	59.69	74.00	-14.31	48.19	3	Vertical	40	1.80	-	36.42	8.59	33.51			
AV	7.2514G	49.25	54.00	-4.75	37.76	3	Vertical	40	1.80	-	36.41	8.59	33.51			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 20
06-U-V-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	7.0474G	110.38	Inf	-Inf	99.79	3	Horizontal	56.9	2.25	-	35.58	8.43	33.42			
RMS	6.9574G	99.96	Inf	-Inf	89.80	3	Horizontal	56.9	2.25	-	35.21	8.35	33.40			
PK	7.129G	85.97	88.20	-2.23	74.87	3	Horizontal	56.9	2.25	-	36.12	8.44	33.46			
RMS	7.1278G	64.77	68.20	-3.43	53.68	3	Horizontal	56.9	2.25	-	36.11	8.44	33.46			
PK	7.2778G	59.14	74.00	-14.86	47.49	3	Horizontal	56.9	2.25	-	36.51	8.66	33.52			
AV	7.2514G	46.37	54.00	-7.63	34.88	3	Horizontal	56.9	2.25	-	36.41	8.59	33.51			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 20
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.95704G	61.11	88.20	-27.09	43.10	3	Vertical	64	2.48	-	40.41	12.30	34.70			
RMS	13.9613G	48.49	68.20	-19.71	30.46	3	Vertical	64	2.48	-	40.42	12.31	34.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




EUT_Y_2TX
Setting 20
06-U-J-11

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.95926G	61.56	88.20	-26.64	43.54	3	Horizontal	34	2.42	-	40.42	12.30	34.70			
RMS	13.95608G	48.47	68.20	-19.73	30.46	3	Horizontal	34	2.42	-	40.41	12.30	34.70			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6985MHz_TX

EUT_Y_2TX
Setting 20
06-E-J-11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.9583G	53.13	74.00	-20.87	42.32	1	Vertical	75	1.84	-	37.78	21.93	48.90			
AV	20.94186G	40.22	54.00	-13.78	29.41	1	Vertical	75	1.84	-	37.80	21.91	48.90			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



EUT_Y_2TX
Setting 20
06-E-J-11


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95002G	53.16	74.00	-20.84	42.34	1	Horizontal	60	1.41	-	37.80	21.92	48.90			
AV	20.9502G	40.29	54.00	-13.71	29.47	1	Horizontal	60	1.41	-	37.80	21.92	48.90			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

5955MHz_TX

26/05/2026




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

26/05/2026




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

26/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.410026G	-7.02	6.403775G	-38.83	-26.92	-11.91	1
6.408727G	-7.11	6.4038G	-38.99	-27.13	-11.86	2

6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6435MHz_TX

26/05/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.442498G	-6.37	6.423975G	-36.44	-25.07	-11.37	1
6.441873G	-6.45	6.42375G	-37.82	-26.25	-11.57	2


6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6475MHz_TX

26/05/2026

CF (Hz)
6.475G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.468452G	-7.12	6.4639G	-38.09	-27.13	-10.96	1
6.473125G	-6.79	6.4638G	-38.14	-26.81	-11.33	2


6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6515MHz_TX

26/05/2026

CF (Hz)
6.515G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.508102G	-7.34	6.503625G	-38.90	-27.35	-11.55	1
6.521898G	-7.01	6.526275G	-38.41	-27.05	-11.36	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TX

26/05/2026




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TX

16/06/2026




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TX

26/05/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.859999G	-6.72	6.843525G	-39.30	-26.88	-12.42	1
6.859974G	-6.70	6.8436G	-38.82	-26.78	-12.04	2


6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6875MHz_TX

26/05/2026

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.879374G	-7.51	6.88615G	-38.37	-27.56	-10.81	1
6.867477G	-7.29	6.88615G	-37.66	-27.34	-10.32	2

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6995MHz_TX

26/05/2026




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

7095MHz_TX

26/05/2026




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

7115MHz_TX

16/06/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

07/05/2026




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.186077G	-4.58	6.2346G	-58.60	-44.58	-14.02	1
6.201198G	-5.15	6.227675G	-58.71	-44.97	-13.74	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408902G	-6.14	6.457625G	-58.55	-46.14	-12.41	1
6.417549G	-8.02	6.462075G	-58.64	-48.02	-10.62	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.428302G	-6.69	6.398725G	-58.47	-46.69	-11.78	1
6.443248G	-6.95	6.4679G	-58.58	-46.95	-11.63	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.468027G	-7.43	6.5078G	-58.67	-47.43	-11.24	1
6.482573G	-7.73	6.509525G	-58.59	-47.73	-10.86	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

07/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

26/05/2026




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.702223G	-7.05	6.736925G	-59.28	-47.05	-12.23	1
6.702023G	-7.19	6.744275G	-59.09	-47.19	-11.90	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

07/05/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849101G	-6.62	6.8924G	-57.62	-46.62	-11.00	1
6.862473G	-6.67	6.899475G	-57.75	-46.67	-11.08	2


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

07/05/2026

CF (Hz)
6.875G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.869476G	-7.32	6.914775G	-57.52	-47.32	-10.20	1
6.883848G	-7.15	6.908575G	-57.71	-47.15	-10.56	2


6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

07/05/2026

CF (Hz)
6.995G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.001848G	-8.13	6.959475G	-57.33	-48.13	-9.20	1
7.003273G	-7.68	6.96055G	-57.34	-47.68	-9.66	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.086952G	-8.39	7.14045G	-57.95	-48.39	-9.56	1
7.102173G	-7.41	7.1333G	-57.97	-47.41	-10.56	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7115MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.107027G	-11.84	7.15795G	-58.27	-51.84	-6.43	1
7.117424G	-11.05	7.15215G	-57.89	-51.05	-6.84	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

07/05/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

07/05/2026




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

07/05/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

07/05/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

07/05/2026




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

07/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

07/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

07/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

07/05/2026




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

07/05/2026




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.022146G	-4.19	6.93405G	-53.48	-44.19	-9.29	1
6.991653G	-3.50	6.9414G	-52.03	-42.54	-9.49	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.067204G	-3.95	7.0057G	-53.25	-43.95	-9.30	1
7.069604G	-2.83	6.99825G	-53.03	-42.83	-10.20	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

07/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

07/05/2026




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

07/05/2026

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42029G	0.49	6.2522G	-50.06	-39.51	-10.55	1
6.35121G	-0.39	6.2352G	-49.75	-40.39	-9.36	2


6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

07/05/2026

CF (Hz)
6.465G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4823G	-0.25	6.3368G	-50.85	-40.25	-10.60	1
6.4757G	-0.75	6.3125G	-49.90	-40.75	-9.15	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50741G	-0.75	6.72G	-50.41	-40.75	-9.66	1
6.5635G	-0.24	6.4149G	-50.74	-40.24	-10.50	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6434G	-0.37	6.4834G	-50.39	-40.37	-10.02	1
6.65789G	-0.40	6.4782G	-50.16	-40.40	-9.76	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

07/05/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

07/05/2026




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

07/05/2026

CF (Hz)
6.865G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8796G	-0.09	7.0034G	-49.09	-40.09	-9.00	1
6.8793G	-0.32	6.9957G	-49.39	-40.32	-9.07	2


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

07/05/2026

CF (Hz)
6.945G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9432G	-0.40	7.0798G	-50.51	-40.40	-10.11	1
6.90921G	0.08	6.8147G	-50.04	-39.92	-10.12	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99401G	-1.82	7.2003G	-50.41	-41.82	-8.59	1
6.99671G	-1.37	6.8908G	-50.05	-41.37	-8.68	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

07/05/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.98061G	-0.07	6.2844G	-48.01	-40.07	-7.94	1
6.015G	-0.38	6.342G	-47.46	-40.38	-7.08	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

07/05/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15241G	3.53	6.5654G	-46.55	-36.47	-10.08	1
6.23519G	3.52	6.4414G	-41.63	-36.43	-5.20	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

07/05/2026

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.38999G	3.24	6.0932G	-41.80	-36.43	-5.37	1
6.27142G	3.84	6.717G	-42.82	-36.07	-6.75	2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

07/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47961G	2.25	6.237G	-43.50	-37.75	-5.75	1
6.44422G	2.32	6.7352G	-38.93	-34.46	-4.47	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

07/05/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.72758G	2.70	6.899G	-39.06	-34.63	-4.43	1
6.69299G	2.76	6.9014G	-39.28	-35.44	-3.84	2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

07/05/2026

CF (Hz)
6.825G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86939G	3.74	6.9678G	-24.00	-17.38	-6.62	1
6.8334G	3.71	6.9834G	-25.67	-17.67	-8.00	2


6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

07/05/2026

CF (Hz)
6.985G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93341G	1.48	6.7156G	-45.69	-38.52	-7.17	1
6.95241G	2.03	6.7136G	-45.03	-37.90	-7.13	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

07/05/2026




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

07/05/2026



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz_TX

07/05/2026

CF (Hz)
6.425G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4438G	6.29	6.7298G	-23.50	-13.94	-9.56	1
6.33462G	5.12	7.1234G	-40.15	-33.51	-6.64	2

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz_TX

07/05/2026

CF (Hz)
6.585G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64538G	6.06	6.8674G	-20.45	-14.04	-6.41	1
6.65698G	7.01	6.9318G	-20.57	-13.09	-7.48	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz_TX

07/05/2026

CF (Hz)
6.745G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89296G	5.58	7.0598G	-22.20	-14.49	-7.71	1
6.87497G	4.81	7.0398G	-24.58	-16.10	-8.48	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz_TX

07/05/2026

CF (Hz)
6.905G


Span (Hz)
1.6G

RBW (Hz)
5M

VBW (Hz)
10M

Sweep Time (s)
6.4m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92899G	4.96	6.5962G	-26.32	-15.07	-11.25	1
6.9114G	5.28	6.6102G	-25.42	-14.73	-10.69	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

26/05/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

26/05/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

26/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.408727G	-7.11	6.44925G	-60.43	-47.11	-13.32	1
6.408527G	-6.16	6.4448G	-57.02	-43.75	-13.27	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

26/05/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.426402G	-5.07	6.47105G	-60.84	-45.07	-15.77	1
6.428902G	-5.17	6.401825G	-60.90	-45.17	-15.73	2

6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

26/05/2026



6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

26/05/2026

