



05/11/2025

EIRP:Band:5.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5200MHz;TX



05/11/2025

EIRP:Band:5.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5240MHz;TX



05/11/2025

EIRP:Band:5.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5190MHz;TX

CF Freq
5.19GHz

Span
100MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
16.49				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.57	10.42	7.05	34.92	56.35

05/11/2025

EIRP:Band:5.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5230MHz;TX

CF Freq
5.23GHz

Span
100MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz




Page 10

Horizontal

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.46				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
0.34	10.46	7.08	34.91	56.41


05/11/2025

EIRP;Band:5.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5210MHz;TX



07/11/2025

EIRP;Band:5.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:5250MHz;TX





**Maximum Output Power at any elevation angle above 30 degrees
(Mode 2)**

Appendix C.6

Summary

Mode	EIRP [Phi 30°] (dBm)	EIRP [Phi 30°] (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	20.93	0.12388
802.11ax HEW20_Nss1,(MCS0)_2TX	20.94	0.12417
802.11ax HEW40_Nss1,(MCS0)_2TX	20.64	0.11588
802.11ax HEW80_Nss1,(MCS0)_2TX	13.07	0.02028
802.11ax HEW160_Nss1,(MCS0)_2TX	13.04	0.02014



**Maximum Output Power at any elevation angle above 30 degrees
(Mode 2)**

Appendix C.6

Result


Mode	Result	EIRP [Phi 30°] (dBm)	EIRP Limit [Phi 30°] (dBm)
802.11a_Nss1,(6Mbps)_2TX	-	-	-
5180MHz	Pass	20.66	21.00
5200MHz	Pass	20.86	21.00
5240MHz	Pass	20.93	21.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5180MHz	Pass	20.94	21.00
5200MHz	Pass	20.56	21.00
5240MHz	Pass	20.78	21.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5190MHz	Pass	14.10	21.00
5230MHz	Pass	20.64	21.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5210MHz	Pass	13.07	21.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	13.04	21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

10/12/2025

EIRP;Band:5.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:5180MHz;TX

CF Freq
5.18GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
20.66				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.65	10.44	7.04	34.92	56.33

10/12/2025

EIRP;Band:5.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:5200MHz;TX

CF Freq
5.2GHz
Span
50MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz



Page 9
Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
20.86				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.76	10.40	7.06	34.92	56.36

10/12/2025

EIRP:Band:5.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:5240MHz;TX

CF Freq
5.24GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 9

Vertical

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
20.93				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.80	10.48	7.09	34.91	56.43

10/12/2025

EIRP:Band:5.2G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5180MHz;TX

CF Freq
5.18GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 9

Vertical

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
20.94				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.93	10.44	7.04	34.92	56.33

10/12/2025

EIRP:Band:5.2G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5200MHz;TX

CF Freq
5.2GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 9

Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
20.56		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.46	10.40	7.06	34.92	56.36

10/12/2025

EIRP:Band:5.2G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5240MHz;TX

CF Freq
5.24GHz

Span
50MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 9

Vertical

EIRP (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
20.78		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.65	10.48	7.09	34.91	56.43

22/12/2025

EIRP:Band:5.2G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5190MHz;TX

CF Freq
5.19GHz

Span
100MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz



Page 9

Vertical

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
14.1				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-3.96	10.42	7.05	34.92	56.35

10/12/2025

EIRP:Band:5.2G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5230MHz;TX

CF Freq
5.23GHz

Span
100MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
40MHz




Page 9

Vertical

EIRP (dBm)	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp			
20.64				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
2.52	10.46	7.08	34.91	56.41


22/12/2025

EIRP;Band:5.2G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5210MHz;TX



23/12/2025

EIRP;Band:5.2G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:5250MHz;TX



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.03
802.11be EHT20_Nss1,(MCS0)_2TX	9.85
802.11be EHT40_Nss1,(MCS0)_2TX	9.23
802.11be EHT80_Nss1,(MCS0)_2TX	0.41
802.11be EHT160_Nss1,(MCS0)_2TX	-4.05
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	3.78
802.11be EHT20_Nss1,(MCS0)_2TX	3.76
802.11be EHT40_Nss1,(MCS0)_2TX	2.47
802.11be EHT80_Nss1,(MCS0)_2TX	-1.96
802.11be EHT160_Nss1,(MCS0)_2TX	-4.24
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	4.26
802.11be EHT20_Nss1,(MCS0)_2TX	4.14
802.11be EHT40_Nss1,(MCS0)_2TX	3.80
802.11be EHT80_Nss1,(MCS0)_2TX	0.40
802.11be EHT160_Nss1,(MCS0)_2TX	-5.04
be240_240MHz_Nss1,(MCS0)_2TX	-10.72
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	12.09
802.11be EHT20_Nss1,(MCS0)_2TX	11.60
802.11be EHT40_Nss1,(MCS0)_2TX	8.75
802.11be EHT80_Nss1,(MCS0)_2TX	1.91
EHT240_240MHz_Nss1,(MCS0)_2TX	-13.59

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	12.82	6.60	7.31	9.97	10.18
5200MHz	Pass	12.82	6.67	7.33	9.99	10.18
5240MHz	Pass	12.82	6.55	7.54	10.03	10.18
5260MHz	Pass	13.14	0.26	1.28	3.78	3.86
5300MHz	Pass	13.14	0.09	1.00	3.56	3.86
5320MHz	Pass	13.14	-0.18	0.93	3.39	3.86
5500MHz	Pass	12.67	0.49	1.49	3.99	4.33
5580MHz	Pass	12.67	0.49	1.39	3.92	4.33
5700MHz	Pass	12.67	1.00	1.52	4.26	4.33
5720MHz Straddle 5.47-5.725GHz	Pass	12.67	0.63	0.99	3.80	4.33
5720MHz Straddle 5.725-5.85GHz	Pass	11.82	-0.96	-0.54	2.23	24.18
5745MHz	Pass	11.82	5.93	6.79	9.33	24.18
5785MHz	Pass	11.82	8.75	9.27	11.98	24.18
5825MHz	Pass	11.82	8.83	9.37	12.09	24.18
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	12.82	5.43	6.23	8.83	10.18
5200MHz	Pass	12.82	6.42	7.31	9.85	10.18
5240MHz	Pass	12.82	6.42	6.94	9.69	10.18
5260MHz	Pass	13.14	0.02	0.75	3.37	3.86
5300MHz	Pass	13.14	0.31	1.20	3.76	3.86
5320MHz	Pass	13.14	0.00	0.95	3.47	3.86
5500MHz	Pass	12.67	0.73	1.56	4.14	4.33
5580MHz	Pass	12.67	0.67	1.53	4.08	4.33
5700MHz	Pass	12.67	0.71	1.10	3.90	4.33
5720MHz Straddle 5.47-5.725GHz	Pass	12.67	0.76	1.11	3.93	4.33
5720MHz Straddle 5.725-5.85GHz	Pass	11.82	-0.88	-0.29	2.38	24.18
5745MHz	Pass	11.82	6.48	7.26	9.86	24.18
5785MHz	Pass	11.82	8.33	8.80	11.55	24.18
5825MHz	Pass	11.82	8.39	8.91	11.60	24.18
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	12.82	1.46	1.94	4.64	10.18
5230MHz	Pass	12.82	6.08	6.41	9.23	10.18
5270MHz	Pass	13.14	-0.81	-0.20	2.47	3.86
5310MHz	Pass	13.14	-0.95	-0.40	2.31	3.86
5510MHz	Pass	12.67	0.25	0.38	3.23	4.33
5550MHz	Pass	12.67	0.34	0.70	3.42	4.33
5670MHz	Pass	12.67	0.22	0.54	3.33	4.33
5710MHz Straddle 5.47-5.725GHz	Pass	12.67	0.98	0.68	3.80	4.33
5710MHz Straddle 5.725-5.85GHz	Pass	11.82	-1.12	-1.13	1.85	24.18
5755MHz	Pass	11.82	2.36	2.46	5.39	24.18
5795MHz	Pass	11.82	5.68	5.85	8.75	24.18
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	12.82	-2.77	-2.34	0.41	10.18
5290MHz	Pass	13.14	-5.31	-4.63	-1.96	3.86
5530MHz	Pass	12.67	-3.14	-2.82	-0.07	4.33
5610MHz	Pass	12.67	-3.12	-2.73	0.00	4.33
5690MHz Straddle 5.47-5.725GHz	Pass	12.67	-2.68	-2.49	0.40	4.33
5690MHz Straddle 5.725-5.85GHz	Pass	11.82	-4.88	-4.64	-1.78	24.18
5775MHz	Pass	11.82	-1.06	-0.98	1.91	24.18
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	12.82	-7.37	-6.63	-4.05	10.18
5250MHz Straddle 5.25-5.35GHz	Pass	13.14	-7.48	-6.91	-4.24	3.86
5570MHz	Pass	12.67	-8.23	-7.79	-5.04	4.33
EHT240_240MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-



PSD (Mode 1)

Appendix D.1

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5610MHz Straddle 5.47-5.725GHz	Pass	12.67	-13.85	-13.59	-10.72	4.33
5610MHz Straddle 5.725-5.85GHz	Pass	11.82	-16.74	-16.43	-13.59	24.18

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

03/11/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.97	9.97	6.60	7.31

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

03/11/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.99	9.99	6.67	7.33

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

03/11/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
10.03	10.03	6.55	7.54

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

03/11/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
3.78	3.78	0.26	1.28

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

03/11/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.56	3.56	0.09	1.00

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

03/11/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.39	3.39	-0.18	0.93

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

03/11/2025

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.99	3.99	0.49	1.49

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

03/11/2025

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.92	3.92	0.49	1.39

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

03/11/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.26	4.26	1.00	1.52

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

03/11/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.80	3.80	0.63	0.99

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

03/11/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.23	2.23	-0.96	-0.54

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

03/11/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.33	9.33	5.93	6.79

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

03/11/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.98	11.98	8.75	9.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

03/11/2025

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.09	12.09	8.83	9.37

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

03/11/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.83	8.83	5.43	6.23

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

03/11/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.85	9.85	6.42	7.31

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

03/11/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.69	9.69	6.42	6.94

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

03/11/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.37	3.37	0.02	0.75

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

03/11/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.76	3.76	0.31	1.20

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

03/11/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.47	3.47	-0.00	0.95

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5500MHz

03/11/2025

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.14	4.14	0.73	1.56

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

03/11/2025

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.08	4.08	0.67	1.53

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5700MHz

03/11/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.90	3.90	0.71	1.10

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

03/11/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.93	3.93	0.76	1.11


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

03/11/2025

CF (Hz)
5.735G
Span (Hz)
40M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
55.052
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.38	2.38	-0.88	-0.29


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5745MHz

03/11/2025

CF (Hz)
5.745G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
55.052
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.86	9.86	6.48	7.26

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5785MHz

03/11/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.55	11.55	8.33	8.80

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5825MHz

03/11/2025

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.60	11.60	8.39	8.91

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

03/11/2025

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.64	4.64	1.46	1.94

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

03/11/2025

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.23	9.23	6.08	6.41

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

03/11/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.47	2.47	-0.81	-0.20

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5310MHz

03/11/2025

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.31	2.31	-0.95	-0.40

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5510MHz

03/11/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.23	3.23	0.25	0.38

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5550MHz

03/11/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.42	3.42	0.34	0.70

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

03/11/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.33	3.33	0.22	0.54

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

03/11/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.80	3.80	0.98	0.68

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

03/11/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.85	1.85	-1.12	-1.13

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5755MHz

03/11/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.39	5.39	2.36	2.46

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5795MHz

03/11/2025

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
8.75	8.75	5.68	5.85

Sum ☒

Port 1 ☒

Port 2 ☒

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

03/11/2025

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.41	0.41	-2.77	-2.34

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

03/11/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.96	-1.96	-5.31	-4.63

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5530MHz

03/11/2025

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.07	-0.07	-3.14	-2.82

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5610MHz

03/11/2025

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.00	0.00	-3.12	-2.73

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

03/11/2025

CF (Hz)
5.65G


Span (Hz)
300M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.40	0.40	-2.68	-2.49

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

03/11/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5775MHz

03/11/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

03/11/2025



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.05	-4.05	-7.37	-6.63

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.24	-4.24	-7.48	-6.91

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

03/11/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.04	-5.04	-8.23	-7.79

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_2TX

PSD

5610MHz Straddle 5.47-5.725GHz

17/11/2025




5.725-5.85GHz_EHT240_240MHz_Nss1,(MCS0)_2TX

PSD

5610MHz Straddle 5.725-5.85GHz

17/11/2025



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.03
802.11be EHT20_Nss1,(MCS0)_2TX	9.85
802.11be EHT40_Nss1,(MCS0)_2TX	8.12
802.11be EHT80_Nss1,(MCS0)_2TX	0.41
802.11be EHT160_Nss1,(MCS0)_2TX	-4.05
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	3.78
802.11be EHT20_Nss1,(MCS0)_2TX	3.76
802.11be EHT40_Nss1,(MCS0)_2TX	2.47
802.11be EHT80_Nss1,(MCS0)_2TX	-1.96
802.11be EHT160_Nss1,(MCS0)_2TX	-4.24
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	4.26
802.11be EHT20_Nss1,(MCS0)_2TX	4.14
802.11be EHT40_Nss1,(MCS0)_2TX	3.80
802.11be EHT80_Nss1,(MCS0)_2TX	0.40
802.11be EHT160_Nss1,(MCS0)_2TX	-5.04
be240_240MHz_Nss1,(MCS0)_2TX	-10.72
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	12.09
802.11be EHT20_Nss1,(MCS0)_2TX	11.60
802.11be EHT40_Nss1,(MCS0)_2TX	8.75
802.11be EHT80_Nss1,(MCS0)_2TX	1.91
EHT240_240MHz_Nss1,(MCS0)_2TX	-13.59

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	12.82	6.6	7.31	9.97	10.18
5200MHz	Pass	12.82	6.67	7.33	9.99	10.18
5240MHz	Pass	12.82	6.55	7.54	10.03	10.18
5260MHz	Pass	13.14	0.26	1.28	3.78	3.86
5300MHz	Pass	13.14	0.09	1	3.56	3.86
5320MHz	Pass	13.14	-0.18	0.93	3.39	3.86
5500MHz	Pass	12.67	0.49	1.49	3.99	4.33
5580MHz	Pass	12.67	0.49	1.39	3.92	4.33
5700MHz	Pass	12.67	1	1.52	4.26	4.33
5720MHz Straddle 5.47-5.725GHz	Pass	12.67	0.63	0.99	3.80	4.33
5720MHz Straddle 5.725-5.85GHz	Pass	11.82	-0.96	-0.54	2.23	24.18
5745MHz	Pass	11.82	5.93	6.79	9.33	24.18
5785MHz	Pass	11.82	8.75	9.27	11.98	24.18
5825MHz	Pass	11.82	8.83	9.37	12.09	24.18
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	12.82	5.43	6.23	8.83	10.18
5200MHz	Pass	12.82	6.42	7.31	9.85	10.18
5240MHz	Pass	12.82	6.42	6.94	9.69	10.18
5260MHz	Pass	13.14	0.02	0.75	3.37	3.86
5300MHz	Pass	13.14	0.31	1.2	3.76	3.86
5320MHz	Pass	13.14	0	0.95	3.47	3.86
5500MHz	Pass	12.67	0.73	1.56	4.14	4.33
5580MHz	Pass	12.67	0.67	1.53	4.08	4.33
5700MHz	Pass	12.67	0.71	1.1	3.90	4.33
5720MHz Straddle 5.47-5.725GHz	Pass	12.67	0.76	1.11	3.93	4.33
5720MHz Straddle 5.725-5.85GHz	Pass	11.82	-0.88	-0.29	2.38	24.18
5745MHz	Pass	11.82	6.48	7.26	9.86	24.18
5785MHz	Pass	11.82	8.33	8.8	11.55	24.18
5825MHz	Pass	11.82	8.39	8.91	11.60	24.18
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	12.82	1.46	1.94	4.64	10.18
5230MHz	Pass	12.82	5	5.3	8.12	10.18
5270MHz	Pass	13.14	-0.81	-0.2	2.47	3.86
5310MHz	Pass	13.14	-0.95	-0.4	2.31	3.86
5510MHz	Pass	12.67	0.25	0.38	3.23	4.33
5550MHz	Pass	12.67	0.34	0.7	3.42	4.33
5670MHz	Pass	12.67	0.22	0.54	3.33	4.33
5710MHz Straddle 5.47-5.725GHz	Pass	12.67	0.98	0.68	3.80	4.33
5710MHz Straddle 5.725-5.85GHz	Pass	11.82	-1.12	-1.13	1.85	24.18
5755MHz	Pass	11.82	2.36	2.46	5.39	24.18
5795MHz	Pass	11.82	5.68	5.85	8.75	24.18
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	12.82	-2.77	-2.34	0.41	10.18
5290MHz	Pass	13.14	-5.31	-4.63	-1.96	3.86
5530MHz	Pass	12.67	-3.14	-2.82	-0.07	4.33
5610MHz	Pass	12.67	-3.12	-2.73	0.00	4.33
5690MHz Straddle 5.47-5.725GHz	Pass	12.67	-2.68	-2.49	0.40	4.33
5690MHz Straddle 5.725-5.85GHz	Pass	11.82	-4.88	-4.64	-1.78	24.18
5775MHz	Pass	11.82	-1.06	-0.98	1.91	24.18
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	12.82	-7.37	-6.63	-4.05	10.18
5250MHz Straddle 5.25-5.35GHz	Pass	13.14	-7.48	-6.91	-4.24	3.86
5570MHz	Pass	12.67	-8.23	-7.79	-5.04	4.33
EHT240_240MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-



PSD (Mode 2)

Appendix D.2

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5610MHz Straddle 5.47-5.725GHz	Pass	12.67	-13.85	-13.59	-10.72	4.33
5610MHz Straddle 5.725-5.85GHz	Pass	11.82	-16.74	-16.43	-13.59	24.18

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

03/11/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.97	9.97	6.60	7.31

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

03/11/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.99	9.99	6.67	7.33

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

03/11/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.03	10.03	6.55	7.54

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

03/11/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.78	3.78	0.26	1.28

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

03/11/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.56	3.56	0.09	1.00

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

03/11/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.39	3.39	-0.18	0.93

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

03/11/2025

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.99	3.99	0.49	1.49

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

03/11/2025

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.92	3.92	0.49	1.39

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

03/11/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.26	4.26	1.00	1.52

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

03/11/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.80	3.80	0.63	0.99

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

03/11/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.23	2.23	-0.96	-0.54

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

03/11/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.33	9.33	5.93	6.79

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

03/11/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.98	11.98	8.75	9.27

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

03/11/2025

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
19.954

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.09	12.09	8.83	9.37

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

03/11/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.83	8.83	5.43	6.23

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

03/11/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.85	9.85	6.42	7.31

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

03/11/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.69	9.69	6.42	6.94

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5260MHz

03/11/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.37	3.37	0.02	0.75

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5300MHz

03/11/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.76	3.76	0.31	1.20

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

03/11/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.47	3.47	-0.00	0.95

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5500MHz

03/11/2025

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.14	4.14	0.73	1.56

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5580MHz

03/11/2025

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.08	4.08	0.67	1.53

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5700MHz

03/11/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.90	3.90	0.71	1.10

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

03/11/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.93	3.93	0.76	1.11

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

03/11/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.38	2.38	-0.88	-0.29

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5745MHz

03/11/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.86	9.86	6.48	7.26

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5785MHz

03/11/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.55	11.55	8.33	8.80

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5825MHz

03/11/2025

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
55.052

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.60	11.60	8.39	8.91

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

03/11/2025

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.64	4.64	1.46	1.94

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

03/11/2025

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.12	8.12	5.00	5.30

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

03/11/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.47	2.47	-0.81	-0.20

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5310MHz

03/11/2025

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.31	2.31	-0.95	-0.40

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


PSD

5510MHz

03/11/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.23	3.23	0.25	0.38




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


PSD

5550MHz

03/11/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.42	3.42	0.34	0.70



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5670MHz

03/11/2025

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.33	3.33	0.22	0.54

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

03/11/2025

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.113

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.80	3.80	0.98	0.68

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

03/11/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5755MHz

03/11/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5795MHz

03/11/2025

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
55.113
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
8.75	8.75	5.68	5.85

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

03/11/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
55.177
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.41	0.41	-2.77	-2.34

Sum
Port 1
Port 2

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

03/11/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.96	-1.96	-5.31	-4.63

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5530MHz

03/11/2025

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.07	-0.07	-3.14	-2.82

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5610MHz

03/11/2025

CF (Hz)
5.61G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.00	0.00	-3.12	-2.73

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

03/11/2025

CF (Hz)
5.65G


Span (Hz)
300M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.40	0.40	-2.68	-2.49

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

03/11/2025

CF (Hz)
5.735G


Span (Hz)
40M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.78	-1.78	-4.88	-4.64

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5775MHz

03/11/2025

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
55.177

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.91	1.91	-1.06	-0.98

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

03/11/2025



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.05	-4.05	-7.37	-6.63

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.24	-4.24	-7.48	-6.91

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

5570MHz

03/11/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.04	-5.04	-8.23	-7.79

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_2TX

PSD

5610MHz Straddle 5.47-5.725GHz

17/11/2025




5.725-5.85GHz_EHT240_240MHz_Nss1,(MCS0)_2TX

PSD

5610MHz Straddle 5.725-5.85GHz

17/11/2025



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	10.17
802.11ax HEW20_Nss1,(MCS0)_2TX	9.31
802.11ax HEW40_Nss1,(MCS0)_2TX	6.51
802.11ax HEW80_Nss1,(MCS0)_2TX	-4.10
802.11ax HEW160_Nss1,(MCS0)_2TX	-7.04
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.73
802.11ax HEW20_Nss1,(MCS0)_2TX	7.85
802.11ax HEW40_Nss1,(MCS0)_2TX	6.05
802.11ax HEW80_Nss1,(MCS0)_2TX	-3.11
802.11ax HEW160_Nss1,(MCS0)_2TX	-6.90
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.36
802.11ax HEW20_Nss1,(MCS0)_2TX	7.12
802.11ax HEW40_Nss1,(MCS0)_2TX	5.79
802.11ax HEW80_Nss1,(MCS0)_2TX	2.95
802.11ax HEW160_Nss1,(MCS0)_2TX	-8.54
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	8.28
802.11ax HEW20_Nss1,(MCS0)_2TX	7.46
802.11ax HEW40_Nss1,(MCS0)_2TX	4.73
802.11ax HEW80_Nss1,(MCS0)_2TX	2.56

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	9.21	7.64	5.81	9.75	13.79
5200MHz	Pass	9.21	7.73	6.47	10.08	13.79
5240MHz	Pass	9.21	8.11	6.22	10.17	13.79
5260MHz	Pass	9.12	5.26	3.79	7.44	7.88
5300MHz	Pass	9.12	5.10	3.81	7.47	7.88
5320MHz	Pass	9.12	5.46	3.99	7.73	7.88
5500MHz	Pass	9.52	4.48	4.38	7.36	7.48
5580MHz	Pass	9.52	4.75	3.65	7.24	7.48
5700MHz	Pass	9.52	4.75	3.85	7.27	7.48
5720MHz Straddle 5.47-5.725GHz	Pass	9.52	4.62	4.00	7.32	7.48
5720MHz Straddle 5.725-5.85GHz	Pass	10.07	0.32	-0.29	3.01	25.93
5745MHz	Pass	10.07	5.36	4.91	8.07	25.93
5785MHz	Pass	10.07	5.62	5.13	8.28	25.93
5825MHz	Pass	10.07	5.27	4.99	8.03	25.93
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	9.21	5.76	4.54	8.13	13.79
5200MHz	Pass	9.21	6.87	5.69	9.29	13.79
5240MHz	Pass	9.21	7.15	5.37	9.31	13.79
5260MHz	Pass	9.12	5.29	3.47	7.42	7.88
5300MHz	Pass	9.12	5.58	4.02	7.85	7.88
5320MHz	Pass	9.12	5.29	4.24	7.75	7.88
5500MHz	Pass	9.52	3.81	3.71	6.75	7.48
5580MHz	Pass	9.52	4.49	3.53	7.04	7.48
5700MHz	Pass	9.52	2.93	2.21	5.54	7.48
5720MHz Straddle 5.47-5.725GHz	Pass	9.52	4.41	3.80	7.12	7.48
5720MHz Straddle 5.725-5.85GHz	Pass	10.07	0.10	-1.19	2.50	25.93
5745MHz	Pass	10.07	4.45	4.15	7.26	25.93
5785MHz	Pass	10.07	4.69	4.32	7.46	25.93
5825MHz	Pass	10.07	4.33	4.19	7.22	25.93
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	9.21	-2.96	-4.60	-0.78	13.79
5230MHz	Pass	9.21	4.40	2.60	6.51	13.79
5270MHz	Pass	9.12	3.88	2.12	6.05	7.88
5310MHz	Pass	9.12	-1.35	-2.53	1.07	7.88
5510MHz	Pass	9.52	-4.20	-3.97	-1.10	7.48
5550MHz	Pass	9.52	2.35	2.18	5.27	7.48
5670MHz	Pass	9.52	2.56	1.53	5.06	7.48
5710MHz Straddle 5.47-5.725GHz	Pass	9.52	3.34	2.21	5.79	7.48
5710MHz Straddle 5.725-5.85GHz	Pass	10.07	-2.51	-3.79	-0.09	25.93
5755MHz	Pass	10.07	1.98	1.45	4.73	25.93
5795MHz	Pass	10.07	2.00	1.43	4.64	25.93
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	9.21	-6.29	-7.98	-4.10	13.79
5290MHz	Pass	9.12	-5.47	-6.81	-3.11	7.88
5530MHz	Pass	9.52	-7.87	-7.88	-4.90	7.48
5610MHz	Pass	9.52	0.43	-0.69	2.87	7.48
5690MHz Straddle 5.47-5.725GHz	Pass	9.52	0.38	-0.34	2.95	7.48
5690MHz Straddle 5.725-5.85GHz	Pass	10.07	-7.30	-8.52	-4.87	25.93
5775MHz	Pass	10.07	-0.02	-0.77	2.56	25.93
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	9.21	-9.44	-10.71	-7.04	13.79
5250MHz Straddle 5.25-5.35GHz	Pass	9.12	-9.08	-10.81	-6.90	7.88
5570MHz	Pass	9.52	-11.36	-11.59	-8.54	7.48

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band; PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

20/12/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.75	9.75	7.64	5.81

Sum ☒

Port 1 ☒

Port 2 ☒

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

31/12/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.08	10.08	7.73	6.47

Sum ☒

Port 1 ☒

Port 2 ☒

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

31/12/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
10.17	10.17	8.11	6.22

Sum 

Port 1 

Port 2 

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

20/12/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.44	7.44	5.26	3.79

Sum 

Port 1 

Port 2 

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

20/12/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.47	7.47	5.10	3.81

Sum 

Port 1 

Port 2 

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

20/12/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.73	7.73	5.46	3.99

Sum 

Port 1 

Port 2 

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

20/12/2025

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.36	7.36	4.48	4.38

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

20/12/2025

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.24	7.24	4.75	3.65

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

20/12/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.27	7.27	4.75	3.85

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

20/12/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.32	7.32	4.62	4.00

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

20/12/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.01	3.01	0.32	-0.29

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

31/12/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.07	8.07	5.36	4.91

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

31/12/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.28	8.28	5.62	5.13

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

31/12/2025

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.03	8.03	5.27	4.99

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

31/12/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.13	8.13	5.76	4.54

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz

31/12/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.29	9.29	6.87	5.69

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5240MHz

31/12/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
9.31	9.31	7.15	5.37

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5260MHz

20/12/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
7.42	7.42	5.29	3.47

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5300MHz

20/12/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.85	7.85	5.58	4.02

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5320MHz

20/12/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.75	7.75	5.29	4.24

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5500MHz

20/12/2025

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.75	6.75	3.81	3.71

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5580MHz

20/12/2025

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.04	7.04	4.49	3.53

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5700MHz

20/12/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
5.54	5.54	2.93	2.21

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

20/12/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐


Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.12	7.12	4.41	3.80

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

20/12/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5745MHz

31/12/2025



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

31/12/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.46	7.46	4.69	4.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

31/12/2025

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.22	7.22	4.33	4.19

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5190MHz

20/12/2025

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.78	-0.78	-2.96	-4.60

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5230MHz

31/12/2025

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.51	6.51	4.40	2.60

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

5270MHz

31/12/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.05	6.05	3.88	2.12

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

5310MHz

20/12/2025

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.07	1.07	-1.35	-2.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5510MHz

20/12/2025

CF (Hz)
5.51G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.10	-1.10	-4.20	-3.97

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5550MHz

31/12/2025

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.27	5.27	2.35	2.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5670MHz

20/12/2025

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.06	5.06	2.56	1.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

31/12/2025

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.79	5.79	3.34	2.21

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

31/12/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5755MHz

31/12/2025



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5795MHz

31/12/2025

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
4.64	4.64	2.00	1.43

Sum 

Port 1 

Port 2 

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5210MHz

20/12/2025

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
-4.10	-4.10	-6.29	-7.98

Sum 

Port 1 

Port 2 

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5290MHz

20/12/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.11	-3.11	-5.47	-6.81

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5530MHz

20/12/2025

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.90	-4.90	-7.87	-7.88

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5610MHz

31/12/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.87	2.87	0.43	-0.69

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

31/12/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.95	2.95	0.38	-0.34

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

31/12/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.87	-4.87	-7.30	-8.52

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5775MHz

20/12/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.56	2.56	-0.02	-0.77

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

20/12/2025



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.04	-7.04	-9.44	-10.71

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.90	-6.90	-9.08	-10.81

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5570MHz

20/12/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.54	-8.54	-11.36	-11.59

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	8.61
802.11ax HEW20_Nss1,(MCS0)_2TX	8.32
802.11ax HEW40_Nss1,(MCS0)_2TX	5.08
802.11ax HEW80_Nss1,(MCS0)_2TX	-4.10
802.11ax HEW160_Nss1,(MCS0)_2TX	-7.04
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.73
802.11ax HEW20_Nss1,(MCS0)_2TX	7.85
802.11ax HEW40_Nss1,(MCS0)_2TX	6.05
802.11ax HEW80_Nss1,(MCS0)_2TX	-3.11
802.11ax HEW160_Nss1,(MCS0)_2TX	-6.90
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.36
802.11ax HEW20_Nss1,(MCS0)_2TX	7.12
802.11ax HEW40_Nss1,(MCS0)_2TX	5.79
802.11ax HEW80_Nss1,(MCS0)_2TX	2.95
802.11ax HEW160_Nss1,(MCS0)_2TX	-8.54
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	8.28
802.11ax HEW20_Nss1,(MCS0)_2TX	7.46
802.11ax HEW40_Nss1,(MCS0)_2TX	4.73
802.11ax HEW80_Nss1,(MCS0)_2TX	2.56

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	9.21	6.22	4.83	8.52	13.79
5200MHz	Pass	9.21	6.29	5.04	8.61	13.79
5240MHz	Pass	9.21	6.22	4.26	8.28	13.79
5260MHz	Pass	9.12	5.26	3.79	7.44	7.88
5300MHz	Pass	9.12	5.1	3.81	7.47	7.88
5320MHz	Pass	9.12	5.46	3.99	7.73	7.88
5500MHz	Pass	9.52	4.48	4.38	7.36	7.48
5580MHz	Pass	9.52	4.75	3.65	7.24	7.48
5700MHz	Pass	9.52	4.75	3.85	7.27	7.48
5720MHz Straddle 5.47-5.725GHz	Pass	9.52	4.62	4	7.32	7.48
5720MHz Straddle 5.725-5.85GHz	Pass	10.07	0.32	-0.29	3.01	25.93
5745MHz	Pass	10.07	5.36	4.91	8.07	25.93
5785MHz	Pass	10.07	5.62	5.13	8.28	25.93
5825MHz	Pass	10.07	5.27	4.99	8.03	25.93
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	9.21	5.76	4.54	8.13	13.79
5200MHz	Pass	9.21	5.47	4.21	7.83	13.79
5240MHz	Pass	9.21	6.23	4.31	8.32	13.79
5260MHz	Pass	9.12	5.29	3.47	7.42	7.88
5300MHz	Pass	9.12	5.58	4.02	7.85	7.88
5320MHz	Pass	9.12	5.29	4.24	7.75	7.88
5500MHz	Pass	9.52	3.81	3.71	6.75	7.48
5580MHz	Pass	9.52	4.49	3.53	7.04	7.48
5700MHz	Pass	9.52	2.93	2.21	5.54	7.48
5720MHz Straddle 5.47-5.725GHz	Pass	9.52	4.41	3.8	7.12	7.48
5720MHz Straddle 5.725-5.85GHz	Pass	10.07	0.1	-1.19	2.50	25.93
5745MHz	Pass	10.07	4.45	4.15	7.26	25.93
5785MHz	Pass	10.07	4.69	4.32	7.46	25.93
5825MHz	Pass	10.07	4.33	4.19	7.22	25.93
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	9.21	-2.96	-4.6	-0.78	13.79
5230MHz	Pass	9.21	2.97	1.07	5.08	13.79
5270MHz	Pass	9.12	3.88	2.12	6.05	7.88
5310MHz	Pass	9.12	-1.35	-2.53	1.07	7.88
5510MHz	Pass	9.52	-4.2	-3.97	-1.10	7.48
5550MHz	Pass	9.52	2.35	2.18	5.27	7.48
5670MHz	Pass	9.52	2.56	1.53	5.06	7.48
5710MHz Straddle 5.47-5.725GHz	Pass	9.52	3.34	2.21	5.79	7.48
5710MHz Straddle 5.725-5.85GHz	Pass	10.07	-2.51	-3.79	-0.09	25.93
5755MHz	Pass	10.07	1.98	1.45	4.73	25.93
5795MHz	Pass	10.07	2	1.43	4.64	25.93
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	9.21	-6.29	-7.98	-4.10	13.79
5290MHz	Pass	9.12	-5.47	-6.81	-3.11	7.88
5530MHz	Pass	9.52	-7.87	-7.88	-4.90	7.48
5610MHz	Pass	9.52	0.43	-0.69	2.87	7.48
5690MHz Straddle 5.47-5.725GHz	Pass	9.52	0.38	-0.34	2.95	7.48
5690MHz Straddle 5.725-5.85GHz	Pass	10.07	-7.3	-8.52	-4.87	25.93
5775MHz	Pass	10.07	-0.02	-0.77	2.56	25.93
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	9.21	-9.44	-10.71	-7.04	13.79
5250MHz Straddle 5.25-5.35GHz	Pass	9.12	-9.08	-10.81	-6.90	7.88
5570MHz	Pass	9.52	-11.36	-11.59	-8.54	7.48

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band; PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

31/12/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.52	8.52	6.22	4.83

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

31/12/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.61	8.61	6.29	5.04

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

31/12/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

20/12/2025



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5300MHz

20/12/2025

CF (Hz)
5.3G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.47	7.47	5.10	3.81

Sum 

Port 1 

Port 2 

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5320MHz

20/12/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.73	7.73	5.46	3.99

Sum 

Port 1 

Port 2 

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5500MHz

20/12/2025

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.36	7.36	4.48	4.38

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5580MHz

20/12/2025

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.24	7.24	4.75	3.65

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5700MHz

20/12/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.27	7.27	4.75	3.85

Sum ☒

Port 1 ☒

Port 2 ☒

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

20/12/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.32	7.32	4.62	4.00

Sum ☒

Port 1 ☒


Port 2 ☒

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

20/12/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

31/12/2025



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

31/12/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.28	8.28	5.62	5.13

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

31/12/2025

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.03	8.03	5.27	4.99

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

31/12/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.13	8.13	5.76	4.54

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz

31/12/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.83	7.83	5.47	4.21

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5240MHz

31/12/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
8.32	8.32	6.23	4.31

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5260MHz

20/12/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
7.42	7.42	5.29	3.47

Sum ☒

Port 1 ☒


Port 2 ☒

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5300MHz

20/12/2025




5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

PSD

5320MHz

20/12/2025



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5500MHz

20/12/2025

CF (Hz)
5.5G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.75	6.75	3.81	3.71

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5580MHz

20/12/2025

CF (Hz)
5.58G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.04	7.04	4.49	3.53

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5700MHz

20/12/2025

CF (Hz)
5.7G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
5.54	5.54	2.93	2.21

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.47-5.725GHz

20/12/2025

CF (Hz)
5.71G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.12	7.12	4.41	3.80

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5720MHz Straddle 5.725-5.85GHz

20/12/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.50	2.50	0.10	-1.19

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5745MHz

31/12/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.26	7.26	4.45	4.15

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

31/12/2025

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.46	7.46	4.69	4.32

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

31/12/2025

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.22	7.22	4.33	4.19

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5190MHz

20/12/2025




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5230MHz

31/12/2025



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

5270MHz

31/12/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.05	6.05	3.88	2.12

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

PSD

5310MHz

20/12/2025

CF (Hz)
5.31G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.07	1.07	-1.35	-2.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5510MHz

20/12/2025

CF (Hz)
5.51G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.10	-1.10	-4.20	-3.97

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5550MHz

31/12/2025

CF (Hz)
5.55G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.27	5.27	2.35	2.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5670MHz

20/12/2025

CF (Hz)
5.67G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.06	5.06	2.56	1.53

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.47-5.725GHz

31/12/2025

CF (Hz)
5.69G


Span (Hz)
140M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.79	5.79	3.34	2.21

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5710MHz Straddle 5.725-5.85GHz

31/12/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5755MHz

31/12/2025



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5795MHz

31/12/2025

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
4.64	4.64	2.00	1.43

Sum ☒

Port 1 ☒

Port 2 ☒

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5210MHz

20/12/2025

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
-4.10	-4.10	-6.29	-7.98

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5290MHz

20/12/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.11	-3.11	-5.47	-6.81

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5530MHz

20/12/2025

CF (Hz)
5.53G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.90	-4.90	-7.87	-7.88

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5610MHz

31/12/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.87	2.87	0.43	-0.69

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz

31/12/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.95	2.95	0.38	-0.34

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

31/12/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.87	-4.87	-7.30	-8.52

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5775MHz

20/12/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.56	2.56	-0.02	-0.77

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5250MHz Straddle 5.15-5.25GHz

20/12/2025



5150~5250MHz

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.04	-7.04	-9.44	-10.71

5250~5350MHz


Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-6.90	-6.90	-9.08	-10.81

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

PSD

5570MHz

20/12/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.54	-8.54	-11.36	-11.59




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	200.24M	40.05	43.50	-3.45	Horizontal

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	30.97M	32.96	40.00	-7.04	-35.73	3	Vertical	116	1.00	-	68.69	17.86	0.14	53.73		
PK	67.35M	33.43	40.00	-6.57	-35.45	3	Vertical	273	2.00	-	68.88	17.81	0.74	54.00		
PK	123.61M	39.80	43.50	-3.70	-35.24	3	Vertical	312	1.00	-	75.04	17.22	1.34	53.80		
QP	147.37M	38.48	43.50	-5.02	-33.32	3	Vertical	339	1.00	-	71.80	19.08	1.47	53.87		
QP	159.5M	38.51	43.50	-4.99	-32.99	3	Vertical	13	2.00	-	71.50	19.20	1.48	53.67		
QP	169.2M	37.96	43.50	-5.54	-33.34	3	Vertical	64	1.00	-	71.30	18.75	1.50	53.59		
PK	184.23M	39.80	43.50	-3.70	-35.04	3	Vertical	97	3.00	-	74.84	16.99	1.56	53.59		
PK	205.09M	39.90	43.50	-3.60	-36.60	3	Vertical	193	1.00	"Worst"	76.50	15.59	1.70	53.89		
PK	223.52M	39.17	46.00	-6.83	-36.54	3	Vertical	228	1.00	-	75.71	15.44	1.78	53.76		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	173.08M	36.88	43.50	-6.62	-33.60	3	Horizontal	116	1.00	-	70.48	18.45	1.51	53.56		
PK	200.24M	40.05	43.50	-3.45	-36.44	3	Horizontal	243	2.00	"Worst"	76.49	15.81	1.68	53.93		
PK	224M	38.76	46.00	-7.24	-36.53	3	Horizontal	341	1.00	-	75.29	15.44	1.78	53.75		
PK	257.95M	38.67	46.00	-7.33	-33.86	3	Horizontal	9	4.00	-	72.53	17.79	1.93	53.58		
PK	284.14M	39.28	46.00	-6.72	-32.67	3	Horizontal	61	1.00	-	71.95	18.90	2.07	53.64		
PK	620.73M	34.19	46.00	-11.81	-23.44	3	Horizontal	303	3.00	-	57.63	25.96	3.51	52.91		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_2TX	Pass	AV	5.4307G	53.00	54.00	-1.00	3	Vertical	334	1.80	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	64.77	74.00	-9.23	56.11	3	Vertical	338	1.80	-	32.80	8.40	32.54			
AV	5.1471G	52.62	54.00	-1.38	43.97	3	Vertical	338	1.80	-	32.79	8.40	32.54			
PK	5.187G	123.82	Inf	-Inf	115.08	3	Vertical	338	1.80	-	32.87	8.41	32.54			
AV	5.187G	115.58	Inf	-Inf	106.84	3	Vertical	338	1.80	-	32.87	8.41	32.54			
PK	5.4054G	60.42	74.00	-13.58	51.16	3	Vertical	338	1.80	-	33.32	8.42	32.48			
AV	5.4278G	48.86	54.00	-5.14	39.49	3	Vertical	338	1.80	-	33.41	8.44	32.48			
PK	5.4908G	63.43	68.20	-4.77	53.63	3	Vertical	338	1.80	-	33.74	8.52	32.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1086G	60.81	74.00	-13.19	52.25	3	Horizontal	52	1.80	-	32.72	8.39	32.55			
PK	5.1849G	112.14	Inf	-Inf	103.40	3	Horizontal	52	1.80	-	32.87	8.41	32.54			
AV	5.1499G	48.91	54.00	-5.09	40.25	3	Horizontal	52	1.80	-	32.80	8.40	32.54			
AV	5.1751G	103.77	Inf	-Inf	95.06	3	Horizontal	52	1.80	-	32.85	8.40	32.54			
PK	5.4306G	62.05	74.00	-11.95	52.66	3	Horizontal	52	1.80	-	33.42	8.45	32.48			
AV	5.4579G	49.97	54.00	-4.03	40.41	3	Horizontal	52	1.80	-	33.55	8.48	32.47			
PK	5.4915G	61.81	68.20	-6.39	52.00	3	Horizontal	52	1.80	-	33.75	8.52	32.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.35073G	54.81	68.20	-13.39	70.33	3	Vertical	188	2.85	-	38.50	12.65	66.67				
PK	15.52746G	58.97	74.00	-15.03	69.15	3	Vertical	41	2.71	-	37.95	15.69	63.82				
AV	15.525G	46.88	54.00	-7.12	57.06	3	Vertical	41	2.71	-	37.95	15.69	63.82				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37908G	54.88	68.20	-13.32	70.39	3	Horizontal	342	1.05	-	38.50	12.67	66.68			
PK	15.5199G	58.86	74.00	-15.14	69.04	3	Horizontal	164	1.80	-	37.96	15.68	63.82			
AV	15.5262G	46.68	54.00	-7.32	56.86	3	Horizontal	164	1.80	-	37.95	15.69	63.82			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 24
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	63.34	74.00	-10.66	54.71	3	Vertical	340	1.80	-	32.78	8.40	32.55			
AV	5.15G	52.90	54.00	-1.10	44.24	3	Vertical	340	1.80	-	32.80	8.40	32.54			
PK	5.207G	126.28	Inf	-Inf	117.50	3	Vertical	340	1.80	-	32.90	8.41	32.53			
AV	5.2063G	117.84	Inf	-Inf	109.06	3	Vertical	340	1.80	-	32.90	8.41	32.53			
PK	5.4387G	61.68	74.00	-12.32	52.24	3	Vertical	340	1.80	-	33.45	8.46	32.47			
AV	5.4422G	49.57	54.00	-4.43	40.11	3	Vertical	340	1.80	-	33.47	8.46	32.47			
PK	5.5003G	63.28	68.20	-4.92	53.40	3	Vertical	340	1.80	-	33.80	8.54	32.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 24
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	57.22	74.00	-16.78	48.58	3	Horizontal	298	1.80	-	32.79	8.40	32.55			
AV	5.1496G	45.00	54.00	-9.00	36.34	3	Horizontal	298	1.80	-	32.80	8.40	32.54			
PK	5.2056G	110.39	Inf	-Inf	101.61	3	Horizontal	298	1.80	-	32.90	8.41	32.53			
AV	5.2056G	102.03	Inf	-Inf	93.25	3	Horizontal	298	1.80	-	32.90	8.41	32.53			
PK	5.3757G	58.73	74.00	-15.27	49.61	3	Horizontal	298	1.80	-	33.20	8.41	32.49			
PK	5.5073G	59.27	68.20	-8.93	49.38	3	Horizontal	298	1.80	-	33.81	8.54	32.46			
AV	5.4506G	46.56	54.00	-7.44	37.06	3	Horizontal	298	1.80	-	33.50	8.47	32.47			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 24
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40084G	54.59	68.20	-13.61	70.10	3	Vertical	290	2.86	-	38.50	12.68	66.69			
PK	15.58827G	57.65	74.00	-16.35	67.86	3	Vertical	77	1.93	-	37.90	15.73	63.84			
AV	15.58713G	45.12	54.00	-8.88	55.33	3	Vertical	77	1.93	-	37.90	15.73	63.84			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 24
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.3949G	54.99	68.20	-13.21	70.51	3	Horizontal	232	1.80	-	38.50	12.67	66.69			
PK	15.5761G	56.77	74.00	-17.23	66.99	3	Horizontal	189	2.05	-	37.90	15.72	63.84			
AV	15.573G	44.46	54.00	-9.54	54.68	3	Horizontal	189	2.05	-	37.90	15.72	63.84			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1427G	61.55	74.00	-12.45	52.91	3	Vertical	339	1.80	-	32.79	8.40	32.55			
AV	5.1497G	50.37	54.00	-3.63	41.71	3	Vertical	339	1.80	-	32.80	8.40	32.54			
PK	5.2365G	127.44	Inf	-Inf	118.65	3	Vertical	339	1.80	-	32.90	8.41	32.52			
AV	5.2372G	118.98	Inf	-Inf	110.19	3	Vertical	339	1.80	-	32.90	8.41	32.52			
PK	5.3863G	61.93	74.00	-12.07	52.76	3	Vertical	339	1.80	-	33.25	8.41	32.49			
AV	5.35G	49.96	54.00	-4.04	40.95	3	Vertical	339	1.80	-	33.10	8.41	32.50			
PK	5.5403G	64.20	68.20	-4.00	54.19	3	Vertical	339	1.80	-	33.88	8.59	32.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0048G	61.05	74.00	-12.95	52.38	3	Horizontal	298	1.80	-	32.89	8.36	32.58			
AV	5.03G	48.36	54.00	-5.64	39.72	3	Horizontal	298	1.80	-	32.84	8.37	32.57			
PK	5.2456G	116.20	Inf	-Inf	107.41	3	Horizontal	298	1.80	-	32.90	8.41	32.52			
AV	5.2456G	107.74	Inf	-Inf	98.95	3	Horizontal	298	1.80	-	32.90	8.41	32.52			
PK	5.4115G	62.55	74.00	-11.45	53.26	3	Horizontal	298	1.80	-	33.35	8.42	32.48			
AV	5.4591G	50.14	54.00	-3.86	40.58	3	Horizontal	298	1.80	-	33.55	8.48	32.47			
PK	5.5466G	62.65	68.20	-5.55	52.63	3	Horizontal	298	1.80	-	33.89	8.59	32.46			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47887G	54.34	68.20	-13.86	69.73	3	Vertical	88	2.43	-	38.60	12.73	66.72			
PK	15.7188G	56.75	74.00	-17.25	66.97	3	Vertical	94	1.52	-	37.84	15.83	63.89			
AV	15.71526G	43.27	54.00	-10.73	53.51	3	Vertical	94	1.52	-	37.83	15.82	63.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47603G	54.50	68.20	-13.70	69.89	3	Horizontal	26	2.09	-	38.60	12.73	66.72			
PK	15.7237G	55.46	74.00	-18.54	65.68	3	Horizontal	116	1.88	-	37.85	15.83	63.90			
AV	15.71522G	43.29	54.00	-10.71	53.53	3	Horizontal	116	1.88	-	37.83	15.82	63.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	64.45	74.00	-9.55	55.79	3	Vertical	337	1.80	-	32.80	8.40	32.54			
AV	5.1499G	52.62	54.00	-1.38	43.96	3	Vertical	337	1.80	-	32.80	8.40	32.54			
PK	5.187G	123.66	Inf	-Inf	114.92	3	Vertical	337	1.80	-	32.87	8.41	32.54			
AV	5.1884G	112.86	Inf	-Inf	104.10	3	Vertical	337	1.80	-	32.88	8.41	32.53			
PK	5.3942G	59.84	74.00	-14.16	50.64	3	Vertical	337	1.80	-	33.28	8.41	32.49			
AV	5.4285G	48.28	54.00	-5.72	38.90	3	Vertical	337	1.80	-	33.41	8.45	32.48			
PK	5.481G	62.04	68.20	-6.16	52.30	3	Vertical	337	1.80	-	33.69	8.51	32.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0043G	56.45	74.00	-17.55	47.78	3	Horizontal	299	1.80	-	32.89	8.36	32.58			
AV	5.0281G	44.79	54.00	-9.21	36.15	3	Horizontal	299	1.80	-	32.84	8.37	32.57			
PK	5.1814G	107.44	Inf	-Inf	98.71	3	Horizontal	299	1.80	-	32.86	8.41	32.54			
AV	5.1814G	95.96	Inf	-Inf	87.23	3	Horizontal	299	1.80	-	32.86	8.41	32.54			
PK	5.4229G	58.95	74.00	-15.05	49.60	3	Horizontal	299	1.80	-	33.39	8.44	32.48			
AV	5.4586G	46.47	54.00	-7.53	36.91	3	Horizontal	299	1.80	-	33.55	8.48	32.47			
PK	5.5223G	59.27	68.20	-8.93	49.33	3	Horizontal	299	1.80	-	33.84	8.56	32.46			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36231G	54.81	68.20	-13.39	70.33	3	Vertical	202	1.58	-	38.50	12.65	66.67			
PK	15.5409G	58.21	74.00	-15.79	68.42	3	Vertical	56	1.24	-	37.92	15.70	63.83			
AV	15.53505G	45.78	54.00	-8.22	55.98	3	Vertical	56	1.24	-	37.93	15.69	63.82			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 19
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36095G	55.27	68.20	-12.93	70.79	3	Horizontal	76	2.13	-	38.50	12.65	66.67			
PK	15.54049G	58.25	74.00	-15.75	68.46	3	Horizontal	140	2.84	-	37.92	15.70	63.83			
AV	15.53527G	45.76	54.00	-8.24	55.96	3	Horizontal	140	2.84	-	37.93	15.69	63.82			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5200MHz_TX

EUT_Y_2TX
Setting 22
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1496G	64.13	74.00	-9.87	55.47	3	Vertical	337	1.80	-	32.80	8.40	32.54				
AV	5.15G	52.81	54.00	-1.19	44.15	3	Vertical	337	1.80	-	32.80	8.40	32.54				
PK	5.1909G	128.13	Inf	-Inf	119.37	3	Vertical	337	1.80	-	32.88	8.41	32.53				
AV	5.2084G	117.03	Inf	-Inf	108.25	3	Vertical	337	1.80	-	32.90	8.41	32.53				
PK	5.3813G	61.77	74.00	-12.23	52.62	3	Vertical	337	1.80	-	33.23	8.41	32.49				
AV	5.431G	49.60	54.00	-4.40	40.21	3	Vertical	337	1.80	-	33.42	8.45	32.48				
PK	5.4996G	63.82	68.20	-4.38	53.95	3	Vertical	337	1.80	-	33.80	8.53	32.46				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 22
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1125G	57.04	74.00	-16.96	48.47	3	Horizontal	298	1.80	-	32.73	8.39	32.55			
AV	5.15G	44.81	54.00	-9.19	36.15	3	Horizontal	298	1.80	-	32.80	8.40	32.54			
PK	5.1993G	110.81	Inf	-Inf	102.03	3	Horizontal	298	1.80	-	32.90	8.41	32.53			
AV	5.2007G	100.53	Inf	-Inf	91.75	3	Horizontal	298	1.80	-	32.90	8.41	32.53			
PK	5.4443G	58.57	74.00	-15.43	49.09	3	Horizontal	298	1.80	-	33.48	8.47	32.47			
PK	5.4674G	59.21	68.20	-8.99	49.59	3	Horizontal	298	1.80	-	33.60	8.49	32.47			
AV	5.4583G	46.59	54.00	-7.41	37.03	3	Horizontal	298	1.80	-	33.55	8.48	32.47			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 22
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39627G	55.01	68.20	-13.19	70.52	3	Vertical	48	2.57	-	38.50	12.68	66.69			
PK	15.59747G	57.94	74.00	-16.06	68.15	3	Vertical	59	1.68	-	37.90	15.74	63.85			
AV	15.59594G	45.14	54.00	-8.86	55.35	3	Vertical	59	1.68	-	37.90	15.74	63.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 22
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39714G	54.84	68.20	-13.36	70.35	3	Horizontal	342	1.80	-	38.50	12.68	66.69			
PK	15.60163G	58.67	74.00	-15.33	68.89	3	Horizontal	349	2.06	-	37.89	15.74	63.85			
AV	15.59594G	45.14	54.00	-8.86	55.35	3	Horizontal	349	2.06	-	37.90	15.74	63.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	63.40	74.00	-10.60	54.76	3	Vertical	20	1.80	-	32.79	8.40	32.55			
AV	5.15G	51.18	54.00	-2.82	42.52	3	Vertical	20	1.80	-	32.80	8.40	32.54			
PK	5.2337G	129.14	Inf	-Inf	120.35	3	Vertical	20	1.80	-	32.90	8.41	32.52			
AV	5.2334G	117.64	Inf	-Inf	108.85	3	Vertical	20	1.80	-	32.90	8.41	32.52			
PK	5.3561G	62.61	74.00	-11.39	53.57	3	Vertical	20	1.80	-	33.12	8.41	32.49			
AV	5.3519G	50.97	54.00	-3.03	41.95	3	Vertical	20	1.80	-	33.11	8.41	32.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 25
01-X-L-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.117G	60.34	74.00	-13.66	51.77	3	Horizontal	298	1.80	-	32.73	8.39	32.55			
AV	5.1494G	47.71	54.00	-6.29	39.05	3	Horizontal	298	1.80	-	32.80	8.40	32.54			
PK	5.2421G	115.26	Inf	-Inf	106.47	3	Horizontal	298	1.80	-	32.90	8.41	32.52			
AV	5.2391G	104.30	Inf	-Inf	95.51	3	Horizontal	298	1.80	-	32.90	8.41	32.52			
PK	5.3603G	61.07	74.00	-12.93	52.01	3	Horizontal	298	1.80	-	33.14	8.41	32.49			
AV	5.387G	49.15	54.00	-4.85	39.98	3	Horizontal	298	1.80	-	33.25	8.41	32.49			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47812G	55.62	68.20	-12.58	71.01	3	Vertical	171	1.25	-	38.60	12.73	66.72			
PK	15.71839G	56.87	74.00	-17.13	67.09	3	Vertical	48	2.76	-	37.84	15.83	63.89			
AV	15.71528G	44.42	54.00	-9.58	54.66	3	Vertical	48	2.76	-	37.83	15.82	63.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48275G	54.02	68.20	-14.18	69.41	3	Horizontal	114	2.29	-	38.60	12.73	66.72			
PK	15.72112G	57.38	74.00	-16.62	67.60	3	Horizontal	239	1.07	-	37.84	15.83	63.89			
AV	15.71528G	44.47	54.00	-9.53	54.71	3	Horizontal	239	1.07	-	37.83	15.82	63.89			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 18
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.06	74.00	-10.94	54.40	3	Vertical	338	1.80	-	32.80	8.40	32.54
AV	5.15G	52.18	54.00	-1.82	43.52	3	Vertical	338	1.80	-	32.80	8.40	32.54
PK	5.1964G	120.08	Inf	-Inf	111.31	3	Vertical	338	1.80	-	32.89	8.41	32.53
AV	5.1972G	108.83	Inf	-Inf	100.06	3	Vertical	338	1.80	-	32.89	8.41	32.53
PK	5.4156G	60.48	74.00	-13.52	51.17	3	Vertical	338	1.80	-	33.36	8.43	32.48
AV	5.4388G	48.37	54.00	-5.63	38.92	3	Vertical	338	1.80	-	33.46	8.46	32.47
PK	5.4932G	61.70	68.20	-6.50	51.87	3	Vertical	338	1.80	-	33.76	8.53	32.46

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 18
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.0452G	56.43	74.00	-17.57	47.82	3	Horizontal	300	1.80	-	32.81	8.37	32.57				
PK	5.1924G	103.19	Inf	-Inf	94.43	3	Horizontal	300	1.80	-	32.88	8.41	32.53				
AV	5.1492G	44.92	54.00	-9.08	36.26	3	Horizontal	300	1.80	-	32.80	8.40	32.54				
AV	5.1908G	92.36	Inf	-Inf	83.60	3	Horizontal	300	1.80	-	32.88	8.41	32.53				
PK	5.3988G	58.67	74.00	-15.33	49.44	3	Horizontal	300	1.80	-	33.30	8.41	32.48				
AV	5.4468G	46.45	54.00	-7.55	36.96	3	Horizontal	300	1.80	-	33.49	8.47	32.47				
PK	5.5892G	58.93	68.20	-9.27	48.84	3	Horizontal	300	1.80	-	33.90	8.65	32.46				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 18
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37983G	54.87	68.20	-13.33	70.38	3	Vertical	9	1.50	-	38.50	12.67	66.68			
PK	15.56772G	58.26	74.00	-15.74	68.48	3	Vertical	216	1.68	-	37.90	15.72	63.84			
AV	15.5655G	45.56	54.00	-8.44	55.78	3	Vertical	216	1.68	-	37.90	15.71	63.83			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 18
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37911G	55.14	68.20	-13.06	70.65	3	Horizontal	320	2.99	-	38.50	12.67	66.68			
PK	15.56582G	58.07	74.00	-15.93	68.29	3	Horizontal	169	2.00	-	37.90	15.72	63.84			
AV	15.5653G	45.54	54.00	-8.46	55.76	3	Horizontal	169	2.00	-	37.90	15.71	63.83			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1404G	64.75	74.00	-9.25	56.12	3	Vertical	338	1.80	-	32.78	8.40	32.55				
AV	5.1396G	52.37	54.00	-1.63	43.75	3	Vertical	338	1.80	-	32.78	8.39	32.55				
PK	5.218G	124.75	Inf	-Inf	115.97	3	Vertical	338	1.80	-	32.90	8.41	32.53				
AV	5.238G	114.36	Inf	-Inf	105.57	3	Vertical	338	1.80	-	32.90	8.41	32.52				
PK	5.4596G	62.24	74.00	-11.76	52.67	3	Vertical	338	1.80	-	33.56	8.48	32.47				
AV	5.35G	50.56	54.00	-3.44	41.55	3	Vertical	338	1.80	-	33.10	8.41	32.50				
PK	5.5324G	64.12	68.20	-4.08	54.14	3	Vertical	338	1.80	-	33.86	8.58	32.46				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
01-X-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1476G	57.14	74.00	-16.86	48.48	3	Horizontal	292	1.80	-	32.80	8.40	32.54					
AV	5.15G	45.31	54.00	-8.69	36.65	3	Horizontal	292	1.80	-	32.80	8.40	32.54					
PK	5.2332G	109.80	Inf	-Inf	101.01	3	Horizontal	292	1.80	-	32.90	8.41	32.52					
AV	5.2332G	98.50	Inf	-Inf	89.71	3	Horizontal	292	1.80	-	32.90	8.41	32.52					
PK	5.3868G	58.10	74.00	-15.90	48.93	3	Horizontal	292	1.80	-	33.25	8.41	32.49					
PK	5.5172G	59.80	68.20	-8.40	49.87	3	Horizontal	292	1.80	-	33.83	8.56	32.46					
AV	5.4588G	46.59	54.00	-7.41	37.03	3	Horizontal	292	1.80	-	33.55	8.48	32.47					

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4576G	55.62	68.20	-12.58	71.02	3	Vertical	242	2.24	-	38.60	12.71	66.71			
PK	15.68548G	57.05	74.00	-16.95	67.36	3	Vertical	71	2.40	-	37.77	15.80	63.88			
AV	15.68818G	44.41	54.00	-9.59	54.71	3	Vertical	71	2.40	-	37.78	15.80	63.88			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 23
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45592G	54.89	68.20	-13.31	70.29	3	Horizontal	171	2.04	-	38.60	12.71	66.71			
PK	15.69158G	56.94	74.00	-17.06	67.23	3	Horizontal	257	1.69	-	37.78	15.81	63.88			
AV	15.68861G	44.40	54.00	-9.60	54.70	3	Horizontal	257	1.69	-	37.78	15.80	63.88			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 17
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	64.32	74.00	-9.68	55.36	3	Vertical	338	1.80	-	33.10	8.40	32.54			
AV	5.15G	52.80	54.00	-1.20	43.84	3	Vertical	338	1.80	-	33.10	8.40	32.54			
PK	5.2156G	115.67	Inf	-Inf	106.82	3	Vertical	338	1.80	-	32.97	8.41	32.53			
AV	5.2172G	104.81	Inf	-Inf	95.96	3	Vertical	338	1.80	-	32.97	8.41	32.53			
PK	5.3572G	61.28	74.00	-12.72	52.57	3	Vertical	338	1.80	-	32.79	8.41	32.49			
AV	5.362G	48.15	54.00	-5.85	39.45	3	Vertical	338	1.80	-	32.78	8.41	32.49			
PK	5.5292G	61.13	68.20	-7.07	52.28	3	Vertical	338	1.80	-	32.74	8.57	32.46			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 17
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	58.30	74.00	-15.70	49.34	3	Horizontal	297	1.80	-	33.10	8.40	32.54				
AV	5.1484G	45.27	54.00	-8.73	36.32	3	Horizontal	297	1.80	-	33.09	8.40	32.54				
PK	5.1868G	103.37	Inf	-Inf	94.47	3	Horizontal	297	1.80	-	33.03	8.41	32.54				
AV	5.2284G	92.77	Inf	-Inf	83.95	3	Horizontal	297	1.80	-	32.94	8.41	32.53				
PK	5.4556G	57.18	74.00	-16.82	48.46	3	Horizontal	297	1.80	-	32.71	8.48	32.47				
AV	5.4228G	45.59	54.00	-8.41	36.93	3	Horizontal	297	1.80	-	32.70	8.44	32.48				
PK	5.5028G	57.82	68.20	-10.38	48.95	3	Horizontal	297	1.80	-	32.79	8.54	32.46				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 17
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.42208G	55.55	68.20	-12.65	71.02	3	Vertical	42	1.45	-	38.54	12.69	66.70				
PK	15.62865G	57.68	74.00	-16.32	67.99	3	Vertical	191	1.03	-	37.79	15.76	63.86				
AV	15.62525G	44.90	54.00	-9.10	55.20	3	Vertical	191	1.03	-	37.80	15.76	63.86				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 17
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41774G	55.66	68.20	-12.54	71.13	3	Horizontal	76	2.92	-	38.54	12.69	66.70			
PK	15.63236G	57.62	74.00	-16.38	67.95	3	Horizontal	271	2.68	-	37.77	15.76	63.86			
AV	15.62527G	44.94	54.00	-9.06	55.24	3	Horizontal	271	2.68	-	37.80	15.76	63.86			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1487G	59.53	74.00	-14.47	52.63	3	Vertical	338	1.80	-	32.80	6.64	32.54
AV	5.15G	47.81	54.00	-6.19	40.91	3	Vertical	338	1.80	-	32.80	6.64	32.54
PK	5.2621G	125.49	Inf	-Inf	118.43	3	Vertical	338	1.80	-	32.92	6.66	32.52
AV	5.267G	117.32	Inf	-Inf	110.25	3	Vertical	338	1.80	-	32.93	6.66	32.52
PK	5.3517G	60.53	74.00	-13.47	53.21	3	Vertical	338	1.80	-	33.11	6.71	32.50
AV	5.35G	49.04	54.00	-4.96	41.73	3	Vertical	338	1.80	-	33.10	6.71	32.50
PK	5.5652G	62.29	68.20	-5.91	53.81	3	Vertical	338	1.80	-	33.90	7.04	32.46

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1466G	56.58	74.00	-17.42	47.93	3	Horizontal	298	1.80	-	32.79	8.40	32.54				
AV	5.022G	44.63	54.00	-9.37	35.97	3	Horizontal	298	1.80	-	32.86	8.37	32.57				
PK	5.2656G	113.43	Inf	-Inf	104.61	3	Horizontal	298	1.80	-	32.93	8.41	32.52				
AV	5.2656G	105.09	Inf	-Inf	96.27	3	Horizontal	298	1.80	-	32.93	8.41	32.52				
PK	5.4196G	58.77	74.00	-15.23	49.44	3	Horizontal	298	1.80	-	33.38	8.43	32.48				
AV	5.4595G	46.60	54.00	-7.40	37.03	3	Horizontal	298	1.80	-	33.56	8.48	32.47				
PK	5.5757G	58.96	68.20	-9.24	48.89	3	Horizontal	298	1.80	-	33.90	8.63	32.46				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53065G	55.44	68.20	-12.76	70.78	3	Vertical	0	2.94	-	38.60	12.76	66.70			
PK	15.76578G	57.79	74.00	-16.21	68.07	3	Vertical	250	2.73	-	37.77	15.86	63.91			
AV	15.78096G	44.68	54.00	-9.32	55.08	3	Vertical	250	2.73	-	37.65	15.87	63.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50926G	55.42	68.20	-12.78	70.79	3	Horizontal	61	2.92	-	38.60	12.75	66.72			
PK	15.79344G	56.75	74.00	-17.25	67.24	3	Horizontal	292	1.59	-	37.55	15.88	63.92			
AV	15.78141G	44.72	54.00	-9.28	55.12	3	Horizontal	292	1.59	-	37.65	15.87	63.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.146G	59.52	74.00	-14.48	50.87	3	Vertical	337	1.80	-	32.79	8.40	32.54				
AV	5.15G	48.24	54.00	-5.76	39.58	3	Vertical	337	1.80	-	32.80	8.40	32.54				
PK	5.2972G	126.48	Inf	-Inf	117.59	3	Vertical	337	1.80	-	32.99	8.41	32.51				
AV	5.3021G	117.74	Inf	-Inf	108.84	3	Vertical	337	1.80	-	33.00	8.41	32.51				
PK	5.3553G	62.82	74.00	-11.18	53.78	3	Vertical	337	1.80	-	33.12	8.41	32.49				
AV	5.3518G	51.94	54.00	-2.06	42.92	3	Vertical	337	1.80	-	33.11	8.41	32.50				
PK	5.6059G	63.98	68.20	-4.22	53.87	3	Vertical	337	1.80	-	33.91	8.66	32.46				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT_Y_2TX
Setting 23
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1264G	56.40	74.00	-17.60	47.81	3	Horizontal	292	1.80	-	32.75	8.39	32.55				
AV	5.0312G	44.64	54.00	-9.36	36.00	3	Horizontal	292	1.80	-	32.84	8.37	32.57				
PK	5.2958G	111.48	Inf	-Inf	102.59	3	Horizontal	292	1.80	-	32.99	8.41	32.51				
AV	5.2958G	103.12	Inf	-Inf	94.23	3	Horizontal	292	1.80	-	32.99	8.41	32.51				
PK	5.4344G	58.72	74.00	-15.28	49.31	3	Horizontal	292	1.80	-	33.44	8.45	32.48				
AV	5.4589G	46.50	54.00	-7.50	36.94	3	Horizontal	292	1.80	-	33.55	8.48	32.47				
PK	5.5093G	59.79	68.20	-8.41	49.88	3	Horizontal	292	1.80	-	33.82	8.55	32.46				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60025G	54.80	74.00	-19.20	69.62	3	Vertical	52	2.07	-	39.00	12.80	66.62			
PK	15.89717G	58.57	74.00	-15.43	68.89	3	Vertical	257	2.98	-	37.68	15.96	63.96			
AV	15.89525G	46.21	54.00	-7.79	56.55	3	Vertical	257	2.98	-	37.67	15.95	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 23
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60163G	54.53	74.00	-19.47	69.35	3	Horizontal	65	1.13	-	39.00	12.80	66.62			
PK	15.90139G	58.52	74.00	-15.48	68.82	3	Horizontal	219	2.66	-	37.70	15.96	63.96			
AV	15.89568G	46.18	54.00	-7.82	56.52	3	Horizontal	219	2.66	-	37.67	15.95	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0708G	58.75	74.00	-15.25	50.17	3	Vertical	338	1.80	-	32.76	8.38	32.56			
AV	5.0183G	47.19	54.00	-6.81	38.55	3	Vertical	338	1.80	-	32.86	8.36	32.58			
PK	5.327G	122.39	Inf	-Inf	113.43	3	Vertical	338	1.80	-	33.05	8.41	32.50			
AV	5.327G	114.25	Inf	-Inf	105.29	3	Vertical	338	1.80	-	33.05	8.41	32.50			
PK	5.3529G	64.67	74.00	-9.33	55.65	3	Vertical	338	1.80	-	33.11	8.41	32.50			
AV	5.3522G	51.83	54.00	-2.17	42.81	3	Vertical	338	1.80	-	33.11	8.41	32.50			
PK	5.6217G	61.31	68.20	-6.89	51.19	3	Vertical	338	1.80	-	33.94	8.64	32.46			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.0638G	57.08	74.00	-16.92	48.49	3	Horizontal	295	1.80	-	32.77	8.38	32.56				
AV	5.0071G	44.63	54.00	-9.37	35.96	3	Horizontal	295	1.80	-	32.89	8.36	32.58				
PK	5.3158G	107.24	Inf	-Inf	98.30	3	Horizontal	295	1.80	-	33.03	8.41	32.50				
AV	5.3207G	98.85	Inf	-Inf	89.90	3	Horizontal	295	1.80	-	33.04	8.41	32.50				
PK	5.4579G	58.20	74.00	-15.80	48.64	3	Horizontal	295	1.80	-	33.55	8.48	32.47				
AV	5.46G	46.49	54.00	-7.51	36.92	3	Horizontal	295	1.80	-	33.56	8.48	32.47				
PK	5.5251G	59.71	68.20	-8.49	49.75	3	Horizontal	295	1.80	-	33.85	8.57	32.46				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63801G	54.41	74.00	-19.59	69.08	3	Vertical	297	1.46	-	39.08	12.83	66.58			
AV	10.63762G	41.35	54.00	-12.65	56.02	3	Vertical	297	1.46	-	39.08	12.83	66.58			
PK	15.95613G	57.92	74.00	-16.08	68.31	3	Vertical	142	2.66	-	37.59	16.00	63.98			
AV	15.95512G	45.33	54.00	-8.67	55.72	3	Vertical	142	2.66	-	37.59	16.00	63.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63831G	54.64	74.00	-19.36	69.31	3	Horizontal	224	2.54	-	39.08	12.83	66.58			
AV	10.63525G	41.33	54.00	-12.67	56.02	3	Horizontal	224	2.54	-	39.07	12.82	66.58			
PK	15.95835G	57.62	74.00	-16.38	68.02	3	Horizontal	358	2.10	-	37.58	16.00	63.98			
AV	15.95509G	45.26	54.00	-8.74	55.65	3	Horizontal	358	2.10	-	37.59	16.00	63.98			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1494G	60.79	74.00	-13.21	52.13	3	Vertical	337	1.80	-	32.80	8.40	32.54				
AV	5.15G	49.93	54.00	-4.07	41.27	3	Vertical	337	1.80	-	32.80	8.40	32.54				
PK	5.2684G	130.40	Inf	-Inf	121.57	3	Vertical	337	1.80	-	32.94	8.41	32.52				
AV	5.2684G	118.91	Inf	-Inf	110.08	3	Vertical	337	1.80	-	32.94	8.41	32.52				
PK	5.3671G	62.98	74.00	-11.02	53.89	3	Vertical	337	1.80	-	33.17	8.41	32.49				
AV	5.35G	51.19	54.00	-2.81	42.18	3	Vertical	337	1.80	-	33.10	8.41	32.50				
PK	5.5596G	63.71	68.20	-4.49	53.66	3	Vertical	337	1.80	-	33.90	8.61	32.46				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.015G	57.38	74.00	-16.62	48.73	3	Horizontal	290	1.80	-	32.87	8.36	32.58
AV	5.0255G	44.73	54.00	-9.27	36.08	3	Horizontal	290	1.80	-	32.85	8.37	32.57
PK	5.2642G	114.66	Inf	-Inf	105.84	3	Horizontal	290	1.80	-	32.93	8.41	32.52
AV	5.2635G	104.19	Inf	-Inf	95.37	3	Horizontal	290	1.80	-	32.93	8.41	32.52
PK	5.4364G	59.05	74.00	-14.95	49.62	3	Horizontal	290	1.80	-	33.45	8.46	32.48
AV	5.4595G	46.58	54.00	-7.42	37.01	3	Horizontal	290	1.80	-	33.56	8.48	32.47
PK	5.5757G	59.49	68.20	-8.71	49.42	3	Horizontal	290	1.80	-	33.90	8.63	32.46

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.51634G	54.68	68.20	-13.52	70.04	3	Vertical	132	1.55	-	38.60	12.75	66.71			
PK	15.78056G	57.71	74.00	-16.29	68.10	3	Vertical	198	1.92	-	37.66	15.87	63.92			
AV	15.7778G	44.72	54.00	-9.28	55.09	3	Vertical	198	1.92	-	37.68	15.87	63.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5260MHz_TX

EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51833G	54.33	68.20	-13.87	69.69	3	Horizontal	161	2.37	-	38.60	12.75	66.71			
PK	15.77747G	57.36	74.00	-16.64	67.73	3	Horizontal	110	2.02	-	37.68	15.87	63.92			
AV	15.77761G	44.79	54.00	-9.21	55.16	3	Horizontal	110	2.02	-	37.68	15.87	63.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 22
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.125G	59.86	74.00	-14.14	51.27	3	Vertical	338	1.80	-	32.75	8.39	32.55
AV	5.15G	48.08	54.00	-5.92	39.42	3	Vertical	338	1.80	-	32.80	8.40	32.54
PK	5.3077G	126.77	Inf	-Inf	117.85	3	Vertical	338	1.80	-	33.02	8.41	32.51
AV	5.3084G	116.18	Inf	-Inf	107.26	3	Vertical	338	1.80	-	33.02	8.41	32.51
PK	5.3518G	63.65	74.00	-10.35	54.63	3	Vertical	338	1.80	-	33.11	8.41	32.50
AV	5.3504G	52.30	54.00	-1.70	43.29	3	Vertical	338	1.80	-	33.10	8.41	32.50
PK	5.5989G	63.43	68.20	-4.77	53.33	3	Vertical	338	1.80	-	33.90	8.66	32.46

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5300MHz_TX

EUT_Y_2TX
Setting 22
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1369G	57.18	74.00	-16.82	48.57	3	Horizontal	292	1.80	-	32.77	8.39	32.55				
AV	5.0284G	44.68	54.00	-9.32	36.04	3	Horizontal	292	1.80	-	32.84	8.37	32.57				
PK	5.3042G	113.13	Inf	-Inf	104.22	3	Horizontal	292	1.80	-	33.01	8.41	32.51				
AV	5.3028G	101.52	Inf	-Inf	92.61	3	Horizontal	292	1.80	-	33.01	8.41	32.51				
PK	5.4491G	58.64	74.00	-15.36	49.14	3	Horizontal	292	1.80	-	33.50	8.47	32.47				
AV	5.4596G	46.56	54.00	-7.44	36.99	3	Horizontal	292	1.80	-	33.56	8.48	32.47				
PK	5.5016G	59.14	68.20	-9.06	49.26	3	Horizontal	292	1.80	-	33.80	8.54	32.46				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 22
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60446G	54.29	74.00	-19.71	69.10	3	Vertical	116	2.13	-	39.01	12.80	66.62			
AV	10.60148G	41.82	54.00	-12.18	56.64	3	Vertical	116	2.13	-	39.00	12.80	66.62			
PK	15.89749G	58.03	74.00	-15.97	68.35	3	Vertical	134	1.08	-	37.68	15.96	63.96			
AV	15.89656G	45.19	54.00	-8.81	55.51	3	Vertical	134	1.08	-	37.68	15.96	63.96			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 22
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.60266G	55.07	74.00	-18.93	69.88	3	Horizontal	278	1.57	-	39.01	12.80	66.62				
AV	10.60452G	41.82	54.00	-12.18	56.63	3	Horizontal	278	1.57	-	39.01	12.80	66.62				
PK	15.90144G	57.77	74.00	-16.23	68.07	3	Horizontal	307	1.29	-	37.70	15.96	63.96				
AV	15.89645G	45.21	54.00	-8.79	55.54	3	Horizontal	307	1.29	-	37.68	15.95	63.96				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX

EUT_Y_2TX
Setting 18
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1331G	59.12	74.00	-14.88	50.51	3	Vertical	339	1.80	-	32.77	8.39	32.55				
AV	5.1492G	46.54	54.00	-7.46	37.88	3	Vertical	339	1.80	-	32.80	8.40	32.54				
PK	5.327G	122.93	Inf	-Inf	113.97	3	Vertical	339	1.80	-	33.05	8.41	32.50				
AV	5.3284G	111.85	Inf	-Inf	102.88	3	Vertical	339	1.80	-	33.06	8.41	32.50				
PK	5.3522G	63.61	74.00	-10.39	54.59	3	Vertical	339	1.80	-	33.11	8.41	32.50				
AV	5.35G	52.18	54.00	-1.82	43.17	3	Vertical	339	1.80	-	33.10	8.41	32.50				
PK	5.621G	60.89	68.20	-7.31	50.76	3	Vertical	339	1.80	-	33.94	8.65	32.46				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5320MHz_TX

EUT_Y_2TX
Setting 18
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.0463G	56.83	74.00	-17.17	48.22	3	Horizontal	296	1.80	-	32.81	8.37	32.57				
AV	5.033G	44.67	54.00	-9.33	36.04	3	Horizontal	296	1.80	-	32.83	8.37	32.57				
PK	5.3228G	107.22	Inf	-Inf	98.26	3	Horizontal	296	1.80	-	33.05	8.41	32.50				
AV	5.3228G	96.75	Inf	-Inf	87.79	3	Horizontal	296	1.80	-	33.05	8.41	32.50				
PK	5.4089G	58.84	74.00	-15.16	49.56	3	Horizontal	296	1.80	-	33.34	8.42	32.48				
AV	5.4572G	46.53	54.00	-7.47	36.98	3	Horizontal	296	1.80	-	33.54	8.48	32.47				
PK	5.6609G	59.20	68.20	-9.00	49.01	3	Horizontal	296	1.80	-	34.02	8.62	32.45				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT Y_2TX
Setting 18
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63773G	54.29	74.00	-19.71	68.96	3	Vertical	317	1.35	-	39.08	12.83	66.58			
AV	10.63505G	41.74	54.00	-12.26	56.43	3	Vertical	317	1.35	-	39.07	12.82	66.58			
PK	15.965G	59.16	74.00	-14.84	69.58	3	Vertical	213	1.47	-	37.57	16.00	63.99			
AV	15.95515G	46.06	54.00	-7.94	56.45	3	Vertical	213	1.47	-	37.59	16.00	63.98			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 18
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63515G	54.73	74.00	-19.27	69.42	3	Horizontal	198	1.90	-	39.07	12.82	66.58			
AV	10.63622G	41.74	54.00	-12.26	56.43	3	Horizontal	198	1.90	-	39.07	12.82	66.58			
PK	15.95536G	58.89	74.00	-15.11	69.28	3	Horizontal	60	2.66	-	37.59	16.00	63.98			
AV	15.95579G	46.07	54.00	-7.93	56.46	3	Horizontal	60	2.66	-	37.59	16.00	63.98			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	62.23	74.00	-11.77	53.60	3	Vertical	338	1.80	-	32.78	8.40	32.55
AV	5.15G	50.17	54.00	-3.83	41.51	3	Vertical	338	1.80	-	32.80	8.40	32.54
PK	5.2796G	125.47	Inf	-Inf	116.61	3	Vertical	338	1.80	-	32.96	8.41	32.51
AV	5.2588G	113.62	Inf	-Inf	104.81	3	Vertical	338	1.80	-	32.92	8.41	32.52
PK	5.35G	63.81	74.00	-10.19	54.80	3	Vertical	338	1.80	-	33.10	8.41	32.50
AV	5.35G	52.09	54.00	-1.91	43.08	3	Vertical	338	1.80	-	33.10	8.41	32.50
PK	5.5724G	63.93	68.20	-4.27	53.86	3	Vertical	338	1.80	-	33.90	8.63	32.46

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT_Y_2TX
Setting 22
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.122G	56.75	74.00	-17.25	48.17	3	Horizontal	296	1.80	-	32.74	8.39	32.55				
AV	5.0356G	44.72	54.00	-9.28	36.09	3	Horizontal	296	1.80	-	32.83	8.37	32.57				
PK	5.2524G	109.35	Inf	-Inf	100.56	3	Horizontal	296	1.80	-	32.90	8.41	32.52				
AV	5.2516G	98.70	Inf	-Inf	89.91	3	Horizontal	296	1.80	-	32.90	8.41	32.52				
PK	5.358G	58.33	74.00	-15.67	49.28	3	Horizontal	296	1.80	-	33.13	8.41	32.49				
AV	5.4508G	46.62	54.00	-7.38	37.12	3	Horizontal	296	1.80	-	33.50	8.47	32.47				
PK	5.5516G	59.01	68.20	-9.19	48.97	3	Horizontal	296	1.80	-	33.90	8.60	32.46				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54059G	53.91	68.20	-14.29	69.23	3	Vertical	183	2.02	-	38.60	12.77	66.69			
PK	15.81461G	57.22	74.00	-16.78	67.78	3	Vertical	14	2.84	-	37.47	15.90	63.93			
AV	15.80892G	44.89	54.00	-9.11	55.45	3	Vertical	14	2.84	-	37.48	15.89	63.93			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 22
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53558G	54.03	68.20	-14.17	69.36	3	Horizontal	306	2.30	-	38.60	12.76	66.69			
PK	15.80897G	57.73	74.00	-16.27	68.29	3	Horizontal	330	2.76	-	37.48	15.89	63.93			
AV	15.80846G	44.94	54.00	-9.06	55.50	3	Horizontal	330	2.76	-	37.48	15.89	63.93			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 17
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.062G	59.41	74.00	-14.59	50.82	3	Vertical	336	1.80	-	32.78	8.38	32.57
AV	5.1484G	47.23	54.00	-6.77	38.57	3	Vertical	336	1.80	-	32.80	8.40	32.54
PK	5.318G	118.78	Inf	-Inf	109.83	3	Vertical	336	1.80	-	33.04	8.41	32.50
AV	5.3004G	108.59	Inf	-Inf	99.69	3	Vertical	336	1.80	-	33.00	8.41	32.51
PK	5.3596G	64.96	74.00	-9.04	55.90	3	Vertical	336	1.80	-	33.14	8.41	32.49
AV	5.3596G	52.45	54.00	-1.55	43.39	3	Vertical	336	1.80	-	33.14	8.41	32.49
PK	5.6148G	61.25	68.20	-6.95	51.13	3	Vertical	336	1.80	-	33.93	8.65	32.46

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 17
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0628G	57.34	74.00	-16.66	48.75	3	Horizontal	294	1.80	-	32.77	8.38	32.56
AV	5.0356G	44.72	54.00	-9.28	36.09	3	Horizontal	294	1.80	-	32.83	8.37	32.57
PK	5.2916G	103.88	Inf	-Inf	95.00	3	Horizontal	294	1.80	-	32.98	8.41	32.51
AV	5.2924G	94.24	Inf	-Inf	85.36	3	Horizontal	294	1.80	-	32.98	8.41	32.51
PK	5.3636G	57.72	74.00	-16.28	48.65	3	Horizontal	294	1.80	-	33.15	8.41	32.49
PK	5.4996G	58.86	68.20	-9.34	48.99	3	Horizontal	294	1.80	-	33.80	8.53	32.46
AV	5.4508G	46.44	54.00	-7.56	36.94	3	Horizontal	294	1.80	-	33.50	8.47	32.47

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 17
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.61535G	54.35	74.00	-19.65	69.12	3	Vertical	80	1.87	-	39.03	12.81	66.61				
AV	10.61513G	41.67	54.00	-12.33	56.44	3	Vertical	80	1.87	-	39.03	12.81	66.61				
PK	15.93289G	58.15	74.00	-15.85	68.51	3	Vertical	328	2.02	-	37.63	15.98	63.97				
AV	15.93452G	45.24	54.00	-8.76	55.61	3	Vertical	328	2.02	-	37.63	15.98	63.98				

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 17
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61949G	53.85	74.00	-20.15	68.60	3	Horizontal	127	2.81	-	39.04	12.81	66.60			
AV	10.61508G	41.65	54.00	-12.35	56.42	3	Horizontal	127	2.81	-	39.03	12.81	66.61			
PK	15.9303G	57.81	74.00	-16.19	68.16	3	Horizontal	84	1.78	-	37.64	15.98	63.97			
AV	15.93495G	45.23	54.00	-8.77	55.60	3	Horizontal	84	1.78	-	37.63	15.98	63.98			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Y_2TX
Setting 14
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	59.01	74.00	-14.99	50.41	3	Vertical	336	1.80	-	32.76	8.39	32.55
AV	5.138G	46.39	54.00	-7.61	37.77	3	Vertical	336	1.80	-	32.78	8.39	32.55
PK	5.258G	114.31	Inf	-Inf	105.50	3	Vertical	336	1.80	-	32.92	8.41	32.52
AV	5.2588G	102.75	Inf	-Inf	93.94	3	Vertical	336	1.80	-	32.92	8.41	32.52
PK	5.3628G	63.95	74.00	-10.05	54.88	3	Vertical	336	1.80	-	33.15	8.41	32.49
AV	5.3596G	52.86	54.00	-1.14	43.80	3	Vertical	336	1.80	-	33.14	8.41	32.49
PK	5.5764G	62.18	68.20	-6.02	52.11	3	Vertical	336	1.80	-	33.90	8.63	32.46

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 14
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.01G	56.79	74.00	-17.21	48.13	3	Horizontal	292	1.80	-	32.88	8.36	32.58			
AV	5.0068G	44.48	54.00	-9.52	35.81	3	Horizontal	292	1.80	-	32.89	8.36	32.58			
PK	5.2724G	102.12	Inf	-Inf	93.28	3	Horizontal	292	1.80	-	32.94	8.41	32.51			
AV	5.2916G	90.71	Inf	-Inf	81.83	3	Horizontal	292	1.80	-	32.98	8.41	32.51			
PK	5.4116G	58.11	74.00	-15.89	48.82	3	Horizontal	292	1.80	-	33.35	8.42	32.48			
PK	5.4964G	59.69	68.20	-8.51	49.84	3	Horizontal	292	1.80	-	33.78	8.53	32.46			
AV	5.4572G	46.34	54.00	-7.66	36.79	3	Horizontal	292	1.80	-	33.54	8.48	32.47			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 14
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57548G	54.35	68.20	-13.85	69.41	3	Vertical	171	2.42	-	38.80	12.79	66.65			
PK	15.87438G	57.50	74.00	-16.50	67.96	3	Vertical	88	2.46	-	37.55	15.94	63.95			
AV	15.86527G	44.96	54.00	-9.04	55.49	3	Vertical	88	2.46	-	37.49	15.93	63.95			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 14
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57652G	54.61	68.20	-13.59	69.66	3	Horizontal	243	2.33	-	38.81	12.79	66.65			
PK	15.87445G	57.16	74.00	-16.84	67.62	3	Horizontal	346	2.64	-	37.55	15.94	63.95			
AV	15.86517G	45.02	54.00	-8.98	55.55	3	Horizontal	346	2.64	-	37.49	15.93	63.95			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 15
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	61.36	74.00	-12.64	52.75	3	Vertical	338	1.80	-	32.77	8.39	32.55			
AV	5.136G	50.13	54.00	-3.87	41.52	3	Vertical	338	1.80	-	32.77	8.39	32.55			
PK	5.217G	111.87	Inf	-Inf	103.09	3	Vertical	338	1.80	-	32.90	8.41	32.53			
AV	5.257G	100.55	Inf	-Inf	91.75	3	Vertical	338	1.80	-	32.91	8.41	32.52			
PK	5.358G	63.23	74.00	-10.77	54.18	3	Vertical	338	1.80	-	33.13	8.41	32.49			
AV	5.36G	52.13	54.00	-1.87	43.07	3	Vertical	338	1.80	-	33.14	8.41	32.49			
PK	5.582G	61.06	68.20	-7.14	50.98	3	Vertical	338	1.80	-	33.90	8.64	32.46			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 15
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	57.13	74.00	-16.87	48.49	3	Horizontal	292	1.80	-	32.79	8.40	32.55
AV	5.15G	44.87	54.00	-9.13	36.21	3	Horizontal	292	1.80	-	32.80	8.40	32.54
PK	5.254G	99.09	Inf	-Inf	90.29	3	Horizontal	292	1.80	-	32.91	8.41	32.52
AV	5.292G	86.98	Inf	-Inf	78.10	3	Horizontal	292	1.80	-	32.98	8.41	32.51
PK	5.427G	59.12	74.00	-14.88	49.75	3	Horizontal	292	1.80	-	33.41	8.44	32.48
AV	5.434G	46.47	54.00	-7.53	37.06	3	Horizontal	292	1.80	-	33.44	8.45	32.48
PK	5.54G	58.98	68.20	-9.22	48.97	3	Horizontal	292	1.80	-	33.88	8.59	32.46

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 15
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.49536G	54.96	68.20	-13.24	70.35	3	Vertical	221	2.34	-	38.60	12.74	66.73			
PK	15.7459G	57.74	74.00	-16.26	67.90	3	Vertical	264	2.87	-	37.89	15.85	63.90			
AV	15.75111G	44.80	54.00	-9.20	54.97	3	Vertical	264	2.87	-	37.89	15.85	63.91			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 15
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49678G	54.47	68.20	-13.73	69.86	3	Horizontal	162	1.24	-	38.60	12.74	66.73			
PK	15.75421G	57.49	74.00	-16.51	67.68	3	Horizontal	3	2.73	-	37.87	15.85	63.91			
AV	15.74528G	44.71	54.00	-9.29	54.87	3	Horizontal	3	2.73	-	37.89	15.85	63.90			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.185G	62.50	68.20	-5.70	53.76	3	Vertical	335	1.80	-	32.87	8.41	32.54			
PK	5.4405G	63.23	74.00	-10.77	53.78	3	Vertical	335	1.80	-	33.46	8.46	32.47			
PK	5.4685G	66.32	68.20	-1.88	56.68	3	Vertical	335	1.80	-	33.61	8.50	32.47			
AV	5.458G	51.17	54.00	-2.83	41.61	3	Vertical	335	1.80	-	33.55	8.48	32.47			
PK	5.493G	123.65	Inf	-Inf	113.82	3	Vertical	335	1.80	-	33.76	8.53	32.46			
AV	5.493G	115.39	Inf	-Inf	105.56	3	Vertical	335	1.80	-	33.76	8.53	32.46			
PK	5.801G	61.28	68.20	-6.92	51.00	3	Vertical	335	1.80	-	34.21	8.52	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3271G	57.59	68.20	-10.61	48.63	3	Horizontal	299	1.80	-	33.05	8.41	32.50				
PK	5.4125G	59.00	74.00	-15.00	49.70	3	Horizontal	299	1.80	-	33.35	8.43	32.48				
PK	5.4699G	57.84	68.20	-10.36	48.19	3	Horizontal	299	1.80	-	33.62	8.50	32.47				
AV	5.4545G	46.62	54.00	-7.38	37.08	3	Horizontal	299	1.80	-	33.53	8.48	32.47				
PK	5.4965G	109.29	Inf	-Inf	99.44	3	Horizontal	299	1.80	-	33.78	8.53	32.46				
AV	5.4965G	100.63	Inf	-Inf	90.78	3	Horizontal	299	1.80	-	33.78	8.53	32.46				
PK	5.731G	59.37	68.20	-8.83	49.15	3	Horizontal	299	1.80	-	34.10	8.57	32.45				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00336G	56.08	74.00	-17.92	70.43	3	Vertical	268	1.98	-	38.79	13.05	66.19			
AV	11.00111G	43.68	54.00	-10.32	58.02	3	Vertical	268	1.98	-	38.80	13.05	66.19			
PK	16.49623G	58.19	68.20	-10.01	66.85	3	Vertical	240	1.68	-	38.60	16.48	63.74			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.00442G	56.17	74.00	-17.83	70.52	3	Horizontal	27	1.87	-	38.79	13.05	66.19				
AV	11.00199G	43.65	54.00	-10.35	57.99	3	Horizontal	27	1.87	-	38.80	13.05	66.19				
PK	16.49722G	57.75	68.20	-10.45	66.41	3	Horizontal	335	2.74	-	38.60	16.48	63.74				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2755G	64.39	68.20	-3.81	55.54	3	Vertical	46	1.80	-	32.95	8.41	32.51			
PK	5.433G	61.53	74.00	-12.47	52.13	3	Vertical	46	1.80	-	33.43	8.45	32.48			
PK	5.4645G	61.16	68.20	-7.04	51.55	3	Vertical	46	1.80	-	33.59	8.49	32.47			
AV	5.46G	50.09	54.00	-3.91	40.52	3	Vertical	46	1.80	-	33.56	8.48	32.47			
PK	5.5737G	126.71	Inf	-Inf	116.64	3	Vertical	46	1.80	-	33.90	8.63	32.46			
AV	5.5737G	117.95	Inf	-Inf	107.88	3	Vertical	46	1.80	-	33.90	8.63	32.46			
PK	5.881G	62.63	68.20	-5.57	51.76	3	Vertical	46	1.80	-	34.69	8.62	32.44			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2853G	57.22	68.20	-10.98	48.35	3	Horizontal	49.9	1.80	-	32.97	8.41	32.51				
PK	5.4393G	58.08	74.00	-15.92	48.63	3	Horizontal	49.9	1.80	-	33.46	8.46	32.47				
PK	5.4687G	58.05	68.20	-10.15	48.41	3	Horizontal	49.9	1.80	-	33.61	8.50	32.47				
AV	5.4589G	46.18	54.00	-7.82	36.62	3	Horizontal	49.9	1.80	-	33.55	8.48	32.47				
PK	5.5863G	114.91	Inf	-Inf	104.83	3	Horizontal	49.9	1.80	-	33.90	8.64	32.46				
AV	5.5807G	106.56	Inf	-Inf	96.48	3	Horizontal	49.9	1.80	-	33.90	8.64	32.46				
PK	5.9286G	60.13	68.20	-8.07	48.92	3	Horizontal	49.9	1.80	-	34.97	8.68	32.44				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16422G	55.45	74.00	-18.55	69.56	3	Vertical	344	1.05	-	38.93	13.15	66.19			
AV	11.1648G	43.01	54.00	-10.99	57.12	3	Vertical	344	1.05	-	38.93	13.15	66.19			
PK	16.73508G	59.06	68.20	-9.14	67.94	3	Vertical	84	2.41	-	38.43	16.69	64.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16359G	55.47	74.00	-18.53	69.58	3	Horizontal	337	2.94	-	38.93	13.15	66.19			
AV	11.16485G	42.99	54.00	-11.01	57.10	3	Horizontal	337	2.94	-	38.93	13.15	66.19			
PK	16.74397G	58.39	68.20	-9.81	67.29	3	Horizontal	137	2.45	-	38.41	16.70	64.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 19
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3913G	62.35	74.00	-11.65	53.16	3	Vertical	333	1.80	-	33.27	8.41	32.49			
AV	5.3857G	52.29	54.00	-1.71	43.13	3	Vertical	333	1.80	-	33.24	8.41	32.49			
PK	5.462G	60.61	68.20	-7.59	51.02	3	Vertical	333	1.80	-	33.57	8.49	32.47			
PK	5.6937G	122.02	Inf	-Inf	111.79	3	Vertical	333	1.80	-	34.09	8.59	32.45			
AV	5.6944G	114.07	Inf	-Inf	103.84	3	Vertical	333	1.80	-	34.09	8.59	32.45			
PK	5.7259G	64.66	68.20	-3.54	54.44	3	Vertical	333	1.80	-	34.10	8.57	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 19
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4067G	58.59	74.00	-15.41	49.32	3	Horizontal	316	1.80	-	33.33	8.42	32.48			
AV	5.3962G	46.00	54.00	-8.00	36.79	3	Horizontal	316	1.80	-	33.28	8.41	32.48			
PK	5.4627G	57.73	68.20	-10.47	48.13	3	Horizontal	316	1.80	-	33.58	8.49	32.47			
PK	5.6951G	110.76	Inf	-Inf	100.53	3	Horizontal	316	1.80	-	34.09	8.59	32.45			
AV	5.6951G	102.82	Inf	-Inf	92.59	3	Horizontal	316	1.80	-	34.09	8.59	32.45			
PK	5.9821G	60.11	68.20	-8.09	48.57	3	Horizontal	316	1.80	-	35.23	8.75	32.44			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 19
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3997G	56.42	74.00	-17.58	70.12	3	Vertical	98	2.62	-	39.20	13.30	66.20			
AV	11.40005G	43.65	54.00	-10.35	57.35	3	Vertical	98	2.62	-	39.20	13.30	66.20			
PK	17.10139G	57.16	68.20	-11.04	65.92	3	Vertical	243	1.74	-	38.50	17.02	64.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 19
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.40132G	56.27	74.00	-17.73	69.98	3	Horizontal	108	1.69	-	39.19	13.30	66.20				
AV	11.40146G	43.64	54.00	-10.36	57.35	3	Horizontal	108	1.69	-	39.19	13.30	66.20				
PK	17.10399G	58.40	68.20	-9.80	67.15	3	Horizontal	351	1.40	-	38.51	17.02	64.28				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4099G	63.20	74.00	-10.80	53.92	3	Vertical	46	1.80	-	33.34	8.42	32.48			
AV	5.4057G	52.60	54.00	-1.40	43.34	3	Vertical	46	1.80	-	33.32	8.42	32.48			
PK	5.4666G	60.08	68.20	-8.12	50.46	3	Vertical	46	1.80	-	33.60	8.49	32.47			
PK	5.7137G	122.43	Inf	-Inf	112.20	3	Vertical	46	1.80	-	34.10	8.58	32.45			
AV	5.7137G	113.66	Inf	-Inf	103.43	3	Vertical	46	1.80	-	34.10	8.58	32.45			
PK	5.9566G	59.72	68.20	-8.48	48.31	3	Vertical	46	1.80	-	35.13	8.72	32.44			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4155G	58.06	74.00	-15.94	48.75	3	Horizontal	316	1.80	-	33.36	8.43	32.48			
AV	5.4176G	46.04	54.00	-7.96	36.72	3	Horizontal	316	1.80	-	33.37	8.43	32.48			
PK	5.4687G	57.55	68.20	-10.65	47.91	3	Horizontal	316	1.80	-	33.61	8.50	32.47			
PK	5.7165G	110.30	Inf	-Inf	100.07	3	Horizontal	316	1.80	-	34.10	8.58	32.45			
AV	5.7158G	102.09	Inf	-Inf	91.86	3	Horizontal	316	1.80	-	34.10	8.58	32.45			
PK	5.9202G	59.41	68.20	-8.79	48.26	3	Horizontal	316	1.80	-	34.92	8.67	32.44			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.44371G	55.67	74.00	-18.33	69.51	3	Vertical	196	2.75	-	39.03	13.33	66.20				
AV	11.44086G	43.27	54.00	-10.73	57.11	3	Vertical	196	2.75	-	39.04	13.32	66.20				
PK	17.16209G	57.38	68.20	-10.82	65.93	3	Vertical	152	1.16	-	38.65	17.08	64.28				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44062G	55.68	74.00	-18.32	69.52	3	Horizontal	186	2.36	-	39.04	13.32	66.20			
AV	11.44181G	43.28	54.00	-10.72	57.13	3	Horizontal	186	2.36	-	39.03	13.32	66.20			
PK	17.16113G	57.27	68.20	-10.93	65.83	3	Horizontal	357	1.82	-	38.64	17.08	64.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2011G	62.07	68.20	-6.13	53.29	3	Vertical	334	1.80	-	32.90	8.41	32.53			
AV	5.15G	46.64	54.00	-7.36	37.98	3	Vertical	334	1.80	-	32.80	8.40	32.54			
PK	5.458G	63.24	74.00	-10.76	53.68	3	Vertical	334	1.80	-	33.55	8.48	32.47			
AV	5.4566G	51.74	54.00	-2.26	42.19	3	Vertical	334	1.80	-	33.54	8.48	32.47			
PK	5.4699G	66.76	68.20	-1.44	57.11	3	Vertical	334	1.80	-	33.62	8.50	32.47			
PK	5.493G	125.91	Inf	-Inf	116.08	3	Vertical	334	1.80	-	33.76	8.53	32.46			
AV	5.4944G	115.08	Inf	-Inf	105.24	3	Vertical	334	1.80	-	33.77	8.53	32.46			
PK	5.8031G	61.44	68.20	-6.76	51.15	3	Vertical	334	1.80	-	34.22	8.52	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2158G	57.41	68.20	-10.79	48.63	3	Horizontal	63	1.80	-	32.90	8.41	32.53			
AV	5.15G	44.39	54.00	-9.61	35.73	3	Horizontal	63	1.80	-	32.80	8.40	32.54			
PK	5.4419G	58.72	74.00	-15.28	49.26	3	Horizontal	63	1.80	-	33.47	8.46	32.47			
PK	5.4671G	57.72	68.20	-10.48	48.10	3	Horizontal	63	1.80	-	33.60	8.49	32.47			
AV	5.46G	46.57	54.00	-7.43	37.00	3	Horizontal	63	1.80	-	33.56	8.48	32.47			
PK	5.4965G	108.75	Inf	-Inf	98.90	3	Horizontal	63	1.80	-	33.78	8.53	32.46			
AV	5.4993G	98.76	Inf	-Inf	88.89	3	Horizontal	63	1.80	-	33.80	8.53	32.46			
PK	5.8332G	58.63	68.20	-9.57	48.12	3	Horizontal	63	1.80	-	34.40	8.56	32.45			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00132G	56.52	74.00	-17.48	70.86	3	Vertical	188	1.15	-	38.80	13.05	66.19			
AV	11.00217G	43.84	54.00	-10.16	58.18	3	Vertical	188	1.15	-	38.80	13.05	66.19			
PK	16.49708G	58.54	68.20	-9.66	67.20	3	Vertical	358	1.87	-	38.60	16.48	63.74			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 21
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99679G	56.60	74.00	-17.40	70.94	3	Horizontal	195	1.21	-	38.80	13.05	66.19			
AV	11.00238G	43.81	54.00	-10.19	58.15	3	Horizontal	195	1.21	-	38.80	13.05	66.19			
PK	16.49704G	59.00	68.20	-9.20	67.66	3	Horizontal	162	1.40	-	38.60	16.48	63.74			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2783G	64.48	68.20	-3.72	55.62	3	Vertical	314	1.80	-	32.96	8.41	32.51
PK	5.4106G	61.51	74.00	-12.49	52.23	3	Vertical	314	1.80	-	33.34	8.42	32.48
PK	5.4666G	61.75	68.20	-6.45	52.13	3	Vertical	314	1.80	-	33.60	8.49	32.47
AV	5.4596G	50.22	54.00	-3.78	40.65	3	Vertical	314	1.80	-	33.56	8.48	32.47
PK	5.5723G	128.12	Inf	-Inf	118.05	3	Vertical	314	1.80	-	33.90	8.63	32.46
AV	5.5709G	117.93	Inf	-Inf	107.87	3	Vertical	314	1.80	-	33.90	8.62	32.46
PK	5.7802G	61.63	68.20	-6.57	51.39	3	Vertical	314	1.80	-	34.16	8.53	32.45

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2734G	57.45	68.20	-10.75	48.60	3	Horizontal	50	1.80	-	32.95	8.41	32.51				
PK	5.4575G	57.51	74.00	-16.49	47.95	3	Horizontal	50	1.80	-	33.55	8.48	32.47				
AV	5.4575G	46.22	54.00	-7.78	36.66	3	Horizontal	50	1.80	-	33.55	8.48	32.47				
PK	5.4659G	57.66	68.20	-10.54	48.04	3	Horizontal	50	1.80	-	33.60	8.49	32.47				
PK	5.5842G	117.42	Inf	-Inf	107.34	3	Horizontal	50	1.80	-	33.90	8.64	32.46				
AV	5.5835G	106.51	Inf	-Inf	96.43	3	Horizontal	50	1.80	-	33.90	8.64	32.46				
PK	5.8222G	59.29	68.20	-8.91	48.86	3	Horizontal	50	1.80	-	34.33	8.55	32.45				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.16186G	55.38	74.00	-18.62	69.50	3	Vertical	124	1.40	-	38.92	13.15	66.19				
AV	11.16481G	43.11	54.00	-10.89	57.22	3	Vertical	124	1.40	-	38.93	13.15	66.19				
PK	16.73655G	58.62	68.20	-9.58	67.50	3	Vertical	189	1.62	-	38.43	16.69	64.00				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.164777G	55.71	74.00	-18.29	69.82	3	Horizontal	276	1.28	-	38.93	13.15	66.19			
AV	11.16485G	43.15	54.00	-10.85	57.26	3	Horizontal	276	1.28	-	38.93	13.15	66.19			
PK	16.73541G	58.71	68.20	-9.49	67.59	3	Horizontal	185	1.70	-	38.43	16.69	64.00			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	58.31	74.00	-15.69	49.30	3	Vertical	334	1.80	-	33.10	8.41	32.50
AV	5.35G	46.95	54.00	-7.05	37.94	3	Vertical	334	1.80	-	33.10	8.41	32.50
PK	5.3864G	62.20	74.00	-11.80	53.03	3	Vertical	334	1.80	-	33.25	8.41	32.49
AV	5.3843G	51.93	54.00	-2.07	42.77	3	Vertical	334	1.80	-	33.24	8.41	32.49
PK	5.4683G	59.16	68.20	-9.04	49.52	3	Vertical	334	1.80	-	33.61	8.50	32.47
PK	5.6951G	124.57	Inf	-Inf	114.34	3	Vertical	334	1.80	-	34.09	8.59	32.45
AV	5.6958G	113.86	Inf	-Inf	103.63	3	Vertical	334	1.80	-	34.09	8.59	32.45
PK	5.7252G	66.34	68.20	-1.86	56.12	3	Vertical	334	1.80	-	34.10	8.57	32.45

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.35G	54.79	74.00	-19.21	45.78	3	Horizontal	303	1.50	-	33.10	8.41	32.50				
AV	5.35G	45.04	54.00	-8.96	36.03	3	Horizontal	303	1.50	-	33.10	8.41	32.50				
PK	5.4375G	57.78	74.00	-16.22	48.35	3	Horizontal	303	1.50	-	33.45	8.46	32.48				
AV	5.3976G	45.86	54.00	-8.14	36.64	3	Horizontal	303	1.50	-	33.29	8.41	32.48				
PK	5.4697G	56.94	68.20	-11.26	47.29	3	Horizontal	303	1.50	-	33.62	8.50	32.47				
PK	5.6916G	113.02	Inf	-Inf	102.79	3	Horizontal	303	1.50	-	34.08	8.60	32.45				
AV	5.7084G	102.89	Inf	-Inf	92.66	3	Horizontal	303	1.50	-	34.10	8.58	32.45				
PK	5.7252G	60.54	68.20	-7.66	50.32	3	Horizontal	303	1.50	-	34.10	8.57	32.45				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40133G	56.32	74.00	-17.68	70.03	3	Vertical	277	1.41	-	39.19	13.30	66.20			
AV	11.4011G	43.77	54.00	-10.23	57.47	3	Vertical	277	1.41	-	39.20	13.30	66.20			
PK	17.09542G	57.66	68.20	-10.54	66.41	3	Vertical	320	2.56	-	38.51	17.02	64.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.40127G	56.96	74.00	-17.04	70.67	3	Horizontal	218	1.69	-	39.19	13.30	66.20			
AV	11.40123G	43.83	54.00	-10.17	57.53	3	Horizontal	218	1.69	-	39.20	13.30	66.20			
PK	17.09737G	58.46	68.20	-9.74	67.21	3	Horizontal	45	2.44	-	38.51	17.02	64.28			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.4057G	63.46	74.00	-10.54	54.20	3	Vertical	48	1.80	-	33.32	8.42	32.48				
AV	5.4043G	52.99	54.00	-1.01	43.73	3	Vertical	48	1.80	-	33.32	8.42	32.48				
PK	5.4694G	60.12	68.20	-8.08	50.47	3	Vertical	48	1.80	-	33.62	8.50	32.47				
PK	5.7123G	124.90	Inf	-Inf	114.67	3	Vertical	48	1.80	-	34.10	8.58	32.45				
AV	5.713G	114.54	Inf	-Inf	104.31	3	Vertical	48	1.80	-	34.10	8.58	32.45				
PK	5.9881G	59.72	68.20	-8.48	48.15	3	Vertical	48	1.80	-	35.25	8.76	32.44				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4568G	57.66	74.00	-16.34	48.11	3	Horizontal	314	1.80	-	33.54	8.48	32.47			
AV	5.4099G	45.99	54.00	-8.01	36.71	3	Horizontal	314	1.80	-	33.34	8.42	32.48			
PK	5.4645G	57.20	68.20	-11.00	47.59	3	Horizontal	314	1.80	-	33.59	8.49	32.47			
PK	5.7221G	113.22	Inf	-Inf	103.00	3	Horizontal	314	1.80	-	34.10	8.57	32.45			
AV	5.7242G	102.50	Inf	-Inf	92.28	3	Horizontal	314	1.80	-	34.10	8.57	32.45			
PK	5.937G	59.21	68.20	-8.99	47.94	3	Horizontal	314	1.80	-	35.02	8.69	32.44			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.43695G	56.09	74.00	-17.91	69.92	3	Vertical	321	2.84	-	39.05	13.32	66.20				
AV	11.44145G	43.44	54.00	-10.56	57.29	3	Vertical	321	2.84	-	39.03	13.32	66.20				
PK	17.15538G	57.69	68.20	-10.51	66.28	3	Vertical	345	2.89	-	38.62	17.07	64.28				

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44008G	56.11	74.00	-17.89	69.95	3	Horizontal	282	1.11	-	39.04	13.32	66.20			
AV	11.44174G	43.40	54.00	-10.60	57.25	3	Horizontal	282	1.11	-	39.03	13.32	66.20			
PK	17.15755G	57.88	68.20	-10.32	66.46	3	Horizontal	40	2.81	-	38.63	17.07	64.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 18
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	57.42	74.00	-16.58	48.81	3	Vertical	320	1.80	-	32.77	8.39	32.55
AV	5.1452G	46.29	54.00	-7.71	37.65	3	Vertical	320	1.80	-	32.79	8.40	32.55
PK	5.1852G	61.13	68.20	-7.07	52.39	3	Vertical	320	1.80	-	32.87	8.41	32.54
PK	5.4572G	64.87	74.00	-9.13	55.32	3	Vertical	320	1.80	-	33.54	8.48	32.47
AV	5.4596G	52.19	54.00	-1.81	42.62	3	Vertical	320	1.80	-	33.56	8.48	32.47
PK	5.47G	67.15	68.20	-1.05	57.50	3	Vertical	320	1.80	-	33.62	8.50	32.47
PK	5.4972G	119.53	Inf	-Inf	109.68	3	Vertical	320	1.80	-	33.78	8.53	32.46
AV	5.4964G	108.49	Inf	-Inf	98.64	3	Vertical	320	1.80	-	33.78	8.53	32.46
PK	5.8084G	61.80	68.20	-6.40	51.47	3	Vertical	320	1.80	-	34.25	8.53	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 18
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1244G	55.61	74.00	-18.39	47.02	3	Horizontal	58	1.55	-	32.75	8.39	32.55
AV	5.1492G	44.49	54.00	-9.51	35.83	3	Horizontal	58	1.55	-	32.80	8.40	32.54
PK	5.2524G	57.64	68.20	-10.56	48.85	3	Horizontal	58	1.55	-	32.90	8.41	32.52
PK	5.374G	58.32	74.00	-15.68	49.20	3	Horizontal	58	1.55	-	33.20	8.41	32.49
PK	5.4684G	61.06	68.20	-7.14	51.42	3	Horizontal	58	1.55	-	33.61	8.50	32.47
AV	5.4508G	46.59	54.00	-7.41	37.09	3	Horizontal	58	1.55	-	33.50	8.47	32.47
AV	5.4916G	97.82	Inf	-Inf	88.01	3	Horizontal	58	1.55	-	33.75	8.52	32.46
PK	5.5276G	108.08	Inf	-Inf	98.11	3	Horizontal	58	1.55	-	33.86	8.57	32.46
PK	5.906G	60.45	68.20	-7.75	49.40	3	Horizontal	58	1.55	-	34.84	8.65	32.44

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 18
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02135G	56.21	74.00	-17.79	70.58	3	Vertical	317	2.13	-	38.76	13.06	66.19			
AV	11.01518G	43.85	54.00	-10.15	58.21	3	Vertical	317	2.13	-	38.77	13.06	66.19			
PK	16.53384G	59.00	68.20	-9.20	67.87	3	Vertical	49	2.19	-	38.40	16.51	63.78			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 18
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02175G	56.36	74.00	-17.64	70.73	3	Horizontal	309	1.79	-	38.76	13.06	66.19			
AV	11.01504G	43.83	54.00	-10.17	58.19	3	Horizontal	309	1.79	-	38.77	13.06	66.19			
PK	16.53492G	59.09	68.20	-9.11	67.97	3	Horizontal	148	1.54	-	38.39	16.51	63.78			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
Setting 23
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2332G	66.51	68.20	-1.69	57.72	3	Vertical	335	1.80	-	32.90	8.41	32.52
PK	5.4436G	64.16	74.00	-9.84	54.70	3	Vertical	335	1.80	-	33.47	8.46	32.47
PK	5.4628G	65.74	68.20	-2.46	56.14	3	Vertical	335	1.80	-	33.58	8.49	32.47
AV	5.4596G	52.96	54.00	-1.04	43.39	3	Vertical	335	1.80	-	33.56	8.48	32.47
PK	5.542G	125.47	Inf	-Inf	115.46	3	Vertical	335	1.80	-	33.88	8.59	32.46
AV	5.5436G	114.15	Inf	-Inf	104.13	3	Vertical	335	1.80	-	33.89	8.59	32.46
PK	5.838G	62.43	68.20	-5.77	51.88	3	Vertical	335	1.80	-	34.43	8.57	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 23
01-X-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.2892G	57.97	68.20	-10.23	49.09	3	Horizontal	55	1.55	-	32.98	8.41	32.51					
PK	5.4548G	58.74	74.00	-15.26	49.20	3	Horizontal	55	1.55	-	33.53	8.48	32.47					
AV	5.4532G	46.93	54.00	-7.07	37.40	3	Horizontal	55	1.55	-	33.52	8.48	32.47					
PK	5.466G	58.87	68.20	-9.33	49.25	3	Horizontal	55	1.55	-	33.60	8.49	32.47					
PK	5.5316G	113.60	Inf	-Inf	103.63	3	Horizontal	55	1.55	-	33.86	8.57	32.46					
AV	5.5524G	103.12	Inf	-Inf	93.08	3	Horizontal	55	1.55	-	33.90	8.60	32.46					
PK	5.9084G	59.79	68.20	-8.41	48.72	3	Horizontal	55	1.55	-	34.85	8.66	32.44					

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 23
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10448G	55.76	74.00	-18.24	70.03	3	Vertical	73	2.71	-	38.81	13.11	66.19			
AV	11.10395G	43.54	54.00	-10.46	57.81	3	Vertical	73	2.71	-	38.81	13.11	66.19			
PK	16.64778G	59.11	68.20	-9.09	67.91	3	Vertical	270	2.07	-	38.49	16.61	63.90			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
Setting 23
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10395G	55.83	74.00	-18.17	70.10	3	Horizontal	265	1.34	-	38.81	13.11	66.19			
AV	11.10493G	43.54	54.00	-10.46	57.80	3	Horizontal	265	1.34	-	38.81	13.12	66.19			
PK	16.64898G	58.62	68.20	-9.58	67.42	3	Horizontal	299	2.07	-	38.49	16.61	63.90			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	62.01	74.00	-11.99	53.00	3	Vertical	334	1.80	-	33.10	8.41	32.50
PK	5.3524G	62.79	74.00	-11.21	53.77	3	Vertical	334	1.80	-	33.11	8.41	32.50
AV	5.374G	51.94	54.00	-2.06	42.82	3	Vertical	334	1.80	-	33.20	8.41	32.49
PK	5.4604G	60.21	68.20	-7.99	50.63	3	Vertical	334	1.80	-	33.56	8.49	32.47
PK	5.6836G	121.01	Inf	-Inf	110.79	3	Vertical	334	1.80	-	34.07	8.60	32.45
AV	5.6668G	110.65	Inf	-Inf	100.46	3	Vertical	334	1.80	-	34.03	8.61	32.45
PK	5.726G	64.47	68.20	-3.73	54.25	3	Vertical	334	1.80	-	34.10	8.57	32.45

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2892G	57.89	68.20	-10.31	49.01	3	Horizontal	53	1.80	-	32.98	8.41	32.51
PK	5.4116G	58.65	74.00	-15.35	49.36	3	Horizontal	53	1.80	-	33.35	8.42	32.48
PK	5.4692G	57.21	68.20	-10.99	47.56	3	Horizontal	53	1.80	-	33.62	8.50	32.47
AV	5.4596G	46.03	54.00	-7.97	36.46	3	Horizontal	53	1.80	-	33.56	8.48	32.47
PK	5.6548G	109.94	Inf	-Inf	99.76	3	Horizontal	53	1.80	-	34.01	8.62	32.45
AV	5.654G	99.28	Inf	-Inf	89.10	3	Horizontal	53	1.80	-	34.01	8.62	32.45
PK	5.9788G	59.47	68.20	-8.73	47.95	3	Horizontal	53	1.80	-	35.22	8.74	32.44

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33728G	56.43	74.00	-17.57	70.10	3	Vertical	206	2.92	-	39.27	13.26	66.20			
AV	11.33574G	43.44	54.00	-10.56	57.11	3	Vertical	206	2.92	-	39.27	13.26	66.20			
PK	17.01448G	58.01	68.20	-10.19	67.04	3	Vertical	205	1.09	-	38.32	16.94	64.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33822G	56.00	74.00	-18.00	69.66	3	Horizontal	266	1.58	-	39.28	13.26	66.20			
AV	11.33712G	43.48	54.00	-10.52	57.15	3	Horizontal	266	1.58	-	39.27	13.26	66.20			
PK	17.01312G	57.87	68.20	-10.33	66.92	3	Horizontal	172	1.39	-	38.30	16.94	64.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3957G	63.75	74.00	-10.25	55.12	3	Vertical	47	1.80	-	32.71	8.41	32.49			
AV	5.4146G	52.77	54.00	-1.23	44.12	3	Vertical	47	1.80	-	32.70	8.43	32.48			
PK	5.4622G	60.34	68.20	-7.86	51.60	3	Vertical	47	1.80	-	32.72	8.49	32.47			
PK	5.724G	121.12	Inf	-Inf	111.70	3	Vertical	47	1.80	-	33.30	8.57	32.45			
AV	5.7044G	110.43	Inf	-Inf	101.07	3	Vertical	47	1.80	-	33.22	8.59	32.45			
PK	5.8542G	59.39	68.20	-8.81	49.33	3	Vertical	47	1.80	-	33.92	8.59	32.45			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4244G	57.11	74.00	-16.89	48.45	3	Horizontal	313	1.80	-	32.70	8.44	32.48			
AV	5.4153G	46.04	54.00	-7.96	37.39	3	Horizontal	313	1.80	-	32.70	8.43	32.48			
PK	5.4636G	56.50	68.20	-11.70	47.75	3	Horizontal	313	1.80	-	32.73	8.49	32.47			
PK	5.7107G	111.63	Inf	-Inf	102.26	3	Horizontal	313	1.80	-	33.24	8.58	32.45			
AV	5.6918G	100.90	Inf	-Inf	91.60	3	Horizontal	313	1.80	-	33.15	8.60	32.45			
PK	5.9886G	59.30	68.20	-8.90	48.88	3	Horizontal	313	1.80	-	34.10	8.76	32.44			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42168G	55.40	74.00	-18.60	69.18	3	Vertical	85	2.54	-	39.11	13.31	66.20			
AV	11.4181G	42.97	54.00	-11.03	56.73	3	Vertical	85	2.54	-	39.13	13.31	66.20			
PK	17.13233G	57.04	68.20	-11.16	65.71	3	Vertical	92	1.65	-	38.56	17.05	64.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.42036G	55.95	74.00	-18.05	69.72	3	Horizontal	286	2.67	-	39.12	13.31	66.20			
AV	11.41802G	43.00	54.00	-11.00	56.76	3	Horizontal	286	2.67	-	39.13	13.31	66.20			
PK	17.12671G	57.46	68.20	-10.74	66.15	3	Horizontal	151	1.83	-	38.55	17.04	64.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 16.5
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.2564G	61.79	68.20	-6.41	53.01	3	Vertical	46	1.80	-	32.89	8.41	32.52				
PK	5.4452G	63.79	74.00	-10.21	55.09	3	Vertical	46	1.80	-	32.70	8.47	32.47				
AV	5.446G	52.61	54.00	-1.39	43.91	3	Vertical	46	1.80	-	32.70	8.47	32.47				
PK	5.4668G	67.11	68.20	-1.09	58.36	3	Vertical	46	1.80	-	32.73	8.49	32.47				
PK	5.5644G	115.64	Inf	-Inf	106.78	3	Vertical	46	1.80	-	32.70	8.62	32.46				
AV	5.5244G	104.43	Inf	-Inf	95.57	3	Vertical	46	1.80	-	32.75	8.57	32.46				
PK	5.7572G	59.81	68.20	-8.39	50.27	3	Vertical	46	1.80	-	33.44	8.55	32.45				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 16.5
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3044G	57.85	68.20	-10.35	49.15	3	Horizontal	54	1.80	-	32.80	8.41	32.51			
PK	5.4548G	58.45	74.00	-15.55	49.73	3	Horizontal	54	1.80	-	32.71	8.48	32.47			
AV	5.454G	46.30	54.00	-7.70	37.58	3	Horizontal	54	1.80	-	32.71	8.48	32.47			
PK	5.47G	56.83	68.20	-11.37	48.06	3	Horizontal	54	1.80	-	32.74	8.50	32.47			
PK	5.5124G	102.94	Inf	-Inf	94.07	3	Horizontal	54	1.80	-	32.78	8.55	32.46			
AV	5.5532G	93.03	Inf	-Inf	84.19	3	Horizontal	54	1.80	-	32.70	8.60	32.46			
PK	5.8724G	58.58	68.20	-9.62	48.43	3	Horizontal	54	1.80	-	33.99	8.61	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 16.5
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.06095G	56.17	74.00	-17.83	70.55	3	Vertical	66	2.92	-	38.72	13.09	66.19				
AV	11.05511G	43.74	54.00	-10.26	58.14	3	Vertical	66	2.92	-	38.71	13.08	66.19				
PK	16.58659G	59.28	68.20	-8.92	68.33	3	Vertical	125	1.81	-	38.23	16.56	63.84				

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 16.5
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05746G	56.22	74.00	-17.78	70.61	3	Horizontal	233	2.51	-	38.71	13.09	66.19			
AV	11.05509G	43.69	54.00	-10.31	58.09	3	Horizontal	233	2.51	-	38.71	13.08	66.19			
PK	16.58569G	59.12	68.20	-9.08	68.16	3	Horizontal	222	2.94	-	38.23	16.56	63.83			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 22
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.274G	65.09	68.20	-3.11	56.34	3	Vertical	336	1.80	-	32.85	8.41	32.51			
AV	5.35G	49.68	54.00	-4.32	40.97	3	Vertical	336	1.80	-	32.80	8.41	32.50			
PK	5.4596G	63.71	74.00	-10.29	54.98	3	Vertical	336	1.80	-	32.72	8.48	32.47			
AV	5.4596G	52.72	54.00	-1.28	43.99	3	Vertical	336	1.80	-	32.72	8.48	32.47			
PK	5.466G	65.04	68.20	-3.16	56.29	3	Vertical	336	1.80	-	32.73	8.49	32.47			
PK	5.602G	120.24	Inf	-Inf	111.33	3	Vertical	336	1.80	-	32.71	8.66	32.46			
AV	5.6028G	108.76	Inf	-Inf	99.85	3	Vertical	336	1.80	-	32.71	8.66	32.46			
PK	5.7292G	62.84	68.20	-5.36	53.40	3	Vertical	336	1.80	-	33.32	8.57	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 22
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2532G	57.81	68.20	-10.39	49.03	3	Horizontal	51	1.80	-	32.89	8.41	32.52			
AV	5.35G	45.19	54.00	-8.81	36.48	3	Horizontal	51	1.80	-	32.80	8.41	32.50			
PK	5.458G	58.54	74.00	-15.46	49.81	3	Horizontal	51	1.80	-	32.72	8.48	32.47			
AV	5.4556G	46.00	54.00	-8.00	37.28	3	Horizontal	51	1.80	-	32.71	8.48	32.47			
PK	5.462G	57.31	68.20	-10.89	48.57	3	Horizontal	51	1.80	-	32.72	8.49	32.47			
PK	5.6124G	109.78	Inf	-Inf	100.84	3	Horizontal	51	1.80	-	32.75	8.65	32.46			
AV	5.594G	98.54	Inf	-Inf	89.65	3	Horizontal	51	1.80	-	32.70	8.65	32.46			
PK	5.9588G	58.75	68.20	-9.45	48.37	3	Horizontal	51	1.80	-	34.10	8.72	32.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
Setting 22
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.21927G	55.80	74.00	-18.20	69.72	3	Vertical	165	2.01	-	39.08	13.19	66.19			
AV	11.21518G	43.33	54.00	-10.67	57.28	3	Vertical	165	2.01	-	39.06	13.18	66.19			
PK	16.83042G	59.12	68.20	-9.08	68.04	3	Vertical	298	1.27	-	38.40	16.78	64.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 22
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22387G	56.37	74.00	-17.63	70.27	3	Horizontal	34	2.40	-	39.10	13.19	66.19			
AV	11.21656G	43.46	54.00	-10.54	57.40	3	Horizontal	34	2.40	-	39.07	13.18	66.19			
PK	16.83288G	58.62	68.20	-9.58	67.55	3	Horizontal	40	2.51	-	38.40	16.78	64.11			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20.5
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3492G	61.75	68.20	-6.45	53.04	3	Vertical	50	1.80	-	32.80	8.41	32.50			
AV	5.35G	51.89	54.00	-2.11	43.18	3	Vertical	50	1.80	-	32.80	8.41	32.50			
PK	5.3548G	64.44	74.00	-9.56	55.73	3	Vertical	50	1.80	-	32.79	8.41	32.49			
AV	5.394G	52.73	54.00	-1.27	44.10	3	Vertical	50	1.80	-	32.71	8.41	32.49			
PK	5.4604G	61.42	68.20	-6.78	52.68	3	Vertical	50	1.80	-	32.72	8.49	32.47			
PK	5.662G	119.25	Inf	-Inf	110.11	3	Vertical	50	1.80	-	32.97	8.62	32.45			
AV	5.662G	108.03	Inf	-Inf	98.89	3	Vertical	50	1.80	-	32.97	8.62	32.45			
PK	5.6644G	60.21	68.20	-7.99	50.10	3	Vertical	50	1.80	-	33.96	8.60	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20.5
01-X-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3236G	56.94	68.20	-11.26	48.23	3	Horizontal	52	1.80	-	32.80	8.41	32.50			
PK	5.354G	57.35	74.00	-16.65	48.65	3	Horizontal	52	1.80	-	32.79	8.41	32.50			
AV	5.35G	45.44	54.00	-8.56	36.73	3	Horizontal	52	1.80	-	32.80	8.41	32.50			
AV	5.3636G	45.80	54.00	-8.20	37.11	3	Horizontal	52	1.80	-	32.77	8.41	32.49			
PK	5.4676G	55.88	68.20	-12.32	47.12	3	Horizontal	52	1.80	-	32.74	8.49	32.47			
PK	5.6724G	109.49	Inf	-Inf	100.30	3	Horizontal	52	1.80	-	33.03	8.61	32.45			
AV	5.6732G	97.90	Inf	-Inf	88.70	3	Horizontal	52	1.80	-	33.04	8.61	32.45			
PK	5.8588G	58.10	68.20	-10.10	48.02	3	Horizontal	52	1.80	-	33.94	8.59	32.45			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20.5
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37772G	56.07	74.00	-17.93	69.75	3	Vertical	215	2.20	-	39.24	13.28	66.20			
AV	11.37858G	43.47	54.00	-10.53	57.15	3	Vertical	215	2.20	-	39.24	13.28	66.20			
PK	17.07261G	57.57	68.20	-10.63	66.31	3	Vertical	341	1.98	-	38.55	17.00	64.29			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 20.5
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.38098G	55.95	74.00	-18.05	69.62	3	Horizontal	329	1.91	-	39.24	13.29	66.20			
AV	11.37977G	43.54	54.00	-10.46	57.21	3	Horizontal	329	1.91	-	39.24	13.29	66.20			
PK	17.0713G	57.65	68.20	-10.55	66.39	3	Horizontal	105	1.95	-	38.56	16.99	64.29			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_TX
Setting 14
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.294G	59.32	68.20	-8.88	50.43	3	Vertical	46	1.80	-	32.99	8.41	32.51			
AV	5.15G	46.09	54.00	-7.91	37.43	3	Vertical	46	1.80	-	32.80	8.40	32.54			
PK	5.4236G	63.61	74.00	-10.39	54.26	3	Vertical	46	1.80	-	33.39	8.44	32.48			
AV	5.444G	52.74	54.00	-1.26	43.27	3	Vertical	46	1.80	-	33.48	8.46	32.47			
PK	5.4644G	64.71	68.20	-3.49	55.10	3	Vertical	46	1.80	-	33.59	8.49	32.47			
PK	5.6216G	110.46	Inf	-Inf	100.34	3	Vertical	46	1.80	-	33.94	8.64	32.46			
AV	5.5436G	99.39	Inf	-Inf	89.37	3	Vertical	46	1.80	-	33.89	8.59	32.46			
PK	5.8664G	60.96	68.20	-7.24	50.21	3	Vertical	46	1.80	-	34.60	8.60	32.45			
PK	5.108G	57.80	74.00	-16.20	49.24	3	Vertical	46	1.80	-	32.72	8.39	32.55			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT_Y_TX
Setting 14
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0312G	56.67	74.00	-17.33	48.03	3	Horizontal	52	1.80	-	32.84	8.37	32.57
AV	5.0348G	44.70	54.00	-9.30	36.07	3	Horizontal	52	1.80	-	32.83	8.37	32.57
PK	5.324G	57.75	68.20	-10.45	48.79	3	Horizontal	52	1.80	-	33.05	8.41	32.50
PK	5.4572G	58.36	74.00	-15.64	48.81	3	Horizontal	52	1.80	-	33.54	8.48	32.47
AV	5.4536G	46.95	54.00	-7.05	37.42	3	Horizontal	52	1.80	-	33.52	8.48	32.47
PK	5.4644G	57.60	68.20	-10.60	47.99	3	Horizontal	52	1.80	-	33.59	8.49	32.47
PK	5.6144G	100.41	Inf	-Inf	90.29	3	Horizontal	52	1.80	-	33.93	8.65	32.46
AV	5.5736G	88.03	Inf	-Inf	77.96	3	Horizontal	52	1.80	-	33.90	8.63	32.46
PK	5.9816G	60.26	68.20	-7.94	48.72	3	Horizontal	52	1.80	-	35.23	8.75	32.44

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT Y_2TX
Setting 14
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13552G	55.80	74.00	-18.20	69.99	3	Vertical	250	2.31	-	38.87	13.13	66.19			
AV	11.13552G	43.13	54.00	-10.87	57.32	3	Vertical	250	2.31	-	38.87	13.13	66.19			
PK	16.70738G	58.42	68.20	-9.78	67.23	3	Vertical	79	2.99	-	38.49	16.67	63.97			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_Y_2TX
Setting 14
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14291G	56.36	74.00	-17.64	70.52	3	Horizontal	334	2.56	-	38.89	13.14	66.19			
AV	11.1353G	43.13	54.00	-10.87	57.32	3	Horizontal	334	2.56	-	38.87	13.13	66.19			
PK	16.71056G	58.62	68.20	-9.58	67.44	3	Horizontal	196	1.32	-	38.48	16.67	63.97			

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 10
03-W-J-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3268G	61.62	68.20	-6.58	54.91	3	Vertical	155	1.66	-	34.45	7.15	34.89				
PK	5.4588G	64.58	74.00	-9.42	57.61	3	Vertical	155	1.66	-	34.60	7.24	34.87				
AV	5.3996G	49.02	54.00	-4.98	42.00	3	Vertical	155	1.66	-	34.70	7.20	34.88				
PK	5.4692G	67.08	68.20	-1.12	60.10	3	Vertical	155	1.66	-	34.60	7.25	34.87				
AV	5.502G	94.46	Inf	-Inf	87.44	3	Vertical	155	1.66	-	34.60	7.28	34.86				
PK	5.5444G	106.33	Inf	-Inf	99.38	3	Vertical	155	1.66	-	34.51	7.31	34.87				
PK	5.982G	57.45	68.20	-10.75	50.22	3	Vertical	155	1.66	-	34.70	7.53	35.00				

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_2TX


5610MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 10
03-W-J-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3476G	57.51	68.20	-10.69	50.74	3	Horizontal	228	1.69	-	34.50	7.16	34.89			
PK	5.4532G	57.49	74.00	-16.51	50.52	3	Horizontal	228	1.69	-	34.60	7.24	34.87			
AV	5.442G	45.54	54.00	-8.46	38.56	3	Horizontal	228	1.69	-	34.62	7.23	34.87			
PK	5.4668G	57.09	68.20	-11.11	50.11	3	Horizontal	228	1.69	-	34.60	7.25	34.87			
PK	5.6332G	93.43	Inf	-Inf	86.65	3	Horizontal	228	1.69	-	34.30	7.38	34.90			
AV	5.634G	82.51	Inf	-Inf	75.73	3	Horizontal	228	1.69	-	34.30	7.38	34.90			
PK	5.9244G	57.75	68.20	-10.45	50.62	3	Horizontal	228	1.69	-	34.60	7.52	34.99			

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_2TX

5610MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 10
03-W-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22314G	45.69	74.00	-28.31	62.72	3	Vertical	301	1.74	-	38.50	10.66	66.19			
AV	11.22737G	33.88	54.00	-20.12	50.91	3	Vertical	301	1.74	-	38.50	10.66	66.19			
PK	16.83845G	46.07	68.20	-22.13	58.09	3	Vertical	65	2.32	-	39.33	12.76	64.11			

5.47-5.725GHz_EHT240_240MHz_Nss1,(MCS0)_2TX


5610MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 10
03-W-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.22828G	45.28	74.00	-28.72	62.31	3	Horizontal	50	1.53	-	38.50	10.66	66.19			
AV	11.2268G	34.02	54.00	-19.98	51.05	3	Horizontal	50	1.53	-	38.50	10.66	66.19			
PK	16.83501G	46.24	68.20	-21.96	58.28	3	Horizontal	223	1.10	-	39.31	12.76	64.11			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4314G	63.47	74.00	-10.53	54.07	3	Vertical	334	1.80	-	33.43	8.45	32.48			
AV	5.4307G	53.00	54.00	-1.00	43.61	3	Vertical	334	1.80	-	33.42	8.45	32.48			
PK	5.5329G	61.49	68.20	-6.71	51.50	3	Vertical	334	1.80	-	33.87	8.58	32.46			
PK	5.7394G	122.60	Inf	-Inf	112.39	3	Vertical	334	1.80	-	34.10	8.56	32.45			
AV	5.7443G	114.27	Inf	-Inf	104.06	3	Vertical	334	1.80	-	34.10	8.56	32.45			
PK	6.0355G	60.85	68.20	-7.35	49.12	3	Vertical	334	1.80	-	35.37	8.80	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4489G	58.10	74.00	-15.90	48.60	3	Horizontal	316	1.80	-	33.50	8.47	32.47
AV	5.4321G	46.14	54.00	-7.86	36.74	3	Horizontal	316	1.80	-	33.43	8.45	32.48
PK	5.6015G	59.41	68.20	-8.79	49.31	3	Horizontal	316	1.80	-	33.90	8.66	32.46
PK	5.7506G	110.67	Inf	-Inf	100.47	3	Horizontal	316	1.80	-	34.10	8.55	32.45
AV	5.7506G	102.23	Inf	-Inf	92.03	3	Horizontal	316	1.80	-	34.10	8.55	32.45
PK	6.0334G	59.85	68.20	-8.35	48.12	3	Horizontal	316	1.80	-	35.37	8.80	32.44

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 21
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49206G	54.93	74.00	-19.07	68.77	3	Vertical	50	1.37	-	39.00	13.36	66.20			
AV	11.48525G	42.79	54.00	-11.21	56.64	3	Vertical	50	1.37	-	39.00	13.35	66.20			
PK	17.23048G	57.18	68.20	-11.02	65.40	3	Vertical	230	2.32	-	38.92	17.14	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX


EUT_Y_2TX
Setting 21
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.49159G	55.67	74.00	-18.33	69.52	3	Horizontal	153	2.15	-	39.00	13.35	66.20			
AV	11.48505G	42.81	54.00	-11.19	56.66	3	Horizontal	153	2.15	-	39.00	13.35	66.20			
PK	17.23279G	57.01	68.20	-11.19	65.22	3	Horizontal	181	1.92	-	38.93	17.14	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4506G	60.05	74.00	-13.95	50.55	3	Vertical	332	1.80	-	33.50	8.47	32.47			
AV	5.46G	48.59	54.00	-5.41	39.02	3	Vertical	332	1.80	-	33.56	8.48	32.47			
PK	5.481G	64.92	68.20	-3.28	55.18	3	Vertical	332	1.80	-	33.69	8.51	32.46			
PK	5.7794G	125.73	Inf	-Inf	115.49	3	Vertical	332	1.80	-	34.16	8.53	32.45			
AV	5.7794G	117.49	Inf	-Inf	107.25	3	Vertical	332	1.80	-	34.16	8.53	32.45			
PK	6.0082G	60.39	68.20	-7.81	48.73	3	Vertical	332	1.80	-	35.32	8.78	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	57.71	74.00	-16.29	48.18	3	Horizontal	314	1.80	-	33.52	8.48	32.47			
AV	5.4546G	45.93	54.00	-8.07	36.39	3	Horizontal	314	1.80	-	33.53	8.48	32.47			
PK	5.6258G	58.66	68.20	-9.54	48.52	3	Horizontal	314	1.80	-	33.95	8.64	32.45			
PK	5.7906G	114.64	Inf	-Inf	104.38	3	Horizontal	314	1.80	-	34.18	8.53	32.45			
AV	5.7906G	106.14	Inf	-Inf	95.88	3	Horizontal	314	1.80	-	34.18	8.53	32.45			
PK	6.1522G	60.20	68.20	-8.00	48.42	3	Horizontal	314	1.80	-	35.30	8.90	32.42			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56619G	55.88	74.00	-18.12	69.82	3	Vertical	25	1.02	-	38.80	13.40	66.14			
AV	11.56563G	42.63	54.00	-11.37	56.56	3	Vertical	25	1.02	-	38.81	13.40	66.14			
PK	17.35993G	58.93	68.20	-9.27	66.61	3	Vertical	94	2.11	-	39.34	17.25	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57223G	55.32	74.00	-18.68	69.28	3	Horizontal	95	2.09	-	38.77	13.40	66.13			
AV	11.56508G	42.63	54.00	-11.37	56.56	3	Horizontal	95	2.09	-	38.81	13.40	66.14			
PK	17.35809G	58.91	68.20	-9.29	66.60	3	Horizontal	198	2.14	-	39.33	17.25	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.5149G	64.73	68.20	-3.47	54.81	3	Vertical	26	1.80	-	33.83	8.55	32.46			
PK	5.818G	124.76	Inf	-Inf	114.36	3	Vertical	26	1.80	-	34.31	8.54	32.45			
AV	5.818G	116.43	Inf	-Inf	106.03	3	Vertical	26	1.80	-	34.31	8.54	32.45			
PK	6.1575G	60.03	68.20	-8.17	48.25	3	Vertical	26	1.80	-	35.30	8.90	32.42			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX



EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.765G	58.44	68.20	-9.76	48.37	3	Horizontal	315	1.80	-	33.90	8.63	32.46				
PK	5.8215G	113.94	Inf	-Inf	103.51	3	Horizontal	315	1.80	-	34.33	8.55	32.45				
AV	5.8257G	105.31	Inf	-Inf	94.86	3	Horizontal	315	1.80	-	34.35	8.55	32.45				
PK	5.9867G	60.67	68.20	-7.53	49.11	3	Horizontal	315	1.80	-	35.25	8.75	32.44				