


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64758G	54.17	74.00	-19.83	68.29	3	Vertical	161	2.82	-	38.50	13.45	66.07			
AV	11.64531G	41.94	54.00	-12.06	56.05	3	Vertical	161	2.82	-	38.51	13.45	66.07			
PK	17.47991G	59.86	68.20	-8.34	67.20	3	Vertical	118	2.88	-	39.56	17.36	64.26			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.6466G	54.21	74.00	-19.79	68.32	3	Horizontal	239	2.97	-	38.51	13.45	66.07			
AV	11.64503G	41.89	54.00	-12.11	56.00	3	Horizontal	239	2.97	-	38.51	13.45	66.07			
PK	17.4766G	59.35	68.20	-8.85	66.70	3	Horizontal	246	2.23	-	39.55	17.36	64.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 22
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4342G	63.50	74.00	-10.50	54.09	3	Vertical	331	1.80	-	33.44	8.45	32.48
AV	5.4314G	52.77	54.00	-1.23	43.37	3	Vertical	331	1.80	-	33.43	8.45	32.48
PK	5.6386G	61.95	68.20	-6.25	51.79	3	Vertical	331	1.80	-	33.98	8.63	32.45
PK	5.7429G	124.78	Inf	-Inf	114.57	3	Vertical	331	1.80	-	34.10	8.56	32.45
AV	5.7436G	114.55	Inf	-Inf	104.34	3	Vertical	331	1.80	-	34.10	8.56	32.45
PK	5.9459G	60.14	68.20	-8.06	48.80	3	Vertical	331	1.80	-	35.08	8.70	32.44

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 22
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4412G	58.17	74.00	-15.83	48.72	3	Horizontal	52	1.55	-	33.46	8.46	32.47
AV	5.4391G	46.52	54.00	-7.48	37.07	3	Horizontal	52	1.55	-	33.46	8.46	32.47
PK	5.5644G	58.84	68.20	-9.36	48.78	3	Horizontal	52	1.55	-	33.90	8.62	32.46
PK	5.752G	115.15	Inf	-Inf	104.95	3	Horizontal	52	1.55	-	34.10	8.55	32.45
AV	5.7499G	104.40	Inf	-Inf	94.19	3	Horizontal	52	1.55	-	34.10	8.56	32.45
PK	6.0348G	59.72	68.20	-8.48	47.99	3	Horizontal	52	1.55	-	35.37	8.80	32.44

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 22
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49043G	55.74	74.00	-18.26	69.59	3	Vertical	191	2.53	-	39.00	13.35	66.20			
AV	11.48511G	42.89	54.00	-11.11	56.74	3	Vertical	191	2.53	-	39.00	13.35	66.20			
PK	17.23783G	57.35	68.20	-10.85	65.54	3	Vertical	208	2.40	-	38.95	17.14	64.28			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 22
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48501G	55.42	74.00	-18.58	69.27	3	Horizontal	311	2.11	-	39.00	13.35	66.20			
AV	11.4853G	42.93	54.00	-11.07	56.78	3	Horizontal	311	2.11	-	39.00	13.35	66.20			
PK	17.23625G	57.57	68.20	-10.63	65.76	3	Horizontal	250	2.59	-	38.95	17.14	64.28			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.449G	59.56	74.00	-14.44	50.06	3	Vertical	337	1.80	-	33.50	8.47	32.47			
PK	5.4693G	65.13	68.20	-3.07	55.48	3	Vertical	337	1.80	-	33.62	8.50	32.47			
AV	5.4595G	48.40	54.00	-5.60	38.83	3	Vertical	337	1.80	-	33.56	8.48	32.47			
PK	5.7808G	128.13	Inf	-Inf	117.89	3	Vertical	337	1.80	-	34.16	8.53	32.45			
AV	5.7801G	116.67	Inf	-Inf	106.43	3	Vertical	337	1.80	-	34.16	8.53	32.45			
PK	6.1161G	60.06	68.20	-8.14	48.25	3	Vertical	337	1.80	-	35.37	8.87	32.43			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	57.18	74.00	-16.82	47.64	3	Horizontal	53	1.80	-	33.53	8.48	32.47
AV	5.46G	45.89	54.00	-8.11	36.32	3	Horizontal	53	1.80	-	33.56	8.48	32.47
PK	5.5043G	58.88	68.20	-9.32	48.99	3	Horizontal	53	1.80	-	33.81	8.54	32.46
PK	5.7913G	115.36	Inf	-Inf	105.10	3	Horizontal	53	1.80	-	34.18	8.53	32.45
AV	5.7899G	104.89	Inf	-Inf	94.63	3	Horizontal	53	1.80	-	34.18	8.53	32.45
PK	6.1273G	60.42	68.20	-7.78	48.61	3	Horizontal	53	1.80	-	35.35	8.88	32.42

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56664G	55.66	74.00	-18.34	69.60	3	Vertical	169	1.98	-	38.80	13.40	66.14			
AV	11.56516G	42.87	54.00	-11.13	56.80	3	Vertical	169	1.98	-	38.81	13.40	66.14			
PK	17.35494G	58.85	68.20	-9.35	66.55	3	Vertical	109	1.13	-	39.32	17.25	64.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57355G	55.69	74.00	-18.31	69.65	3	Horizontal	320	2.13	-	38.76	13.41	66.13			
AV	11.56531G	42.77	54.00	-11.23	56.70	3	Horizontal	320	2.13	-	38.81	13.40	66.14			
PK	17.35355G	58.55	68.20	-9.65	66.26	3	Horizontal	210	1.29	-	39.31	17.25	64.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.51G	64.97	68.20	-3.23	55.06	3	Vertical	336	1.80	-	33.82	8.55	32.46				
PK	5.8208G	126.97	Inf	-Inf	116.55	3	Vertical	336	1.80	-	34.32	8.55	32.45				
AV	5.8215G	115.96	Inf	-Inf	105.53	3	Vertical	336	1.80	-	34.33	8.55	32.45				
PK	6.1008G	60.02	68.20	-8.18	48.19	3	Vertical	336	1.80	-	35.40	8.86	32.43				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 25
01-X-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.5485G	58.84	68.20	-9.36	48.80	3	Horizontal	51	1.80	-	33.90	8.60	32.46				
PK	5.8313G	116.40	Inf	-Inf	105.90	3	Horizontal	51	1.80	-	34.39	8.56	32.45				
AV	5.8313G	104.26	Inf	-Inf	93.76	3	Horizontal	51	1.80	-	34.39	8.56	32.45				
PK	6.1015G	60.24	68.20	-7.96	48.41	3	Horizontal	51	1.80	-	35.40	8.86	32.43				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65173G	54.73	74.00	-19.27	68.83	3	Vertical	220	2.64	-	38.51	13.45	66.06			
AV	11.64514G	42.01	54.00	-11.99	56.12	3	Vertical	220	2.64	-	38.51	13.45	66.07			
PK	17.47596G	59.98	68.20	-8.22	67.33	3	Vertical	160	2.79	-	39.55	17.36	64.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 25
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64629G	54.80	74.00	-19.20	68.91	3	Horizontal	276	1.21	-	38.51	13.45	66.07			
AV	11.64516G	42.02	54.00	-11.98	56.13	3	Horizontal	276	1.21	-	38.51	13.45	66.07			
PK	17.47545G	60.09	68.20	-8.11	67.44	3	Horizontal	214	1.57	-	39.55	17.36	64.26			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 20.5
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4414G	65.13	74.00	-8.87	56.44	3	Vertical	334	1.80	-	32.70	8.46	32.47			
PK	5.461G	63.62	68.20	-4.58	54.88	3	Vertical	334	1.80	-	32.72	8.49	32.47			
AV	5.4596G	52.78	54.00	-1.22	44.05	3	Vertical	334	1.80	-	32.72	8.48	32.47			
PK	5.7508G	120.62	Inf	-Inf	111.12	3	Vertical	334	1.80	-	33.40	8.55	32.45			
AV	5.7718G	110.27	Inf	-Inf	100.65	3	Vertical	334	1.80	-	33.53	8.54	32.45			
PK	6.0476G	58.62	68.20	-9.58	48.14	3	Vertical	334	1.80	-	34.10	8.81	32.43			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 20.5
01-X-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4386G	57.29	74.00	-16.71	48.60	3	Horizontal	48	1.80	-	32.70	8.46	32.47			
AV	5.4526G	45.54	54.00	-8.46	36.82	3	Horizontal	48	1.80	-	32.71	8.48	32.47			
PK	5.6269G	57.12	68.20	-11.08	48.12	3	Horizontal	48	1.80	-	32.81	8.64	32.45			
PK	5.7613G	110.79	Inf	-Inf	101.22	3	Horizontal	48	1.80	-	33.47	8.55	32.45			
AV	5.7606G	98.88	Inf	-Inf	89.32	3	Horizontal	48	1.80	-	33.46	8.55	32.45			
PK	5.9755G	58.86	68.20	-9.34	48.46	3	Horizontal	48	1.80	-	34.10	8.74	32.44			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 20.5
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5078G	56.62	74.00	-17.38	70.47	3	Vertical	110	2.57	-	38.98	13.36	66.19			
AV	11.51441G	43.87	54.00	-10.13	57.72	3	Vertical	110	2.57	-	38.97	13.37	66.19			
PK	17.2626G	58.14	68.20	-10.06	66.24	3	Vertical	141	2.97	-	39.00	17.17	64.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 20.5
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51394G	56.63	74.00	-17.37	70.48	3	Horizontal	41	1.40	-	38.97	13.37	66.19			
AV	11.51439G	43.85	54.00	-10.15	57.70	3	Horizontal	41	1.40	-	38.97	13.37	66.19			
PK	17.26605G	57.95	68.20	-10.25	66.05	3	Horizontal	7	1.63	-	39.00	17.17	64.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 24
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4772G	66.76	68.20	-1.44	57.97	3	Vertical	336	1.80	-	32.75	8.51	32.47			
AV	5.4583G	50.23	54.00	-3.77	41.50	3	Vertical	336	1.80	-	32.72	8.48	32.47			
PK	5.7929G	125.61	Inf	-Inf	115.88	3	Vertical	336	1.80	-	33.66	8.52	32.45			
AV	5.7901G	114.29	Inf	-Inf	104.57	3	Vertical	336	1.80	-	33.64	8.53	32.45			
PK	5.9931G	60.22	68.20	-7.98	49.80	3	Vertical	336	1.80	-	34.10	8.76	32.44			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 24
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4751G	58.13	68.20	-10.07	49.35	3	Horizontal	50	1.80	-	32.75	8.50	32.47			
AV	5.4583G	45.03	54.00	-8.97	36.30	3	Horizontal	50	1.80	-	32.72	8.48	32.47			
PK	5.7817G	114.74	Inf	-Inf	105.07	3	Horizontal	50	1.80	-	33.59	8.53	32.45			
AV	5.8006G	103.60	Inf	-Inf	93.83	3	Horizontal	50	1.80	-	33.70	8.52	32.45			
PK	6.0169G	58.47	68.20	-9.73	48.03	3	Horizontal	50	1.80	-	34.10	8.78	32.44			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 24
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58646G	55.43	74.00	-18.57	69.46	3	Vertical	167	2.79	-	38.68	13.41	66.12			
AV	11.58503G	43.37	54.00	-10.63	57.39	3	Vertical	167	2.79	-	38.69	13.41	66.12			
PK	17.3805G	58.48	68.20	-9.72	66.06	3	Vertical	112	1.67	-	39.42	17.27	64.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 24
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5871G	55.73	74.00	-18.27	69.76	3	Horizontal	193	2.29	-	38.68	13.41	66.12			
AV	11.58525G	43.32	54.00	-10.68	57.34	3	Horizontal	193	2.29	-	38.69	13.41	66.12			
PK	17.38013G	59.26	68.20	-8.94	66.84	3	Horizontal	282	1.17	-	39.42	17.27	64.27			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.341G	58.97	68.20	-9.23	49.98	3	Vertical	332	1.80	-	33.08	8.41	32.50			
PK	5.439G	62.74	74.00	-11.26	53.29	3	Vertical	332	1.80	-	33.46	8.46	32.47			
AV	5.46G	52.35	54.00	-1.65	42.78	3	Vertical	332	1.80	-	33.56	8.48	32.47			
PK	5.633G	64.67	68.20	-3.53	54.51	3	Vertical	332	1.80	-	33.97	8.64	32.45			
PK	5.755G	118.28	Inf	-Inf	108.07	3	Vertical	332	1.80	-	34.11	8.55	32.45			
AV	5.754G	106.92	Inf	-Inf	96.71	3	Vertical	332	1.80	-	34.11	8.55	32.45			
PK	6.226G	60.83	68.20	-7.37	48.91	3	Vertical	332	1.80	-	35.30	9.03	32.41			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 20
01-X-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.504G	58.48	68.20	-9.72	48.59	3	Horizontal	51	1.53	-	33.81	8.54	32.46			
AV	5.45G	46.66	54.00	-7.34	37.16	3	Horizontal	51	1.53	-	33.50	8.47	32.47			
PK	5.739G	108.40	Inf	-Inf	98.19	3	Horizontal	51	1.53	-	34.10	8.56	32.45			
AV	5.78G	96.81	Inf	-Inf	86.57	3	Horizontal	51	1.53	-	34.16	8.53	32.45			
PK	6.067G	61.20	68.20	-7.00	49.40	3	Horizontal	51	1.53	-	35.40	8.83	32.43			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT Y_2TX
Setting 20
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54642G	57.19	74.00	-16.81	71.05	3	Vertical	347	2.46	-	38.91	13.39	66.16			
AV	11.54508G	44.76	54.00	-9.24	58.62	3	Vertical	347	2.46	-	38.91	13.39	66.16			
PK	17.32306G	57.34	68.20	-10.86	65.25	3	Vertical	126	1.91	-	39.14	17.22	64.27			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX

EUT_Y_2TX
Setting 20
01-X-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54785G	57.81	74.00	-16.19	71.68	3	Horizontal	145	1.96	-	38.90	13.39	66.16			
AV	11.54596G	44.72	54.00	-9.28	58.58	3	Horizontal	145	1.96	-	38.91	13.39	66.16			
PK	17.3277G	57.66	68.20	-10.54	65.54	3	Horizontal	51	1.47	-	39.17	17.22	64.27			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_2TX	Pass	AV	5.15G	52.99	54.00	-1.01	3	Vertical	212	1.93	20.5

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 17.5
17\19\16\17.5\18\17.5
2.04\ -4.14\4.20\0.74\ -0.74\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	67.33	74.00	-6.67	61.35	3	Vertical	211	1.80	17.5	33.90	7.01	34.93				
AV	5.15G	52.35	54.00	-1.65	46.37	3	Vertical	211	1.80	17.5	33.90	7.01	34.93				
PK	5.1808G	116.24	Inf	-Inf	110.10	3	Vertical	211	1.80	17.5	34.02	7.04	34.92				
AV	5.1809G	106.00	Inf	-Inf	99.86	3	Vertical	211	1.80	17.5	34.02	7.04	34.92				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 17.5
17.5
0.77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1492G	68.61	74.00	-5.39	62.63	3	Horizontal	180	1.80	17.5	33.90	7.01	34.93				
AV	5.1495G	52.23	54.00	-1.77	46.25	3	Horizontal	180	1.80	17.5	33.90	7.01	34.93				
PK	5.1792G	116.79	Inf	-Inf	110.65	3	Horizontal	180	1.80	17.5	34.02	7.04	34.92				
AV	5.1792G	106.66	Inf	-Inf	100.52	3	Horizontal	180	1.80	17.5	34.02	7.04	34.92				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 17.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.32812G	35.30	68.20	-32.90	32.22	3	Vertical	76	1.84	17	38.06	10.37	45.35			
PK	15.53708G	50.91	74.00	-23.09	43.32	3	Vertical	1	1.80	17	38.35	12.19	42.95			
AV	15.53116G	36.82	54.00	-17.18	29.18	3	Vertical	1	1.80	17	38.38	12.19	42.93			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 17.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34628G	35.74	68.20	-32.46	32.63	3	Horizontal	348	1.80	17	38.09	10.37	45.35			
PK	15.52024G	50.74	74.00	-23.26	43.05	3	Horizontal	93	1.80	17	38.42	12.18	42.91			
AV	15.55764G	36.59	54.00	-17.41	29.11	3	Horizontal	93	1.80	17	38.27	12.20	42.99			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 25
15\21\24\25
6.26\3.82\1.45\1.57

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.15G	66.29	74.00	-7.71	60.31	3	Vertical	212	1.80	25	33.90	7.01	34.93				
AV	5.15G	52.43	54.00	-1.57	46.45	3	Vertical	212	1.80	25	33.90	7.01	34.93				
PK	5.2008G	122.62	Inf	-Inf	116.38	3	Vertical	212	1.80	25	34.10	7.06	34.92				
AV	5.201G	112.18	Inf	-Inf	105.94	3	Vertical	212	1.80	25	34.10	7.06	34.92				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
SET 25
25
2.50

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1494G	66.99	74.00	-7.01	61.01	3	Horizontal	182	1.65	25	33.90	7.01	34.93				
AV	5.1492G	51.50	54.00	-2.50	45.52	3	Horizontal	182	1.65	25	33.90	7.01	34.93				
PK	5.1992G	120.96	Inf	-Inf	114.72	3	Horizontal	182	1.65	25	34.10	7.06	34.92				
AV	5.199G	110.93	Inf	-Inf	104.69	3	Horizontal	182	1.65	25	34.10	7.06	34.92				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.4014G	59.44	68.20	-8.76	56.48	3	Vertical	130	2.18	25	37.90	10.39	45.33				
PK	15.59235G	52.09	74.00	-21.91	44.81	3	Vertical	191	1.80	25	38.13	12.21	43.06				
AV	15.59946G	38.22	54.00	-15.78	30.98	3	Vertical	191	1.80	25	38.10	12.22	43.08				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3944G	54.14	68.20	-14.06	51.17	3	Horizontal	188	1.42	25	37.92	10.39	45.34			
PK	15.60411G	52.65	74.00	-21.35	45.44	3	Horizontal	125	1.20	25	38.08	12.22	43.09			
AV	15.58569G	38.69	54.00	-15.31	31.37	3	Horizontal	125	1.20	25	38.16	12.21	43.05			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_V_2TX
SET 25
15\20\25
5.22\5.29\5.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1233G	60.59	74.00	-13.41	54.64	3	Vertical	214	1.77	25	33.90	6.99	34.94			
AV	5.1476G	47.82	54.00	-6.18	41.84	3	Vertical	214	1.77	25	33.90	7.01	34.93			
PK	5.2406G	122.10	Inf	-Inf	115.82	3	Vertical	214	1.77	25	34.10	7.09	34.91			
AV	5.2406G	112.38	Inf	-Inf	106.10	3	Vertical	214	1.77	25	34.10	7.09	34.91			
PK	5.3633G	61.61	74.00	-12.39	54.78	3	Vertical	214	1.77	25	34.55	7.17	34.89			
AV	5.3852G	48.66	54.00	-5.34	41.71	3	Vertical	214	1.77	25	34.64	7.19	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_V_2TX
SET 25
25
5.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1326G	61.18	74.00	-12.82	55.21	3	Horizontal	201	1.60	25	33.90	7.00	34.93				
AV	5.1491G	47.68	54.00	-6.32	41.70	3	Horizontal	201	1.60	25	33.90	7.01	34.93				
PK	5.2406G	121.24	Inf	-Inf	114.96	3	Horizontal	201	1.60	25	34.10	7.09	34.91				
AV	5.2406G	111.37	Inf	-Inf	105.09	3	Horizontal	201	1.60	25	34.10	7.09	34.91				
PK	5.35G	61.35	74.00	-12.65	54.57	3	Horizontal	201	1.60	25	34.50	7.17	34.89				
AV	5.3846G	48.70	54.00	-5.30	41.75	3	Horizontal	201	1.60	25	34.64	7.19	34.88				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.48304G	56.39	68.20	-11.81	53.25	3	Vertical	130	2.13	25	38.03	10.42	45.31				
PK	15.72063G	51.25	74.00	-22.75	44.59	3	Vertical	184	1.80	25	37.72	12.27	43.33				
AV	15.71976G	37.72	54.00	-16.28	31.06	3	Vertical	184	1.80	25	37.72	12.27	43.33				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.48104G	50.53	68.20	-17.67	47.40	3	Horizontal	188	1.75	25	38.02	10.42	45.31			
PK	15.72438G	51.69	74.00	-22.31	45.06	3	Horizontal	16	1.80	-	37.70	12.27	43.34			
AV	15.70827G	37.15	54.00	-16.85	30.41	3	Horizontal	16	1.80	-	37.77	12.27	43.30			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 17
16.5\17.5\17
1.39\1.76\1.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.48	74.00	-5.52	62.50	3	Vertical	214	1.80	16.5	33.90	7.01	34.93			
AV	5.15G	51.49	54.00	-2.51	45.51	3	Vertical	214	1.80	16.5	33.90	7.01	34.93			
PK	5.1806G	118.27	Inf	-Inf	112.13	3	Vertical	214	1.80	16.5	34.02	7.04	34.92			
AV	5.181G	104.51	Inf	-Inf	98.37	3	Vertical	214	1.80	16.5	34.02	7.04	34.92			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 17
1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.15G	66.75	74.00	-7.25	60.77	3	Horizontal	176	1.80	16.5	33.90	7.01	34.93				
AV	5.1499G	51.80	54.00	-2.20	45.82	3	Horizontal	176	1.80	16.5	33.90	7.01	34.93				
PK	5.1791G	117.91	Inf	-Inf	111.77	3	Horizontal	176	1.80	16.5	34.02	7.04	34.92				
AV	5.1791G	104.63	Inf	-Inf	98.49	3	Horizontal	176	1.80	16.5	34.02	7.04	34.92				

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 17
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36032G	50.88	68.20	-17.32	47.78	3	Vertical	130	1.76	16.5	38.06	10.38	45.34			
PK	15.54318G	52.99	74.00	-21.01	45.43	3	Vertical	94	2.44	16.5	38.33	12.19	42.96			
AV	15.54354G	39.02	54.00	-14.98	31.46	3	Vertical	94	2.44	16.5	38.33	12.19	42.96			

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
SET 17
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35352G	48.91	68.20	-19.29	45.80	3	Horizontal	177	1.38	16.5	38.09	10.37	45.35			
PK	15.53253G	52.43	74.00	-21.57	44.81	3	Horizontal	122	1.15	16.5	38.37	12.19	42.94			
AV	15.55449G	39.00	54.00	-15.00	31.50	3	Horizontal	122	1.15	16.5	38.28	12.20	42.98			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 22.5
21.5\22.5
1.22\0.12

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1496G	69.18	74.00	-4.82	63.20	3	Vertical	214	2.01	22.5	33.90	7.01	34.93				
AV	5.15G	52.88	54.00	-1.12	46.90	3	Vertical	214	2.01	22.5	33.90	7.01	34.93				
PK	5.2006G	122.24	Inf	-Inf	116.00	3	Vertical	214	2.01	22.5	34.10	7.06	34.92				
AV	5.201G	109.65	Inf	-Inf	103.41	3	Vertical	214	2.01	22.5	34.10	7.06	34.92				

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET 22.5
22.5
0.93

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1482G	69.29	74.00	-4.71	63.31	3	Horizontal	179	1.76	22.5	33.90	7.01	34.93				
AV	5.1488G	52.07	54.00	-1.93	46.09	3	Horizontal	179	1.76	22.5	33.90	7.01	34.93				
PK	5.1982G	121.27	Inf	-Inf	115.04	3	Horizontal	179	1.76	22.5	34.09	7.06	34.92				
AV	5.1988G	109.84	Inf	-Inf	103.60	3	Horizontal	179	1.76	22.5	34.10	7.06	34.92				

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET22.5
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.39904G	58.98	68.20	-9.22	56.02	3	Vertical	228	1.63	21.5	37.90	10.39	45.33				
PK	15.58698G	52.33	74.00	-21.67	45.02	3	Vertical	237	1.99	21.5	38.15	12.21	43.05				
AV	15.58527G	38.77	54.00	-15.23	31.45	3	Vertical	237	1.99	21.5	38.16	12.21	43.05				

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
SET22.5
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.4G	54.42	68.20	-13.78	51.46	3	Horizontal	173	1.73	21.5	37.90	10.39	45.33				
PK	15.58782G	51.99	74.00	-22.01	44.68	3	Horizontal	175	1.47	21.5	38.15	12.21	43.05				
AV	15.58839G	38.78	54.00	-15.22	31.47	3	Horizontal	175	1.47	21.5	38.15	12.21	43.05				

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 25
15\20\25
5.25\5.29\5.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1311G	60.81	74.00	-13.19	54.85	3	Vertical	218	1.80	25	33.90	6.99	34.93			
AV	5.1494G	47.75	54.00	-6.25	41.77	3	Vertical	218	1.80	25	33.90	7.01	34.93			
PK	5.2391G	125.33	Inf	-Inf	119.05	3	Vertical	218	1.80	25	34.10	7.09	34.91			
AV	5.2406G	111.58	Inf	-Inf	105.30	3	Vertical	218	1.80	25	34.10	7.09	34.91			
PK	5.3771G	61.99	74.00	-12.01	55.08	3	Vertical	218	1.80	25	34.61	7.18	34.88			
AV	5.3876G	48.67	54.00	-5.33	41.71	3	Vertical	218	1.80	25	34.65	7.19	34.88			

5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 25
25
5.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1242G	61.25	74.00	-12.75	55.30	3	Horizontal	201	1.80	25	33.90	6.99	34.94				
AV	5.1479G	47.81	54.00	-6.19	41.83	3	Horizontal	201	1.80	25	33.90	7.01	34.93				
PK	5.2409G	122.43	Inf	-Inf	116.15	3	Horizontal	201	1.80	25	34.10	7.09	34.91				
AV	5.2406G	110.45	Inf	-Inf	104.17	3	Horizontal	201	1.80	25	34.10	7.09	34.91				
PK	5.3555G	61.71	74.00	-12.29	54.91	3	Horizontal	201	1.80	25	34.52	7.17	34.89				
AV	5.3852G	48.66	54.00	-5.34	41.71	3	Horizontal	201	1.80	25	34.64	7.19	34.88				

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.48344G	56.08	68.20	-12.12	52.94	3	Vertical	132	1.55	25	38.03	10.42	45.31				
PK	15.72099G	51.38	74.00	-22.62	44.72	3	Vertical	183	1.79	25	37.72	12.27	43.33				
AV	15.72087G	37.56	54.00	-16.44	30.90	3	Vertical	183	1.79	25	37.72	12.27	43.33				

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48012G	50.00	68.20	-18.20	46.87	3	Horizontal	160	1.80	25	38.02	10.42	45.31			
PK	15.70779G	51.11	74.00	-22.89	44.37	3	Horizontal	16	1.26	25	37.77	12.27	43.30			
AV	15.70701G	37.40	54.00	-16.60	30.66	3	Horizontal	16	1.26	25	37.77	12.27	43.30			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 10.5
10.5\11\10.5
0.59\0.45\0.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	66.00	74.00	-8.00	60.02	3	Vertical	215	1.93	10.5	33.90	7.01	34.93			
AV	5.15G	52.36	54.00	-1.64	46.38	3	Vertical	215	1.93	10.5	33.90	7.01	34.93			
PK	5.191G	108.67	Inf	-Inf	102.48	3	Vertical	215	1.93	10.5	34.06	7.05	34.92			
AV	5.1912G	95.75	Inf	-Inf	89.56	3	Vertical	215	1.93	10.5	34.06	7.05	34.92			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
SET 10.5
10.5
1.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1474G	66.21	74.00	-7.79	60.23	3	Horizontal	181	1.80	10.5	33.90	7.01	34.93				
AV	5.1484G	51.91	54.00	-2.09	45.93	3	Horizontal	181	1.80	10.5	33.90	7.01	34.93				
PK	5.189G	108.23	Inf	-Inf	102.04	3	Horizontal	181	1.80	10.5	34.06	7.05	34.92				
AV	5.188G	95.85	Inf	-Inf	89.67	3	Horizontal	181	1.80	10.5	34.05	7.05	34.92				

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
SET 10.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41392G	46.70	68.20	-21.50	43.74	3	Vertical	218	1.80	10.5	37.90	10.39	45.33			
PK	15.56223G	52.26	74.00	-21.74	44.81	3	Vertical	158	1.82	10.5	38.25	12.20	43.00			
AV	15.57063G	38.96	54.00	-15.04	31.56	3	Vertical	158	1.82	10.5	38.22	12.20	43.02			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX

EUT_Y_2TX
SET 10.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39904G	46.65	68.20	-21.55	43.69	3	Horizontal	211	2.58	10.5	37.90	10.39	45.33			
PK	15.5829G	52.37	74.00	-21.63	45.03	3	Horizontal	203	2.48	10.5	38.17	12.21	43.04			
AV	15.57453G	38.97	54.00	-15.03	31.59	3	Horizontal	203	2.48	10.5	38.20	12.21	43.03			

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 20.5
20\21\20.5
1.09\ -0.89\0.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1494G	68.84	74.00	-5.16	62.86	3	Vertical	212	1.93	20.5	33.90	7.01	34.93				
AV	5.15G	52.99	54.00	-1.01	47.01	3	Vertical	212	1.93	20.5	33.90	7.01	34.93				
PK	5.2318G	119.13	Inf	-Inf	112.86	3	Vertical	212	1.93	20.5	34.10	7.08	34.91				
AV	5.231G	106.45	Inf	-Inf	100.18	3	Vertical	212	1.93	20.5	34.10	7.08	34.91				

5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 20.5
20.5
0.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.148G	66.93	74.00	-7.07	60.95	3	Horizontal	178	1.77	20.5	33.90	7.01	34.93				
AV	5.1478G	52.79	54.00	-1.21	46.81	3	Horizontal	178	1.77	20.5	33.90	7.01	34.93				
PK	5.2292G	118.43	Inf	-Inf	112.16	3	Horizontal	178	1.77	20.5	34.10	7.08	34.91				
AV	5.2288G	106.05	Inf	-Inf	99.78	3	Horizontal	178	1.77	20.5	34.10	7.08	34.91				

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5230MHz_TX

EUT_Y_2TX
SET20.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46568G	48.13	68.20	-20.07	45.08	3	Vertical	239	1.59	20	37.96	10.41	45.32			
PK	15.69111G	51.19	74.00	-22.81	44.40	3	Vertical	79	2.22	20	37.80	12.26	43.27			
AV	15.68424G	37.59	54.00	-16.41	30.78	3	Vertical	79	2.22	20	37.80	12.26	43.25			

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
SET 20.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45376G	47.55	68.20	-20.65	44.54	3	Horizontal	161	1.80	20	37.92	10.41	45.32			
PK	15.68667G	51.73	74.00	-22.27	44.93	3	Horizontal	203	2.73	20	37.80	12.26	43.26			
AV	15.67875G	37.63	54.00	-16.37	30.82	3	Horizontal	203	2.73	20	37.80	12.25	43.24			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX

EUT Y_2TX
SET 10
9.5\10
0.98\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.98	74.00	-8.02	60.00	3	Vertical	214	1.80	10	33.90	7.01	34.93			
AV	5.15G	52.91	54.00	-1.09	46.93	3	Vertical	214	1.80	10	33.90	7.01	34.93			
PK	5.211G	104.71	Inf	-Inf	98.46	3	Vertical	214	1.80	10	34.10	7.07	34.92			
AV	5.211G	93.35	Inf	-Inf	87.10	3	Vertical	214	1.80	10	34.10	7.07	34.92			
PK	5.391G	59.90	74.00	-14.10	52.93	3	Vertical	214	1.80	10	34.66	7.19	34.88			
AV	5.401G	47.07	54.00	-6.93	40.05	3	Vertical	214	1.80	10	34.70	7.20	34.88			

5.15-5.25GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
SET 9.5
10\9\9.5
-0.74\1.59\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	66.29	74.00	-7.71	60.31	3	Horizontal	178	1.73	9.5	33.90	7.01	34.93			
AV	5.1485G	52.54	54.00	-1.46	46.56	3	Horizontal	178	1.73	9.5	33.90	7.01	34.93			
PK	5.2085G	106.16	Inf	-Inf	99.91	3	Horizontal	178	1.73	9.5	34.10	7.07	34.92			
AV	5.209G	93.05	Inf	-Inf	86.80	3	Horizontal	178	1.73	9.5	34.10	7.07	34.92			
PK	5.389G	60.33	74.00	-13.67	53.36	3	Horizontal	178	1.73	9.5	34.66	7.19	34.88			
AV	5.3985G	47.04	54.00	-6.96	40.03	3	Horizontal	178	1.73	9.5	34.69	7.20	34.88			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX

EUT_Y_2TX
SET9.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35056G	47.02	68.20	-21.18	43.90	3	Vertical	277	1.80	9.5	38.10	10.37	45.35			
PK	15.61941G	51.55	74.00	-22.45	44.46	3	Vertical	340	1.55	9.5	37.98	12.23	43.12			
AV	15.61545G	38.15	54.00	-15.85	31.02	3	Vertical	340	1.55	9.5	38.01	12.23	43.11			

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX

EUT_Y_2TX
SET9.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45088G	46.61	68.20	-21.59	43.62	3	Horizontal	360	2.17	9.5	37.90	10.41	45.32			
PK	15.62259G	51.96	74.00	-22.04	44.89	3	Horizontal	175	2.69	9.5	37.96	12.23	43.12			
AV	15.61623G	38.08	54.00	-15.92	30.96	3	Horizontal	175	2.69	9.5	38.00	12.23	43.11			

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
SET 10
9.5\11\10.5\10
1.87\1.37\0.41\0.76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.12232G	64.20	74.00	-9.80	58.25	3	Vertical	209	1.89	10	33.90	6.99	34.94					
AV	5.14248G	52.24	54.00	-1.76	46.26	3	Vertical	209	1.89	10	33.90	7.01	34.93					
PK	5.24244G	101.52	Inf	-Inf	95.24	3	Vertical	209	1.89	10	34.10	7.09	34.91					
AV	5.25168G	90.18	Inf	-Inf	83.88	3	Vertical	209	1.89	10	34.11	7.10	34.91					
PK	5.36088G	62.85	74.00	-11.15	56.03	3	Vertical	209	1.89	10	34.54	7.17	34.89					
AV	5.35164G	50.99	54.00	-3.01	44.20	3	Vertical	209	1.89	10	34.51	7.17	34.89					
PK	5.49528G	59.57	68.20	-8.63	52.56	3	Vertical	209	1.89	10	34.60	7.27	34.86					

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_2TX
SET 9.5
10\9\9.5
-0.95\1.59\0.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.15G	65.04	74.00	-8.96	59.06	3	Horizontal	180	1.72	9.5	33.90	7.01	34.93					
AV	5.14836G	52.65	54.00	-1.35	46.67	3	Horizontal	180	1.72	9.5	33.90	7.01	34.93					
PK	5.24832G	103.19	Inf	-Inf	96.91	3	Horizontal	180	1.72	9.5	34.10	7.09	34.91					
AV	5.24748G	90.19	Inf	-Inf	83.91	3	Horizontal	180	1.72	9.5	34.10	7.09	34.91					
PK	5.36676G	62.47	74.00	-11.53	55.61	3	Horizontal	180	1.72	9.5	34.57	7.18	34.89					
AV	5.35668G	49.33	54.00	-4.67	42.52	3	Horizontal	180	1.72	9.5	34.53	7.17	34.89					
PK	5.66244G	59.73	68.20	-8.47	52.96	3	Horizontal	180	1.72	9.5	34.28	7.40	34.91					

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
SET 9.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62096G	47.10	74.00	-26.90	43.98	3	Vertical	349	1.70	9.5	38.20	10.46	45.54			
AV	10.65744G	33.65	54.00	-20.35	30.59	3	Vertical	349	1.70	9.5	38.20	10.47	45.61			
PK	15.73704G	50.01	74.00	-23.99	43.44	3	Vertical	313	2.41	9.5	37.65	12.28	43.36			
AV	15.73668G	36.86	54.00	-17.14	30.29	3	Vertical	313	2.41	9.5	37.65	12.28	43.36			

5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_2TX
SET 9.5
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.61488G	46.92	74.00	-27.08	43.79	3	Horizontal	276	1.80	9.5	38.20	10.46	45.53				
AV	10.64912G	33.67	54.00	-20.33	30.59	3	Horizontal	276	1.80	9.5	38.20	10.47	45.59				
PK	15.74658G	50.83	74.00	-23.17	44.32	3	Horizontal	14	1.16	9.5	37.61	12.28	43.38				
AV	15.73539G	36.89	54.00	-17.11	30.31	3	Horizontal	14	1.16	9.5	37.66	12.28	43.36				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
SET 25
15\20\25
5.25\5.22\5.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.134G	60.30	74.00	-13.70	54.33	3	Vertical	215	1.89	25	33.90	7.00	34.93			
AV	5.1463G	47.70	54.00	-6.30	41.72	3	Vertical	215	1.89	25	33.90	7.01	34.93			
PK	5.2606G	121.89	Inf	-Inf	115.54	3	Vertical	215	1.89	25	34.16	7.10	34.91			
AV	5.2606G	111.91	Inf	-Inf	105.56	3	Vertical	215	1.89	25	34.16	7.10	34.91			
PK	5.3875G	62.22	74.00	-11.78	55.26	3	Vertical	215	1.89	25	34.65	7.19	34.88			
AV	5.3986G	48.85	54.00	-5.15	41.84	3	Vertical	215	1.89	25	34.69	7.20	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_V_2TX
SET 25
25
5.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	60.84	74.00	-13.16	54.86	3	Horizontal	182	1.58	25	33.90	7.01	34.93			
AV	5.1454G	47.64	54.00	-6.36	41.66	3	Horizontal	182	1.58	25	33.90	7.01	34.93			
PK	5.2591G	120.60	Inf	-Inf	114.26	3	Horizontal	182	1.58	25	34.15	7.10	34.91			
AV	5.2591G	110.51	Inf	-Inf	104.17	3	Horizontal	182	1.58	25	34.15	7.10	34.91			
PK	5.3824G	61.54	74.00	-12.46	54.60	3	Horizontal	182	1.58	25	34.63	7.19	34.88			
AV	5.4016G	48.71	54.00	-5.29	41.69	3	Horizontal	182	1.58	25	34.70	7.20	34.88			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52348G	53.23	68.20	-14.97	50.00	3	Vertical	128	2.19	25	38.15	10.43	45.35			
PK	15.76968G	50.56	74.00	-23.44	44.13	3	Vertical	23	1.16	25	37.56	12.30	43.43			
AV	15.76704G	36.88	54.00	-17.12	30.45	3	Vertical	23	1.16	25	37.57	12.29	43.43			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51716G	50.68	68.20	-17.52	47.46	3	Horizontal	227	2.16	25	38.13	10.43	45.34			
PK	15.77562G	50.42	74.00	-23.58	44.01	3	Horizontal	243	1.07	25	37.55	12.30	43.44			
AV	15.76926G	36.85	54.00	-17.15	30.42	3	Horizontal	243	1.07	25	37.56	12.30	43.43			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 25
15\20\24.5\25
5.22\4.98\4.49\4.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3006G	122.43	Inf	-Inf	115.80	3	Vertical	213	1.85	25	34.40	7.13	34.90				
AV	5.3006G	112.50	Inf	-Inf	105.87	3	Vertical	213	1.85	25	34.40	7.13	34.90				
PK	5.3502G	64.29	74.00	-9.71	57.51	3	Vertical	213	1.85	25	34.50	7.17	34.89				
AV	5.35G	49.61	54.00	-4.39	42.83	3	Vertical	213	1.85	25	34.50	7.17	34.89				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
SET 25
25
4.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.299G	121.10	Inf	-Inf	114.48	3	Horizontal	182	1.66	25	34.39	7.13	34.90				
AV	5.299G	111.45	Inf	-Inf	104.83	3	Horizontal	182	1.66	25	34.39	7.13	34.90				
PK	5.377G	62.15	74.00	-11.85	55.24	3	Horizontal	182	1.66	25	34.61	7.18	34.88				
AV	5.352G	49.17	54.00	-4.83	42.38	3	Horizontal	182	1.66	25	34.51	7.17	34.89				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59883G	51.89	68.20	-16.31	48.74	3	Vertical	126	2.16	25	38.20	10.45	45.50			
PK	15.91083G	50.85	74.00	-23.15	44.45	3	Vertical	140	1.80	25	37.76	12.36	43.72			
AV	15.90921G	37.24	54.00	-16.76	30.84	3	Vertical	140	1.80	25	37.76	12.36	43.72			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59616G	48.95	68.20	-19.25	45.79	3	Horizontal	192	1.42	25	38.20	10.45	45.49			
PK	15.9141G	50.64	74.00	-23.36	44.27	3	Horizontal	78	1.47	25	37.74	12.36	43.73			
AV	15.90867G	37.10	54.00	-16.90	30.69	3	Horizontal	78	1.47	25	37.77	12.36	43.72			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 19.5
19.5\20\19.5
0.77\0.11\0.67

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3213G	118.49	Inf	-Inf	111.81	3	Vertical	205	1.72	19.5	34.44	7.14	34.90				
AV	5.3214G	107.95	Inf	-Inf	101.27	3	Vertical	205	1.72	19.5	34.44	7.14	34.90				
PK	5.3509G	65.99	74.00	-8.01	59.21	3	Vertical	205	1.72	19.5	34.50	7.17	34.89				
AV	5.3506G	52.33	54.00	-1.67	45.55	3	Vertical	205	1.72	19.5	34.50	7.17	34.89				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 19.5
19.5
2.34

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3188G	117.60	Inf	-Inf	110.92	3	Horizontal	179	1.78	19.5	34.44	7.14	34.90				
AV	5.3189G	107.58	Inf	-Inf	100.90	3	Horizontal	179	1.78	19.5	34.44	7.14	34.90				
PK	5.3525G	65.80	74.00	-8.20	59.01	3	Horizontal	179	1.78	19.5	34.51	7.17	34.89				
AV	5.3527G	50.66	54.00	-3.34	43.87	3	Horizontal	179	1.78	19.5	34.51	7.17	34.89				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 19.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64224G	48.06	74.00	-25.94	44.97	3	Vertical	134	1.80	19.5	38.20	10.47	45.58			
AV	10.6382G	34.80	54.00	-19.20	31.70	3	Vertical	134	1.80	19.5	38.20	10.47	45.57			
PK	15.95595G	50.82	74.00	-23.18	44.68	3	Vertical	259	2.83	19.5	37.58	12.38	43.82			
AV	15.9474G	37.15	54.00	-16.85	30.96	3	Vertical	259	2.83	19.5	37.61	12.38	43.80			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
SET 19.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65632G	47.39	74.00	-26.61	44.32	3	Horizontal	16	1.80	19.5	38.20	10.47	45.60			
AV	10.6264G	33.53	54.00	-20.47	30.42	3	Horizontal	16	1.80	19.5	38.20	10.46	45.55			
PK	15.95832G	50.68	74.00	-23.32	44.55	3	Horizontal	204	2.94	19.5	37.57	12.38	43.82			
AV	15.9543G	37.18	54.00	-16.82	31.03	3	Horizontal	204	2.94	19.5	37.58	12.38	43.81			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 25
15\20\25
5.24\5.26\5.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	60.44	74.00	-13.56	54.46	3	Vertical	214	1.86	25	33.90	7.01	34.93			
AV	5.1433G	47.79	54.00	-6.21	41.81	3	Vertical	214	1.86	25	33.90	7.01	34.93			
PK	5.2606G	124.95	Inf	-Inf	118.60	3	Vertical	214	1.86	25	34.16	7.10	34.91			
AV	5.2606G	111.42	Inf	-Inf	105.07	3	Vertical	214	1.86	25	34.16	7.10	34.91			
PK	5.3866G	61.73	74.00	-12.27	54.77	3	Vertical	214	1.86	25	34.65	7.19	34.88			
AV	5.4073G	48.78	54.00	-5.22	41.76	3	Vertical	214	1.86	25	34.69	7.21	34.88			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5260MHz_TX

EUT_V_2TX
SET 25
25
5.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1226G	60.66	74.00	-13.34	54.71	3	Horizontal	181	1.61	25	33.90	6.99	34.94			
AV	5.1496G	47.64	54.00	-6.36	41.66	3	Horizontal	181	1.61	25	33.90	7.01	34.93			
PK	5.2588G	122.45	Inf	-Inf	116.11	3	Horizontal	181	1.61	25	34.15	7.10	34.91			
AV	5.2582G	109.74	Inf	-Inf	103.40	3	Horizontal	181	1.61	25	34.15	7.10	34.91			
PK	5.3701G	62.13	74.00	-11.87	55.26	3	Horizontal	181	1.61	25	34.58	7.18	34.89			
AV	5.3911G	48.75	54.00	-5.25	41.78	3	Horizontal	181	1.61	25	34.66	7.19	34.88			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.5164G	53.67	68.20	-14.53	50.45	3	Vertical	130	2.15	25	38.13	10.43	45.34			
PK	15.77184G	50.05	74.00	-23.95	43.63	3	Vertical	7	2.54	25	37.56	12.30	43.44			
AV	15.77052G	36.78	54.00	-17.22	30.35	3	Vertical	7	2.54	25	37.56	12.30	43.43			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52988G	47.11	68.20	-21.09	43.89	3	Horizontal	223	1.80	25	38.16	10.43	45.37			
PK	15.7833G	50.89	74.00	-23.11	44.52	3	Horizontal	339	1.22	25	37.53	12.30	43.46			
AV	15.77607G	36.78	54.00	-17.22	30.37	3	Horizontal	339	1.22	25	37.55	12.30	43.44			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_V_2TX
SET 25
15\20\24.5\25
5.21\4.90\3.92\3.88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3006G	123.88	Inf	-Inf	117.25	3	Vertical	213	1.76	25	34.40	7.13	34.90				
AV	5.3008G	111.57	Inf	-Inf	104.94	3	Vertical	213	1.76	25	34.40	7.13	34.90				
PK	5.3528G	63.52	74.00	-10.48	56.73	3	Vertical	213	1.76	25	34.51	7.17	34.89				
AV	5.35G	50.12	54.00	-3.88	43.34	3	Vertical	213	1.76	25	34.50	7.17	34.89				

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5300MHz_TX

EUT_Y_2TX
SET 25
25
4.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3008G	123.47	Inf	-Inf	116.84	3	Horizontal	199	1.60	25	34.40	7.13	34.90			
AV	5.301G	110.57	Inf	-Inf	103.94	3	Horizontal	199	1.60	25	34.40	7.13	34.90			
PK	5.3564G	62.96	74.00	-11.04	56.15	3	Horizontal	199	1.60	25	34.53	7.17	34.89			
AV	5.3504G	49.95	54.00	-4.05	43.17	3	Horizontal	199	1.60	25	34.50	7.17	34.89			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59556G	50.68	68.20	-17.52	47.52	3	Vertical	130	1.58	25	38.20	10.45	45.49			
PK	15.91014G	50.33	74.00	-23.67	43.93	3	Vertical	355	1.51	25	37.76	12.36	43.72			
AV	15.91473G	37.08	54.00	-16.92	30.71	3	Vertical	355	1.51	25	37.74	12.36	43.73			

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5300MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59436G	47.92	68.20	-20.28	44.76	3	Horizontal	179	1.76	25	38.20	10.45	45.49			
PK	15.89607G	50.96	74.00	-23.04	44.51	3	Horizontal	136	1.83	25	37.79	12.35	43.69			
AV	15.90906G	37.14	54.00	-16.86	30.74	3	Horizontal	136	1.83	25	37.76	12.36	43.72			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 20
19\21\20
2.15\2.86\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3185G	120.69	Inf	-Inf	114.01	3	Vertical	218	1.92	20	34.44	7.14	34.90			
AV	5.3189G	107.94	Inf	-Inf	101.26	3	Vertical	218	1.92	20	34.44	7.14	34.90			
PK	5.3557G	68.26	74.00	-5.74	61.46	3	Vertical	218	1.92	20	34.52	7.17	34.89			
AV	5.35G	52.71	54.00	-1.29	45.93	3	Vertical	218	1.92	20	34.50	7.17	34.89			

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
SET 19.5
20\18.5\19\19.5
-1.03\1.94\1.16\0.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3206G	120.52	Inf	-Inf	113.84	3	Horizontal	198	1.80	19.5	34.44	7.14	34.90				
AV	5.3207G	107.36	Inf	-Inf	100.68	3	Horizontal	198	1.80	19.5	34.44	7.14	34.90				
PK	5.35G	66.58	74.00	-7.42	59.80	3	Horizontal	198	1.80	19.5	34.50	7.17	34.89				
AV	5.35G	52.90	54.00	-1.10	46.12	3	Horizontal	198	1.80	19.5	34.50	7.17	34.89				

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX

EUT_Y_2TX
SET 19.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.63804G	48.52	74.00	-25.48	45.42	3	Vertical	135	2.03	19	38.20	10.47	45.57				
AV	10.63624G	34.83	54.00	-19.17	31.73	3	Vertical	135	2.03	19	38.20	10.47	45.57				
PK	15.96012G	50.68	74.00	-23.32	44.57	3	Vertical	264	2.91	19	37.56	12.38	43.83				
AV	15.94608G	37.32	54.00	-16.68	31.12	3	Vertical	264	2.91	19	37.62	12.38	43.80				

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX

EUT_Y_2TX
SET 19.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62824G	47.40	74.00	-26.60	44.29	3	Horizontal	151	2.45	19	38.20	10.46	45.55			
AV	10.63784G	34.02	54.00	-19.98	30.92	3	Horizontal	151	2.45	19	38.20	10.47	45.57			
PK	15.95973G	50.71	74.00	-23.29	44.60	3	Horizontal	267	1.40	19	37.56	12.38	43.83			
AV	15.94893G	37.32	54.00	-16.68	31.14	3	Horizontal	267	1.40	19	37.60	12.38	43.80			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
SET 25
15\20.5\23\24\24.5\25
5.50\3.23\1.30\1.32\1.28\1.28

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.2712G	122.57	Inf	-Inf	116.14	3	Vertical	214	1.80	25	34.23	7.11	34.91				
AV	5.2712G	109.07	Inf	-Inf	102.64	3	Vertical	214	1.80	25	34.23	7.11	34.91				
PK	5.35G	68.31	74.00	-5.69	61.53	3	Vertical	214	1.80	25	34.50	7.17	34.89				
AV	5.35G	52.72	54.00	-1.28	45.94	3	Vertical	214	1.80	25	34.50	7.17	34.89				

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 25
25
1.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.271G	120.11	Inf	-Inf	113.68	3	Horizontal	200	1.62	25	34.23	7.11	34.91			
AV	5.271G	108.05	Inf	-Inf	101.62	3	Horizontal	200	1.62	25	34.23	7.11	34.91			
PK	5.351G	66.03	74.00	-7.97	59.25	3	Horizontal	200	1.62	25	34.50	7.17	34.89			
AV	5.35G	52.20	54.00	-1.80	45.42	3	Horizontal	200	1.62	25	34.50	7.17	34.89			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54568G	48.83	68.20	-19.37	45.60	3	Vertical	133	2.10	25	38.19	10.44	45.40			
PK	15.79752G	49.89	74.00	-24.11	43.57	3	Vertical	82	2.74	25	37.50	12.31	43.49			
AV	15.79926G	36.54	54.00	-17.46	30.22	3	Vertical	82	2.74	25	37.50	12.31	43.49			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54224G	47.29	68.20	-20.91	44.06	3	Horizontal	192	1.80	25	38.18	10.44	45.39			
PK	15.80139G	49.86	74.00	-24.14	43.54	3	Horizontal	142	2.21	25	37.51	12.31	43.50			
AV	15.80472G	36.47	54.00	-17.53	30.14	3	Horizontal	142	2.21	25	37.52	12.31	43.50			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 12.5
11.5\13\12.5
1.90\0.95\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3092G	111.72	Inf	-Inf	105.06	3	Vertical	217	1.96	12.5	34.42	7.14	34.90			
AV	5.309G	98.18	Inf	-Inf	91.52	3	Vertical	217	1.96	12.5	34.42	7.14	34.90			
PK	5.3502G	65.30	74.00	-8.70	58.52	3	Vertical	217	1.96	12.5	34.50	7.17	34.89			
AV	5.35G	52.91	54.00	-1.09	46.13	3	Vertical	217	1.96	12.5	34.50	7.17	34.89			

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
SET 12.5
12.5
0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.309G	109.90	Inf	-Inf	103.24	3	Horizontal	201	1.70	12.5	34.42	7.14	34.90			
AV	5.309G	97.96	Inf	-Inf	91.30	3	Horizontal	201	1.70	12.5	34.42	7.14	34.90			
PK	5.3504G	65.41	74.00	-8.59	58.63	3	Horizontal	201	1.70	12.5	34.50	7.17	34.89			
AV	5.35G	52.55	54.00	-1.45	45.77	3	Horizontal	201	1.70	12.5	34.50	7.17	34.89			

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5310MHz_TX

EUT_Y_2TX
SET 12.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.61803G	47.09	74.00	-26.91	43.96	3	Vertical	40	1.80	11.5	38.20	10.46	45.53				
AV	10.63488G	33.47	54.00	-20.53	30.36	3	Vertical	40	1.80	11.5	38.20	10.47	45.56				
PK	15.94065G	50.84	74.00	-23.16	44.62	3	Vertical	230	1.75	11.5	37.64	12.37	43.79				
AV	15.92538G	37.36	54.00	-16.64	31.04	3	Vertical	230	1.75	11.5	37.70	12.37	43.75				

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX


5310MHz_TX

EUT_Y_2TX
SET 12.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.60411G	47.06	74.00	-26.94	43.91	3	Horizontal	26	2.71	11.5	38.20	10.46	45.51				
AV	10.6096G	33.57	54.00	-20.43	30.43	3	Horizontal	26	2.71	11.5	38.20	10.46	45.52				
PK	15.92175G	51.33	74.00	-22.67	45.01	3	Horizontal	94	1.21	11.5	37.71	12.36	43.75				
AV	15.92613G	37.36	54.00	-16.64	31.05	3	Horizontal	94	1.21	11.5	37.70	12.37	43.76				

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
SET 11
11\11.5\11
0.58\0.50\0.65

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1345G	58.36	74.00	-15.64	52.39	3	Vertical	210	1.97	11	33.90	7.00	34.93					
AV	5.1445G	45.89	54.00	-8.11	39.91	3	Vertical	210	1.97	11	33.90	7.01	34.93					
PK	5.291G	105.53	Inf	-Inf	98.96	3	Vertical	210	1.97	11	34.35	7.12	34.90					
AV	5.291G	94.03	Inf	-Inf	87.46	3	Vertical	210	1.97	11	34.35	7.12	34.90					
PK	5.35G	64.72	74.00	-9.28	57.94	3	Vertical	210	1.97	11	34.50	7.17	34.89					
AV	5.3505G	52.35	54.00	-1.65	45.57	3	Vertical	210	1.97	11	34.50	7.17	34.89					
PK	5.5045G	59.84	68.20	-8.36	52.83	3	Vertical	210	1.97	11	34.59	7.28	34.86					

5.25-5.35GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX


5290MHz_TX

EUT_Y_2TX
SET 11
11
1.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.059G	58.50	74.00	-15.50	52.70	3	Horizontal	195	1.83	11	33.82	6.93	34.95				
AV	5.144G	45.99	54.00	-8.01	40.01	3	Horizontal	195	1.83	11	33.90	7.01	34.93				
PK	5.2915G	106.57	Inf	-Inf	100.00	3	Horizontal	195	1.83	11	34.35	7.12	34.90				
AV	5.291G	93.93	Inf	-Inf	87.36	3	Horizontal	195	1.83	11	34.35	7.12	34.90				
PK	5.35G	63.83	74.00	-10.17	57.05	3	Horizontal	195	1.83	11	34.50	7.17	34.89				
AV	5.351G	51.90	54.00	-2.10	45.12	3	Horizontal	195	1.83	11	34.50	7.17	34.89				
PK	5.4645G	59.82	68.20	-8.38	52.84	3	Horizontal	195	1.83	11	34.60	7.25	34.87				

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 11
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58991G	47.01	68.20	-21.19	43.84	3	Vertical	103	1.80	11	38.20	10.45	45.48			
PK	15.87936G	50.11	74.00	-23.89	43.66	3	Vertical	321	2.18	11	37.76	12.35	43.66			
AV	15.88473G	36.76	54.00	-17.24	30.31	3	Vertical	321	2.18	11	37.77	12.35	43.67			

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT Y_2TX
SET 11
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58912G	46.90	68.20	-21.30	43.73	3	Horizontal	25	1.80	11	38.20	10.45	45.48			
PK	15.85827G	50.14	74.00	-23.86	43.70	3	Horizontal	291	2.25	11	37.72	12.34	43.62			
AV	15.88167G	36.70	54.00	-17.30	30.25	3	Horizontal	291	2.25	11	37.76	12.35	43.66			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 17
16.5\18\17.5\17
1.84\3.04\2.57\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	60.68	74.00	-13.32	53.71	3	Vertical	200	1.89	17	34.60	7.24	34.87			
AV	5.4592G	48.03	54.00	-5.97	41.06	3	Vertical	200	1.89	17	34.60	7.24	34.87			
PK	5.4699G	67.13	68.20	-1.07	60.15	3	Vertical	200	1.89	17	34.60	7.25	34.87			
PK	5.5013G	116.70	Inf	-Inf	109.68	3	Vertical	200	1.89	17	34.60	7.28	34.86			
AV	5.5014G	106.42	Inf	-Inf	99.40	3	Vertical	200	1.89	17	34.60	7.28	34.86			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT Y_2TX
SET 17
1.77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4538G	60.75	74.00	-13.25	53.78	3	Horizontal	202	1.79	17	34.60	7.24	34.87			
AV	5.4599G	47.66	54.00	-6.34	40.69	3	Horizontal	202	1.79	17	34.60	7.24	34.87			
PK	5.4687G	65.43	68.20	-2.77	58.45	3	Horizontal	202	1.79	17	34.60	7.25	34.87			
PK	5.4988G	114.64	Inf	-Inf	107.63	3	Horizontal	202	1.79	17	34.60	7.27	34.86			
AV	5.499G	104.71	Inf	-Inf	97.70	3	Horizontal	202	1.79	17	34.60	7.27	34.86			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 17
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00664G	46.39	74.00	-27.61	43.73	3	Vertical	4	1.80	16.5	38.31	10.59	46.24			
AV	11.0104G	32.15	54.00	-21.85	29.48	3	Vertical	4	1.80	16.5	38.32	10.59	46.24			
PK	16.49229G	51.40	68.20	-16.80	45.36	3	Vertical	158	2.76	16.5	37.97	12.61	44.54			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




EUT_Y_2TX
SET 17
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9832G	45.59	74.00	-28.41	42.93	3	Horizontal	226	1.44	16.5	38.30	10.58	46.22			
AV	10.99668G	32.52	54.00	-21.48	29.88	3	Horizontal	226	1.44	16.5	38.30	10.58	46.24			
PK	16.49394G	51.63	68.20	-16.57	45.58	3	Horizontal	287	2.87	16.5	37.98	12.61	44.54			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
SET 25
15\20\25
5.33\5.33\5.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4597G	61.44	74.00	-12.56	54.47	3	Vertical	203	1.80	25	34.60	7.24	34.87			
AV	5.4441G	48.70	54.00	-5.30	41.73	3	Vertical	203	1.80	25	34.61	7.23	34.87			
PK	5.4687G	62.56	68.20	-5.64	55.58	3	Vertical	203	1.80	25	34.60	7.25	34.87			
PK	5.5815G	122.46	Inf	-Inf	115.63	3	Vertical	203	1.80	25	34.37	7.34	34.88			
AV	5.5812G	112.28	Inf	-Inf	105.44	3	Vertical	203	1.80	25	34.38	7.34	34.88			
PK	5.727G	60.60	68.20	-7.60	53.88	3	Vertical	203	1.80	25	34.20	7.45	34.93			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_V_2TX
SET 25
25
5.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4465G	61.31	74.00	-12.69	54.34	3	Horizontal	170	1.67	25	34.61	7.23	34.87			
PK	5.4624G	61.65	68.20	-6.55	54.67	3	Horizontal	170	1.67	25	34.60	7.25	34.87			
AV	5.4573G	48.62	54.00	-5.38	41.65	3	Horizontal	170	1.67	25	34.60	7.24	34.87			
PK	5.5809G	120.34	Inf	-Inf	113.50	3	Horizontal	170	1.67	25	34.38	7.34	34.88			
AV	5.5806G	110.39	Inf	-Inf	103.55	3	Horizontal	170	1.67	25	34.38	7.34	34.88			
PK	5.7297G	60.86	68.20	-7.34	54.14	3	Horizontal	170	1.67	25	34.20	7.45	34.93			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16176G	49.95	74.00	-24.05	46.99	3	Vertical	125	1.80	25	38.42	10.64	46.10			
AV	11.16108G	36.39	54.00	-17.61	33.44	3	Vertical	125	1.80	25	38.42	10.64	46.11			
PK	16.75257G	50.45	68.20	-17.75	43.63	3	Vertical	296	1.45	25	38.82	12.73	44.73			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16616G	49.16	74.00	-24.84	46.19	3	Horizontal	197	1.10	25	38.43	10.64	46.10			
AV	11.16132G	35.15	54.00	-18.85	32.19	3	Horizontal	197	1.10	25	38.42	10.64	46.10			
PK	16.72725G	52.05	68.20	-16.15	45.24	3	Horizontal	136	1.92	25	38.80	12.72	44.71			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 17
16\19\15\17\18\17.5\17
3.20\5.62\5.15\0.55\2.45\1.71\0.70

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7012G	116.49	Inf	-Inf	109.78	3	Vertical	199	1.80	17	34.20	7.43	34.92			
AV	5.7008G	106.14	Inf	-Inf	99.43	3	Vertical	199	1.80	17	34.20	7.43	34.92			
PK	5.7256G	66.50	68.20	-1.70	59.78	3	Vertical	199	1.80	17	34.20	7.45	34.93			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 17
1.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7008G	114.56	Inf	-Inf	107.85	3	Horizontal	211	1.85	17	34.20	7.43	34.92			
AV	5.7012G	104.47	Inf	-Inf	97.76	3	Horizontal	211	1.85	17	34.20	7.43	34.92			
PK	5.7254G	65.83	68.20	-2.37	59.11	3	Horizontal	211	1.85	17	34.20	7.45	34.93			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 17
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.40048G	49.32	74.00	-24.68	45.79	3	Vertical	177	1.79	16	38.70	10.72	45.89				
AV	11.4014G	35.42	54.00	-18.58	31.89	3	Vertical	177	1.79	16	38.70	10.72	45.89				
PK	17.09895G	53.07	68.20	-15.13	45.08	3	Vertical	3	2.81	16	40.10	12.88	44.99				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
SET 17
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.4022G	48.75	74.00	-25.25	45.22	3	Horizontal	217	1.72	16	38.70	10.72	45.89				
AV	11.40096G	34.96	54.00	-19.04	31.43	3	Horizontal	217	1.72	16	38.70	10.72	45.89				
PK	17.08506G	52.72	68.20	-15.48	44.76	3	Horizontal	334	1.27	16	40.07	12.87	44.98				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 25
15\20\25
5.35\5.34\5.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4524G	61.35	74.00	-12.65	54.38	3	Vertical	203	1.78	25	34.60	7.24	34.87			
AV	5.4476G	48.65	54.00	-5.35	41.68	3	Vertical	203	1.78	25	34.60	7.24	34.87			
PK	5.4632G	61.07	68.20	-7.13	54.09	3	Vertical	203	1.78	25	34.60	7.25	34.87			
PK	5.7206G	122.92	Inf	-Inf	116.20	3	Vertical	203	1.78	25	34.20	7.45	34.93			
AV	5.7206G	112.96	Inf	-Inf	106.24	3	Vertical	203	1.78	25	34.20	7.45	34.93			
PK	5.9714G	62.23	68.20	-5.97	55.00	3	Vertical	203	1.78	25	34.70	7.53	35.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 25
25
5.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4326G	61.44	74.00	-12.56	54.46	3	Horizontal	190	1.88	25	34.63	7.22	34.87			
PK	5.4698G	60.67	68.20	-7.53	53.69	3	Horizontal	190	1.88	25	34.60	7.25	34.87			
AV	5.4584G	48.66	54.00	-5.34	41.69	3	Horizontal	190	1.88	25	34.60	7.24	34.87			
PK	5.7212G	120.95	Inf	-Inf	114.23	3	Horizontal	190	1.88	25	34.20	7.45	34.93			
AV	5.7206G	111.12	Inf	-Inf	104.40	3	Horizontal	190	1.88	25	34.20	7.45	34.93			
PK	5.9528G	62.04	68.20	-6.16	54.81	3	Horizontal	190	1.88	25	34.70	7.53	35.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.44152G	51.67	74.00	-22.33	48.01	3	Vertical	175	1.42	25	38.78	10.73	45.85				
AV	11.44164G	38.11	54.00	-15.89	34.45	3	Vertical	175	1.42	25	38.78	10.73	45.85				
PK	17.14965G	52.95	68.20	-15.25	44.78	3	Vertical	300	1.39	25	40.30	12.90	45.03				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.44108G	51.44	74.00	-22.56	47.78	3	Horizontal	218	1.73	25	38.78	10.73	45.85				
AV	11.44108G	37.47	54.00	-16.53	33.81	3	Horizontal	218	1.73	25	38.78	10.73	45.85				
PK	17.15667G	53.90	68.20	-14.30	45.71	3	Horizontal	303	2.88	25	40.33	12.90	45.04				

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 16
16\18\15\16.5\16
2.36\4.83\4.21\0.66\1.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	61.24	74.00	-12.76	54.27	3	Vertical	161	1.80	16	34.60	7.24	34.87			
AV	5.4596G	47.87	54.00	-6.13	40.90	3	Vertical	161	1.80	16	34.60	7.24	34.87			
PK	5.469G	65.82	68.20	-2.38	58.84	3	Vertical	161	1.80	16	34.60	7.25	34.87			
PK	5.4986G	117.19	Inf	-Inf	110.18	3	Vertical	161	1.80	16	34.60	7.27	34.86			
AV	5.4988G	104.35	Inf	-Inf	97.34	3	Vertical	161	1.80	16	34.60	7.27	34.86			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
SET 16
16
2.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4521G	60.37	74.00	-13.63	53.40	3	Horizontal	191	1.80	16	34.60	7.24	34.87			
AV	5.4596G	47.75	54.00	-6.25	40.78	3	Horizontal	191	1.80	16	34.60	7.24	34.87			
PK	5.4699G	65.17	68.20	-3.03	58.19	3	Horizontal	191	1.80	16	34.60	7.25	34.87			
PK	5.5008G	116.59	Inf	-Inf	109.57	3	Horizontal	191	1.80	16	34.60	7.28	34.86			
AV	5.5009G	103.87	Inf	-Inf	96.85	3	Horizontal	191	1.80	16	34.60	7.28	34.86			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 16
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00344G	46.26	74.00	-27.74	43.61	3	Vertical	141	1.80	16	38.31	10.59	46.25			
AV	11.0138G	32.20	54.00	-21.80	29.52	3	Vertical	141	1.80	16	38.33	10.59	46.24			
PK	16.49928G	51.52	68.20	-16.68	45.45	3	Vertical	176	2.25	16	38.00	12.62	44.55			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUT Y_2TX
SET 16
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02G	46.14	74.00	-27.86	43.44	3	Horizontal	289	2.72	16	38.34	10.59	46.23			
AV	11.0016G	32.29	54.00	-21.71	29.65	3	Horizontal	289	2.72	16	38.30	10.59	46.25			
PK	16.49568G	51.42	68.20	-16.78	45.36	3	Horizontal	60	2.09	16	37.98	12.62	44.54			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
SET 25
15\20\25
5.36\5.37\5.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4309G	61.50	74.00	-12.50	54.51	3	Vertical	208	1.75	25	34.64	7.22	34.87			
PK	5.4693G	60.88	68.20	-7.32	53.90	3	Vertical	208	1.75	25	34.60	7.25	34.87			
AV	5.4576G	48.66	54.00	-5.34	41.69	3	Vertical	208	1.75	25	34.60	7.24	34.87			
PK	5.5824G	124.01	Inf	-Inf	117.18	3	Vertical	208	1.75	25	34.37	7.34	34.88			
AV	5.5812G	110.97	Inf	-Inf	104.13	3	Vertical	208	1.75	25	34.38	7.34	34.88			
PK	5.7297G	60.47	68.20	-7.73	53.75	3	Vertical	208	1.75	25	34.20	7.45	34.93			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_V_2TX
SET 25
25
5.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4366G	61.46	74.00	-12.54	54.47	3	Horizontal	169	1.68	25	34.63	7.23	34.87			
PK	5.4693G	61.10	68.20	-7.10	54.12	3	Horizontal	169	1.68	25	34.60	7.25	34.87			
AV	5.4582G	48.62	54.00	-5.38	41.65	3	Horizontal	169	1.68	25	34.60	7.24	34.87			
PK	5.5821G	121.14	Inf	-Inf	114.31	3	Horizontal	169	1.68	25	34.37	7.34	34.88			
AV	5.5812G	109.65	Inf	-Inf	102.81	3	Horizontal	169	1.68	25	34.38	7.34	34.88			
PK	5.7276G	61.22	68.20	-6.98	54.50	3	Horizontal	169	1.68	25	34.20	7.45	34.93			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16192G	49.19	74.00	-24.81	46.23	3	Vertical	124	1.80	25	38.42	10.64	46.10			
AV	11.1616G	36.06	54.00	-17.94	33.10	3	Vertical	124	1.80	25	38.42	10.64	46.10			
PK	16.73214G	51.42	68.20	-16.78	44.62	3	Vertical	325	2.83	25	38.80	12.72	44.72			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16148G	47.51	74.00	-26.49	44.55	3	Horizontal	201	1.05	25	38.42	10.64	46.10			
AV	11.16108G	34.33	54.00	-19.67	31.38	3	Horizontal	201	1.05	25	38.42	10.64	46.11			
PK	16.73973G	51.19	68.20	-17.01	44.39	3	Horizontal	109	1.00	25	38.80	12.72	44.72			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 15.5
17\14.5\18\16.5\16\15.5
-2.17\5.61\4.53\0.22\2.42\2.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.7014G	117.15	Inf	-Inf	110.44	3	Vertical	202	1.80	15.5	34.20	7.43	34.92			
AV	5.701G	104.43	Inf	-Inf	97.72	3	Vertical	202	1.80	15.5	34.20	7.43	34.92			
PK	5.7272G	64.56	68.20	-3.64	57.84	3	Vertical	202	1.80	15.5	34.20	7.45	34.93			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 15.5
15.5
1.58

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.7018G	115.17	Inf	-Inf	108.46	3	Horizontal	214	1.82	15.5	34.20	7.43	34.92				
AV	5.7012G	102.30	Inf	-Inf	95.59	3	Horizontal	214	1.82	15.5	34.20	7.43	34.92				
PK	5.725G	65.62	68.20	-2.58	58.90	3	Horizontal	214	1.82	15.5	34.20	7.45	34.93				

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
SET 15.5
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.40084G	48.86	74.00	-25.14	45.33	3	Vertical	177	1.78	17	38.70	10.72	45.89				
AV	11.40228G	35.94	54.00	-18.06	32.41	3	Vertical	177	1.78	17	38.70	10.72	45.89				
PK	17.10837G	53.12	68.20	-15.08	45.11	3	Vertical	287	2.09	17	40.13	12.88	45.00				

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
SET 15.5
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.40248G	49.53	74.00	-24.47	46.00	3	Horizontal	217	1.77	17	38.70	10.72	45.89				
AV	11.40216G	35.35	54.00	-18.65	31.82	3	Horizontal	217	1.77	17	38.70	10.72	45.89				
PK	17.09862G	53.34	68.20	-14.86	45.35	3	Horizontal	241	2.85	17	40.10	12.88	44.99				

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 25
15\24\25
9.14\9.23\8.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.441G	57.66	74.00	-16.34	50.68	3	Vertical	201	1.91	25	34.62	7.23	34.87
PK	5.4632G	59.44	68.20	-8.76	52.46	3	Vertical	201	1.91	25	34.60	7.25	34.87
AV	5.4548G	44.78	54.00	-9.22	37.81	3	Vertical	201	1.91	25	34.60	7.24	34.87
PK	5.7218G	120.34	Inf	-Inf	113.62	3	Vertical	201	1.91	25	34.20	7.45	34.93
AV	5.7212G	108.69	Inf	-Inf	101.97	3	Vertical	201	1.91	25	34.20	7.45	34.93
PK	5.8664G	57.29	68.20	-10.91	50.37	3	Vertical	201	1.91	25	34.37	7.52	34.97

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_2TX
SET 25
25
9.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4554G	57.42	74.00	-16.58	50.45	3	Horizontal	190	1.89	25	34.60	7.24	34.87			
AV	5.4596G	44.79	54.00	-9.21	37.82	3	Horizontal	190	1.89	25	34.60	7.24	34.87			
PK	5.4698G	57.06	68.20	-11.14	50.08	3	Horizontal	190	1.89	25	34.60	7.25	34.87			
PK	5.7212G	119.99	Inf	-Inf	113.27	3	Horizontal	190	1.89	25	34.20	7.45	34.93			
AV	5.7212G	107.34	Inf	-Inf	100.62	3	Horizontal	190	1.89	25	34.20	7.45	34.93			
PK	5.8718G	57.78	68.20	-10.42	50.84	3	Horizontal	190	1.89	25	34.39	7.52	34.97			

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.4426G	51.79	74.00	-22.21	48.12	3	Vertical	176	1.79	25	38.79	10.73	45.85				
AV	11.44156G	38.27	54.00	-15.73	34.61	3	Vertical	176	1.79	25	38.78	10.73	45.85				
PK	17.15619G	53.23	68.20	-14.97	45.04	3	Vertical	345	2.05	25	40.32	12.90	45.03				

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.44124G	52.22	74.00	-21.78	48.56	3	Horizontal	217	1.80	25	38.78	10.73	45.85				
AV	11.44184G	37.14	54.00	-16.86	33.48	3	Horizontal	217	1.80	25	38.78	10.73	45.85				
PK	17.14782G	53.18	68.20	-15.02	45.02	3	Horizontal	188	2.59	25	40.29	12.90	45.03				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 11
11
0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	60.89	74.00	-13.11	53.92	3	Vertical	201	1.86	11	34.60	7.24	34.87			
AV	5.46G	48.61	54.00	-5.39	41.63	3	Vertical	201	1.86	11	34.60	7.25	34.87			
PK	5.47G	66.89	68.20	-1.31	59.91	3	Vertical	201	1.86	11	34.60	7.25	34.87			
PK	5.512G	110.44	Inf	-Inf	103.44	3	Vertical	201	1.86	11	34.58	7.28	34.86			
AV	5.5124G	97.49	Inf	-Inf	90.49	3	Vertical	201	1.86	11	34.58	7.28	34.86			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
SET 11
11
0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	61.34	74.00	-12.66	54.37	3	Horizontal	198	1.80	11	34.60	7.24	34.87			
AV	5.4594G	48.65	54.00	-5.35	41.68	3	Horizontal	198	1.80	11	34.60	7.24	34.87			
PK	5.4692G	67.14	68.20	-1.06	60.16	3	Horizontal	198	1.80	11	34.60	7.25	34.87			
PK	5.509G	108.08	Inf	-Inf	101.08	3	Horizontal	198	1.80	11	34.58	7.28	34.86			
AV	5.5086G	96.11	Inf	-Inf	89.11	3	Horizontal	198	1.80	11	34.58	7.28	34.86			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX

EUT Y_2TX
SET 11
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02224G	46.12	74.00	-27.88	43.42	3	Vertical	95	1.80	11	38.34	10.59	46.23			
AV	11.01856G	32.07	54.00	-21.93	29.37	3	Vertical	95	1.80	11	38.34	10.59	46.23			
PK	16.52259G	51.47	68.20	-16.73	45.27	3	Vertical	338	2.40	11	38.14	12.63	44.57			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUT Y_2TX
SET 11
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98888G	45.54	74.00	-28.46	42.89	3	Horizontal	113	1.51	11	38.30	10.58	46.23			
AV	11.0072G	32.31	54.00	-21.69	29.65	3	Horizontal	113	1.51	11	38.31	10.59	46.24			
PK	16.52625G	52.16	68.20	-16.04	45.94	3	Horizontal	72	2.76	11	38.16	12.63	44.57			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT_Y_2TX
SET 19.5
23\20.5\21.5\21\20.5\20\19.5
-2.12\1.02\0.27\0.72\0.95\0.59\3.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	61.84	74.00	-12.16	54.87	3	Vertical	202	1.69	19.5	34.60	7.24	34.87			
AV	5.46G	49.03	54.00	-4.97	42.05	3	Vertical	202	1.69	19.5	34.60	7.25	34.87			
PK	5.47G	63.48	68.20	-4.72	56.50	3	Vertical	202	1.69	19.5	34.60	7.25	34.87			
PK	5.5514G	117.80	Inf	-Inf	110.88	3	Vertical	202	1.69	19.5	34.49	7.31	34.88			
AV	5.5526G	105.29	Inf	-Inf	98.37	3	Vertical	202	1.69	19.5	34.49	7.31	34.88			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 19.5
19.5
1.88

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4596G	60.98	74.00	-13.02	54.01	3	Horizontal	189	1.78	19.5	34.60	7.24	34.87			
AV	5.46G	48.72	54.00	-5.28	41.74	3	Horizontal	189	1.78	19.5	34.60	7.25	34.87			
PK	5.4688G	65.32	68.20	-2.88	58.34	3	Horizontal	189	1.78	19.5	34.60	7.25	34.87			
PK	5.5518G	116.08	Inf	-Inf	109.16	3	Horizontal	189	1.78	19.5	34.49	7.31	34.88			
AV	5.5512G	103.87	Inf	-Inf	96.94	3	Horizontal	189	1.78	19.5	34.50	7.31	34.88			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5550MHz_TX

EUT Y_2TX
SET 19.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10312G	47.23	74.00	-26.77	44.28	3	Vertical	121	1.83	23	38.49	10.62	46.16			
AV	11.10248G	34.20	54.00	-19.80	31.24	3	Vertical	121	1.83	23	38.50	10.62	46.16			
PK	16.65555G	51.42	68.20	-16.78	44.59	3	Vertical	149	1.02	23	38.80	12.69	44.66			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
SET 19.5
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.1084G	46.69	74.00	-27.31	43.74	3	Horizontal	356	1.80	23	38.48	10.62	46.15				
AV	11.12232G	33.32	54.00	-20.68	30.38	3	Horizontal	356	1.80	23	38.46	10.62	46.14				
PK	16.63914G	51.57	68.20	-16.63	44.78	3	Horizontal	291	2.33	23	38.76	12.68	44.65				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 17.5
18\17\17.5
-0.89\1.92\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6721G	115.66	Inf	-Inf	108.90	3	Vertical	202	1.91	17.5	34.26	7.41	34.91			
AV	5.6718G	103.57	Inf	-Inf	96.81	3	Vertical	202	1.91	17.5	34.26	7.41	34.91			
PK	5.7312G	67.07	68.20	-1.13	60.35	3	Vertical	202	1.91	17.5	34.20	7.45	34.93			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 17.5
17.5
3.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6718G	114.48	Inf	-Inf	107.72	3	Horizontal	187	1.98	17.5	34.26	7.41	34.91			
AV	5.6721G	100.77	Inf	-Inf	94.01	3	Horizontal	187	1.98	17.5	34.26	7.41	34.91			
PK	5.7315G	63.81	68.20	-4.39	57.08	3	Horizontal	187	1.98	17.5	34.20	7.46	34.93			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 17.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33288G	48.14	74.00	-25.86	44.83	3	Vertical	178	1.83	18	38.57	10.69	45.95			
AV	11.33272G	35.21	54.00	-18.79	31.90	3	Vertical	178	1.83	18	38.57	10.69	45.95			
PK	17.01984G	52.50	68.20	-15.70	44.59	3	Vertical	260	1.44	18	40.00	12.84	44.93			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
SET 17.5
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.3324G	47.34	74.00	-26.66	44.04	3	Horizontal	222	1.78	18	38.56	10.69	45.95				
AV	11.34136G	33.97	54.00	-20.03	30.63	3	Horizontal	222	1.78	18	38.58	10.70	45.94				
PK	17.02371G	52.87	68.20	-15.33	44.95	3	Horizontal	359	1.34	18	40.00	12.85	44.93				

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 25
15\24\25
9.32\9.36\9.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4364G	57.49	74.00	-16.51	50.50	3	Vertical	201	1.80	25	34.63	7.23	34.87			
AV	5.413G	44.68	54.00	-9.32	37.68	3	Vertical	201	1.80	25	34.67	7.21	34.88			
PK	5.4688G	56.87	68.20	-11.33	49.89	3	Vertical	201	1.80	25	34.60	7.25	34.87			
PK	5.7106G	116.51	Inf	-Inf	109.79	3	Vertical	201	1.80	25	34.20	7.44	34.92			
AV	5.7118G	105.65	Inf	-Inf	98.93	3	Vertical	201	1.80	25	34.20	7.44	34.92			
PK	5.8834G	57.87	68.20	-10.33	50.90	3	Vertical	201	1.80	25	34.43	7.52	34.98			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT V_2TX
SET 25
25
9.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4208G	57.94	74.00	-16.06	50.94	3	Horizontal	192	1.88	25	34.66	7.22	34.88			
PK	5.4622G	56.41	68.20	-11.79	49.43	3	Horizontal	192	1.88	25	34.60	7.25	34.87			
AV	5.4556G	44.63	54.00	-9.37	37.66	3	Horizontal	192	1.88	25	34.60	7.24	34.87			
PK	5.7112G	115.80	Inf	-Inf	109.08	3	Horizontal	192	1.88	25	34.20	7.44	34.92			
AV	5.7112G	104.24	Inf	-Inf	97.52	3	Horizontal	192	1.88	25	34.20	7.44	34.92			
PK	5.914G	57.75	68.20	-10.45	50.65	3	Horizontal	192	1.88	25	34.56	7.52	34.98			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4216G	49.66	74.00	-24.34	46.07	3	Vertical	179	1.80	25	38.74	10.72	45.87			
AV	11.42216G	36.29	54.00	-17.71	32.70	3	Vertical	179	1.80	25	38.74	10.72	45.87			
PK	17.13522G	53.05	68.20	-15.15	44.94	3	Vertical	269	1.31	25	40.24	12.89	45.02			

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.41544G	48.66	74.00	-25.34	45.09	3	Horizontal	219	1.80	25	38.73	10.72	45.88				
AV	11.42184G	35.57	54.00	-18.43	31.98	3	Horizontal	219	1.80	25	38.74	10.72	45.87				
PK	17.12649G	53.06	68.20	-15.14	44.97	3	Horizontal	348	2.05	25	40.21	12.89	45.01				

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 10
11.5\7.12\9.5\10.5\10
-4.24\5.30\4.91\1.48\1.45\0.29

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3365G	59.92	68.20	-8.28	53.18	3	Vertical	200	1.80	10	34.47	7.16	34.89					
PK	5.454G	64.26	74.00	-9.74	57.29	3	Vertical	200	1.80	10	34.60	7.24	34.87					
AV	5.454G	51.79	54.00	-2.21	44.82	3	Vertical	200	1.80	10	34.60	7.24	34.87					
PK	5.465G	66.91	68.20	-1.29	59.93	3	Vertical	200	1.80	10	34.60	7.25	34.87					
PK	5.5335G	106.72	Inf	-Inf	99.76	3	Vertical	200	1.80	10	34.53	7.30	34.87					
AV	5.5325G	93.95	Inf	-Inf	86.99	3	Vertical	200	1.80	10	34.53	7.30	34.87					
PK	5.7475G	59.11	68.20	-9.09	52.37	3	Vertical	200	1.80	10	34.20	7.47	34.93					

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
SET 10
10
1.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3055G	59.75	68.20	-8.45	53.11	3	Horizontal	189	1.80	10	34.41	7.13	34.90			
PK	5.4525G	62.43	74.00	-11.57	55.46	3	Horizontal	189	1.80	10	34.60	7.24	34.87			
AV	5.46G	51.24	54.00	-2.76	44.26	3	Horizontal	189	1.80	10	34.60	7.25	34.87			
PK	5.47G	64.54	68.20	-3.66	57.56	3	Horizontal	189	1.80	10	34.60	7.25	34.87			
PK	5.532G	104.54	Inf	-Inf	97.57	3	Horizontal	189	1.80	10	34.54	7.30	34.87			
AV	5.532G	92.15	Inf	-Inf	85.18	3	Horizontal	189	1.80	10	34.54	7.30	34.87			
PK	5.745G	59.60	68.20	-8.60	52.86	3	Horizontal	189	1.80	10	34.20	7.47	34.93			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX

EUT Y_2TX
SET 10
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13472G	46.55	74.00	-27.45	43.62	3	Vertical	341	1.94	11.5	38.43	10.63	46.13			
AV	11.12496G	32.92	54.00	-21.08	29.98	3	Vertical	341	1.94	11.5	38.45	10.63	46.14			
PK	16.59108G	51.77	68.20	-16.43	45.18	3	Vertical	9	1.78	11.5	38.55	12.66	44.62			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
SET 10
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11296G	46.52	74.00	-27.48	43.58	3	Horizontal	313	1.80	11.5	38.47	10.62	46.15			
AV	11.1048G	33.02	54.00	-20.98	30.07	3	Horizontal	313	1.80	11.5	38.49	10.62	46.16			
PK	16.59822G	51.13	68.20	-17.07	44.50	3	Horizontal	299	2.46	11.5	38.59	12.66	44.62			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 19.5
21\17.5\22\20\19\19.5
-3.07\4.68\ -3.90\ -0.47\1.81\0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.4535G	61.30	74.00	-12.70	54.33	3	Vertical	198	1.80	19.5	34.60	7.24	34.87				
AV	5.453G	49.29	54.00	-4.71	42.32	3	Vertical	198	1.80	19.5	34.60	7.24	34.87				
PK	5.463G	64.04	68.20	-4.16	57.06	3	Vertical	198	1.80	19.5	34.60	7.25	34.87				
PK	5.604G	114.75	Inf	-Inf	107.99	3	Vertical	198	1.80	19.5	34.30	7.35	34.89				
AV	5.613G	102.69	Inf	-Inf	95.92	3	Vertical	198	1.80	19.5	34.30	7.36	34.89				
PK	5.732G	66.72	68.20	-1.48	59.99	3	Vertical	198	1.80	19.5	34.20	7.46	34.93				

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 19.5
19.5
1.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4175G	60.12	74.00	-13.88	53.12	3	Horizontal	208	1.80	19.5	34.67	7.21	34.88			
PK	5.4665G	62.47	68.20	-5.73	55.49	3	Horizontal	208	1.80	19.5	34.60	7.25	34.87			
AV	5.455G	48.64	54.00	-5.36	41.67	3	Horizontal	208	1.80	19.5	34.60	7.24	34.87			
PK	5.6035G	112.79	Inf	-Inf	106.03	3	Horizontal	208	1.80	19.5	34.30	7.35	34.89			
AV	5.6045G	100.38	Inf	-Inf	93.62	3	Horizontal	208	1.80	19.5	34.30	7.35	34.89			
PK	5.7315G	65.46	68.20	-2.74	58.73	3	Horizontal	208	1.80	19.5	34.20	7.46	34.93			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
SET 19.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.26336G	47.28	74.00	-26.72	44.12	3	Vertical	174	1.42	21	38.50	10.67	46.01			
AV	11.21296G	33.96	54.00	-20.04	30.87	3	Vertical	174	1.42	21	38.50	10.65	46.06			
PK	16.82823G	50.96	68.20	-17.24	43.72	3	Vertical	16	2.55	21	39.27	12.76	44.79			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUT_Y_2TX
SET 19.5
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.17408G	46.21	74.00	-27.79	43.21	3	Horizontal	144	2.31	21	38.45	10.64	46.09			
AV	11.21584G	33.11	54.00	-20.89	30.01	3	Horizontal	144	2.31	21	38.50	10.66	46.06			
PK	16.81962G	51.30	68.20	-16.90	44.10	3	Horizontal	54	2.46	21	39.22	12.76	44.78			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 25
15\24\25
9.38\5.45\6.01

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.46G	58.50	74.00	-15.50	51.52	3	Vertical	203	1.80	25	34.60	7.25	34.87			
AV	5.46G	45.07	54.00	-8.93	38.09	3	Vertical	203	1.80	25	34.60	7.25	34.87			
PK	5.4602G	58.51	68.20	-9.69	51.53	3	Vertical	203	1.80	25	34.60	7.25	34.87			
PK	5.6924G	114.96	Inf	-Inf	108.24	3	Vertical	203	1.80	25	34.22	7.42	34.92			
AV	5.6912G	102.99	Inf	-Inf	96.27	3	Vertical	203	1.80	25	34.22	7.42	34.92			
PK	5.8508G	62.19	68.20	-6.01	55.34	3	Vertical	203	1.80	25	34.30	7.52	34.97			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
SET 25
25
6.30

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4212G	57.48	74.00	-16.52	50.48	3	Horizontal	187	1.80	25	34.66	7.22	34.88			
PK	5.4608G	56.98	68.20	-11.22	50.00	3	Horizontal	187	1.80	25	34.60	7.25	34.87			
AV	5.4518G	44.79	54.00	-9.21	37.82	3	Horizontal	187	1.80	25	34.60	7.24	34.87			
PK	5.6918G	113.12	Inf	-Inf	106.40	3	Horizontal	187	1.80	25	34.22	7.42	34.92			
AV	5.6924G	101.25	Inf	-Inf	94.53	3	Horizontal	187	1.80	25	34.22	7.42	34.92			
PK	5.8514G	61.90	68.20	-6.30	55.04	3	Horizontal	187	1.80	25	34.31	7.52	34.97			

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.39248G	47.62	74.00	-26.38	44.13	3	Vertical	120	1.77	25	38.68	10.71	45.90				
AV	11.38304G	34.83	54.00	-19.17	31.36	3	Vertical	120	1.77	25	38.67	10.71	45.91				
PK	17.07948G	53.24	68.20	-14.96	45.28	3	Vertical	324	2.95	25	40.06	12.87	44.97				

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42896G	47.46	74.00	-26.54	43.84	3	Horizontal	199	2.04	25	38.76	10.72	45.86			
AV	11.40224G	33.77	54.00	-20.23	30.24	3	Horizontal	199	2.04	25	38.70	10.72	45.89			
PK	17.0559G	53.36	68.20	-14.84	45.44	3	Horizontal	7	1.90	25	40.01	12.86	44.95			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
SET 9
15\5\10\7.5\8.5\9\9.5\9
-11.41\5.15\1.08\3.72\2.27\1.32\0.07\1.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.345G	61.89	68.20	-6.31	55.13	3	Vertical	200	1.80	9	34.49	7.16	34.89					
PK	5.4542G	64.61	74.00	-9.39	57.64	3	Vertical	200	1.80	9	34.60	7.24	34.87					
AV	5.4536G	52.79	54.00	-1.21	45.82	3	Vertical	200	1.80	9	34.60	7.24	34.87					
PK	5.4656G	66.53	68.20	-1.67	59.55	3	Vertical	200	1.80	9	34.60	7.25	34.87					
PK	5.573G	104.33	Inf	-Inf	97.47	3	Vertical	200	1.80	9	34.41	7.33	34.88					
AV	5.5634G	92.22	Inf	-Inf	85.33	3	Vertical	200	1.80	9	34.45	7.32	34.88					
PK	5.7284G	61.77	68.20	-6.43	55.05	3	Vertical	200	1.80	9	34.20	7.45	34.93					

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

5570MHz_TX




EUT_V_2TX
SET 9
9
1.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.279G	61.58	68.20	-6.62	55.09	3	Horizontal	188	1.79	9	34.27	7.12	34.90				
PK	5.444G	65.57	74.00	-8.43	58.60	3	Horizontal	188	1.79	9	34.61	7.23	34.87				
AV	5.4542G	52.27	54.00	-1.73	45.30	3	Horizontal	188	1.79	9	34.60	7.24	34.87				
PK	5.465G	64.67	68.20	-3.53	57.69	3	Horizontal	188	1.79	9	34.60	7.25	34.87				
PK	5.5646G	102.98	Inf	-Inf	96.10	3	Horizontal	188	1.79	9	34.44	7.32	34.88				
AV	5.564G	90.03	Inf	-Inf	83.15	3	Horizontal	188	1.79	9	34.44	7.32	34.88				
PK	5.8262G	62.62	68.20	-5.58	55.82	3	Horizontal	188	1.79	9	34.25	7.51	34.96				

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT Y_2TX
SET 9
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99728G	45.59	74.00	-28.41	42.95	3	Vertical	3	1.80	9	38.30	10.58	46.24			
AV	11.12592G	32.97	54.00	-21.03	30.03	3	Vertical	3	1.80	9	38.45	10.63	46.14			
PK	16.71486G	51.21	68.20	-16.99	44.40	3	Vertical	347	2.99	9	38.80	12.71	44.70			

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


5570MHz_TX

EUT Y_2TX
SET 9
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10256G	46.47	74.00	-27.53	43.52	3	Horizontal	90	1.80	9	38.49	10.62	46.16			
AV	11.11728G	33.19	54.00	-20.81	30.24	3	Horizontal	90	1.80	9	38.47	10.62	46.14			
PK	16.7121G	51.63	68.20	-16.57	44.82	3	Horizontal	57	2.26	9	38.80	12.71	44.70			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT V_2TX
SET 25
15\24\25
9.41\9.33\9.39

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.4474G	57.10	74.00	-16.90	50.12	3	Vertical	201	1.79	25	34.61	7.24	34.87					
AV	5.4552G	44.61	54.00	-9.39	37.64	3	Vertical	201	1.79	25	34.60	7.24	34.87					
PK	5.628G	57.51	68.20	-10.69	50.74	3	Vertical	201	1.79	25	34.30	7.37	34.90					
PK	5.7456G	119.36	Inf	-Inf	112.62	3	Vertical	201	1.79	25	34.20	7.47	34.93					
AV	5.7456G	109.28	Inf	-Inf	102.54	3	Vertical	201	1.79	25	34.20	7.47	34.93					
PK	6.006G	57.86	68.20	-10.34	50.62	3	Vertical	201	1.79	25	34.71	7.54	35.01					

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_V_2TX
SET 25
25
9.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4468G	57.70	74.00	-16.30	50.72	3	Horizontal	171	1.80	25	34.61	7.24	34.87			
AV	5.4564G	44.56	54.00	-9.44	37.59	3	Horizontal	171	1.80	25	34.60	7.24	34.87			
PK	5.5416G	57.97	68.20	-10.23	51.01	3	Horizontal	171	1.80	25	34.52	7.31	34.87			
PK	5.7444G	117.76	Inf	-Inf	111.02	3	Horizontal	171	1.80	25	34.20	7.47	34.93			
AV	5.7438G	107.47	Inf	-Inf	100.73	3	Horizontal	171	1.80	25	34.20	7.47	34.93			
PK	6.0012G	57.72	68.20	-10.48	50.50	3	Horizontal	171	1.80	25	34.70	7.53	35.01			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.49048G	52.23	74.00	-21.77	48.42	3	Vertical	189	1.79	25	38.88	10.74	45.81				
AV	11.49016G	38.29	54.00	-15.71	34.48	3	Vertical	189	1.79	25	38.88	10.74	45.81				
PK	17.23572G	52.62	68.20	-15.58	44.07	3	Vertical	196	1.03	25	40.71	12.94	45.10				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.49072G	52.91	74.00	-21.09	49.10	3	Horizontal	168	1.70	25	38.88	10.74	45.81			
AV	11.49024G	38.50	54.00	-15.50	34.69	3	Horizontal	168	1.70	25	38.88	10.74	45.81			
PK	17.2203G	53.73	68.20	-14.47	45.27	3	Horizontal	211	2.41	25	40.62	12.93	45.09			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
SET 25
15\25
10.05\9.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.53264G	58.15	68.20	-10.05	51.19	3	Vertical	202	1.80	25	34.53	7.30	34.87				
PK	5.78553G	118.88	Inf	-Inf	112.13	3	Vertical	202	1.80	25	34.20	7.50	34.95				
AV	5.78553G	109.05	Inf	-Inf	102.30	3	Vertical	202	1.80	25	34.20	7.50	34.95				
PK	5.98336G	58.35	68.20	-9.85	51.13	3	Vertical	202	1.80	25	34.70	7.53	35.01				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 25
25
10.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64638G	57.90	68.20	-10.30	51.11	3	Horizontal	168	1.80	25	34.30	7.39	34.90				
PK	5.78432G	116.87	Inf	-Inf	110.12	3	Horizontal	168	1.80	25	34.20	7.50	34.95				
AV	5.78432G	106.99	Inf	-Inf	100.24	3	Horizontal	168	1.80	25	34.20	7.50	34.95				
PK	5.97731G	57.73	68.20	-10.47	50.50	3	Horizontal	168	1.80	25	34.70	7.53	35.00				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5656G	51.26	74.00	-22.74	47.15	3	Vertical	222	1.79	25	39.16	10.77	45.82			
AV	11.57016G	39.06	54.00	-14.94	34.93	3	Vertical	222	1.79	25	39.18	10.77	45.82			
PK	17.36214G	52.97	68.20	-15.23	43.71	3	Vertical	125	1.45	25	41.47	12.99	45.20			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57044G	54.38	74.00	-19.62	50.25	3	Horizontal	187	1.35	25	39.18	10.77	45.82			
AV	11.5704G	41.27	54.00	-12.73	37.14	3	Horizontal	187	1.35	25	39.18	10.77	45.82			
PK	17.3688G	52.86	68.20	-15.34	43.56	3	Horizontal	197	2.81	25	41.51	13.00	45.21			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 25
15\25
10.22\8.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.5784G	58.04	68.20	-10.16	51.20	3	Vertical	199	1.89	25	34.39	7.33	34.88				
PK	5.8256G	119.23	Inf	-Inf	112.43	3	Vertical	199	1.89	25	34.25	7.51	34.96				
AV	5.8256G	109.11	Inf	-Inf	102.31	3	Vertical	199	1.89	25	34.25	7.51	34.96				
PK	6.0932G	59.57	68.20	-8.63	52.00	3	Vertical	199	1.89	25	34.97	7.63	35.03				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_V_2TX
SET 25
25
9.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.5346G	58.02	68.20	-10.18	51.06	3	Horizontal	172	1.77	25	34.53	7.30	34.87				
PK	5.8238G	116.75	Inf	-Inf	109.95	3	Horizontal	172	1.77	25	34.25	7.51	34.96				
AV	5.8238G	106.84	Inf	-Inf	100.04	3	Horizontal	172	1.77	25	34.25	7.51	34.96				
PK	6.1142G	58.26	68.20	-9.94	50.64	3	Horizontal	172	1.77	25	35.00	7.66	35.04				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.65068G	52.22	74.00	-21.78	47.87	3	Vertical	229	1.92	25	39.40	10.80	45.85			
AV	11.65128G	39.04	54.00	-14.96	34.69	3	Vertical	229	1.92	25	39.40	10.80	45.85			
PK	17.46771G	54.57	68.20	-13.63	44.57	3	Vertical	25	2.12	25	42.24	13.04	45.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6506G	54.02	74.00	-19.98	49.67	3	Horizontal	186	1.43	25	39.40	10.80	45.85			
AV	11.65096G	40.23	54.00	-13.77	35.88	3	Horizontal	186	1.43	25	39.40	10.80	45.85			
PK	17.47659G	54.63	68.20	-13.57	44.57	3	Horizontal	225	2.27	25	42.31	13.04	45.29			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_V_2TX
SET 25
15\24\25
9.41\9.43\9.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.457G	56.51	74.00	-17.49	49.54	3	Vertical	203	1.78	25	34.60	7.24	34.87			
AV	5.4558G	44.56	54.00	-9.44	37.59	3	Vertical	203	1.78	25	34.60	7.24	34.87			
PK	5.5116G	58.10	68.20	-10.10	51.10	3	Vertical	203	1.78	25	34.58	7.28	34.86			
PK	5.7456G	120.18	Inf	-Inf	113.44	3	Vertical	203	1.78	25	34.20	7.47	34.93			
AV	5.7456G	108.72	Inf	-Inf	101.98	3	Vertical	203	1.78	25	34.20	7.47	34.93			
PK	5.9916G	57.44	68.20	-10.76	50.22	3	Vertical	203	1.78	25	34.70	7.53	35.01			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT V_2TX
SET 25
25
9.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	56.85	74.00	-17.15	49.87	3	Horizontal	169	1.80	25	34.60	7.25	34.87			
AV	5.4552G	44.58	54.00	-9.42	37.61	3	Horizontal	169	1.80	25	34.60	7.24	34.87			
PK	5.4636G	57.72	68.20	-10.48	50.74	3	Horizontal	169	1.80	25	34.60	7.25	34.87			
PK	5.7444G	119.21	Inf	-Inf	112.47	3	Horizontal	169	1.80	25	34.20	7.47	34.93			
AV	5.7438G	106.78	Inf	-Inf	100.04	3	Horizontal	169	1.80	25	34.20	7.47	34.93			
PK	5.9814G	58.11	68.20	-10.09	50.88	3	Horizontal	169	1.80	25	34.70	7.53	35.00			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5745MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.49164G	52.68	74.00	-21.32	48.87	3	Vertical	188	1.80	25	38.88	10.74	45.81			
AV	11.49176G	38.37	54.00	-15.63	34.56	3	Vertical	188	1.80	25	38.88	10.74	45.81			
PK	17.2443G	53.06	68.20	-15.14	44.46	3	Vertical	261	1.10	25	40.77	12.94	45.11			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.49104G	52.19	74.00	-21.81	48.38	3	Horizontal	169	1.68	25	38.88	10.74	45.81			
AV	11.49064G	38.37	54.00	-15.63	34.56	3	Horizontal	169	1.68	25	38.88	10.74	45.81			
PK	17.22903G	53.25	68.20	-14.95	44.74	3	Horizontal	314	2.92	25	40.67	12.93	45.09			

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
SET 25
15\24.5\25
9.74\9.75\9.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.61189G	57.78	68.20	-10.42	51.01	3	Vertical	200	1.81	25	34.30	7.36	34.89			
PK	5.78613G	121.35	Inf	-Inf	114.60	3	Vertical	200	1.81	25	34.20	7.50	34.95			
AV	5.78553G	109.01	Inf	-Inf	102.26	3	Vertical	200	1.81	25	34.20	7.50	34.95			
PK	6.02148G	58.93	68.20	-9.27	51.65	3	Vertical	200	1.81	25	34.74	7.55	35.01			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 25
25
10.55

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.48545G	57.65	68.20	-10.55	50.65	3	Horizontal	169	1.80	25	34.60	7.26	34.86			
PK	5.78371G	119.69	Inf	-Inf	112.94	3	Horizontal	169	1.80	25	34.20	7.50	34.95			
AV	5.78371G	106.82	Inf	-Inf	100.07	3	Horizontal	169	1.80	25	34.20	7.50	34.95			
PK	6.01664G	57.50	68.20	-10.70	50.23	3	Horizontal	169	1.80	25	34.73	7.55	35.01			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5785MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5706G	51.74	74.00	-22.26	47.61	3	Vertical	188	1.79	25	39.18	10.77	45.82			
AV	11.57052G	38.51	54.00	-15.49	34.38	3	Vertical	188	1.79	25	39.18	10.77	45.82			
PK	17.34822G	53.70	68.20	-14.50	44.51	3	Vertical	350	1.00	25	41.39	12.99	45.19			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.57036G	54.00	74.00	-20.00	49.87	3	Horizontal	186	1.35	25	39.18	10.77	45.82				
AV	11.57036G	40.40	54.00	-13.60	36.27	3	Horizontal	186	1.35	25	39.18	10.77	45.82				
PK	17.34009G	54.04	68.20	-14.16	44.90	3	Horizontal	254	2.51	25	41.34	12.98	45.18				

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 25
15\25
10.10\9.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5364G	57.55	68.20	-10.65	50.59	3	Vertical	200	1.77	25	34.53	7.30	34.87			
PK	5.8262G	121.45	Inf	-Inf	114.65	3	Vertical	200	1.77	25	34.25	7.51	34.96			
AV	5.8256G	108.83	Inf	-Inf	102.03	3	Vertical	200	1.77	25	34.25	7.51	34.96			
PK	6.0752G	58.21	68.20	-9.99	50.73	3	Vertical	200	1.77	25	34.90	7.61	35.03			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 25
25
10.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.736G	57.71	68.20	-10.49	50.85	3	Horizontal	186	1.93	25	34.41	7.33	34.88			
PK	5.825G	119.04	Inf	-Inf	112.24	3	Horizontal	186	1.93	25	34.25	7.51	34.96			
AV	5.826G	106.88	Inf	-Inf	100.08	3	Horizontal	186	1.93	25	34.25	7.51	34.96			
PK	6.083G	58.12	68.20	-10.08	50.60	3	Horizontal	186	1.93	25	34.93	7.62	35.03			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64484G	51.91	74.00	-22.09	47.58	3	Vertical	229	1.40	25	39.39	10.79	45.85			
AV	11.65196G	38.85	54.00	-15.15	34.50	3	Vertical	229	1.40	25	39.40	10.80	45.85			
PK	17.48883G	54.13	68.20	-14.07	43.97	3	Vertical	293	1.84	25	42.41	13.05	45.30			

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65052G	53.28	74.00	-20.72	48.93	3	Horizontal	184	1.32	25	39.40	10.80	45.85			
AV	11.65168G	39.75	54.00	-14.25	35.40	3	Horizontal	184	1.32	25	39.40	10.80	45.85			
PK	17.48811G	54.64	68.20	-13.56	44.49	3	Horizontal	344	1.36	25	42.40	13.05	45.30			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_V_2TX
SET 25
15\24\25
9.37\4.48\4.81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4574G	56.81	74.00	-17.19	49.84	3	Vertical	199	1.87	25	34.60	7.24	34.87			
AV	5.458G	44.62	54.00	-9.38	37.65	3	Vertical	199	1.87	25	34.60	7.24	34.87			
PK	5.6482G	63.39	68.20	-4.81	56.60	3	Vertical	199	1.87	25	34.30	7.39	34.90			
PK	5.7574G	116.99	Inf	-Inf	110.25	3	Vertical	199	1.87	25	34.20	7.48	34.94			
AV	5.7562G	106.02	Inf	-Inf	99.29	3	Vertical	199	1.87	25	34.20	7.47	34.94			
PK	6.0466G	58.03	68.20	-10.17	50.68	3	Vertical	199	1.87	25	34.79	7.58	35.02			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_V_2TX
SET 25
25
6.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4562G	56.85	74.00	-17.15	49.88	3	Horizontal	168	1.80	25	34.60	7.24	34.87			
AV	5.458G	44.61	54.00	-9.39	37.64	3	Horizontal	168	1.80	25	34.60	7.24	34.87			
PK	5.6542G	64.35	71.31	-6.96	57.58	3	Horizontal	168	1.80	25	34.29	7.39	34.91			
PK	5.7544G	116.78	Inf	-Inf	110.05	3	Horizontal	168	1.80	25	34.20	7.47	34.94			
AV	5.7538G	103.80	Inf	-Inf	97.07	3	Horizontal	168	1.80	25	34.20	7.47	34.94			
PK	6.0034G	58.00	68.20	-10.20	50.77	3	Horizontal	168	1.80	25	34.71	7.53	35.01			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5116G	50.58	74.00	-23.42	46.68	3	Vertical	188	1.78	25	38.95	10.75	45.80			
AV	11.51176G	37.57	54.00	-16.43	33.67	3	Vertical	188	1.78	25	38.95	10.75	45.80			
PK	17.27928G	52.93	68.20	-15.27	44.12	3	Vertical	292	1.48	25	40.98	12.96	45.13			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 25
03-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.50984G	49.34	74.00	-24.66	45.45	3	Horizontal	181	1.70	25	38.94	10.75	45.80			
AV	11.51136G	36.73	54.00	-17.27	32.83	3	Horizontal	181	1.70	25	38.95	10.75	45.80			
PK	17.26278G	53.03	68.20	-15.17	44.32	3	Horizontal	137	2.93	25	40.88	12.95	45.12			

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_V_2TX
SET 25
15\24\25
9.10\9.89\9.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.5316G	57.82	68.20	-10.38	50.85	3	Vertical	200	1.80	25	34.54	7.30	34.87				
PK	5.7962G	118.44	Inf	-Inf	111.68	3	Vertical	200	1.80	25	34.20	7.51	34.95				
AV	5.7962G	106.25	Inf	-Inf	99.49	3	Vertical	200	1.80	25	34.20	7.51	34.95				
PK	5.9588G	59.06	68.20	-9.14	51.83	3	Vertical	200	1.80	25	34.70	7.53	35.00				

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
SET 25
25
10.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5202G	58.16	68.20	-10.04	51.18	3	Horizontal	192	2.76	25	34.56	7.29	34.87			
PK	5.7944G	117.48	Inf	-Inf	110.72	3	Horizontal	192	2.76	25	34.20	7.51	34.95			
AV	5.7944G	104.33	Inf	-Inf	97.57	3	Horizontal	192	2.76	25	34.20	7.51	34.95			
PK	6.089G	57.57	68.20	-10.63	50.01	3	Horizontal	192	2.76	25	34.96	7.63	35.03			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5808G	49.46	74.00	-24.54	45.30	3	Vertical	218	1.80	25	39.22	10.77	45.83			
AV	11.58992G	36.47	54.00	-17.53	32.26	3	Vertical	218	1.80	25	39.26	10.78	45.83			
PK	17.39793G	54.27	68.20	-13.93	44.80	3	Vertical	341	1.23	25	41.69	13.01	45.23			

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT Y_2TX
SET 25
03-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.60056G	51.36	74.00	-22.64	47.11	3	Horizontal	185	1.28	25	39.30	10.78	45.83			
AV	11.5912G	38.29	54.00	-15.71	34.08	3	Horizontal	185	1.28	25	39.26	10.78	45.83			
PK	17.39811G	54.10	68.20	-14.10	44.63	3	Horizontal	251	1.01	25	41.69	13.01	45.23			

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 18
18
0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6466G	67.08	68.20	-1.12	60.29	3	Vertical	198	1.80	18	34.30	7.39	34.90				
PK	5.7768G	114.95	Inf	-Inf	108.20	3	Vertical	198	1.80	18	34.20	7.49	34.94				
AV	5.7768G	101.97	Inf	-Inf	95.22	3	Vertical	198	1.80	18	34.20	7.49	34.94				
PK	6.0432G	60.76	68.20	-7.44	53.41	3	Vertical	198	1.80	18	34.79	7.58	35.02				

5.725-5.85GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
SET 18
18
1.40

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6478G	65.80	68.20	-2.40	59.01	3	Horizontal	212	1.80	18	34.30	7.39	34.90				
PK	5.7756G	113.00	Inf	-Inf	106.25	3	Horizontal	212	1.80	18	34.20	7.49	34.94				
AV	5.7762G	101.04	Inf	-Inf	94.29	3	Horizontal	212	1.80	18	34.20	7.49	34.94				
PK	5.9262G	61.14	68.20	-7.06	54.01	3	Horizontal	212	1.80	18	34.60	7.52	34.99				

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
SET 18
03-E-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5362G	47.53	74.00	-26.47	43.54	3	Vertical	324	1.79	-	39.04	10.76	45.81			
AV	11.5572G	33.90	54.00	-20.10	29.82	3	Vertical	324	1.79	-	39.13	10.77	45.82			
PK	17.3253G	53.14	68.20	-15.06	44.08	3	Vertical	115	2.93	-	41.25	12.98	45.17			

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX

EUT_Y_2TX
SET 18
03-E-C-6


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54745G	48.18	74.00	-25.82	44.15	3	Horizontal	222	2.89	-	39.09	10.76	45.82			
AV	11.56308G	33.94	54.00	-20.06	29.84	3	Horizontal	222	2.89	-	39.15	10.77	45.82			
PK	17.3391G	53.11	68.20	-15.09	43.98	3	Horizontal	118	2.15	-	41.33	12.98	45.18			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.38444G	40.02	54.00	-13.98	Horizontal

Mode 1



Mode 1

