



29/12/2025

EIRP:Band:6.2G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




29/12/2025

EIRP:Band:6.2G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




29/12/2025

EIRP:Band:6.4G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6465MHz;TX




29/12/2025

EIRP:Band:6.4G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6545MHz;TX




29/12/2025

EIRP:Band:6.7G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




29/12/2025

EIRP:Band:6.7G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




29/12/2025

EIRP;Band:6.7G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




29/12/2025

EIRP;Band:6.2G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




29/12/2025

EIRP;Band:6.2G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




29/12/2025

EIRP;Band:6.2G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




29/12/2025

EIRP;Band:6.4G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6505MHz;TX



29/12/2025

EIRP;Band:6.7G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX



**Summary**

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11a_Nss1,(6Mbps)_2TX	20.64
802.11be EHT20_Nss1,(MCS0)_2TX	18.09
802.11be EHT20-BF_Nss1,(MCS0)_2TX	14.20
802.11be EHT40_Nss1,(MCS0)_2TX	14.77
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.04
802.11be EHT80_Nss1,(MCS0)_2TX	11.38
802.11be EHT80-BF_Nss1,(MCS0)_2TX	9.51
802.11be EHT160_Nss1,(MCS0)_2TX	9.08
802.11be EHT160-BF_Nss1,(MCS0)_2TX	6.26
802.11be EHT320_Nss1,(MCS0)_2TX	4.41
802.11be EHT320-BF_Nss1,(MCS0)_2TX	2.10
6.525-6.875GHz	-
802.11a_Nss1,(6Mbps)_2TX	19.25
802.11be EHT20_Nss1,(MCS0)_2TX	20.18
802.11be EHT20-BF_Nss1,(MCS0)_2TX	15.01
802.11be EHT40_Nss1,(MCS0)_2TX	17.10
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.65
802.11be EHT80_Nss1,(MCS0)_2TX	14.61
802.11be EHT80-BF_Nss1,(MCS0)_2TX	11.05
802.11be EHT160_Nss1,(MCS0)_2TX	10.55
802.11be EHT160-BF_Nss1,(MCS0)_2TX	5.65

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-
5955MHz	Pass	18.10	23.00
6195MHz	Pass	20.64	23.00
6415MHz	Pass	19.66	23.00
6535MHz	Pass	19.25	23.00
6695MHz	Pass	18.55	23.00
6855MHz	Pass	17.92	23.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	14.82	23.00
6195MHz	Pass	16.29	23.00
6415MHz	Pass	18.09	23.00
6535MHz	Pass	17.15	23.00
6695MHz	Pass	20.18	23.00
6855MHz	Pass	19.46	23.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	14.77	23.00
6205MHz	Pass	14.63	23.00
6405MHz	Pass	13.64	23.00
6565MHz	Pass	16.43	23.00
6685MHz	Pass	17.10	23.00
6845MHz	Pass	16.86	23.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	10.55	23.00
6225MHz	Pass	11.05	23.00
6385MHz	Pass	11.38	23.00
6625MHz	Pass	13.84	23.00
6705MHz	Pass	14.61	23.00
6785MHz	Pass	14.25	23.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	7.28	23.00
6185MHz	Pass	7.92	23.00
6345MHz	Pass	9.08	23.00
6665MHz	Pass	10.55	23.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	3.74	23.00
6265MHz	Pass	4.41	23.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	14.20	23.00
6195MHz	Pass	13.45	23.00
6415MHz	Pass	11.46	23.00
6535MHz	Pass	11.00	23.00
6695MHz	Pass	11.42	23.00
6855MHz	Pass	15.01	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	10.14	23.00
6205MHz	Pass	10.52	23.00
6405MHz	Pass	13.04	23.00
6565MHz	Pass	13.65	23.00
6685MHz	Pass	11.44	23.00
6845MHz	Pass	8.97	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	8.99	23.00
6225MHz	Pass	8.39	23.00
6385MHz	Pass	9.51	23.00
6625MHz	Pass	8.85	23.00



Radiated PSD (Mode 1)


Appendix D.1

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6705MHz	Pass	11.05	23.00
6785MHz	Pass	8.94	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	6.26	23.00
6185MHz	Pass	4.87	23.00
6345MHz	Pass	5.32	23.00
6665MHz	Pass	5.65	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	2.10	23.00
6265MHz	Pass	0.29	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


01/11/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:5955MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6195MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6415MHz;TX



01/11/2025


EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6535MHz;TX



01/11/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
18.55				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.64	10.61	9.76	32.53	58.57

01/11/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 7
Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
17.92				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.17	11.00	9.97	32.65	58.77


01/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX



01/11/2025


EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX



01/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX

CF Freq
5.965GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
14.77				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.44	11.64	8.73	32.44	57.56

01/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX

CF Freq
6.205GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
14.63				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-7.96	11.80	8.93	32.42	57.88


01/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX



02/11/2025


EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX



02/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX

CF Freq
6.705GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	14.61	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.58	10.61	9.76	32.53	58.57

02/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX

CF Freq
6.785GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
80MHz




Page 7
Vertical

EIRP PSD (dBm)	14.25	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-10.98	10.91	10.04	32.60	58.70


02/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




02/11/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX



02/11/2025


EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX



03/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
14.2				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.86	11.02	7.53	35.00	57.55

03/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
30.693s
Detector Type
RMS
CP BW
20MHz




Page 8
Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
13.45				
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-6.04	11.07	7.74	35.05	57.87


31/10/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




04/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




31/10/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




03/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




04/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX



04/12/2025


EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX



01/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX

CF Freq
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)	11.44	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-8.61	11.50	8.13	35.12	58.54

04/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX

CF Freq
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
40MHz




Page 7
Vertical

EIRP PSD (dBm)	8.97	EIRP=Pr+Lp [Lp Free Space Path Loss] Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-11.70	11.20	8.24	35.11	58.74


31/10/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




05/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




03/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




05/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX



01/11/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11a_Nss1,(6Mbps)_2TX	20.64
802.11be EHT20_Nss1,(MCS0)_2TX	18.09
802.11be EHT20-BF_Nss1,(MCS0)_2TX	14.20
802.11be EHT40_Nss1,(MCS0)_2TX	14.77
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.04
802.11be EHT80_Nss1,(MCS0)_2TX	11.38
802.11be EHT80-BF_Nss1,(MCS0)_2TX	9.51
802.11be EHT160_Nss1,(MCS0)_2TX	9.08
802.11be EHT160-BF_Nss1,(MCS0)_2TX	6.26
802.11be EHT320_Nss1,(MCS0)_2TX	4.41
802.11be EHT320-BF_Nss1,(MCS0)_2TX	2.10
6.525-6.875GHz	-
802.11a_Nss1,(6Mbps)_2TX	19.25
802.11be EHT20_Nss1,(MCS0)_2TX	20.18
802.11be EHT20-BF_Nss1,(MCS0)_2TX	15.01
802.11be EHT40_Nss1,(MCS0)_2TX	17.10
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.65
802.11be EHT80_Nss1,(MCS0)_2TX	14.61
802.11be EHT80-BF_Nss1,(MCS0)_2TX	11.05
802.11be EHT160_Nss1,(MCS0)_2TX	10.55
802.11be EHT160-BF_Nss1,(MCS0)_2TX	5.65

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-
5955MHz	Pass	18.10	23.00
6195MHz	Pass	20.64	23.00
6415MHz	Pass	19.66	23.00
6535MHz	Pass	19.25	23.00
6695MHz	Pass	18.55	23.00
6855MHz	Pass	17.92	23.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	14.82	23.00
6195MHz	Pass	16.29	23.00
6415MHz	Pass	18.09	23.00
6535MHz	Pass	17.15	23.00
6695MHz	Pass	20.18	23.00
6855MHz	Pass	19.46	23.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	14.77	23.00
6205MHz	Pass	14.63	23.00
6405MHz	Pass	13.64	23.00
6565MHz	Pass	16.43	23.00
6685MHz	Pass	17.10	23.00
6845MHz	Pass	16.86	23.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	10.55	23.00
6225MHz	Pass	11.05	23.00
6385MHz	Pass	11.38	23.00
6625MHz	Pass	13.84	23.00
6705MHz	Pass	14.61	23.00
6785MHz	Pass	14.25	23.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	7.28	23.00
6185MHz	Pass	7.92	23.00
6345MHz	Pass	9.08	23.00
6665MHz	Pass	10.55	23.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	3.74	23.00
6265MHz	Pass	4.41	23.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	14.20	23.00
6195MHz	Pass	13.45	23.00
6415MHz	Pass	11.46	23.00
6535MHz	Pass	11.00	23.00
6695MHz	Pass	11.42	23.00
6855MHz	Pass	15.01	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	10.14	23.00
6205MHz	Pass	10.52	23.00
6405MHz	Pass	13.04	23.00
6565MHz	Pass	13.65	23.00
6685MHz	Pass	11.44	23.00
6845MHz	Pass	8.97	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	8.99	23.00
6225MHz	Pass	8.39	23.00
6385MHz	Pass	9.51	23.00
6625MHz	Pass	8.85	23.00



Radiated PSD (Mode 2)

Appendix D.2

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6705MHz	Pass	11.05	23.00
6785MHz	Pass	8.94	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	6.26	23.00
6185MHz	Pass	4.87	23.00
6345MHz	Pass	5.32	23.00
6665MHz	Pass	5.65	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	2.10	23.00
6265MHz	Pass	0.29	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

01/11/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz



Page 8

Horizontal

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
18.1		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.10	11.60	8.71	32.44	57.53

01/11/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

CP BW
20MHz




Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
20.64		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-1.97	11.80	8.94	32.42	57.89


01/11/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6415MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6535MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6695MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6855MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




02/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




02/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




02/11/2025

EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




02/11/2025

EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




02/11/2025

EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




03/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




03/12/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




31/10/2025

EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX



01/11/2025


EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX



04/12/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX

CF Freq
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
30.693s
Detector Type
RMS
CP BW
20MHz



Page 7
Vertical

EIRP PSD (dBm)

11.42

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-13.70

10.63

9.72


32.52

58.55

31/10/2025

EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX

CF Freq
6.855GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS
CP BW
20MHz



Page 8
Horizontal

EIRP PSD (dBm)

15.01

EIRP=Pr+Lp [Lp Free Space Path Loss]

Pr=Pmeas-Gr+Lc-Gamp

Pmeas

Gr (dBi)

Lc (dB)

Gamp (dB)

Lp (dB)

-5.69

11.22


8.26

35.11

58.77


01/11/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




03/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




04/12/2025

EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




04/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




04/12/2025

EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




31/10/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




05/12/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




03/12/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




01/11/2025

EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




01/11/2025

EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




05/12/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX



01/11/2025

EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX





Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11a_Nss1,(6Mbps)_2TX	15.00
802.11ax HEW20_Nss1,(MCS0)_2TX	15.33
802.11ax HEW40_Nss1,(MCS0)_2TX	12.44
802.11ax HEW80_Nss1,(MCS0)_2TX	9.57
802.11ax HEW160_Nss1,(MCS0)_2TX	7.49
6.525-6.875GHz	-
802.11a_Nss1,(6Mbps)_2TX	15.52
802.11ax HEW20_Nss1,(MCS0)_2TX	14.99
802.11ax HEW40_Nss1,(MCS0)_2TX	12.27
802.11ax HEW80_Nss1,(MCS0)_2TX	10.38
802.11ax HEW160_Nss1,(MCS0)_2TX	6.22

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-
5955MHz	Pass	14.48	23.00
6195MHz	Pass	15.00	23.00
6415MHz	Pass	14.18	23.00
6535MHz	Pass	15.40	23.00
6695MHz	Pass	15.12	23.00
6855MHz	Pass	15.52	23.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	15.01	23.00
6195MHz	Pass	15.33	23.00
6415MHz	Pass	13.85	23.00
6535MHz	Pass	14.71	23.00
6695MHz	Pass	14.63	23.00
6855MHz	Pass	14.99	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	11.21	23.00
6205MHz	Pass	12.44	23.00
6405MHz	Pass	10.92	23.00
6565MHz	Pass	11.98	23.00
6685MHz	Pass	11.66	23.00
6845MHz	Pass	12.27	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	7.66	23.00
6225MHz	Pass	9.57	23.00
6385MHz	Pass	8.22	23.00
6625MHz	Pass	10.38	23.00
6705MHz	Pass	9.02	23.00
6785MHz	Pass	9.25	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.68	23.00
6185MHz	Pass	7.49	23.00
6345MHz	Pass	6.21	23.00
6665MHz	Pass	6.22	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

29/12/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:5955MHz;TX

CF Freq
5.955GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
21.169s

Detector Type
RMS

CP BW
20MHz



Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
14.48		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.58	11.01	7.53	35.00	57.54

29/12/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6195MHz;TX

CF Freq
6.195GHz

Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
21.169s

Detector Type
RMS

CP BW
20MHz




Page 7

Vertical

EIRP PSD (dBm)		EIRP=Pr+Lp [Lp Free Space Path Loss]		
15		Pr=Pmeas-Gr+Lc-Gamp		
Pmeas	Gr (dBi)	Lc (dB)	Gamp (dB)	Lp (dB)
-4.49	11.09	7.75	35.05	57.88


29/12/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6415MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6535MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6695MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6855MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX



29/12/2025

EIRP PSD;Band:6.7G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11a_Nss1,(6Mbps)_2TX	15.00
802.11ax HEW20_Nss1,(MCS0)_2TX	15.33
802.11ax HEW40_Nss1,(MCS0)_2TX	12.44
802.11ax HEW80_Nss1,(MCS0)_2TX	9.57
802.11ax HEW160_Nss1,(MCS0)_2TX	7.49
6.525-6.875GHz	-
802.11a_Nss1,(6Mbps)_2TX	15.52
802.11ax HEW20_Nss1,(MCS0)_2TX	14.99
802.11ax HEW40_Nss1,(MCS0)_2TX	12.27
802.11ax HEW80_Nss1,(MCS0)_2TX	10.38
802.11ax HEW160_Nss1,(MCS0)_2TX	6.22

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-
5955MHz	Pass	14.48	23.00
6195MHz	Pass	15.00	23.00
6415MHz	Pass	14.18	23.00
6535MHz	Pass	15.40	23.00
6695MHz	Pass	15.12	23.00
6855MHz	Pass	15.52	23.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	15.01	23.00
6195MHz	Pass	15.33	23.00
6415MHz	Pass	13.85	23.00
6535MHz	Pass	14.71	23.00
6695MHz	Pass	14.63	23.00
6855MHz	Pass	14.99	23.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	11.21	23.00
6205MHz	Pass	12.44	23.00
6405MHz	Pass	10.92	23.00
6565MHz	Pass	11.98	23.00
6685MHz	Pass	11.66	23.00
6845MHz	Pass	12.27	23.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	7.66	23.00
6225MHz	Pass	9.57	23.00
6385MHz	Pass	8.22	23.00
6625MHz	Pass	10.38	23.00
6705MHz	Pass	9.02	23.00
6785MHz	Pass	9.25	23.00
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.68	23.00
6185MHz	Pass	7.49	23.00
6345MHz	Pass	6.21	23.00
6665MHz	Pass	6.22	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


29/12/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:5955MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6195MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6415MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6535MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6695MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;11a;BWch:20MHz;Nss:1,(6D);Nant:2;Ch:6855MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




29/12/2025

EIRP PSD;Band:6.7G;ax80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




29/12/2025

EIRP PSD;Band:6.2G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX



29/12/2025

EIRP PSD;Band:6.7G;ax160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX






Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	143.49M	40.34	43.50	-3.16	Vertical

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
PK	143.49M	40.34	43.50	-3.16	-33.51	3	Vertical	178	3.00	"Worst"	73.85	18.97	1.46	53.94		
PK	155.13M	40.29	43.50	-3.21	-33.01	3	Vertical	231	1.00	-	73.30	19.25	1.48	53.74		
QP	175.02M	38.03	43.50	-5.47	-33.77	3	Vertical	162	2.00	-	71.80	18.25	1.52	53.54		
QP	180.84M	37.48	43.50	-6.02	-34.52	3	Vertical	360	2.00	-	72.00	17.46	1.54	53.52		
QP	193.93M	36.46	43.50	-7.04	-36.24	3	Vertical	255	1.00	-	72.70	15.93	1.63	53.80		
PK	223.03M	41.74	46.00	-4.26	-36.54	3	Vertical	314	2.00	-	78.28	15.44	1.78	53.76		
PK	509.18M	42.34	46.00	-3.66	-26.74	3	Vertical	320	3.00	-	69.08	23.77	2.86	53.37		
PK	515.97M	42.79	46.00	-3.21	-26.47	3	Vertical	222	3.00	-	69.26	23.96	2.89	53.32		
PK	673.6M	41.90	46.00	-4.10	-22.64	3	Vertical	239	1.00	-	64.54	26.44	3.65	52.73		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)		
QP	179.38M	35.11	43.50	-8.39	-34.29	3	Horizontal	66	3.00	-	69.40	17.68	1.53	53.50		
PK	212.36M	40.03	43.50	-3.47	-36.60	3	Horizontal	315	1.00	"Worst"	76.63	15.51	1.73	53.84		
PK	244.37M	40.83	46.00	-5.17	-34.27	3	Horizontal	266	4.00	-	75.10	17.46	1.87	53.60		
PK	482.99M	40.23	46.00	-5.77	-27.47	3	Horizontal	298	2.00	-	67.70	23.31	2.69	53.47		
PK	522.76M	40.95	46.00	-5.05	-26.35	3	Horizontal	177	1.00	-	67.30	24.01	2.92	53.28		
PK	588.72M	41.42	46.00	-4.58	-24.29	3	Horizontal	32	1.00	-	65.71	25.36	3.34	52.99		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	RMS	5.9195G	67.08	68.20	-1.12	3	Vertical	359	1.80	-

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




EUT V_2TX
Setting 21.5
01-X-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	79.52	88.20	-8.68	69.18	3	Vertical	173	1.80	-	34.10	8.68	32.44
RMS	5.9242G	64.05	68.20	-4.15	53.71	3	Vertical	173	1.80	-	34.10	8.68	32.44
PK	5.9482G	121.53	Inf	-Inf	111.16	3	Vertical	173	1.80	-	34.10	8.71	32.44
RMS	5.9588G	113.01	Inf	-Inf	102.63	3	Vertical	173	1.80	-	34.10	8.72	32.44

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




EUT_V_2TX
Setting 21.5
01-X-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	78.10	88.20	-10.10	67.76	3	Horizontal	186	1.80	-	34.10	8.68	32.44			
RMS	5.9212G	62.20	68.20	-6.00	51.87	3	Horizontal	186	1.80	-	34.10	8.67	32.44			
PK	5.9514G	120.87	Inf	-Inf	110.50	3	Horizontal	186	1.80	-	34.10	8.71	32.44			
RMS	5.9614G	112.54	Inf	-Inf	102.16	3	Horizontal	186	1.80	-	34.10	8.72	32.44			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




EUT_V_2TX
Setting 21.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91G	47.15	74.00	-26.85	60.67	3	Vertical	175	1.80	-	38.70	13.61	65.83				
AV	11.90994G	39.19	54.00	-14.81	52.71	3	Vertical	175	1.80	-	38.70	13.61	65.83				
PK	17.86722G	52.05	74.00	-21.95	55.55	3	Vertical	308	1.80	-	42.81	17.71	64.02				
AV	17.87392G	41.29	54.00	-12.71	44.65	3	Vertical	308	1.80	-	42.93	17.72	64.01				

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




EUT_V_2TX
Setting 21.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91006G	48.32	74.00	-25.68	61.84	3	Horizontal	164	1.80	-	38.70	13.61	65.83				
AV	11.91003G	41.16	54.00	-12.84	54.68	3	Horizontal	164	1.80	-	38.70	13.61	65.83				
PK	17.86971G	52.55	74.00	-21.45	56.01	3	Horizontal	360	1.80	-	42.85	17.71	64.02				
AV	17.88G	41.57	54.00	-12.43	44.82	3	Horizontal	360	1.80	-	43.04	17.72	64.01				

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




EUT V_2TX
Setting 21.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81253G	59.98	83.54	-23.56	45.76	1	Vertical	48	1.50	-	38.90	22.99	47.67			
AV	23.82084G	47.11	63.54	-16.43	32.89	1	Vertical	48	1.50	-	38.90	22.99	47.67			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




EUT V_2TX
Setting 21.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82771G	62.44	83.54	-21.10	48.21	1	Horizontal	288	1.50	-	38.90	23.00	47.67			
AV	23.82468G	49.38	63.54	-14.16	35.16	1	Horizontal	288	1.50	-	38.90	22.99	47.67			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


6195MHz_TX

EUT_Y_2TX
Setting 26
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3899G	46.16	74.00	-27.84	59.30	3	Vertical	200	1.80	-	38.62	13.85	65.61			
AV	12.39006G	36.22	54.00	-17.78	49.36	3	Vertical	200	1.80	-	38.62	13.85	65.61			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 26
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39002G	47.27	74.00	-26.73	60.41	3	Horizontal	140	1.80	-	38.62	13.85	65.61			
AV	12.3899G	39.40	54.00	-14.60	52.54	3	Horizontal	140	1.80	-	38.62	13.85	65.61			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57771G	50.25	83.54	-33.29	40.41	1	Vertical	200	1.55	-	37.61	20.61	48.38			
AV	18.59679G	38.90	63.54	-24.64	29.00	1	Vertical	200	1.55	-	37.69	20.61	48.40			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59604G	51.47	83.54	-32.07	41.58	1	Horizontal	122	1.41	-	37.68	20.61	48.40			
AV	18.59208G	38.89	63.54	-24.65	29.00	1	Horizontal	122	1.41	-	37.67	20.61	48.39			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX

EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82759G	47.48	88.20	-40.72	58.59	3	Vertical	54	2.91	-	39.96	14.05	65.12			
RMS	12.83023G	39.81	68.20	-28.39	50.91	3	Vertical	54	2.91	-	39.96	14.05	65.11			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83181G	51.08	88.20	-37.12	62.18	3	Horizontal	134	1.80	-	39.96	14.05	65.11			
RMS	12.83225G	39.26	68.20	-28.94	50.36	3	Horizontal	134	1.80	-	39.96	14.05	65.11			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6415MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2537G	50.52	83.54	-33.02	40.66	1	Vertical	274	1.59	-	37.88	20.78	48.80			
AV	19.25112G	38.70	63.54	-24.84	28.83	1	Vertical	274	1.59	-	37.89	20.78	48.80			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6415MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.2462G	50.78	83.54	-32.76	40.92	1	Horizontal	317	1.67	-	37.88	20.78	48.80			
AV	19.2456G	38.68	63.54	-24.86	28.83	1	Horizontal	317	1.67	-	37.87	20.78	48.80			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 22.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07211G	58.72	88.20	-29.48	69.53	3	Vertical	95	2.13	-	39.90	14.16	64.87			
RMS	13.07238G	47.71	68.20	-20.49	58.52	3	Vertical	95	2.13	-	39.90	14.16	64.87			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 22.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06886G	59.06	88.20	-29.14	69.87	3	Horizontal	351	1.01	-	39.90	14.16	64.87			
RMS	13.07041G	47.67	68.20	-20.53	58.48	3	Horizontal	351	1.01	-	39.90	14.16	64.87			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX




EUT V_2TX
Setting 22.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61922G	51.00	83.54	-32.54	41.42	1	Vertical	129	1.50	-	37.56	20.82	48.80			
AV	19.60473G	38.94	63.54	-24.60	29.32	1	Vertical	129	1.50	-	37.59	20.83	48.80			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX




EUT V_2TX
Setting 22.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61259G	50.84	83.54	-32.70	41.24	1	Horizontal	252	1.71	-	37.57	20.83	48.80			
AV	19.5954G	38.74	63.54	-24.80	29.10	1	Horizontal	252	1.71	-	37.60	20.84	48.80			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 25
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38966G	55.05	74.00	-18.95	65.19	3	Vertical	171	1.80	-	40.40	14.30	64.84			
AV	13.3899G	43.94	54.00	-10.06	54.08	3	Vertical	171	1.80	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 25
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38816G	62.56	74.00	-11.44	72.70	3	Horizontal	135	1.80	-	40.40	14.30	64.84			
AV	13.38815G	50.13	54.00	-3.87	60.27	3	Horizontal	135	1.80	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 25
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08473G	51.78	83.54	-31.76	42.59	1	Vertical	321	1.50	-	37.27	20.70	48.78			
AV	20.0898G	39.78	63.54	-23.76	30.57	1	Vertical	321	1.50	-	37.28	20.71	48.78			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 25
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08509G	54.12	83.54	-29.42	44.93	1	Horizontal	298	1.50	-	37.27	20.70	48.78			
AV	20.08494G	42.49	63.54	-21.05	33.30	1	Horizontal	298	1.50	-	37.27	20.70	48.78			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 24
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71079G	58.45	88.20	-29.75	68.05	3	Vertical	188	2.75	-	40.68	14.45	64.73			
RMS	13.71106G	47.30	68.20	-20.90	56.90	3	Vertical	188	2.75	-	40.68	14.45	64.73			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 24
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71162G	63.90	88.20	-24.30	73.50	3	Horizontal	147	2.79	-	40.68	14.45	64.73			
RMS	13.71162G	52.19	68.20	-16.01	61.79	3	Horizontal	147	2.79	-	40.68	14.45	64.73			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6855MHz_TX




EUT V_2TX
Setting 24
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.57796G	52.62	83.54	-30.92	42.17	1	Vertical	172	1.27	-	37.61	21.54	48.70			
AV	20.57796G	41.07	63.54	-22.47	30.62	1	Vertical	172	1.27	-	37.61	21.54	48.70			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6855MHz_TX




EUT V_2TX
Setting 24
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56359G	52.67	83.54	-30.87	42.30	1	Horizontal	220	1.81	-	37.55	21.52	48.70			
AV	20.57391G	40.89	63.54	-22.65	30.45	1	Horizontal	220	1.81	-	37.60	21.54	48.70			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 20
01-U-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	76.62	88.20	-11.58	66.28	3	Vertical	0	1.80	-	34.10	8.68	32.44			
RMS	5.925G	63.93	68.20	-4.27	53.59	3	Vertical	0	1.80	-	34.10	8.68	32.44			
PK	5.9494G	123.77	Inf	-Inf	113.40	3	Vertical	0	1.80	-	34.10	8.71	32.44			
RMS	5.9504G	114.04	Inf	-Inf	103.67	3	Vertical	0	1.80	-	34.10	8.71	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 20
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9204G	79.99	88.20	-8.21	69.66	3	Horizontal	350	1.80	-	34.10	8.67	32.44			
RMS	5.9238G	66.87	68.20	-1.33	56.54	3	Horizontal	350	1.80	-	34.10	8.67	32.44			
PK	5.9604G	124.17	Inf	-Inf	113.79	3	Horizontal	350	1.80	-	34.10	8.72	32.44			
RMS	5.9608G	114.43	Inf	-Inf	104.05	3	Horizontal	350	1.80	-	34.10	8.72	32.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 20
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91197G	48.88	74.00	-25.12	62.39	3	Vertical	186	1.80	-	38.70	13.62	65.83				
AV	11.91193G	37.94	54.00	-16.06	51.45	3	Vertical	186	1.80	-	38.70	13.62	65.83				
PK	17.8666G	53.62	74.00	-20.38	57.13	3	Vertical	156	1.80	-	42.80	17.71	64.02				
AV	17.86629G	41.01	54.00	-12.99	44.53	3	Vertical	156	1.80	-	42.79	17.71	64.02				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 20
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.90973G	48.10	74.00	-25.90	61.62	3	Horizontal	164	1.80	-	38.70	13.61	65.83				
AV	11.90999G	39.66	54.00	-14.34	53.18	3	Horizontal	164	1.80	-	38.70	13.61	65.83				
PK	17.86313G	53.51	74.00	-20.49	57.08	3	Horizontal	224	1.80	-	42.74	17.71	64.02				
AV	17.86488G	41.08	54.00	-12.92	44.62	3	Horizontal	224	1.80	-	42.77	17.71	64.02				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT V_2TX
Setting 20
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82768G	60.10	83.54	-23.44	45.87	1	Vertical	241	1.46	-	38.90	23.00	47.67			
AV	23.82G	46.19	63.54	-17.35	31.97	1	Vertical	241	1.46	-	38.90	22.99	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT V_2TX
Setting 20
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82768G	59.89	83.54	-23.65	45.66	1	Horizontal	246	1.30	-	38.90	23.00	47.67			
AV	23.82003G	46.02	63.54	-17.52	31.80	1	Horizontal	246	1.30	-	38.90	22.99	47.67			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 20.5
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39133G	46.53	74.00	-27.47	59.67	3	Vertical	178	1.80	-	38.62	13.85	65.61			
AV	12.39231G	34.19	54.00	-19.81	47.33	3	Vertical	178	1.80	-	38.62	13.85	65.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 20.5
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38999G	50.13	74.00	-23.87	63.27	3	Horizontal	139	1.80	-	38.62	13.85	65.61			
AV	12.39003G	39.39	54.00	-14.61	52.53	3	Horizontal	139	1.80	-	38.62	13.85	65.61			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6195MHz_TX

EUT V_2TX
Setting 20.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.59781G	51.50	83.54	-32.04	41.60	1	Vertical	76	1.89	-	37.69	20.61	48.40			
AV	18.59937G	37.49	63.54	-26.05	27.58	1	Vertical	76	1.89	-	37.70	20.61	48.40			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 20.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58167G	50.53	83.54	-33.01	40.67	1	Horizontal	80	1.59	-	37.63	20.61	48.38			
AV	18.59679G	37.48	63.54	-26.06	27.58	1	Horizontal	80	1.59	-	37.69	20.61	48.40			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 22
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83013G	57.23	88.20	-30.97	68.33	3	Vertical	24	2.26	-	39.96	14.05	65.11			
RMS	12.82972G	44.96	68.20	-23.24	56.06	3	Vertical	24	2.26	-	39.96	14.05	65.11			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 22
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82892G	63.27	88.20	-24.93	74.38	3	Horizontal	85	2.35	-	39.96	14.05	65.12			
RMS	12.82798G	50.07	68.20	-18.13	61.18	3	Horizontal	85	2.35	-	39.96	14.05	65.12			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.23138G	50.50	83.54	-33.04	40.74	1	Vertical	317	2.05	-	37.79	20.77	48.80			
AV	19.25064G	37.46	63.54	-26.08	27.58	1	Vertical	317	2.05	-	37.90	20.78	48.80			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.23372G	50.58	83.54	-32.96	40.81	1	Horizontal	202	1.66	-	37.80	20.77	48.80			
AV	19.24809G	37.40	63.54	-26.14	27.53	1	Horizontal	202	1.66	-	37.89	20.78	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 22.5
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07045G	58.99	88.20	-29.21	69.80	3	Vertical	239	1.05	-	39.90	14.16	64.87			
RMS	13.06971G	46.39	68.20	-21.81	57.20	3	Vertical	239	1.05	-	39.90	14.16	64.87			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 22.5
01-X-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07102G	63.69	88.20	-24.51	74.50	3	Horizontal	290	2.11	-	39.90	14.16	64.87			
RMS	13.06991G	51.47	68.20	-16.73	62.28	3	Horizontal	290	2.11	-	39.90	14.16	64.87			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 22.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.59864G	51.24	83.54	-32.30	41.60	1	Vertical	352	1.63	-	37.60	20.84	48.80			
AV	19.61151G	37.55	63.54	-25.99	27.94	1	Vertical	352	1.63	-	37.58	20.83	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 22.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61073G	51.26	83.54	-32.28	41.65	1	Horizontal	154	2.06	-	37.58	20.83	48.80			
AV	19.61424G	37.53	63.54	-26.01	27.93	1	Horizontal	154	2.06	-	37.57	20.83	48.80			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX

EUT_Y_2TX
Setting 25
01-X-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38784G	54.13	74.00	-19.87	64.27	3	Vertical	171	1.80	-	40.40	14.30	64.84			
AV	13.38986G	41.51	54.00	-12.49	51.65	3	Vertical	171	1.80	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 25
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38909G	63.93	74.00	-10.07	74.07	3	Horizontal	129	1.80	-	40.40	14.30	64.84			
AV	13.3877G	50.89	54.00	-3.11	61.03	3	Horizontal	129	1.80	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 25
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07408G	50.31	83.54	-33.23	41.17	1	Vertical	321	1.67	-	37.25	20.68	48.79			
AV	20.07687G	36.93	63.54	-26.61	27.77	1	Vertical	321	1.67	-	37.25	20.69	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting 25
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09904G	50.49	83.54	-33.05	41.24	1	Horizontal	112	1.38	-	37.30	20.73	48.78			
AV	20.09757G	36.94	63.54	-26.60	27.69	1	Horizontal	112	1.38	-	37.30	20.73	48.78			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 24.5
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7086G	59.65	88.20	-28.55	69.25	3	Vertical	46	1.93	-	40.68	14.45	64.73			
RMS	13.70975G	46.57	68.20	-21.63	56.17	3	Vertical	46	1.93	-	40.68	14.45	64.73			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 24.5
01-X-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.70873G	64.28	88.20	-23.92	73.88	3	Horizontal	283	2.35	-	40.68	14.45	64.73				
RMS	13.70819G	51.57	68.20	-16.63	61.17	3	Horizontal	283	2.35	-	40.68	14.45	64.73				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 24.5
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56899G	53.23	83.54	-30.31	42.82	1	Vertical	201	1.79	-	37.58	21.53	48.70			
AV	20.57673G	39.45	63.54	-24.09	29.00	1	Vertical	201	1.79	-	37.61	21.54	48.70			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT V_2TX
Setting 24.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5776G	52.60	83.54	-30.94	42.15	1	Horizontal	54	1.31	-	37.61	21.54	48.70			
AV	20.57481G	39.44	63.54	-24.10	29.00	1	Horizontal	54	1.31	-	37.60	21.54	48.70			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.9234G	79.01	88.20	-9.19	68.78	3	Vertical	175	1.80	-	34.00	8.67	32.44					
RMS	5.9234G	66.75	68.20	-1.45	56.52	3	Vertical	175	1.80	-	34.00	8.67	32.44					
PK	5.979G	121.69	Inf	-Inf	111.45	3	Vertical	175	1.80	-	33.94	8.74	32.44					
RMS	5.9806G	111.32	Inf	-Inf	101.07	3	Vertical	175	1.80	-	33.94	8.75	32.44					

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
01-X-L-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9146G	74.10	88.20	-14.10	63.88	3	Horizontal	189	1.80	-	34.00	8.66	32.44			
RMS	5.925G	63.14	68.20	-5.06	52.90	3	Horizontal	189	1.80	-	34.00	8.68	32.44			
PK	5.9698G	123.03	Inf	-Inf	112.78	3	Horizontal	189	1.80	-	33.96	8.73	32.44			
RMS	5.971G	111.31	Inf	-Inf	101.06	3	Horizontal	189	1.80	-	33.96	8.73	32.44			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93G	48.17	74.00	-25.83	61.65	3	Vertical	178	1.80	-	38.70	13.63	65.81			
AV	11.93G	38.70	54.00	-15.30	52.18	3	Vertical	178	1.80	-	38.70	13.63	65.81			
PK	17.89632G	53.80	74.00	-20.20	56.73	3	Vertical	156	1.83	-	43.33	17.74	64.00			
AV	17.89488G	40.97	54.00	-13.03	43.92	3	Vertical	156	1.83	-	43.31	17.74	64.00			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92976G	48.00	74.00	-26.00	61.48	3	Horizontal	164	1.80	-	38.70	13.63	65.81			
AV	11.92996G	40.10	54.00	-13.90	53.58	3	Horizontal	164	1.80	-	38.70	13.63	65.81			
PK	17.88645G	53.33	74.00	-20.67	56.44	3	Horizontal	154	1.80	-	43.16	17.73	64.00			
AV	17.90982G	42.20	54.00	-11.80	44.96	3	Horizontal	154	1.80	-	43.48	17.75	63.99			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84644G	55.28	83.54	-28.26	41.03	1	Vertical	242	1.91	-	38.90	23.01	47.66			
AV	23.84566G	42.06	63.54	-21.48	27.81	1	Vertical	242	1.91	-	38.90	23.01	47.66			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84545G	56.80	83.54	-26.74	42.55	1	Horizontal	353	1.77	-	38.90	23.01	47.66			
AV	23.84536G	42.16	63.54	-21.38	27.91	1	Horizontal	353	1.77	-	38.90	23.01	47.66			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40973G	46.36	74.00	-27.64	59.48	3	Vertical	201	1.80	-	38.62	13.86	65.60			
AV	12.40996G	36.01	54.00	-17.99	49.13	3	Vertical	201	1.80	-	38.62	13.86	65.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41013G	47.84	74.00	-26.16	60.96	3	Horizontal	140	1.80	-	38.62	13.86	65.60			
AV	12.40991G	38.10	54.00	-15.90	51.22	3	Horizontal	140	1.80	-	38.62	13.86	65.60			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT V_2TX
Setting 21
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61176G	51.29	83.54	-32.25	41.41	1	Vertical	81	1.91	-	37.68	20.61	48.41			
AV	18.62322G	38.14	63.54	-25.40	28.30	1	Vertical	81	1.91	-	37.65	20.61	48.42			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61467G	51.24	83.54	-32.30	41.37	1	Horizontal	324	1.48	-	37.67	20.61	48.41			
AV	18.62586G	38.06	63.54	-25.48	28.23	1	Horizontal	324	1.48	-	37.65	20.61	48.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 20.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81043G	47.65	88.20	-40.55	58.83	3	Vertical	194	1.80	-	39.92	14.04	65.14			
RMS	12.80986G	35.23	68.20	-32.97	46.41	3	Vertical	194	1.80	-	39.92	14.04	65.14			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 20.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81027G	49.16	88.20	-39.04	60.34	3	Horizontal	228	1.80	-	39.92	14.04	65.14			
RMS	12.80991G	37.00	68.20	-31.20	48.18	3	Horizontal	228	1.80	-	39.92	14.04	65.14			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT V_2TX
Setting 20.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20867G	49.75	83.54	-33.79	40.14	1	Vertical	128	1.57	-	37.65	20.76	48.80			
AV	19.22283G	37.08	63.54	-26.46	27.37	1	Vertical	128	1.57	-	37.74	20.77	48.80			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT V_2TX
Setting 20.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22544G	50.08	83.54	-33.46	40.36	1	Horizontal	257	1.47	-	37.75	20.77	48.80			
AV	19.21719G	37.12	63.54	-26.42	27.46	1	Horizontal	257	1.47	-	37.70	20.76	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 24
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1518G	53.58	88.20	-34.62	64.25	3	Vertical	200	1.22	-	40.00	14.19	64.86			
RMS	13.13G	43.05	68.20	-25.15	53.78	3	Vertical	200	1.22	-	39.96	14.18	64.87			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 24
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1259G	62.96	88.20	-25.24	73.70	3	Horizontal	126	1.80	-	39.95	14.18	64.87			
RMS	13.145G	49.73	68.20	-18.47	60.42	3	Horizontal	126	1.80	-	39.99	14.19	64.87			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
Setting 24
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69608G	51.27	83.54	-32.27	41.62	1	Vertical	295	1.75	-	37.68	20.77	48.80			
AV	19.69746G	38.33	63.54	-25.21	28.67	1	Vertical	295	1.75	-	37.69	20.77	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
Setting 24
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.70919G	51.45	83.54	-32.09	41.83	1	Horizontal	157	1.64	-	37.66	20.76	48.80			
AV	19.70349G	38.37	63.54	-25.17	28.72	1	Horizontal	157	1.64	-	37.69	20.76	48.80			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 24.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3702G	50.24	74.00	-23.76	60.39	3	Vertical	172	1.80	-	40.40	14.29	64.84			
AV	13.3699G	39.50	54.00	-14.50	49.65	3	Vertical	172	1.80	-	40.40	14.29	64.84			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 24.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3649G	59.34	74.00	-14.66	69.49	3	Horizontal	128	1.80	-	40.40	14.29	64.84			
AV	13.3636G	46.98	54.00	-7.02	57.13	3	Horizontal	128	1.80	-	40.40	14.29	64.84			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 24.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.04828G	49.61	83.54	-33.93	40.55	1	Vertical	54	1.96	-	37.21	20.64	48.79			
AV	20.04522G	36.98	63.54	-26.56	27.92	1	Vertical	54	1.96	-	37.22	20.63	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 24.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.06595G	50.69	83.54	-32.85	41.58	1	Horizontal	52	1.94	-	37.23	20.67	48.79			
AV	20.04747G	36.98	63.54	-26.56	27.92	1	Horizontal	52	1.94	-	37.21	20.64	48.79			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 24.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6989G	52.18	88.20	-36.02	61.78	3	Vertical	172	1.80	-	40.70	14.44	64.74			
RMS	13.7008G	40.92	68.20	-27.28	50.52	3	Vertical	172	1.80	-	40.70	14.44	64.74			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6845MHz_TX

EUT_Y_2TX
Setting 24.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7033G	50.69	88.20	-37.51	60.29	3	Horizontal	245	1.80	-	40.69	14.45	64.74			
RMS	13.7014G	40.29	68.20	-27.91	49.89	3	Horizontal	245	1.80	-	40.70	14.44	64.74			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 24.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.54631G	52.39	83.54	-31.15	42.07	1	Vertical	68	2.05	-	37.51	21.51	48.70			
AV	20.53731G	39.37	63.54	-24.17	29.04	1	Vertical	68	2.05	-	37.53	21.50	48.70			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT V_2TX
Setting 24.5
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.52849G	52.27	83.54	-31.27	41.94	1	Horizontal	49	2.05	-	37.54	21.49	48.70			
AV	20.5254G	39.35	63.54	-24.19	29.01	1	Horizontal	49	2.05	-	37.55	21.49	48.70			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.921G	77.35	88.20	-10.85	67.12	3	Vertical	177	1.80	-	34.00	8.67	32.44				
AV	5.9206G	66.79	68.20	-1.41	56.56	3	Vertical	177	1.80	-	34.00	8.67	32.44				
PK	6.019G	118.49	Inf	-Inf	108.20	3	Vertical	177	1.80	-	33.94	8.79	32.44				
AV	6.0202G	107.74	Inf	-Inf	97.45	3	Vertical	177	1.80	-	33.94	8.79	32.44				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9094G	75.62	88.20	-12.58	65.40	3	Horizontal	192	1.80	-	34.00	8.66	32.44			
AV	5.925G	65.31	68.20	-2.89	55.07	3	Horizontal	192	1.80	-	34.00	8.68	32.44			
PK	6.0126G	118.06	Inf	-Inf	107.79	3	Horizontal	192	1.80	-	33.93	8.78	32.44			
AV	6.011G	108.36	Inf	-Inf	98.10	3	Horizontal	192	1.80	-	33.92	8.78	32.44			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9702G	48.96	74.00	-25.04	62.39	3	Vertical	178	1.80	-	38.70	13.65	65.78			
AV	11.97001G	39.78	54.00	-14.22	53.21	3	Vertical	178	1.80	-	38.70	13.65	65.78			
PK	17.96835G	54.41	74.00	-19.59	56.69	3	Vertical	203	1.80	-	43.87	17.80	63.95			
AV	17.96994G	43.50	54.00	-10.50	45.77	3	Vertical	203	1.80	-	43.88	17.80	63.95			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97015G	48.13	74.00	-25.87	61.56	3	Horizontal	164	1.80	-	38.70	13.65	65.78			
AV	11.97G	39.50	54.00	-14.50	52.93	3	Horizontal	164	1.80	-	38.70	13.65	65.78			
PK	17.96847G	54.32	74.00	-19.68	56.60	3	Horizontal	0	1.80	-	43.87	17.80	63.95			
AV	17.96676G	43.29	54.00	-10.71	45.57	3	Horizontal	0	1.80	-	43.87	17.80	63.95			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94702G	54.06	83.54	-29.48	39.61	1	Vertical	143	1.66	-	38.99	23.08	47.62			
AV	23.95392G	41.29	63.54	-22.25	26.83	1	Vertical	143	1.66	-	38.99	23.09	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95296G	54.58	83.54	-28.96	40.12	1	Horizontal	311	1.36	-	38.99	23.09	47.62			
AV	23.95176G	41.26	63.54	-22.28	26.79	1	Horizontal	311	1.36	-	39.00	23.09	47.62			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 20.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44999G	46.35	74.00	-27.65	59.37	3	Vertical	210	1.80	-	38.70	13.87	65.59			
AV	12.44991G	35.82	54.00	-18.18	48.84	3	Vertical	210	1.80	-	38.70	13.87	65.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 20.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45007G	47.68	74.00	-26.32	60.70	3	Horizontal	218	1.80	-	38.70	13.87	65.59			
AV	12.45G	37.99	54.00	-16.01	51.01	3	Horizontal	218	1.80	-	38.70	13.87	65.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT V_2TX
Setting 20.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68166G	51.32	83.54	-32.22	41.64	1	Vertical	23	2.10	-	37.54	20.62	48.48			
AV	18.66033G	37.79	63.54	-25.75	28.05	1	Vertical	23	2.10	-	37.58	20.62	48.46			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT V_2TX
Setting 20.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66822G	51.73	83.54	-31.81	42.02	1	Horizontal	341	1.98	-	37.56	20.62	48.47			
AV	18.67209G	37.81	63.54	-25.73	28.10	1	Horizontal	341	1.98	-	37.56	20.62	48.47			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 21.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77042G	47.30	88.20	-40.90	58.76	3	Vertical	167	1.80	-	39.72	14.02	65.20			
RMS	12.76992G	35.09	68.20	-33.11	46.55	3	Vertical	167	1.80	-	39.72	14.02	65.20			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 21.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77116G	47.26	88.20	-40.94	58.71	3	Horizontal	222	1.80	-	39.73	14.02	65.20			
RMS	12.77003G	35.28	68.20	-32.92	46.74	3	Horizontal	222	1.80	-	39.72	14.02	65.20			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
Setting 21.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16697G	49.86	83.54	-33.68	40.19	1	Vertical	98	1.95	-	37.73	20.74	48.80			
AV	19.16934G	37.08	63.54	-26.46	27.42	1	Vertical	98	1.95	-	37.72	20.74	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
Setting 21.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.14789G	50.39	83.54	-33.15	40.66	1	Horizontal	21	1.50	-	37.80	20.73	48.80			
AV	19.16955G	37.09	63.54	-26.45	27.43	1	Horizontal	21	1.50	-	37.72	20.74	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 25
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24816G	50.20	88.20	-38.00	60.82	3	Vertical	142	1.02	-	40.00	14.24	64.86			
RMS	13.22776G	42.16	68.20	-26.04	52.79	3	Vertical	142	1.02	-	40.00	14.23	64.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 25
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.22432G	59.26	88.20	-28.94	69.89	3	Horizontal	128	1.80	-	40.00	14.23	64.86			
RMS	13.22248G	49.81	68.20	-18.39	60.44	3	Horizontal	128	1.80	-	40.00	14.23	64.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 25
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86399G	50.72	83.54	-32.82	41.23	1	Vertical	237	1.80	-	37.64	20.65	48.80			
AV	19.86006G	37.30	63.54	-26.24	27.79	1	Vertical	237	1.80	-	37.66	20.65	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 25
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86099G	50.32	83.54	-33.22	40.81	1	Horizontal	73	1.31	-	37.66	20.65	48.80			
AV	19.86006G	37.31	63.54	-26.23	27.80	1	Horizontal	73	1.31	-	37.66	20.65	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 25
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41002G	50.73	88.20	-37.47	60.82	3	Vertical	172	1.80	-	40.44	14.31	64.84			
RMS	13.40997G	39.38	68.20	-28.82	49.47	3	Vertical	172	1.80	-	40.44	14.31	64.84			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 25
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.42192G	56.70	88.20	-31.50	66.73	3	Horizontal	132	1.80	-	40.49	14.32	64.84			
RMS	13.42248G	44.99	68.20	-23.21	55.02	3	Horizontal	132	1.80	-	40.49	14.32	64.84			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 25
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10198G	51.14	83.54	-32.40	41.88	1	Vertical	170	1.73	-	37.30	20.74	48.78			
AV	20.1288G	37.69	63.54	-25.85	28.38	1	Vertical	170	1.73	-	37.30	20.78	48.77			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 25
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.12646G	51.39	83.54	-32.15	42.08	1	Horizontal	225	2.07	-	37.30	20.78	48.77			
AV	20.12877G	37.70	63.54	-25.84	28.39	1	Horizontal	225	2.07	-	37.30	20.78	48.77			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 25
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57016G	48.85	88.20	-39.35	58.39	3	Vertical	166	1.80	-	40.88	14.38	64.80			
RMS	13.57G	39.65	68.20	-28.55	49.19	3	Vertical	166	1.80	-	40.88	14.38	64.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 25
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57426G	51.06	88.20	-37.14	60.62	3	Horizontal	132	1.80	-	40.85	14.39	64.80			
RMS	13.57488G	41.09	68.20	-27.11	50.65	3	Horizontal	132	1.80	-	40.85	14.39	64.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 25
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35122G	52.85	83.54	-30.69	42.89	1	Vertical	35	1.80	-	37.50	21.19	48.73			
AV	20.34015G	39.57	63.54	-23.97	29.67	1	Vertical	35	1.80	-	37.46	21.17	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 25
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35614G	53.38	83.54	-30.16	43.41	1	Horizontal	148	1.44	-	37.50	21.20	48.73			
AV	20.34042G	39.61	63.54	-23.93	29.71	1	Horizontal	148	1.44	-	37.46	21.17	48.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9195G	77.01	88.20	-11.19	65.86	3	Vertical	359	1.80	-	34.92	8.67	32.44				
RMS	5.9195G	67.08	68.20	-1.12	55.93	3	Vertical	359	1.80	-	34.92	8.67	32.44				
PK	5.9805G	117.48	Inf	-Inf	105.95	3	Vertical	359	1.80	-	35.22	8.75	32.44				
RMS	6.1015G	106.07	Inf	-Inf	94.24	3	Vertical	359	1.80	-	35.40	8.86	32.43				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.924G	75.60	88.20	-12.60	64.42	3	Horizontal	14	1.80	-	34.94	8.68	32.44				
RMS	5.925G	66.29	68.20	-1.91	55.10	3	Horizontal	14	1.80	-	34.95	8.68	32.44				
PK	6.052G	116.85	Inf	-Inf	105.07	3	Horizontal	14	1.80	-	35.40	8.81	32.43				
RMS	6.0315G	106.77	Inf	-Inf	95.05	3	Horizontal	14	1.80	-	35.36	8.80	32.44				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04982G	46.32	74.00	-27.68	59.56	3	Vertical	178	1.80	-	38.80	13.69	65.73			
AV	12.04994G	38.11	54.00	-15.89	51.35	3	Vertical	178	1.80	-	38.80	13.69	65.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0499G	46.77	74.00	-27.23	60.01	3	Horizontal	166	1.80	-	38.80	13.69	65.73			
AV	12.04996G	38.99	54.00	-15.01	52.23	3	Horizontal	166	1.80	-	38.80	13.69	65.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06735G	51.19	83.54	-32.35	41.86	1	Vertical	170	1.33	-	37.23	20.31	48.21			
AV	18.08739G	37.42	63.54	-26.12	28.04	1	Vertical	170	1.33	-	37.27	20.33	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08805G	51.00	83.54	-32.54	41.61	1	Horizontal	118	1.58	-	37.28	20.33	48.22			
AV	18.08982G	37.47	63.54	-26.07	28.08	1	Horizontal	118	1.58	-	37.28	20.33	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 20.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38419G	43.14	74.00	-30.86	56.28	3	Vertical	210	1.80	-	38.63	13.84	65.61			
AV	12.36997G	35.56	54.00	-18.44	48.68	3	Vertical	210	1.80	-	38.66	13.84	65.62			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
Setting 20.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36997G	44.81	74.00	-29.19	57.93	3	Horizontal	138	1.80	-	38.66	13.84	65.62			
AV	12.37G	37.76	54.00	-16.24	50.88	3	Horizontal	138	1.80	-	38.66	13.84	65.62			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
Setting 20.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54813G	50.91	83.54	-32.63	41.16	1	Vertical	259	1.70	-	37.50	20.60	48.35			
AV	18.56886G	37.25	63.54	-26.29	27.43	1	Vertical	259	1.70	-	37.58	20.61	48.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_V_2TX
Setting 20.5
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54588G	50.51	83.54	-33.03	40.75	1	Horizontal	5	1.87	-	37.51	20.60	48.35			
AV	18.56883G	37.21	63.54	-26.33	27.39	1	Horizontal	5	1.87	-	37.58	20.61	48.37			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 21.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69258G	46.78	74.00	-27.22	58.62	3	Vertical	204	1.80	-	39.47	13.99	65.30			
AV	12.68988G	36.22	54.00	-17.78	48.09	3	Vertical	204	1.80	-	39.46	13.98	65.31			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 21.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68994G	46.70	74.00	-27.30	58.52	3	Horizontal	221	1.80	-	39.49	13.99	65.30			
AV	12.68994G	36.42	54.00	-17.58	48.29	3	Horizontal	221	1.80	-	39.46	13.98	65.31			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT V_2TX
Setting 21.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04316G	49.64	83.54	-33.90	39.98	1	Vertical	306	1.59	-	37.79	20.67	48.80			
AV	19.03017G	36.76	63.54	-26.78	27.13	1	Vertical	306	1.59	-	37.76	20.67	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT V_2TX
Setting 21.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03134G	49.93	83.54	-33.61	40.30	1	Horizontal	114	2.04	-	37.76	20.67	48.80			
AV	19.02099G	36.76	63.54	-26.78	27.16	1	Horizontal	114	2.04	-	37.74	20.66	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 24.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32964G	50.53	74.00	-23.47	60.79	3	Vertical	171	1.80	-	40.32	14.27	64.85			
AV	13.32998G	40.38	54.00	-13.62	50.63	3	Vertical	171	1.80	-	40.32	14.28	64.85			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 24.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3276G	58.91	74.00	-15.09	69.18	3	Horizontal	130	1.80	-	40.31	14.27	64.85			
AV	13.32385G	46.89	54.00	-7.11	57.17	3	Horizontal	130	1.80	-	40.30	14.27	64.85			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 24.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99224G	49.34	83.54	-34.20	40.15	1	Vertical	172	1.87	-	37.43	20.56	48.80			
AV	19.98603G	36.61	63.54	-26.93	27.39	1	Vertical	172	1.87	-	37.46	20.56	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT V_2TX
Setting 24.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99854G	50.08	83.54	-33.46	40.92	1	Horizontal	305	1.96	-	37.41	20.55	48.80			
AV	19.98G	36.62	63.54	-26.92	27.38	1	Horizontal	305	1.96	-	37.48	20.56	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19
01-U-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9187G	77.33	88.20	-10.87	66.19	3	Vertical	359	1.80	-	34.91	8.67	32.44			
RMS	5.9187G	66.53	68.20	-1.67	55.39	3	Vertical	359	1.80	-	34.91	8.67	32.44			
PK	6.2616G	114.94	Inf	-Inf	102.90	3	Vertical	359	1.80	-	35.30	9.15	32.41			
RMS	6.2418G	103.97	Inf	-Inf	92.00	3	Vertical	359	1.80	-	35.30	9.08	32.41			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19
01-U-E-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.9088G	74.97	88.20	-13.23	63.90	3	Horizontal	13	1.80	-	34.85	8.66	32.44					
RMS	5.925G	65.82	68.20	-2.38	54.63	3	Horizontal	13	1.80	-	34.95	8.68	32.44					
PK	6.0321G	115.39	Inf	-Inf	103.67	3	Horizontal	13	1.80	-	35.36	8.80	32.44					
RMS	6.2526G	104.38	Inf	-Inf	92.37	3	Horizontal	13	1.80	-	35.30	9.12	32.41					

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21488G	43.83	74.00	-30.17	56.83	3	Vertical	208	1.80	-	38.90	13.77	65.67			
AV	12.21G	36.49	54.00	-17.51	49.49	3	Vertical	208	1.80	-	38.90	13.77	65.67			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20992G	44.94	74.00	-29.06	57.94	3	Horizontal	154	1.80	-	38.90	13.77	65.67			
AV	12.20997G	38.06	54.00	-15.94	51.06	3	Horizontal	154	1.80	-	38.90	13.77	65.67			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT V_2TX
Setting 19
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.3252G	50.19	83.54	-33.35	40.58	1	Vertical	279	1.70	-	37.40	20.48	48.27			
AV	18.32442G	37.26	63.54	-26.28	27.64	1	Vertical	279	1.70	-	37.40	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT V_2TX
Setting 19
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.32844G	51.08	83.54	-32.46	41.45	1	Horizontal	324	1.26	-	37.41	20.49	48.27			
AV	18.31911G	37.26	63.54	-26.28	27.66	1	Horizontal	324	1.26	-	37.38	20.48	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 19.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52991G	45.75	74.00	-28.25	58.41	3	Vertical	212	1.80	-	38.96	13.91	65.53			
AV	12.52994G	39.03	54.00	-14.97	51.69	3	Vertical	212	1.80	-	38.96	13.91	65.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_V_2TX
Setting 19.5
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52991G	44.79	74.00	-29.21	57.45	3	Horizontal	143	1.80	-	38.96	13.91	65.53			
AV	12.53G	38.09	54.00	-15.91	50.75	3	Horizontal	143	1.80	-	38.96	13.91	65.53			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT V_2TX
Setting 19.5
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.80358G	52.25	83.54	-31.29	42.62	1	Vertical	82	1.48	-	37.60	20.63	48.60			
AV	18.80469G	38.17	63.54	-25.37	28.54	1	Vertical	82	1.48	-	37.60	20.63	48.60			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT V_2TX
Setting 19.5
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.79638G	51.29	83.54	-32.25	41.65	1	Horizontal	323	1.67	-	37.61	20.63	48.60			
AV	18.80589G	38.14	63.54	-25.40	28.52	1	Horizontal	323	1.67	-	37.60	20.63	48.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 22
01-X-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.924G	68.25	88.20	-19.95	58.01	3	Vertical	178	1.41	-	34.00	8.68	32.44				
RMS	5.9248G	52.58	68.20	-15.62	42.34	3	Vertical	178	1.41	-	34.00	8.68	32.44				
PK	5.9632G	121.63	Inf	-Inf	111.38	3	Vertical	178	1.41	-	33.97	8.72	32.44				
RMS	5.9634G	111.68	Inf	-Inf	101.43	3	Vertical	178	1.41	-	33.97	8.72	32.44				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 22
01-X-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	72.69	88.20	-15.51	62.46	3	Horizontal	168	1.45	-	34.00	8.67	32.44
RMS	5.9248G	52.98	68.20	-15.22	42.74	3	Horizontal	168	1.45	-	34.00	8.68	32.44
PK	5.947G	120.14	Inf	-Inf	109.88	3	Horizontal	168	1.45	-	34.00	8.70	32.44
RMS	5.9472G	108.57	Inf	-Inf	98.31	3	Horizontal	168	1.45	-	34.00	8.70	32.44

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.89707G	43.99	74.00	-30.01	57.53	3	Vertical	183	1.80	-	38.69	13.61	65.84				
AV	11.91G	37.61	54.00	-16.39	51.13	3	Vertical	183	1.80	-	38.70	13.61	65.83				
PK	17.87649G	51.83	74.00	-22.17	55.14	3	Vertical	131	1.80	-	42.98	17.72	64.01				
AV	17.8791G	42.77	54.00	-11.23	46.04	3	Vertical	131	1.80	-	43.02	17.72	64.01				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.90976G	45.67	74.00	-28.33	59.19	3	Horizontal	163	1.80	-	38.70	13.61	65.83				
AV	11.91G	41.43	54.00	-12.57	54.95	3	Horizontal	163	1.80	-	38.70	13.61	65.83				
PK	17.87718G	50.46	74.00	-23.54	53.76	3	Horizontal	212	2.40	-	42.99	17.72	64.01				
AV	17.87319G	42.42	54.00	-11.58	45.79	3	Horizontal	212	2.40	-	42.92	17.72	64.01				

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82759G	60.78	83.54	-22.76	46.55	1	Vertical	8	1.26	-	38.90	23.00	47.67			
AV	23.81991G	46.50	63.54	-17.04	32.28	1	Vertical	8	1.26	-	38.90	22.99	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82783G	59.33	83.54	-24.21	45.10	1	Horizontal	318	1.85	-	38.90	23.00	47.67			
AV	23.82009G	46.55	63.54	-16.99	32.33	1	Horizontal	318	1.85	-	38.90	22.99	47.67			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39986G	43.54	74.00	-30.46	56.70	3	Vertical	200	1.80	-	38.60	13.85	65.61			
AV	12.38984G	36.87	54.00	-17.13	50.01	3	Vertical	200	1.80	-	38.62	13.85	65.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3885G	44.16	74.00	-29.84	57.30	3	Horizontal	141	1.80	-	38.62	13.85	65.61			
AV	12.38992G	39.37	54.00	-14.63	52.51	3	Horizontal	141	1.80	-	38.62	13.85	65.61			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_V_2TX
Setting 21
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59496G	51.67	83.54	-31.87	41.77	1	Vertical	210	1.50	-	37.68	20.61	48.39			
AV	18.59367G	38.06	63.54	-25.48	28.17	1	Vertical	210	1.50	-	37.67	20.61	48.39			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT V_2TX
Setting 21
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.59403G	50.80	83.54	-32.74	40.90	1	Horizontal	71	1.50	-	37.68	20.61	48.39			
AV	18.58377G	37.83	63.54	-25.71	27.96	1	Horizontal	71	1.50	-	37.64	20.61	48.38			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82976G	47.79	88.20	-40.41	58.89	3	Vertical	168	1.80	-	39.96	14.05	65.11			
RMS	12.82982G	37.76	68.20	-30.44	48.86	3	Vertical	168	1.80	-	39.96	14.05	65.11			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8398G	47.50	88.20	-40.70	58.57	3	Horizontal	202	1.68	-	39.98	14.05	65.10			
RMS	12.83864G	36.98	68.20	-31.22	48.05	3	Horizontal	202	1.68	-	39.98	14.05	65.10			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6415MHz_TX

EUT V_2TX
Setting 22
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24113G	50.53	83.54	-33.01	40.70	1	Vertical	230	1.30	-	37.85	20.78	48.80			
AV	19.25496G	37.76	63.54	-25.78	27.91	1	Vertical	230	1.30	-	37.87	20.78	48.80			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24977G	50.34	83.54	-33.20	40.46	1	Horizontal	126	1.37	-	37.90	20.78	48.80			
AV	19.25073G	37.80	63.54	-25.74	27.92	1	Horizontal	126	1.37	-	37.90	20.78	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07638G	48.92	88.20	-39.28	59.73	3	Vertical	233	1.80	-	39.90	14.16	64.87			
RMS	13.07598G	37.52	68.20	-30.68	48.33	3	Vertical	233	1.80	-	39.90	14.16	64.87			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07802G	47.87	88.20	-40.33	58.68	3	Horizontal	229	1.80	-	39.90	14.16	64.87			
RMS	13.06984G	38.72	68.20	-29.48	49.53	3	Horizontal	229	1.80	-	39.90	14.16	64.87			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_V_2TX
Setting 22
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.5954G	50.49	83.54	-33.05	40.85	1	Vertical	216	1.40	-	37.60	20.84	48.80			
AV	19.61631G	37.86	63.54	-25.68	28.26	1	Vertical	216	1.40	-	37.57	20.83	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6101G	50.83	83.54	-32.71	41.22	1	Horizontal	157	1.92	-	37.58	20.83	48.80			
AV	19.61604G	37.76	63.54	-25.78	28.16	1	Horizontal	157	1.92	-	37.57	20.83	48.80			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 23
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39804G	45.78	74.00	-28.22	55.91	3	Vertical	158	1.80	-	40.40	14.31	64.84			
AV	13.3899G	37.77	54.00	-16.23	47.91	3	Vertical	158	1.80	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 23
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3932G	45.38	74.00	-28.62	55.52	3	Horizontal	164	1.80	-	40.40	14.30	64.84			
AV	13.38996G	41.22	54.00	-12.78	51.36	3	Horizontal	164	1.80	-	40.40	14.30	64.84			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 23
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0985G	50.43	83.54	-33.11	41.18	1	Vertical	55	1.67	-	37.30	20.73	48.78			
AV	20.085G	37.14	63.54	-26.40	27.95	1	Vertical	55	1.67	-	37.27	20.70	48.78			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 23
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08095G	50.16	83.54	-33.38	40.98	1	Horizontal	329	1.33	-	37.26	20.70	48.78			
AV	20.07411G	37.14	63.54	-26.40	28.00	1	Horizontal	329	1.33	-	37.25	20.68	48.79			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 25
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7163G	49.64	88.20	-38.56	59.25	3	Vertical	307	2.18	-	40.67	14.45	64.73			
RMS	13.70846G	37.42	68.20	-30.78	47.02	3	Vertical	307	2.18	-	40.68	14.45	64.73			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 25
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7058G	48.73	88.20	-39.47	58.33	3	Horizontal	10	1.80	-	40.69	14.45	64.74			
RMS	13.70712G	38.06	68.20	-30.14	47.65	3	Horizontal	10	1.80	-	40.69	14.45	64.73			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 25
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55183G	52.62	83.54	-30.92	42.30	1	Vertical	219	1.98	-	37.51	21.51	48.70			
AV	20.574G	39.84	63.54	-23.70	29.40	1	Vertical	219	1.98	-	37.60	21.54	48.70			

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 25
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5704G	52.77	83.54	-30.77	42.36	1	Horizontal	328	1.51	-	37.58	21.53	48.70			
AV	20.5794G	39.89	63.54	-23.65	29.43	1	Horizontal	328	1.51	-	37.62	21.54	48.70			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 22
01-X-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9221G	73.78	88.20	-14.42	63.55	3	Vertical	181	1.38	-	34.00	8.67	32.44				
RMS	5.925G	57.09	68.20	-11.11	46.85	3	Vertical	181	1.38	-	34.00	8.68	32.44				
PK	5.9671G	116.82	Inf	-Inf	106.56	3	Vertical	181	1.38	-	33.97	8.73	32.44				
RMS	5.9755G	106.58	Inf	-Inf	96.33	3	Vertical	181	1.38	-	33.95	8.74	32.44				

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 22
01-X-E-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9212G	75.94	88.20	-12.26	65.71	3	Horizontal	191	1.80	-	34.00	8.67	32.44			
RMS	5.9248G	59.28	68.20	-8.92	49.04	3	Horizontal	191	1.80	-	34.00	8.68	32.44			
PK	5.9494G	117.70	Inf	-Inf	107.43	3	Horizontal	191	1.80	-	34.00	8.71	32.44			
RMS	5.9485G	107.20	Inf	-Inf	96.93	3	Horizontal	191	1.80	-	34.00	8.71	32.44			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93762G	43.65	74.00	-30.35	57.13	3	Vertical	315	1.06	-	38.70	13.63	65.81			
AV	11.9367G	35.41	54.00	-18.59	48.89	3	Vertical	315	1.06	-	38.70	13.63	65.81			
PK	17.8926G	52.15	74.00	-21.85	55.15	3	Vertical	95	2.97	-	43.27	17.73	64.00			
AV	17.90486G	43.15	54.00	-10.85	45.96	3	Vertical	95	2.97	-	43.44	17.74	63.99			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92886G	44.84	74.00	-29.16	58.32	3	Horizontal	203	1.79	-	38.70	13.63	65.81			
AV	11.92896G	36.21	54.00	-17.79	49.69	3	Horizontal	203	1.79	-	38.70	13.63	65.81			
PK	17.9019G	51.33	74.00	-22.67	54.16	3	Horizontal	0	1.73	-	43.42	17.74	63.99			
AV	17.90364G	43.55	54.00	-10.45	46.37	3	Horizontal	0	1.73	-	43.43	17.74	63.99			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.84899G	55.98	83.54	-27.56	41.73	1	Vertical	13	1.78	-	38.90	23.01	47.66			
AV	23.84647G	42.29	63.54	-21.25	28.04	1	Vertical	13	1.78	-	38.90	23.01	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85343G	54.99	83.54	-28.55	40.74	1	Horizontal	87	1.69	-	38.90	23.01	47.66			
AV	23.84521G	42.23	63.54	-21.31	27.98	1	Horizontal	87	1.69	-	38.90	23.01	47.66			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40312G	45.42	74.00	-28.58	58.56	3	Vertical	327	2.50	-	38.61	13.85	65.60			
AV	12.40854G	35.78	54.00	-18.22	48.90	3	Vertical	327	2.50	-	38.62	13.86	65.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41336G	45.04	74.00	-28.96	58.15	3	Horizontal	322	2.11	-	38.63	13.86	65.60			
AV	12.40956G	36.28	54.00	-17.72	49.40	3	Horizontal	322	2.11	-	38.62	13.86	65.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX

EUT_V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61881G	50.90	83.54	-32.64	41.05	1	Vertical	218	1.52	-	37.66	20.61	48.42			
AV	18.62904G	38.22	63.54	-25.32	28.40	1	Vertical	218	1.52	-	37.64	20.61	48.43			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6205MHz_TX


EUT V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62355G	50.94	83.54	-32.60	41.10	1	Horizontal	198	1.66	-	37.65	20.61	48.42			
AV	18.61803G	38.24	63.54	-25.30	28.39	1	Horizontal	198	1.66	-	37.66	20.61	48.42			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81158G	48.11	88.20	-40.09	59.29	3	Vertical	266	2.29	-	39.92	14.04	65.14			
RMS	12.8192G	37.55	68.20	-30.65	48.70	3	Vertical	266	2.29	-	39.94	14.04	65.13			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8091G	48.62	88.20	-39.58	59.80	3	Horizontal	215	1.17	-	39.92	14.04	65.14			
RMS	12.82G	37.98	68.20	-30.22	49.13	3	Horizontal	215	1.17	-	39.94	14.04	65.13			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20363G	50.54	83.54	-33.00	40.96	1	Vertical	100	1.78	-	37.62	20.76	48.80			
AV	19.22724G	37.49	63.54	-26.05	27.76	1	Vertical	100	1.78	-	37.76	20.77	48.80			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 21
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.20039G	50.41	83.54	-33.13	40.86	1	Horizontal	291	1.34	-	37.60	20.75	48.80			
AV	19.22643G	37.43	63.54	-26.11	27.70	1	Horizontal	291	1.34	-	37.76	20.77	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 23
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13148G	48.81	88.20	-39.39	59.54	3	Vertical	196	1.35	-	39.96	14.18	64.87			
RMS	13.13067G	38.12	68.20	-30.08	48.85	3	Vertical	196	1.35	-	39.96	14.18	64.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 23
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.12785G	48.89	88.20	-39.31	59.62	3	Horizontal	277	2.14	-	39.96	14.18	64.87			
AV	13.13236G	38.51	68.20	-29.69	49.23	3	Horizontal	277	2.14	-	39.96	14.19	64.87			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 23
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68939G	51.35	83.54	-32.19	41.72	1	Vertical	139	1.33	-	37.66	20.77	48.80			
AV	19.70439G	38.44	63.54	-25.10	28.80	1	Vertical	139	1.33	-	37.68	20.76	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 23
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69071G	51.34	83.54	-32.20	41.71	1	Horizontal	101	2.02	-	37.66	20.77	48.80			
AV	19.7037G	38.45	63.54	-25.09	28.80	1	Horizontal	101	2.02	-	37.69	20.76	48.80			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37136G	47.70	74.00	-26.30	57.85	3	Vertical	360	2.90	-	40.40	14.29	64.84			
AV	13.37247G	37.50	54.00	-16.50	47.65	3	Vertical	360	2.90	-	40.40	14.29	64.84			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3689G	45.45	74.00	-28.55	55.60	3	Horizontal	265	2.79	-	40.40	14.29	64.84			
AV	13.37122G	37.96	54.00	-16.04	48.11	3	Horizontal	265	2.79	-	40.40	14.29	64.84			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 22
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05287G	49.92	83.54	-33.62	40.85	1	Vertical	226	1.46	-	37.21	20.65	48.79			
AV	20.06106G	37.14	63.54	-26.40	28.05	1	Vertical	226	1.46	-	37.22	20.66	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
Setting 22
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05695G	50.20	83.54	-33.34	41.13	1	Horizontal	186	1.96	-	37.21	20.65	48.79			
AV	20.04414G	36.97	63.54	-26.57	27.91	1	Horizontal	186	1.96	-	37.22	20.63	48.79			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69218G	49.72	88.20	-38.48	59.34	3	Vertical	202	1.06	-	40.68	14.44	64.74			
RMS	13.69167G	38.92	68.20	-29.28	48.54	3	Vertical	202	1.06	-	40.68	14.44	64.74			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68957G	49.32	88.20	-38.88	58.94	3	Horizontal	48	1.95	-	40.68	14.44	64.74			
RMS	13.69133G	39.41	68.20	-28.79	49.03	3	Horizontal	48	1.95	-	40.68	14.44	64.74			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 21
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53824G	53.24	83.54	-30.30	42.92	1	Vertical	55	1.96	-	37.52	21.50	48.70			
AV	20.5416G	39.59	63.54	-23.95	29.27	1	Vertical	55	1.96	-	37.52	21.50	48.70			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.52858G	52.44	83.54	-31.10	42.11	1	Horizontal	306	2.02	-	37.54	21.49	48.70			
AV	20.52264G	39.62	63.54	-23.92	29.29	1	Horizontal	306	2.02	-	37.55	21.48	48.70			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9222G	67.15	88.20	-21.05	56.92	3	Vertical	174	1.80	-	34.00	8.67	32.44				
RMS	5.925G	54.75	68.20	-13.45	44.51	3	Vertical	174	1.80	-	34.00	8.68	32.44				
PK	6.0222G	114.84	Inf	-Inf	104.55	3	Vertical	174	1.80	-	33.94	8.79	32.44				
RMS	6.0238G	105.30	Inf	-Inf	95.00	3	Vertical	174	1.80	-	33.95	8.79	32.44				

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
Setting 21
01-X-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.925G	68.43	88.20	-19.77	58.19	3	Horizontal	196	1.80	-	34.00	8.68	32.44			
RMS	5.925G	55.67	68.20	-12.53	45.43	3	Horizontal	196	1.80	-	34.00	8.68	32.44			
PK	6.0086G	114.26	Inf	-Inf	104.00	3	Horizontal	196	1.80	-	33.92	8.78	32.44			
RMS	5.9642G	104.13	Inf	-Inf	93.87	3	Horizontal	196	1.80	-	33.97	8.73	32.44			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97218G	45.95	74.00	-28.05	59.38	3	Vertical	306	1.55	-	38.70	13.65	65.78			
AV	11.96822G	35.78	54.00	-18.22	49.21	3	Vertical	306	1.55	-	38.70	13.65	65.78			
PK	17.95302G	52.85	74.00	-21.15	55.21	3	Vertical	218	1.18	-	43.81	17.79	63.96			
AV	17.95732G	43.74	54.00	-10.26	46.08	3	Vertical	218	1.18	-	43.83	17.79	63.96			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9691G	46.67	74.00	-27.33	60.10	3	Horizontal	70	1.75	-	38.70	13.65	65.78			
AV	11.9675G	36.14	54.00	-17.86	49.57	3	Horizontal	70	1.75	-	38.70	13.65	65.78			
PK	17.95523G	52.46	74.00	-21.54	54.81	3	Horizontal	316	2.17	-	43.82	17.79	63.96			
AV	17.95654G	44.11	54.00	-9.89	46.45	3	Horizontal	316	2.17	-	43.83	17.79	63.96			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93898G	54.32	83.54	-29.22	39.88	1	Vertical	358	1.30	-	38.98	23.08	47.62			
AV	23.95446G	41.81	63.54	-21.73	27.35	1	Vertical	358	1.30	-	38.99	23.09	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT V_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95434G	55.07	83.54	-28.47	40.61	1	Horizontal	271	1.67	-	38.99	23.09	47.62			
AV	23.94951G	41.83	63.54	-21.71	27.37	1	Horizontal	271	1.67	-	39.00	23.08	47.62			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 19
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.452G	46.91	74.00	-27.09	59.91	3	Vertical	149	1.61	-	38.71	13.88	65.59			
AV	12.4525G	36.21	54.00	-17.79	49.21	3	Vertical	149	1.61	-	38.71	13.88	65.59			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 19
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4525G	44.55	74.00	-29.45	57.55	3	Horizontal	350	2.61	-	38.71	13.88	65.59			
AV	12.45225G	36.69	54.00	-17.31	49.69	3	Horizontal	350	2.61	-	38.71	13.88	65.59			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Y_2TX
Setting 19
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67017G	51.56	83.54	-31.98	41.85	1	Vertical	151	1.67	-	37.56	20.62	48.47			
AV	18.66867G	38.21	63.54	-25.33	28.50	1	Vertical	151	1.67	-	37.56	20.62	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Y_2TX
Setting 19
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68019G	50.72	83.54	-32.82	41.04	1	Horizontal	118	1.54	-	37.54	20.62	48.48			
AV	18.67314G	38.27	63.54	-25.27	28.57	1	Horizontal	118	1.54	-	37.55	20.62	48.47			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7725G	46.94	88.20	-41.26	58.38	3	Vertical	208	2.44	-	39.73	14.02	65.19			
RMS	12.77249G	37.06	68.20	-31.14	48.50	3	Vertical	208	2.44	-	39.73	14.02	65.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77152G	47.89	88.20	-40.31	59.34	3	Horizontal	76	2.84	-	39.73	14.02	65.20			
RMS	12.7725G	37.56	68.20	-30.64	49.00	3	Horizontal	76	2.84	-	39.73	14.02	65.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6385MHz_TX

EUT_Y_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16694G	50.02	83.54	-33.52	40.35	1	Vertical	271	1.35	-	37.73	20.74	48.80			
AV	19.16763G	37.50	63.54	-26.04	27.83	1	Vertical	271	1.35	-	37.73	20.74	48.80			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15848G	50.50	83.54	-33.04	40.80	1	Horizontal	261	1.98	-	37.77	20.73	48.80			
AV	19.16742G	37.51	63.54	-26.03	27.84	1	Horizontal	261	1.98	-	37.73	20.74	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24752G	45.90	88.20	-42.30	56.52	3	Vertical	66	2.41	-	40.00	14.24	64.86			
AV	13.25117G	37.40	54.00	-16.60	48.01	3	Vertical	66	2.41	-	40.00	14.24	64.85			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25152G	46.15	74.00	-27.85	56.75	3	Horizontal	298	2.96	-	40.01	14.24	64.85			
AV	13.25191G	37.31	54.00	-16.69	47.91	3	Horizontal	298	2.96	-	40.01	14.24	64.85			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87701G	50.45	83.54	-33.09	41.02	1	Vertical	329	1.63	-	37.59	20.64	48.80			
AV	19.86297G	37.73	63.54	-25.81	28.23	1	Vertical	329	1.63	-	37.65	20.65	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX


6625MHz_TX

EUT_Y_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86615G	51.17	83.54	-32.37	41.68	1	Horizontal	352	2.00	-	37.64	20.65	48.80			
AV	19.86114G	37.84	63.54	-25.70	28.33	1	Horizontal	352	2.00	-	37.66	20.65	48.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 23
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40789G	48.96	88.20	-39.24	59.06	3	Vertical	342	1.04	-	40.43	14.31	64.84			
RMS	13.41249G	38.15	68.20	-30.05	48.23	3	Vertical	342	1.04	-	40.45	14.31	64.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 23
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41002G	48.88	88.20	-39.32	58.97	3	Horizontal	331	1.29	-	40.44	14.31	64.84			
RMS	13.41129G	38.47	68.20	-29.73	48.55	3	Horizontal	331	1.29	-	40.45	14.31	64.84			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 23
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12346G	50.63	83.54	-32.91	41.34	1	Vertical	119	1.96	-	37.30	20.77	48.78			
AV	20.12496G	38.00	63.54	-25.54	28.70	1	Vertical	119	1.96	-	37.30	20.78	48.78			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
Setting 23
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.12952G	51.41	83.54	-32.13	42.09	1	Horizontal	227	2.06	-	37.30	20.79	48.77			
AV	20.12952G	38.02	63.54	-25.52	28.70	1	Horizontal	227	2.06	-	37.30	20.79	48.77			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 23
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57132G	49.28	88.20	-38.92	58.83	3	Vertical	219	2.98	-	40.87	14.38	64.80			
RMS	13.57228G	39.36	68.20	-28.84	48.90	3	Vertical	219	2.98	-	40.87	14.39	64.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 23
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56893G	44.72	88.20	-43.48	54.25	3	Horizontal	237	2.74	-	40.89	14.38	64.80			
RMS	13.57243G	37.49	68.20	-30.71	47.03	3	Horizontal	237	2.74	-	40.87	14.39	64.80			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 23
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3568G	52.77	83.54	-30.77	42.80	1	Vertical	235	1.74	-	37.50	21.20	48.73			
AV	20.34672G	39.84	63.54	-23.70	29.90	1	Vertical	235	1.74	-	37.49	21.18	48.73			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
Setting 23
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35683G	53.40	83.54	-30.14	43.43	1	Horizontal	18	1.46	-	37.50	21.20	48.73			
AV	20.34258G	39.93	63.54	-23.61	30.02	1	Horizontal	18	1.46	-	37.47	21.17	48.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
01-X-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.92G	66.40	88.20	-21.80	56.17	3	Vertical	181	1.80	-	34.00	8.67	32.44			
RMS	5.9225G	55.14	68.20	-13.06	44.91	3	Vertical	181	1.80	-	34.00	8.67	32.44			
PK	5.959G	112.20	Inf	-Inf	101.94	3	Vertical	181	1.80	-	33.98	8.72	32.44			
RMS	6.0815G	100.73	Inf	-Inf	90.38	3	Vertical	181	1.80	-	33.94	8.84	32.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
01-X-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.916G	66.48	88.20	-21.72	56.26	3	Horizontal	198	1.80	-	34.00	8.66	32.44			
RMS	5.925G	54.99	68.20	-13.21	44.75	3	Horizontal	198	1.80	-	34.00	8.68	32.44			
PK	5.948G	110.96	Inf	-Inf	100.70	3	Horizontal	198	1.80	-	34.00	8.70	32.44			
RMS	6.0915G	100.20	Inf	-Inf	89.86	3	Horizontal	198	1.80	-	33.92	8.85	32.43			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04781G	49.06	74.00	-24.94	62.30	3	Vertical	65	1.54	-	38.80	13.69	65.73			
AV	12.05244G	38.06	54.00	-15.94	51.30	3	Vertical	65	1.54	-	38.80	13.69	65.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
Setting 22
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04796G	48.30	74.00	-25.70	61.54	3	Horizontal	235	1.68	-	38.80	13.69	65.73			
AV	12.05249G	38.49	54.00	-15.51	51.73	3	Horizontal	235	1.68	-	38.80	13.69	65.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.06615G	51.26	83.54	-32.28	41.93	1	Vertical	36	1.36	-	37.23	20.31	48.21			
AV	18.08514G	37.96	63.54	-25.58	28.58	1	Vertical	36	1.36	-	37.27	20.33	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX

EUT V_2TX
Setting 22
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08088G	51.54	83.54	-32.00	42.18	1	Horizontal	118	2.01	-	37.26	20.32	48.22			
AV	18.08826G	37.91	63.54	-25.63	28.52	1	Horizontal	118	2.01	-	37.28	20.33	48.22			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX


EUT_Y_2TX
Setting 19
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37061G	45.52	74.00	-28.48	58.64	3	Vertical	193	2.54	-	38.66	13.84	65.62			
AV	12.37246G	37.52	54.00	-16.48	50.64	3	Vertical	193	2.54	-	38.66	13.84	65.62			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 19
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36825G	46.09	74.00	-27.91	59.21	3	Horizontal	91	1.21	-	38.66	13.84	65.62			
AV	12.3725G	38.00	54.00	-16.00	51.12	3	Horizontal	91	1.21	-	38.66	13.84	65.62			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 19
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56694G	50.75	83.54	-32.79	40.94	1	Vertical	248	1.50	-	37.57	20.61	48.37			
AV	18.56832G	37.65	63.54	-25.89	27.84	1	Vertical	248	1.50	-	37.57	20.61	48.37			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
Setting 19
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54375G	51.13	83.54	-32.41	41.36	1	Horizontal	259	1.65	-	37.51	20.60	48.34			
AV	18.56334G	37.58	63.54	-25.96	27.78	1	Horizontal	259	1.65	-	37.55	20.61	48.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69203G	49.23	74.00	-24.77	61.08	3	Vertical	183	1.76	-	39.47	13.98	65.30			
AV	12.69126G	38.31	54.00	-15.69	50.17	3	Vertical	183	1.76	-	39.47	13.98	65.31			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69071G	48.87	74.00	-25.13	60.74	3	Horizontal	52	2.43	-	39.46	13.98	65.31			
AV	12.69102G	38.77	54.00	-15.23	50.64	3	Horizontal	52	2.43	-	39.46	13.98	65.31			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.02318G	50.46	83.54	-33.08	40.85	1	Vertical	323	1.43	-	37.75	20.66	48.80			
AV	19.0266G	37.06	63.54	-26.48	27.45	1	Vertical	323	1.43	-	37.75	20.66	48.80			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 21
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03842G	50.09	83.54	-33.45	40.44	1	Horizontal	73	1.89	-	37.78	20.67	48.80			
AV	19.03047G	37.11	63.54	-26.43	27.48	1	Horizontal	73	1.89	-	37.76	20.67	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3275G	50.71	74.00	-23.29	60.98	3	Vertical	227	3.00	-	40.31	14.27	64.85			
AV	13.32862G	39.77	54.00	-14.23	50.04	3	Vertical	227	3.00	-	40.31	14.27	64.85			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_Y_2TX
Setting 21
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33239G	50.26	74.00	-23.74	60.50	3	Horizontal	336	1.17	-	40.33	14.28	64.85			
AV	13.32876G	40.20	54.00	-13.80	50.46	3	Horizontal	336	1.17	-	40.32	14.27	64.85			