


6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6665MHz_TX

EUT_Y_2TX
Setting 21
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00643G	50.46	83.54	-33.08	41.33	1	Vertical	66	1.59	-	37.37	20.56	48.80			
AV	19.99026G	36.97	63.54	-26.57	27.77	1	Vertical	66	1.59	-	37.44	20.56	48.80			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
Setting 21
05-C-C-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00883G	50.21	83.54	-33.33	41.08	1	Horizontal	328	1.55	-	37.36	20.57	48.80			
AV	19.98399G	37.01	63.54	-26.53	27.79	1	Horizontal	328	1.55	-	37.46	20.56	48.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 19
01-X-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.918G	61.20	88.20	-27.00	54.10	3	Vertical	184	1.46	-	34.57	7.52	34.99			
RMS	5.9235G	51.01	68.20	-17.19	43.89	3	Vertical	184	1.46	-	34.59	7.52	34.99			
PK	6.1347G	105.58	Inf	-Inf	97.94	3	Vertical	184	1.46	-	35.00	7.68	35.04			
RMS	6.0951G	97.45	Inf	-Inf	89.87	3	Vertical	184	1.46	-	34.98	7.63	35.03			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19
01-X-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9081G	64.34	88.20	-23.86	57.27	3	Horizontal	173	1.80	-	34.53	7.52	34.98				
RMS	5.9125G	52.49	68.20	-15.71	45.40	3	Horizontal	173	1.80	-	34.55	7.52	34.98				
PK	5.9829G	105.29	Inf	-Inf	98.06	3	Horizontal	173	1.80	-	34.70	7.53	35.00				
RMS	5.9763G	96.19	Inf	-Inf	88.96	3	Horizontal	173	1.80	-	34.70	7.53	35.00				

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 19
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2125G	46.81	74.00	-27.19	59.81	3	Vertical	125	1.83	-	38.90	13.77	65.67			
AV	12.2108G	37.22	54.00	-16.78	50.22	3	Vertical	125	1.83	-	38.90	13.77	65.67			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Y_2TX
Setting 19
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.20948G	45.50	74.00	-28.50	58.50	3	Horizontal	168	1.65	-	38.90	13.77	65.67			
AV	12.21115G	38.03	54.00	-15.97	51.03	3	Horizontal	168	1.65	-	38.90	13.77	65.67			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 19
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.3264G	50.62	83.54	-32.92	40.99	1	Vertical	203	1.83	-	37.41	20.49	48.27			
AV	18.31083G	38.03	63.54	-25.51	28.47	1	Vertical	203	1.83	-	37.34	20.48	48.26			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX

EUT_Y_2TX
Setting 19
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31614G	50.37	83.54	-33.17	40.79	1	Horizontal	298	1.84	-	37.36	20.48	48.26			
AV	18.3258G	37.96	63.54	-25.58	28.34	1	Horizontal	298	1.84	-	37.40	20.49	48.27			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX

EUT_Y_2TX
Setting 20
01-X-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53118G	47.00	74.00	-27.00	59.66	3	Vertical	270	1.90	-	38.96	13.91	65.53			
AV	12.53248G	38.44	54.00	-15.56	51.10	3	Vertical	270	1.90	-	38.96	13.91	65.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6265MHz_TX


EUT_Y_2TX
Setting 20
01-X-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52967G	47.37	74.00	-26.63	60.03	3	Horizontal	310	1.66	-	38.96	13.91	65.53			
AV	12.53105G	39.28	54.00	-14.72	51.94	3	Horizontal	310	1.66	-	38.96	13.91	65.53			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Y_2TX
Setting 20
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.80289G	51.12	83.54	-32.42	41.49	1	Vertical	359	1.78	-	37.60	20.63	48.60			
AV	18.78363G	38.91	63.54	-24.63	29.19	1	Vertical	359	1.78	-	37.67	20.63	48.58			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6265MHz_TX



EUT_Y_2TX
Setting 20
05-C-C-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.78762G	51.50	83.54	-32.04	41.81	1	Horizontal	174	2.06	-	37.65	20.63	48.59			
AV	18.79992G	38.87	63.54	-24.67	29.24	1	Horizontal	174	2.06	-	37.60	20.63	48.60			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	RMS	5.9245G	68.05	68.20	-0.15	3	Vertical	200	1.85	15.5

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




EUT Y_2TX
SET 16
16
12.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.9244G	71.73	88.20	-16.47	64.60	3	Vertical	200	1.80	16	34.60	7.52	34.99				
RMS	5.9241G	55.24	68.20	-12.96	48.11	3	Vertical	200	1.80	16	34.60	7.52	34.99				
PK	5.9541G	115.77	Inf	-Inf	108.54	3	Vertical	200	1.80	16	34.70	7.53	35.00				
RMS	5.9544G	105.61	Inf	-Inf	98.38	3	Vertical	200	1.80	16	34.70	7.53	35.00				

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




EUT Y_2TX
SET 16
16
15.83

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9235G	67.14	88.20	-21.06	60.02	3	Horizontal	192	2.84	16	34.59	7.52	34.99				
RMS	5.9238G	52.37	68.20	-15.83	45.24	3	Horizontal	192	2.84	16	34.60	7.52	34.99				
PK	5.9532G	114.97	Inf	-Inf	107.74	3	Horizontal	192	2.84	16	34.70	7.53	35.00				
RMS	5.9538G	104.41	Inf	-Inf	97.18	3	Horizontal	192	2.84	16	34.70	7.53	35.00				

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 16.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07126G	59.52	88.20	-28.68	42.45	3	Vertical	30	1.77	-	39.54	11.22	33.69			
RMS	13.06822G	44.99	68.20	-23.21	27.92	3	Vertical	30	1.77	-	39.54	11.22	33.69			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 16.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06897G	59.52	88.20	-28.68	42.45	3	Horizontal	347	1.18	-	39.54	11.22	33.69			
RMS	13.07101G	45.00	68.20	-23.20	27.93	3	Horizontal	347	1.18	-	39.54	11.22	33.69			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 16.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60322G	52.19	83.54	-31.35	46.89	1	Vertical	177	2.68	-	37.69	17.14	49.53			
AV	19.60118G	37.42	63.54	-26.12	32.11	1	Vertical	177	2.68	-	37.70	17.14	49.53			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 16.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6038G	51.28	83.54	-32.26	45.98	1	Horizontal	175	1.00	-	37.69	17.14	49.53			
AV	19.60144G	37.41	63.54	-26.13	32.10	1	Horizontal	175	1.00	-	37.70	17.14	49.53			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 18
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39152G	60.22	74.00	-13.78	42.04	3	Vertical	41	2.77	-	40.18	11.31	33.31			
AV	13.39149G	46.29	54.00	-7.71	28.11	3	Vertical	41	2.77	-	40.18	11.31	33.31			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




EUT Y_2TX
Setting 18
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38864G	60.80	74.00	-13.20	42.62	3	Horizontal	252	3.00	-	40.18	11.31	33.31			
AV	13.39132G	46.33	54.00	-7.67	28.15	3	Horizontal	252	3.00	-	40.18	11.31	33.31			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 18
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08162G	51.46	83.54	-32.08	45.68	1	Vertical	220	1.16	-	37.66	17.38	49.26			
AV	20.08254G	37.91	63.54	-25.63	32.12	1	Vertical	220	1.16	-	37.67	17.38	49.26			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




EUT_Y_2TX
Setting 18
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0853G	51.66	83.54	-31.88	45.86	1	Horizontal	170	1.48	-	37.67	17.38	49.25			
AV	20.08922G	37.93	63.54	-25.61	32.12	1	Horizontal	170	1.48	-	37.68	17.38	49.25			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70982G	63.61	88.20	-24.59	45.02	3	Vertical	168	2.52	-	40.54	11.41	33.36			
RMS	13.70986G	49.56	68.20	-18.64	30.97	3	Vertical	168	2.52	-	40.54	11.41	33.36			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX


EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71119G	64.82	88.20	-23.38	46.24	3	Horizontal	166	2.41	-	40.54	11.41	33.37			
RMS	13.71243G	49.59	68.20	-18.61	31.00	3	Horizontal	166	2.41	-	40.55	11.41	33.37			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56174G	51.73	83.54	-31.81	45.76	1	Vertical	298	1.20	-	37.72	17.45	49.20			
AV	20.56754G	38.08	63.54	-25.46	32.08	1	Vertical	298	1.20	-	37.74	17.45	49.19			

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6855MHz_TX




EUT_V_2TX
Setting 16
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56596G	52.24	83.54	-31.30	46.26	1	Horizontal	290	1.09	-	37.73	17.45	49.20			
AV	20.56456G	38.07	63.54	-25.47	32.09	1	Horizontal	290	1.09	-	37.73	17.45	49.20			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
SET 17
17
8.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.925G	74.87	88.20	-13.33	67.74	3	Vertical	201	1.88	17	34.60	7.52	34.99				
RMS	5.9244G	59.35	68.20	-8.85	52.22	3	Vertical	201	1.88	17	34.60	7.52	34.99				
PK	5.9538G	117.93	Inf	-Inf	110.70	3	Vertical	201	1.88	17	34.70	7.53	35.00				
RMS	5.9541G	105.99	Inf	-Inf	98.76	3	Vertical	201	1.88	17	34.70	7.53	35.00				

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Y_2TX
SET 17
17
10.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9247G	72.54	88.20	-15.66	65.41	3	Horizontal	205	1.69	17	34.60	7.52	34.99			
RMS	5.925G	57.81	68.20	-10.39	50.68	3	Horizontal	205	1.69	17	34.60	7.52	34.99			
PK	5.9553G	115.57	Inf	-Inf	108.34	3	Horizontal	205	1.69	17	34.70	7.53	35.00			
RMS	5.9559G	103.99	Inf	-Inf	96.76	3	Horizontal	205	1.69	17	34.70	7.53	35.00			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90759G	58.91	74.00	-15.09	43.92	3	Vertical	27	1.06	-	39.28	10.88	35.17			
AV	11.90987G	44.36	54.00	-9.64	29.37	3	Vertical	27	1.06	-	39.28	10.88	35.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.9093G	57.99	74.00	-16.01	43.00	3	Horizontal	3	1.23	-	39.28	10.88	35.17			
AV	11.90763G	44.36	54.00	-9.64	29.37	3	Horizontal	3	1.23	-	39.28	10.88	35.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81971G	53.52	83.54	-30.02	43.18	1	Vertical	331	2.06	-	38.72	18.76	47.14			
AV	23.82016G	39.63	63.54	-23.91	29.29	1	Vertical	331	2.06	-	38.72	18.76	47.14			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Y_2TX
Setting 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81911G	53.34	83.54	-30.20	43.00	1	Horizontal	19	1.31	-	38.72	18.76	47.14			
AV	23.82002G	39.62	63.54	-23.92	29.28	1	Horizontal	19	1.31	-	38.72	18.76	47.14			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6195MHz_TX

EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38953G	57.77	74.00	-16.23	42.85	3	Vertical	64	1.65	-	38.80	11.02	34.90			
AV	12.38984G	43.95	54.00	-10.05	29.03	3	Vertical	64	1.65	-	38.80	11.02	34.90			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38781G	57.88	74.00	-16.12	42.96	3	Horizontal	86	2.19	-	38.80	11.02	34.90			
AV	12.39015G	43.98	54.00	-10.02	29.06	3	Horizontal	86	2.19	-	38.80	11.02	34.90			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5852G	50.02	83.54	-33.52	45.42	1	Vertical	99	2.44	-	37.67	16.58	49.65			
AV	18.58288G	36.35	63.54	-27.19	31.75	1	Vertical	99	2.44	-	37.67	16.58	49.65			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58344G	50.17	83.54	-33.37	45.57	1	Horizontal	4	2.43	-	37.67	16.58	49.65			
AV	18.58648G	36.36	63.54	-27.18	31.76	1	Horizontal	4	2.43	-	37.67	16.58	49.65			


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX



EUT_Y_2TX
Setting 17
03-E-G-4


Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82882G	58.03	88.20	-30.17	41.85	3	Vertical	130	2.24	-	39.16	11.15	34.13			
RMS	12.83052G	44.53	68.20	-23.67	28.35	3	Vertical	130	2.24	-	39.16	11.15	34.13			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX
6415MHz_TX

EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82813G	58.58	88.20	-29.62	42.40	3	Horizontal	353	1.98	-	39.16	11.15	34.13			
RMS	12.82767G	44.53	68.20	-23.67	28.35	3	Horizontal	353	1.98	-	39.16	11.15	34.13			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24528G	49.86	83.54	-33.68	44.50	1	Vertical	334	2.75	-	37.88	16.93	49.45			
AV	19.24808G	36.11	63.54	-27.43	30.74	1	Vertical	334	2.75	-	37.89	16.93	49.45			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24836G	50.29	83.54	-33.25	44.92	1	Horizontal	21	1.10	-	37.89	16.93	49.45			
AV	19.24008G	36.08	63.54	-27.46	30.74	1	Horizontal	21	1.10	-	37.86	16.93	49.45			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


6535MHz_TX

EUT_Y_2TX
SET 17.5
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06966G	58.53	88.20	-29.67	41.46	3	Vertical	342	1.79	-	39.54	11.22	33.69			
RMS	13.06841G	44.85	68.20	-23.35	27.78	3	Vertical	342	1.79	-	39.54	11.22	33.69			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
SET 17.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07062G	58.69	88.20	-29.51	41.62	3	Horizontal	57	2.39	-	39.54	11.22	33.69			
RMS	13.06838G	44.85	68.20	-23.35	27.78	3	Horizontal	57	2.39	-	39.54	11.22	33.69			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
SET 17.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60898G	51.61	83.54	-31.93	46.32	1	Vertical	47	2.73	-	37.68	17.14	49.53			
AV	19.60164G	37.36	63.54	-26.18	32.05	1	Vertical	47	2.73	-	37.70	17.14	49.53			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
SET 17.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60408G	51.34	83.54	-32.20	46.04	1	Horizontal	230	1.82	-	37.69	17.14	49.53			
AV	19.60102G	37.34	63.54	-26.20	32.03	1	Horizontal	230	1.82	-	37.70	17.14	49.53			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 18.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39009G	60.32	74.00	-13.68	42.14	3	Vertical	72	2.22	-	40.18	11.31	33.31			
AV	13.38853G	46.16	54.00	-7.84	27.98	3	Vertical	72	2.22	-	40.18	11.31	33.31			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 18.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39221G	60.49	74.00	-13.51	42.31	3	Horizontal	203	1.11	-	40.18	11.31	33.31			
AV	13.39142G	46.21	54.00	-7.79	28.03	3	Horizontal	203	1.11	-	40.18	11.31	33.31			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 18.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08777G	51.11	83.54	-32.43	45.30	1	Vertical	257	1.47	-	37.68	17.38	49.25			
AV	20.08846G	37.88	63.54	-25.66	32.07	1	Vertical	257	1.47	-	37.68	17.38	49.25			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Y_2TX
SET 18.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08756G	51.71	83.54	-31.83	45.90	1	Horizontal	221	2.45	-	37.68	17.38	49.25			
AV	20.08038G	37.87	63.54	-25.67	32.09	1	Horizontal	221	2.45	-	37.66	17.38	49.26			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
SET 16.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71056G	63.41	88.20	-24.79	44.83	3	Vertical	177	2.96	-	40.54	11.41	33.37			
RMS	13.71206G	49.55	68.20	-18.65	30.96	3	Vertical	177	2.96	-	40.55	11.41	33.37			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
SET 16.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71022G	63.36	88.20	-24.84	44.77	3	Horizontal	306	2.08	-	40.54	11.41	33.36			
RMS	13.71213G	49.54	68.20	-18.66	30.95	3	Horizontal	306	2.08	-	40.55	11.41	33.37			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
SET 16.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56704G	52.74	83.54	-30.80	46.76	1	Vertical	299	2.02	-	37.73	17.45	49.20			
AV	20.5646G	38.00	63.54	-25.54	32.02	1	Vertical	299	2.02	-	37.73	17.45	49.20			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
SET 16.5
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56328G	52.23	83.54	-31.31	46.25	1	Horizontal	234	1.38	-	37.73	17.45	49.20			
AV	20.56456G	38.02	63.54	-25.52	32.04	1	Horizontal	234	1.38	-	37.73	17.45	49.20			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 15.5
16.5\15.5\16\15.5
-0.75\0.90\0.07\0.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9236G	81.14	88.20	-7.06	74.02	3	Vertical	201	1.86	15.5	34.59	7.52	34.99				
RMS	5.9245G	67.40	68.20	-0.80	60.27	3	Vertical	201	1.86	15.5	34.60	7.52	34.99				
PK	5.9638G	114.93	Inf	-Inf	107.70	3	Vertical	201	1.86	15.5	34.70	7.53	35.00				
RMS	5.9638G	102.43	Inf	-Inf	95.20	3	Vertical	201	1.86	15.5	34.70	7.53	35.00				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
SET 15.5
15.5
2.51

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.925G	78.56	88.20	-9.64	71.43	3	Horizontal	206	1.80	15.5	34.60	7.52	34.99				
RMS	5.925G	65.69	68.20	-2.51	58.56	3	Horizontal	206	1.80	15.5	34.60	7.52	34.99				
PK	5.9659G	112.24	Inf	-Inf	105.01	3	Horizontal	206	1.80	15.5	34.70	7.53	35.00				
RMS	5.9659G	100.06	Inf	-Inf	92.83	3	Horizontal	206	1.80	15.5	34.70	7.53	35.00				

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93141G	57.83	74.00	-16.17	42.88	3	Vertical	317	1.83	-	39.24	10.89	35.18			
AV	11.92981G	44.26	54.00	-9.74	29.31	3	Vertical	317	1.83	-	39.24	10.89	35.18			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92844G	58.18	74.00	-15.82	43.23	3	Horizontal	237	1.75	-	39.24	10.89	35.18			
AV	11.93235G	44.25	54.00	-9.75	29.30	3	Horizontal	237	1.75	-	39.24	10.89	35.18			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Y_2TX
Setting 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85873G	52.93	83.54	-30.61	42.67	1	Vertical	354	2.67	-	38.62	18.76	47.12			
AV	23.85998G	39.34	63.54	-24.20	29.08	1	Vertical	354	2.67	-	38.62	18.76	47.12			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5965MHz_TX

EUT_Y_2TX
Setting 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.8606G	53.22	83.54	-30.32	42.96	1	Horizontal	91	1.81	-	38.62	18.76	47.12			
AV	23.85885G	39.35	63.54	-24.19	29.09	1	Horizontal	91	1.81	-	38.62	18.76	47.12			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41145G	57.45	74.00	-16.55	42.51	3	Vertical	197	1.95	-	38.80	11.03	34.89			
AV	12.4095G	43.84	54.00	-10.16	28.90	3	Vertical	197	1.95	-	38.80	11.03	34.89			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41083G	58.68	74.00	-15.32	43.74	3	Horizontal	127	2.21	-	38.80	11.03	34.89			
AV	12.40956G	43.85	54.00	-10.15	28.91	3	Horizontal	127	2.21	-	38.80	11.03	34.89			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6177G	50.30	83.54	-33.24	45.62	1	Vertical	104	2.56	-	37.70	16.60	49.62			
AV	18.61938G	36.42	63.54	-27.12	31.74	1	Vertical	104	2.56	-	37.70	16.60	49.62			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61448G	50.02	83.54	-33.52	45.36	1	Horizontal	332	2.72	-	37.70	16.59	49.63			
AV	18.61912G	36.43	63.54	-27.11	31.75	1	Horizontal	332	2.72	-	37.70	16.60	49.62			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81184G	59.00	88.20	-29.20	42.90	3	Vertical	240	1.34	-	39.12	11.15	34.17			
RMS	12.80834G	44.64	68.20	-23.56	28.55	3	Vertical	240	1.34	-	39.12	11.14	34.17			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81108G	59.26	88.20	-28.94	43.16	3	Horizontal	313	1.15	-	39.12	11.15	34.17			
RMS	12.80835G	44.64	68.20	-23.56	28.55	3	Horizontal	313	1.15	-	39.12	11.14	34.17			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21974G	49.66	83.54	-33.88	44.40	1	Vertical	87	2.52	-	37.78	16.92	49.44			
AV	19.21258G	35.99	63.54	-27.55	30.76	1	Vertical	87	2.52	-	37.75	16.91	49.43			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6405MHz_TX

EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21586G	49.18	83.54	-34.36	43.94	1	Horizontal	110	2.25	-	37.76	16.92	49.44			
AV	19.21248G	35.99	63.54	-27.55	30.76	1	Horizontal	110	2.25	-	37.75	16.91	49.43			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13189G	58.48	88.20	-29.72	41.25	3	Vertical	321	1.17	-	39.60	11.24	33.61			
RMS	13.12948G	44.77	68.20	-23.43	27.55	3	Vertical	321	1.17	-	39.60	11.24	33.62			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1302G	58.54	88.20	-29.66	41.32	3	Horizontal	165	1.65	-	39.60	11.24	33.62			
RMS	13.12994G	44.76	68.20	-23.44	27.54	3	Horizontal	165	1.65	-	39.60	11.24	33.62			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


6565MHz_TX

EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69202G	51.63	83.54	-31.91	46.14	1	Vertical	326	2.78	-	37.77	17.19	49.47			
AV	19.6989G	36.93	63.54	-26.61	31.39	1	Vertical	326	2.78	-	37.80	17.20	49.46			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Y_2TX
Setting 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69838G	51.30	83.54	-32.24	45.78	1	Horizontal	152	2.47	-	37.79	17.20	49.47			
AV	19.69126G	36.94	63.54	-26.60	31.45	1	Horizontal	152	2.47	-	37.77	17.19	49.47			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
SET 18.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37029G	59.46	74.00	-14.54	41.34	3	Vertical	151	1.42	-	40.14	11.31	33.33			
AV	13.37178G	45.77	54.00	-8.23	27.65	3	Vertical	151	1.42	-	40.14	11.31	33.33			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
SET 18.5
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36813G	59.56	74.00	-14.44	41.45	3	Horizontal	7	2.19	-	40.14	11.31	33.34			
AV	13.3715G	45.74	54.00	-8.26	27.62	3	Horizontal	7	2.19	-	40.14	11.31	33.33			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
SET 18.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05848G	51.72	83.54	-31.82	45.98	1	Vertical	12	2.71	-	37.62	17.38	49.26			
AV	20.05774G	37.74	63.54	-25.80	32.00	1	Vertical	12	2.71	-	37.62	17.38	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Y_2TX
SET 18.5
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05756G	51.77	83.54	-31.77	46.03	1	Horizontal	197	2.67	-	37.62	17.38	49.26			
AV	20.05198G	37.74	63.54	-25.80	32.02	1	Horizontal	197	2.67	-	37.60	17.38	49.26			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
SET 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68962G	63.40	88.20	-24.80	44.87	3	Vertical	341	1.41	-	40.48	11.40	33.35			
RMS	13.6925G	49.25	68.20	-18.95	30.72	3	Vertical	341	1.41	-	40.48	11.40	33.35			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
SET 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6893G	63.15	88.20	-25.05	44.62	3	Horizontal	28	2.77	-	40.48	11.40	33.35			
RMS	13.68998G	49.19	68.20	-19.01	30.66	3	Horizontal	28	2.77	-	40.48	11.40	33.35			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
SET 17
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53646G	51.78	83.54	-31.76	45.84	1	Vertical	106	2.10	-	37.70	17.45	49.21			
AV	20.53786G	37.78	63.54	-25.76	31.84	1	Vertical	106	2.10	-	37.70	17.45	49.21			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
SET 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53592G	51.41	83.54	-32.13	45.47	1	Horizontal	224	2.70	-	37.70	17.45	49.21			
AV	20.5387G	37.79	63.54	-25.75	31.85	1	Horizontal	224	2.70	-	37.70	17.45	49.21			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 14.5
16.5\13\14.5\15\14.5
-3.25\3.84\0.67\0.42\0.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.924G	80.17	88.20	-8.03	73.04	3	Vertical	200	1.90	14.5	34.60	7.52	34.99				
RMS	5.924G	67.65	68.20	-0.55	60.52	3	Vertical	200	1.90	14.5	34.60	7.52	34.99				
PK	5.983G	111.53	Inf	-Inf	104.30	3	Vertical	200	1.90	14.5	34.70	7.53	35.00				
RMS	5.9835G	98.86	Inf	-Inf	91.64	3	Vertical	200	1.90	14.5	34.70	7.53	35.01				

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 14.5
14.5
2.38

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.922G	77.58	88.20	-10.62	70.46	3	Horizontal	188	2.84	14.5	34.59	7.52	34.99				
RMS	5.924G	65.82	68.20	-2.38	58.69	3	Horizontal	188	2.84	14.5	34.60	7.52	34.99				
PK	5.9835G	109.46	Inf	-Inf	102.24	3	Horizontal	188	2.84	14.5	34.70	7.53	35.01				
RMS	5.983G	97.05	Inf	-Inf	89.82	3	Horizontal	188	2.84	14.5	34.70	7.53	35.00				

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Y_2TX
SET 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96802G	58.03	74.00	-15.97	43.11	3	Vertical	105	2.40	-	39.20	10.90	35.18			
AV	11.97171G	44.25	54.00	-9.75	29.33	3	Vertical	105	2.40	-	39.20	10.90	35.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97042G	57.78	74.00	-16.22	42.86	3	Horizontal	42	1.60	-	39.20	10.90	35.18			
AV	11.96864G	44.23	54.00	-9.77	29.31	3	Horizontal	42	1.60	-	39.20	10.90	35.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93952G	53.83	83.54	-29.71	43.29	1	Vertical	244	2.80	-	38.86	18.77	47.09			
AV	23.94132G	39.91	63.54	-23.63	29.36	1	Vertical	244	2.80	-	38.87	18.77	47.09			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Y_2TX
SET 14.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94095G	53.60	83.54	-29.94	43.06	1	Horizontal	203	2.93	-	38.86	18.77	47.09			
AV	23.94084G	39.90	63.54	-23.64	29.36	1	Horizontal	203	2.93	-	38.86	18.77	47.09			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
SET 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44875G	58.04	74.00	-15.96	43.06	3	Vertical	94	2.70	-	38.80	11.04	34.86			
AV	12.45098G	43.63	54.00	-10.37	28.65	3	Vertical	94	2.70	-	38.80	11.04	34.86			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Y_2TX
SET 16
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.44988G	57.46	74.00	-16.54	42.48	3	Horizontal	265	1.78	-	38.80	11.04	34.86			
AV	12.44816G	43.67	54.00	-10.33	28.69	3	Horizontal	265	1.78	-	38.80	11.04	34.86			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
SET 16
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67268G	50.18	83.54	-33.36	45.49	1	Vertical	167	2.34	-	37.65	16.62	49.58			
AV	18.67G	36.21	63.54	-27.33	31.51	1	Vertical	167	2.34	-	37.66	16.62	49.58			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
SET 16
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67134G	49.95	83.54	-33.59	45.25	1	Horizontal	55	2.76	-	37.66	16.62	49.58			
AV	18.67898G	36.20	63.54	-27.34	31.50	1	Horizontal	55	2.76	-	37.64	16.63	49.57			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
SET 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7689G	58.25	88.20	-29.95	42.34	3	Vertical	112	1.63	-	39.04	11.13	34.26			
RMS	12.77177G	44.45	68.20	-23.75	28.53	3	Vertical	112	1.63	-	39.04	11.13	34.25			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
SET 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76811G	58.92	88.20	-29.28	43.01	3	Horizontal	342	1.07	-	39.04	11.13	34.26			
RMS	12.77173G	44.43	68.20	-23.77	28.51	3	Horizontal	342	1.07	-	39.04	11.13	34.25			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
SET 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1565G	49.88	83.54	-33.66	44.53	1	Vertical	14	1.18	-	37.87	16.88	49.40			
AV	19.15038G	36.43	63.54	-27.11	31.05	1	Vertical	14	1.18	-	37.90	16.88	49.40			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Y_2TX
SET 17
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15438G	50.48	83.54	-33.06	45.12	1	Horizontal	49	1.78	-	37.88	16.88	49.40			
AV	19.15052G	36.46	63.54	-27.08	31.08	1	Horizontal	49	1.78	-	37.90	16.88	49.40			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25133G	59.01	74.00	-14.99	41.21	3	Vertical	16	2.74	-	40.00	11.27	33.47			
AV	13.251G	45.33	54.00	-8.67	27.53	3	Vertical	16	2.74	-	40.00	11.27	33.47			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25191G	59.74	74.00	-14.26	41.94	3	Horizontal	179	2.45	-	40.00	11.27	33.47			
AV	13.25087G	45.31	54.00	-8.69	27.51	3	Horizontal	179	2.45	-	40.00	11.27	33.47			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87342G	50.33	74.00	-23.67	44.73	1	Vertical	93	2.85	-	37.65	17.30	49.35			
AV	19.87954G	35.96	54.00	-18.04	30.36	1	Vertical	93	2.85	-	37.64	17.30	49.34			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87272G	49.49	74.00	-24.51	43.89	1	Horizontal	237	1.78	-	37.65	17.30	49.35			
AV	19.87816G	35.95	54.00	-18.05	30.35	1	Horizontal	237	1.78	-	37.64	17.30	49.34			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 19
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40886G	60.65	88.20	-27.55	42.40	3	Vertical	163	2.27	-	40.22	11.32	33.29			
RMS	13.41096G	46.34	68.20	-21.86	28.09	3	Vertical	163	2.27	-	40.22	11.32	33.29			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 19
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40834G	60.61	88.20	-27.59	42.36	3	Horizontal	77	2.75	-	40.22	11.32	33.29			
RMS	13.40821G	46.31	68.20	-21.89	28.06	3	Horizontal	77	2.75	-	40.22	11.32	33.29			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 19
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11652G	51.96	83.54	-31.58	46.12	1	Vertical	299	1.18	-	37.70	17.39	49.25			
AV	20.11764G	38.23	63.54	-25.31	32.39	1	Vertical	299	1.18	-	37.70	17.39	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Y_2TX
SET 19
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11282G	51.65	83.54	-31.89	45.81	1	Horizontal	115	1.42	-	37.70	17.39	49.25			
AV	20.1169G	38.22	63.54	-25.32	32.38	1	Horizontal	115	1.42	-	37.70	17.39	49.25			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
SET 18
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57145G	60.58	88.20	-27.62	42.11	3	Vertical	105	1.06	-	40.34	11.37	33.24			
RMS	13.56846G	46.61	68.20	-21.59	28.15	3	Vertical	105	1.06	-	40.34	11.36	33.24			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
SET 18
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5682G	61.42	88.20	-26.78	42.96	3	Horizontal	23	1.23	-	40.34	11.36	33.24			
RMS	13.56919G	46.64	68.20	-21.56	28.17	3	Horizontal	23	1.23	-	40.34	11.37	33.24			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
SET 18
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35414G	50.02	83.54	-33.52	44.06	1	Vertical	59	1.65	-	37.78	17.42	49.24			
AV	20.35004G	36.59	63.54	-26.95	30.61	1	Vertical	59	1.65	-	37.80	17.42	49.24			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Y_2TX
SET 18
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35268G	50.24	83.54	-33.30	44.27	1	Horizontal	281	1.26	-	37.79	17.42	49.24			
AV	20.35014G	36.61	63.54	-26.93	30.63	1	Horizontal	281	1.26	-	37.80	17.42	49.24			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 15.5
17\14\15.5
-2.84\3.67\0.15

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9045G	80.29	88.20	-7.91	73.23	3	Vertical	200	1.85	15.5	34.52	7.52	34.98				
RMS	5.9245G	68.05	68.20	-0.15	60.92	3	Vertical	200	1.85	15.5	34.60	7.52	34.99				
PK	6.023G	108.17	Inf	-Inf	100.88	3	Vertical	200	1.85	15.5	34.75	7.56	35.02				
RMS	6.023G	95.56	Inf	-Inf	88.27	3	Vertical	200	1.85	15.5	34.75	7.56	35.02				

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 15.5
15.5
2.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9175G	77.69	88.20	-10.51	70.59	3	Horizontal	179	2.36	15.5	34.57	7.52	34.99				
RMS	5.917G	65.28	68.20	-2.92	58.18	3	Horizontal	179	2.36	15.5	34.57	7.52	34.99				
PK	6.027G	106.28	Inf	-Inf	98.99	3	Horizontal	179	2.36	15.5	34.75	7.56	35.02				
RMS	6.027G	94.77	Inf	-Inf	87.48	3	Horizontal	179	2.36	15.5	34.75	7.56	35.02				

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 15
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04823G	58.94	74.00	-15.06	44.07	3	Vertical	258	1.08	-	39.10	10.92	35.15			
AV	12.05013G	44.45	54.00	-9.55	29.58	3	Vertical	258	1.08	-	39.10	10.92	35.15			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Y_2TX
SET 15
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04793G	58.30	74.00	-15.70	43.43	3	Horizontal	236	2.30	-	39.10	10.92	35.15			
AV	12.04754G	44.46	54.00	-9.54	29.59	3	Horizontal	236	2.30	-	39.10	10.92	35.15			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
SET 15
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0766G	49.88	83.54	-33.66	45.74	1	Vertical	355	1.35	-	37.35	16.32	49.53			
AV	18.07134G	36.17	63.54	-27.37	32.03	1	Vertical	355	1.35	-	37.34	16.32	49.52			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6025MHz_TX

EUT_Y_2TX
SET 15
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07856G	51.14	83.54	-32.40	46.99	1	Horizontal	352	1.66	-	37.36	16.32	49.53			
AV	18.07024G	36.19	63.54	-27.35	32.05	1	Horizontal	352	1.66	-	37.34	16.32	49.52			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3687G	58.19	74.00	-15.81	43.29	3	Vertical	71	1.57	-	38.80	11.02	34.92			
AV	12.36766G	43.96	54.00	-10.04	29.06	3	Vertical	71	1.57	-	38.80	11.02	34.92			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36767G	58.73	74.00	-15.27	43.83	3	Horizontal	296	1.73	-	38.80	11.02	34.92			
AV	12.36754G	43.96	54.00	-10.04	29.06	3	Horizontal	296	1.73	-	38.80	11.02	34.92			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55196G	49.95	83.54	-33.59	45.47	1	Vertical	32	2.47	-	37.60	16.56	49.68			
AV	18.55872G	36.10	63.54	-27.44	31.59	1	Vertical	32	2.47	-	37.62	16.56	49.67			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55464G	50.15	83.54	-33.39	45.66	1	Horizontal	326	1.12	-	37.61	16.56	49.68			
AV	18.55058G	36.09	63.54	-27.45	31.61	1	Horizontal	326	1.12	-	37.60	16.56	49.68			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
SET 16.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.68996G	57.99	74.00	-16.01	42.40	3	Vertical	352	1.25	-	38.90	11.11	34.42			
AV	12.69G	44.23	54.00	-9.77	28.64	3	Vertical	352	1.25	-	38.90	11.11	34.42			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
SET 16.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69045G	58.27	74.00	-15.73	42.68	3	Horizontal	164	2.00	-	38.90	11.11	34.42			
AV	12.68997G	44.19	54.00	-9.81	28.60	3	Horizontal	164	2.00	-	38.90	11.11	34.42			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Y_2TX
SET 16.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03472G	50.21	83.54	-33.33	44.86	1	Vertical	259	1.46	-	37.87	16.81	49.33			
AV	19.03832G	36.73	63.54	-26.81	31.37	1	Vertical	259	1.46	-	37.88	16.81	49.33			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX


6345MHz_TX

EUT_Y_2TX
SET 16.5
03-E-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0387G	50.78	83.54	-32.76	45.42	1	Horizontal	35	1.08	-	37.88	16.81	49.33			
AV	19.03792G	36.69	63.54	-26.85	31.33	1	Horizontal	35	1.08	-	37.88	16.81	49.33			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32761G	60.59	74.00	-13.41	42.57	3	Vertical	131	1.01	-	40.10	11.30	33.38			
AV	13.32931G	45.54	54.00	-8.46	27.52	3	Vertical	131	1.01	-	40.10	11.30	33.38			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32898G	59.34	74.00	-14.66	41.32	3	Horizontal	213	2.39	-	40.10	11.30	33.38			
AV	13.32951G	45.54	54.00	-8.46	27.52	3	Horizontal	213	2.39	-	40.10	11.30	33.38			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9957G	51.76	83.54	-31.78	45.86	1	Vertical	181	2.20	-	37.79	17.37	49.26			
AV	19.99984G	37.66	63.54	-25.88	31.75	1	Vertical	181	2.20	-	37.80	17.37	49.26			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX



EUT_Y_2TX
SET 15.5
03-E-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.99844G	51.46	83.54	-32.08	45.55	1	Horizontal	150	1.67	-	37.80	17.37	49.26			
AV	19.99984G	37.66	63.54	-25.88	31.75	1	Horizontal	150	1.67	-	37.80	17.37	49.26			

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

5955MHz_TX

03/11/2025

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 ☐

Port 2 ☐

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9557G	5.35	5.967225G	-25.62	-14.65	-10.97	1
5.962448G	4.91	5.967175G	-25.90	-15.10	-10.80	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

03/11/2025

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 ☐

Port 2 ☐

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.199149G	6.15	6.207125G	-25.45	-13.65	-11.80	1
6.200624G	5.88	6.207125G	-25.63	-14.13	-11.50	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

03/11/2025

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417399G	5.01	6.402975G	-26.95	-14.99	-11.96	1
6.422623G	5.12	6.427075G	-26.46	-14.90	-11.56	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TX

03/11/2025

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.542323G	5.65	6.5229G	-25.86	-14.37	-11.49	1
6.528152G	5.34	6.54715G	-26.84	-14.72	-12.12	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TX

01/01/2025

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.702473G	7.34	6.677175G	-25.40	-16.51	-8.89	1
6.691901G	7.64	6.678525G	-20.66	-12.46	-8.20	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TX

03/11/2025

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.848052G	7.55	6.867125G	-22.61	-12.25	-10.36	1
6.862398G	7.19	6.867075G	-23.97	-12.83	-11.14	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963923G	3.64	5.991875G	-49.59	-36.36	-13.23	1
5.964073G	3.17	5.990425G	-49.58	-36.83	-12.75	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.185927G	4.95	6.207375G	-28.59	-15.10	-13.49	1
6.189151G	5.12	6.242425G	-49.25	-34.88	-14.37	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

03/11/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

03/11/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/11/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

03/11/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982946G	6.07	6.03195G	-44.58	-33.93	-10.65	1
5.971448G	5.55	6.03155G	-45.09	-34.45	-10.64	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.222146G	6.98	6.27435G	-44.18	-33.02	-11.16	1
6.221796G	6.96	6.2761G	-44.74	-33.04	-11.70	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

03/11/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

03/11/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691948G	9.39	6.649G	-18.80	-15.36	-3.44	1
6.667054G	8.89	6.7508G	-35.92	-30.21	-5.71	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

03/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.827754G	9.08	6.8098G	-22.70	-12.28	-10.42	1
6.833053G	9.14	6.91285G	-36.68	-30.45	-6.23	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

03/11/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00759G	3.15	6.126G	-44.73	-36.85	-7.88	1
6.01539G	2.78	6.1244G	-44.79	-37.22	-7.57	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

03/11/2025

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2222G	3.38	6.3867G	-44.46	-36.62	-7.84	1
6.2332G	3.13	6.3668G	-44.77	-36.87	-7.90	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35431G	2.44	6.22G	-44.77	-37.56	-7.21	1
6.3863G	2.83	6.2429G	-44.70	-37.17	-7.53	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59991G	6.56	6.7121G	-20.55	-13.62	-6.93	1
6.6314G	6.14	6.5461G	-23.15	-17.76	-5.39	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

01/01/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66721G	5.77	6.8465G	-39.94	-34.23	-5.71	1
6.67141G	6.05	6.6231G	-22.83	-18.50	-4.33	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

01/01/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74851G	5.78	6.9211G	-38.65	-34.22	-4.43	1
6.74891G	6.12	6.9233G	-38.47	-33.88	-4.59	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

03/11/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

03/11/2025



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

03/11/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3392G	4.96	6.0476G	-39.72	-35.04	-4.68	1
6.362G	5.09	5.9522G	-40.46	-34.91	-5.55	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/11/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69079G	8.11	6.5092G	-18.19	-11.96	-6.23	1
6.6698G	7.59	6.9236G	-33.40	-32.39	-1.01	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1146G	2.56	6.6042G	-47.67	-37.44	-10.23	1
6.23777G	2.09	6.6102G	-48.68	-37.91	-10.77	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2818G	2.16	6.9878G	-44.46	-37.84	-6.62	1
6.2798G	1.83	6.9882G	-44.60	-38.17	-6.43	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

03/01/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

03/01/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411201G	-0.23	6.4274G	-35.52	-20.03	-15.49	1
6.407002G	-0.21	6.4025G	-36.14	-20.24	-15.90	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

03/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.531926G	1.20	6.5475G	-34.64	-18.89	-15.75	1
6.526102G	1.52	6.522475G	-34.00	-18.59	-15.41	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/01/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.702473G	1.12	6.707525G	-35.42	-18.88	-16.54	1
6.704148G	1.34	6.707725G	-36.02	-18.36	-17.66	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

03/01/2026

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.847877G	3.51	6.86745G	-31.57	-16.52	-15.05	1
6.862373G	3.68	6.867425G	-31.00	-16.02	-14.98	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982896G	0.92	5.9879G	-31.99	-19.08	-12.91	1
5.982796G	1.36	5.9881G	-32.47	-18.44	-14.03	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.221846G	1.82	6.2278G	-30.99	-18.23	-12.76	1
6.222646G	1.81	6.27615G	-52.99	-38.19	-14.80	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422846G	1.79	6.48805G	-52.89	-38.21	-14.68	1
6.398802G	1.63	6.42795G	-31.56	-18.44	-13.12	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.582746G	3.68	6.58845G	-31.59	-16.34	-15.25	1
6.572798G	3.58	6.58795G	-29.80	-16.44	-13.36	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.667104G	3.25	6.61705G	-52.81	-36.75	-16.06	1
6.667704G	3.44	6.70835G	-31.39	-16.57	-14.82	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.862296G	2.10	6.913G	-51.57	-37.90	-13.67	1
6.827604G	2.09	6.8221G	-31.28	-17.91	-13.37	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02289G	-1.33	6.0308G	-31.60	-21.34	-10.26	1
6.02269G	-0.59	6.031G	-31.38	-20.59	-10.79	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26149G	-1.12	6.2709G	-31.90	-21.12	-10.78	1
6.2174G	-1.29	6.2707G	-31.89	-21.30	-10.59	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/01/2026




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66821G	0.80	6.6596G	-29.74	-19.21	-10.53	1
6.67341G	1.25	6.7505G	-29.01	-18.76	-10.25	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74741G	0.88	6.7389G	-30.39	-19.14	-11.25	1
6.74831G	1.24	6.8298G	-28.45	-18.76	-9.69	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09858G	2.27	6.345G	-46.32	-37.73	-8.59	1
6.09018G	1.97	6.3388G	-45.50	-38.03	-7.47	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

03/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25918G	0.37	6.5048G	-46.58	-39.63	-6.95	1
6.10962G	0.41	6.51G	-45.20	-39.59	-5.61	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

03/01/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3394G	1.76	6.626G	-46.87	-38.24	-8.63	1
6.3368G	1.73	6.6634G	-45.75	-38.27	-7.48	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60402G	1.50	6.9898G	-45.84	-38.50	-7.34	1
6.6542G	1.78	6.9642G	-45.76	-38.22	-7.54	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25816G	0.07	6.8974G	-44.79	-39.93	-4.86	1
6.091G	0.25	6.905G	-44.84	-39.75	-5.09	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

03/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2802G	1.39	7.0038G	-44.28	-38.61	-5.67	1
6.283G	0.97	6.9826G	-44.36	-39.03	-5.33	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

5955MHz_TX

03/11/2025

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9557G	5.35	5.967225G	-25.62	-14.65	-10.97	1
5.962448G	4.91	5.967175G	-25.90	-15.10	-10.80	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

03/11/2025

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.199149G	6.15	6.207125G	-25.45	-13.65	-11.80	1
6.200624G	5.88	6.207125G	-25.63	-14.13	-11.50	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

03/11/2025

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417399G	5.01	6.402975G	-26.95	-14.99	-11.96	1
6.422623G	5.12	6.427075G	-26.46	-14.90	-11.56	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TX

03/11/2025

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.542323G	5.65	6.5229G	-25.86	-14.37	-11.49	1
6.528152G	5.34	6.54715G	-26.84	-14.72	-12.12	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TX

01/01/2025




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TX

03/11/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963923G	3.64	5.991875G	-49.59	-36.36	-13.23	1
5.964073G	3.17	5.990425G	-49.58	-36.83	-12.75	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.185927G	4.95	6.207375G	-28.59	-15.10	-13.49	1
6.189151G	5.12	6.242425G	-49.25	-34.88	-14.37	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

03/11/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

03/11/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/11/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

03/11/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982946G	6.07	6.03195G	-44.58	-33.93	-10.65	1
5.971448G	5.55	6.03155G	-45.09	-34.45	-10.64	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.222146G	6.98	6.27435G	-44.18	-33.02	-11.16	1
6.221796G	6.96	6.2761G	-44.74	-33.04	-11.70	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.388904G	4.59	6.50135G	-44.95	-35.41	-9.54	1
6.420696G	4.63	6.4892G	-44.84	-35.37	-9.47	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.573198G	8.67	6.60165G	-20.48	-15.51	-4.97	1
6.562351G	8.32	6.6305G	-37.13	-30.79	-6.34	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691948G	9.39	6.649G	-18.80	-15.36	-3.44	1
6.667054G	8.89	6.7508G	-35.92	-30.21	-5.71	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

03/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.827754G	9.08	6.8098G	-22.70	-12.28	-10.42	1
6.833053G	9.14	6.91285G	-36.68	-30.45	-6.23	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

03/11/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00759G	3.15	6.126G	-44.73	-36.85	-7.88	1
6.01539G	2.78	6.1244G	-44.79	-37.22	-7.57	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

03/11/2025

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2222G	3.38	6.3867G	-44.46	-36.62	-7.84	1
6.2332G	3.13	6.3668G	-44.77	-36.87	-7.90	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

03/11/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.35431G	2.44	6.22G	-44.77	-37.56	-7.21	1
6.3863G	2.83	6.2429G	-44.70	-37.17	-7.53	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/11/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59991G	6.56	6.7121G	-20.55	-13.62	-6.93	1
6.6314G	6.14	6.5461G	-23.15	-17.76	-5.39	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

01/01/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66721G	5.77	6.8465G	-39.94	-34.23	-5.71	1
6.67141G	6.05	6.6231G	-22.83	-18.50	-4.33	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

01/01/2026

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74851G	5.78	6.9211G	-38.65	-34.22	-4.43	1
6.74891G	6.12	6.9233G	-38.47	-33.88	-4.59	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

03/11/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

03/11/2025



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

03/11/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3392G	4.96	6.0476G	-39.72	-35.04	-4.68	1
6.362G	5.09	5.9522G	-40.46	-34.91	-5.55	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/11/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69079G	8.11	6.5092G	-18.19	-11.96	-6.23	1
6.6698G	7.59	6.9236G	-33.40	-32.39	-1.01	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

03/11/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

03/01/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

03/01/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

03/01/2026




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411201G	-0.23	6.4274G	-35.52	-20.03	-15.49	1
6.407002G	-0.21	6.4025G	-36.14	-20.24	-15.90	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

03/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.531926G	1.20	6.5475G	-34.64	-18.89	-15.75	1
6.526102G	1.52	6.522475G	-34.00	-18.59	-15.41	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/01/2026

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.702473G	1.12	6.707525G	-35.42	-18.88	-16.54	1
6.704148G	1.34	6.707725G	-36.02	-18.36	-17.66	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

03/01/2026

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
100m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.847877G	3.51	6.86745G	-31.57	-16.52	-15.05	1
6.862373G	3.68	6.867425G	-31.00	-16.02	-14.98	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982896G	0.92	5.9879G	-31.99	-19.08	-12.91	1
5.982796G	1.36	5.9881G	-32.47	-18.44	-14.03	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.221846G	1.82	6.2278G	-30.99	-18.23	-12.76	1
6.222646G	1.81	6.27615G	-52.99	-38.19	-14.80	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.422846G	1.79	6.48805G	-52.89	-38.21	-14.68	1
6.398802G	1.63	6.42795G	-31.56	-18.44	-13.12	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.582746G	3.68	6.58845G	-31.59	-16.34	-15.25	1
6.572798G	3.58	6.58795G	-29.80	-16.44	-13.36	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.667104G	3.25	6.61705G	-52.81	-36.75	-16.06	1
6.667704G	3.44	6.70835G	-31.39	-16.57	-14.82	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.862296G	2.10	6.913G	-51.57	-37.90	-13.67	1
6.827604G	2.09	6.8221G	-31.28	-17.91	-13.37	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.02289G	-1.33	6.0308G	-31.60	-21.34	-10.26	1
6.02269G	-0.59	6.031G	-31.38	-20.59	-10.79	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.26149G	-1.12	6.2709G	-31.90	-21.12	-10.78	1
6.2174G	-1.29	6.2707G	-31.89	-21.30	-10.59	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42179G	0.36	6.4309G	-30.64	-19.66	-10.98	1
6.3781G	0.16	6.4302G	-29.96	-19.88	-10.08	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6277G	0.40	6.6708G	-30.11	-19.63	-10.48	1
6.6319G	0.64	6.6708G	-29.65	-19.37	-10.28	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.66821G	0.80	6.6596G	-29.74	-19.21	-10.53	1
6.67341G	1.25	6.7505G	-29.01	-18.76	-10.25	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.74741G	0.88	6.7389G	-30.39	-19.14	-11.25	1
6.74831G	1.24	6.8298G	-28.45	-18.76	-9.69	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.09858G	2.27	6.345G	-46.32	-37.73	-8.59	1
6.09018G	1.97	6.3388G	-45.50	-38.03	-7.47	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

03/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25918G	0.37	6.5048G	-46.58	-39.63	-6.95	1
6.10962G	0.41	6.51G	-45.20	-39.59	-5.61	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

03/01/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3394G	1.76	6.626G	-46.87	-38.24	-8.63	1
6.3368G	1.73	6.6634G	-45.75	-38.27	-7.48	2

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
100m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60402G	1.50	6.9898G	-45.84	-38.50	-7.34	1
6.6542G	1.78	6.9642G	-45.76	-38.22	-7.54	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

03/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.25816G	0.07	6.8974G	-44.79	-39.93	-4.86	1
6.091G	0.25	6.905G	-44.84	-39.75	-5.09	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

03/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2802G	1.39	7.0038G	-44.28	-38.61	-5.67	1
6.283G	0.97	6.9826G	-44.36	-39.03	-5.33	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

5955MHz_TX

01/01/2026

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9559G	0.89	5.9669G	-24.49	-19.64	-4.85	1
5.95575G	1.30	5.940325G	-29.98	-20.31	-9.67	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

01/01/2026

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1956G	1.53	6.20815G	-26.70	-18.67	-8.03	1
6.193725G	0.97	6.2069G	-27.87	-19.24	-8.63	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

01/01/2026

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.415675G	3.37	6.428525G	-24.71	-16.64	-8.07	1
6.4143G	3.32	6.4309G	-24.19	-16.99	-7.20	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TX

01/01/2026

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.534525G	0.74	6.547975G	-27.44	-19.35	-8.09	1
6.53465G	1.52	6.550875G	-27.04	-18.91	-8.13	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TX

20/12/2025




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TX

01/01/2026




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

01/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.955575G	1.14	5.96905G	-25.11	-19.00	-6.11	1
5.955775G	1.27	5.9746G	-30.98	-23.80	-7.18	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

01/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19435G	1.23	6.20925G	-26.50	-20.46	-6.04	1
6.194675G	0.55	6.214G	-32.90	-25.48	-7.42	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

01/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4154G	0.44	6.429725G	-27.23	-21.31	-5.92	1
6.414625G	0.86	6.4329G	-27.46	-20.06	-7.40	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

01/01/2026



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53625G	0.25	6.5503G	-29.21	-21.63	-7.58	1
6.534125G	0.37	6.550725G	-26.86	-20.71	-6.15	2


6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

01/01/2026

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.694475G	0.51	6.709375G	-27.09	-19.53	-7.56	1
6.6942G	-1.33	6.681975G	-29.10	-21.71	-7.39	2


6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

01/01/2026

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8555G	-0.20	6.867125G	-26.01	-20.21	-5.80	1
6.85575G	-0.19	6.87245G	-29.29	-21.97	-7.32	2

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

01/01/2026




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

01/01/2026




5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

01/01/2026




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

01/01/2026



6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

01/01/2026

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6865G	1.00	6.72005G	-28.60	-22.21	-6.39	1
6.6837G	0.11	6.72205G	-31.91	-26.30	-5.61	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

01/01/2026

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84555G	0.92	6.87635G	-27.15	-23.28	-3.87	1
6.842901G	0.74	6.8726G	-26.38	-21.67	-4.71	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

01/01/2026

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9806G	0.02	5.9278G	-29.05	-23.17	-5.88	1
5.9837G	-0.20	5.9149G	-33.18	-25.81	-7.37	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

01/01/2026

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2269G	2.63	6.2765G	-22.99	-18.09	-4.90	1
6.2257G	1.63	6.1539G	-26.75	-19.22	-7.53	2

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

01/01/2026

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3863G	2.52	6.4392G	-24.72	-18.67	-6.05	1
6.3838G	2.88	6.4524G	-25.21	-17.75	-7.46	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

01/01/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6261G	2.65	6.6796G	-24.78	-17.44	-7.34	1
6.6231G	1.44	6.6831G	-26.60	-20.74	-5.86	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

01/01/2026




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

20/12/2025




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

01/01/2026

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.028G	0.06	5.8986G	-29.63	-23.96	-5.67	1
6.0338G	-0.31	5.906G	-28.52	-22.40	-6.12	2


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

01/01/2026

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188G	2.57	6.0666G	-23.94	-17.75	-6.19	1
6.182G	1.67	6.0646G	-25.41	-20.90	-4.51	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

01/01/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3412G	3.08	6.2176G	-24.48	-19.34	-5.14	1
6.3424G	2.57	6.2068G	-23.52	-17.65	-5.87	2

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

01/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6684G	2.69	6.5286G	-26.80	-22.12	-4.68	1
6.6626G	0.74	6.5342G	-29.23	-23.38	-5.85	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

5955MHz_TX

01/01/2026

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9559G	0.89	5.9669G	-24.49	-19.64	-4.85	1
5.95575G	1.30	5.940325G	-29.98	-20.31	-9.67	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6195MHz_TX

01/01/2026

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1956G	1.53	6.20815G	-26.70	-18.67	-8.03	1
6.193725G	0.97	6.2069G	-27.87	-19.24	-8.63	2

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TX

01/01/2026

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.415675G	3.37	6.428525G	-24.71	-16.64	-8.07	1
6.4143G	3.32	6.4309G	-24.19	-16.99	-7.20	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TX

01/01/2026

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.534525G	0.74	6.547975G	-27.44	-19.35	-8.09	1
6.53465G	1.52	6.550875G	-27.04	-18.91	-8.13	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TX

20/12/2025

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69425G	3.40	6.708475G	-24.01	-16.83	-7.18	1
6.694475G	2.75	6.708425G	-25.16	-17.54	-7.62	2

6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TX

01/01/2026

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85575G	2.47	6.871575G	-27.78	-18.86	-8.92	1
6.8538G	2.28	6.86965G	-25.38	-18.29	-7.09	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

01/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.955575G	1.14	5.96905G	-25.11	-19.00	-6.11	1
5.955775G	1.27	5.9746G	-30.98	-23.80	-7.18	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

01/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19435G	1.23	6.20925G	-26.50	-20.46	-6.04	1
6.194675G	0.55	6.214G	-32.90	-25.48	-7.42	2

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

01/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4154G	0.44	6.429725G	-27.23	-21.31	-5.92	1
6.414625G	0.86	6.4329G	-27.46	-20.06	-7.40	2

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

01/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53625G	0.25	6.5503G	-29.21	-21.63	-7.58	1
6.534125G	0.37	6.550725G	-26.86	-20.71	-6.15	2

6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

01/01/2026




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

01/01/2026




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

01/01/2026




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

01/01/2026




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

01/01/2026




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

01/01/2026




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

01/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6865G	1.00	6.72005G	-28.60	-22.21	-6.39	1
6.6837G	0.11	6.72205G	-31.91	-26.30	-5.61	2

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

01/01/2026




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.84555G	0.92	6.87635G	-27.15	-23.28	-3.87	1
6.842901G	0.74	6.8726G	-26.38	-21.67	-4.71	2

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

01/01/2026




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

01/01/2026



5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

01/01/2026

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3863G	2.52	6.4392G	-24.72	-18.67	-6.05	1
6.3838G	2.88	6.4524G	-25.21	-17.75	-7.46	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

01/01/2026

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6261G	2.65	6.6796G	-24.78	-17.44	-7.34	1
6.6231G	1.44	6.6831G	-26.60	-20.74	-5.86	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

01/01/2026

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7064G	1.24	6.7658G	-26.50	-20.87	-5.63	1
6.7035G	0.47	6.7631G	-28.30	-22.68	-5.62	2

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

20/12/2025

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7876G	1.40	6.7203G	-27.44	-21.54	-5.90	1
6.784G	1.46	6.8512G	-29.01	-23.51	-5.50	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

01/01/2026

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.028G	0.06	5.8986G	-29.63	-23.96	-5.67	1
6.0338G	-0.31	5.906G	-28.52	-22.40	-6.12	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

01/01/2026

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.188G	2.57	6.0666G	-23.94	-17.75	-6.19	1
6.182G	1.67	6.0646G	-25.41	-20.90	-4.51	2

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

01/01/2026

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3412G	3.08	6.2176G	-24.48	-19.34	-5.14	1
6.3424G	2.57	6.2068G	-23.52	-17.65	-5.87	2

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

01/01/2026

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6684G	2.69	6.5286G	-26.80	-22.12	-4.68	1
6.6626G	0.74	6.5342G	-29.23	-23.38	-5.85	2