



RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2422MHz	Pass	AV	7.25048G	37.48	54.00	-16.52	3	Vertical	360	1.95	-
2422MHz	Pass	PK	4.84496G	43.92	74.00	-30.08	3	Vertical	34	1.06	-
2422MHz	Pass	PK	7.25224G	49.44	74.00	-24.56	3	Vertical	360	1.95	-
2422MHz	Pass	AV	4.826G	33.37	54.00	-20.63	3	Horizontal	327	1.85	-
2422MHz	Pass	AV	7.2556G	37.29	54.00	-16.71	3	Horizontal	360	2.49	-
2422MHz	Pass	PK	4.82992G	44.30	74.00	-29.70	3	Horizontal	327	1.85	-
2422MHz	Pass	PK	7.2732G	49.69	74.00	-24.31	3	Horizontal	360	2.49	-
2427MHz	Pass	AV	2.3898G	53.67	54.00	-0.33	3	Vertical	316	2.53	-
2427MHz	Pass	AV	2.415G	100.93	Inf	-Inf	3	Vertical	316	2.53	-
2427MHz	Pass	AV	2.485G	50.38	54.00	-3.62	3	Vertical	316	2.53	-
2427MHz	Pass	PK	2.3898G	64.94	74.00	-9.06	3	Vertical	316	2.53	-
2427MHz	Pass	PK	2.4162G	109.93	Inf	-Inf	3	Vertical	316	2.53	-
2427MHz	Pass	PK	2.4862G	60.79	74.00	-13.21	3	Vertical	316	2.53	-
2427MHz	Pass	AV	2.3898G	49.89	54.00	-4.11	3	Horizontal	54	1.02	-
2427MHz	Pass	AV	2.4202G	95.92	Inf	-Inf	3	Horizontal	54	1.02	-
2427MHz	Pass	AV	2.4835G	47.68	54.00	-6.32	3	Horizontal	54	1.02	-
2427MHz	Pass	PK	2.3898G	59.70	74.00	-14.30	3	Horizontal	54	1.02	-
2427MHz	Pass	PK	2.4154G	105.79	Inf	-Inf	3	Horizontal	54	1.02	-
2427MHz	Pass	PK	2.487G	58.58	74.00	-15.42	3	Horizontal	54	1.02	-
2437MHz	Pass	AV	2.3898G	48.62	54.00	-5.38	3	Vertical	332	2.56	-
2437MHz	Pass	AV	2.4234G	98.98	Inf	-Inf	3	Vertical	332	2.56	-
2437MHz	Pass	AV	2.4842G	53.16	54.00	-0.84	3	Vertical	332	2.56	-
2437MHz	Pass	PK	2.3426G	57.93	74.00	-16.07	3	Vertical	332	2.56	-
2437MHz	Pass	PK	2.425G	108.59	Inf	-Inf	3	Vertical	332	2.56	-
2437MHz	Pass	PK	2.4835G	64.48	74.00	-9.52	3	Vertical	332	2.56	-
2437MHz	Pass	AV	2.3898G	47.05	54.00	-6.95	3	Horizontal	50	1.49	-
2437MHz	Pass	AV	2.4326G	94.99	Inf	-Inf	3	Horizontal	50	1.49	-
2437MHz	Pass	AV	2.4835G	49.79	54.00	-4.21	3	Horizontal	50	1.49	-
2437MHz	Pass	PK	2.387G	57.51	74.00	-16.49	3	Horizontal	50	1.49	-
2437MHz	Pass	PK	2.4262G	103.38	Inf	-Inf	3	Horizontal	50	1.49	-
2437MHz	Pass	PK	2.4842G	60.04	74.00	-13.96	3	Horizontal	50	1.49	-
2437MHz	Pass	AV	4.88264G	32.01	54.00	-21.99	3	Vertical	46	1.00	-
2437MHz	Pass	AV	7.32396G	36.96	54.00	-17.04	3	Vertical	0	1.48	-
2437MHz	Pass	PK	4.88632G	44.31	74.00	-29.69	3	Vertical	46	1.00	-
2437MHz	Pass	PK	7.3082G	49.08	74.00	-24.92	3	Vertical	0	1.48	-
2437MHz	Pass	AV	4.89152G	32.32	54.00	-21.68	3	Horizontal	338	1.44	-
2437MHz	Pass	AV	7.30292G	37.03	54.00	-16.97	3	Horizontal	19	1.49	-
2437MHz	Pass	PK	4.8924G	45.82	74.00	-28.18	3	Horizontal	338	1.44	-
2437MHz	Pass	PK	7.31852G	49.36	74.00	-24.64	3	Horizontal	19	1.49	-
2447MHz	Pass	AV	2.3482G	46.64	54.00	-7.36	3	Vertical	334	2.08	-
2447MHz	Pass	AV	2.4506G	96.83	Inf	-Inf	3	Vertical	334	2.08	-
2447MHz	Pass	AV	2.4835G	53.65	54.00	-0.35	3	Vertical	334	2.08	-
2447MHz	Pass	PK	2.3706G	57.89	74.00	-16.11	3	Vertical	334	2.08	-
2447MHz	Pass	PK	2.4502G	106.72	Inf	-Inf	3	Vertical	334	2.08	-
2447MHz	Pass	PK	2.485G	63.59	74.00	-10.41	3	Vertical	334	2.08	-
2447MHz	Pass	AV	2.3498G	46.59	54.00	-7.41	3	Horizontal	56	1.00	-
2447MHz	Pass	AV	2.4442G	92.57	Inf	-Inf	3	Horizontal	56	1.00	-
2447MHz	Pass	AV	2.4835G	49.55	54.00	-4.45	3	Horizontal	56	1.00	-
2447MHz	Pass	PK	2.3674G	58.31	74.00	-15.69	3	Horizontal	56	1.00	-
2447MHz	Pass	PK	2.4506G	101.77	Inf	-Inf	3	Horizontal	56	1.00	-
2447MHz	Pass	PK	2.4835G	60.12	74.00	-13.88	3	Horizontal	56	1.00	-
2452MHz	Pass	AV	2.3756G	46.57	54.00	-7.43	3	Vertical	323	2.12	-
2452MHz	Pass	AV	2.4448G	95.98	Inf	-Inf	3	Vertical	323	2.12	-
2452MHz	Pass	AV	2.4835G	53.79	54.00	-0.21	3	Vertical	323	2.12	-
2452MHz	Pass	PK	2.3576G	57.24	74.00	-16.76	3	Vertical	323	2.12	-
2452MHz	Pass	PK	2.4424G	105.15	Inf	-Inf	3	Vertical	323	2.12	-
2452MHz	Pass	PK	2.4835G	64.56	74.00	-9.44	3	Vertical	323	2.12	-
2452MHz	Pass	AV	2.37G	46.62	54.00	-7.38	3	Horizontal	63	1.18	-
2452MHz	Pass	AV	2.4436G	90.86	Inf	-Inf	3	Horizontal	63	1.18	-
2452MHz	Pass	AV	2.4835G	50.32	54.00	-3.68	3	Horizontal	63	1.18	-
2452MHz	Pass	PK	2.3548G	56.85	74.00	-17.15	3	Horizontal	63	1.18	-
2452MHz	Pass	PK	2.4444G	100.94	Inf	-Inf	3	Horizontal	63	1.18	-




RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	PK	2.484G	60.68	74.00	-13.32	3	Horizontal	63	1.18	-
2452MHz	Pass	AV	4.91048G	30.37	54.00	-23.63	3	Vertical	201	1.48	-
2452MHz	Pass	AV	7.35536G	37.09	54.00	-16.91	3	Vertical	222	1.48	-
2452MHz	Pass	PK	4.8896G	42.59	74.00	-31.41	3	Vertical	201	1.48	-
2452MHz	Pass	PK	7.36352G	48.70	74.00	-25.30	3	Vertical	222	1.48	-
2452MHz	Pass	AV	4.8952G	31.41	54.00	-22.59	3	Horizontal	341	1.49	-
2452MHz	Pass	AV	7.34336G	37.12	54.00	-16.88	3	Horizontal	225	1.65	-
2452MHz	Pass	PK	4.88696G	43.59	74.00	-30.41	3	Horizontal	341	1.49	-
2452MHz	Pass	PK	7.3364G	48.91	74.00	-25.09	3	Horizontal	225	1.65	-

802.11b_Nss1,(1Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	47.77	54.00	-6.23	33.57	3	Vertical	316	2.59	-	14.20	27.62	5.95	-
AV	2.4126G	109.45	Inf	-Inf	33.53	3	Vertical	316	2.59	-	75.92	27.55	5.98	-
PK	2.3848G	57.71	74.00	-16.29	33.58	3	Vertical	316	2.59	-	24.13	27.63	5.95	-
PK	2.413G	113.35	Inf	-Inf	33.53	3	Vertical	316	2.59	-	79.82	27.55	5.98	-

802.11b_Nss1,(1Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	46.52	54.00	-7.48	33.57	3	Horizontal	62	1.00	-	12.95	27.62	5.95	-
AV	2.4128G	104.82	Inf	-Inf	33.53	3	Horizontal	62	1.00	-	71.29	27.55	5.98	-
PK	2.3734G	56.98	74.00	-17.02	33.59	3	Horizontal	62	1.00	-	23.39	27.65	5.94	-
PK	2.413G	108.77	Inf	-Inf	33.53	3	Horizontal	62	1.00	-	75.24	27.55	5.98	-

802.11b_Nss1,(1Mbps)_1TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82396G	50.73	54.00	-3.27	4.99	3	Vertical	35	1.03	-	45.74	31.00	8.27	34.28
PK	4.824G	53.66	74.00	-20.34	4.99	3	Vertical	35	1.03	-	48.67	31.00	8.27	34.28

802.11b_Nss1,(1Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	52.82	54.00	-1.18	4.99	3	Horizontal	309	1.96	-	47.83	31.00	8.27	34.28
PK	4.82396G	55.28	74.00	-18.72	4.99	3	Horizontal	309	1.96	-	50.29	31.00	8.27	34.28

802.11b_Nss1,(1Mbps)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	45.98	54.00	-8.02	33.57	3	Vertical	326	1.84	-	12.41	27.62	5.95	-
AV	2.4378G	105.64	Inf	-Inf	33.46	3	Vertical	326	1.84	-	72.18	27.45	6.01	-
AV	2.4842G	46.77	54.00	-7.23	33.46	3	Vertical	326	1.84	-	13.31	27.40	6.06	-
PK	2.3542G	57.33	74.00	-16.67	33.62	3	Vertical	326	1.84	-	23.71	27.69	5.93	-
PK	2.4378G	109.56	Inf	-Inf	33.46	3	Vertical	326	1.84	-	76.10	27.45	6.01	-
PK	2.4862G	57.74	74.00	-16.26	33.46	3	Vertical	326	1.84	-	24.28	27.40	6.06	-

802.11b_Nss1,(1Mbps)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3426G	45.98	54.00	-8.02	33.65	3	Horizontal	65	1.10	-	12.33	27.73	5.92	-
AV	2.4378G	101.69	Inf	-Inf	33.46	3	Horizontal	65	1.10	-	68.23	27.45	6.01	-
AV	2.4846G	45.90	54.00	-8.10	33.46	3	Horizontal	65	1.10	-	12.44	27.40	6.06	-
PK	2.359G	57.03	74.00	-16.97	33.61	3	Horizontal	65	1.10	-	23.42	27.68	5.93	-
PK	2.4382G	105.73	Inf	-Inf	33.46	3	Horizontal	65	1.10	-	72.27	27.45	6.01	-
PK	2.4986G	56.52	74.00	-17.48	33.48	3	Horizontal	65	1.10	-	23.04	27.40	6.08	-

802.11b_Nss1,(1Mbps)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87396G	48.03	54.00	-5.97	5.09	3	Vertical	39	1.00	-	42.94	31.05	8.30	34.26
AV	7.31168G	40.05	54.00	-13.95	11.81	3	Vertical	26	1.42	-	28.24	36.35	10.03	34.57
PK	4.87396G	51.42	74.00	-22.58	5.09	3	Vertical	39	1.00	-	46.33	31.05	8.30	34.26
PK	7.30924G	51.99	74.00	-22.01	11.82	3	Vertical	26	1.42	-	40.17	36.36	10.03	34.57

802.11b_Nss1,(1Mbps)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87396G	50.66	54.00	-3.34	5.09	3	Horizontal	308	1.90	-	45.57	31.05	8.30	34.26
AV	7.31168G	41.69	54.00	-12.31	11.81	3	Horizontal	30	1.58	-	29.88	36.35	10.03	34.57
PK	4.874G	53.55	74.00	-20.45	5.09	3	Horizontal	308	1.90	-	48.46	31.05	8.30	34.26
PK	7.31252G	51.70	74.00	-22.30	11.81	3	Horizontal	30	1.58	-	39.89	36.35	10.03	34.57

802.11b_Nss1,(1Mbps)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	106.72	Inf	-Inf	33.43	3	Vertical	312	2.03	-	73.29	27.40	6.03	-
AV	2.4835G	48.11	54.00	-5.89	33.46	3	Vertical	312	2.03	-	14.65	27.40	6.06	-
PK	2.4612G	110.37	Inf	-Inf	33.43	3	Vertical	312	2.03	-	76.94	27.40	6.03	-
PK	2.4835G	57.63	74.00	-16.37	33.46	3	Vertical	312	2.03	-	24.17	27.40	6.06	-

802.11b_Nss1,(1Mbps)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	102.77	Inf	-Inf	33.43	3	Horizontal	63	1.04	-	69.34	27.40	6.03	-
AV	2.4835G	46.32	54.00	-7.68	33.46	3	Horizontal	63	1.04	-	12.86	27.40	6.06	-
PK	2.4612G	106.64	Inf	-Inf	33.43	3	Horizontal	63	1.04	-	73.21	27.40	6.03	-
PK	2.4926G	57.19	74.00	-16.81	33.47	3	Horizontal	63	1.04	-	23.72	27.40	6.07	-

802.11b_Nss1,(1Mbps)_1TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92396G	39.84	54.00	-14.16	5.18	3	Vertical	317	2.86	-	34.66	31.10	8.33	34.25
AV	7.38716G	41.56	54.00	-12.44	11.60	3	Vertical	56	2.95	-	29.96	36.13	10.05	34.58
PK	4.92392G	46.38	74.00	-27.62	5.18	3	Vertical	317	2.86	-	41.20	31.10	8.33	34.25
PK	7.385G	51.66	74.00	-22.34	11.60	3	Vertical	56	2.95	-	40.06	36.13	10.05	34.58

802.11b_Nss1,(1Mbps)_1TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.92396G	41.87	54.00	-12.13	5.18	3	Horizontal	311	1.91	-	36.69	31.10	8.33	34.25
AV	7.38708G	40.38	54.00	-13.62	11.60	3	Horizontal	18	1.00	-	28.78	36.13	10.05	34.58
PK	4.924G	47.38	74.00	-26.62	5.18	3	Horizontal	311	1.91	-	42.20	31.10	8.33	34.25
PK	7.38496G	50.98	74.00	-23.02	11.60	3	Horizontal	18	1.00	-	39.38	36.13	10.05	34.58

802.11g_Nss1,(6Mbps)_1TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	52.53	54.00	-1.47	33.57	3	Vertical	317	2.58	-	18.96	27.62	5.95	-
AV	2.4178G	99.84	Inf	-Inf	33.51	3	Vertical	317	2.58	-	66.33	27.53	5.98	-
PK	2.3898G	66.05	74.00	-7.95	33.57	3	Vertical	317	2.58	-	32.48	27.62	5.95	-
PK	2.4166G	110.34	Inf	-Inf	33.51	3	Vertical	317	2.58	-	76.83	27.53	5.98	-

802.11g_Nss1,(6Mbps)_1TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.67	54.00	-3.33	33.57	3	Horizontal	56	1.22	-	17.10	27.62	5.95	-
AV	2.4168G	95.96	Inf	-Inf	33.51	3	Horizontal	56	1.22	-	62.45	27.53	5.98	-
PK	2.39G	62.33	74.00	-11.67	33.57	3	Horizontal	56	1.22	-	28.76	27.62	5.95	-
PK	2.416G	105.82	Inf	-Inf	33.52	3	Horizontal	56	1.22	-	72.30	27.54	5.98	-

802.11g_Nss1,(6Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82796G	34.04	54.00	-19.96	5.00	3	Vertical	36	1.03	-	29.04	31.01	8.27	34.28
PK	4.82844G	47.50	74.00	-26.50	5.00	3	Vertical	36	1.03	-	42.50	31.01	8.27	34.28

802.11g_Nss1,(6Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8316G	35.69	54.00	-18.31	5.02	3	Horizontal	304	2.03	-	30.67	31.03	8.27	34.28
PK	4.83176G	49.80	74.00	-24.20	5.02	3	Horizontal	304	2.03	-	44.78	31.03	8.27	34.28

802.11g_Nss1,(6Mbps)_1TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	52.64	54.00	-1.36	33.57	3	Vertical	317	2.57	-	19.07	27.62	5.95	-
AV	2.4138G	104.91	Inf	-Inf	33.52	3	Vertical	317	2.57	-	71.39	27.54	5.98	-
PK	2.39G	63.20	74.00	-10.80	33.57	3	Vertical	317	2.57	-	29.63	27.62	5.95	-
PK	2.4124G	114.96	Inf	-Inf	33.52	3	Vertical	317	2.57	-	81.44	27.55	5.97	-

802.11g_Nss1,(6Mbps)_1TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	49.32	54.00	-4.68	33.57	3	Horizontal	55	1.59	-	15.75	27.62	5.95	-
AV	2.4136G	99.61	Inf	-Inf	33.53	3	Horizontal	55	1.59	-	66.08	27.55	5.98	-
PK	2.3894G	59.57	74.00	-14.43	33.57	3	Horizontal	55	1.59	-	26.00	27.62	5.95	-
PK	2.4128G	109.30	Inf	-Inf	33.53	3	Horizontal	55	1.59	-	75.77	27.55	5.98	-

802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.347G	46.36	54.00	-7.64	33.63	3	Vertical	327	2.81	-	12.73	27.71	5.92	-
AV	2.443G	101.51	Inf	-Inf	33.44	3	Vertical	327	2.81	-	68.07	27.43	6.01	-
AV	2.4835G	48.12	54.00	-5.88	33.46	3	Vertical	327	2.81	-	14.66	27.40	6.06	-
PK	2.3466G	57.46	74.00	-16.54	33.63	3	Vertical	327	2.81	-	23.83	27.71	5.92	-
PK	2.443G	112.10	Inf	-Inf	33.44	3	Vertical	327	2.81	-	78.66	27.43	6.01	-
PK	2.4835G	59.14	74.00	-14.86	33.46	3	Vertical	327	2.81	-	25.68	27.40	6.06	-

802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3382G	46.35	54.00	-7.65	33.66	3	Horizontal	61	1.11	-	12.69	27.75	5.91	-
AV	2.441G	97.17	Inf	-Inf	33.45	3	Horizontal	61	1.11	-	63.72	27.44	6.01	-
AV	2.4835G	46.99	54.00	-7.01	33.46	3	Horizontal	61	1.11	-	13.53	27.40	6.06	-
PK	2.3406G	57.97	74.00	-16.03	33.66	3	Horizontal	61	1.11	-	24.31	27.74	5.92	-
PK	2.4414G	106.99	Inf	-Inf	33.44	3	Horizontal	61	1.11	-	73.55	27.43	6.01	-
PK	2.485G	59.26	74.00	-14.74	33.46	3	Horizontal	61	1.11	-	25.80	27.40	6.06	-

802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.88344G	35.56	54.00	-18.44	5.07	3	Vertical	17	1.07	-	30.49	31.03	8.30	34.26
AV	7.308G	36.83	54.00	-17.17	11.83	3	Vertical	303	1.00	-	25.00	36.37	10.03	34.57
PK	4.88164G	49.19	74.00	-24.81	5.08	3	Vertical	17	1.07	-	44.11	31.04	8.30	34.26
PK	7.30856G	50.33	74.00	-23.67	11.83	3	Vertical	303	1.00	-	38.50	36.37	10.03	34.57

802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.87992G	38.21	54.00	-15.79	5.08	3	Horizontal	315	1.98	-	33.13	31.04	8.30	34.26
AV	7.31008G	37.53	54.00	-16.47	11.82	3	Horizontal	342	1.48	-	25.71	36.36	10.03	34.57
PK	4.88144G	52.40	74.00	-21.60	5.08	3	Horizontal	315	1.98	-	47.32	31.04	8.30	34.26
PK	7.31672G	50.61	74.00	-23.39	11.79	3	Horizontal	342	1.48	-	38.82	36.33	10.03	34.57

802.11g_Nss1,(6Mbps)_1TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.451G	103.89	Inf	-Inf	33.42	3	Vertical	322	2.10	-	70.47	27.40	6.02	-
AV	2.4835G	53.21	54.00	-0.79	33.46	3	Vertical	322	2.10	-	19.75	27.40	6.06	-
PK	2.4506G	114.30	Inf	-Inf	33.42	3	Vertical	322	2.10	-	80.88	27.40	6.02	-
PK	2.4836G	67.31	74.00	-6.69	33.46	3	Vertical	322	2.10	-	33.85	27.40	6.06	-

802.11g_Nss1,(6Mbps)_1TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.451G	99.01	Inf	-Inf	33.42	3	Horizontal	59	1.18	-	65.59	27.40	6.02	-
AV	2.4835G	49.80	54.00	-4.20	33.46	3	Horizontal	59	1.18	-	16.34	27.40	6.06	-
PK	2.4504G	108.46	Inf	-Inf	33.42	3	Horizontal	59	1.18	-	75.04	27.40	6.02	-
PK	2.4846G	60.97	74.00	-13.03	33.46	3	Horizontal	59	1.18	-	27.51	27.40	6.06	-

802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4658G	98.29	Inf	-Inf	33.44	3	Vertical	308	2.22	-	64.85	27.40	6.04	-
AV	2.4836G	52.00	54.00	-2.00	33.46	3	Vertical	308	2.22	-	18.54	27.40	6.06	-
PK	2.465G	108.28	Inf	-Inf	33.44	3	Vertical	308	2.22	-	74.84	27.40	6.04	-
PK	2.4835G	64.91	74.00	-9.09	33.46	3	Vertical	308	2.22	-	31.45	27.40	6.06	-

802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4552G	93.77	Inf	-Inf	33.43	3	Horizontal	68	1.00	-	60.34	27.40	6.03	-
AV	2.4835G	48.63	54.00	-5.37	33.46	3	Horizontal	68	1.00	-	15.17	27.40	6.06	-
PK	2.4554G	103.24	Inf	-Inf	33.43	3	Horizontal	68	1.00	-	69.81	27.40	6.03	-
PK	2.4835G	60.79	74.00	-13.21	33.46	3	Horizontal	68	1.00	-	27.33	27.40	6.06	-

802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.93392G	31.24	54.00	-22.76	5.24	3	Vertical	0	1.03	-	26.00	31.14	8.34	34.24
AV	7.37688G	36.17	54.00	-17.83	11.62	3	Vertical	164	1.49	-	24.55	36.15	10.05	34.58
PK	4.93356G	44.73	74.00	-29.27	5.23	3	Vertical	0	1.03	-	39.50	31.13	8.34	34.24
PK	7.3864G	48.96	74.00	-25.04	11.60	3	Vertical	164	1.49	-	37.36	36.13	10.05	34.58

802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9336G	33.40	54.00	-20.60	5.23	3	Horizontal	313	1.98	-	28.17	31.13	8.34	34.24
AV	7.39204G	36.36	54.00	-17.64	11.59	3	Horizontal	0	1.78	-	24.77	36.12	10.05	34.58
PK	4.93352G	47.13	74.00	-26.87	5.23	3	Horizontal	313	1.98	-	41.90	31.13	8.34	34.24
PK	7.38576G	49.23	74.00	-24.77	11.60	3	Horizontal	0	1.78	-	37.63	36.13	10.05	34.58

802.11n HT20_Nss1,(MCS0)_1TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	52.92	54.00	-1.08	33.57	3	Vertical	310	2.57	-	19.35	27.62	5.95	-
AV	2.417G	102.09	Inf	-Inf	33.51	3	Vertical	310	2.57	-	68.58	27.53	5.98	-
PK	2.39G	64.55	74.00	-9.45	33.57	3	Vertical	310	2.57	-	30.98	27.62	5.95	-
PK	2.417G	111.81	Inf	-Inf	33.51	3	Vertical	310	2.57	-	78.30	27.53	5.98	-

802.11n HT20_Nss1,(MCS0)_1TX


2412MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	49.19	54.00	-4.81	33.57	3	Horizontal	344	2.17	-	15.62	27.62	5.95	-
AV	2.4174G	97.79	Inf	-Inf	33.51	3	Horizontal	344	2.17	-	64.28	27.53	5.98	-
PK	2.39G	59.81	74.00	-14.19	33.57	3	Horizontal	344	2.17	-	26.24	27.62	5.95	-
PK	2.4176G	107.32	Inf	-Inf	33.51	3	Horizontal	344	2.17	-	73.81	27.53	5.98	-

802.11n HT20_Nss1,(MCS0)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8321G	30.43	54.00	-23.57	5.02	3	Vertical	348	1.05	-	25.41	31.03	8.27	34.28
PK	4.82376G	43.93	74.00	-30.07	4.99	3	Vertical	348	1.05	-	38.94	31.00	8.27	34.28

802.11n HT20_Nss1,(MCS0)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8252G	32.84	54.00	-21.16	4.99	3	Horizontal	326	1.88	-	27.85	31.00	8.27	34.28
PK	4.82514G	45.95	74.00	-28.05	4.99	3	Horizontal	326	1.88	-	40.96	31.00	8.27	34.28

802.11n HT20_Nss1,(MCS0)_1TX


2417MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	50.43	54.00	-3.57	33.57	3	Vertical	320	2.56	-	16.86	27.62	5.95	-
AV	2.4148G	101.58	Inf	-Inf	33.52	3	Vertical	320	2.56	-	68.06	27.54	5.98	-
PK	2.3898G	60.48	74.00	-13.52	33.57	3	Vertical	320	2.56	-	26.91	27.62	5.95	-
PK	2.4206G	111.63	Inf	-Inf	33.50	3	Vertical	320	2.56	-	78.13	27.52	5.98	-

802.11n HT20_Nss1,(MCS0)_1TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.29	54.00	-5.71	33.57	3	Horizontal	61	1.03	-	14.72	27.62	5.95	-
AV	2.4138G	97.47	Inf	-Inf	33.52	3	Horizontal	61	1.03	-	63.95	27.54	5.98	-
PK	2.3896G	59.58	74.00	-14.42	33.57	3	Horizontal	61	1.03	-	26.01	27.62	5.95	-
PK	2.4156G	107.44	Inf	-Inf	33.52	3	Horizontal	61	1.03	-	73.92	27.54	5.98	-

802.11n HT20_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	46.40	54.00	-7.60	33.57	3	Vertical	326	2.08	-	12.83	27.62	5.95	-
AV	2.443G	100.26	Inf	-Inf	33.44	3	Vertical	326	2.08	-	66.82	27.43	6.01	-
AV	2.4835G	48.58	54.00	-5.42	33.46	3	Vertical	326	2.08	-	15.12	27.40	6.06	-
PK	2.3482G	58.09	74.00	-15.91	33.63	3	Vertical	326	2.08	-	24.46	27.71	5.92	-
PK	2.443G	109.84	Inf	-Inf	33.44	3	Vertical	326	2.08	-	76.40	27.43	6.01	-
PK	2.485G	59.09	74.00	-14.91	33.46	3	Vertical	326	2.08	-	25.63	27.40	6.06	-

802.11n HT20_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3434G	46.29	54.00	-7.71	33.65	3	Horizontal	57	1.00	-	12.64	27.73	5.92	-
AV	2.4434G	95.26	Inf	-Inf	33.44	3	Horizontal	57	1.00	-	61.82	27.43	6.01	-
AV	2.4854G	46.69	54.00	-7.31	33.46	3	Horizontal	57	1.00	-	13.23	27.40	6.06	-
PK	2.3374G	57.57	74.00	-16.43	33.66	3	Horizontal	57	1.00	-	23.91	27.75	5.91	-
PK	2.4438G	104.73	Inf	-Inf	33.43	3	Horizontal	57	1.00	-	71.30	27.42	6.01	-
PK	2.487G	56.86	74.00	-17.14	33.46	3	Horizontal	57	1.00	-	23.40	27.40	6.06	-

802.11n HT20_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88084G	34.85	54.00	-19.15	5.08	3	Vertical	27	1.12	-	29.77	31.04	8.30	34.26
PK	4.88318G	48.88	74.00	-25.12	5.07	3	Vertical	27	1.12	-	43.81	31.03	8.30	34.26

802.11n HT20_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.88288G	37.83	54.00	-16.17	5.07	3	Horizontal	308	1.91	-	32.76	31.03	8.30	34.26
PK	4.8818G	51.63	74.00	-22.37	5.08	3	Horizontal	308	1.91	-	46.55	31.04	8.30	34.26

802.11n HT20_Nss1,(MCS0)_1TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4502G	101.80	Inf	-Inf	33.42	3	Vertical	323	2.10	-	68.38	27.40	6.02	-
AV	2.4835G	53.20	54.00	-0.80	33.46	3	Vertical	323	2.10	-	19.74	27.40	6.06	-
PK	2.4518G	111.52	Inf	-Inf	33.42	3	Vertical	323	2.10	-	78.10	27.40	6.02	-
PK	2.4835G	66.07	74.00	-7.93	33.46	3	Vertical	323	2.10	-	32.61	27.40	6.06	-

802.11n HT20_Nss1,(MCS0)_1TX


2457MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.4514G	97.32	Inf	-Inf	33.42	3	Horizontal	61	1.15	-	63.90	27.40	6.02	-
AV	2.4835G	50.01	54.00	-3.99	33.46	3	Horizontal	61	1.15	-	16.55	27.40	6.06	-
PK	2.4516G	107.37	Inf	-Inf	33.42	3	Horizontal	61	1.15	-	73.95	27.40	6.02	-
PK	2.4836G	61.50	74.00	-12.50	33.46	3	Horizontal	61	1.15	-	28.04	27.40	6.06	-

802.11n HT20_Nss1,(MCS0)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4546G	100.02	Inf	-Inf	33.43	3	Vertical	330	2.09	-	66.59	27.40	6.03	-
AV	2.4835G	52.56	54.00	-1.44	33.46	3	Vertical	330	2.09	-	19.10	27.40	6.06	-
PK	2.4582G	109.61	Inf	-Inf	33.43	3	Vertical	330	2.09	-	76.18	27.40	6.03	-
PK	2.4844G	63.36	74.00	-10.64	33.46	3	Vertical	330	2.09	-	29.90	27.40	6.06	-

802.11n HT20_Nss1,(MCS0)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4554G	94.91	Inf	-Inf	33.43	3	Horizontal	62	1.16	-	61.48	27.40	6.03	-
AV	2.4836G	48.69	54.00	-5.31	33.46	3	Horizontal	62	1.16	-	15.23	27.40	6.06	-
PK	2.4558G	104.34	Inf	-Inf	33.43	3	Horizontal	62	1.16	-	70.91	27.40	6.03	-
PK	2.4835G	60.29	74.00	-13.71	33.46	3	Horizontal	62	1.16	-	26.83	27.40	6.06	-

802.11n HT20_Nss1,(MCS0)_1TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	7.38683G	36.15	54.00	-17.85	11.60	3	Vertical	271	1.69	-	24.55	36.13	10.05	34.58
PK	7.38481G	49.54	74.00	-24.46	11.60	3	Vertical	271	1.69	-	37.94	36.13	10.05	34.58

802.11n HT20_Nss1,(MCS0)_1TX


2462MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	7.37976G	36.49	54.00	-17.51	11.61	3	Horizontal	305	1.66	-	24.88	36.14	10.05	34.58
PK	7.37982G	49.45	74.00	-24.55	11.61	3	Horizontal	305	1.66	-	37.84	36.14	10.05	34.58

802.11n HT40_Nss1,(MCS0)_1TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	53.48	54.00	-0.52	33.57	3	Vertical	316	2.57	-	19.91	27.62	5.95	-
AV	2.4152G	100.91	Inf	-Inf	33.52	3	Vertical	316	2.57	-	67.39	27.54	5.98	-
AV	2.484G	48.15	54.00	-5.85	33.46	3	Vertical	316	2.57	-	14.69	27.40	6.06	-
PK	2.3896G	65.71	74.00	-8.29	33.57	3	Vertical	316	2.57	-	32.14	27.62	5.95	-
PK	2.4168G	108.71	Inf	-Inf	33.51	3	Vertical	316	2.57	-	75.20	27.53	5.98	-
PK	2.4835G	58.19	74.00	-15.81	33.46	3	Vertical	316	2.57	-	24.73	27.40	6.06	-

802.11n HT40_Nss1,(MCS0)_1TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.39G	49.41	54.00	-4.59	33.57	3	Horizontal	352	2.18	-	15.84	27.62	5.95	-
AV	2.416G	95.70	Inf	-Inf	33.52	3	Horizontal	352	2.18	-	62.18	27.54	5.98	-
AV	2.4835G	46.85	54.00	-7.15	33.46	3	Horizontal	352	2.18	-	13.39	27.40	6.06	-
PK	2.39G	59.24	74.00	-14.76	33.57	3	Horizontal	352	2.18	-	25.67	27.62	5.95	-
PK	2.4168G	103.93	Inf	-Inf	33.51	3	Horizontal	352	2.18	-	70.42	27.53	5.98	-
PK	2.486G	57.47	74.00	-16.53	33.46	3	Horizontal	352	2.18	-	24.01	27.40	6.06	-

802.11n HT40_Nss1,(MCS0)_1TX


2422MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.82752G	32.32	54.00	-21.68	5.00	3	Vertical	34	1.06	-	27.32	31.01	8.27	34.28
AV	7.25048G	37.48	54.00	-16.52	11.65	3	Vertical	360	1.95	-	25.83	36.20	10.02	34.57
PK	4.84496G	43.92	74.00	-30.08	5.09	3	Vertical	34	1.06	-	38.83	31.08	8.28	34.27
PK	7.25224G	49.44	74.00	-24.56	11.66	3	Vertical	360	1.95	-	37.78	36.21	10.02	34.57

802.11n HT40_Nss1,(MCS0)_1TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.826G	33.37	54.00	-20.63	4.99	3	Horizontal	327	1.85	-	28.38	31.00	8.27	34.28
AV	7.2556G	37.29	54.00	-16.71	11.67	3	Horizontal	360	2.49	-	25.62	36.22	10.02	34.57
PK	4.82992G	44.30	74.00	-29.70	5.01	3	Horizontal	327	1.85	-	39.29	31.02	8.27	34.28
PK	7.2732G	49.69	74.00	-24.31	11.74	3	Horizontal	360	2.49	-	37.95	36.29	10.02	34.57

802.11n HT40_Nss1,(MCS0)_1TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	53.67	54.00	-0.33	33.57	3	Vertical	316	2.53	-	20.10	27.62	5.95	-
AV	2.415G	100.93	Inf	-Inf	33.52	3	Vertical	316	2.53	-	67.41	27.54	5.98	-
AV	2.485G	50.38	54.00	-3.62	33.46	3	Vertical	316	2.53	-	16.92	27.40	6.06	-
PK	2.3898G	64.94	74.00	-9.06	33.57	3	Vertical	316	2.53	-	31.37	27.62	5.95	-
PK	2.4162G	109.93	Inf	-Inf	33.52	3	Vertical	316	2.53	-	76.41	27.54	5.98	-
PK	2.4862G	60.79	74.00	-13.21	33.46	3	Vertical	316	2.53	-	27.33	27.40	6.06	-

802.11n HT40_Nss1,(MCS0)_1TX


2427MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	49.89	54.00	-4.11	33.57	3	Horizontal	54	1.02	-	16.32	27.62	5.95	-
AV	2.4202G	95.92	Inf	-Inf	33.50	3	Horizontal	54	1.02	-	62.42	27.52	5.98	-
AV	2.4835G	47.68	54.00	-6.32	33.46	3	Horizontal	54	1.02	-	14.22	27.40	6.06	-
PK	2.3898G	59.70	74.00	-14.30	33.57	3	Horizontal	54	1.02	-	26.13	27.62	5.95	-
PK	2.4154G	105.79	Inf	-Inf	33.52	3	Horizontal	54	1.02	-	72.27	27.54	5.98	-
PK	2.487G	58.58	74.00	-15.42	33.46	3	Horizontal	54	1.02	-	25.12	27.40	6.06	-

802.11n HT40_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	2.3898G	48.62	54.00	-5.38	33.57	3	Vertical	332	2.56	-	15.05	27.62	5.95	-
AV	2.4234G	98.98	Inf	-Inf	33.50	3	Vertical	332	2.56	-	65.48	27.51	5.99	-
AV	2.4842G	53.16	54.00	-0.84	33.46	3	Vertical	332	2.56	-	19.70	27.40	6.06	-
PK	2.3426G	57.93	74.00	-16.07	33.65	3	Vertical	332	2.56	-	24.28	27.73	5.92	-
PK	2.425G	108.59	Inf	-Inf	33.49	3	Vertical	332	2.56	-	75.10	27.50	5.99	-
PK	2.4835G	64.48	74.00	-9.52	33.46	3	Vertical	332	2.56	-	31.02	27.40	6.06	-

802.11n HT40_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.05	54.00	-6.95	33.57	3	Horizontal	50	1.49	-	13.48	27.62	5.95	-
AV	2.4326G	94.99	Inf	-Inf	33.47	3	Horizontal	50	1.49	-	61.52	27.47	6.00	-
AV	2.4835G	49.79	54.00	-4.21	33.46	3	Horizontal	50	1.49	-	16.33	27.40	6.06	-
PK	2.387G	57.51	74.00	-16.49	33.58	3	Horizontal	50	1.49	-	23.93	27.63	5.95	-
PK	2.4262G	103.38	Inf	-Inf	33.49	3	Horizontal	50	1.49	-	69.89	27.50	5.99	-
PK	2.4842G	60.04	74.00	-13.96	33.46	3	Horizontal	50	1.49	-	26.58	27.40	6.06	-

802.11n HT40_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.88264G	32.01	54.00	-21.99	5.07	3	Vertical	46	1.00	-	26.94	31.03	8.30	34.26
AV	7.32396G	36.96	54.00	-17.04	11.75	3	Vertical	0	1.48	-	25.21	36.30	10.03	34.58
PK	4.88632G	44.31	74.00	-29.69	5.08	3	Vertical	46	1.00	-	39.23	31.03	8.31	34.26
PK	7.3082G	49.08	74.00	-24.92	11.83	3	Vertical	0	1.48	-	37.25	36.37	10.03	34.57

802.11n HT40_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89152G	32.32	54.00	-21.68	5.07	3	Horizontal	338	1.44	-	27.25	31.02	8.31	34.26
AV	7.30292G	37.03	54.00	-16.97	11.85	3	Horizontal	19	1.49	-	25.18	36.39	10.03	34.57
PK	4.8924G	45.82	74.00	-28.18	5.07	3	Horizontal	338	1.44	-	40.75	31.02	8.31	34.26
PK	7.31852G	49.36	74.00	-24.64	11.79	3	Horizontal	19	1.49	-	37.57	36.33	10.03	34.57

802.11n HT40_Nss1,(MCS0)_1TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3482G	46.64	54.00	-7.36	33.63	3	Vertical	334	2.08	-	13.01	27.71	5.92	-
AV	2.4506G	96.83	Inf	-Inf	33.42	3	Vertical	334	2.08	-	63.41	27.40	6.02	-
AV	2.4835G	53.65	54.00	-0.35	33.46	3	Vertical	334	2.08	-	20.19	27.40	6.06	-
PK	2.3706G	57.89	74.00	-16.11	33.60	3	Vertical	334	2.08	-	24.29	27.66	5.94	-
PK	2.4502G	106.72	Inf	-Inf	33.42	3	Vertical	334	2.08	-	73.30	27.40	6.02	-
PK	2.485G	63.59	74.00	-10.41	33.46	3	Vertical	334	2.08	-	30.13	27.40	6.06	-

802.11n HT40_Nss1,(MCS0)_1TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3498G	46.59	54.00	-7.41	33.62	3	Horizontal	56	1.00	-	12.97	27.70	5.92	-
AV	2.4442G	92.57	Inf	-Inf	33.43	3	Horizontal	56	1.00	-	59.14	27.42	6.01	-
AV	2.4835G	49.55	54.00	-4.45	33.46	3	Horizontal	56	1.00	-	16.09	27.40	6.06	-
PK	2.3674G	58.31	74.00	-15.69	33.61	3	Horizontal	56	1.00	-	24.70	27.67	5.94	-
PK	2.4506G	101.77	Inf	-Inf	33.42	3	Horizontal	56	1.00	-	68.35	27.40	6.02	-
PK	2.4835G	60.12	74.00	-13.88	33.46	3	Horizontal	56	1.00	-	26.66	27.40	6.06	-

802.11n HT40_Nss1,(MCS0)_1TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3756G	46.57	54.00	-7.43	33.59	3	Vertical	323	2.12	-	12.98	27.65	5.94	-
AV	2.4448G	95.98	Inf	-Inf	33.43	3	Vertical	323	2.12	-	62.55	27.42	6.01	-
AV	2.4835G	53.79	54.00	-0.21	33.46	3	Vertical	323	2.12	-	20.33	27.40	6.06	-
PK	2.3576G	57.24	74.00	-16.76	33.61	3	Vertical	323	2.12	-	23.63	27.68	5.93	-
PK	2.4424G	105.15	Inf	-Inf	33.44	3	Vertical	323	2.12	-	71.71	27.43	6.01	-
PK	2.4835G	64.56	74.00	-9.44	33.46	3	Vertical	323	2.12	-	31.10	27.40	6.06	-

802.11n HT40_Nss1,(MCS0)_1TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.37G	46.62	54.00	-7.38	33.60	3	Horizontal	63	1.18	-	13.02	27.66	5.94	-
AV	2.4436G	90.86	Inf	-Inf	33.44	3	Horizontal	63	1.18	-	57.42	27.43	6.01	-
AV	2.4835G	50.32	54.00	-3.68	33.46	3	Horizontal	63	1.18	-	16.86	27.40	6.06	-
PK	2.3548G	56.85	74.00	-17.15	33.62	3	Horizontal	63	1.18	-	23.23	27.69	5.93	-
PK	2.4444G	100.94	Inf	-Inf	33.43	3	Horizontal	63	1.18	-	67.51	27.42	6.01	-
PK	2.484G	60.68	74.00	-13.32	33.46	3	Horizontal	63	1.18	-	27.22	27.40	6.06	-

802.11n HT40_Nss1,(MCS0)_1TX


2452MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	4.91048G	30.37	54.00	-23.63	5.11	3	Vertical	201	1.48	-	25.26	31.04	8.32	34.25
AV	7.35536G	37.09	54.00	-16.91	11.65	3	Vertical	222	1.48	-	25.44	36.19	10.04	34.58
PK	4.8896G	42.59	74.00	-31.41	5.07	3	Vertical	201	1.48	-	37.52	31.02	8.31	34.26
PK	7.36352G	48.70	74.00	-25.30	11.63	3	Vertical	222	1.48	-	37.07	36.17	10.04	34.58

802.11n HT40_Nss1,(MCS0)_1TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8952G	31.41	54.00	-22.59	5.06	3	Horizontal	341	1.49	-	26.35	31.01	8.31	34.26
AV	7.34336G	37.12	54.00	-16.88	11.69	3	Horizontal	225	1.65	-	25.43	36.23	10.04	34.58
PK	4.88696G	43.59	74.00	-30.41	5.08	3	Horizontal	341	1.49	-	38.51	31.03	8.31	34.26
PK	7.3364G	48.91	74.00	-25.09	11.71	3	Horizontal	225	1.65	-	37.20	36.25	10.04	34.58


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	11.55218G	43.88	54.00	-10.12	18.54	3	Vertical	263	1.42	-

Mode Configure


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.92412G	33.74	54.00	-20.26	5.18	3	Vertical	5	1.53	-
Mode 1	Pass	AV	11.55218G	43.88	54.00	-10.12	18.54	3	Vertical	263	1.42	-
Mode 1	Pass	PK	4.92436G	41.50	74.00	-32.50	4.90	3	Vertical	5	1.53	-
Mode 1	Pass	PK	11.55218G	53.27	74.00	-20.73	18.54	3	Vertical	263	1.42	-
Mode 1	Pass	AV	4.90715G	35.33	54.00	-18.67	5.10	3	Horizontal	26	1.89	-
Mode 1	Pass	AV	11.52365G	43.27	54.00	-10.73	18.58	3	Horizontal	70	1.57	-
Mode 1	Pass	PK	4.90726G	42.84	74.00	-31.16	5.10	3	Horizontal	26	1.89	-
Mode 1	Pass	PK	11.55325G	54.04	74.00	-19.96	18.54	3	Horizontal	70	1.57	-

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.92412G	33.74	54.00	-20.26	5.18	3	Vertical	5	1.53	-	28.56	31.10	8.33	34.25
AV	11.55218G	43.88	54.00	-10.12	18.54	3	Vertical	263	1.42	-	25.34	39.95	12.78	34.19
PK	4.92436G	41.50	74.00	-32.50	4.90	3	Vertical	5	1.53	-	36.60	30.93	8.26	34.29
PK	11.55218G	53.27	74.00	-20.73	18.54	3	Vertical	263	1.42	-	34.73	39.94	12.79	34.19

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.90715G	35.33	54.00	-18.67	5.10	3	Horizontal	26	1.89	-	30.23	31.03	8.32	34.25
AV	11.52365G	43.27	54.00	-10.73	18.58	3	Horizontal	70	1.57	-	24.69	39.98	12.77	34.17
PK	4.90726G	42.84	74.00	-31.16	5.10	3	Horizontal	26	1.89	-	37.74	31.03	8.32	34.25
PK	11.55325G	54.04	74.00	-19.96	18.54	3	Horizontal	70	1.57	-	35.50	39.95	12.78	34.19