



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.1446G	52.84	54.00	-1.16	8.79	3	Vertical	188	1.58	44.05	33.10	9.83	34.14
AV	5.2442G	107.20	Inf	-Inf	8.75	3	Vertical	188	1.58	98.45	33.01	9.89	34.15
AV	5.3558G	50.78	54.00	-3.22	8.71	3	Vertical	188	1.58	42.07	32.90	9.97	34.16
PK	5.1434G	64.98	74.00	-9.02	8.79	3	Vertical	188	1.58	56.19	33.10	9.83	34.14
PK	5.2442G	116.06	Inf	-Inf	8.75	3	Vertical	188	1.58	107.31	33.01	9.89	34.15
PK	5.3666G	64.31	74.00	-9.69	8.72	3	Vertical	188	1.58	55.59	32.90	9.98	34.16

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	15.70674G	43.70	54.00	-10.30	19.75	3	Vertical	118	1.50	23.95	38.40	15.80	34.45
PK	10.46608G	53.66	68.20	-14.54	17.07	3	Vertical	22	1.50	36.59	38.90	12.71	34.54
PK	15.71166G	55.84	74.00	-18.16	19.75	3	Vertical	118	1.50	36.09	38.40	15.81	34.46


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3042G	104.19	Inf	-Inf	8.76	3	Vertical	189	1.62	95.43	32.99	9.93	34.16
AV	5.3948G	52.84	54.00	-1.16	8.73	3	Vertical	189	1.62	44.11	32.90	10.00	34.17
PK	5.3048G	113.78	Inf	-Inf	8.76	3	Vertical	189	1.62	105.02	32.99	9.93	34.16
PK	5.405G	65.81	74.00	-8.19	8.73	3	Vertical	189	1.62	57.08	32.90	10.00	34.17

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90894G	43.92	54.00	-10.08	19.52	3	Vertical	166	2.33	24.40	38.18	15.95	34.61
PK	10.59636G	55.15	68.20	-13.05	17.22	3	Vertical	12	1.50	37.93	38.90	12.76	34.44
PK	15.88932G	55.79	74.00	-18.21	19.57	3	Vertical	166	2.33	36.22	38.22	15.94	34.59


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3992G	52.62	54.00	-1.38	8.73	3	Vertical	188	1.58	43.89	32.90	10.00	34.17
AV	5.5042G	108.07	Inf	-Inf	8.76	3	Vertical	188	1.58	99.31	32.90	10.04	34.18
PK	5.4688G	64.39	68.20	-3.81	8.74	3	Vertical	188	1.58	55.65	32.90	10.02	34.18
PK	5.5042G	116.90	Inf	-Inf	8.76	3	Vertical	188	1.58	108.14	32.90	10.04	34.18

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99364G	41.49	54.00	-12.51	17.77	3	Vertical	0	1.50	23.72	39.01	12.92	34.16
PK	10.98584G	53.74	74.00	-20.26	17.75	3	Vertical	0	1.50	35.99	39.01	12.91	34.17
PK	16.5093G	56.49	68.20	-11.71	20.29	3	Vertical	183	1.50	36.20	38.37	16.10	34.18


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	110.56	Inf	-Inf	9.72	3	Vertical	186	1.57	100.84	33.77	10.15	34.20
PK	5.643G	66.67	68.20	-1.53	8.90	3	Vertical	186	1.57	57.77	33.00	10.09	34.19
PK	5.7426G	119.83	Inf	-Inf	9.72	3	Vertical	186	1.57	110.11	33.77	10.15	34.20
PK	6.0198G	65.18	68.20	-3.02	10.23	3	Vertical	186	1.57	54.95	34.10	10.35	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.493G	41.68	54.00	-12.32	18.16	3	Vertical	273	1.50	23.52	39.11	13.11	34.06
PK	11.49492G	54.09	74.00	-19.91	18.16	3	Vertical	273	1.50	35.93	39.11	13.11	34.06
PK	17.23638G	57.49	68.20	-10.71	21.17	3	Vertical	62	2.74	36.32	38.24	16.22	33.29


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	107.70	Inf	-Inf	10.09	3	Vertical	190	1.57	97.61	34.10	10.20	34.21
PK	5.5658G	62.70	68.20	-5.50	8.80	3	Vertical	190	1.57	53.90	32.93	10.06	34.19
PK	5.8238G	116.80	Inf	-Inf	10.09	3	Vertical	190	1.57	106.71	34.10	10.20	34.21
PK	5.9294G	66.55	68.20	-1.65	10.31	3	Vertical	190	1.57	56.24	34.24	10.28	34.21

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6581G	41.26	54.00	-12.74	17.72	3	Vertical	112	2.80	23.54	38.70	13.18	34.16
PK	11.65162G	53.79	74.00	-20.21	17.72	3	Vertical	112	2.80	36.07	38.70	13.17	34.15
PK	17.48052G	56.81	68.20	-11.39	21.58	3	Vertical	340	2.88	35.23	38.68	16.26	33.36


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.098G	52.77	54.00	-1.23	8.78	3	Vertical	191	1.71	43.99	33.11	9.80	34.13
AV	5.1928G	106.90	Inf	-Inf	8.82	3	Vertical	191	1.71	98.08	33.10	9.86	34.14
AV	5.35G	50.36	54.00	-3.64	8.70	3	Vertical	191	1.71	41.66	32.90	9.96	34.16
PK	5.0926G	65.36	74.00	-8.64	8.80	3	Vertical	191	1.71	56.56	33.13	9.80	34.13
PK	5.1928G	119.67	Inf	-Inf	8.82	3	Vertical	191	1.71	110.85	33.10	9.86	34.14
PK	5.35G	62.52	74.00	-11.48	8.70	3	Vertical	191	1.71	53.82	32.90	9.96	34.16

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60414G	43.77	54.00	-10.23	20.05	3	Vertical	283	1.50	23.72	38.69	15.73	34.37
PK	10.40138G	53.41	68.20	-14.79	17.00	3	Vertical	342	1.50	36.41	38.90	12.69	34.59
PK	15.60042G	55.28	74.00	-18.72	20.05	3	Vertical	283	1.50	35.23	38.70	15.72	34.37


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TX



5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.44	54.00	-4.56	8.79	3	Vertical	190	1.63	40.65	33.10	9.83	34.14
AV	5.2648G	105.12	Inf	-Inf	8.76	3	Vertical	190	1.63	96.36	33.00	9.91	34.15
AV	5.3674G	52.94	54.00	-1.06	8.72	3	Vertical	190	1.63	44.22	32.90	9.98	34.16
PK	5.146G	61.90	74.00	-12.10	8.79	3	Vertical	190	1.63	53.11	33.10	9.83	34.14
PK	5.2678G	117.51	Inf	-Inf	8.76	3	Vertical	190	1.63	108.75	33.00	9.91	34.15
PK	5.3548G	65.64	74.00	-8.36	8.71	3	Vertical	190	1.63	56.93	32.90	9.97	34.16

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76512G	44.22	54.00	-9.78	19.75	3	Vertical	360	1.73	24.47	38.40	15.85	34.50
PK	10.5227G	54.08	68.20	-14.12	17.14	3	Vertical	74	1.02	36.94	38.90	12.73	34.49
PK	15.78198G	55.71	74.00	-18.29	19.75	3	Vertical	360	1.73	35.96	38.40	15.86	34.51


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX



5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3182G	103.99	Inf	-Inf	8.74	3	Vertical	188	1.92	95.25	32.96	9.94	34.16
AV	5.413G	52.90	54.00	-1.10	8.73	3	Vertical	188	1.92	44.17	32.90	10.00	34.17
PK	5.3128G	117.08	Inf	-Inf	8.75	3	Vertical	188	1.92	108.33	32.97	9.94	34.16
PK	5.4622G	63.25	68.20	-4.95	8.74	3	Vertical	188	1.92	54.51	32.90	10.02	34.18

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64258G	41.29	54.00	-12.71	17.40	3	Vertical	0	1.50	23.89	39.03	12.78	34.41
AV	15.94608G	43.76	54.00	-10.24	19.45	3	Vertical	22	1.50	24.31	38.11	15.98	34.64
PK	10.65044G	53.85	74.00	-20.15	17.43	3	Vertical	0	1.50	36.42	39.05	12.78	34.40
PK	15.96384G	55.82	74.00	-18.18	19.41	3	Vertical	22	1.50	36.41	38.07	15.99	34.65

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6262G	41.38	54.00	-12.62	17.33	3	Horizontal	287	1.50	24.05	38.98	12.77	34.42
AV	15.94506G	43.76	54.00	-10.24	19.45	3	Horizontal	84	1.50	24.31	38.11	15.98	34.64
PK	10.63688G	53.29	74.00	-20.71	17.38	3	Horizontal	287	1.50	35.91	39.01	12.78	34.41
PK	15.94566G	56.34	74.00	-17.66	19.45	3	Horizontal	84	1.50	36.89	38.11	15.98	34.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4046G	51.53	54.00	-2.47	8.73	3	Vertical	188	1.59	42.80	32.90	10.00	34.17
AV	5.5018G	105.34	Inf	-Inf	8.76	3	Vertical	188	1.59	96.58	32.90	10.04	34.18
PK	5.47G	66.81	68.20	-1.39	8.74	3	Vertical	188	1.59	58.07	32.90	10.02	34.18
PK	5.497G	118.46	Inf	-Inf	8.75	3	Vertical	188	1.59	109.71	32.90	10.03	34.18


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	52.23	54.00	-1.77	8.75	3	Vertical	189	1.94	43.48	32.90	10.02	34.17
AV	5.583G	114.27	Inf	-Inf	8.84	3	Vertical	189	1.94	105.43	32.97	10.06	34.19
PK	5.4642G	65.67	68.20	-2.53	8.74	3	Vertical	189	1.94	56.93	32.90	10.02	34.18
PK	5.5782G	126.87	Inf	-Inf	8.83	3	Vertical	189	1.94	118.04	32.96	10.06	34.19
PK	5.7288G	66.91	68.20	-1.29	9.66	3	Vertical	189	1.94	57.25	33.72	10.14	34.20

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16216G	41.89	54.00	-12.11	17.81	3	Vertical	64	2.88	24.08	38.96	12.98	34.13
PK	11.1489G	54.42	74.00	-19.58	17.80	3	Vertical	64	2.88	36.62	38.95	12.98	34.13
PK	16.74156G	58.94	68.20	-9.26	20.72	3	Vertical	80	2.25	38.22	38.30	16.14	33.72


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78976G	115.19	Inf	-Inf	10.01	3	Vertical	189	1.61	105.18	34.04	10.17	34.20
PK	5.62036G	66.78	68.20	-1.42	8.89	3	Vertical	189	1.61	57.89	33.00	10.08	34.19
PK	5.7825G	128.08	Inf	-Inf	9.97	3	Vertical	189	1.61	118.11	34.00	10.17	34.20
PK	5.9882G	67.18	68.20	-1.02	10.22	3	Vertical	189	1.61	56.96	34.12	10.32	34.22

5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.573G	43.01	54.00	-10.99	17.84	3	Vertical	52	2.58	25.17	38.81	13.14	34.11
PK	11.56784G	54.47	74.00	-19.53	17.87	3	Vertical	52	2.58	36.60	38.83	13.14	34.10
PK	17.35596G	58.97	68.20	-9.23	21.39	3	Vertical	67	2.44	37.58	38.47	16.24	33.32


5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11ax_HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.96	54.00	-1.04	8.79	3	Vertical	191	1.81	44.17	33.10	9.83	34.14
AV	5.1956G	102.66	Inf	-Inf	8.82	3	Vertical	191	1.81	93.84	33.10	9.86	34.14
PK	5.1452G	65.38	74.00	-8.62	8.79	3	Vertical	191	1.81	56.59	33.10	9.83	34.14
PK	5.1952G	114.69	Inf	-Inf	8.82	3	Vertical	191	1.81	105.87	33.10	9.86	34.14

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	15.5584G	44.79	54.00	-9.21	20.15	3	Vertical	360	1.14	24.64	38.79	15.69	34.33
PK	10.36248G	53.84	68.20	-14.36	16.94	3	Vertical	340	1.50	36.90	38.90	12.67	34.63
PK	15.54948G	56.45	74.00	-17.55	20.16	3	Vertical	360	1.14	36.29	38.80	15.69	34.33


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX



5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.266G	102.74	Inf	-Inf	8.76	3	Vertical	191	1.93	93.98	33.00	9.91	34.15
AV	5.3684G	52.89	54.00	-1.11	8.72	3	Vertical	191	1.93	44.17	32.90	9.98	34.16
PK	5.2612G	114.53	Inf	-Inf	8.75	3	Vertical	191	1.93	105.78	33.00	9.90	34.15
PK	5.364G	65.20	74.00	-8.80	8.71	3	Vertical	191	1.93	56.49	32.90	9.97	34.16

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	15.83544G	44.63	54.00	-9.37	19.68	3	Vertical	289	1.50	24.95	38.33	15.90	34.55
PK	10.5358G	54.10	68.20	-14.10	17.16	3	Vertical	131	1.50	36.94	38.90	12.74	34.48
PK	15.83724G	56.57	74.00	-17.43	19.68	3	Vertical	289	1.50	36.89	38.33	15.90	34.55


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5310MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	52.61	54.00	-1.39	8.74	3	Vertical	187	1.97	43.87	32.90	10.02	34.18
AV	5.5056G	104.08	Inf	-Inf	8.76	3	Vertical	187	1.97	95.32	32.90	10.04	34.18
PK	5.468G	65.37	68.20	-2.83	8.74	3	Vertical	187	1.97	56.63	32.90	10.02	34.18
PK	5.5208G	115.43	Inf	-Inf	8.76	3	Vertical	187	1.97	106.67	32.90	10.04	34.18

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99588G	42.49	54.00	-11.51	17.76	3	Vertical	360	1.37	24.73	39.00	12.92	34.16
PK	10.9996G	55.03	74.00	-18.97	17.76	3	Vertical	360	1.37	37.27	39.00	12.92	34.16
PK	16.5054G	56.68	68.20	-11.52	20.29	3	Vertical	0	1.50	36.39	38.38	16.10	34.19


5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ax_HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	110.62	Inf	-Inf	9.75	3	Vertical	182	1.76	100.87	33.80	10.15	34.20
PK	5.6398G	67.08	68.20	-1.12	8.90	3	Vertical	182	1.76	58.18	33.00	10.09	34.19
PK	5.7466G	121.89	Inf	-Inf	9.74	3	Vertical	182	1.76	112.15	33.79	10.15	34.20
PK	5.929G	66.34	68.20	-1.86	10.31	3	Vertical	182	1.76	56.03	34.24	10.28	34.21

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50532G	42.94	54.00	-11.06	18.14	3	Vertical	222	2.56	24.80	39.08	13.12	34.06
PK	11.48768G	54.30	74.00	-19.70	18.16	3	Vertical	222	2.56	36.14	39.11	13.11	34.06
PK	17.24256G	56.86	68.20	-11.34	21.17	3	Vertical	63	1.50	35.69	38.24	16.22	33.29


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	52.62	54.00	-1.38	8.74	3	Vertical	182	1.57	43.88	32.90	10.02	34.18
AV	5.544G	101.64	Inf	-Inf	8.77	3	Vertical	182	1.57	92.87	32.90	10.05	34.18
PK	5.469G	64.77	68.20	-3.43	8.74	3	Vertical	182	1.57	56.03	32.90	10.02	34.18
PK	5.529G	113.15	Inf	-Inf	8.77	3	Vertical	182	1.57	104.38	32.90	10.05	34.18
PK	5.741G	63.34	68.20	-4.86	9.71	3	Vertical	182	1.57	53.63	33.76	10.15	34.20

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01176G	45.11	54.00	-8.89	17.75	3	Vertical	135	1.50	27.36	38.99	12.92	34.16
PK	11.06312G	55.83	74.00	-18.17	17.73	3	Vertical	135	1.50	38.10	38.94	12.94	34.15
PK	16.5564G	60.04	68.20	-8.16	20.25	3	Vertical	113	2.28	39.79	38.23	16.11	34.09


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	51.45	54.00	-2.55	8.74	3	Vertical	186	1.58	42.71	32.90	10.01	34.17
AV	5.7164G	106.00	Inf	-Inf	9.60	3	Vertical	186	1.58	96.40	33.67	10.13	34.20
PK	5.4632G	62.18	68.20	-6.02	8.74	3	Vertical	186	1.58	53.44	32.90	10.02	34.18
PK	5.7188G	116.66	Inf	-Inf	9.62	3	Vertical	186	1.58	107.04	33.68	10.14	34.20
PK	5.87G	66.87	68.20	-1.33	10.20	3	Vertical	186	1.58	56.67	34.18	10.23	34.21

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39224G	45.39	54.00	-8.61	18.18	3	Vertical	68	2.86	27.21	39.19	13.07	34.08
PK	11.3332G	55.94	74.00	-18.06	18.09	3	Vertical	68	2.86	37.85	39.13	13.05	34.09
PK	17.07576G	59.84	68.20	-8.36	21.14	3	Vertical	76	1.50	38.70	38.18	16.19	33.23


5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4652G	66.91	68.20	-1.29	3	Vertical	185	1.64
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.47G	67.10	68.20	-1.10	3	Vertical	188	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.735G	66.91	68.20	-1.29	3	Vertical	190	1.82
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7284G	67.00	68.20	-1.20	3	Vertical	180	2.51
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	17.46884G	66.89	68.20	-1.31	3	Vertical	352	2.62
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6458G	67.07	68.20	-1.13	3	Vertical	189	1.57
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.7284G	67.00	68.20	-1.20	3	Vertical	180	2.51



RSE TX above 1GHz_Beamforming_Radio 1

Appendix E.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5500MHz	Pass	AV	5.459G	50.87	54.00	-3.13	3	Vertical	185	1.64
5500MHz	Pass	AV	5.494G	109.19	Inf	-Inf	3	Vertical	185	1.64
5500MHz	Pass	PK	5.4652G	66.91	68.20	-1.29	3	Vertical	185	1.64
5500MHz	Pass	PK	5.4962G	121.46	Inf	-Inf	3	Vertical	185	1.64
5500MHz	Pass	AV	11.00256G	45.47	54.00	-8.53	3	Vertical	38	2.80
5500MHz	Pass	PK	11.00136G	60.51	74.00	-13.49	3	Vertical	38	2.80
5500MHz	Pass	PK	16.49704G	57.72	68.20	-10.48	3	Vertical	349	1.00
5500MHz	Pass	AV	11G	42.41	54.00	-11.59	3	Horizontal	58	1.50
5500MHz	Pass	PK	11.00368G	55.38	74.00	-18.62	3	Horizontal	58	1.50
5500MHz	Pass	PK	16.50108G	57.86	68.20	-10.34	3	Horizontal	360	1.50
5580MHz	Pass	AV	5.4558G	51.16	54.00	-2.84	3	Vertical	188	1.82
5580MHz	Pass	AV	5.5758G	115.46	Inf	-Inf	3	Vertical	188	1.82
5580MHz	Pass	PK	5.4522G	63.64	74.00	-10.36	3	Vertical	188	1.82
5580MHz	Pass	PK	5.4606G	63.37	68.20	-4.83	3	Vertical	188	1.82
5580MHz	Pass	PK	5.5806G	129.42	Inf	-Inf	3	Vertical	188	1.82
5580MHz	Pass	PK	5.7288G	66.71	68.20	-1.49	3	Vertical	188	1.82
5580MHz	Pass	AV	11.15974G	45.53	54.00	-8.47	3	Vertical	68	2.79
5580MHz	Pass	PK	11.15966G	58.21	74.00	-15.79	3	Vertical	68	2.79
5580MHz	Pass	PK	16.74798G	58.77	68.20	-9.43	3	Vertical	59	1.50
5580MHz	Pass	AV	11.1594G	43.54	54.00	-10.46	3	Horizontal	55	2.43
5580MHz	Pass	PK	11.16138G	57.35	74.00	-16.65	3	Horizontal	55	2.43
5580MHz	Pass	PK	16.75188G	59.01	68.20	-9.19	3	Horizontal	195	1.21
5700MHz	Pass	AV	5.694G	109.41	Inf	-Inf	3	Vertical	195	2.43
5700MHz	Pass	PK	5.694G	121.46	Inf	-Inf	3	Vertical	195	2.43
5700MHz	Pass	PK	5.7256G	66.91	68.20	-1.29	3	Vertical	195	2.43
5700MHz	Pass	AV	11.39994G	44.24	54.00	-9.76	3	Vertical	44	2.20
5700MHz	Pass	PK	11.39958G	56.39	74.00	-17.61	3	Vertical	44	2.20
5700MHz	Pass	PK	17.10936G	58.70	68.20	-9.50	3	Vertical	16	1.85
5700MHz	Pass	AV	11.39994G	44.08	54.00	-9.92	3	Horizontal	310	2.53
5700MHz	Pass	PK	11.40012G	56.59	74.00	-17.41	3	Horizontal	310	2.53
5700MHz	Pass	PK	17.10258G	58.26	68.20	-9.94	3	Horizontal	35	1.33
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	50.69	54.00	-3.31	3	Vertical	185	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	120.09	Inf	-Inf	3	Vertical	185	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	62.75	68.20	-5.45	3	Vertical	185	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	133.22	Inf	-Inf	3	Vertical	185	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	66.62	68.20	-1.58	3	Vertical	185	2.36
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43598G	52.24	54.00	-1.76	3	Vertical	334	2.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45038G	65.26	74.00	-8.74	3	Vertical	334	2.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15826G	65.99	68.20	-2.21	3	Vertical	334.3	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4403G	49.48	54.00	-4.52	3	Horizontal	62	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44888G	63.81	74.00	-10.19	3	Horizontal	62	2.80
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1585G	63.41	68.20	-4.79	3	Horizontal	353	2.55
5745MHz	Pass	AV	5.7378G	115.36	Inf	-Inf	3	Vertical	192	1.32
5745MHz	Pass	PK	5.6238G	66.42	68.20	-1.78	3	Vertical	192	1.32
5745MHz	Pass	PK	5.7462G	128.49	Inf	-Inf	3	Vertical	192	1.32
5745MHz	Pass	PK	5.961G	63.81	68.20	-4.39	3	Vertical	192	1.32
5745MHz	Pass	AV	11.49558G	48.35	54.00	-5.65	3	Vertical	309	1.50
5745MHz	Pass	PK	11.496G	62.32	74.00	-11.68	3	Vertical	309	1.50
5745MHz	Pass	PK	17.22696G	62.93	68.20	-5.27	3	Vertical	337	2.36
5745MHz	Pass	AV	11.48388G	48.68	54.00	-5.32	3	Horizontal	63	2.65
5745MHz	Pass	PK	11.481G	62.30	74.00	-11.70	3	Horizontal	63	2.65
5745MHz	Pass	PK	17.24766G	58.88	68.20	-9.32	3	Horizontal	8	2.57
5785MHz	Pass	AV	5.7922G	117.88	Inf	-Inf	3	Vertical	194	2.44
5785MHz	Pass	PK	5.5606G	66.04	68.20	-2.16	3	Vertical	194	2.44
5785MHz	Pass	PK	5.7922G	129.98	Inf	-Inf	3	Vertical	194	2.44
5785MHz	Pass	PK	6.0718G	64.17	68.20	-4.03	3	Vertical	194	2.44
5785MHz	Pass	AV	11.57048G	46.71	54.00	-7.29	3	Vertical	360	2.11
5785MHz	Pass	PK	11.56088G	61.11	74.00	-12.89	3	Vertical	360	2.11
5785MHz	Pass	PK	17.349G	66.81	68.20	-1.39	3	Vertical	334	2.96
5785MHz	Pass	AV	11.56088G	47.22	54.00	-6.78	3	Horizontal	66	2.79

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	11.57936G	60.93	74.00	-13.07	3	Horizontal	66	2.79
5785MHz	Pass	PK	17.36328G	62.05	68.20	-6.15	3	Horizontal	339	1.72
5825MHz	Pass	PK	5.8226G	129.21	Inf	-Inf	3	Vertical	184	2.43
5825MHz	Pass	PK	5.555G	65.54	68.20	-2.66	3	Vertical	184	2.43
5825MHz	Pass	PK	6.0554G	63.47	68.20	-4.73	3	Vertical	184	2.43
5825MHz	Pass	AV	5.8166G	117.41	Inf	-Inf	3	Vertical	184	2.43
5825MHz	Pass	AV	11.64104G	47.92	54.00	-6.08	3	Vertical	56	2.72
5825MHz	Pass	PK	11.63896G	61.52	74.00	-12.48	3	Vertical	56	2.72
5825MHz	Pass	PK	17.46884G	66.89	68.20	-1.31	3	Vertical	352	2.62
5825MHz	Pass	AV	11.66104G	47.15	54.00	-6.85	3	Horizontal	69	2.18
5825MHz	Pass	PK	11.6584G	60.59	74.00	-13.41	3	Horizontal	69	2.18
5825MHz	Pass	PK	17.46332G	61.53	68.20	-6.67	3	Horizontal	26	2.72
802.11ax HEW40-BF_Nss1,(MCS0)_4TX										
5510MHz	Pass	AV	5.4584G	49.11	54.00	-4.89	3	Vertical	188	1.50
5510MHz	Pass	AV	5.5276G	98.87	Inf	-Inf	3	Vertical	188	1.50
5510MHz	Pass	PK	5.47G	67.10	68.20	-1.10	3	Vertical	188	1.50
5510MHz	Pass	PK	5.4968G	114.24	Inf	-Inf	3	Vertical	188	1.50
5510MHz	Pass	AV	11.02G	43.63	54.00	-10.37	3	Vertical	274	1.92
5510MHz	Pass	PK	11.02012G	55.54	74.00	-18.46	3	Vertical	274	1.92
5510MHz	Pass	PK	16.52412G	58.92	68.20	-9.28	3	Vertical	209	1.24
5510MHz	Pass	AV	11.01982G	42.00	54.00	-12.00	3	Horizontal	78	1.50
5510MHz	Pass	PK	11.0134G	55.90	74.00	-18.10	3	Horizontal	78	1.50
5510MHz	Pass	PK	16.51698G	58.18	68.20	-10.02	3	Horizontal	181	1.50
5550MHz	Pass	AV	5.4596G	52.28	54.00	-1.72	3	Vertical	184	1.50
5550MHz	Pass	AV	5.5664G	109.28	Inf	-Inf	3	Vertical	184	1.50
5550MHz	Pass	PK	5.4636G	67.02	68.20	-1.18	3	Vertical	184	1.50
5550MHz	Pass	PK	5.5676G	122.92	Inf	-Inf	3	Vertical	184	1.50
5550MHz	Pass	AV	11.1G	46.06	54.00	-7.94	3	Vertical	348	1.73
5550MHz	Pass	PK	11.09982G	62.77	74.00	-11.23	3	Vertical	348	1.73
5550MHz	Pass	PK	16.64G	58.32	68.20	-9.88	3	Vertical	104	2.12
5550MHz	Pass	AV	11.09668G	42.69	54.00	-11.31	3	Horizontal	57	1.50
5550MHz	Pass	PK	11.09884G	60.39	74.00	-13.61	3	Horizontal	57	1.50
5550MHz	Pass	PK	16.6488G	58.54	68.20	-9.66	3	Horizontal	190	1.50
5670MHz	Pass	AV	5.688G	103.84	Inf	-Inf	3	Vertical	188	1.50
5670MHz	Pass	PK	5.6658G	119.35	Inf	-Inf	3	Vertical	188	1.50
5670MHz	Pass	PK	5.7276G	66.91	68.20	-1.29	3	Vertical	188	1.50
5670MHz	Pass	AV	11.34G	41.86	54.00	-12.14	3	Vertical	22	2.57
5670MHz	Pass	PK	11.346G	55.17	74.00	-18.83	3	Vertical	22	2.57
5670MHz	Pass	PK	17.00096G	57.98	68.20	-10.22	3	Vertical	246	1.50
5670MHz	Pass	AV	11.33988G	41.62	54.00	-12.38	3	Horizontal	77	2.31
5670MHz	Pass	PK	11.34042G	55.02	74.00	-18.98	3	Horizontal	77	2.31
5670MHz	Pass	PK	17.02184G	57.78	68.20	-10.42	3	Horizontal	233	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	50.72	54.00	-3.28	3	Vertical	184	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7244G	112.79	Inf	-Inf	3	Vertical	184	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	63.66	68.20	-4.54	3	Vertical	184	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	127.00	Inf	-Inf	3	Vertical	184	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	66.95	68.20	-1.25	3	Vertical	184	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41016G	44.47	54.00	-9.53	3	Vertical	357	2.28
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40872G	58.11	74.00	-15.89	3	Vertical	357	2.28
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13456G	57.57	68.20	-10.63	3	Vertical	0	2.77
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40992G	42.17	54.00	-11.83	3	Horizontal	316	2.61
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4374G	55.36	74.00	-18.64	3	Horizontal	316	2.61
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.15976G	56.77	68.20	-11.43	3	Horizontal	183	1.50
5755MHz	Pass	AV	5.7406G	110.82	Inf	-Inf	3	Vertical	189	1.57
5755MHz	Pass	PK	5.6458G	67.07	68.20	-1.13	3	Vertical	189	1.57
5755MHz	Pass	PK	5.7406G	123.74	Inf	-Inf	3	Vertical	189	1.57
5755MHz	Pass	PK	6.0034G	63.61	68.20	-4.59	3	Vertical	189	1.57
5755MHz	Pass	AV	11.4962G	46.10	54.00	-7.90	3	Vertical	357	1.50
5755MHz	Pass	PK	11.49428G	58.66	74.00	-15.34	3	Vertical	357	1.50
5755MHz	Pass	PK	17.24988G	58.12	68.20	-10.08	3	Vertical	177	1.50
5755MHz	Pass	AV	11.49872G	43.06	54.00	-10.94	3	Horizontal	357	2.24
5755MHz	Pass	PK	11.53496G	56.01	74.00	-17.99	3	Horizontal	357	2.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	PK	17.28732G	56.82	68.20	-11.38	3	Horizontal	84	1.50
5795MHz	Pass	AV	5.7962G	113.77	Inf	-Inf	3	Vertical	190	2.36
5795MHz	Pass	PK	5.645G	67.02	68.20	-1.18	3	Vertical	190	2.36
5795MHz	Pass	PK	5.7914G	128.85	Inf	-Inf	3	Vertical	190	2.36
5795MHz	Pass	PK	5.9774G	63.49	68.20	-4.71	3	Vertical	190	2.36
5795MHz	Pass	AV	11.58976G	48.87	54.00	-5.13	3	Vertical	3	2.33
5795MHz	Pass	PK	11.58064G	64.25	74.00	-9.75	3	Vertical	3	2.33
5795MHz	Pass	PK	17.3838G	60.89	68.20	-7.31	3	Vertical	335	2.13
5795MHz	Pass	AV	11.58964G	43.43	54.00	-10.57	3	Horizontal	53	2.45
5795MHz	Pass	PK	11.58124G	57.32	74.00	-16.68	3	Horizontal	53	2.45
5795MHz	Pass	PK	17.37264G	57.86	68.20	-10.34	3	Horizontal	39	2.82
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5530MHz	Pass	AV	5.459G	51.77	54.00	-2.23	3	Vertical	193	1.89
5530MHz	Pass	AV	5.567G	104.45	Inf	-Inf	3	Vertical	193	1.89
5530MHz	Pass	PK	5.47G	66.57	68.20	-1.63	3	Vertical	193	1.89
5530MHz	Pass	PK	5.567G	117.01	Inf	-Inf	3	Vertical	193	1.89
5530MHz	Pass	PK	5.727G	65.78	68.20	-2.42	3	Vertical	193	1.89
5530MHz	Pass	AV	11.04656G	42.54	54.00	-11.46	3	Vertical	0	1.23
5530MHz	Pass	PK	11.0468G	55.56	74.00	-18.44	3	Vertical	0	1.23
5530MHz	Pass	PK	16.644G	57.09	68.20	-11.11	3	Vertical	15	2.78
5530MHz	Pass	AV	11.06G	41.44	54.00	-12.56	3	Horizontal	0	1.27
5530MHz	Pass	PK	11.04992G	54.64	74.00	-19.36	3	Horizontal	0	1.27
5530MHz	Pass	PK	16.53072G	57.01	68.20	-11.19	3	Horizontal	360	1.16
5610MHz	Pass	AV	5.46G	50.25	54.00	-3.75	3	Vertical	190	1.82
5610MHz	Pass	AV	5.581G	104.25	Inf	-Inf	3	Vertical	190	1.82
5610MHz	Pass	PK	5.464G	63.76	68.20	-4.44	3	Vertical	190	1.82
5610MHz	Pass	PK	5.579G	117.39	Inf	-Inf	3	Vertical	190	1.82
5610MHz	Pass	PK	5.735G	66.91	68.20	-1.29	3	Vertical	190	1.82
5610MHz	Pass	AV	11.21976G	43.96	54.00	-10.04	3	Vertical	41	2.39
5610MHz	Pass	PK	11.19672G	54.79	74.00	-19.21	3	Vertical	41	2.39
5610MHz	Pass	PK	16.82592G	57.13	68.20	-11.07	3	Vertical	269	1.50
5610MHz	Pass	AV	11.27736G	41.06	54.00	-12.94	3	Horizontal	172	1.04
5610MHz	Pass	PK	11.17728G	55.03	74.00	-18.97	3	Horizontal	172	1.04
5610MHz	Pass	PK	16.77744G	57.10	68.20	-11.10	3	Horizontal	292	1.09
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	50.16	54.00	-3.84	3	Vertical	193	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6768G	109.69	Inf	-Inf	3	Vertical	193	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	63.27	68.20	-4.93	3	Vertical	193	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6984G	123.05	Inf	-Inf	3	Vertical	193	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	66.38	68.20	-1.82	3	Vertical	193	1.68
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38G	43.72	54.00	-10.28	3	Vertical	345	2.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41336G	54.72	74.00	-19.28	3	Vertical	345	2.94
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05632G	56.88	68.20	-11.32	3	Vertical	89	1.16
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37976G	43.05	54.00	-10.95	3	Horizontal	308	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35288G	54.57	74.00	-19.43	3	Horizontal	308	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.09352G	56.82	68.20	-11.38	3	Horizontal	279	1.98
5775MHz	Pass	AV	5.456G	51.67	54.00	-2.33	3	Vertical	180	2.51
5775MHz	Pass	AV	5.5772G	99.40	Inf	-Inf	3	Vertical	180	2.51
5775MHz	Pass	PK	5.462G	64.97	68.20	-3.23	3	Vertical	180	2.51
5775MHz	Pass	PK	5.5796G	113.02	Inf	-Inf	3	Vertical	180	2.51
5775MHz	Pass	PK	5.7284G	67.00	68.20	-1.20	3	Vertical	180	2.51
5775MHz	Pass	AV	11.04736G	40.79	54.00	-13.21	3	Vertical	307	1.50
5775MHz	Pass	PK	11.07088G	54.08	74.00	-19.92	3	Vertical	307	1.50
5775MHz	Pass	PK	16.73832G	57.00	68.20	-11.20	3	Vertical	105	1.50
5775MHz	Pass	AV	11.14G	41.92	54.00	-12.08	3	Horizontal	360	1.17
5775MHz	Pass	PK	11.11792G	54.16	74.00	-19.84	3	Horizontal	360	1.17
5775MHz	Pass	PK	16.63992G	57.75	68.20	-10.45	3	Horizontal	138	2.82
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5570MHz	Pass	AV	5.456G	51.67	54.00	-2.33	3	Vertical	180	2.51
5570MHz	Pass	AV	5.5772G	99.40	Inf	-Inf	3	Vertical	180	2.51
5570MHz	Pass	PK	5.462G	64.97	68.20	-3.23	3	Vertical	180	2.51
5570MHz	Pass	PK	5.5796G	113.02	Inf	-Inf	3	Vertical	180	2.51
5570MHz	Pass	PK	5.7284G	67.00	68.20	-1.20	3	Vertical	180	2.51




RSE TX above 1GHz_Beamforming_Radio 1

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	AV	11.04736G	40.79	54.00	-13.21	3	Vertical	307	1.50
5570MHz	Pass	PK	11.07088G	54.08	74.00	-19.92	3	Vertical	307	1.50
5570MHz	Pass	PK	16.73832G	57.00	68.20	-11.20	3	Vertical	105	1.50
5570MHz	Pass	AV	11.14G	41.92	54.00	-12.08	3	Horizontal	360	1.17
5570MHz	Pass	PK	11.11792G	54.16	74.00	-19.84	3	Horizontal	360	1.17
5570MHz	Pass	PK	16.63992G	57.75	68.20	-10.45	3	Horizontal	138	2.82

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.87	54.00	-3.13	8.74	3	Vertical	185	1.64	42.13	32.90	10.02	34.18
AV	5.494G	109.19	Inf	-Inf	8.75	3	Vertical	185	1.64	100.44	32.90	10.03	34.18
PK	5.4652G	66.91	68.20	-1.29	8.74	3	Vertical	185	1.64	58.17	32.90	10.02	34.18
PK	5.4962G	121.46	Inf	-Inf	8.75	3	Vertical	185	1.64	112.71	32.90	10.03	34.18

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00256G	45.47	54.00	-8.53	17.76	3	Vertical	38	2.80	27.71	39.00	12.92	34.16
PK	11.00136G	60.51	74.00	-13.49	17.76	3	Vertical	38	2.80	42.75	39.00	12.92	34.16
PK	16.49704G	57.72	68.20	-10.48	20.29	3	Vertical	349	1.00	37.43	38.39	16.10	34.20


5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	115.36	Inf	-Inf	9.70	3	Vertical	192	1.32	105.66	33.75	10.15	34.20
PK	5.6238G	66.42	68.20	-1.78	8.89	3	Vertical	192	1.32	57.53	33.00	10.08	34.19
PK	5.7462G	128.49	Inf	-Inf	9.73	3	Vertical	192	1.32	118.76	33.78	10.15	34.20
PK	5.961G	63.81	68.20	-4.39	10.26	3	Vertical	192	1.32	53.55	34.18	10.30	34.22

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49558G	48.35	54.00	-5.65	18.15	3	Vertical	309	1.50	30.20	39.10	13.11	34.06
PK	11.496G	62.32	74.00	-11.68	18.15	3	Vertical	309	1.50	44.17	39.10	13.11	34.06
PK	17.22696G	62.93	68.20	-5.27	21.17	3	Vertical	337	2.36	41.76	38.23	16.22	33.28


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.8226G	129.21	Inf	-Inf	10.09	3	Vertical	184	2.43	119.12	34.10	10.20	34.21
PK	5.555G	65.54	68.20	-2.66	8.78	3	Vertical	184	2.43	56.76	32.91	10.05	34.18
PK	6.0554G	63.47	68.20	-4.73	10.25	3	Vertical	184	2.43	53.22	34.09	10.39	34.23
AV	5.8166G	117.41	Inf	-Inf	10.08	3	Vertical	184	2.43	107.33	34.10	10.19	34.21

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64104G	47.92	54.00	-6.08	17.72	3	Vertical	56	2.72	30.20	38.70	13.17	34.15
PK	11.63896G	61.52	74.00	-12.48	17.72	3	Vertical	56	2.72	43.80	38.70	13.17	34.15
PK	17.46884G	66.89	68.20	-1.31	21.57	3	Vertical	352	2.62	45.32	38.67	16.26	33.36


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.28	54.00	-1.72	8.74	3	Vertical	184	1.50	43.54	32.90	10.02	34.18
AV	5.5664G	109.28	Inf	-Inf	8.80	3	Vertical	184	1.50	100.48	32.93	10.06	34.19
PK	5.4636G	67.02	68.20	-1.18	8.74	3	Vertical	184	1.50	58.28	32.90	10.02	34.18
PK	5.5676G	122.92	Inf	-Inf	8.81	3	Vertical	184	1.50	114.11	32.94	10.06	34.19

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1G	46.06	54.00	-7.94	17.72	3	Vertical	348	1.73	28.34	38.90	12.96	34.14
PK	11.09982G	62.77	74.00	-11.23	17.72	3	Vertical	348	1.73	45.05	38.90	12.96	34.14
PK	16.64G	58.32	68.20	-9.88	20.38	3	Vertical	104	2.12	37.94	38.18	16.12	33.92


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX



5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	113.77	Inf	-Inf	10.06	3	Vertical	190	2.36	103.71	34.08	10.18	34.20
PK	5.645G	67.02	68.20	-1.18	8.90	3	Vertical	190	2.36	58.12	33.00	10.09	34.19
PK	5.7914G	128.85	Inf	-Inf	10.03	3	Vertical	190	2.36	118.82	34.05	10.18	34.20
PK	5.9774G	63.49	68.20	-4.71	10.24	3	Vertical	190	2.36	53.25	34.15	10.31	34.22

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58976G	48.87	54.00	-5.13	17.77	3	Vertical	3	2.33	31.10	38.74	13.15	34.12
PK	11.58064G	64.25	74.00	-9.75	17.82	3	Vertical	3	2.33	46.43	38.78	13.15	34.11
PK	17.3838G	60.89	68.20	-7.31	21.46	3	Vertical	335	2.13	39.43	38.55	16.24	33.33


5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX



5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.25	54.00	-3.75	8.74	3	Vertical	190	1.82	41.51	32.90	10.02	34.18
AV	5.581G	104.25	Inf	-Inf	8.83	3	Vertical	190	1.82	95.42	32.96	10.06	34.19
PK	5.464G	63.76	68.20	-4.44	8.74	3	Vertical	190	1.82	55.02	32.90	10.02	34.18
PK	5.579G	117.39	Inf	-Inf	8.83	3	Vertical	190	1.82	108.56	32.96	10.06	34.19
PK	5.735G	66.91	68.20	-1.29	9.68	3	Vertical	190	1.82	57.23	33.74	10.14	34.20

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21976G	43.96	54.00	-10.04	17.91	3	Vertical	41	2.39	26.05	39.02	13.01	34.12
PK	11.19672G	54.79	74.00	-19.21	17.88	3	Vertical	41	2.39	36.91	39.00	13.00	34.12
PK	16.82592G	57.13	68.20	-11.07	20.85	3	Vertical	269	1.50	36.28	38.25	16.15	33.55


5.47-5.725GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11ax_HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	105.49	Inf	-Inf	9.73	3	Vertical	195	2.45	95.76	33.78	10.15	34.20
PK	5.649G	66.17	68.20	-2.03	8.91	3	Vertical	195	2.45	57.26	33.00	10.10	34.19
PK	5.7414G	118.41	Inf	-Inf	9.72	3	Vertical	195	2.45	108.69	33.77	10.15	34.20
PK	6.0294G	63.74	68.20	-4.46	10.23	3	Vertical	195	2.45	53.51	34.10	10.36	34.23

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49936G	42.91	54.00	-11.09	18.15	3	Vertical	357	1.94	24.76	39.10	13.11	34.06
PK	11.53224G	55.53	74.00	-18.47	18.02	3	Vertical	357	1.94	37.51	38.97	13.13	34.08
PK	17.31036G	56.91	68.20	-11.29	21.25	3	Vertical	235	1.50	35.66	38.33	16.23	33.31


5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX




5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1464G	52.99	54.00	-1.01	3	Vertical	185	1.69
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	52.87	54.00	-1.13	3	Vertical	196	1.71
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.15G	52.73	54.00	-1.27	3	Vertical	186	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3504G	52.95	54.00	-1.05	3	Vertical	195	1.68
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.3532G	52.82	54.00	-1.18	3	Vertical	198	1.61
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	52.92	54.00	-1.08	3	Vertical	186	1.50
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	5.35G	52.75	54.00	-1.25	3	Vertical	191	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	5.4584G	52.90	54.00	-1.10	3	Vertical	184	1.50
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.456G	52.86	54.00	-1.14	3	Vertical	186	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.462G	66.74	68.20	-1.46	3	Vertical	187	2.49
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	5.4632G	66.65	68.20	-1.55	3	Vertical	185	1.60
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.9402G	67.15	68.20	-1.05	3	Vertical	190	1.19
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.623G	66.99	68.20	-1.21	3	Vertical	181	1.50
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	PK	5.6514G	67.98	69.24	-1.26	3	Vertical	191	1.67

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	52.98	54.00	-1.02	3	Vertical	185	1.50
5180MHz	Pass	AV	5.1812G	110.48	Inf	-Inf	3	Vertical	185	1.50
5180MHz	Pass	PK	5.1486G	68.11	74.00	-5.89	3	Vertical	185	1.50
5180MHz	Pass	PK	5.1808G	122.87	Inf	-Inf	3	Vertical	185	1.50
5180MHz	Pass	AV	15.54558G	44.15	54.00	-9.85	3	Vertical	222	2.22
5180MHz	Pass	PK	10.34602G	53.01	68.20	-15.19	3	Vertical	269	1.60
5180MHz	Pass	PK	15.52794G	56.32	74.00	-17.68	3	Vertical	222	2.22
5180MHz	Pass	AV	15.5385G	44.09	54.00	-9.91	3	Horizontal	136	3.00
5180MHz	Pass	PK	10.34776G	54.04	68.20	-14.16	3	Horizontal	224	1.50
5180MHz	Pass	PK	15.54312G	55.83	74.00	-18.17	3	Horizontal	136	3.00
5200MHz	Pass	AV	5.146G	52.93	54.00	-1.07	3	Vertical	193	1.87
5200MHz	Pass	AV	5.1968G	111.38	Inf	-Inf	3	Vertical	193	1.87
5200MHz	Pass	PK	5.1452G	66.34	74.00	-7.66	3	Vertical	193	1.87
5200MHz	Pass	PK	5.2048G	123.38	Inf	-Inf	3	Vertical	193	1.87
5200MHz	Pass	AV	15.60456G	43.98	54.00	-10.02	3	Vertical	98	1.72
5200MHz	Pass	PK	10.39688G	53.05	68.20	-15.15	3	Vertical	92	2.24
5200MHz	Pass	PK	15.61134G	56.02	74.00	-17.98	3	Vertical	98	1.72
5200MHz	Pass	AV	15.59286G	43.91	54.00	-10.09	3	Horizontal	214	2.19
5200MHz	Pass	PK	10.40534G	52.87	68.20	-15.33	3	Horizontal	189	1.50
5200MHz	Pass	PK	15.60648G	56.58	74.00	-17.42	3	Horizontal	214	2.19
5240MHz	Pass	AV	5.1464G	52.99	54.00	-1.01	3	Vertical	185	1.69
5240MHz	Pass	AV	5.2406G	113.79	Inf	-Inf	3	Vertical	185	1.69
5240MHz	Pass	AV	5.3558G	52.88	54.00	-1.12	3	Vertical	185	1.69
5240MHz	Pass	PK	5.129G	65.84	74.00	-8.16	3	Vertical	185	1.69
5240MHz	Pass	PK	5.2406G	125.56	Inf	-Inf	3	Vertical	185	1.69
5240MHz	Pass	PK	5.3786G	65.25	74.00	-8.75	3	Vertical	185	1.69
5240MHz	Pass	AV	15.71154G	43.78	54.00	-10.22	3	Vertical	139	1.57
5240MHz	Pass	PK	10.48492G	53.12	68.20	-15.08	3	Vertical	320	2.42
5240MHz	Pass	PK	15.72384G	56.60	74.00	-17.40	3	Vertical	139	1.57
5240MHz	Pass	AV	15.70716G	43.78	54.00	-10.22	3	Horizontal	182	1.50
5240MHz	Pass	PK	10.48498G	52.61	68.20	-15.59	3	Horizontal	18	1.46
5240MHz	Pass	PK	15.72876G	56.07	74.00	-17.93	3	Horizontal	182	1.50
5260MHz	Pass	AV	5.1484G	52.69	54.00	-1.31	3	Vertical	182	1.65
5260MHz	Pass	AV	5.2582G	112.03	Inf	-Inf	3	Vertical	182	1.65
5260MHz	Pass	AV	5.35G	52.79	54.00	-1.21	3	Vertical	182	1.65
5260MHz	Pass	PK	5.134G	65.17	74.00	-8.83	3	Vertical	182	1.65
5260MHz	Pass	PK	5.263G	124.65	Inf	-Inf	3	Vertical	182	1.65
5260MHz	Pass	PK	5.3896G	66.13	74.00	-7.87	3	Vertical	182	1.65
5260MHz	Pass	AV	15.7731G	43.58	54.00	-10.42	3	Vertical	291	1.50
5260MHz	Pass	PK	10.52162G	54.02	68.20	-14.18	3	Vertical	151	1.50
5260MHz	Pass	PK	15.77598G	56.02	74.00	-17.98	3	Vertical	291	1.50
5260MHz	Pass	AV	15.78786G	43.69	54.00	-10.31	3	Horizontal	133	1.50
5260MHz	Pass	PK	10.50662G	53.19	68.20	-15.01	3	Horizontal	284	2.05
5260MHz	Pass	PK	15.7941G	55.67	74.00	-18.33	3	Horizontal	133	1.50
5300MHz	Pass	AV	5.2936G	112.26	Inf	-Inf	3	Vertical	195	1.68
5300MHz	Pass	AV	5.3504G	52.95	54.00	-1.05	3	Vertical	195	1.68
5300MHz	Pass	PK	5.306G	125.20	Inf	-Inf	3	Vertical	195	1.68
5300MHz	Pass	PK	5.352G	65.77	74.00	-8.23	3	Vertical	195	1.68
5300MHz	Pass	AV	15.89484G	44.12	54.00	-9.88	3	Vertical	360	1.72
5300MHz	Pass	PK	10.59196G	53.51	68.20	-14.69	3	Vertical	167	2.37
5300MHz	Pass	PK	15.90288G	56.35	74.00	-17.65	3	Vertical	360	1.72
5300MHz	Pass	AV	15.91326G	44.14	54.00	-9.86	3	Horizontal	24	2.64
5300MHz	Pass	PK	10.59124G	53.84	68.20	-14.36	3	Horizontal	298	2.44
5300MHz	Pass	PK	15.89622G	56.12	74.00	-17.88	3	Horizontal	24	2.64
5320MHz	Pass	AV	5.3114G	109.15	Inf	-Inf	3	Vertical	184	1.50
5320MHz	Pass	AV	5.3514G	52.81	54.00	-1.19	3	Vertical	184	1.50
5320MHz	Pass	PK	5.3122G	121.72	Inf	-Inf	3	Vertical	184	1.50
5320MHz	Pass	PK	5.3528G	66.00	74.00	-8.00	3	Vertical	184	1.50
5320MHz	Pass	AV	10.6448G	40.74	54.00	-13.26	3	Vertical	101	1.14
5320MHz	Pass	AV	15.96126G	44.05	54.00	-9.95	3	Vertical	233	1.50



RSE TX above 1GHz_Beamforming_Radio 2

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	10.62548G	52.83	74.00	-21.17	3	Vertical	101	1.14
5320MHz	Pass	PK	15.94602G	56.26	74.00	-17.74	3	Vertical	233	1.50
5320MHz	Pass	AV	10.62854G	40.65	54.00	-13.35	3	Horizontal	315	1.22
5320MHz	Pass	AV	15.96564G	43.96	54.00	-10.04	3	Horizontal	3	3.00
5320MHz	Pass	PK	10.64384G	52.98	74.00	-21.02	3	Horizontal	315	1.22
5320MHz	Pass	PK	15.9675G	56.53	74.00	-17.47	3	Horizontal	3	3.00
5500MHz	Pass	AV	5.4572G	51.48	54.00	-2.52	3	Vertical	186	2.52
5500MHz	Pass	AV	5.5008G	111.24	Inf	-Inf	3	Vertical	186	2.52
5500MHz	Pass	PK	5.47G	65.89	68.20	-2.31	3	Vertical	186	2.52
5500MHz	Pass	PK	5.506G	123.26	Inf	-Inf	3	Vertical	186	2.52
5500MHz	Pass	AV	10.9919G	41.20	54.00	-12.80	3	Vertical	67	1.50
5500MHz	Pass	PK	10.9874G	54.32	74.00	-19.68	3	Vertical	67	1.50
5500MHz	Pass	PK	16.48602G	56.95	68.20	-11.25	3	Vertical	346	1.50
5500MHz	Pass	AV	10.98824G	41.15	54.00	-12.85	3	Horizontal	348	2.75
5500MHz	Pass	PK	11.00612G	53.74	74.00	-20.26	3	Horizontal	348	2.75
5500MHz	Pass	PK	16.49406G	56.36	68.20	-11.84	3	Horizontal	109	1.50
5580MHz	Pass	AV	5.4432G	52.80	54.00	-1.20	3	Vertical	196	1.82
5580MHz	Pass	AV	5.5734G	115.22	Inf	-Inf	3	Vertical	196	1.82
5580MHz	Pass	PK	5.4654G	65.11	68.20	-3.09	3	Vertical	196	1.82
5580MHz	Pass	PK	5.5722G	127.24	Inf	-Inf	3	Vertical	196	1.82
5580MHz	Pass	PK	5.7294G	64.97	68.20	-3.23	3	Vertical	196	1.82
5580MHz	Pass	AV	11.1672G	42.52	54.00	-11.48	3	Vertical	64	2.83
5580MHz	Pass	PK	11.16522G	55.40	74.00	-18.60	3	Vertical	64	2.83
5580MHz	Pass	PK	16.74174G	56.76	68.20	-11.44	3	Vertical	7	1.74
5580MHz	Pass	AV	11.16084G	40.96	54.00	-13.04	3	Horizontal	240	1.50
5580MHz	Pass	PK	11.14914G	52.97	74.00	-21.03	3	Horizontal	240	1.50
5580MHz	Pass	PK	16.7439G	56.75	68.20	-11.45	3	Horizontal	346	1.22
5700MHz	Pass	AV	5.694G	109.83	Inf	-Inf	3	Vertical	195	1.69
5700MHz	Pass	PK	5.694G	121.90	Inf	-Inf	3	Vertical	195	1.69
5700MHz	Pass	PK	5.7256G	66.05	68.20	-2.15	3	Vertical	195	1.69
5700MHz	Pass	AV	11.3856G	41.72	54.00	-12.28	3	Vertical	243	1.01
5700MHz	Pass	PK	11.39304G	54.01	74.00	-19.99	3	Vertical	243	1.01
5700MHz	Pass	PK	17.1G	55.82	68.20	-12.38	3	Vertical	59	1.50
5700MHz	Pass	AV	11.3892G	41.78	54.00	-12.22	3	Horizontal	68	1.50
5700MHz	Pass	PK	11.39652G	54.29	74.00	-19.71	3	Horizontal	68	1.50
5700MHz	Pass	PK	17.10648G	56.56	68.20	-11.64	3	Horizontal	133	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	52.90	54.00	-1.10	3	Vertical	184	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	113.33	Inf	-Inf	3	Vertical	184	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	64.68	68.20	-3.52	3	Vertical	184	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	125.90	Inf	-Inf	3	Vertical	184	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8952G	67.03	68.20	-1.17	3	Vertical	184	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43292G	41.74	54.00	-12.26	3	Vertical	338	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44456G	54.26	74.00	-19.74	3	Vertical	338	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16408G	56.05	68.20	-12.15	3	Vertical	210	2.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43166G	41.95	54.00	-12.05	3	Horizontal	70	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43148G	54.27	74.00	-19.73	3	Horizontal	70	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17182G	56.71	68.20	-11.49	3	Horizontal	168	1.50
5745MHz	Pass	AV	5.7414G	116.58	Inf	-Inf	3	Vertical	193	1.79
5745MHz	Pass	PK	5.6406G	66.62	68.20	-1.58	3	Vertical	193	1.79
5745MHz	Pass	PK	5.751G	128.56	Inf	-Inf	3	Vertical	193	1.79
5745MHz	Pass	PK	5.9682G	66.82	68.20	-1.38	3	Vertical	193	1.79
5745MHz	Pass	AV	11.49486G	41.45	54.00	-12.55	3	Vertical	299	1.50
5745MHz	Pass	PK	11.481G	54.17	74.00	-19.83	3	Vertical	299	1.50
5745MHz	Pass	PK	17.22162G	56.12	68.20	-12.08	3	Vertical	257	1.50
5745MHz	Pass	AV	11.48988G	41.46	54.00	-12.54	3	Horizontal	62	1.50
5745MHz	Pass	PK	11.49324G	54.33	74.00	-19.67	3	Horizontal	62	1.50
5745MHz	Pass	PK	17.235G	57.18	68.20	-11.02	3	Horizontal	224	2.42
5785MHz	Pass	AV	5.7766G	118.66	Inf	-Inf	3	Vertical	199	1.75
5785MHz	Pass	PK	5.6266G	66.88	68.20	-1.32	3	Vertical	199	1.75
5785MHz	Pass	PK	5.7754G	129.66	Inf	-Inf	3	Vertical	199	1.75
5785MHz	Pass	PK	5.9314G	66.30	68.20	-1.90	3	Vertical	199	1.75
5785MHz	Pass	AV	11.56352G	42.86	54.00	-11.14	3	Vertical	66	2.75



RSE TX above 1GHz_Beamforming_Radio 2

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	11.56016G	55.35	74.00	-18.65	3	Vertical	66	2.75
5785MHz	Pass	PK	17.3469G	57.92	68.20	-10.28	3	Vertical	167	1.41
5785MHz	Pass	AV	11.56928G	41.48	54.00	-12.52	3	Horizontal	331	1.50
5785MHz	Pass	PK	11.58284G	54.82	74.00	-19.18	3	Horizontal	331	1.50
5785MHz	Pass	PK	17.34324G	56.94	68.20	-11.26	3	Horizontal	155	1.31
5825MHz	Pass	AV	5.8214G	112.67	Inf	-Inf	3	Vertical	190	1.19
5825MHz	Pass	PK	5.6006G	66.66	68.20	-1.54	3	Vertical	190	1.19
5825MHz	Pass	PK	5.8286G	127.31	Inf	-Inf	3	Vertical	190	1.19
5825MHz	Pass	PK	5.9402G	67.15	68.20	-1.05	3	Vertical	190	1.19
5825MHz	Pass	AV	11.63584G	43.06	54.00	-10.94	3	Vertical	69	1.94
5825MHz	Pass	PK	11.6371G	55.28	74.00	-18.72	3	Vertical	69	1.94
5825MHz	Pass	PK	17.47272G	56.56	68.20	-11.64	3	Vertical	124	1.50
5825MHz	Pass	AV	11.63878G	41.15	54.00	-12.85	3	Horizontal	331	1.50
5825MHz	Pass	PK	11.644G	54.42	74.00	-19.58	3	Horizontal	331	1.50
5825MHz	Pass	PK	17.46612G	56.29	68.20	-11.91	3	Horizontal	0	1.50
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.87	54.00	-1.13	3	Vertical	196	1.71
5190MHz	Pass	AV	5.18G	103.77	Inf	-Inf	3	Vertical	196	1.71
5190MHz	Pass	PK	5.1496G	66.10	74.00	-7.90	3	Vertical	196	1.71
5190MHz	Pass	PK	5.186G	116.43	Inf	-Inf	3	Vertical	196	1.71
5190MHz	Pass	AV	15.55672G	43.46	54.00	-10.54	3	Vertical	264	2.53
5190MHz	Pass	PK	10.36088G	53.59	68.20	-14.61	3	Vertical	226	1.50
5190MHz	Pass	PK	15.55776G	57.06	74.00	-16.94	3	Vertical	264	2.53
5190MHz	Pass	AV	15.5648G	43.56	54.00	-10.44	3	Horizontal	65	2.52
5190MHz	Pass	PK	10.3944G	53.11	68.20	-15.09	3	Horizontal	248	2.49
5190MHz	Pass	PK	15.55656G	55.88	74.00	-18.12	3	Horizontal	65	2.52
5230MHz	Pass	AV	5.1456G	52.76	54.00	-1.24	3	Vertical	193	1.54
5230MHz	Pass	AV	5.2368G	104.78	Inf	-Inf	3	Vertical	193	1.54
5230MHz	Pass	PK	5.1336G	66.36	74.00	-7.64	3	Vertical	193	1.54
5230MHz	Pass	PK	5.2356G	119.94	Inf	-Inf	3	Vertical	193	1.54
5230MHz	Pass	AV	15.69084G	43.25	54.00	-10.75	3	Vertical	45	1.50
5230MHz	Pass	PK	10.46924G	54.18	68.20	-14.02	3	Vertical	312	1.95
5230MHz	Pass	PK	15.6996G	57.40	74.00	-16.60	3	Vertical	45	1.50
5230MHz	Pass	AV	15.69252G	43.27	54.00	-10.73	3	Horizontal	336	1.50
5230MHz	Pass	PK	10.44452G	53.48	68.20	-14.72	3	Horizontal	345	1.45
5230MHz	Pass	PK	15.67212G	56.26	74.00	-17.74	3	Horizontal	336	1.50
5270MHz	Pass	AV	5.2672G	107.21	Inf	-Inf	3	Vertical	190	1.49
5270MHz	Pass	AV	5.3504G	52.74	54.00	-1.26	3	Vertical	190	1.49
5270MHz	Pass	PK	5.2652G	122.18	Inf	-Inf	3	Vertical	190	1.49
5270MHz	Pass	PK	5.3628G	66.28	74.00	-7.72	3	Vertical	190	1.49
5270MHz	Pass	AV	15.8382G	43.32	54.00	-10.68	3	Vertical	244	2.06
5270MHz	Pass	PK	10.5202G	53.82	68.20	-14.38	3	Vertical	240	1.23
5270MHz	Pass	PK	15.83472G	56.59	74.00	-17.41	3	Vertical	244	2.06
5270MHz	Pass	AV	15.8382G	43.35	54.00	-10.65	3	Horizontal	14	1.50
5270MHz	Pass	PK	10.56148G	53.82	68.20	-14.38	3	Horizontal	59	1.86
5270MHz	Pass	PK	15.78816G	56.47	74.00	-17.53	3	Horizontal	14	1.50
5310MHz	Pass	AV	5.318G	102.30	Inf	-Inf	3	Vertical	198	1.61
5310MHz	Pass	AV	5.3532G	52.82	54.00	-1.18	3	Vertical	198	1.61
5310MHz	Pass	PK	5.3064G	117.67	Inf	-Inf	3	Vertical	198	1.61
5310MHz	Pass	PK	5.3528G	65.41	74.00	-8.59	3	Vertical	198	1.61
5310MHz	Pass	AV	10.64628G	40.15	54.00	-13.85	3	Vertical	47	1.50
5310MHz	Pass	AV	15.91428G	43.67	54.00	-10.33	3	Vertical	354	1.50
5310MHz	Pass	PK	10.63896G	53.55	74.00	-20.45	3	Vertical	47	1.50
5310MHz	Pass	PK	15.91068G	56.77	74.00	-17.23	3	Vertical	354	1.50
5310MHz	Pass	AV	10.61928G	40.01	54.00	-13.99	3	Horizontal	310	1.01
5310MHz	Pass	AV	15.93072G	43.62	54.00	-10.38	3	Horizontal	261	2.92
5310MHz	Pass	PK	10.6276G	53.39	74.00	-20.61	3	Horizontal	310	1.01
5310MHz	Pass	PK	15.9132G	56.42	74.00	-17.58	3	Horizontal	261	2.92
5510MHz	Pass	AV	5.4532G	50.73	54.00	-3.27	3	Vertical	185	1.90
5510MHz	Pass	AV	5.514G	100.17	Inf	-Inf	3	Vertical	185	1.90
5510MHz	Pass	PK	5.4652G	66.48	68.20	-1.72	3	Vertical	185	1.90
5510MHz	Pass	PK	5.4984G	117.54	Inf	-Inf	3	Vertical	185	1.90



RSE TX above 1GHz_Beamforming_Radio 2

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	AV	10.99792G	40.75	54.00	-13.25	3	Vertical	356	3.00
5510MHz	Pass	PK	11.0038G	53.74	74.00	-20.26	3	Vertical	356	3.00
5510MHz	Pass	PK	16.51404G	57.77	68.20	-10.43	3	Vertical	94	1.88
5510MHz	Pass	AV	10.99696G	40.78	54.00	-13.22	3	Horizontal	340	1.70
5510MHz	Pass	PK	11.05G	54.75	74.00	-19.25	3	Horizontal	340	1.70
5510MHz	Pass	PK	16.53192G	57.18	68.20	-11.02	3	Horizontal	184	1.50
5550MHz	Pass	AV	5.456G	52.86	54.00	-1.14	3	Vertical	186	1.50
5550MHz	Pass	AV	5.5516G	106.65	Inf	-Inf	3	Vertical	186	1.50
5550MHz	Pass	PK	5.4648G	66.07	68.20	-2.13	3	Vertical	186	1.50
5550MHz	Pass	PK	5.5472G	123.22	Inf	-Inf	3	Vertical	186	1.50
5550MHz	Pass	AV	11.07648G	40.48	54.00	-13.52	3	Vertical	84	1.50
5550MHz	Pass	PK	11.10612G	53.98	74.00	-20.02	3	Vertical	84	1.50
5550MHz	Pass	PK	16.67352G	57.14	68.20	-11.06	3	Vertical	77	1.50
5550MHz	Pass	AV	11.07732G	40.57	54.00	-13.43	3	Horizontal	74	3.00
5550MHz	Pass	PK	11.08356G	53.92	74.00	-20.08	3	Horizontal	74	3.00
5550MHz	Pass	PK	16.62228G	57.27	68.20	-10.93	3	Horizontal	48	1.03
5670MHz	Pass	AV	5.6874G	103.18	Inf	-Inf	3	Vertical	184	1.42
5670MHz	Pass	PK	5.667G	119.73	Inf	-Inf	3	Vertical	184	1.42
5670MHz	Pass	PK	5.7264G	66.64	68.20	-1.56	3	Vertical	184	1.42
5670MHz	Pass	AV	11.35236G	40.96	54.00	-13.04	3	Vertical	302	2.42
5670MHz	Pass	PK	11.34012G	55.04	74.00	-18.96	3	Vertical	302	2.42
5670MHz	Pass	PK	16.98516G	56.78	68.20	-11.42	3	Vertical	47	1.20
5670MHz	Pass	AV	11.37G	40.93	54.00	-13.07	3	Horizontal	269	1.50
5670MHz	Pass	PK	11.35572G	54.20	74.00	-19.80	3	Horizontal	269	1.50
5670MHz	Pass	PK	17.0064G	57.04	68.20	-11.16	3	Horizontal	214	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	51.50	54.00	-2.50	3	Vertical	192	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	111.46	Inf	-Inf	3	Vertical	192	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	63.39	68.20	-4.81	3	Vertical	192	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	125.04	Inf	-Inf	3	Vertical	192	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8624G	66.58	68.20	-1.62	3	Vertical	192	1.77
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39156G	41.40	54.00	-12.60	3	Vertical	341	2.17
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40056G	54.88	74.00	-19.12	3	Vertical	341	2.17
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11476G	57.31	68.20	-10.89	3	Vertical	214	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40524G	41.36	54.00	-12.64	3	Horizontal	78	2.92
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39864G	54.53	74.00	-19.47	3	Horizontal	78	2.92
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14368G	57.05	68.20	-11.15	3	Horizontal	158	2.91
5755MHz	Pass	AV	5.7418G	109.54	Inf	-Inf	3	Vertical	181	1.50
5755MHz	Pass	PK	5.623G	66.99	68.20	-1.21	3	Vertical	181	1.50
5755MHz	Pass	PK	5.7382G	125.82	Inf	-Inf	3	Vertical	181	1.50
5755MHz	Pass	PK	5.9386G	66.16	68.20	-2.04	3	Vertical	181	1.50
5755MHz	Pass	AV	11.51264G	41.08	54.00	-12.92	3	Vertical	331	1.50
5755MHz	Pass	PK	11.50568G	54.19	74.00	-19.81	3	Vertical	331	1.50
5755MHz	Pass	PK	17.25312G	56.95	68.20	-11.25	3	Vertical	160	1.65
5755MHz	Pass	AV	11.4974G	41.08	54.00	-12.92	3	Horizontal	357	1.50
5755MHz	Pass	PK	11.49224G	54.56	74.00	-19.44	3	Horizontal	357	1.50
5755MHz	Pass	PK	17.24508G	57.55	68.20	-10.65	3	Horizontal	118	1.50
5795MHz	Pass	AV	5.7998G	114.51	Inf	-Inf	3	Vertical	199	1.75
5795MHz	Pass	PK	5.7986G	127.48	Inf	-Inf	3	Vertical	199	1.75
5795MHz	Pass	PK	5.927G	65.96	68.20	-2.24	3	Vertical	199	1.75
5795MHz	Pass	AV	11.5768G	40.91	54.00	-13.09	3	Vertical	46	2.74
5795MHz	Pass	PK	11.57704G	54.41	74.00	-19.59	3	Vertical	46	2.74
5795MHz	Pass	PK	17.39988G	57.62	68.20	-10.58	3	Vertical	290	1.50
5795MHz	Pass	AV	11.56732G	40.77	54.00	-13.23	3	Horizontal	353	1.50
5795MHz	Pass	PK	11.6068G	54.44	74.00	-19.56	3	Horizontal	353	1.50
5795MHz	Pass	PK	17.36844G	57.27	68.20	-10.93	3	Horizontal	118	2.89
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.73	54.00	-1.27	3	Vertical	186	1.50
5210MHz	Pass	AV	5.226G	100.65	Inf	-Inf	3	Vertical	186	1.50
5210MHz	Pass	AV	5.351G	51.12	54.00	-2.88	3	Vertical	186	1.50
5210MHz	Pass	PK	5.096G	65.65	74.00	-8.35	3	Vertical	186	1.50
5210MHz	Pass	PK	5.183G	117.53	Inf	-Inf	3	Vertical	186	1.50
5210MHz	Pass	PK	5.364G	64.37	74.00	-9.63	3	Vertical	186	1.50



RSE TX above 1GHz_Beamforming_Radio 2

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	AV	15.5724G	43.30	54.00	-10.70	3	Vertical	249	2.39
5210MHz	Pass	PK	10.37896G	53.13	68.20	-15.07	3	Vertical	308	1.69
5210MHz	Pass	PK	15.59976G	56.05	74.00	-17.95	3	Vertical	249	2.39
5210MHz	Pass	AV	15.57096G	43.29	54.00	-10.71	3	Horizontal	56	1.77
5210MHz	Pass	PK	10.44136G	52.84	68.20	-15.36	3	Horizontal	119	1.76
5210MHz	Pass	PK	15.59208G	55.64	74.00	-18.36	3	Horizontal	56	1.77
5290MHz	Pass	AV	5.148G	50.54	54.00	-3.46	3	Vertical	186	1.50
5290MHz	Pass	AV	5.252G	99.44	Inf	-Inf	3	Vertical	186	1.50
5290MHz	Pass	AV	5.35G	52.92	54.00	-1.08	3	Vertical	186	1.50
5290MHz	Pass	PK	5.147G	63.46	74.00	-10.54	3	Vertical	186	1.50
5290MHz	Pass	PK	5.266G	117.65	Inf	-Inf	3	Vertical	186	1.50
5290MHz	Pass	PK	5.518G	63.26	68.20	-4.94	3	Vertical	186	1.50
5290MHz	Pass	AV	15.91872G	43.62	54.00	-10.38	3	Vertical	189	2.46
5290MHz	Pass	PK	10.55504G	52.71	68.20	-15.49	3	Vertical	132	1.71
5290MHz	Pass	PK	15.90312G	55.44	74.00	-18.56	3	Vertical	189	2.46
5290MHz	Pass	AV	15.91752G	43.66	54.00	-10.34	3	Horizontal	70	1.42
5290MHz	Pass	PK	10.63568G	53.08	74.00	-20.92	3	Horizontal	79	1.51
5290MHz	Pass	PK	15.86592G	56.44	74.00	-17.56	3	Horizontal	70	1.42
5530MHz	Pass	AV	5.457G	51.72	54.00	-2.28	3	Vertical	187	2.49
5530MHz	Pass	AV	5.515G	101.90	Inf	-Inf	3	Vertical	187	2.49
5530MHz	Pass	PK	5.462G	66.74	68.20	-1.46	3	Vertical	187	2.49
5530MHz	Pass	PK	5.503G	117.14	Inf	-Inf	3	Vertical	187	2.49
5530MHz	Pass	PK	5.756G	63.73	68.20	-4.47	3	Vertical	187	2.49
5530MHz	Pass	AV	11.00672G	40.63	54.00	-13.37	3	Vertical	107	2.44
5530MHz	Pass	PK	11.0576G	53.70	74.00	-20.30	3	Vertical	107	2.44
5530MHz	Pass	PK	16.53144G	55.86	68.20	-12.34	3	Vertical	20	1.96
5530MHz	Pass	AV	11.0036G	40.65	54.00	-13.35	3	Horizontal	223	1.45
5530MHz	Pass	PK	11.03768G	53.29	74.00	-20.71	3	Horizontal	223	1.45
5530MHz	Pass	PK	16.62768G	55.43	68.20	-12.77	3	Horizontal	22	1.12
5610MHz	Pass	AV	5.458G	52.25	54.00	-1.75	3	Vertical	200	1.73
5610MHz	Pass	AV	5.585G	103.97	Inf	-Inf	3	Vertical	200	1.73
5610MHz	Pass	PK	5.47G	64.54	68.20	-3.66	3	Vertical	200	1.73
5610MHz	Pass	PK	5.581G	119.91	Inf	-Inf	3	Vertical	200	1.73
5610MHz	Pass	PK	5.73G	66.57	68.20	-1.63	3	Vertical	200	1.73
5610MHz	Pass	AV	11.27832G	40.56	54.00	-13.44	3	Vertical	28	2.81
5610MHz	Pass	PK	11.2596G	52.40	74.00	-21.60	3	Vertical	28	2.81
5610MHz	Pass	PK	16.78752G	56.30	68.20	-11.90	3	Vertical	302	1.09
5610MHz	Pass	AV	11.27408G	40.54	54.00	-13.46	3	Horizontal	196	1.40
5610MHz	Pass	PK	11.2888G	54.72	74.00	-19.28	3	Horizontal	196	1.40
5610MHz	Pass	PK	16.88832G	56.91	68.20	-11.29	3	Horizontal	98	2.89
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	50.87	54.00	-3.13	3	Vertical	200	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	105.81	Inf	-Inf	3	Vertical	200	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	63.98	68.20	-4.22	3	Vertical	200	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6552G	120.89	Inf	-Inf	3	Vertical	200	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	66.49	68.20	-1.71	3	Vertical	200	1.72
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39056G	41.29	54.00	-12.71	3	Vertical	13	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.42512G	53.97	74.00	-20.03	3	Vertical	13	2.70
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.0196G	56.38	68.20	-11.82	3	Vertical	340	2.24
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38696G	41.17	54.00	-12.83	3	Horizontal	169	1.35
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39656G	53.13	74.00	-20.87	3	Horizontal	169	1.35
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.02248G	55.34	68.20	-12.86	3	Horizontal	10	1.69
5775MHz	Pass	AV	5.7954G	107.00	Inf	-Inf	3	Vertical	191	1.67
5775MHz	Pass	PK	5.6514G	67.98	69.24	-1.26	3	Vertical	191	1.67
5775MHz	Pass	PK	5.7954G	119.50	Inf	-Inf	3	Vertical	191	1.67
5775MHz	Pass	PK	5.9346G	66.84	68.20	-1.36	3	Vertical	191	1.67
5775MHz	Pass	AV	11.51472G	40.89	54.00	-13.11	3	Vertical	209	1.50
5775MHz	Pass	PK	11.50704G	54.26	74.00	-19.74	3	Vertical	209	1.50
5775MHz	Pass	PK	17.37948G	57.74	68.20	-10.46	3	Vertical	176	1.50
5775MHz	Pass	AV	11.51064G	40.93	54.00	-13.07	3	Horizontal	302	2.84
5775MHz	Pass	PK	11.49552G	54.51	74.00	-19.49	3	Horizontal	302	2.84
5775MHz	Pass	PK	17.37588G	57.20	68.20	-11.00	3	Horizontal	42	1.50
802.11ax HEW160-BF_Nss1(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-




RSE TX above 1GHz_Beamforming_Radio 2

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	51.20	54.00	-2.80	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1732G	98.84	Inf	-Inf	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	52.75	54.00	-1.25	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	69.02	74.00	-4.98	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1816G	114.06	Inf	-Inf	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4876G	63.25	68.20	-4.95	3	Vertical	191	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.8484G	44.06	54.00	-9.94	3	Vertical	87	2.60
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4208G	54.26	68.20	-13.94	3	Vertical	310	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.86808G	57.79	74.00	-16.21	3	Vertical	87	2.60
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.86664G	44.07	54.00	-9.93	3	Horizontal	289	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.464G	54.16	68.20	-14.04	3	Horizontal	191	1.48
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7956G	57.27	74.00	-16.73	3	Horizontal	289	1.50
5570MHz	Pass	AV	5.4548G	51.35	54.00	-2.65	3	Vertical	185	1.60
5570MHz	Pass	AV	5.5004G	100.98	Inf	-Inf	3	Vertical	185	1.60
5570MHz	Pass	PK	5.4632G	66.65	68.20	-1.55	3	Vertical	185	1.60
5570MHz	Pass	PK	5.5064G	114.19	Inf	-Inf	3	Vertical	185	1.60
5570MHz	Pass	PK	5.726G	65.03	68.20	-3.17	3	Vertical	185	1.60
5570MHz	Pass	AV	11.17744G	40.92	54.00	-13.08	3	Vertical	259	2.34
5570MHz	Pass	PK	11.10832G	52.71	74.00	-21.29	3	Vertical	259	2.34
5570MHz	Pass	PK	16.76184G	56.73	68.20	-11.47	3	Vertical	217	1.24
5570MHz	Pass	AV	11.11248G	40.89	54.00	-13.11	3	Horizontal	133	1.92
5570MHz	Pass	PK	11.15824G	52.90	74.00	-21.10	3	Horizontal	133	1.92
5570MHz	Pass	PK	16.71576G	56.87	68.20	-11.33	3	Horizontal	357	1.86


5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TX



5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	52.99	54.00	-1.01	8.79	3	Vertical	185	1.69	44.20	33.10	9.83	34.14
AV	5.2406G	113.79	Inf	-Inf	8.76	3	Vertical	185	1.69	105.03	33.02	9.89	34.15
AV	5.3558G	52.88	54.00	-1.12	8.71	3	Vertical	185	1.69	44.17	32.90	9.97	34.16
PK	5.129G	65.84	74.00	-8.16	8.78	3	Vertical	185	1.69	57.06	33.10	9.82	34.14
PK	5.2406G	125.56	Inf	-Inf	8.76	3	Vertical	185	1.69	116.80	33.02	9.89	34.15
PK	5.3786G	65.25	74.00	-8.75	8.72	3	Vertical	185	1.69	56.53	32.90	9.99	34.17

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71154G	43.78	54.00	-10.22	19.75	3	Vertical	139	1.57	24.03	38.40	15.81	34.46
PK	10.48492G	53.12	68.20	-15.08	17.10	3	Vertical	320	2.42	36.02	38.90	12.72	34.52
PK	15.72384G	56.60	74.00	-17.40	19.76	3	Vertical	139	1.57	36.84	38.40	15.82	34.46


5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TX



5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2936G	112.26	Inf	-Inf	8.77	3	Vertical	195	1.68	103.49	33.00	9.93	34.16
AV	5.3504G	52.95	54.00	-1.05	8.71	3	Vertical	195	1.68	44.24	32.90	9.97	34.16
PK	5.306G	125.20	Inf	-Inf	8.76	3	Vertical	195	1.68	116.44	32.99	9.93	34.16
PK	5.352G	65.77	74.00	-8.23	8.71	3	Vertical	195	1.68	57.06	32.90	9.97	34.16

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89484G	44.12	54.00	-9.88	19.55	3	Vertical	360	1.72	24.57	38.21	15.94	34.60
PK	10.59196G	53.51	68.20	-14.69	17.21	3	Vertical	167	2.37	36.30	38.90	12.76	34.45
PK	15.90288G	56.35	74.00	-17.65	19.54	3	Vertical	360	1.72	36.81	38.19	15.95	34.60


5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TX



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	51.48	54.00	-2.52	8.75	3	Vertical	186	2.52	42.73	32.90	10.02	34.17
AV	5.5008G	111.24	Inf	-Inf	8.76	3	Vertical	186	2.52	102.48	32.90	10.04	34.18
PK	5.47G	65.89	68.20	-2.31	8.74	3	Vertical	186	2.52	57.15	32.90	10.02	34.18
PK	5.506G	123.26	Inf	-Inf	8.76	3	Vertical	186	2.52	114.50	32.90	10.04	34.18

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9919G	41.20	54.00	-12.80	17.76	3	Vertical	67	1.50	23.44	39.01	12.92	34.17
PK	10.9874G	54.32	74.00	-19.68	17.76	3	Vertical	67	1.50	36.56	39.01	12.92	34.17
PK	16.4860G	56.95	68.20	-11.25	20.22	3	Vertical	346	1.50	36.73	38.33	16.10	34.21


5.47-5.725GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	116.58	Inf	-Inf	9.72	3	Vertical	193	1.79	106.86	33.77	10.15	34.20
PK	5.6406G	66.62	68.20	-1.58	8.90	3	Vertical	193	1.79	57.72	33.00	10.09	34.19
PK	5.751G	128.56	Inf	-Inf	9.76	3	Vertical	193	1.79	118.80	33.81	10.15	34.20
PK	5.9682G	66.82	68.20	-1.38	10.25	3	Vertical	193	1.79	56.57	34.16	10.31	34.22

5.725-5.85GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49486G	41.45	54.00	-12.55	18.16	3	Vertical	299	1.50	23.29	39.11	13.11	34.06
PK	11.481G	54.17	74.00	-19.83	18.17	3	Vertical	299	1.50	36.00	39.12	13.11	34.06
PK	17.22162G	56.12	68.20	-12.08	21.16	3	Vertical	257	1.50	34.96	38.22	16.22	33.28


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TX



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	112.67	Inf	-Inf	10.09	3	Vertical	190	1.19	102.58	34.10	10.20	34.21
PK	5.6006G	66.66	68.20	-1.54	8.88	3	Vertical	190	1.19	57.78	33.00	10.07	34.19
PK	5.8286G	127.31	Inf	-Inf	10.09	3	Vertical	190	1.19	117.22	34.10	10.20	34.21
PK	5.9402G	67.15	68.20	-1.05	10.29	3	Vertical	190	1.19	56.86	34.22	10.29	34.22

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63584G	43.06	54.00	-10.94	17.73	3	Vertical	69	1.94	25.33	38.70	13.17	34.14
PK	11.6371G	55.28	74.00	-18.72	17.72	3	Vertical	69	1.94	37.56	38.70	13.17	34.15
PK	17.47272G	56.56	68.20	-11.64	21.57	3	Vertical	124	1.50	34.99	38.67	16.26	33.36


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TX



5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	52.76	54.00	-1.24	8.79	3	Vertical	193	1.54	43.97	33.10	9.83	34.14
AV	5.2368G	104.78	Inf	-Inf	8.77	3	Vertical	193	1.54	96.01	33.03	9.89	34.15
PK	5.1336G	66.36	74.00	-7.64	8.78	3	Vertical	193	1.54	57.58	33.10	9.82	34.14
PK	5.2356G	119.94	Inf	-Inf	8.76	3	Vertical	193	1.54	111.18	33.03	9.88	34.15

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69084G	43.25	54.00	-10.75	19.78	3	Vertical	45	1.50	23.47	38.43	15.79	34.44
PK	10.46924G	54.18	68.20	-14.02	17.07	3	Vertical	312	1.95	37.11	38.90	12.71	34.54
PK	15.6996G	57.40	74.00	-16.60	19.75	3	Vertical	45	1.50	37.65	38.40	15.80	34.45


5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TX



5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.318G	102.30	Inf	-Inf	8.74	3	Vertical	198	1.61	93.56	32.96	9.94	34.16
AV	5.3532G	52.82	54.00	-1.18	8.71	3	Vertical	198	1.61	44.11	32.90	9.97	34.16
PK	5.3064G	117.67	Inf	-Inf	8.76	3	Vertical	198	1.61	108.91	32.99	9.93	34.16
PK	5.3528G	65.41	74.00	-8.59	8.71	3	Vertical	198	1.61	56.70	32.90	9.97	34.16

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64628G	40.15	54.00	-13.85	17.41	3	Vertical	47	1.50	22.74	39.04	12.78	34.41
AV	15.91428G	43.67	54.00	-10.33	19.52	3	Vertical	354	1.50	24.15	38.17	15.96	34.61
PK	10.63896G	53.55	74.00	-20.45	17.39	3	Vertical	47	1.50	36.16	39.02	12.78	34.41
PK	15.91068G	56.77	74.00	-17.23	19.52	3	Vertical	354	1.50	37.25	38.18	15.95	34.61

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	10.61928G	40.01	54.00	-13.99	17.30	3	Horizontal	310	1.01	22.71	38.96	12.77	34.43
AV	15.93072G	43.62	54.00	-10.38	19.48	3	Horizontal	261	2.92	24.14	38.14	15.97	34.63
PK	10.6276G	53.39	74.00	-20.61	17.33	3	Horizontal	310	1.01	36.06	38.98	12.77	34.42
PK	15.9132G	56.42	74.00	-17.58	19.52	3	Horizontal	261	2.92	36.90	38.17	15.96	34.61

5.47-5.725GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_4TX


5510MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.4532G	50.73	54.00	-3.27	8.75	3	Vertical	185	1.90	41.98	32.90	10.02	34.17
AV	5.514G	100.17	Inf	-Inf	8.76	3	Vertical	185	1.90	91.41	32.90	10.04	34.18
PK	5.4652G	66.48	68.20	-1.72	8.74	3	Vertical	185	1.90	57.74	32.90	10.02	34.18
PK	5.4984G	117.54	Inf	-Inf	8.75	3	Vertical	185	1.90	108.79	32.90	10.03	34.18


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TX



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.86	54.00	-1.14	8.75	3	Vertical	186	1.50	44.11	32.90	10.02	34.17
AV	5.5516G	106.65	Inf	-Inf	8.77	3	Vertical	186	1.50	97.88	32.90	10.05	34.18
PK	5.4648G	66.07	68.20	-2.13	8.74	3	Vertical	186	1.50	57.33	32.90	10.02	34.18
PK	5.5472G	123.22	Inf	-Inf	8.77	3	Vertical	186	1.50	114.45	32.90	10.05	34.18

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07648G	40.48	54.00	-13.52	17.73	3	Vertical	84	1.50	22.75	38.92	12.95	34.14
PK	11.10612G	53.98	74.00	-20.02	17.73	3	Vertical	84	1.50	36.25	38.91	12.96	34.14
PK	16.67352G	57.14	68.20	-11.06	20.52	3	Vertical	77	1.50	36.62	38.25	16.13	33.86


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TX



5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.54	54.00	-3.46	8.79	3	Vertical	186	1.50	41.75	33.10	9.83	34.14
AV	5.252G	99.44	Inf	-Inf	8.75	3	Vertical	186	1.50	90.69	33.00	9.90	34.15
AV	5.35G	52.92	54.00	-1.08	8.71	3	Vertical	186	1.50	44.21	32.90	9.97	34.16
PK	5.147G	63.46	74.00	-10.54	8.79	3	Vertical	186	1.50	54.67	33.10	9.83	34.14
PK	5.266G	117.65	Inf	-Inf	8.76	3	Vertical	186	1.50	108.89	33.00	9.91	34.15
PK	5.518G	63.26	68.20	-4.94	8.76	3	Vertical	186	1.50	54.50	32.90	10.04	34.18

5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91872G	43.62	54.00	-10.38	19.50	3	Vertical	189	2.46	24.12	38.16	15.96	34.62
PK	10.55504G	52.71	68.20	-15.49	17.18	3	Vertical	132	1.71	35.53	38.90	12.75	34.47
PK	15.90312G	55.44	74.00	-18.56	19.54	3	Vertical	189	2.46	35.90	38.19	15.95	34.60


5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TX



5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	52.25	54.00	-1.75	8.75	3	Vertical	200	1.73	43.50	32.90	10.02	34.17
AV	5.585G	103.97	Inf	-Inf	8.84	3	Vertical	200	1.73	95.13	32.97	10.06	34.19
PK	5.47G	64.54	68.20	-3.66	8.74	3	Vertical	200	1.73	55.80	32.90	10.02	34.18
PK	5.581G	119.91	Inf	-Inf	8.83	3	Vertical	200	1.73	111.08	32.96	10.06	34.19
PK	5.73G	66.57	68.20	-1.63	9.66	3	Vertical	200	1.73	56.91	33.72	10.14	34.20

5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.27832G	40.56	54.00	-13.44	18.01	3	Vertical	28	2.81	22.55	39.08	13.03	34.10
PK	11.2596G	52.40	74.00	-21.60	17.97	3	Vertical	28	2.81	34.43	39.06	13.02	34.11
PK	16.78752G	56.30	68.20	-11.90	20.82	3	Vertical	302	1.09	35.48	38.30	16.15	33.63


5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7954G	107.00	Inf	-Inf	10.05	3	Vertical	191	1.67	96.95	34.07	10.18	34.20
PK	5.6514G	67.98	69.24	-1.26	8.93	3	Vertical	191	1.67	59.05	33.02	10.10	34.19
PK	5.7954G	119.50	Inf	-Inf	10.05	3	Vertical	191	1.67	109.45	34.07	10.18	34.20
PK	5.9346G	66.84	68.20	-1.36	10.30	3	Vertical	191	1.67	56.54	34.23	10.28	34.21

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51472G	40.89	54.00	-13.11	18.09	3	Vertical	209	1.50	22.80	39.04	13.12	34.07
PK	11.50704G	54.26	74.00	-19.74	18.13	3	Vertical	209	1.50	36.13	39.07	13.12	34.06
PK	17.37948G	57.74	68.20	-10.46	21.45	3	Vertical	176	1.50	36.29	38.54	16.24	33.33


5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	5.4548G	51.35	54.00	-2.65	8.75	3	Vertical	185	1.60	42.60	32.90	10.02	34.17				
AV	5.5004G	100.98	Inf	-Inf	8.76	3	Vertical	185	1.60	92.22	32.90	10.04	34.18				
PK	5.4632G	66.65	68.20	-1.55	8.74	3	Vertical	185	1.60	57.91	32.90	10.02	34.18				
PK	5.5064G	114.19	Inf	-Inf	8.76	3	Vertical	185	1.60	105.43	32.90	10.04	34.18				
PK	5.726G	65.03	68.20	-3.17	9.64	3	Vertical	185	1.60	55.39	33.70	10.14	34.20				

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	11.17744G	40.92	54.00	-13.08	17.85	3	Vertical	259	2.34	23.07	38.98	12.99	34.12				
PK	11.10832G	52.71	74.00	-21.29	17.73	3	Vertical	259	2.34	34.98	38.91	12.96	34.14				
PK	16.76184G	56.73	68.20	-11.47	20.76	3	Vertical	217	1.24	35.97	38.30	16.14	33.68				

5.47-5.725GHz_802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.0944G	52.85	54.00	-1.15	3	Vertical	189	2.12
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.73	54.00	-1.27	3	Vertical	186	1.98
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.148G	52.94	54.00	-1.06	3	Vertical	190	2.12
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.4086G	52.99	54.00	-1.01	3	Vertical	191	2.08
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.356G	52.72	54.00	-1.28	3	Vertical	194	2.05
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.77	54.00	-1.23	3	Vertical	188	2.18
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.912G	67.15	68.20	-1.05	3	Vertical	190	2.12
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.8684G	67.05	68.20	-1.15	3	Vertical	187	2.11
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.8592G	66.89	68.20	-1.31	3	Vertical	194	2.13
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.9294G	67.00	68.20	-1.20	3	Vertical	192	2.13
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.927G	67.08	68.20	-1.12	3	Vertical	191	1.34
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.0852G	51.77	54.00	-2.23	3	Vertical	188	1.87

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.0852G	51.77	54.00	-2.23	3	Vertical	188	1.87
5180MHz	Pass	AV	5.1854G	105.13	Inf	-Inf	3	Vertical	188	1.87
5180MHz	Pass	PK	5.144G	64.81	74.00	-9.19	3	Vertical	188	1.87
5180MHz	Pass	PK	5.1752G	117.49	Inf	-Inf	3	Vertical	188	1.87
5180MHz	Pass	AV	15.54952G	44.29	54.00	-9.71	3	Vertical	71	1.50
5180MHz	Pass	PK	10.35268G	53.95	68.20	-14.25	3	Vertical	48	1.50
5180MHz	Pass	PK	15.5346G	57.36	74.00	-16.64	3	Vertical	71	1.50
5180MHz	Pass	AV	15.54804G	44.30	54.00	-9.70	3	Horizontal	159	1.50
5180MHz	Pass	PK	10.3544G	54.40	68.20	-13.80	3	Horizontal	127	1.40
5180MHz	Pass	PK	15.54836G	57.03	74.00	-16.97	3	Horizontal	159	1.50
5200MHz	Pass	AV	5.0944G	52.85	54.00	-1.15	3	Vertical	189	2.12
5200MHz	Pass	AV	5.2024G	108.68	Inf	-Inf	3	Vertical	189	2.12
5200MHz	Pass	AV	5.35G	50.94	54.00	-3.06	3	Vertical	189	2.12
5200MHz	Pass	PK	5.1076G	65.18	74.00	-8.82	3	Vertical	189	2.12
5200MHz	Pass	PK	5.1988G	121.60	Inf	-Inf	3	Vertical	189	2.12
5200MHz	Pass	PK	5.35G	62.88	74.00	-11.12	3	Vertical	189	2.12
5200MHz	Pass	AV	15.60492G	44.00	54.00	-10.00	3	Vertical	329	1.89
5200MHz	Pass	PK	10.3988G	54.13	68.20	-14.07	3	Vertical	327	2.48
5200MHz	Pass	PK	15.59364G	55.80	74.00	-18.20	3	Vertical	329	1.89
5200MHz	Pass	AV	15.60684G	44.02	54.00	-9.98	3	Horizontal	225	2.12
5200MHz	Pass	PK	10.40928G	52.87	68.20	-15.33	3	Horizontal	141	2.17
5200MHz	Pass	PK	15.60176G	55.46	74.00	-18.54	3	Horizontal	225	2.12
5240MHz	Pass	AV	5.1482G	52.46	54.00	-1.54	3	Vertical	190	2.10
5240MHz	Pass	AV	5.2334G	107.95	Inf	-Inf	3	Vertical	190	2.10
5240MHz	Pass	AV	5.35G	51.38	54.00	-2.62	3	Vertical	190	2.10
5240MHz	Pass	PK	5.1464G	65.14	74.00	-8.86	3	Vertical	190	2.10
5240MHz	Pass	PK	5.2448G	121.58	Inf	-Inf	3	Vertical	190	2.10
5240MHz	Pass	PK	5.35G	66.24	74.00	-7.76	3	Vertical	190	2.10
5240MHz	Pass	AV	15.724G	43.88	54.00	-10.12	3	Vertical	342	2.87
5240MHz	Pass	PK	10.48048G	53.01	68.20	-15.19	3	Vertical	231	2.07
5240MHz	Pass	PK	15.71584G	56.08	74.00	-17.92	3	Vertical	342	2.87
5240MHz	Pass	AV	15.72136G	44.08	54.00	-9.92	3	Horizontal	237	1.71
5240MHz	Pass	PK	10.47016G	53.05	68.20	-15.15	3	Horizontal	68	2.53
5240MHz	Pass	PK	15.72564G	56.34	74.00	-17.66	3	Horizontal	237	1.71
5260MHz	Pass	AV	5.15G	51.49	54.00	-2.51	3	Vertical	194	2.15
5260MHz	Pass	AV	5.257G	106.73	Inf	-Inf	3	Vertical	194	2.15
5260MHz	Pass	AV	5.3632G	52.95	54.00	-1.05	3	Vertical	194	2.15
5260MHz	Pass	PK	5.15G	63.11	74.00	-10.89	3	Vertical	194	2.15
5260MHz	Pass	PK	5.2648G	119.62	Inf	-Inf	3	Vertical	194	2.15
5260MHz	Pass	PK	5.365G	65.46	74.00	-8.54	3	Vertical	194	2.15
5260MHz	Pass	AV	15.77204G	43.78	54.00	-10.22	3	Vertical	161	1.96
5260MHz	Pass	PK	10.52512G	54.06	68.20	-14.14	3	Vertical	27	1.32
5260MHz	Pass	PK	15.7842G	55.42	74.00	-18.58	3	Vertical	161	1.96
5260MHz	Pass	AV	15.7708G	43.82	54.00	-10.18	3	Horizontal	290	2.09
5260MHz	Pass	PK	10.5206G	52.91	68.20	-15.29	3	Horizontal	240	2.41
5260MHz	Pass	PK	15.77188G	56.14	74.00	-17.86	3	Horizontal	290	2.09
5300MHz	Pass	AV	5.15G	48.97	54.00	-5.03	3	Vertical	191	2.08
5300MHz	Pass	AV	5.3024G	105.55	Inf	-Inf	3	Vertical	191	2.08
5300MHz	Pass	AV	5.4086G	52.99	54.00	-1.01	3	Vertical	191	2.08
5300MHz	Pass	PK	5.15G	59.53	74.00	-14.47	3	Vertical	191	2.08
5300MHz	Pass	PK	5.3066G	118.12	Inf	-Inf	3	Vertical	191	2.08
5300MHz	Pass	PK	5.4062G	65.31	74.00	-8.69	3	Vertical	191	2.08
5300MHz	Pass	AV	15.90432G	44.30	54.00	-9.70	3	Vertical	159	2.01
5300MHz	Pass	PK	10.60176G	53.32	74.00	-20.68	3	Vertical	96	1.82
5300MHz	Pass	PK	15.89684G	56.27	74.00	-17.73	3	Vertical	159	2.01
5300MHz	Pass	AV	10.60104G	41.20	54.00	-12.80	3	Horizontal	212	2.09
5300MHz	Pass	AV	15.9018G	44.36	54.00	-9.64	3	Horizontal	325	2.63
5300MHz	Pass	PK	10.594G	52.90	68.20	-15.30	3	Horizontal	212	2.09
5300MHz	Pass	PK	15.89412G	56.36	74.00	-17.64	3	Horizontal	325	2.63
5320MHz	Pass	AV	5.3134G	104.73	Inf	-Inf	3	Vertical	191	2.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.4184G	52.80	54.00	-1.20	3	Vertical	191	2.14
5320MHz	Pass	PK	5.3164G	117.57	Inf	-Inf	3	Vertical	191	2.14
5320MHz	Pass	PK	5.4646G	63.31	68.20	-4.89	3	Vertical	191	2.14
5320MHz	Pass	AV	10.63172G	41.19	54.00	-12.81	3	Vertical	288	1.15
5320MHz	Pass	AV	15.95836G	44.30	54.00	-9.70	3	Vertical	133	2.94
5320MHz	Pass	PK	10.63972G	54.25	74.00	-19.75	3	Vertical	288	1.15
5320MHz	Pass	PK	15.95752G	55.21	74.00	-18.79	3	Vertical	133	2.94
5320MHz	Pass	AV	10.63812G	41.12	54.00	-12.88	3	Horizontal	337	2.10
5320MHz	Pass	AV	15.95752G	44.23	54.00	-9.77	3	Horizontal	309	1.94
5320MHz	Pass	PK	10.63388G	53.15	74.00	-20.85	3	Horizontal	337	2.10
5320MHz	Pass	PK	15.95608G	55.11	74.00	-18.89	3	Horizontal	309	1.94
5500MHz	Pass	AV	5.395G	52.11	54.00	-1.89	3	Vertical	190	1.42
5500MHz	Pass	AV	5.4934G	109.20	Inf	-Inf	3	Vertical	190	1.42
5500MHz	Pass	PK	5.4694G	66.88	68.20	-1.32	3	Vertical	190	1.42
5500MHz	Pass	PK	5.4946G	121.21	Inf	-Inf	3	Vertical	190	1.42
5500MHz	Pass	AV	11.00316G	41.63	54.00	-12.37	3	Vertical	136	2.60
5500MHz	Pass	PK	10.99436G	53.83	74.00	-20.17	3	Vertical	136	2.60
5500MHz	Pass	PK	16.5042G	56.87	68.20	-11.33	3	Vertical	282	1.91
5500MHz	Pass	AV	10.99704G	41.77	54.00	-12.23	3	Horizontal	348	1.39
5500MHz	Pass	PK	10.99312G	53.13	74.00	-20.87	3	Horizontal	348	1.39
5500MHz	Pass	PK	16.50312G	55.79	68.20	-12.41	3	Horizontal	147	1.92
5580MHz	Pass	AV	5.46G	51.17	54.00	-2.83	3	Vertical	192	2.08
5580MHz	Pass	AV	5.589G	115.11	Inf	-Inf	3	Vertical	192	2.08
5580MHz	Pass	PK	5.4672G	63.99	68.20	-4.21	3	Vertical	192	2.08
5580MHz	Pass	PK	5.5866G	126.60	Inf	-Inf	3	Vertical	192	2.08
5580MHz	Pass	PK	5.7258G	64.92	68.20	-3.28	3	Vertical	192	2.08
5580MHz	Pass	AV	11.16632G	42.04	54.00	-11.96	3	Vertical	54	1.50
5580MHz	Pass	PK	11.16684G	54.81	74.00	-19.19	3	Vertical	54	1.50
5580MHz	Pass	PK	16.74703G	66.71	68.20	-1.49	3	Vertical	60	2.72
5580MHz	Pass	AV	11.16224G	41.20	54.00	-12.80	3	Horizontal	47	2.79
5580MHz	Pass	PK	11.14096G	54.23	74.00	-19.77	3	Horizontal	47	2.79
5580MHz	Pass	PK	16.74367G	58.05	68.20	-10.15	3	Horizontal	57	2.24
5700MHz	Pass	AV	5.7084G	105.58	Inf	-Inf	3	Vertical	190	2.13
5700MHz	Pass	PK	5.7048G	117.98	Inf	-Inf	3	Vertical	190	2.13
5700MHz	Pass	PK	5.7252G	67.13	68.20	-1.07	3	Vertical	190	2.13
5700MHz	Pass	AV	11.38734G	42.37	54.00	-11.63	3	Vertical	116	1.50
5700MHz	Pass	PK	11.38884G	55.01	74.00	-18.99	3	Vertical	116	1.50
5700MHz	Pass	PK	17.11026G	56.85	68.20	-11.35	3	Vertical	273	2.08
5700MHz	Pass	AV	11.3895G	42.32	54.00	-11.68	3	Horizontal	87	2.86
5700MHz	Pass	PK	11.40264G	55.55	74.00	-18.45	3	Horizontal	87	2.86
5700MHz	Pass	PK	17.09274G	56.34	68.20	-11.86	3	Horizontal	89	1.95
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	51.96	54.00	-2.04	3	Vertical	190	2.12
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	117.02	Inf	-Inf	3	Vertical	190	2.12
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	63.47	68.20	-4.73	3	Vertical	190	2.12
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	128.46	Inf	-Inf	3	Vertical	190	2.12
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	67.15	68.20	-1.05	3	Vertical	190	2.12
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45368G	46.61	54.00	-7.39	3	Vertical	52	2.93
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45314G	58.45	74.00	-15.55	3	Vertical	52	2.93
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16024G	64.22	68.20	-3.98	3	Vertical	65	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45212G	44.64	54.00	-9.36	3	Horizontal	34	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45158G	57.18	74.00	-16.82	3	Horizontal	34	1.48
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1552G	58.07	68.20	-10.13	3	Horizontal	47	2.68
5745MHz	Pass	AV	5.751G	110.15	Inf	-Inf	3	Vertical	196	2.10
5745MHz	Pass	PK	5.643G	66.53	68.20	-1.67	3	Vertical	196	2.10
5745MHz	Pass	PK	5.751G	122.92	Inf	-Inf	3	Vertical	196	2.10
5745MHz	Pass	PK	5.9418G	65.32	68.20	-2.88	3	Vertical	196	2.10
5745MHz	Pass	AV	11.49318G	42.71	54.00	-11.29	3	Vertical	59	2.08
5745MHz	Pass	PK	11.4978G	55.18	74.00	-18.82	3	Vertical	59	2.08
5745MHz	Pass	PK	17.23656G	60.15	68.20	-8.05	3	Vertical	64	1.76
5745MHz	Pass	AV	11.48556G	42.42	54.00	-11.58	3	Horizontal	40	1.50
5745MHz	Pass	PK	11.49738G	54.44	74.00	-19.56	3	Horizontal	40	1.50
5745MHz	Pass	PK	17.24574G	56.89	68.20	-11.31	3	Horizontal	351	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	AV	5.7802G	116.25	Inf	-Inf	3	Vertical	192	2.14
5785MHz	Pass	PK	5.5762G	66.83	68.20	-1.37	3	Vertical	192	2.14
5785MHz	Pass	PK	5.7898G	128.58	Inf	-Inf	3	Vertical	192	2.14
5785MHz	Pass	PK	5.9854G	66.62	68.20	-1.58	3	Vertical	192	2.14
5785MHz	Pass	AV	11.57048G	47.12	54.00	-6.88	3	Vertical	92	3.00
5785MHz	Pass	PK	11.56676G	60.24	74.00	-13.76	3	Vertical	92	3.00
5785MHz	Pass	PK	17.36888G	58.57	68.20	-9.63	3	Vertical	62	2.66
5785MHz	Pass	AV	11.55908G	43.43	54.00	-10.57	3	Horizontal	42	2.11
5785MHz	Pass	PK	11.55878G	54.82	74.00	-19.18	3	Horizontal	42	2.11
5785MHz	Pass	PK	17.36436G	57.61	68.20	-10.59	3	Horizontal	58	1.50
5825MHz	Pass	AV	5.8226G	109.31	Inf	-Inf	3	Vertical	192	2.13
5825MHz	Pass	PK	5.537G	63.59	68.20	-4.61	3	Vertical	192	2.13
5825MHz	Pass	PK	5.8298G	122.13	Inf	-Inf	3	Vertical	192	2.13
5825MHz	Pass	PK	5.9294G	67.00	68.20	-1.20	3	Vertical	192	2.13
5825MHz	Pass	AV	11.64244G	43.85	54.00	-10.15	3	Vertical	90	2.89
5825MHz	Pass	PK	11.6413G	57.78	74.00	-16.22	3	Vertical	90	2.89
5825MHz	Pass	PK	17.48802G	58.38	68.20	-9.82	3	Vertical	64	1.50
5825MHz	Pass	AV	11.64316G	41.55	54.00	-12.45	3	Horizontal	229	1.50
5825MHz	Pass	PK	11.6536G	54.54	74.00	-19.46	3	Horizontal	229	1.50
5825MHz	Pass	PK	17.46888G	57.41	68.20	-10.79	3	Horizontal	241	1.50
802.11ax HEW40-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.73	54.00	-1.27	3	Vertical	186	1.98
5190MHz	Pass	AV	5.1952G	100.43	Inf	-Inf	3	Vertical	186	1.98
5190MHz	Pass	PK	5.148G	65.86	74.00	-8.14	3	Vertical	186	1.98
5190MHz	Pass	PK	5.1756G	113.41	Inf	-Inf	3	Vertical	186	1.98
5190MHz	Pass	AV	15.56112G	43.54	54.00	-10.46	3	Vertical	0	1.50
5190MHz	Pass	PK	10.39936G	53.85	68.20	-14.35	3	Vertical	272	1.50
5190MHz	Pass	PK	15.56632G	58.19	74.00	-15.81	3	Vertical	0	1.50
5190MHz	Pass	AV	15.5664G	43.57	54.00	-10.43	3	Horizontal	152	1.50
5190MHz	Pass	PK	10.374G	54.17	68.20	-14.03	3	Horizontal	327	2.62
5190MHz	Pass	PK	15.576G	56.73	74.00	-17.27	3	Horizontal	152	1.50
5230MHz	Pass	AV	5.1456G	52.71	54.00	-1.29	3	Vertical	187	2.02
5230MHz	Pass	AV	5.2356G	106.86	Inf	-Inf	3	Vertical	187	2.02
5230MHz	Pass	PK	5.148G	65.95	74.00	-8.05	3	Vertical	187	2.02
5230MHz	Pass	PK	5.236G	119.50	Inf	-Inf	3	Vertical	187	2.02
5230MHz	Pass	AV	15.70776G	43.42	54.00	-10.58	3	Vertical	79	3.00
5230MHz	Pass	PK	10.4584G	54.31	68.20	-13.89	3	Vertical	301	1.50
5230MHz	Pass	PK	15.69432G	57.81	74.00	-16.19	3	Vertical	79	3.00
5230MHz	Pass	AV	15.708G	43.32	54.00	-10.68	3	Horizontal	347	1.50
5230MHz	Pass	PK	10.44032G	53.91	68.20	-14.29	3	Horizontal	196	1.50
5230MHz	Pass	PK	15.70024G	57.03	74.00	-16.97	3	Horizontal	347	1.50
5270MHz	Pass	AV	5.2828G	105.10	Inf	-Inf	3	Vertical	194	2.05
5270MHz	Pass	AV	5.356G	52.72	54.00	-1.28	3	Vertical	194	2.05
5270MHz	Pass	PK	5.2764G	118.30	Inf	-Inf	3	Vertical	194	2.05
5270MHz	Pass	PK	5.3572G	65.66	74.00	-8.34	3	Vertical	194	2.05
5270MHz	Pass	AV	15.82208G	43.50	54.00	-10.50	3	Vertical	243	1.50
5270MHz	Pass	PK	10.55672G	53.17	68.20	-15.03	3	Vertical	282	1.50
5270MHz	Pass	PK	15.80144G	57.52	74.00	-16.48	3	Vertical	243	1.50
5270MHz	Pass	AV	15.83352G	43.54	54.00	-10.46	3	Horizontal	14	1.50
5270MHz	Pass	PK	10.53148G	53.12	68.20	-15.08	3	Horizontal	0	1.50
5270MHz	Pass	PK	15.81324G	56.24	74.00	-17.76	3	Horizontal	14	1.50
5310MHz	Pass	AV	5.3264G	101.28	Inf	-Inf	3	Vertical	195	1.93
5310MHz	Pass	AV	5.3532G	52.16	54.00	-1.84	3	Vertical	195	1.93
5310MHz	Pass	PK	5.3028G	114.38	Inf	-Inf	3	Vertical	195	1.93
5310MHz	Pass	PK	5.35G	65.09	74.00	-8.91	3	Vertical	195	1.93
5310MHz	Pass	AV	10.6428G	40.31	54.00	-13.69	3	Vertical	360	2.98
5310MHz	Pass	AV	15.92064G	43.74	54.00	-10.26	3	Vertical	75	1.60
5310MHz	Pass	PK	10.6026G	54.10	74.00	-19.90	3	Vertical	360	2.98
5310MHz	Pass	PK	15.95436G	56.84	74.00	-17.16	3	Vertical	75	1.60
5310MHz	Pass	AV	10.64352G	40.19	54.00	-13.81	3	Horizontal	290	1.50
5310MHz	Pass	AV	15.91836G	43.69	54.00	-10.31	3	Horizontal	228	1.50
5310MHz	Pass	PK	10.64652G	54.29	74.00	-19.71	3	Horizontal	290	1.50



RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	15.91704G	56.93	74.00	-17.07	3	Horizontal	228	1.50
5510MHz	Pass	AV	5.4588G	50.98	54.00	-3.02	3	Vertical	176	1.50
5510MHz	Pass	AV	5.504G	100.61	Inf	-Inf	3	Vertical	176	1.50
5510MHz	Pass	PK	5.4584G	64.15	74.00	-9.85	3	Vertical	176	1.50
5510MHz	Pass	PK	5.4692G	66.14	68.20	-2.06	3	Vertical	176	1.50
5510MHz	Pass	PK	5.5056G	114.96	Inf	-Inf	3	Vertical	176	1.50
5510MHz	Pass	AV	10.99972G	40.69	54.00	-13.31	3	Vertical	193	1.06
5510MHz	Pass	PK	11.04196G	53.88	74.00	-20.12	3	Vertical	193	1.06
5510MHz	Pass	PK	16.54488G	56.88	68.20	-11.32	3	Vertical	278	1.50
5510MHz	Pass	AV	11.00356G	40.67	54.00	-13.33	3	Horizontal	86	1.50
5510MHz	Pass	PK	11.04172G	53.59	74.00	-20.41	3	Horizontal	86	1.50
5510MHz	Pass	PK	16.50144G	57.06	68.20	-11.14	3	Horizontal	235	2.23
5550MHz	Pass	AV	5.4508G	51.93	54.00	-2.07	3	Vertical	188	2.29
5550MHz	Pass	AV	5.5364G	109.36	Inf	-Inf	3	Vertical	188	2.29
5550MHz	Pass	PK	5.4696G	66.69	68.20	-1.51	3	Vertical	188	2.29
5550MHz	Pass	PK	5.5356G	122.50	Inf	-Inf	3	Vertical	188	2.29
5550MHz	Pass	AV	11.09568G	40.45	54.00	-13.55	3	Vertical	234	1.50
5550MHz	Pass	PK	11.12016G	53.79	74.00	-20.21	3	Vertical	234	1.50
5550MHz	Pass	PK	16.67656G	59.02	68.20	-9.18	3	Vertical	56	2.44
5550MHz	Pass	AV	11.10912G	40.47	54.00	-13.53	3	Horizontal	88	1.22
5550MHz	Pass	PK	11.08448G	53.72	74.00	-20.28	3	Horizontal	88	1.22
5550MHz	Pass	PK	16.6388G	57.20	68.20	-11.00	3	Horizontal	6	1.50
5670MHz	Pass	AV	5.676G	102.47	Inf	-Inf	3	Vertical	188	2.29
5670MHz	Pass	PK	5.667G	115.92	Inf	-Inf	3	Vertical	188	2.29
5670MHz	Pass	PK	5.7264G	66.60	68.20	-1.60	3	Vertical	188	2.29
5670MHz	Pass	AV	11.37872G	41.10	54.00	-12.90	3	Vertical	328	1.50
5670MHz	Pass	PK	11.31328G	54.27	74.00	-19.73	3	Vertical	328	1.50
5670MHz	Pass	PK	17.01768G	59.84	68.20	-8.36	3	Vertical	55	2.84
5670MHz	Pass	AV	11.37952G	41.27	54.00	-12.73	3	Horizontal	140	2.55
5670MHz	Pass	PK	11.31168G	53.87	74.00	-20.13	3	Horizontal	140	2.55
5670MHz	Pass	PK	16.97064G	56.73	68.20	-11.47	3	Horizontal	15	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	50.18	54.00	-3.82	3	Vertical	187	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7136G	111.50	Inf	-Inf	3	Vertical	187	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	63.37	68.20	-4.83	3	Vertical	187	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	123.79	Inf	-Inf	3	Vertical	187	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8684G	67.05	68.20	-1.15	3	Vertical	187	2.11
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40384G	43.38	54.00	-10.62	3	Vertical	53	2.10
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42G	58.39	74.00	-15.61	3	Vertical	53	2.10
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1164G	59.94	68.20	-8.26	3	Vertical	63	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4264G	41.96	54.00	-12.04	3	Horizontal	32	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43248G	55.28	74.00	-18.72	3	Horizontal	32	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.09528G	58.11	68.20	-10.09	3	Horizontal	45	2.42
5755MHz	Pass	AV	5.7598G	107.87	Inf	-Inf	3	Vertical	189	2.13
5755MHz	Pass	PK	5.6362G	66.61	68.20	-1.59	3	Vertical	189	2.13
5755MHz	Pass	PK	5.7574G	120.62	Inf	-Inf	3	Vertical	189	2.13
5755MHz	Pass	PK	5.9398G	65.08	68.20	-3.12	3	Vertical	189	2.13
5755MHz	Pass	AV	11.49352G	44.55	54.00	-9.45	3	Vertical	101	2.72
5755MHz	Pass	PK	11.51016G	58.70	74.00	-15.30	3	Vertical	101	2.72
5755MHz	Pass	PK	17.253G	57.97	68.20	-10.23	3	Vertical	62	2.20
5755MHz	Pass	AV	11.50456G	41.55	54.00	-12.45	3	Horizontal	32	1.50
5755MHz	Pass	PK	11.5396G	54.67	74.00	-19.33	3	Horizontal	32	1.50
5755MHz	Pass	PK	17.26772G	57.69	68.20	-10.51	3	Horizontal	117	1.50
5795MHz	Pass	AV	5.7986G	111.18	Inf	-Inf	3	Vertical	191	1.34
5795MHz	Pass	PK	5.5994G	66.11	68.20	-2.09	3	Vertical	191	1.34
5795MHz	Pass	PK	5.8022G	123.87	Inf	-Inf	3	Vertical	191	1.34
5795MHz	Pass	PK	5.927G	67.08	68.20	-1.12	3	Vertical	191	1.34
5795MHz	Pass	AV	11.60984G	46.53	54.00	-7.47	3	Vertical	90	2.84
5795MHz	Pass	PK	11.58952G	59.22	74.00	-14.78	3	Vertical	90	2.84
5795MHz	Pass	PK	17.39764G	57.88	68.20	-10.32	3	Vertical	57	2.54
5795MHz	Pass	AV	11.57352G	41.40	54.00	-12.60	3	Horizontal	28	1.83
5795MHz	Pass	PK	11.5876G	54.29	74.00	-19.71	3	Horizontal	28	1.83
5795MHz	Pass	PK	17.39844G	57.34	68.20	-10.86	3	Horizontal	13	3.00



RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	52.94	54.00	-1.06	3	Vertical	190	2.12
5210MHz	Pass	AV	5.221G	99.92	Inf	-Inf	3	Vertical	190	2.12
5210MHz	Pass	AV	5.35G	51.17	54.00	-2.83	3	Vertical	190	2.12
5210MHz	Pass	PK	5.146G	65.99	74.00	-8.01	3	Vertical	190	2.12
5210MHz	Pass	PK	5.202G	114.70	Inf	-Inf	3	Vertical	190	2.12
5210MHz	Pass	PK	5.361G	64.76	74.00	-9.24	3	Vertical	190	2.12
5210MHz	Pass	AV	15.59448G	43.45	54.00	-10.55	3	Vertical	360	1.50
5210MHz	Pass	PK	10.4032G	53.84	68.20	-14.36	3	Vertical	84	1.14
5210MHz	Pass	PK	15.59624G	56.68	74.00	-17.32	3	Vertical	360	1.50
5210MHz	Pass	AV	15.59416G	43.52	54.00	-10.48	3	Horizontal	240	1.50
5210MHz	Pass	PK	10.43856G	53.99	68.20	-14.21	3	Horizontal	338	1.50
5210MHz	Pass	PK	15.61016G	57.00	74.00	-17.00	3	Horizontal	240	1.50
5290MHz	Pass	AV	5.15G	49.30	54.00	-4.70	3	Vertical	188	2.18
5290MHz	Pass	AV	5.3G	98.85	Inf	-Inf	3	Vertical	188	2.18
5290MHz	Pass	AV	5.35G	52.77	54.00	-1.23	3	Vertical	188	2.18
5290MHz	Pass	PK	5.138G	62.30	74.00	-11.70	3	Vertical	188	2.18
5290MHz	Pass	PK	5.282G	113.88	Inf	-Inf	3	Vertical	188	2.18
5290MHz	Pass	PK	5.48G	63.56	68.20	-4.64	3	Vertical	188	2.18
5290MHz	Pass	AV	15.88968G	43.84	54.00	-10.16	3	Vertical	220	1.50
5290MHz	Pass	PK	10.57456G	54.30	68.20	-13.90	3	Vertical	105	1.07
5290MHz	Pass	PK	15.83464G	57.40	74.00	-16.60	3	Vertical	220	1.50
5290MHz	Pass	AV	15.89608G	43.91	54.00	-10.09	3	Horizontal	229	1.50
5290MHz	Pass	PK	10.59824G	54.84	68.20	-13.36	3	Horizontal	137	1.50
5290MHz	Pass	PK	15.90744G	56.88	74.00	-17.12	3	Horizontal	229	1.50
5530MHz	Pass	AV	5.46G	51.20	54.00	-2.80	3	Vertical	192	2.19
5530MHz	Pass	AV	5.538G	103.82	Inf	-Inf	3	Vertical	192	2.19
5530MHz	Pass	PK	5.468G	66.66	68.20	-1.54	3	Vertical	192	2.19
5530MHz	Pass	PK	5.536G	117.04	Inf	-Inf	3	Vertical	192	2.19
5530MHz	Pass	PK	5.726G	63.63	68.20	-4.57	3	Vertical	192	2.19
5530MHz	Pass	AV	11.02896G	40.97	54.00	-13.03	3	Vertical	39	1.50
5530MHz	Pass	PK	11.0528G	53.98	74.00	-20.02	3	Vertical	39	1.50
5530MHz	Pass	PK	16.578G	57.38	68.20	-10.82	3	Vertical	117	1.50
5530MHz	Pass	AV	11.0208G	41.01	54.00	-12.99	3	Horizontal	119	1.20
5530MHz	Pass	PK	11.02912G	54.90	74.00	-19.10	3	Horizontal	119	1.20
5530MHz	Pass	PK	16.5588G	57.17	68.20	-11.03	3	Horizontal	268	1.50
5610MHz	Pass	AV	5.456G	49.74	54.00	-4.26	3	Vertical	188	2.13
5610MHz	Pass	AV	5.594G	103.44	Inf	-Inf	3	Vertical	188	2.13
5610MHz	Pass	PK	5.465G	62.42	68.20	-5.78	3	Vertical	188	2.13
5610MHz	Pass	PK	5.601G	117.40	Inf	-Inf	3	Vertical	188	2.13
5610MHz	Pass	PK	5.747G	66.24	68.20	-1.96	3	Vertical	188	2.13
5610MHz	Pass	AV	11.19456G	40.80	54.00	-13.20	3	Vertical	150	1.50
5610MHz	Pass	PK	11.24016G	53.95	74.00	-20.05	3	Vertical	150	1.50
5610MHz	Pass	PK	16.83032G	57.71	68.20	-10.49	3	Vertical	49	2.68
5610MHz	Pass	AV	11.25728G	40.82	54.00	-13.18	3	Horizontal	215	3.00
5610MHz	Pass	PK	11.25552G	54.41	74.00	-19.59	3	Horizontal	215	3.00
5610MHz	Pass	PK	16.82296G	57.08	68.20	-11.12	3	Horizontal	147	2.62
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4536G	49.40	54.00	-4.60	3	Vertical	194	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.72G	104.96	Inf	-Inf	3	Vertical	194	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	62.55	68.20	-5.65	3	Vertical	194	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	118.21	Inf	-Inf	3	Vertical	194	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	66.89	68.20	-1.31	3	Vertical	194	2.13
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3968G	42.01	54.00	-11.99	3	Vertical	55	2.09
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36104G	55.26	74.00	-18.74	3	Vertical	55	2.09
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07456G	57.85	68.20	-10.35	3	Vertical	63	2.63
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38648G	41.72	54.00	-12.28	3	Horizontal	289	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40856G	55.20	74.00	-18.80	3	Horizontal	289	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07504G	56.97	68.20	-11.23	3	Horizontal	224	1.50
5775MHz	Pass	AV	5.0852G	51.77	54.00	-2.23	3	Vertical	188	1.87
5775MHz	Pass	AV	5.1854G	105.13	Inf	-Inf	3	Vertical	188	1.87
5775MHz	Pass	PK	5.144G	64.81	74.00	-9.19	3	Vertical	188	1.87
5775MHz	Pass	PK	5.1752G	117.49	Inf	-Inf	3	Vertical	188	1.87




RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	AV	15.54952G	44.29	54.00	-9.71	3	Vertical	71	1.50
5775MHz	Pass	PK	10.35268G	53.95	68.20	-14.25	3	Vertical	48	1.50
5775MHz	Pass	PK	15.5346G	57.36	74.00	-16.64	3	Vertical	71	1.50
5775MHz	Pass	AV	15.54804G	44.30	54.00	-9.70	3	Horizontal	159	1.50
5775MHz	Pass	PK	10.3544G	54.40	68.20	-13.80	3	Horizontal	127	1.40
5775MHz	Pass	PK	15.54836G	57.03	74.00	-16.97	3	Horizontal	159	1.50


5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX



5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	52.46	54.00	-1.54	8.79	3	Vertical	190	2.10	43.67	33.10	9.83	34.14
AV	5.2334G	107.95	Inf	-Inf	8.76	3	Vertical	190	2.10	99.19	33.03	9.88	34.15
AV	5.35G	51.38	54.00	-2.62	8.71	3	Vertical	190	2.10	42.67	32.90	9.97	34.16
PK	5.1464G	65.14	74.00	-8.86	8.79	3	Vertical	190	2.10	56.35	33.10	9.83	34.14
PK	5.2448G	121.58	Inf	-Inf	8.75	3	Vertical	190	2.10	112.83	33.01	9.89	34.15
PK	5.35G	66.24	74.00	-7.76	8.71	3	Vertical	190	2.10	57.53	32.90	9.97	34.16

5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.724G	43.88	54.00	-10.12	19.76	3	Vertical	342	2.87	24.12	38.40	15.82	34.46
PK	10.48048G	53.01	68.20	-15.19	17.09	3	Vertical	231	2.07	35.92	38.90	12.72	34.53
PK	15.71584G	56.08	74.00	-17.92	19.75	3	Vertical	342	2.87	36.33	38.40	15.81	34.46


5.15-5.25GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX



5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.97	54.00	-5.03	8.79	3	Vertical	191	2.08	40.18	33.10	9.83	34.14
AV	5.3024G	105.55	Inf	-Inf	8.77	3	Vertical	191	2.08	96.78	33.00	9.93	34.16
AV	5.4086G	52.99	54.00	-1.01	8.73	3	Vertical	191	2.08	44.26	32.90	10.00	34.17
PK	5.15G	59.53	74.00	-14.47	8.79	3	Vertical	191	2.08	50.74	33.10	9.83	34.14
PK	5.3066G	118.12	Inf	-Inf	8.76	3	Vertical	191	2.08	109.36	32.99	9.93	34.16
PK	5.4062G	65.31	74.00	-8.69	8.73	3	Vertical	191	2.08	56.58	32.90	10.00	34.17

5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90432G	44.30	54.00	-9.70	19.53	3	Vertical	159	2.01	24.77	38.19	15.95	34.61
PK	10.60176G	53.32	74.00	-20.68	17.23	3	Vertical	96	1.82	36.09	38.91	12.76	34.44
PK	15.89684G	56.27	74.00	-17.73	19.55	3	Vertical	159	2.01	36.72	38.21	15.94	34.60

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60104G	41.20	54.00	-12.80	17.22	3	Horizontal	212	2.09	23.98	38.90	12.76	34.44
AV	15.9018G	44.36	54.00	-9.64	19.55	3	Horizontal	325	2.63	24.81	38.20	15.95	34.60
PK	10.594G	52.90	68.20	-15.30	17.22	3	Horizontal	212	2.09	35.68	38.90	12.76	34.44
PK	15.89412G	56.36	74.00	-17.64	19.55	3	Horizontal	325	2.63	36.81	38.21	15.94	34.60

5.25-5.35GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3134G	104.73	Inf	-Inf	8.75	3	Vertical	191	2.14	95.98	32.97	9.94	34.16
AV	5.4184G	52.80	54.00	-1.20	8.74	3	Vertical	191	2.14	44.06	32.90	10.01	34.17
PK	5.3164G	117.57	Inf	-Inf	8.75	3	Vertical	191	2.14	108.82	32.97	9.94	34.16
PK	5.4646G	63.31	68.20	-4.89	8.74	3	Vertical	191	2.14	54.57	32.90	10.02	34.18


5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5320MHz_TX



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.395G	52.11	54.00	-1.89	8.73	3	Vertical	190	1.42	43.38	32.90	10.00	34.17
AV	5.4934G	109.20	Inf	-Inf	8.75	3	Vertical	190	1.42	100.45	32.90	10.03	34.18
PK	5.4694G	66.88	68.20	-1.32	8.74	3	Vertical	190	1.42	58.14	32.90	10.02	34.18
PK	5.4946G	121.21	Inf	-Inf	8.75	3	Vertical	190	1.42	112.46	32.90	10.03	34.18

5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00316G	41.63	54.00	-12.37	17.76	3	Vertical	136	2.60	23.87	39.00	12.92	34.16
PK	10.99436G	53.83	74.00	-20.17	17.77	3	Vertical	136	2.60	36.06	39.01	12.92	34.16
PK	16.5042G	56.87	68.20	-11.33	20.30	3	Vertical	282	1.91	36.57	38.39	16.10	34.19


5.47-5.725GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX

