



5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	110.15	Inf	-Inf	9.76	3	Vertical	196	2.10	100.39	33.81	10.15	34.20
PK	5.643G	66.53	68.20	-1.67	8.90	3	Vertical	196	2.10	57.63	33.00	10.09	34.19
PK	5.751G	122.92	Inf	-Inf	9.76	3	Vertical	196	2.10	113.16	33.81	10.15	34.20
PK	5.9418G	65.32	68.20	-2.88	10.29	3	Vertical	196	2.10	55.03	34.22	10.29	34.22

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49318G	42.71	54.00	-11.29	18.16	3	Vertical	59	2.08	24.55	39.11	13.11	34.06
PK	11.4978G	55.18	74.00	-18.82	18.15	3	Vertical	59	2.08	37.03	39.10	13.11	34.06
PK	17.23656G	60.15	68.20	-8.05	21.17	3	Vertical	64	1.76	38.98	38.24	16.22	33.29


5.725-5.85GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11ax_HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	109.31	Inf	-Inf	10.09	3	Vertical	192	2.13	99.22	34.10	10.20	34.21
PK	5.537G	63.59	68.20	-4.61	8.77	3	Vertical	192	2.13	54.82	32.90	10.05	34.18
PK	5.8298G	122.13	Inf	-Inf	10.09	3	Vertical	192	2.13	112.04	34.10	10.20	34.21
PK	5.9294G	67.00	68.20	-1.20	10.31	3	Vertical	192	2.13	56.69	34.24	10.28	34.21

5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64244G	43.85	54.00	-10.15	17.72	3	Vertical	90	2.89	26.13	38.70	13.17	34.15
PK	11.6413G	57.78	74.00	-16.22	17.72	3	Vertical	90	2.89	40.06	38.70	13.17	34.15
PK	17.48802G	58.38	68.20	-9.82	21.58	3	Vertical	64	1.50	36.80	38.69	16.26	33.37


5.725-5.85GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	52.71	54.00	-1.29	8.79	3	Vertical	187	2.02	43.92	33.10	9.83	34.14
AV	5.2356G	106.86	Inf	-Inf	8.76	3	Vertical	187	2.02	98.10	33.03	9.88	34.15
PK	5.148G	65.95	74.00	-8.05	8.79	3	Vertical	187	2.02	57.16	33.10	9.83	34.14
PK	5.236G	119.50	Inf	-Inf	8.77	3	Vertical	187	2.02	110.73	33.03	9.89	34.15

5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70776G	43.42	54.00	-10.58	19.75	3	Vertical	79	3.00	23.67	38.40	15.80	34.45
PK	10.4584G	54.31	68.20	-13.89	17.07	3	Vertical	301	1.50	37.24	38.90	12.71	34.54
PK	15.69432G	57.81	74.00	-16.19	19.77	3	Vertical	79	3.00	38.04	38.42	15.79	34.44


5.15-5.25GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX



5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	5.3264G	101.28	Inf	-Inf	8.74	3	Vertical	195	1.93	92.54	32.95	9.95	34.16
AV	5.3532G	52.16	54.00	-1.84	8.71	3	Vertical	195	1.93	43.45	32.90	9.97	34.16
PK	5.3028G	114.38	Inf	-Inf	8.76	3	Vertical	195	1.93	105.62	32.99	9.93	34.16
PK	5.35G	65.09	74.00	-8.91	8.71	3	Vertical	195	1.93	56.38	32.90	9.97	34.16

5.25-5.35GHz_802.11ax_HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	10.6428G	40.31	54.00	-13.69	17.40	3	Vertical	360	2.98	22.91	39.03	12.78	34.41
AV	15.92064G	43.74	54.00	-10.26	19.50	3	Vertical	75	1.60	24.24	38.16	15.96	34.62
PK	10.6026G	54.10	74.00	-19.90	17.24	3	Vertical	360	2.98	36.86	38.91	12.77	34.44
PK	15.95436G	56.84	74.00	-17.16	19.44	3	Vertical	75	1.60	37.40	38.09	15.99	34.64

5.25-5.35GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64352G	40.19	54.00	-13.81	17.40	3	Horizontal	290	1.50	22.79	39.03	12.78	34.41
AV	15.91836G	43.69	54.00	-10.31	19.50	3	Horizontal	228	1.50	24.19	38.16	15.96	34.62
PK	10.64652G	54.29	74.00	-19.71	17.41	3	Horizontal	290	1.50	36.88	39.04	12.78	34.41
PK	15.91704G	56.93	74.00	-17.07	19.51	3	Horizontal	228	1.50	37.42	38.17	15.96	34.62

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	50.98	54.00	-3.02	8.74	3	Vertical	176	1.50	42.24	32.90	10.02	34.18
AV	5.504G	100.61	Inf	-Inf	8.76	3	Vertical	176	1.50	91.85	32.90	10.04	34.18
PK	5.4584G	64.15	74.00	-9.85	8.74	3	Vertical	176	1.50	55.41	32.90	10.02	34.18
PK	5.4692G	66.14	68.20	-2.06	8.74	3	Vertical	176	1.50	57.40	32.90	10.02	34.18
PK	5.5056G	114.96	Inf	-Inf	8.76	3	Vertical	176	1.50	106.20	32.90	10.04	34.18


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	51.93	54.00	-2.07	8.75	3	Vertical	188	2.29	43.18	32.90	10.02	34.17
AV	5.5364G	109.36	Inf	-Inf	8.77	3	Vertical	188	2.29	100.59	32.90	10.05	34.18
PK	5.4696G	66.69	68.20	-1.51	8.74	3	Vertical	188	2.29	57.95	32.90	10.02	34.18
PK	5.5356G	122.50	Inf	-Inf	8.77	3	Vertical	188	2.29	113.73	32.90	10.05	34.18

5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09568G	40.45	54.00	-13.55	17.72	3	Vertical	234	1.50	22.73	38.90	12.96	34.14
PK	11.12016G	53.79	74.00	-20.21	17.75	3	Vertical	234	1.50	36.04	38.92	12.97	34.14
PK	16.67656G	59.02	68.20	-9.18	20.53	3	Vertical	56	2.44	38.49	38.25	16.13	33.85


5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	111.18	Inf	-Inf	10.07	3	Vertical	191	1.34	101.11	34.09	10.18	34.20
PK	5.5994G	66.11	68.20	-2.09	8.88	3	Vertical	191	1.34	57.23	33.00	10.07	34.19
PK	5.8022G	123.87	Inf	-Inf	10.08	3	Vertical	191	1.34	113.79	34.10	10.18	34.20
PK	5.927G	67.08	68.20	-1.12	10.32	3	Vertical	191	1.34	56.76	34.25	10.28	34.21

5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.60984G	46.53	54.00	-7.47	17.73	3	Vertical	90	2.84	28.80	38.70	13.16	34.13
PK	11.58952G	59.22	74.00	-14.78	17.77	3	Vertical	90	2.84	41.45	38.74	13.15	34.12
PK	17.39764G	57.88	68.20	-10.32	21.49	3	Vertical	57	2.54	36.39	38.59	16.24	33.34


5.725-5.85GHz_802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	103.84	Inf	-Inf	9.84	3	Vertical	192	2.14	94.00	33.88	10.16	34.20
PK	5.6466G	66.98	68.20	-1.22	8.91	3	Vertical	192	2.14	58.07	33.00	10.10	34.19
PK	5.7582G	119.76	Inf	-Inf	9.81	3	Vertical	192	2.14	109.95	33.85	10.16	34.20
PK	5.9382G	65.25	68.20	-2.95	10.28	3	Vertical	192	2.14	54.97	34.22	10.28	34.22

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49048G	42.37	54.00	-11.63	18.16	3	Vertical	88	2.40	24.21	39.11	13.11	34.06
PK	11.49744G	55.71	74.00	-18.29	18.15	3	Vertical	88	2.40	37.56	39.10	13.11	34.06
PK	17.33076G	57.93	68.20	-10.27	21.30	3	Vertical	59	2.32	36.63	38.39	16.23	33.32

5.725-5.85GHz_802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.8023G	43.44	54.00	-10.56	Vertical
Mode 2	Pass	AV	4.82378G	45.37	54.00	-8.63	Horizontal
Mode 3	Pass	AV	1.59621G	31.41	54.00	-22.59	Vertical
Mode 4	Pass	AV	7.38731G	51.80	54.00	-2.20	Horizontal
Mode 5	Pass	AV	4.82391G	46.82	54.00	-7.18	Horizontal
Mode 6	Pass	AV	4.82419G	45.77	54.00	-8.23	Vertical
Mode 7	Pass	AV	4.27322G	31.00	54.00	-23.00	Vertical
Mode 8	Pass	AV	7.38584G	48.64	54.00	-5.36	Horizontal

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.5837G	29.50	54.00	-24.50	-4.27	3	Vertical	0	2.78
Mode 1	Pass	AV	4.8023G	43.44	54.00	-10.56	4.92	3	Vertical	14	1.44
Mode 1	Pass	PK	1.597G	48.23	74.00	-25.77	-4.27	3	Vertical	0	2.78
Mode 1	Pass	PK	4.803G	44.85	74.00	-29.15	4.93	3	Vertical	14	1.44
Mode 1	Pass	AV	1.3872G	38.13	74.00	-35.87	-4.41	3	Horizontal	0	1.47
Mode 1	Pass	AV	1.991G	24.77	68.20	-43.43	-2.71	3	Horizontal	344	1.75
Mode 1	Pass	PK	1.387G	41.81	74.00	-32.19	-4.42	3	Horizontal	0	1.47
Mode 1	Pass	PK	1.991G	41.67	68.20	-26.53	-2.71	3	Horizontal	344	1.75
Mode 2	Pass	AV	1.58371G	38.85	54.00	-15.15	-4.27	3	Vertical	0	3.00
Mode 2	Pass	AV	1.811G	22.73	68.20	-45.47	-4.41	3	Vertical	321	1.49
Mode 2	Pass	PK	1.583G	47.86	74.00	-26.14	-4.26	3	Vertical	0	3.00
Mode 2	Pass	PK	1.818G	43.00	68.20	-25.20	-4.37	3	Vertical	321	1.49
Mode 2	Pass	AV	1.3987G	23.45	54.00	-30.55	-4.41	3	Horizontal	360	1.50
Mode 2	Pass	AV	4.82378G	45.37	54.00	-8.63	5.05	3	Horizontal	10	1.87
Mode 2	Pass	PK	1.397G	39.02	74.00	-34.98	-4.40	3	Horizontal	360	1.50
Mode 2	Pass	PK	4.824G	49.60	74.00	-24.40	5.05	3	Horizontal	10	1.87
Mode 3	Pass	AV	1.59621G	31.41	54.00	-22.59	-4.28	3	Vertical	180	2.12
Mode 3	Pass	AV	3.19871G	32.15	68.20	-36.05	1.28	3	Vertical	355	1.74
Mode 3	Pass	PK	1.596G	47.80	74.00	-26.20	-4.28	3	Vertical	180	2.12
Mode 3	Pass	PK	3.192G	42.60	68.20	-25.60	1.26	3	Vertical	355	1.74
Mode 3	Pass	AV	1.58412G	28.92	54.00	-25.08	-4.27	3	Horizontal	178	2.49
Mode 3	Pass	AV	3.5841G	28.98	68.20	-39.22	1.36	3	Horizontal	234	1.87
Mode 3	Pass	PK	1.584G	46.99	74.00	-27.01	-4.27	3	Horizontal	178	2.49
Mode 3	Pass	PK	3.584G	43.21	68.20	-24.99	1.36	3	Horizontal	234	1.87
Mode 4	Pass	AV	1.581G	26.89	54.00	-27.11	-4.26	3	Vertical	158	1.50
Mode 4	Pass	AV	7.38751G	49.24	54.00	-4.76	10.36	3	Vertical	276	1.50
Mode 4	Pass	PK	1.5812G	39.75	129.15	-89.40	-13.78	3	Vertical	158	1.50
Mode 4	Pass	PK	7.387G	53.37	74.00	-20.63	10.36	3	Vertical	276	1.50
Mode 4	Pass	AV	1.58531G	27.29	54.00	-26.71	-4.27	3	Horizontal	311	2.09
Mode 4	Pass	AV	7.38731G	51.80	54.00	-2.20	10.36	3	Horizontal	87	1.99
Mode 4	Pass	PK	1.585G	46.10	74.00	-27.90	-4.27	3	Horizontal	311	2.09
Mode 4	Pass	PK	7.387G	53.39	74.00	-20.61	10.36	3	Horizontal	87	1.99
Mode 5	Pass	AV	1.58321G	27.31	54.00	-26.69	-4.26	3	Vertical	360	2.91
Mode 5	Pass	AV	4.82431G	46.72	54.00	-7.28	5.06	3	Vertical	5	1.50
Mode 5	Pass	PK	1.583G	47.85	74.00	-26.15	-4.26	3	Vertical	360	2.91
Mode 5	Pass	PK	4.824G	50.91	74.00	-23.09	5.05	3	Vertical	5	1.50
Mode 5	Pass	AV	1.5981G	29.50	54.00	-24.50	-4.28	3	Horizontal	355	1.47
Mode 5	Pass	AV	4.82391G	46.82	54.00	-7.18	5.05	3	Horizontal	360	1.61
Mode 5	Pass	PK	1.585G	47.31	74.00	-26.69	-4.27	3	Horizontal	355	1.47
Mode 5	Pass	PK	4.824G	48.14	74.00	-25.86	5.05	3	Horizontal	360	1.61
Mode 6	Pass	AV	1.57631G	30.48	54.00	-23.52	-4.25	3	Vertical	99	1.77
Mode 6	Pass	AV	4.82419G	45.77	54.00	-8.23	5.06	3	Vertical	25	1.50
Mode 6	Pass	PK	1.5871G	48.18	74.00	-25.82	-4.27	3	Vertical	99	1.77
Mode 6	Pass	PK	4.82433G	47.62	74.00	-26.38	5.06	3	Vertical	25	1.50
Mode 6	Pass	AV	1.5812G	27.32	54.00	-26.68	-4.26	3	Horizontal	0	1.99
Mode 6	Pass	AV	4.82412G	45.34	54.00	-8.66	5.05	3	Horizontal	15	1.57
Mode 6	Pass	PK	1.5813G	46.61	74.00	-27.39	-4.26	3	Horizontal	0	1.99
Mode 6	Pass	PK	4.82369G	47.66	74.00	-26.34	5.05	3	Horizontal	15	1.57
Mode 7	Pass	AV	1.7534G	29.54	68.20	-38.66	-4.60	3	Vertical	47	1.55
Mode 7	Pass	AV	4.27322G	31.00	54.00	-23.00	3.58	3	Vertical	0	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 7	Pass	PK	1.75733G	42.49	68.20	-25.71	-4.60	3	Vertical	47	1.55
Mode 7	Pass	PK	4.27321G	44.31	74.00	-29.69	3.58	3	Vertical	0	1.50
Mode 7	Pass	AV	3.017G	28.48	68.20	-39.72	1.06	3	Horizontal	0	1.50
Mode 7	Pass	AV	4.0177G	30.65	54.00	-23.35	2.77	3	Horizontal	112	1.74
Mode 7	Pass	PK	3.007G	42.07	68.20	-26.13	1.03	3	Horizontal	0	1.50
Mode 7	Pass	PK	4.011G	43.68	74.00	-30.32	2.77	3	Horizontal	112	1.74
Mode 8	Pass	AV	1.58127G	37.56	54.00	-16.44	-4.26	3	Vertical	100	2.51
Mode 8	Pass	AV	7.38687G	48.03	54.00	-5.97	10.35	3	Vertical	79	1.79
Mode 8	Pass	PK	1.5854G	47.30	74.00	-26.70	-4.27	3	Vertical	100	2.51
Mode 8	Pass	PK	7.387G	52.32	74.00	-21.68	10.36	3	Vertical	79	1.79
Mode 8	Pass	AV	1.581374G	28.48	54.00	-25.52	-4.26	3	Horizontal	243	1.22
Mode 8	Pass	AV	7.38584G	48.64	54.00	-5.36	10.36	3	Horizontal	157	2.50
Mode 8	Pass	PK	1.581875G	46.60	74.00	-27.40	-4.25	3	Horizontal	243	1.22
Mode 8	Pass	PK	7.38788G	51.39	74.00	-22.61	10.36	3	Horizontal	157	2.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5837G	29.50	54.00	-24.50	-4.27	3	Vertical	0	2.78	33.77	25.63	3.89	33.79
AV	4.8023G	43.44	54.00	-10.56	4.92	3	Vertical	14	1.44	38.52	32.31	6.90	34.29
PK	1.597G	48.23	74.00	-25.77	-4.27	3	Vertical	0	2.78	52.50	25.61	3.91	33.79
PK	4.803G	44.85	74.00	-29.15	4.93	3	Vertical	14	1.44	39.92	32.32	6.90	34.29

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.3872G	38.13	74.00	-35.87	-4.41	3	Horizontal	0	1.47	42.54	25.93	3.62	33.96
AV	1.991G	24.77	68.20	-43.43	-2.71	3	Horizontal	344	1.75	27.48	26.73	4.37	33.81
PK	1.387G	41.81	74.00	-32.19	-4.42	3	Horizontal	0	1.47	46.23	25.93	3.62	33.97
PK	1.991G	41.67	68.20	-26.53	-2.71	3	Horizontal	344	1.75	44.38	26.73	4.37	33.81

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58371G	38.85	54.00	-15.15	-4.27	3	Vertical	0	3.00	43.12	25.63	3.89	33.79
AV	1.811G	22.73	68.20	-45.47	-4.41	3	Vertical	321	1.49	27.14	25.24	4.15	33.80
PK	1.583G	47.86	74.00	-26.14	-4.26	3	Vertical	0	3.00	52.12	25.63	3.89	33.78
PK	1.818G	43.00	68.20	-25.20	-4.37	3	Vertical	321	1.49	47.37	25.27	4.16	33.80

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.3987G	23.45	54.00	-30.55	-4.41	3	Horizontal	360	1.50	27.86	25.90	3.64	33.95
AV	4.82378G	45.37	54.00	-8.63	5.05	3	Horizontal	10	1.87	40.32	32.44	6.90	34.29
PK	1.397G	39.02	74.00	-34.98	-4.40	3	Horizontal	360	1.50	43.42	25.91	3.64	33.95
PK	4.824G	49.60	74.00	-24.40	5.05	3	Horizontal	10	1.87	44.55	32.44	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59621G	31.41	54.00	-22.59	-4.28	3	Vertical	180	2.12	35.69	25.61	3.90	33.79
AV	3.19871G	32.15	68.20	-36.05	1.28	3	Vertical	355	1.74	30.87	29.90	5.55	34.17
PK	1.596G	47.80	74.00	-26.20	-4.28	3	Vertical	180	2.12	52.08	25.61	3.90	33.79
PK	3.192G	42.60	68.20	-25.60	1.26	3	Vertical	355	1.74	41.34	29.88	5.55	34.17

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58412G	28.92	54.00	-25.08	-4.27	3	Horizontal	178	2.49	33.19	25.63	3.89	33.79
AV	3.5841G	28.98	68.20	-39.22	1.36	3	Horizontal	234	1.87	27.62	29.64	5.95	34.23
PK	1.584G	46.99	74.00	-27.01	-4.27	3	Horizontal	178	2.49	51.26	25.63	3.89	33.79
PK	3.584G	43.21	68.20	-24.99	1.36	3	Horizontal	234	1.87	41.85	29.64	5.95	34.23

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.581G	26.89	54.00	-27.11	-4.26	3	Vertical	158	1.50	31.15	25.64	3.88	33.78
AV	7.38751G	49.24	54.00	-4.76	10.36	3	Vertical	276	1.50	38.88	36.55	8.62	34.81
PK	1.5812G	39.75	129.15	-89.40	-13.78	3	Vertical	158	1.50	53.53	20.90	1.56	36.24
PK	7.387G	53.37	74.00	-20.63	10.36	3	Vertical	276	1.50	43.01	36.55	8.62	34.81

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58531G	27.29	54.00	-26.71	-4.27	3	Horizontal	311	2.09	31.56	25.63	3.89	33.79
AV	7.38731G	51.80	54.00	-2.20	10.36	3	Horizontal	87	1.99	41.44	36.55	8.62	34.81
PK	1.585G	46.10	74.00	-27.90	-4.27	3	Horizontal	311	2.09	50.37	25.63	3.89	33.79
PK	7.387G	53.39	74.00	-20.61	10.36	3	Horizontal	87	1.99	43.03	36.55	8.62	34.81

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58321G	27.31	54.00	-26.69	-4.26	3	Vertical	360	2.91	31.57	25.63	3.89	33.78
AV	4.82431G	46.72	54.00	-7.28	5.06	3	Vertical	5	1.50	41.66	32.45	6.90	34.29
PK	1.583G	47.85	74.00	-26.15	-4.26	3	Vertical	360	2.91	52.11	25.63	3.89	33.78
PK	4.824G	50.91	74.00	-23.09	5.05	3	Vertical	5	1.50	45.86	32.44	6.90	34.29

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5981G	29.50	54.00	-24.50	-4.28	3	Horizontal	355	1.47	33.78	25.60	3.91	33.79
AV	4.82391G	46.82	54.00	-7.18	5.05	3	Horizontal	360	1.61	41.77	32.44	6.90	34.29
PK	1.585G	47.31	74.00	-26.69	-4.27	3	Horizontal	355	1.47	51.58	25.63	3.89	33.79
PK	4.824G	48.14	74.00	-25.86	5.05	3	Horizontal	360	1.61	43.09	32.44	6.90	34.29

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.57631G	30.48	54.00	-23.52	-4.25	3	Vertical	99	1.77	34.73	25.65	3.88	33.78
AV	4.82419G	45.77	54.00	-8.23	5.06	3	Vertical	25	1.50	40.71	32.45	6.90	34.29
PK	1.5871G	48.18	74.00	-25.82	-4.27	3	Vertical	99	1.77	52.45	25.63	3.89	33.79
PK	4.82433G	47.62	74.00	-26.38	5.06	3	Vertical	25	1.50	42.56	32.45	6.90	34.29

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5812G	27.32	54.00	-26.68	-4.26	3	Horizontal	0	1.99	31.58	25.64	3.88	33.78
AV	4.82412G	45.34	54.00	-8.66	5.05	3	Horizontal	15	1.57	40.29	32.44	6.90	34.29
PK	1.5813G	46.61	74.00	-27.39	-4.26	3	Horizontal	0	1.99	50.87	25.64	3.88	33.78
PK	4.82369G	47.66	74.00	-26.34	5.05	3	Horizontal	15	1.57	42.61	32.44	6.90	34.29

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.7534G	29.54	68.20	-38.66	-4.60	3	Vertical	47	1.55	34.14	25.11	4.09	33.80
AV	4.27322G	31.00	54.00	-23.00	3.58	3	Vertical	0	1.50	27.42	31.45	6.42	34.29
PK	1.75733G	42.49	68.20	-25.71	-4.60	3	Vertical	47	1.55	47.09	25.11	4.09	33.80
PK	4.27321G	44.31	74.00	-29.69	3.58	3	Vertical	0	1.50	40.73	31.45	6.42	34.29

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.017G	28.48	68.20	-39.72	1.06	3	Horizontal	0	1.50	27.42	29.73	5.46	34.13
AV	4.0177G	30.65	54.00	-23.35	2.77	3	Horizontal	112	1.74	27.88	30.80	6.22	34.25
PK	3.007G	42.07	68.20	-26.13	1.03	3	Horizontal	0	1.50	41.04	29.71	5.45	34.13
PK	4.011G	43.68	74.00	-30.32	2.77	3	Horizontal	112	1.74	40.91	30.80	6.22	34.25

Radiated Emissions above 1GHz_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58127G	37.56	54.00	-16.44	-4.26	3	Vertical	100	2.51	41.82	25.64	3.88	33.78
AV	7.38687G	48.03	54.00	-5.97	10.35	3	Vertical	79	1.79	37.68	36.55	8.61	34.81
PK	1.5854G	47.30	74.00	-26.70	-4.27	3	Vertical	100	2.51	51.57	25.63	3.89	33.79
PK	7.387G	52.32	74.00	-21.68	10.36	3	Vertical	79	1.79	41.96	36.55	8.62	34.81

Radiated Emissions above 1GHz_Mode 8



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.581374G	28.48	54.00	-25.52	-4.26	3	Horizontal	243	1.22	32.74	25.64	3.88	33.78
AV	7.38584G	48.64	54.00	-5.36	10.36	3	Horizontal	157	2.50	38.28	36.56	8.61	34.81
PK	1.581875G	46.60	74.00	-27.40	-4.25	3	Horizontal	243	1.22	50.85	25.64	3.89	33.78
PK	7.38788G	51.39	74.00	-22.61	10.36	3	Horizontal	157	2.50	41.03	36.55	8.62	34.81