


802.11n HT20_Nss1,(MCS0)_4TX

PSD

5180MHz

30/12/2020




802.11n HT20_Nss1,(MCS0)_4TX

PSD

5200MHz

30/12/2020




802.11n HT20_Nss1,(MCS0)_4TX

PSD

5240MHz

30/12/2020




802.11n HT20_Nss1,(MCS0)_4TX

PSD

5745MHz

30/12/2020




802.11n HT20_Nss1,(MCS0)_4TX

PSD

5785MHz

30/12/2020




802.11n HT20_Nss1,(MCS0)_4TX

PSD

5825MHz

30/12/2020




802.11n HT40_Nss1,(MCS0)_4TX

PSD

5190MHz

30/12/2020




802.11n HT40_Nss1,(MCS0)_4TX

PSD

5230MHz

30/12/2020




802.11n HT40_Nss1,(MCS0)_4TX

PSD

5755MHz

30/12/2020




802.11n HT40_Nss1,(MCS0)_4TX

PSD

5795MHz

30/12/2020




802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

30/12/2020




802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

30/12/2020




802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

30/12/2020




802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5745MHz

30/12/2020




802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5785MHz

30/12/2020




802.11ac VHT20_Nss1,(MCS0)_4TX

PSD

5825MHz

30/12/2020




802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

30/12/2020




802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

30/12/2020




802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5755MHz

30/12/2020




802.11ac VHT40_Nss1,(MCS0)_4TX

PSD

5795MHz

30/12/2020




802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5210MHz

30/12/2020




802.11ac VHT80_Nss1,(MCS0)_4TX

PSD

5775MHz

30/12/2020




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5180MHz

30/12/2020




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5200MHz

30/12/2020




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5240MHz

30/12/2020




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5745MHz

30/12/2020




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5785MHz

30/12/2020




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5825MHz

30/12/2020




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5190MHz

30/12/2020




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5230MHz

30/12/2020




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5755MHz

30/12/2020




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5795MHz

30/12/2020




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5210MHz

30/12/2020




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5775MHz

30/12/2020



**Summary**

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.91	19.12
802.11n HT20_Nss1,(MCS0)_2TX	9.59	18.80
802.11n HT40_Nss1,(MCS0)_2TX	7.01	16.22
802.11ac VHT20_Nss1,(MCS0)_2TX	9.67	18.88
802.11ac VHT40_Nss1,(MCS0)_2TX	6.80	16.01
802.11ac VHT80_Nss1,(MCS0)_2TX	0.32	9.53
802.11ax HEW20_Nss1,(MCS0)_2TX	9.64	18.85
802.11ax HEW40_Nss1,(MCS0)_2TX	6.89	16.10
802.11ax HEW80_Nss1,(MCS0)_2TX	0.44	9.65
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	11.35	20.56
802.11n HT20_Nss1,(MCS0)_2TX	11.32	20.53
802.11n HT40_Nss1,(MCS0)_2TX	8.85	18.06
802.11ac VHT20_Nss1,(MCS0)_2TX	10.89	20.10
802.11ac VHT40_Nss1,(MCS0)_2TX	8.80	18.01
802.11ac VHT80_Nss1,(MCS0)_2TX	0.13	9.34
802.11ax HEW20_Nss1,(MCS0)_2TX	11.16	20.37
802.11ax HEW40_Nss1,(MCS0)_2TX	8.63	17.84
802.11ax HEW80_Nss1,(MCS0)_2TX	0.11	9.32

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.21	4.39	4.86	7.52	13.79	16.73	23.00
5200MHz	Pass	9.21	6.80	7.29	9.91	13.79	19.12	23.00
5240MHz	Pass	9.21	6.54	7.10	9.68	13.79	18.89	23.00
5745MHz	Pass	9.21	5.77	7.02	9.27	26.79	18.48	36.00
5785MHz	Pass	9.21	8.09	8.85	11.35	26.79	20.56	36.00
5825MHz	Pass	9.21	6.77	7.48	10.06	26.79	19.27	36.00
802.11n HT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.21	4.44	4.77	7.49	13.79	16.70	23.00
5200MHz	Pass	9.21	6.37	6.80	9.50	13.79	18.71	23.00
5240MHz	Pass	9.21	6.49	7.00	9.59	13.79	18.80	23.00
5745MHz	Pass	9.21	5.73	7.39	9.46	26.79	18.67	36.00
5785MHz	Pass	9.21	7.94	8.90	11.32	26.79	20.53	36.00
5825MHz	Pass	9.21	5.94	7.36	9.52	26.79	18.73	36.00
802.11n HT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	9.21	-0.60	-0.38	2.35	13.79	11.56	23.00
5230MHz	Pass	9.21	4.09	4.04	7.01	13.79	16.22	23.00
5755MHz	Pass	9.21	3.31	4.40	6.81	26.79	16.02	36.00
5795MHz	Pass	9.21	5.58	6.28	8.85	26.79	18.06	36.00
802.11ac VHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.21	4.38	4.83	7.57	13.79	16.78	23.00
5200MHz	Pass	9.21	6.39	6.99	9.61	13.79	18.82	23.00
5240MHz	Pass	9.21	6.36	7.12	9.67	13.79	18.88	23.00
5745MHz	Pass	9.21	5.93	7.18	9.48	26.79	18.69	36.00
5785MHz	Pass	9.21	7.19	8.79	10.89	26.79	20.10	36.00
5825MHz	Pass	9.21	5.85	7.30	9.46	26.79	18.67	36.00
802.11ac VHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	9.21	-0.80	-0.53	2.28	13.79	11.49	23.00
5230MHz	Pass	9.21	3.75	4.04	6.80	13.79	16.01	23.00
5755MHz	Pass	9.21	3.22	4.33	6.73	26.79	15.94	36.00
5795MHz	Pass	9.21	5.27	6.30	8.80	26.79	18.01	36.00
802.11ac VHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	9.21	-2.73	-2.58	0.32	13.79	9.53	23.00
5775MHz	Pass	9.21	-3.56	-2.22	0.13	26.79	9.34	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.21	4.51	5.04	7.72	13.79	16.93	23.00
5200MHz	Pass	9.21	6.15	6.93	9.46	13.79	18.67	23.00
5240MHz	Pass	9.21	6.41	7.08	9.64	13.79	18.85	23.00
5745MHz	Pass	9.21	5.62	7.09	9.33	26.79	18.54	36.00
5785MHz	Pass	9.21	7.78	8.72	11.16	26.79	20.37	36.00
5825MHz	Pass	9.21	5.69	7.12	9.32	26.79	18.53	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	9.21	-0.81	-0.67	2.20	13.79	11.41	23.00
5230MHz	Pass	9.21	4.04	3.94	6.89	13.79	16.10	23.00
5755MHz	Pass	9.21	3.23	4.16	6.62	26.79	15.83	36.00
5795MHz	Pass	9.21	5.25	6.04	8.63	26.79	17.84	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	9.21	-2.64	-2.45	0.44	13.79	9.65	23.00
5775MHz	Pass	9.21	-3.40	-2.30	0.11	26.79	9.32	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

04/01/2021




802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

04/01/2021




802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

04/01/2021




802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

04/01/2021




802.11a_Nss1,(6Mbps)_2TX

5785MHz

PSD

04/01/2021




802.11a_Nss1,(6Mbps)_2TX

5825MHz

PSD

04/01/2021




802.11n HT20_Nss1,(MCS0)_2TX

PSD

5180MHz

04/01/2021




802.11n HT20_Nss1,(MCS0)_2TX

PSD

5200MHz

04/01/2021




802.11n HT20_Nss1,(MCS0)_2TX

5240MHz

PSD

04/01/2021




802.11n HT20_Nss1,(MCS0)_2TX

5745MHz

PSD

04/01/2021




802.11n HT20_Nss1,(MCS0)_2TX

5785MHz

PSD

04/01/2021




802.11n HT20_Nss1,(MCS0)_2TX

5825MHz

PSD

04/01/2021




802.11n HT40_Nss1,(MCS0)_2TX

PSD

5190MHz

04/01/2021




802.11n HT40_Nss1,(MCS0)_2TX

PSD

5230MHz

04/01/2021




802.11n HT40_Nss1,(MCS0)_2TX

PSD

5755MHz

04/01/2021




802.11n HT40_Nss1,(MCS0)_2TX

PSD

5795MHz

04/01/2021




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5180MHz

04/01/2021




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

04/01/2021




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5240MHz

04/01/2021




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5745MHz

04/01/2021




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5785MHz

04/01/2021




802.11ac VHT20_Nss1,(MCS0)_2TX

PSD

5825MHz

04/01/2021




802.11ac VHT40_Nss1,(MCS0)_2TX

PSD

5190MHz

04/01/2021




802.11ac VHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

04/01/2021




802.11ac VHT40_Nss1,(MCS0)_2TX

PSD

5755MHz

04/01/2021




802.11ac VHT40_Nss1,(MCS0)_2TX

PSD

5795MHz

04/01/2021




802.11ac VHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

04/01/2021




802.11ac VHT80_Nss1,(MCS0)_2TX

PSD

5775MHz

04/01/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5180MHz

04/01/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5200MHz

04/01/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5240MHz

04/01/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5745MHz

04/01/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5785MHz

04/01/2021




802.11ax HEW20_Nss1,(MCS0)_2TX

PSD

5825MHz

04/01/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5190MHz

04/01/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5230MHz

04/01/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5755MHz

04/01/2021




802.11ax HEW40_Nss1,(MCS0)_2TX

PSD

5795MHz

04/01/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5210MHz

04/01/2021




802.11ax HEW80_Nss1,(MCS0)_2TX

PSD

5775MHz

04/01/2021





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.725-5.85GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	9.28	21.63
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	6.61	18.96
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	3.48	15.83

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	12.35	4.02	3.12	4.47	3.22	9.28	23.65	21.63	36.00
5785MHz	Pass	12.35	3.45	3.11	2.79	2.61	8.60	23.65	20.95	36.00
5825MHz	Pass	12.35	3.30	2.76	2.24	2.27	8.12	23.65	20.47	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	12.35	0.49	1.35	1.48	0.30	6.36	23.65	18.71	36.00
5795MHz	Pass	12.35	3.34	0.77	-0.10	0.59	6.61	23.65	18.96	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	12.35	-1.43	-1.58	-2.21	-1.48	3.48	23.65	15.83	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5745MHz

06/01/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5785MHz

06/01/2021



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5825MHz

06/01/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5755MHz

06/01/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5795MHz

07/01/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

07/01/2021





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	11.09	22.44
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	7.82	19.17
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	2.18	13.53
5.725-5.85GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	10.02	21.37
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	6.96	18.31
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	3.80	15.15

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	11.35	3.27	2.94	3.16	2.28	8.78	11.65	20.13	23.00
5200MHz	Pass	11.35	5.58	5.30	5.86	4.69	11.09	11.65	22.44	23.00
5240MHz	Pass	11.35	5.26	5.03	5.48	4.32	10.87	11.65	22.22	23.00
5745MHz	Pass	11.35	4.71	4.25	4.01	3.40	9.96	24.65	21.31	36.00
5785MHz	Pass	11.35	5.04	4.32	4.11	3.47	9.99	24.65	21.34	36.00
5825MHz	Pass	11.35	4.88	4.28	4.25	3.36	10.02	24.65	21.37	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	11.35	-0.47	-1.44	-0.93	-1.63	4.58	11.65	15.93	23.00
5230MHz	Pass	11.35	2.73	1.73	2.33	1.18	7.82	11.65	19.17	23.00
5755MHz	Pass	11.35	1.75	0.94	1.09	0.25	6.64	24.65	17.99	36.00
5795MHz	Pass	11.35	1.49	2.04	1.32	0.67	6.96	24.65	18.31	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	11.35	-3.22	-3.57	-3.19	-4.26	2.18	11.65	13.53	23.00
5775MHz	Pass	11.35	-1.02	-1.89	-1.28	-2.79	3.80	24.65	15.15	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5180MHz

07/01/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5200MHz

07/01/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5240MHz

07/01/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5745MHz

08/01/2021



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5785MHz

08/01/2021




802.11ax HEW20-BF_Nss1,(MCS0)_4TX

PSD

5825MHz

08/01/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5190MHz

08/01/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5230MHz

08/01/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5755MHz

08/01/2021




802.11ax HEW40-BF_Nss1,(MCS0)_4TX

PSD

5795MHz

08/01/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5210MHz

08/01/2021




802.11ax HEW80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz

08/01/2021





Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	11.81	21.02
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	8.46	17.67
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	0.98	10.19
5.725-5.85GHz	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	11.30	20.51
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	8.31	17.52
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	0.23	9.44

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.21	5.31	5.01	7.88	13.79	17.09	23.00
5200MHz	Pass	9.21	9.19	9.00	11.81	13.79	21.02	23.00
5240MHz	Pass	9.21	6.21	6.10	8.95	13.79	18.16	23.00
5745MHz	Pass	9.21	8.62	8.67	11.24	26.79	20.45	36.00
5785MHz	Pass	9.21	8.12	8.57	10.93	26.79	20.14	36.00
5825MHz	Pass	9.21	8.53	8.40	11.30	26.79	20.51	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	9.21	0.95	1.00	3.77	13.79	12.98	23.00
5230MHz	Pass	9.21	5.63	5.44	8.46	13.79	17.67	23.00
5755MHz	Pass	9.21	3.60	3.65	6.59	26.79	15.80	36.00
5795MHz	Pass	9.21	5.66	5.70	8.31	26.79	17.52	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	9.21	-1.63	-1.71	0.98	13.79	10.19	23.00
5775MHz	Pass	9.21	-2.65	-2.38	0.23	26.79	9.44	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5180MHz

12/01/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5200MHz

12/01/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5240MHz

12/01/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5745MHz

13/01/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5785MHz

13/01/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

PSD

5825MHz

13/01/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5190MHz

13/01/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5230MHz

13/01/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5755MHz

13/01/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

PSD

5795MHz

13/01/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD

5210MHz

13/01/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

PSD

5775MHz

13/01/2021





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	30M	33.16	40.00	-6.84	3	Vertical	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	30M	33.16	40.00	-6.84	3	Vertical	0	1.00	-
5775MHz	Pass	PK	49.4M	29.65	40.00	-10.35	3	Vertical	0	1.00	-
5775MHz	Pass	PK	216M	25.14	43.50	-18.36	3	Vertical	0	1.00	-
5775MHz	Pass	PK	410.24M	31.77	46.00	-14.23	3	Vertical	0	1.00	-
5775MHz	Pass	PK	485.9M	37.21	46.00	-8.79	3	Vertical	0	1.00	-
5775MHz	Pass	PK	503.36M	34.39	46.00	-11.61	3	Vertical	0	1.00	-
5775MHz	Pass	PK	30M	27.45	40.00	-12.55	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	216M	30.00	43.50	-13.50	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	47.46M	23.41	40.00	-16.59	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	352.04M	32.38	46.00	-13.62	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	625.58M	33.57	46.00	-12.43	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	740.04M	33.92	46.00	-12.08	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	33.16	40.00	-6.84	-3.19	3	Vertical	0	1.00	-	36.35	23.32	0.70	27.21
PK	49.4M	29.65	40.00	-10.35	-13.30	3	Vertical	0	1.00	-	42.95	13.40	0.99	27.69
PK	216M	25.14	43.50	-18.36	-10.90	3	Vertical	0	1.00	-	36.04	14.11	2.20	27.21
PK	410.24M	31.77	46.00	-14.23	-3.12	3	Vertical	0	1.00	-	34.89	21.64	3.04	27.80
PK	485.9M	37.21	46.00	-8.79	-2.00	3	Vertical	0	1.00	-	39.21	22.80	3.42	28.22
PK	503.36M	34.39	46.00	-11.61	-2.00	3	Vertical	0	1.00	-	36.39	22.78	3.51	28.29

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	27.45	40.00	-12.55	-3.19	3	Horizontal	360	1.00	-	30.64	23.32	0.70	27.21
PK	216M	30.00	43.50	-13.50	-10.90	3	Horizontal	360	1.00	-	40.90	14.11	2.20	27.21
PK	47.46M	23.41	40.00	-16.59	-12.65	3	Horizontal	360	1.00	-	36.06	14.05	0.95	27.65
PK	352.04M	32.38	46.00	-13.62	-4.88	3	Horizontal	360	1.00	-	37.26	19.65	2.81	27.34
PK	625.58M	33.57	46.00	-12.43	-0.06	3	Horizontal	360	1.00	-	33.63	24.34	3.90	28.30
PK	740.04M	33.92	46.00	-12.08	1.07	3	Horizontal	360	1.00	-	32.85	24.81	4.28	28.02



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	30M	30.73	40.00	-9.27	3	Vertical	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	30M	30.73	40.00	-9.27	3	Vertical	0	1.00	-
5775MHz	Pass	PK	53.28M	28.54	40.00	-11.46	3	Vertical	0	1.00	-
5775MHz	Pass	PK	216.24M	28.01	46.00	-17.99	3	Vertical	0	1.00	-
5775MHz	Pass	PK	353.98M	30.77	46.00	-15.23	3	Vertical	0	1.00	-
5775MHz	Pass	PK	485.9M	34.51	46.00	-11.49	3	Vertical	0	1.00	-
5775MHz	Pass	PK	934.04M	35.91	46.00	-10.09	3	Vertical	0	1.00	-
5775MHz	Pass	PK	31.94M	27.02	40.00	-12.98	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	216.24M	30.82	46.00	-15.18	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	282.2M	28.86	46.00	-17.14	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	353.98M	34.90	46.00	-11.10	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	631.4M	31.72	46.00	-14.28	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	932.1M	35.72	46.00	-10.28	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	30.73	40.00	-9.27	-3.19	3	Vertical	0	1.00	-	33.92	23.32	0.70	27.21
PK	53.28M	28.54	40.00	-11.46	-14.60	3	Vertical	0	1.00	-	43.14	12.16	1.00	27.76
PK	216.24M	28.01	46.00	-17.99	-10.88	3	Vertical	0	1.00	-	38.89	14.13	2.20	27.21
PK	353.98M	30.77	46.00	-15.23	-4.81	3	Vertical	0	1.00	-	35.58	19.72	2.82	27.35
PK	485.9M	34.51	46.00	-11.49	-2.00	3	Vertical	0	1.00	-	36.51	22.80	3.42	28.22
PK	934.04M	35.91	46.00	-10.09	3.41	3	Vertical	0	1.00	-	32.50	25.84	4.87	27.30

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	31.94M	27.02	40.00	-12.98	-4.32	3	Horizontal	360	1.00	-	31.34	22.03	0.74	27.09
PK	216.24M	30.82	46.00	-15.18	-10.88	3	Horizontal	360	1.00	-	41.70	14.13	2.20	27.21
PK	282.2M	28.86	46.00	-17.14	-6.42	3	Horizontal	360	1.00	-	35.28	18.09	2.53	27.04
PK	353.98M	34.90	46.00	-11.10	-4.81	3	Horizontal	360	1.00	-	39.71	19.72	2.82	27.35
PK	631.4M	31.72	46.00	-14.28	0.01	3	Horizontal	360	1.00	-	31.71	24.37	3.93	28.29
PK	932.1M	35.72	46.00	-10.28	3.39	3	Horizontal	360	1.00	-	32.33	25.83	4.86	27.30



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	30M	36.63	40.00	-3.37	3	Vertical	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	30M	36.63	40.00	-3.37	3	Vertical	0	1.00	-
5775MHz	Pass	PK	49.4M	28.76	40.00	-11.24	3	Vertical	0	1.00	-
5775MHz	Pass	PK	216.24M	26.99	46.00	-19.01	3	Vertical	0	1.00	-
5775MHz	Pass	PK	353.98M	29.92	46.00	-16.08	3	Vertical	0	1.00	-
5775MHz	Pass	PK	485.9M	33.53	46.00	-12.47	3	Vertical	0	1.00	-
5775MHz	Pass	PK	674.08M	31.42	46.00	-14.58	3	Vertical	0	1.00	-
5775MHz	Pass	PK	30M	29.34	40.00	-10.66	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	49.4M	26.93	40.00	-13.07	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	216.24M	28.78	46.00	-17.22	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	355.92M	29.63	46.00	-16.37	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	615.88M	31.07	46.00	-14.93	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	807.94M	33.82	46.00	-12.18	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss1,(MCS0)_2TX


5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	36.63	40.00	-3.37	-3.19	3	Vertical	0	1.00	-	39.82	23.32	0.70	27.21
PK	49.4M	28.76	40.00	-11.24	-13.30	3	Vertical	0	1.00	-	42.06	13.40	0.99	27.69
PK	216.24M	26.99	46.00	-19.01	-10.88	3	Vertical	0	1.00	-	37.87	14.13	2.20	27.21
PK	353.98M	29.92	46.00	-16.08	-4.81	3	Vertical	0	1.00	-	34.73	19.72	2.82	27.35
PK	485.9M	33.53	46.00	-12.47	-2.00	3	Vertical	0	1.00	-	35.53	22.80	3.42	28.22
PK	674.08M	31.42	46.00	-14.58	0.08	3	Vertical	0	1.00	-	31.34	24.18	4.10	28.20

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
PK	30M	29.34	40.00	-10.66	-3.19	3	Horizontal	360	1.00	-	32.53	23.32	0.70	27.21
PK	49.4M	26.93	40.00	-13.07	-13.30	3	Horizontal	360	1.00	-	40.23	13.40	0.99	27.69
PK	216.24M	28.78	46.00	-17.22	-10.88	3	Horizontal	360	1.00	-	39.66	14.13	2.20	27.21
PK	355.92M	29.63	46.00	-16.37	-4.78	3	Horizontal	360	1.00	-	34.41	19.77	2.82	27.37
PK	615.88M	31.07	46.00	-14.93	-0.27	3	Horizontal	360	1.00	-	31.34	24.18	3.86	28.31
PK	807.94M	33.82	46.00	-12.18	1.80	3	Horizontal	360	1.00	-	32.02	25.03	4.52	27.75

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	17.35556G	67.13	68.20	-1.07	3	Vertical	336	1.50	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.46684G	67.16	68.20	-1.04	3	Vertical	350	1.46	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	17.37668G	66.80	68.20	-1.40	3	Horizontal	36	1.75	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6526G	68.67	70.12	-1.45	3	Vertical	194	1.81	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.739G	116.49	Inf	-Inf	3	Vertical	180	1.93	-
5745MHz	Pass	PK	5.6166G	62.80	68.20	-5.40	3	Vertical	180	1.93	-
5745MHz	Pass	PK	5.7402G	126.45	Inf	-Inf	3	Vertical	180	1.93	-
5745MHz	Pass	PK	5.955G	57.54	68.20	-10.66	3	Vertical	180	1.93	-
5745MHz	Pass	AV	11.48584G	52.90	54.00	-1.10	3	Vertical	32	1.61	-
5745MHz	Pass	PK	11.48632G	65.48	74.00	-8.52	3	Vertical	32	1.61	-
5745MHz	Pass	PK	17.2366G	63.98	68.20	-4.22	3	Vertical	337	1.58	-
5745MHz	Pass	AV	11.48664G	50.84	54.00	-3.16	3	Horizontal	24	1.39	-
5745MHz	Pass	PK	11.48768G	63.79	74.00	-10.21	3	Horizontal	24	1.39	-
5745MHz	Pass	PK	17.23276G	65.62	68.20	-2.58	3	Horizontal	52	1.72	-
5785MHz	Pass	AV	5.7874G	118.59	Inf	-Inf	3	Vertical	193	1.93	-
5785MHz	Pass	PK	5.6386G	64.97	68.20	-3.23	3	Vertical	193	1.93	-
5785MHz	Pass	PK	5.7862G	128.70	Inf	-Inf	3	Vertical	193	1.93	-
5785MHz	Pass	PK	6.049G	57.57	68.20	-10.63	3	Vertical	193	1.93	-
5785MHz	Pass	AV	11.56584G	52.32	54.00	-1.68	3	Vertical	31	1.50	-
5785MHz	Pass	PK	11.56504G	65.12	74.00	-8.88	3	Vertical	31	1.50	-
5785MHz	Pass	PK	17.35566G	67.13	68.20	-1.07	3	Vertical	336	1.50	-
5785MHz	Pass	AV	11.56704G	51.01	54.00	-2.99	3	Horizontal	68	2.02	-
5785MHz	Pass	PK	11.5676G	65.06	74.00	-8.94	3	Horizontal	68	2.02	-
5785MHz	Pass	PK	17.36588G	66.92	68.20	-1.28	3	Horizontal	29	1.92	-
5825MHz	Pass	AV	5.8274G	115.72	Inf	-Inf	3	Vertical	192	1.90	-
5825MHz	Pass	PK	5.5778G	63.97	68.20	-4.23	3	Vertical	192	1.90	-
5825MHz	Pass	PK	5.8274G	125.01	Inf	-Inf	3	Vertical	192	1.90	-
5825MHz	Pass	PK	5.9546G	57.74	68.20	-10.46	3	Vertical	192	1.90	-
5825MHz	Pass	AV	11.64856G	52.68	54.00	-1.32	3	Vertical	37	2.84	-
5825MHz	Pass	PK	11.64744G	66.12	74.00	-7.88	3	Vertical	37	2.84	-
5825MHz	Pass	PK	17.47548G	66.91	68.20	-1.29	3	Vertical	350	1.50	-
5825MHz	Pass	AV	11.64672G	49.56	54.00	-4.44	3	Horizontal	31	1.41	-
5825MHz	Pass	PK	11.64752G	63.52	74.00	-10.48	3	Horizontal	31	1.41	-
5825MHz	Pass	PK	17.4718G	66.15	68.20	-2.05	3	Horizontal	352	1.50	-
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5745MHz	Pass	AV	5.7438G	116.06	Inf	-Inf	3	Vertical	193	1.80	-
5745MHz	Pass	PK	5.6418G	63.62	68.20	-4.58	3	Vertical	193	1.80	-
5745MHz	Pass	PK	5.7378G	129.76	Inf	-Inf	3	Vertical	193	1.80	-
5745MHz	Pass	PK	6.0234G	57.61	68.20	-10.59	3	Vertical	193	1.80	-
5745MHz	Pass	AV	11.48864G	52.80	54.00	-1.20	3	Vertical	34	1.50	-
5745MHz	Pass	PK	11.4888G	66.55	74.00	-7.45	3	Vertical	34	1.50	-
5745MHz	Pass	PK	17.23252G	63.07	68.20	-5.13	3	Vertical	31	1.88	-
5745MHz	Pass	AV	11.48888G	50.56	54.00	-3.44	3	Horizontal	24	1.41	-
5745MHz	Pass	PK	11.48904G	63.51	74.00	-10.49	3	Horizontal	24	1.41	-
5745MHz	Pass	PK	17.22676G	63.81	68.20	-4.39	3	Horizontal	45	1.54	-
5785MHz	Pass	AV	5.7838G	114.81	Inf	-Inf	3	Vertical	0	1.84	-
5785MHz	Pass	PK	5.629G	62.70	68.20	-5.50	3	Vertical	0	1.84	-
5785MHz	Pass	PK	5.7838G	127.43	Inf	-Inf	3	Vertical	0	1.84	-
5785MHz	Pass	PK	5.9458G	57.69	68.20	-10.51	3	Vertical	0	1.84	-
5785MHz	Pass	AV	11.5688G	51.08	54.00	-2.92	3	Vertical	35	1.50	-
5785MHz	Pass	PK	11.56912G	63.80	74.00	-10.20	3	Vertical	35	1.50	-
5785MHz	Pass	PK	17.36244G	66.49	68.20	-1.71	3	Vertical	351	1.03	-
5785MHz	Pass	AV	11.56888G	49.80	54.00	-4.20	3	Horizontal	32	1.50	-
5785MHz	Pass	PK	11.5692G	62.71	74.00	-11.29	3	Horizontal	32	1.50	-
5785MHz	Pass	PK	17.35228G	66.61	68.20	-1.59	3	Horizontal	35	1.63	-
5825MHz	Pass	AV	5.8238G	115.50	Inf	-Inf	3	Vertical	192	1.76	-
5825MHz	Pass	PK	5.591G	64.15	68.20	-4.05	3	Vertical	192	1.76	-
5825MHz	Pass	PK	5.8178G	128.34	Inf	-Inf	3	Vertical	192	1.76	-
5825MHz	Pass	PK	6.0242G	58.12	68.20	-10.08	3	Vertical	192	1.76	-
5825MHz	Pass	AV	11.64904G	49.92	54.00	-4.08	3	Vertical	34	1.46	-
5825MHz	Pass	PK	11.64896G	63.12	74.00	-10.88	3	Vertical	34	1.46	-
5825MHz	Pass	PK	17.46684G	67.16	68.20	-1.04	3	Vertical	350	1.46	-
5825MHz	Pass	AV	11.64904G	49.18	54.00	-4.82	3	Horizontal	20	1.50	-
5825MHz	Pass	PK	11.65408G	62.54	74.00	-11.46	3	Horizontal	20	1.50	-




RSE TX above 1GHz_Non-Beamforming_Radio 1

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	17.47188G	66.75	68.20	-1.45	3	Horizontal	64	1.53	-
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5755MHz	Pass	AV	5.7406G	114.66	Inf	-Inf	3	Vertical	192	1.96	-
5755MHz	Pass	PK	5.653G	68.24	70.42	-2.18	3	Vertical	192	1.96	-
5755MHz	Pass	PK	5.7502G	124.87	Inf	-Inf	3	Vertical	192	1.96	-
5755MHz	Pass	PK	6.0166G	57.71	68.20	-10.49	3	Vertical	192	1.96	-
5755MHz	Pass	AV	11.50384G	51.78	54.00	-2.22	3	Vertical	35	1.50	-
5755MHz	Pass	PK	11.51344G	64.63	74.00	-9.37	3	Vertical	35	1.50	-
5755MHz	Pass	PK	17.27508G	63.17	68.20	-5.03	3	Vertical	22	1.24	-
5755MHz	Pass	AV	11.50392G	49.47	54.00	-4.53	3	Horizontal	34	1.50	-
5755MHz	Pass	PK	11.50888G	61.16	74.00	-12.84	3	Horizontal	34	1.50	-
5755MHz	Pass	PK	17.28348G	62.91	68.20	-5.29	3	Horizontal	0	1.50	-
5795MHz	Pass	AV	5.783G	113.46	Inf	-Inf	3	Vertical	3	1.82	-
5795MHz	Pass	PK	5.6294G	62.82	68.20	-5.38	3	Vertical	3	1.82	-
5795MHz	Pass	PK	5.8082G	124.45	Inf	-Inf	3	Vertical	3	1.82	-
5795MHz	Pass	PK	6.0818G	58.19	68.20	-10.01	3	Vertical	3	1.82	-
5795MHz	Pass	AV	11.58416G	50.92	54.00	-3.08	3	Vertical	33	1.50	-
5795MHz	Pass	PK	11.58912G	62.01	74.00	-11.99	3	Vertical	33	1.50	-
5795MHz	Pass	PK	17.37652G	65.39	68.20	-2.81	3	Vertical	350	1.00	-
5795MHz	Pass	AV	11.58408G	49.21	54.00	-4.79	3	Horizontal	32	1.50	-
5795MHz	Pass	PK	11.58888G	60.71	74.00	-13.29	3	Horizontal	32	1.50	-
5795MHz	Pass	PK	17.37668G	66.80	68.20	-1.40	3	Horizontal	36	1.75	-
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	AV	5.7426G	107.08	Inf	-Inf	3	Vertical	194	1.81	-
5775MHz	Pass	PK	5.6526G	68.67	70.12	-1.45	3	Vertical	194	1.81	-
5775MHz	Pass	PK	5.7882G	118.29	Inf	-Inf	3	Vertical	194	1.81	-
5775MHz	Pass	PK	6.0726G	58.24	68.20	-9.96	3	Vertical	194	1.81	-
5775MHz	Pass	AV	11.54992G	46.09	54.00	-7.91	3	Vertical	45	1.46	-
5775MHz	Pass	PK	11.5396G	56.96	74.00	-17.04	3	Vertical	45	1.46	-
5775MHz	Pass	PK	17.33372G	63.20	68.20	-5.00	3	Vertical	195	1.50	-
5775MHz	Pass	AV	11.55352G	45.16	54.00	-8.84	3	Horizontal	33	1.50	-
5775MHz	Pass	PK	11.53912G	57.53	74.00	-16.47	3	Horizontal	33	1.50	-
5775MHz	Pass	PK	17.32476G	62.88	68.20	-5.32	3	Horizontal	360	1.50	-

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	116.49	Inf	-Inf	6.71	3	Vertical	180	1.93	-	109.78	31.96	9.03	34.28
PK	5.6166G	62.80	68.20	-5.40	6.27	3	Vertical	180	1.93	-	56.53	31.63	8.91	34.27
PK	5.7402G	126.45	Inf	-Inf	6.71	3	Vertical	180	1.93	-	119.74	31.96	9.03	34.28
PK	5.955G	57.54	68.20	-10.66	7.15	3	Vertical	180	1.93	-	50.39	32.31	9.15	34.31

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48584G	52.90	54.00	-1.10	18.56	3	Vertical	32	1.61	-	34.34	39.97	12.75	34.16
PK	11.48632G	65.48	74.00	-8.52	18.56	3	Vertical	32	1.61	-	46.92	39.97	12.75	34.16
PK	17.2366G	63.98	68.20	-4.22	21.37	3	Vertical	337	1.58	-	42.61	39.61	15.04	33.28

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48664G	50.84	54.00	-3.16	18.56	3	Horizontal	24	1.39	-	32.28	39.97	12.75	34.16
PK	11.48768G	63.79	74.00	-10.21	18.57	3	Horizontal	24	1.39	-	45.22	39.98	12.75	34.16
PK	17.23276G	65.62	68.20	-2.58	21.35	3	Horizontal	52	1.72	-	44.27	39.60	15.03	33.28

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7874G	118.59	Inf	-Inf	6.78	3	Vertical	193	1.93	-	111.81	32.00	9.07	34.29
PK	5.6386G	64.97	68.20	-3.23	6.34	3	Vertical	193	1.93	-	58.63	31.68	8.93	34.27
PK	5.7862G	128.70	Inf	-Inf	6.78	3	Vertical	193	1.93	-	121.92	32.00	9.07	34.29
PK	6.049G	57.57	68.20	-10.63	7.20	3	Vertical	193	1.93	-	50.37	32.30	9.21	34.31

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56584G	52.32	54.00	-1.68	18.53	3	Vertical	31	1.50	-	33.79	39.93	12.79	34.19
PK	11.56504G	65.12	74.00	-8.88	18.53	3	Vertical	31	1.50	-	46.59	39.93	12.79	34.19
PK	17.35556G	67.13	68.20	-1.07	22.07	3	Vertical	336	1.50	-	45.06	40.24	15.07	33.24

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56704G	51.01	54.00	-2.99	18.53	3	Horizontal	68	2.02	-	32.48	39.93	12.79	34.19
PK	11.5676G	65.06	74.00	-8.94	18.53	3	Horizontal	68	2.02	-	46.53	39.93	12.79	34.19
PK	17.36588G	66.92	68.20	-1.28	22.16	3	Horizontal	29	1.92	-	44.76	40.33	15.07	33.24

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	115.72	Inf	-Inf	6.91	3	Vertical	192	1.90	-	108.81	32.11	9.09	34.29
PK	5.5778G	63.97	68.20	-4.23	6.20	3	Vertical	192	1.90	-	57.77	31.60	8.87	34.27
PK	5.8274G	125.01	Inf	-Inf	6.91	3	Vertical	192	1.90	-	118.10	32.11	9.09	34.29
PK	5.9546G	57.74	68.20	-10.46	7.15	3	Vertical	192	1.90	-	50.59	32.31	9.15	34.31

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64856G	52.68	54.00	-1.32	18.16	3	Vertical	37	2.84	-	34.52	39.56	12.83	34.23
PK	11.64744G	66.12	74.00	-7.88	18.17	3	Vertical	37	2.84	-	47.95	39.57	12.83	34.23
PK	17.47548G	66.91	68.20	-1.29	22.95	3	Vertical	350	1.50	-	43.96	41.05	15.10	33.20

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64672G	49.56	54.00	-4.44	18.17	3	Horizontal	31	1.41	-	31.39	39.57	12.83	34.23
PK	11.64752G	63.52	74.00	-10.48	18.17	3	Horizontal	31	1.41	-	45.35	39.57	12.83	34.23
PK	17.4718G	66.15	68.20	-2.05	22.93	3	Horizontal	352	1.50	-	43.22	41.03	15.10	33.20

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	116.06	Inf	-Inf	6.73	3	Vertical	193	1.80	-	109.33	31.98	9.03	34.28
PK	5.6418G	63.62	68.20	-4.58	6.35	3	Vertical	193	1.80	-	57.27	31.68	8.94	34.27
PK	5.7378G	129.76	Inf	-Inf	6.69	3	Vertical	193	1.80	-	123.07	31.95	9.02	34.28
PK	6.0234G	57.61	68.20	-10.59	7.23	3	Vertical	193	1.80	-	50.38	32.35	9.19	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48864G	52.80	54.00	-1.20	18.57	3	Vertical	34	1.50	-	34.23	39.98	12.75	34.16
PK	11.4888G	66.55	74.00	-7.45	18.57	3	Vertical	34	1.50	-	47.98	39.98	12.75	34.16
PK	17.23252G	63.07	68.20	-5.13	21.35	3	Vertical	31	1.88	-	41.72	39.60	15.03	33.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48888G	50.56	54.00	-3.44	18.57	3	Horizontal	24	1.41	-	31.99	39.98	12.75	34.16
PK	11.48904G	63.51	74.00	-10.49	18.57	3	Horizontal	24	1.41	-	44.94	39.98	12.75	34.16
PK	17.22676G	63.81	68.20	-4.39	21.33	3	Horizontal	45	1.54	-	42.48	39.58	15.03	33.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	114.81	Inf	-Inf	6.78	3	Vertical	0	1.84	-	108.03	32.00	9.07	34.29
PK	5.629G	62.70	68.20	-5.50	6.32	3	Vertical	0	1.84	-	56.38	31.66	8.93	34.27
PK	5.7838G	127.43	Inf	-Inf	6.78	3	Vertical	0	1.84	-	120.65	32.00	9.07	34.29
PK	5.9458G	57.69	68.20	-10.51	7.15	3	Vertical	0	1.84	-	50.54	32.30	9.15	34.30

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.5688G	51.08	54.00	-2.92	18.53	3	Vertical	35	1.50	-	32.55	39.93	12.79	34.19
PK	11.56912G	63.80	74.00	-10.20	18.53	3	Vertical	35	1.50	-	45.27	39.93	12.79	34.19
PK	17.36244G	66.49	68.20	-1.71	22.13	3	Vertical	351	1.03	-	44.36	40.30	15.07	33.24

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56888G	49.80	54.00	-4.20	18.53	3	Horizontal	32	1.50	-	31.27	39.93	12.79	34.19
PK	11.5692G	62.71	74.00	-11.29	18.53	3	Horizontal	32	1.50	-	44.18	39.93	12.79	34.19
PK	17.35228G	66.61	68.20	-1.59	22.04	3	Horizontal	35	1.63	-	44.57	40.22	15.06	33.24

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	115.50	Inf	-Inf	6.90	3	Vertical	192	1.76	-	108.60	32.10	9.09	34.29
PK	5.591G	64.15	68.20	-4.05	6.22	3	Vertical	192	1.76	-	57.93	31.60	8.89	34.27
PK	5.8178G	128.34	Inf	-Inf	6.87	3	Vertical	192	1.76	-	121.47	32.07	9.09	34.29
PK	6.0242G	58.12	68.20	-10.08	7.23	3	Vertical	192	1.76	-	50.89	32.35	9.19	34.31

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64904G	49.92	54.00	-4.08	18.16	3	Vertical	34	1.46	-	31.76	39.56	12.83	34.23
PK	11.64896G	63.12	74.00	-10.88	18.16	3	Vertical	34	1.46	-	44.96	39.56	12.83	34.23
PK	17.46684G	67.16	68.20	-1.04	22.89	3	Vertical	350	1.46	-	44.27	41.00	15.09	33.20

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64904G	49.18	54.00	-4.82	18.16	3	Horizontal	20	1.50	-	31.02	39.56	12.83	34.23
PK	11.65408G	62.54	74.00	-11.46	18.13	3	Horizontal	20	1.50	-	44.41	39.52	12.84	34.23
PK	17.47188G	66.75	68.20	-1.45	22.93	3	Horizontal	64	1.53	-	43.82	41.03	15.10	33.20

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7406G	114.66	Inf	-Inf	6.71	3	Vertical	192	1.96	-	107.95	31.96	9.03	34.28
PK	5.653G	68.24	70.42	-2.18	6.38	3	Vertical	192	1.96	-	61.86	31.71	8.95	34.28
PK	5.7502G	124.87	Inf	-Inf	6.75	3	Vertical	192	1.96	-	118.12	32.00	9.04	34.29
PK	6.0166G	57.71	68.20	-10.49	7.24	3	Vertical	192	1.96	-	50.47	32.37	9.18	34.31

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50384G	51.78	54.00	-2.22	18.60	3	Vertical	35	1.50	-	33.18	40.00	12.76	34.16
PK	11.51344G	64.63	74.00	-9.37	18.58	3	Vertical	35	1.50	-	46.05	39.99	12.76	34.17
PK	17.27508G	63.17	68.20	-5.03	21.51	3	Vertical	22	1.24	-	41.66	39.73	15.05	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50392G	49.47	54.00	-4.53	18.60	3	Horizontal	34	1.50	-	30.87	40.00	12.76	34.16
PK	11.50888G	61.16	74.00	-12.84	18.59	3	Horizontal	34	1.50	-	42.57	39.99	12.76	34.16
PK	17.28348G	62.91	68.20	-5.29	21.54	3	Horizontal	0	1.50	-	41.37	39.75	15.05	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.783G	113.46	Inf	-Inf	6.77	3	Vertical	3	1.82	-	106.69	32.00	9.06	34.29
PK	5.6294G	62.82	68.20	-5.38	6.32	3	Vertical	3	1.82	-	56.50	31.66	8.93	34.27
PK	5.8082G	124.45	Inf	-Inf	6.82	3	Vertical	3	1.82	-	117.63	32.03	9.08	34.29
PK	6.0818G	58.19	68.20	-10.01	7.28	3	Vertical	3	1.82	-	50.91	32.36	9.24	34.32

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58416G	50.92	54.00	-3.08	18.52	3	Vertical	33	1.50	-	32.40	39.92	12.80	34.20
PK	11.58912G	62.01	74.00	-11.99	18.51	3	Vertical	33	1.50	-	43.50	39.91	12.80	34.20
PK	17.37652G	65.39	68.20	-2.81	22.25	3	Vertical	350	1.00	-	43.14	40.41	15.07	33.23

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58408G	49.21	54.00	-4.79	18.52	3	Horizontal	32	1.50	-	30.69	39.92	12.80	34.20
PK	11.58888G	60.71	74.00	-13.29	18.51	3	Horizontal	32	1.50	-	42.20	39.91	12.80	34.20
PK	17.37668G	66.80	68.20	-1.40	22.25	3	Horizontal	36	1.75	-	44.55	40.41	15.07	33.23

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	107.08	Inf	-Inf	6.72	3	Vertical	194	1.81	-	100.36	31.97	9.03	34.28
PK	5.6526G	68.67	70.12	-1.45	6.38	3	Vertical	194	1.81	-	62.29	31.71	8.95	34.28
PK	5.7882G	118.29	Inf	-Inf	6.78	3	Vertical	194	1.81	-	111.51	32.00	9.07	34.29
PK	6.0726G	58.24	68.20	-9.96	7.26	3	Vertical	194	1.81	-	50.98	32.35	9.23	34.32

802.11ax HEW80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.54992G	46.09	54.00	-7.91	18.55	3	Vertical	45	1.46	-	27.54	39.95	12.78	34.18
PK	11.5396G	56.96	74.00	-17.04	18.56	3	Vertical	45	1.46	-	38.40	39.96	12.78	34.18
PK	17.33372G	63.20	68.20	-5.00	21.88	3	Vertical	195	1.50	-	41.32	40.07	15.06	33.25

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.55352G	45.16	54.00	-8.84	18.54	3	Horizontal	33	1.50	-	26.62	39.95	12.78	34.19
PK	11.53912G	57.53	74.00	-16.47	18.56	3	Horizontal	33	1.50	-	38.97	39.96	12.78	34.18
PK	17.32476G	62.88	68.20	-5.32	21.81	3	Horizontal	360	1.50	-	41.07	40.00	15.06	33.25

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.1332G	52.63	54.00	-1.37	3	Vertical	176	1.94	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.1484G	52.53	54.00	-1.47	3	Vertical	360	1.82	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.1488G	52.86	54.00	-1.14	3	Vertical	197	1.90	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.149G	52.90	54.00	-1.10	3	Vertical	197	1.89	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	11.48832G	52.97	54.00	-1.03	3	Vertical	52	1.59	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	11.56994G	52.98	54.00	-1.02	3	Vertical	52	1.50	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.6494G	67.00	68.20	-1.20	3	Vertical	192	1.90	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.6502G	67.09	68.35	-1.26	3	Vertical	192	1.92	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1422G	51.65	54.00	-2.35	3	Vertical	179	1.97	-
5180MHz	Pass	AV	5.181G	113.61	Inf	-Inf	3	Vertical	179	1.97	-
5180MHz	Pass	PK	5.1482G	72.34	74.00	-1.66	3	Vertical	179	1.97	-
5180MHz	Pass	PK	5.1812G	122.78	Inf	-Inf	3	Vertical	179	1.97	-
5180MHz	Pass	AV	15.522G	48.01	54.00	-5.99	3	Vertical	113	2.76	-
5180MHz	Pass	PK	10.35728G	56.43	68.20	-11.77	3	Vertical	58	1.50	-
5180MHz	Pass	PK	15.52256G	60.82	74.00	-13.18	3	Vertical	113	2.76	-
5180MHz	Pass	AV	15.52176G	48.04	54.00	-5.96	3	Horizontal	60	1.50	-
5180MHz	Pass	PK	10.36184G	57.01	68.20	-11.19	3	Horizontal	326	2.41	-
5180MHz	Pass	PK	15.52488G	61.26	74.00	-12.74	3	Horizontal	60	1.50	-
5200MHz	Pass	AV	5.15G	52.61	54.00	-1.39	3	Vertical	177	1.95	-
5200MHz	Pass	AV	5.2016G	116.87	Inf	-Inf	3	Vertical	177	1.95	-
5200MHz	Pass	PK	5.144G	70.15	74.00	-3.85	3	Vertical	177	1.95	-
5200MHz	Pass	PK	5.2012G	126.19	Inf	-Inf	3	Vertical	177	1.95	-
5200MHz	Pass	AV	15.58608G	46.25	54.00	-7.75	3	Vertical	108	1.50	-
5200MHz	Pass	PK	10.40102G	57.71	68.20	-10.49	3	Vertical	353	1.51	-
5200MHz	Pass	PK	15.61428G	59.23	74.00	-14.77	3	Vertical	108	1.50	-
5200MHz	Pass	AV	15.58518G	46.26	54.00	-7.74	3	Horizontal	55	1.73	-
5200MHz	Pass	PK	10.40144G	57.70	68.20	-10.50	3	Horizontal	303	2.24	-
5200MHz	Pass	PK	15.58782G	59.33	74.00	-14.67	3	Horizontal	55	1.73	-
5240MHz	Pass	AV	5.1332G	52.63	54.00	-1.37	3	Vertical	176	1.94	-
5240MHz	Pass	AV	5.2412G	119.64	Inf	-Inf	3	Vertical	176	1.94	-
5240MHz	Pass	AV	5.35G	50.71	54.00	-3.29	3	Vertical	176	1.94	-
5240MHz	Pass	PK	5.1494G	68.27	74.00	-5.73	3	Vertical	176	1.94	-
5240MHz	Pass	PK	5.2424G	128.65	Inf	-Inf	3	Vertical	176	1.94	-
5240MHz	Pass	PK	5.35G	63.01	74.00	-10.99	3	Vertical	176	1.94	-
5240MHz	Pass	AV	15.71478G	48.94	54.00	-5.06	3	Vertical	43.5	1.46	-
5240MHz	Pass	PK	10.48108G	61.64	68.20	-6.56	3	Vertical	24	2.14	-
5240MHz	Pass	PK	15.71664G	63.03	74.00	-10.97	3	Vertical	43.5	1.46	-
5240MHz	Pass	AV	15.71946G	52.21	54.00	-1.79	3	Horizontal	44	1.02	-
5240MHz	Pass	PK	10.48072G	60.21	68.20	-7.99	3	Horizontal	290	1.64	-
5240MHz	Pass	PK	15.71952G	66.04	74.00	-7.96	3	Horizontal	44	1.02	-
5745MHz	Pass	AV	5.7402G	117.48	Inf	-Inf	3	Vertical	5	1.94	-
5745MHz	Pass	PK	5.6346G	62.18	68.20	-6.02	3	Vertical	5	1.94	-
5745MHz	Pass	PK	5.7414G	126.94	Inf	-Inf	3	Vertical	5	1.94	-
5745MHz	Pass	PK	5.9286G	60.79	68.20	-7.41	3	Vertical	5	1.94	-
5745MHz	Pass	AV	11.48832G	52.97	54.00	-1.03	3	Vertical	52	1.59	-
5745MHz	Pass	PK	11.48772G	66.31	74.00	-7.69	3	Vertical	52	1.59	-
5745MHz	Pass	PK	17.23776G	62.25	68.20	-5.95	3	Vertical	0	1.62	-
5745MHz	Pass	AV	11.48868G	47.23	54.00	-6.77	3	Horizontal	333	2.39	-
5745MHz	Pass	PK	11.48628G	60.47	74.00	-13.53	3	Horizontal	333	2.39	-
5745MHz	Pass	PK	17.24484G	62.40	68.20	-5.80	3	Horizontal	326	1.49	-
5785MHz	Pass	AV	5.779G	119.40	Inf	-Inf	3	Vertical	5	1.57	-
5785MHz	Pass	PK	5.6446G	62.56	68.20	-5.64	3	Vertical	5	1.57	-
5785MHz	Pass	PK	5.779G	129.75	Inf	-Inf	3	Vertical	5	1.57	-
5785MHz	Pass	PK	5.935G	60.96	68.20	-7.24	3	Vertical	5	1.57	-
5785MHz	Pass	AV	11.56976G	52.02	54.00	-1.98	3	Vertical	50	1.48	-
5785MHz	Pass	PK	11.56736G	64.61	74.00	-9.39	3	Vertical	50	1.48	-
5785MHz	Pass	PK	17.36292G	62.76	68.20	-5.44	3	Vertical	0	1.49	-
5785MHz	Pass	AV	11.57456G	46.86	54.00	-7.14	3	Horizontal	335	1.40	-
5785MHz	Pass	PK	11.57504G	60.22	74.00	-13.78	3	Horizontal	335	1.40	-
5785MHz	Pass	PK	17.3622G	63.86	68.20	-4.34	3	Horizontal	360	1.78	-
5825MHz	Pass	AV	5.8202G	118.89	Inf	-Inf	3	Vertical	5	1.98	-
5825MHz	Pass	PK	5.6366G	62.01	68.20	-6.19	3	Vertical	5	1.98	-
5825MHz	Pass	PK	5.8202G	128.78	Inf	-Inf	3	Vertical	5	1.98	-
5825MHz	Pass	PK	5.9282G	65.58	68.20	-2.62	3	Vertical	5	1.98	-
5825MHz	Pass	AV	11.64994G	52.87	54.00	-1.13	3	Vertical	52	1.50	-
5825MHz	Pass	PK	11.65084G	65.47	74.00	-8.53	3	Vertical	52	1.50	-
5825MHz	Pass	PK	17.46732G	63.76	68.20	-4.44	3	Vertical	113	1.50	-
5825MHz	Pass	AV	11.6467G	47.69	54.00	-6.31	3	Horizontal	322	2.43	-



RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	11.64754G	62.08	74.00	-11.92	3	Horizontal	322	2.43	-
5825MHz	Pass	PK	17.48448G	64.32	68.20	-3.88	3	Horizontal	360	1.74	-
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1484G	52.53	54.00	-1.47	3	Vertical	360	1.82	-
5180MHz	Pass	AV	5.184G	110.23	Inf	-Inf	3	Vertical	360	1.82	-
5180MHz	Pass	PK	5.1486G	70.49	74.00	-3.51	3	Vertical	360	1.82	-
5180MHz	Pass	PK	5.1792G	123.28	Inf	-Inf	3	Vertical	360	1.82	-
5180MHz	Pass	AV	15.52944G	47.63	54.00	-6.37	3	Vertical	291	1.49	-
5180MHz	Pass	PK	10.37068G	55.86	68.20	-12.34	3	Vertical	39	1.48	-
5180MHz	Pass	PK	15.52854G	60.23	74.00	-13.77	3	Vertical	291	1.49	-
5180MHz	Pass	AV	15.52662G	47.37	54.00	-6.63	3	Horizontal	228	1.49	-
5180MHz	Pass	PK	10.35118G	56.65	68.20	-11.55	3	Horizontal	309	2.26	-
5180MHz	Pass	PK	15.52998G	60.60	74.00	-13.40	3	Horizontal	228	1.49	-
5200MHz	Pass	AV	5.1484G	52.46	54.00	-1.54	3	Vertical	200	1.89	-
5200MHz	Pass	AV	5.1988G	113.95	Inf	-Inf	3	Vertical	200	1.89	-
5200MHz	Pass	PK	5.1484G	67.51	74.00	-6.49	3	Vertical	200	1.89	-
5200MHz	Pass	PK	5.1988G	124.53	Inf	-Inf	3	Vertical	200	1.89	-
5200MHz	Pass	AV	15.5985G	46.20	54.00	-7.80	3	Vertical	102	1.49	-
5200MHz	Pass	PK	10.39454G	56.84	68.20	-11.36	3	Vertical	350	1.48	-
5200MHz	Pass	PK	15.60708G	58.94	74.00	-15.06	3	Vertical	102	1.49	-
5200MHz	Pass	AV	15.58512G	46.12	54.00	-7.88	3	Horizontal	14	1.48	-
5200MHz	Pass	PK	10.40066G	56.69	68.20	-11.51	3	Horizontal	290	2.22	-
5200MHz	Pass	PK	15.59208G	59.49	74.00	-14.51	3	Horizontal	14	1.48	-
5240MHz	Pass	AV	5.1464G	52.43	54.00	-1.57	3	Vertical	0	1.84	-
5240MHz	Pass	AV	5.234G	116.91	Inf	-Inf	3	Vertical	0	1.84	-
5240MHz	Pass	AV	5.3522G	50.93	54.00	-3.07	3	Vertical	0	1.84	-
5240MHz	Pass	PK	5.147G	66.24	74.00	-7.76	3	Vertical	0	1.84	-
5240MHz	Pass	PK	5.2388G	128.04	Inf	-Inf	3	Vertical	0	1.84	-
5240MHz	Pass	PK	5.3528G	63.59	74.00	-10.41	3	Vertical	0	1.84	-
5240MHz	Pass	AV	15.7218G	47.37	54.00	-6.63	3	Vertical	26	2.17	-
5240MHz	Pass	PK	10.48402G	59.84	68.20	-8.36	3	Vertical	352	1.49	-
5240MHz	Pass	PK	15.71214G	60.61	74.00	-13.39	3	Vertical	26	2.17	-
5240MHz	Pass	AV	15.71832G	47.69	54.00	-6.31	3	Horizontal	44	1.56	-
5240MHz	Pass	PK	10.48054G	59.06	68.20	-9.14	3	Horizontal	292	1.86	-
5240MHz	Pass	PK	15.71814G	61.72	74.00	-12.28	3	Horizontal	44	1.56	-
5745MHz	Pass	AV	5.739G	119.42	Inf	-Inf	3	Vertical	194	1.90	-
5745MHz	Pass	PK	5.6406G	66.99	68.20	-1.21	3	Vertical	194	1.90	-
5745MHz	Pass	PK	5.7438G	129.68	Inf	-Inf	3	Vertical	194	1.90	-
5745MHz	Pass	PK	5.9358G	61.16	68.20	-7.04	3	Vertical	194	1.90	-
5745MHz	Pass	AV	11.48982G	52.77	54.00	-1.23	3	Vertical	54	1.58	-
5745MHz	Pass	PK	11.48646G	65.20	74.00	-8.80	3	Vertical	54	1.58	-
5745MHz	Pass	PK	17.2401G	62.29	68.20	-5.91	3	Vertical	69	1.47	-
5745MHz	Pass	AV	11.48964G	48.39	54.00	-5.61	3	Horizontal	73	1.13	-
5745MHz	Pass	PK	11.49132G	61.06	74.00	-12.94	3	Horizontal	73	1.13	-
5745MHz	Pass	PK	17.22846G	62.68	68.20	-5.52	3	Horizontal	332	2.04	-
5785MHz	Pass	AV	5.779G	118.54	Inf	-Inf	3	Vertical	6	1.75	-
5785MHz	Pass	PK	5.6278G	62.93	68.20	-5.27	3	Vertical	6	1.75	-
5785MHz	Pass	PK	5.7838G	129.61	Inf	-Inf	3	Vertical	6	1.75	-
5785MHz	Pass	PK	5.9314G	63.28	68.20	-4.92	3	Vertical	6	1.75	-
5785MHz	Pass	AV	11.56994G	52.98	54.00	-1.02	3	Vertical	52	1.50	-
5785MHz	Pass	PK	11.56862G	64.57	74.00	-9.43	3	Vertical	52	1.50	-
5785MHz	Pass	PK	17.3454G	63.46	68.20	-4.74	3	Vertical	360	2.74	-
5785MHz	Pass	AV	11.57288G	47.55	54.00	-6.45	3	Horizontal	336	1.45	-
5785MHz	Pass	PK	11.57318G	60.11	74.00	-13.89	3	Horizontal	336	1.45	-
5785MHz	Pass	PK	17.36046G	63.89	68.20	-4.31	3	Horizontal	5	1.85	-
5825MHz	Pass	AV	5.8238G	117.81	Inf	-Inf	3	Vertical	193	1.89	-
5825MHz	Pass	PK	5.591G	63.13	68.20	-5.07	3	Vertical	193	1.89	-
5825MHz	Pass	PK	5.825G	129.31	Inf	-Inf	3	Vertical	193	1.89	-
5825MHz	Pass	PK	5.9366G	64.67	68.20	-3.53	3	Vertical	193	1.89	-
5825MHz	Pass	AV	11.6539G	52.57	54.00	-1.43	3	Vertical	339	1.22	-
5825MHz	Pass	PK	11.6539G	64.75	74.00	-9.25	3	Vertical	339	1.22	-
5825MHz	Pass	PK	17.47428G	63.36	68.20	-4.84	3	Vertical	75	2.35	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	AV	11.64916G	49.82	54.00	-4.18	3	Horizontal	316	2.74	-
5825MHz	Pass	PK	11.64898G	61.85	74.00	-12.15	3	Horizontal	316	2.74	-
5825MHz	Pass	PK	17.46396G	64.03	68.20	-4.17	3	Horizontal	6	1.98	-
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.85	54.00	-1.15	3	Vertical	18	1.95	-
5190MHz	Pass	AV	5.1852G	105.53	Inf	-Inf	3	Vertical	18	1.95	-
5190MHz	Pass	PK	5.1496G	64.57	74.00	-9.43	3	Vertical	18	1.95	-
5190MHz	Pass	PK	5.1804G	117.07	Inf	-Inf	3	Vertical	18	1.95	-
5190MHz	Pass	AV	15.56022G	47.51	54.00	-6.49	3	Vertical	204	1.76	-
5190MHz	Pass	PK	10.38932G	54.68	68.20	-13.52	3	Vertical	41	1.48	-
5190MHz	Pass	PK	15.57042G	60.54	74.00	-13.46	3	Vertical	204	1.76	-
5190MHz	Pass	AV	15.56562G	47.52	54.00	-6.48	3	Horizontal	107	1.50	-
5190MHz	Pass	PK	10.37734G	55.65	68.20	-12.55	3	Horizontal	311	1.81	-
5190MHz	Pass	PK	15.58242G	59.35	74.00	-14.65	3	Horizontal	107	1.50	-
5230MHz	Pass	AV	5.1488G	52.86	54.00	-1.14	3	Vertical	197	1.90	-
5230MHz	Pass	AV	5.224G	110.53	Inf	-Inf	3	Vertical	197	1.90	-
5230MHz	Pass	PK	5.1376G	66.57	74.00	-7.43	3	Vertical	197	1.90	-
5230MHz	Pass	PK	5.244G	121.47	Inf	-Inf	3	Vertical	197	1.90	-
5230MHz	Pass	AV	15.6921G	46.71	54.00	-7.29	3	Vertical	67	1.22	-
5230MHz	Pass	PK	10.45886G	55.80	68.20	-12.40	3	Vertical	351	1.49	-
5230MHz	Pass	PK	15.6828G	58.86	74.00	-15.14	3	Vertical	67	1.22	-
5230MHz	Pass	AV	15.68184G	47.02	54.00	-6.98	3	Horizontal	123	1.55	-
5230MHz	Pass	PK	10.46546G	55.80	68.20	-12.40	3	Horizontal	261	1.29	-
5230MHz	Pass	PK	15.69252G	58.91	74.00	-15.09	3	Horizontal	123	1.55	-
5755MHz	Pass	AV	5.7598G	113.89	Inf	-Inf	3	Vertical	192	1.90	-
5755MHz	Pass	PK	5.6494G	67.00	68.20	-1.20	3	Vertical	192	1.90	-
5755MHz	Pass	PK	5.749G	125.08	Inf	-Inf	3	Vertical	192	1.90	-
5755MHz	Pass	PK	5.9326G	62.01	68.20	-6.19	3	Vertical	192	1.90	-
5755MHz	Pass	AV	11.50976G	49.43	54.00	-4.57	3	Vertical	54	1.60	-
5755MHz	Pass	PK	11.5085G	61.63	74.00	-12.37	3	Vertical	54	1.60	-
5755MHz	Pass	PK	17.25474G	61.97	68.20	-6.23	3	Vertical	107	1.44	-
5755MHz	Pass	AV	11.51822G	45.80	54.00	-8.20	3	Horizontal	336	1.45	-
5755MHz	Pass	PK	11.51342G	58.10	74.00	-15.90	3	Horizontal	336	1.45	-
5755MHz	Pass	PK	17.27472G	61.50	68.20	-6.70	3	Horizontal	222	1.64	-
5795MHz	Pass	AV	5.7998G	114.29	Inf	-Inf	3	Vertical	191	1.87	-
5795MHz	Pass	PK	5.6102G	63.30	68.20	-4.90	3	Vertical	191	1.87	-
5795MHz	Pass	PK	5.7938G	125.09	Inf	-Inf	3	Vertical	191	1.87	-
5795MHz	Pass	PK	5.9258G	66.98	68.20	-1.22	3	Vertical	191	1.87	-
5795MHz	Pass	AV	11.58988G	50.37	54.00	-3.63	3	Vertical	55	1.60	-
5795MHz	Pass	PK	11.58874G	62.09	74.00	-11.91	3	Vertical	55	1.60	-
5795MHz	Pass	PK	17.37864G	62.48	68.20	-5.72	3	Vertical	255	2.35	-
5795MHz	Pass	AV	11.58982G	46.57	54.00	-7.43	3	Horizontal	320	2.41	-
5795MHz	Pass	PK	11.58868G	58.94	74.00	-15.06	3	Horizontal	320	2.41	-
5795MHz	Pass	PK	17.37192G	61.93	68.20	-6.27	3	Horizontal	47	1.49	-
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	52.90	54.00	-1.10	3	Vertical	197	1.89	-
5210MHz	Pass	AV	5.194G	102.92	Inf	-Inf	3	Vertical	197	1.89	-
5210MHz	Pass	AV	5.358G	47.71	54.00	-6.29	3	Vertical	197	1.89	-
5210MHz	Pass	PK	5.149G	64.58	74.00	-9.42	3	Vertical	197	1.89	-
5210MHz	Pass	PK	5.199G	114.20	Inf	-Inf	3	Vertical	197	1.89	-
5210MHz	Pass	PK	5.352G	59.28	74.00	-14.72	3	Vertical	197	1.89	-
5210MHz	Pass	AV	15.627G	46.69	54.00	-7.31	3	Vertical	162	2.22	-
5210MHz	Pass	PK	10.41358G	54.70	68.20	-13.50	3	Vertical	41	1.54	-
5210MHz	Pass	PK	15.62616G	59.77	74.00	-14.23	3	Vertical	162	2.22	-
5210MHz	Pass	AV	15.63852G	46.61	54.00	-7.39	3	Horizontal	139	1.49	-
5210MHz	Pass	PK	10.4155G	54.50	68.20	-13.70	3	Horizontal	317	2.99	-
5210MHz	Pass	PK	15.61818G	58.75	74.00	-15.25	3	Horizontal	139	1.49	-
5775MHz	Pass	AV	5.7438G	105.88	Inf	-Inf	3	Vertical	192	1.92	-
5775MHz	Pass	PK	5.6502G	67.09	68.35	-1.26	3	Vertical	192	1.92	-
5775MHz	Pass	PK	5.7438G	117.44	Inf	-Inf	3	Vertical	192	1.92	-
5775MHz	Pass	PK	5.9406G	63.82	68.20	-4.38	3	Vertical	192	1.92	-
5775MHz	Pass	AV	11.5498G	44.89	54.00	-9.11	3	Vertical	50	1.50	-




RSE TX above 1GHz_Non-Beamforming_Radio 2

Appendix E.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	11.5496G	55.97	74.00	-18.03	3	Vertical	50	1.50	-
5775MHz	Pass	PK	17.31114G	62.23	68.20	-5.97	3	Vertical	158	1.49	-
5775MHz	Pass	AV	11.53716G	43.20	54.00	-10.80	3	Horizontal	240	1.43	-
5775MHz	Pass	PK	11.54172G	55.88	74.00	-18.12	3	Horizontal	240	1.43	-
5775MHz	Pass	PK	17.33838G	61.75	68.20	-6.45	3	Horizontal	333	1.48	-

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1422G	51.65	54.00	-2.35	5.99	3	Vertical	179	1.97	-	45.66	31.70	8.52	34.23
AV	5.181G	113.61	Inf	-Inf	5.90	3	Vertical	179	1.97	-	107.71	31.58	8.55	34.23
PK	5.1482G	72.34	74.00	-1.66	5.99	3	Vertical	179	1.97	-	66.35	31.70	8.52	34.23
PK	5.1812G	122.78	Inf	-Inf	5.90	3	Vertical	179	1.97	-	116.88	31.58	8.55	34.23

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.522G	48.01	54.00	-5.99	18.59	3	Vertical	113	2.76	-	29.42	38.35	14.60	34.36
PK	10.35728G	56.43	68.20	-11.77	16.87	3	Vertical	58	1.50	-	39.56	39.37	12.18	34.68
PK	15.52256G	60.82	74.00	-13.18	18.58	3	Vertical	113	2.76	-	42.24	38.34	14.60	34.36

802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.52176G	48.04	54.00	-5.96	18.59	3	Horizontal	60	1.50	-	29.45	38.35	14.60	34.36
PK	10.36184G	57.01	68.20	-11.19	16.89	3	Horizontal	326	2.41	-	40.12	39.39	12.18	34.68
PK	15.52488G	61.26	74.00	-12.74	18.57	3	Horizontal	60	1.50	-	42.69	38.33	14.60	34.36

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.61	54.00	-1.39	5.99	3	Vertical	177	1.95	-	46.62	31.70	8.52	34.23
AV	5.2016G	116.87	Inf	-Inf	5.82	3	Vertical	177	1.95	-	111.05	31.49	8.57	34.24
PK	5.144G	70.15	74.00	-3.85	5.99	3	Vertical	177	1.95	-	64.16	31.70	8.52	34.23
PK	5.2012G	126.19	Inf	-Inf	5.82	3	Vertical	177	1.95	-	120.37	31.49	8.57	34.24

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.58608G	46.25	54.00	-7.75	18.10	3	Vertical	108	1.50	-	28.15	37.90	14.62	34.42
PK	10.40102G	57.71	68.20	-10.49	17.05	3	Vertical	353	1.51	-	40.66	39.50	12.20	34.65
PK	15.61428G	59.23	74.00	-14.77	18.01	3	Vertical	108	1.50	-	41.22	37.83	14.63	34.45

802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.58518G	46.26	54.00	-7.74	18.10	3	Horizontal	55	1.73	-	28.16	37.90	14.62	34.42
PK	10.40144G	57.70	68.20	-10.50	17.06	3	Horizontal	303	2.24	-	40.64	39.50	12.20	34.64
PK	15.58782G	59.33	74.00	-14.67	18.09	3	Horizontal	55	1.73	-	41.24	37.89	14.62	34.42

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1332G	52.63	54.00	-1.37	5.98	3	Vertical	176	1.94	-	46.65	31.70	8.51	34.23
AV	5.2412G	119.64	Inf	-Inf	5.59	3	Vertical	176	1.94	-	114.05	31.25	8.58	34.24
AV	5.35G	50.71	54.00	-3.29	5.35	3	Vertical	176	1.94	-	45.36	31.00	8.60	34.25
PK	5.1494G	68.27	74.00	-5.73	5.99	3	Vertical	176	1.94	-	62.28	31.70	8.52	34.23
PK	5.2424G	128.65	Inf	-Inf	5.59	3	Vertical	176	1.94	-	123.06	31.25	8.58	34.24
PK	5.35G	63.01	74.00	-10.99	5.35	3	Vertical	176	1.94	-	57.66	31.00	8.60	34.25

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71478G	48.94	54.00	-5.06	18.05	3	Vertical	43	1.46	-	30.89	37.94	14.65	34.54
PK	10.48108G	61.64	68.20	-6.56	17.32	3	Vertical	24	2.14	-	44.32	39.66	12.24	34.58
PK	15.71664G	63.03	74.00	-10.97	18.04	3	Vertical	43	1.46	-	44.99	37.93	14.65	34.54

802.11a_Nss1,(6Mbps)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71946G	52.21	54.00	-1.79	18.03	3	Horizontal	44	1.02	-	34.18	37.92	14.65	34.54
PK	10.48072G	60.21	68.20	-7.99	17.32	3	Horizontal	290	1.64	-	42.89	39.66	12.24	34.58
PK	15.71952G	66.04	74.00	-7.96	18.03	3	Horizontal	44	1.02	-	48.01	37.92	14.65	34.54

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7402G	117.48	Inf	-Inf	6.71	3	Vertical	5	1.94	-	110.77	31.96	9.03	34.28
PK	5.6346G	62.18	68.20	-6.02	6.33	3	Vertical	5	1.94	-	55.85	31.67	8.93	34.27
PK	5.7414G	126.94	Inf	-Inf	6.72	3	Vertical	5	1.94	-	120.22	31.97	9.03	34.28
PK	5.9286G	60.79	68.20	-7.41	7.14	3	Vertical	5	1.94	-	53.65	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48832G	52.97	54.00	-1.03	18.57	3	Vertical	52	1.59	-	34.40	39.98	12.75	34.16
PK	11.48772G	66.31	74.00	-7.69	18.57	3	Vertical	52	1.59	-	47.74	39.98	12.75	34.16
PK	17.23776G	62.25	68.20	-5.95	21.37	3	Vertical	0	1.62	-	40.88	39.61	15.04	33.28

802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48868G	47.23	54.00	-6.77	18.57	3	Horizontal	333	2.39	-	28.66	39.98	12.75	34.16
PK	11.48628G	60.47	74.00	-13.53	18.56	3	Horizontal	333	2.39	-	41.91	39.97	12.75	34.16
PK	17.24484G	62.40	68.20	-5.80	21.39	3	Horizontal	326	1.49	-	41.01	39.63	15.04	33.28

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.779G	119.40	Inf	-Inf	6.77	3	Vertical	5	1.57	-	112.63	32.00	9.06	34.29
PK	5.6446G	62.56	68.20	-5.64	6.36	3	Vertical	5	1.57	-	56.20	31.69	8.94	34.27
PK	5.779G	129.75	Inf	-Inf	6.77	3	Vertical	5	1.57	-	122.98	32.00	9.06	34.29
PK	5.935G	60.96	68.20	-7.24	7.14	3	Vertical	5	1.57	-	53.82	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.56976G	52.02	54.00	-1.98	18.53	3	Vertical	50	1.48	-	33.49	39.93	12.79	34.19
PK	11.56736G	64.61	74.00	-9.39	18.53	3	Vertical	50	1.48	-	46.08	39.93	12.79	34.19
PK	17.36292G	62.76	68.20	-5.44	22.13	3	Vertical	0	1.49	-	40.63	40.30	15.07	33.24

802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57456G	46.86	54.00	-7.14	18.53	3	Horizontal	335	1.40	-	28.33	39.93	12.80	34.20
PK	11.57504G	60.22	74.00	-13.78	18.52	3	Horizontal	335	1.40	-	41.70	39.92	12.80	34.20
PK	17.3622G	63.86	68.20	-4.34	22.13	3	Horizontal	360	1.78	-	41.73	40.30	15.07	33.24

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	118.89	Inf	-Inf	6.88	3	Vertical	5	1.98	-	112.01	32.08	9.09	34.29
PK	5.6366G	62.01	68.20	-6.19	6.33	3	Vertical	5	1.98	-	55.68	31.67	8.93	34.27
PK	5.8202G	128.78	Inf	-Inf	6.88	3	Vertical	5	1.98	-	121.90	32.08	9.09	34.29
PK	5.9282G	65.58	68.20	-2.62	7.14	3	Vertical	5	1.98	-	58.44	32.30	9.14	34.30

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64994G	52.87	54.00	-1.13	18.15	3	Vertical	52	1.50	-	34.72	39.55	12.83	34.23
PK	11.65084G	65.47	74.00	-8.53	18.14	3	Vertical	52	1.50	-	47.33	39.54	12.83	34.23
PK	17.46732G	63.76	68.20	-4.44	22.89	3	Vertical	113	1.50	-	40.87	41.00	15.09	33.20

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6467G	47.69	54.00	-6.31	18.17	3	Horizontal	322	2.43	-	29.52	39.57	12.83	34.23
PK	11.64754G	62.08	74.00	-11.92	18.17	3	Horizontal	322	2.43	-	43.91	39.57	12.83	34.23
PK	17.48448G	64.32	68.20	-3.88	23.01	3	Horizontal	360	1.74	-	41.31	41.11	15.10	33.20

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	52.53	54.00	-1.47	5.99	3	Vertical	360	1.82	-	46.54	31.70	8.52	34.23
AV	5.184G	110.23	Inf	-Inf	5.88	3	Vertical	360	1.82	-	104.35	31.56	8.55	34.23
PK	5.1486G	70.49	74.00	-3.51	5.99	3	Vertical	360	1.82	-	64.50	31.70	8.52	34.23
PK	5.1792G	123.28	Inf	-Inf	5.90	3	Vertical	360	1.82	-	117.38	31.58	8.55	34.23

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.52944G	47.63	54.00	-6.37	18.52	3	Vertical	291	1.49	-	29.11	38.29	14.60	34.37
PK	10.37068G	55.86	68.20	-12.34	16.93	3	Vertical	39	1.48	-	38.93	39.41	12.19	34.67
PK	15.52854G	60.23	74.00	-13.77	18.53	3	Vertical	291	1.49	-	41.70	38.30	14.60	34.37

802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.52662G	47.37	54.00	-6.63	18.55	3	Horizontal	228	1.49	-	28.82	38.31	14.60	34.36
PK	10.35118G	56.65	68.20	-11.55	16.85	3	Horizontal	309	2.26	-	39.80	39.35	12.18	34.68
PK	15.52998G	60.60	74.00	-13.40	18.52	3	Horizontal	228	1.49	-	42.08	38.29	14.60	34.37

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.1484G	52.46	54.00	-1.54	5.99	3	Vertical	200	1.89	-	46.47	31.70	8.52	34.23
AV	5.1988G	113.95	Inf	-Inf	5.83	3	Vertical	200	1.89	-	108.12	31.50	8.57	34.24
PK	5.1484G	67.51	74.00	-6.49	5.99	3	Vertical	200	1.89	-	61.52	31.70	8.52	34.23
PK	5.1988G	124.53	Inf	-Inf	5.83	3	Vertical	200	1.89	-	118.70	31.50	8.57	34.24

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5985G	46.20	54.00	-7.80	18.00	3	Vertical	102	1.49	-	28.20	37.81	14.62	34.43
PK	10.39454G	56.84	68.20	-11.36	17.03	3	Vertical	350	1.48	-	39.81	39.48	12.20	34.65
PK	15.60708G	58.94	74.00	-15.06	17.99	3	Vertical	102	1.49	-	40.95	37.81	14.62	34.44

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.58512G	46.12	54.00	-7.88	18.10	3	Horizontal	14	1.48	-	28.02	37.90	14.62	34.42
PK	10.40066G	56.69	68.20	-11.51	17.05	3	Horizontal	290	2.22	-	39.64	39.50	12.20	34.65
PK	15.59208G	59.49	74.00	-14.51	18.06	3	Horizontal	14	1.48	-	41.43	37.86	14.62	34.42

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	52.43	54.00	-1.57	5.99	3	Vertical	0	1.84	-	46.44	31.70	8.52	34.23
AV	5.234G	116.91	Inf	-Inf	5.64	3	Vertical	0	1.84	-	111.27	31.30	8.58	34.24
AV	5.3522G	50.93	54.00	-3.07	5.36	3	Vertical	0	1.84	-	45.57	31.01	8.60	34.25
PK	5.147G	66.24	74.00	-7.76	5.99	3	Vertical	0	1.84	-	60.25	31.70	8.52	34.23
PK	5.2388G	128.04	Inf	-Inf	5.61	3	Vertical	0	1.84	-	122.43	31.27	8.58	34.24
PK	5.3528G	63.59	74.00	-10.41	5.37	3	Vertical	0	1.84	-	58.22	31.02	8.60	34.25

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.7218G	47.37	54.00	-6.63	18.02	3	Vertical	26	2.17	-	29.35	37.91	14.65	34.54
PK	10.48402G	59.84	68.20	-8.36	17.33	3	Vertical	352	1.49	-	42.51	39.67	12.24	34.58
PK	15.71214G	60.61	74.00	-13.39	18.06	3	Vertical	26	2.17	-	42.55	37.95	14.65	34.54

802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.71832G	47.69	54.00	-6.31	18.04	3	Horizontal	44	1.56	-	29.65	37.93	14.65	34.54
PK	10.48054G	59.06	68.20	-9.14	17.32	3	Horizontal	292	1.86	-	41.74	39.66	12.24	34.58
PK	15.71814G	61.72	74.00	-12.28	18.04	3	Horizontal	44	1.56	-	43.68	37.93	14.65	34.54

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	119.42	Inf	-Inf	6.71	3	Vertical	194	1.90	-	112.71	31.96	9.03	34.28
PK	5.6406G	66.99	68.20	-1.21	6.35	3	Vertical	194	1.90	-	60.64	31.68	8.94	34.27
PK	5.7438G	129.68	Inf	-Inf	6.73	3	Vertical	194	1.90	-	122.95	31.98	9.03	34.28
PK	5.9358G	61.16	68.20	-7.04	7.14	3	Vertical	194	1.90	-	54.02	32.30	9.14	34.30

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.48982G	52.77	54.00	-1.23	18.57	3	Vertical	54	1.58	-	34.20	39.98	12.75	34.16
PK	11.48646G	65.20	74.00	-8.80	18.56	3	Vertical	54	1.58	-	46.64	39.97	12.75	34.16
PK	17.2401G	62.29	68.20	-5.91	21.38	3	Vertical	69	1.47	-	40.91	39.62	15.04	33.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48964G	48.39	54.00	-5.61	18.57	3	Horizontal	73	1.13	-	29.82	39.98	12.75	34.16
PK	11.49132G	61.06	74.00	-12.94	18.57	3	Horizontal	73	1.13	-	42.49	39.98	12.75	34.16
PK	17.22846G	62.68	68.20	-5.52	21.34	3	Horizontal	332	2.04	-	41.34	39.59	15.03	33.28

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	118.54	Inf	-Inf	6.77	3	Vertical	6	1.75	-	111.77	32.00	9.06	34.29
PK	5.6278G	62.93	68.20	-5.27	6.32	3	Vertical	6	1.75	-	56.61	31.66	8.93	34.27
PK	5.7838G	129.61	Inf	-Inf	6.78	3	Vertical	6	1.75	-	122.83	32.00	9.07	34.29
PK	5.9314G	63.28	68.20	-4.92	7.14	3	Vertical	6	1.75	-	56.14	32.30	9.14	34.30

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56994G	52.98	54.00	-1.02	18.53	3	Vertical	52	1.50	-	34.45	39.93	12.79	34.19
PK	11.56862G	64.57	74.00	-9.43	18.53	3	Vertical	52	1.50	-	46.04	39.93	12.79	34.19
PK	17.3454G	63.46	68.20	-4.74	21.98	3	Vertical	360	2.74	-	41.48	40.16	15.06	33.24

802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.57288G	47.55	54.00	-6.45	18.53	3	Horizontal	336	1.45	-	29.02	39.93	12.79	34.19
PK	11.57318G	60.11	74.00	-13.89	18.52	3	Horizontal	336	1.45	-	41.59	39.93	12.79	34.20
PK	17.36046G	63.89	68.20	-4.31	22.11	3	Horizontal	5	1.85	-	41.78	40.28	15.07	33.24

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	117.81	Inf	-Inf	6.90	3	Vertical	193	1.89	-	110.91	32.10	9.09	34.29
PK	5.591G	63.13	68.20	-5.07	6.22	3	Vertical	193	1.89	-	56.91	31.60	8.89	34.27
PK	5.825G	129.31	Inf	-Inf	6.90	3	Vertical	193	1.89	-	122.41	32.10	9.09	34.29
PK	5.9366G	64.67	68.20	-3.53	7.14	3	Vertical	193	1.89	-	57.53	32.30	9.14	34.30

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.6539G	52.57	54.00	-1.43	18.13	3	Vertical	339	1.22	-	34.44	39.52	12.84	34.23
PK	11.6539G	64.75	74.00	-9.25	18.13	3	Vertical	339	1.22	-	46.62	39.52	12.84	34.23
PK	17.47428G	63.36	68.20	-4.84	22.95	3	Vertical	75	2.35	-	40.41	41.05	15.10	33.20

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.64916G	49.82	54.00	-4.18	18.16	3	Horizontal	316	2.74	-	31.66	39.56	12.83	34.23
PK	11.64898G	61.85	74.00	-12.15	18.16	3	Horizontal	316	2.74	-	43.69	39.56	12.83	34.23
PK	17.46396G	64.03	68.20	-4.17	22.87	3	Horizontal	6	1.98	-	41.16	40.98	15.09	33.20

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.15G	52.85	54.00	-1.15	5.99	3	Vertical	18	1.95	-	46.86	31.70	8.52	34.23
AV	5.1852G	105.53	Inf	-Inf	5.89	3	Vertical	18	1.95	-	99.64	31.56	8.56	34.23
PK	5.1496G	64.57	74.00	-9.43	5.99	3	Vertical	18	1.95	-	58.58	31.70	8.52	34.23
PK	5.1804G	117.07	Inf	-Inf	5.90	3	Vertical	18	1.95	-	111.17	31.58	8.55	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.56022G	47.51	54.00	-6.49	18.29	3	Vertical	204	1.76	-	29.22	38.08	14.61	34.40
PK	10.38932G	54.68	68.20	-13.52	17.02	3	Vertical	41	1.48	-	37.66	39.47	12.20	34.65
PK	15.57042G	60.54	74.00	-13.46	18.22	3	Vertical	204	1.76	-	42.32	38.01	14.61	34.40

802.11ax HEW40_Nss1,(MCS0)_4TX


5190MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.56562G	47.52	54.00	-6.48	18.25	3	Horizontal	107	1.50	-	29.27	38.04	14.61	34.40
PK	10.37734G	55.65	68.20	-12.55	16.96	3	Horizontal	311	1.81	-	38.69	39.43	12.19	34.66
PK	15.58242G	59.35	74.00	-14.65	18.12	3	Horizontal	107	1.50	-	41.23	37.92	14.62	34.42

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.86	54.00	-1.14	5.99	3	Vertical	197	1.90	-	46.87	31.70	8.52	34.23
AV	5.224G	110.53	Inf	-Inf	5.69	3	Vertical	197	1.90	-	104.84	31.36	8.57	34.24
PK	5.1376G	66.57	74.00	-7.43	5.98	3	Vertical	197	1.90	-	60.59	31.70	8.51	34.23
PK	5.244G	121.47	Inf	-Inf	5.58	3	Vertical	197	1.90	-	115.89	31.24	8.58	34.24

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.6921G	46.71	54.00	-7.29	18.10	3	Vertical	67	1.22	-	28.61	37.98	14.64	34.52
PK	10.45886G	55.80	68.20	-12.40	17.25	3	Vertical	351	1.49	-	38.55	39.62	12.23	34.60
PK	15.6828G	58.86	74.00	-15.14	18.10	3	Vertical	67	1.22	-	40.76	37.97	14.64	34.51

802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.68184G	47.02	54.00	-6.98	18.09	3	Horizontal	123	1.55	-	28.93	37.96	14.64	34.51
PK	10.46546G	55.80	68.20	-12.40	17.27	3	Horizontal	261	1.29	-	38.53	39.63	12.24	34.60
PK	15.69252G	58.91	74.00	-15.09	18.11	3	Horizontal	123	1.55	-	40.80	37.99	14.64	34.52

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	113.89	Inf	-Inf	6.75	3	Vertical	192	1.90	-	107.14	32.00	9.04	34.29
PK	5.6494G	67.00	68.20	-1.20	6.37	3	Vertical	192	1.90	-	60.63	31.70	8.94	34.27
PK	5.749G	125.08	Inf	-Inf	6.75	3	Vertical	192	1.90	-	118.33	32.00	9.03	34.28
PK	5.9326G	62.01	68.20	-6.19	7.14	3	Vertical	192	1.90	-	54.87	32.30	9.14	34.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.50976G	49.43	54.00	-4.57	18.59	3	Vertical	54	1.60	-	30.84	39.99	12.76	34.16
PK	11.5085G	61.63	74.00	-12.37	18.59	3	Vertical	54	1.60	-	43.04	39.99	12.76	34.16
PK	17.25474G	61.97	68.20	-6.23	21.43	3	Vertical	107	1.44	-	40.54	39.66	15.04	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.51822G	45.80	54.00	-8.20	18.58	3	Horizontal	336	1.45	-	27.22	39.98	12.77	34.17
PK	11.51342G	58.10	74.00	-15.90	18.58	3	Horizontal	336	1.45	-	39.52	39.99	12.76	34.17
PK	17.27472G	61.50	68.20	-6.70	21.50	3	Horizontal	222	1.64	-	40.00	39.72	15.05	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	114.29	Inf	-Inf	6.79	3	Vertical	191	1.87	-	107.50	32.00	9.08	34.29
PK	5.6102G	63.30	68.20	-4.90	6.26	3	Vertical	191	1.87	-	57.04	31.62	8.91	34.27
PK	5.7938G	125.09	Inf	-Inf	6.78	3	Vertical	191	1.87	-	118.31	32.00	9.07	34.29
PK	5.9258G	66.98	68.20	-1.22	7.14	3	Vertical	191	1.87	-	59.84	32.30	9.14	34.30

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58988G	50.37	54.00	-3.63	18.51	3	Vertical	55	1.60	-	31.86	39.91	12.80	34.20
PK	11.58874G	62.09	74.00	-11.91	18.51	3	Vertical	55	1.60	-	43.58	39.91	12.80	34.20
PK	17.37864G	62.48	68.20	-5.72	22.27	3	Vertical	255	2.35	-	40.21	40.43	15.07	33.23

802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	11.58982G	46.57	54.00	-7.43	18.51	3	Horizontal	320	2.41	-	28.06	39.91	12.80	34.20
PK	11.58868G	58.94	74.00	-15.06	18.51	3	Horizontal	320	2.41	-	40.43	39.91	12.80	34.20
PK	17.37192G	61.93	68.20	-6.27	22.22	3	Horizontal	47	1.49	-	39.71	40.38	15.07	33.23

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.149G	52.90	54.00	-1.10	5.99	3	Vertical	197	1.89	-	46.91	31.70	8.52	34.23
AV	5.194G	102.92	Inf	-Inf	5.84	3	Vertical	197	1.89	-	97.08	31.52	8.56	34.24
AV	5.358G	47.71	54.00	-6.29	5.40	3	Vertical	197	1.89	-	42.31	31.05	8.60	34.25
PK	5.149G	64.58	74.00	-9.42	5.99	3	Vertical	197	1.89	-	58.59	31.70	8.52	34.23
PK	5.199G	114.20	Inf	-Inf	5.83	3	Vertical	197	1.89	-	108.37	31.50	8.57	34.24
PK	5.352G	59.28	74.00	-14.72	5.36	3	Vertical	197	1.89	-	53.92	31.01	8.60	34.25

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.627G	46.69	54.00	-7.31	18.02	3	Vertical	162	2.22	-	28.67	37.85	14.63	34.46
PK	10.41358G	54.70	68.20	-13.50	17.10	3	Vertical	41	1.54	-	37.60	39.53	12.21	34.64
PK	15.62616G	59.77	74.00	-14.23	18.02	3	Vertical	162	2.22	-	41.75	37.85	14.63	34.46

802.11ax HEW80_Nss1,(MCS0)_4TX


5210MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	15.63852G	46.61	54.00	-7.39	18.04	3	Horizontal	139	1.49	-	28.57	37.88	14.63	34.47
PK	10.4155G	54.50	68.20	-13.70	17.11	3	Horizontal	317	2.99	-	37.39	39.53	12.21	34.63
PK	15.61818G	58.75	74.00	-15.25	18.02	3	Horizontal	139	1.49	-	40.73	37.84	14.63	34.45

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.7438G	105.88	Inf	-Inf	6.73	3	Vertical	192	1.92	-	99.15	31.98	9.03	34.28
PK	5.6502G	67.09	68.35	-1.26	6.37	3	Vertical	192	1.92	-	60.72	31.70	8.95	34.28
PK	5.7438G	117.44	Inf	-Inf	6.73	3	Vertical	192	1.92	-	110.71	31.98	9.03	34.28
PK	5.9406G	63.82	68.20	-4.38	7.14	3	Vertical	192	1.92	-	56.68	32.30	9.14	34.30