


Transmit at 2422MHz by 802.11ac(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	47.9	39.08	-8.800	74.00	34.92	PK	Vertic	PASS
2	4844.00	37.5	28.67	-8.800	54.00	25.33	AV	Vertic	PASS
3	7266.00	44.3	42.20	-2.090	74.00	31.80	PK	Vertic	PASS
4	7266.00	35.4	33.28	-2.090	54.00	20.72	AV	Vertic	PASS
5	9688.00	41.5	42.34	0.840	74.00	31.66	PK	Vertic	PASS
6	9688.00	34.0	34.84	0.840	54.00	19.16	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ac(40MHz) with Ant MIMO


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.5	37.88	-8.620	74.00	36.12	PK	Horizo	PASS
2	4874.00	38.4	29.81	-8.620	54.00	24.19	AV	Horizo	PASS
3	7311.00	35.3	33.31	-1.960	54.00	20.69	AV	Horizo	PASS
4	7311.00	44.4	42.41	-1.960	74.00	31.59	PK	Horizo	PASS
5	9748.00	42.4	43.27	0.850	74.00	30.73	PK	Horizo	PASS
6	9748.00	33.6	34.45	0.850	54.00	19.55	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ac(40MHz) with Ant MIMO




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.6	37.94	-8.620	74.00	36.06	PK	Vertic	PASS
2	4874.00	38.0	29.36	-8.620	54.00	24.64	AV	Vertic	PASS
3	7311.00	43.3	41.35	-1.960	74.00	32.65	PK	Vertic	PASS
4	7311.00	35.2	33.27	-1.960	54.00	20.73	AV	Vertic	PASS
5	9748.00	42.3	43.15	0.850	74.00	30.85	PK	Vertic	PASS
6	9748.00	33.6	34.46	0.850	54.00	19.54	AV	Vertic	PASS

Transmit at 2452MHz by 802.11ac(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	47.5	39.06	-8.460	74.00	34.94	PK	Horizo	PASS
2	4904.00	38.1	29.66	-8.460	54.00	24.34	AV	Horizo	PASS
3	7356.00	35.8	34.22	-1.620	54.00	19.78	AV	Horizo	PASS
4	7356.00	44.6	42.98	-1.620	74.00	31.02	PK	Horizo	PASS
5	9808.00	41.9	42.74	0.870	74.00	31.26	PK	Horizo	PASS
6	9808.00	32.8	33.62	0.870	54.00	20.38	AV	Horizo	PASS

Transmit at 2452MHz by 802.11ac(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	46.1	37.60	-8.460	74.00	36.40	PK	Vertic	PASS
2	4904.00	38.2	29.77	-8.460	54.00	24.23	AV	Vertic	PASS
3	7356.00	35.2	33.57	-1.620	54.00	20.43	AV	Vertic	PASS
4	7356.00	42.7	41.11	-1.620	74.00	32.89	PK	Vertic	PASS
5	9808.00	42.6	43.50	0.870	74.00	30.50	PK	Vertic	PASS
6	9808.00	32.2	33.08	0.870	54.00	20.92	AV	Vertic	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	47.9	39.12	-8.800	74.00	34.88	PK	Horizo	PASS
2	4844.00	38.3	29.50	-8.800	54.00	24.50	AV	Horizo	PASS
3	7266.00	35.3	33.19	-2.090	54.00	20.81	AV	Horizo	PASS
4	7266.00	44.1	42.05	-2.090	74.00	31.95	PK	Horizo	PASS
5	9688.00	42.3	43.09	0.840	74.00	30.91	PK	Horizo	PASS
6	9688.00	33.7	34.52	0.840	54.00	19.48	AV	Horizo	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	47.0	38.15	-8.800	74.00	35.85	PK	Vertic	PASS
2	4844.00	38.3	29.50	-8.800	54.00	24.50	AV	Vertic	PASS
3	7266.00	35.9	33.82	-2.090	54.00	20.18	AV	Vertic	PASS
4	7266.00	43.8	41.73	-2.090	74.00	32.27	PK	Vertic	PASS
5	9688.00	42.7	43.54	0.840	74.00	30.46	PK	Vertic	PASS
6	9688.00	33.7	34.49	0.840	54.00	19.51	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.0	37.40	-8.620	74.00	36.60	PK	Horizo	PASS
2	4874.00	38.3	29.69	-8.620	54.00	24.31	AV	Horizo	PASS
3	7311.00	35.7	33.75	-1.960	54.00	20.25	AV	Horizo	PASS
4	7311.00	44.6	42.67	-1.960	74.00	31.33	PK	Horizo	PASS
5	9748.00	42.2	43.01	0.850	74.00	30.99	PK	Horizo	PASS
6	9748.00	33.7	34.57	0.850	54.00	19.43	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.2	37.56	-8.620	74.00	36.44	PK	Vertic	PASS
2	4874.00	37.9	29.31	-8.620	54.00	24.69	AV	Vertic	PASS
3	7311.00	36.0	34.02	-1.960	54.00	19.98	AV	Vertic	PASS
4	7311.00	44.5	42.54	-1.960	74.00	31.46	PK	Vertic	PASS
5	9748.00	42.0	42.80	0.850	74.00	31.20	PK	Vertic	PASS
6	9748.00	33.0	33.88	0.850	54.00	20.12	AV	Vertic	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	46.2	37.74	-8.460	74.00	36.26	PK	Horizo	PASS
2	4904.00	38.1	29.65	-8.460	54.00	24.35	AV	Horizo	PASS
3	7356.00	35.2	33.58	-1.620	54.00	20.42	AV	Horizo	PASS
4	7356.00	43.5	41.89	-1.620	74.00	32.11	PK	Horizo	PASS
5	9808.00	40.9	41.79	0.870	74.00	32.21	PK	Horizo	PASS
6	9808.00	32.3	33.14	0.870	54.00	20.86	AV	Horizo	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	47.0	38.50	-8.460	74.00	35.50	PK	Vertic	PASS
2	4904.00	37.9	29.45	-8.460	54.00	24.55	AV	Vertic	PASS
3	7356.00	35.4	33.79	-1.620	54.00	20.21	AV	Vertic	PASS
4	7356.00	44.6	42.93	-1.620	74.00	31.07	PK	Vertic	PASS
5	9808.00	42.2	43.07	0.870	74.00	30.93	PK	Vertic	PASS
6	9808.00	33.0	33.90	0.870	54.00	20.10	AV	Vertic	PASS

Transmit at 2402MHz by 802.11b with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.55	16.3	29.60	13.310	40.00	10.40	PK	Horizo	PASS
2	75.83	15.7	25.53	9.860	40.00	14.47	PK	Horizo	PASS
3	104.69	22.4	34.76	12.390	43.50	8.74	PK	Horizo	PASS
4	198.78	15.5	27.24	11.740	43.50	16.26	PK	Horizo	PASS
5	457.29	15.9	32.69	16.800	46.00	13.31	PK	Horizo	PASS
6	759.20	17.7	39.25	21.530	46.00	6.75	PK	Horizo	PASS

Transmit at 2402MHz by 802.11b with Ant MIMO


Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	40.67	24.6	38.59	13.950	40.00	1.41	PK	Vertic	PASS
2	102.27	23.9	36.35	12.480	43.50	7.15	PK	Vertic	PASS
3	189.08	15.2	26.27	11.060	43.50	17.23	PK	Vertic	PASS
4	352.53	15.5	30.88	15.430	46.00	15.12	PK	Vertic	PASS
5	651.29	16.1	36.10	20.030	46.00	9.90	PK	Vertic	PASS
6	906.64	17.1	39.99	22.930	46.00	6.01	PK	Vertic	PASS

Test Graph



Test Graph




AWAN Antenna:**Transmit at 2412MHz by 802.11b with Ant MIMO***Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	48.1	39.18	-8.880	74.00	34.82	PK	Horizo	PASS
2	4824.00	39.9	31.04	-8.880	54.00	22.96	AV	Horizo	PASS
3	7236.00	45.8	43.64	-2.110	74.00	30.36	PK	Horizo	PASS
4	7236.00	35.1	32.96	-2.110	54.00	21.04	AV	Horizo	PASS
5	9648.00	42.6	43.39	0.810	74.00	30.61	PK	Horizo	PASS
6	9648.00	33.9	34.70	0.810	54.00	19.30	AV	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	48.1	39.23	-8.880	74.00	34.77	PK	Vertic	PASS
2	4824.00	39.4	30.48	-8.880	54.00	23.52	AV	Vertic	PASS
3	7236.00	35.6	33.47	-2.110	54.00	20.53	AV	Vertic	PASS
4	7236.00	44.5	42.42	-2.110	74.00	31.58	PK	Vertic	PASS
5	9648.00	42.5	43.34	0.810	74.00	30.66	PK	Vertic	PASS
6	9648.00	34.2	35.01	0.810	54.00	18.99	AV	Vertic	PASS

Transmit at 2437MHz by 802.11b with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	47.3	38.68	-8.620	74.00	35.32	PK	Horizo	PASS
2	4874.00	39.5	30.87	-8.620	54.00	23.13	AV	Horizo	PASS
3	7311.00	36.1	34.12	-1.960	54.00	19.88	AV	Horizo	PASS
4	7311.00	43.7	41.76	-1.960	74.00	32.24	PK	Horizo	PASS
5	9748.00	41.8	42.67	0.850	74.00	31.33	PK	Horizo	PASS
6	9748.00	34.1	34.98	0.850	54.00	19.02	AV	Horizo	PASS

Transmit at 2437MHz by 802.11b with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	48.2	39.55	-8.620	74.00	34.45	PK	Vertic	PASS
2	4874.00	38.6	30.01	-8.620	54.00	23.99	AV	Vertic	PASS
3	7311.00	36.0	34.00	-1.960	54.00	20.00	AV	Vertic	PASS
4	7311.00	44.0	42.03	-1.960	74.00	31.97	PK	Vertic	PASS
5	9748.00	42.7	43.52	0.850	74.00	30.48	PK	Vertic	PASS
6	9748.00	32.9	33.77	0.850	54.00	20.23	AV	Vertic	PASS

Transmit at 2462MHz by 802.11b with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	47.0	38.61	-8.390	74.00	35.39	PK	Horizo	PASS
2	4924.00	38.1	29.67	-8.390	54.00	24.33	AV	Horizo	PASS
3	7386.00	35.6	34.12	-1.460	54.00	19.88	AV	Horizo	PASS
4	7386.00	43.8	42.35	-1.460	74.00	31.65	PK	Horizo	PASS
5	9848.00	40.2	41.44	1.250	74.00	32.56	PK	Horizo	PASS
6	9848.00	32.9	34.13	1.250	54.00	19.87	AV	Horizo	PASS

Transmit at 2462MHz by 802.11b with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	46.2	37.78	-8.390	74.00	36.22	PK	Vertic	PASS
2	4924.00	38.0	29.62	-8.390	54.00	24.38	AV	Vertic	PASS
3	7386.00	35.5	34.07	-1.460	54.00	19.93	AV	Vertic	PASS
4	7386.00	43.7	42.22	-1.460	74.00	31.78	PK	Vertic	PASS
5	9848.00	40.7	41.94	1.250	74.00	32.06	PK	Vertic	PASS
6	9848.00	32.4	33.60	1.250	54.00	20.40	AV	Vertic	PASS

Transmit at 2412MHz by 802.11g with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	47.2	38.34	-8.880	74.00	35.66	PK	Horizo	PASS
2	4824.00	38.9	30.05	-8.880	54.00	23.95	AV	Horizo	PASS
3	7236.00	36.4	34.29	-2.110	54.00	19.71	AV	Horizo	PASS
4	7236.00	44.4	42.28	-2.110	74.00	31.72	PK	Horizo	PASS
5	9648.00	42.0	42.77	0.810	74.00	31.23	PK	Horizo	PASS
6	9648.00	33.9	34.67	0.810	54.00	19.33	AV	Horizo	PASS

Transmit at 2412MHz by 802.11g with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	47.1	38.24	-8.880	74.00	35.76	PK	Vertic	PASS
2	4824.00	40.0	31.13	-8.880	54.00	22.87	AV	Vertic	PASS
3	7236.00	36.0	33.88	-2.110	54.00	20.12	AV	Vertic	PASS
4	7236.00	44.4	42.31	-2.110	74.00	31.69	PK	Vertic	PASS
5	9648.00	42.6	43.43	0.810	74.00	30.57	PK	Vertic	PASS
6	9648.00	33.9	34.72	0.810	54.00	19.28	AV	Vertic	PASS

Transmit at 2437MHz by 802.11g with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	47.6	38.96	-8.620	74.00	35.04	PK	Horizo	PASS
2	4874.00	39.0	30.40	-8.620	54.00	23.60	AV	Horizo	PASS
3	7311.00	35.5	33.56	-1.960	54.00	20.44	AV	Horizo	PASS
4	7311.00	43.7	41.74	-1.960	74.00	32.26	PK	Horizo	PASS
5	9748.00	41.8	42.63	0.850	74.00	31.37	PK	Horizo	PASS
6	9748.00	34.0	34.84	0.850	54.00	19.16	AV	Horizo	PASS

Transmit at 2437MHz by 802.11g with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.4	37.80	-8.620	74.00	36.20	PK	Vertic	PASS
2	4874.00	38.0	29.37	-8.620	54.00	24.63	AV	Vertic	PASS
3	7311.00	35.2	33.25	-1.960	54.00	20.75	AV	Vertic	PASS
4	7311.00	43.1	41.11	-1.960	74.00	32.89	PK	Vertic	PASS
5	9748.00	41.6	42.42	0.850	74.00	31.58	PK	Vertic	PASS
6	9748.00	33.6	34.46	0.850	54.00	19.54	AV	Vertic	PASS

Transmit at 2462MHz by 802.11g with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	46.0	37.58	-8.390	74.00	36.42	PK	Horizo	PASS
2	4924.00	37.4	29.01	-8.390	54.00	24.99	AV	Horizo	PASS
3	7386.00	35.8	34.38	-1.460	54.00	19.62	AV	Horizo	PASS
4	7386.00	44.1	42.66	-1.460	74.00	31.34	PK	Horizo	PASS
5	9848.00	41.1	42.35	1.250	74.00	31.65	PK	Horizo	PASS
6	9848.00	33.3	34.57	1.250	54.00	19.43	AV	Horizo	PASS

Transmit at 2462MHz by 802.11g with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	46.0	37.56	-8.390	74.00	36.44	PK	Vertic	PASS
2	4924.00	38.1	29.75	-8.390	54.00	24.25	AV	Vertic	PASS
3	7386.00	35.2	33.69	-1.460	54.00	20.31	AV	Vertic	PASS
4	7386.00	43.4	41.97	-1.460	74.00	32.03	PK	Vertic	PASS
5	9848.00	41.8	43.06	1.250	74.00	30.94	PK	Vertic	PASS
6	9848.00	32.9	34.10	1.250	54.00	19.90	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ac(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	47.8	38.91	-8.880	74.00	35.09	PK	Horizo	PASS
2	4824.00	37.9	29.02	-8.880	54.00	24.98	AV	Horizo	PASS
3	7236.00	36.7	34.62	-2.110	54.00	19.38	AV	Horizo	PASS
4	7236.00	44.2	42.11	-2.110	74.00	31.89	PK	Horizo	PASS
5	9648.00	42.0	42.76	0.810	74.00	31.24	PK	Horizo	PASS
6	9648.00	33.6	34.38	0.810	54.00	19.62	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ac(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	46.3	37.44	-8.880	74.00	36.56	PK	Vertic	PASS
2	4824.00	38.0	29.13	-8.880	54.00	24.87	AV	Vertic	PASS
3	7236.00	35.8	33.70	-2.110	54.00	20.30	AV	Vertic	PASS
4	7236.00	44.3	42.23	-2.110	74.00	31.77	PK	Vertic	PASS
5	9648.00	41.5	42.27	0.810	74.00	31.73	PK	Vertic	PASS
6	9648.00	33.3	34.09	0.810	54.00	19.91	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ac(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.3	37.65	-8.620	74.00	36.35	PK	Horizo	PASS
2	4874.00	37.5	28.86	-8.620	54.00	25.14	AV	Horizo	PASS
3	7311.00	35.9	33.89	-1.960	54.00	20.11	AV	Horizo	PASS
4	7311.00	44.2	42.28	-1.960	74.00	31.72	PK	Horizo	PASS
5	9748.00	42.3	43.16	0.850	74.00	30.84	PK	Horizo	PASS
6	9748.00	34.7	35.50	0.850	54.00	18.50	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ac(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.7	38.10	-8.620	74.00	35.90	PK	Vertic	PASS
2	4874.00	38.5	29.84	-8.620	54.00	24.16	AV	Vertic	PASS
3	7311.00	35.5	33.49	-1.960	54.00	20.51	AV	Vertic	PASS
4	7311.00	44.1	42.11	-1.960	74.00	31.89	PK	Vertic	PASS
5	9748.00	42.7	43.54	0.850	74.00	30.46	PK	Vertic	PASS
6	9748.00	34.0	34.81	0.850	54.00	19.19	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ac(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	45.4	37.01	-8.390	74.00	36.99	PK	Horizo	PASS
2	4924.00	37.8	29.39	-8.390	54.00	24.61	AV	Horizo	PASS
3	7386.00	35.9	34.39	-1.460	54.00	19.61	AV	Horizo	PASS
4	7386.00	43.2	41.75	-1.460	74.00	32.25	PK	Horizo	PASS
5	9848.00	42.7	43.95	1.250	74.00	30.05	PK	Horizo	PASS
6	9848.00	33.1	34.39	1.250	54.00	19.61	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ac(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	46.1	37.66	-8.390	74.00	36.34	PK	Vertic	PASS
2	4924.00	37.6	29.16	-8.390	54.00	24.84	AV	Vertic	PASS
3	7386.00	36.0	34.49	-1.460	54.00	19.51	AV	Vertic	PASS
4	7386.00	45.1	43.59	-1.460	74.00	30.41	PK	Vertic	PASS
5	9848.00	42.8	44.01	1.250	74.00	29.99	PK	Vertic	PASS
6	9848.00	33.0	34.26	1.250	54.00	19.74	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	48.4	39.50	-8.880	74.00	34.50	PK	Horizo	PASS
2	4824.00	39.5	30.58	-8.880	54.00	23.42	AV	Horizo	PASS
3	7236.00	37.0	34.90	-2.110	54.00	19.10	AV	Horizo	PASS
4	7236.00	45.6	43.48	-2.110	74.00	30.52	PK	Horizo	PASS
5	9648.00	44.9	45.66	0.810	74.00	28.34	PK	Horizo	PASS
6	9648.00	35.3	36.06	0.810	54.00	17.94	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4824.00	47.7	38.78	-8.880	74.00	35.22	PK	Vertic	PASS
2	4824.00	39.3	30.38	-8.880	54.00	23.62	AV	Vertic	PASS
3	7236.00	46.2	44.08	-2.110	74.00	29.92	PK	Vertic	PASS
4	7236.00	36.0	33.85	-2.110	54.00	20.15	AV	Vertic	PASS
5	9648.00	43.5	44.28	0.810	74.00	29.72	PK	Vertic	PASS
6	9648.00	35.1	35.90	0.810	54.00	18.10	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	48.3	39.65	-8.620	74.00	34.35	PK	Horizo	PASS
2	4874.00	38.6	29.99	-8.620	54.00	24.01	AV	Horizo	PASS
3	7311.00	36.8	34.84	-1.960	54.00	19.16	AV	Horizo	PASS
4	7311.00	45.1	43.14	-1.960	74.00	30.86	PK	Horizo	PASS
5	9748.00	43.4	44.20	0.850	74.00	29.80	PK	Horizo	PASS
6	9748.00	34.9	35.74	0.850	54.00	18.26	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	47.1	38.48	-8.620	74.00	35.52	PK	Vertic	PASS
2	4874.00	38.4	29.82	-8.620	54.00	24.18	AV	Vertic	PASS
3	7311.00	36.6	34.63	-1.960	54.00	19.37	AV	Vertic	PASS
4	7311.00	45.3	43.32	-1.960	74.00	30.68	PK	Vertic	PASS
5	9748.00	42.9	43.72	0.850	74.00	30.28	PK	Vertic	PASS
6	9748.00	34.6	35.41	0.850	54.00	18.59	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	47.4	38.99	-8.390	74.00	35.01	PK	Horizo	PASS
2	4924.00	38.3	29.88	-8.390	54.00	24.12	AV	Horizo	PASS
3	7386.00	35.9	34.41	-1.460	54.00	19.59	AV	Horizo	PASS
4	7386.00	45.3	43.86	-1.460	74.00	30.14	PK	Horizo	PASS
5	9848.00	43.6	44.81	1.250	74.00	29.19	PK	Horizo	PASS
6	9848.00	33.4	34.69	1.250	54.00	19.31	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant MIMO


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4924.00	48.5	40.14	-8.390	74.00	33.86	PK	Vertic	PASS
2	4924.00	38.7	30.35	-8.390	54.00	23.65	AV	Vertic	PASS
3	7386.00	37.1	35.63	-1.460	54.00	18.37	AV	Vertic	PASS
4	7386.00	44.6	43.11	-1.460	74.00	30.89	PK	Vertic	PASS
5	9848.00	42.8	44.07	1.250	74.00	29.93	PK	Vertic	PASS
6	9848.00	34.0	35.24	1.250	54.00	18.76	AV	Vertic	PASS

Transmit at 2422MHz by 802.11ac(40MHz) with Ant MIMO




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	47.8	38.99	-8.800	74.00	35.01	PK	Horizo	PASS
2	4844.00	38.7	29.93	-8.800	54.00	24.07	AV	Horizo	PASS
3	7266.00	36.5	34.40	-2.090	54.00	19.60	AV	Horizo	PASS
4	7266.00	45.7	43.59	-2.090	74.00	30.41	PK	Horizo	PASS
5	9688.00	42.3	43.18	0.840	74.00	30.82	PK	Horizo	PASS
6	9688.00	33.7	34.52	0.840	54.00	19.48	AV	Horizo	PASS

Transmit at 2422MHz by 802.11ac(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	46.8	37.96	-8.800	74.00	36.04	PK	Vertic	PASS
2	4844.00	38.9	30.06	-8.800	54.00	23.94	AV	Vertic	PASS
3	7266.00	35.8	33.66	-2.090	54.00	20.34	AV	Vertic	PASS
4	7266.00	43.9	41.82	-2.090	74.00	32.18	PK	Vertic	PASS
5	9688.00	43.9	44.69	0.840	74.00	29.31	PK	Vertic	PASS
6	9688.00	33.8	34.67	0.840	54.00	19.33	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ac(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.0	37.41	-8.620	74.00	36.59	PK	Horizo	PASS
2	4874.00	38.5	29.87	-8.620	54.00	24.13	AV	Horizo	PASS
3	7311.00	35.5	33.53	-1.960	54.00	20.47	AV	Horizo	PASS
4	7311.00	44.6	42.68	-1.960	74.00	31.32	PK	Horizo	PASS
5	9748.00	42.3	43.14	0.850	74.00	30.86	PK	Horizo	PASS
6	9748.00	33.7	34.55	0.850	54.00	19.45	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ac(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	48.2	39.60	-8.620	74.00	34.40	PK	Vertic	PASS
2	4874.00	38.1	29.44	-8.620	54.00	24.56	AV	Vertic	PASS
3	7311.00	36.4	34.39	-1.960	54.00	19.61	AV	Vertic	PASS
4	7311.00	45.0	43.06	-1.960	74.00	30.94	PK	Vertic	PASS
5	9748.00	42.2	43.01	0.850	74.00	30.99	PK	Vertic	PASS
6	9748.00	33.4	34.27	0.850	54.00	19.73	AV	Vertic	PASS

Transmit at 2452MHz by 802.11ac(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	46.5	38.00	-8.460	74.00	36.00	PK	Horizo	PASS
2	4904.00	37.6	29.18	-8.460	54.00	24.82	AV	Horizo	PASS
3	7356.00	35.5	33.90	-1.620	54.00	20.10	AV	Horizo	PASS
4	7356.00	43.9	42.27	-1.620	74.00	31.73	PK	Horizo	PASS
5	9808.00	41.4	42.23	0.870	74.00	31.77	PK	Horizo	PASS
6	9808.00	33.3	34.19	0.870	54.00	19.81	AV	Horizo	PASS

Transmit at 2452MHz by 802.11ac(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	46.8	38.36	-8.460	74.00	35.64	PK	Vertic	PASS
2	4904.00	38.0	29.58	-8.460	54.00	24.42	AV	Vertic	PASS
3	7356.00	36.4	34.73	-1.620	54.00	19.27	AV	Vertic	PASS
4	7356.00	43.3	41.69	-1.620	74.00	32.31	PK	Vertic	PASS
5	9808.00	41.6	42.45	0.870	74.00	31.55	PK	Vertic	PASS
6	9808.00	32.7	33.57	0.870	54.00	20.43	AV	Vertic	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	49.2	40.39	-8.800	74.00	33.61	PK	Horizo	PASS
2	4844.00	39.2	30.36	-8.800	54.00	23.64	AV	Horizo	PASS
3	7266.00	36.3	34.23	-2.090	54.00	19.77	AV	Horizo	PASS
4	7266.00	44.9	42.76	-2.090	74.00	31.24	PK	Horizo	PASS
5	9688.00	43.6	44.43	0.840	74.00	29.57	PK	Horizo	PASS
6	9688.00	34.4	35.22	0.840	54.00	18.78	AV	Horizo	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	47.2	38.36	-8.800	74.00	35.64	PK	Vertic	PASS
2	4844.00	38.9	30.05	-8.800	54.00	23.95	AV	Vertic	PASS
3	7266.00	36.5	34.45	-2.090	54.00	19.55	AV	Vertic	PASS
4	7266.00	44.6	42.50	-2.090	74.00	31.50	PK	Vertic	PASS
5	9688.00	42.1	42.89	0.840	74.00	31.11	PK	Vertic	PASS
6	9688.00	34.3	35.10	0.840	54.00	18.90	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	47.9	39.28	-8.620	74.00	34.72	PK	Horizo	PASS
2	4874.00	38.5	29.86	-8.620	54.00	24.14	AV	Horizo	PASS
3	7311.00	36.0	34.04	-1.960	54.00	19.96	AV	Horizo	PASS
4	7311.00	44.8	42.81	-1.960	74.00	31.19	PK	Horizo	PASS
5	9748.00	42.6	43.45	0.850	74.00	30.55	PK	Horizo	PASS
6	9748.00	34.4	35.20	0.850	54.00	18.80	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	46.9	38.27	-8.620	74.00	35.73	PK	Vertic	PASS
2	4874.00	38.9	30.29	-8.620	54.00	23.71	AV	Vertic	PASS
3	7311.00	36.2	34.22	-1.960	54.00	19.78	AV	Vertic	PASS
4	7311.00	43.9	41.97	-1.960	74.00	32.03	PK	Vertic	PASS
5	9748.00	43.1	43.91	0.850	74.00	30.09	PK	Vertic	PASS
6	9748.00	34.2	35.07	0.850	54.00	18.93	AV	Vertic	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	47.2	38.73	-8.460	74.00	35.27	PK	Horizo	PASS
2	4904.00	39.0	30.50	-8.460	54.00	23.50	AV	Horizo	PASS
3	7356.00	36.1	34.47	-1.620	54.00	19.53	AV	Horizo	PASS
4	7356.00	45.1	43.43	-1.620	74.00	30.57	PK	Horizo	PASS
5	9808.00	43.0	43.84	0.870	74.00	30.16	PK	Horizo	PASS
6	9808.00	34.1	34.99	0.870	54.00	19.01	AV	Horizo	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4904.00	46.8	38.35	-8.460	74.00	35.65	PK	Vertic	PASS
2	4904.00	38.3	29.86	-8.460	54.00	24.14	AV	Vertic	PASS
3	7356.00	36.1	34.51	-1.620	54.00	19.49	AV	Vertic	PASS
4	7356.00	45.3	43.65	-1.620	74.00	30.35	PK	Vertic	PASS
5	9808.00	42.1	42.99	0.870	74.00	31.01	PK	Vertic	PASS
6	9808.00	33.4	34.24	0.870	54.00	19.76	AV	Vertic	PASS

Transmit at 2412MHz by 802.11b with Ant MIMO

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	34.85	17.1	30.11	13.060	40.00	9.89	PK	Horizo	PASS
2	58.37	14.5	27.64	13.160	40.00	12.36	PK	Horizo	PASS
3	104.93	26.3	38.72	12.380	43.50	4.78	PK	Horizo	PASS
4	208.00	15.2	27.23	12.030	43.50	16.27	PK	Horizo	PASS
5	288.75	18.5	32.33	13.810	46.00	13.67	PK	Horizo	PASS
6	692.27	16.7	36.98	20.300	46.00	9.02	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant MIMO


Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	33.88	22.9	35.91	13.030	40.00	4.09	PK	Vertic	PASS
2	41.88	24.0	38.12	14.140	40.00	1.88	PK	Vertic	PASS
3	101.78	21.2	33.64	12.490	43.50	9.86	PK	Vertic	PASS
4	283.66	20.2	33.89	13.740	46.00	12.11	PK	Vertic	PASS
5	443.46	15.7	32.41	16.710	46.00	13.59	PK	Vertic	PASS
6	779.81	16.6	38.10	21.520	46.00	7.90	PK	Vertic	PASS

Test Graph



Test Graph



Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)


Note: In the report, for the sections below 1G and 18~40G, verification tests were only performed on the worst channel in the worst mode of the 1~18G range.

Note: All test data above 18GHz are noise base, so no data shown in this report.

AC Power Line Conducted Emission

INPAQ Antenna:

Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
Note: Transmit at 2412MHz by 802.11b	Power: AC 120V/60Hz




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.015	72.190	61.945	-37.810	110.000	10.245	QP
2		0.023	52.426	42.349	-57.574	110.000	10.077	QP
3		0.031	61.174	51.264	-48.826	110.000	9.910	QP
4	*	0.050	63.669	53.938	-26.331	90.000	9.731	QP
5		0.058	59.318	49.596	-29.331	88.649	9.722	QP
6		0.110	41.800	32.113	-41.024	82.823	9.686	QP

Probe: ENV216_101189(0.009-30MHz)

Polarity: Line

Note: Transmit at 2412MHz by 802.11b

Power: AC 120V/60Hz




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.174	33.724	24.062	-31.043	64.767	9.662	QP
2		0.522	18.354	8.656	-37.646	56.000	9.698	QP
3		1.890	10.106	0.349	-45.894	56.000	9.758	QP
4		4.050	14.415	4.611	-41.585	56.000	9.804	QP
5		7.086	11.806	1.936	-48.194	60.000	9.870	QP
6		20.478	10.214	-0.302	-49.786	60.000	10.516	QP

Probe: ENV216_101189(0.009-30MHz)

Polarity: Neutral

Note: Transmit at 2412MHz by 802.11b

Power: AC 120V/60Hz




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.015	81.190	70.912	-28.810	110.000	10.278	QP
2		0.027	59.709	49.696	-50.291	110.000	10.013	QP
3		0.037	51.648	41.855	-58.352	110.000	9.793	QP
4		0.057	51.607	41.887	-37.200	88.807	9.720	QP
5		0.083	42.239	32.561	-43.148	85.387	9.678	QP
6		0.113	31.137	21.472	-51.441	82.578	9.665	QP

Probe: ENV216_101189(0.009-30MHz)

Polarity: Neutral

Note: Transmit at 2412MHz by 802.11b

Power: AC 120V/60Hz




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.174	33.906	24.233	-30.861	64.767	9.673	QP
2		0.526	15.642	6.041	-40.358	56.000	9.601	QP
3		1.414	8.324	-1.363	-47.676	56.000	9.687	QP
4		4.018	10.671	0.897	-45.329	56.000	9.774	QP
5		6.774	12.854	2.960	-47.146	60.000	9.895	QP
6		20.274	10.958	0.551	-49.042	60.000	10.407	QP

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

AWAN Antenna:

Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
Note: Transmit at 2412MHz by 802.11b	Power: AC 120V/60Hz




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.015	72.235	61.990	-37.765	110.000	10.245	QP
2		0.023	50.607	40.530	-59.393	110.000	10.077	QP
3		0.032	65.591	55.702	-44.409	110.000	9.889	QP
4		0.059	49.687	39.966	-38.806	88.493	9.721	QP
5		0.097	40.726	31.034	-43.242	83.968	9.692	QP
6		0.130	30.385	20.706	-50.918	81.303	9.679	QP

Probe: ENV216_101189(0.009-30MHz)

Polarity: Line

Note: Transmit at 2412MHz by 802.11b

Power: AC 120V/60Hz




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.162	40.226	30.559	-25.135	65.361	9.667	QP
2		0.526	17.299	7.601	-38.701	56.000	9.697	QP
3		1.486	3.145	-6.586	-52.855	56.000	9.731	QP
4		2.842	12.278	2.487	-43.722	56.000	9.791	QP
5		7.050	14.347	4.479	-45.653	60.000	9.868	QP
6		20.346	10.647	0.139	-49.353	60.000	10.508	QP

Probe: ENV216_101189(0.009-30MHz)

Polarity: Neutral

Transmit at 2412MHz by 802.11b

Power: AC 120V/60Hz




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.015	80.788	70.510	-29.212	110.000	10.278	QP
2		0.023	52.949	42.848	-57.051	110.000	10.101	QP
3		0.028	62.859	52.868	-47.141	110.000	9.991	QP
4		0.031	64.068	54.143	-45.932	110.000	9.925	QP
5		0.057	50.046	40.326	-38.761	88.807	9.720	QP
6		0.087	41.545	31.873	-43.414	84.958	9.672	QP

Probe: ENV216_101189(0.009-30MHz)

Polarity: Neutral

Transmit at 2412MHz by 802.11b

Power: AC 120V/60Hz



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.170	36.233	26.555	-28.727	64.960	9.678	QP
2		0.266	23.678	14.046	-37.564	61.242	9.633	QP
3		0.526	15.494	5.893	-40.506	56.000	9.601	QP
4		1.182	9.786	0.104	-46.214	56.000	9.682	QP
5		4.062	10.974	1.199	-45.026	56.000	9.775	QP
6		20.266	10.053	-0.353	-49.947	60.000	10.406	QP

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

The End