



Transmit at 5795MHz by 802.11ax(40MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.00	41.02	47.08	6.060	74.00	26.92	PK	Vertic	PASS
2	17385.00	38.31	52.47	14.160	68.30	15.83	PK	Vertic	PASS
3	11590.00	33.13	39.19	6.060	54.00	14.81	AV	Vertic	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11670.00	40.58	46.77	6.190	74.00	27.23	PK	Horizo	PASS
2	17505.00	36.60	51.68	15.080	68.30	16.62	PK	Horizo	PASS
3	11670.00	31.80	37.99	6.190	54.00	16.01	AV	Horizo	PASS


Transmit at 5835MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11670.00	39.70	45.89	6.190	74.00	28.11	PK	Vertic	PASS
2	17505.00	37.61	52.69	15.080	68.30	15.61	PK	Vertic	PASS
3	11670.00	31.56	37.75	6.190	54.00	16.25	AV	Vertic	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11750.00	39.26	45.52	6.260	74.00	28.48	PK	Horizo	PASS
2	17625.00	37.76	52.95	15.190	68.30	15.35	PK	Horizo	PASS
3	11750.00	31.81	38.07	6.260	54.00	15.93	AV	Horizo	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11750.00	41.04	47.30	6.260	74.00	26.70	PK	Vertic	PASS
2	17625.00	38.07	53.26	15.190	68.30	15.04	PK	Vertic	PASS
3	11750.00	31.84	38.10	6.260	54.00	15.90	AV	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant MAIN+AUX


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	42.24	45.51	3.270	68.30	22.79	PK	Horizo	PASS
2	15630.00	39.28	52.24	12.960	74.00	21.76	PK	Horizo	PASS
3	15630.00	30.00	42.96	12.960	54.00	11.04	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	42.54	45.81	3.270	68.30	22.49	PK	Vertic	PASS
2	15630.00	37.83	50.79	12.960	74.00	23.21	PK	Vertic	PASS
3	15630.00	29.75	42.71	12.960	54.00	11.29	AV	Vertic	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	40.78	44.48	3.700	68.30	23.82	PK	Horizo	PASS
2	15870.00	38.62	51.56	12.940	74.00	22.44	PK	Horizo	PASS
3	15870.00	30.55	43.49	12.940	54.00	10.51	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10580.00	41.44	45.14	3.700	68.30	23.16	PK	Vertic	PASS
2	15870.00	38.03	50.97	12.940	74.00	23.03	PK	Vertic	PASS
3	15870.00	29.85	42.79	12.940	54.00	11.21	AV	Vertic	PASS

Transmit at 5530MHz by 802.11ax(80MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.22	45.00	4.780	74.00	29.00	PK	Horizo	PASS
2	16590.00	37.04	50.32	13.280	68.30	17.98	PK	Horizo	PASS
3	11060.00	32.98	37.76	4.780	54.00	16.24	AV	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.55	45.33	4.780	74.00	28.67	PK	Vertic	PASS
2	16590.00	37.56	50.84	13.280	68.30	17.46	PK	Vertic	PASS
3	11060.00	32.02	36.80	4.780	54.00	17.20	AV	Vertic	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant MAIN+AUX




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	40.05	45.29	5.240	74.00	28.71	PK	Horizo	PASS
2	16830.00	38.58	52.18	13.600	68.30	16.12	PK	Horizo	PASS
3	11220.00	32.07	37.31	5.240	54.00	16.69	AV	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	39.59	44.83	5.240	74.00	29.17	PK	Vertic	PASS
2	16830.00	37.79	51.39	13.600	68.30	16.91	PK	Vertic	PASS
3	11220.00	31.19	36.43	5.240	54.00	17.57	AV	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.74	46.74	6.000	74.00	27.26	PK	Horizo	PASS
2	17325.00	36.94	51.10	14.160	68.30	17.20	PK	Horizo	PASS
3	11550.00	32.18	38.18	6.000	54.00	15.82	AV	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.98	46.98	6.000	74.00	27.02	PK	Vertic	PASS
2	17325.00	37.19	51.35	14.160	68.30	16.95	PK	Vertic	PASS
3	11550.00	32.63	38.63	6.000	54.00	15.37	AV	Vertic	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11710.00	39.31	45.57	6.260	74.00	28.43	PK	Horizo	PASS
2	17565.00	38.22	53.31	15.090	68.30	14.99	PK	Horizo	PASS
3	11710.00	31.34	37.60	6.260	54.00	16.40	AV	Horizo	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11710.00	39.30	45.56	6.260	74.00	28.44	PK	Vertic	PASS
2	17565.00	36.97	52.06	15.090	68.30	16.24	PK	Vertic	PASS
3	11710.00	31.31	37.57	6.260	54.00	16.43	AV	Vertic	PASS

Transmit at 5180MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	42.37	15.55	30.19	14.640	40.00	9.81	PK	Horizo	PASS
2	106.39	16.99	28.47	11.480	43.50	15.03	PK	Horizo	PASS
3	167.98	17.04	31.89	14.850	43.50	11.61	PK	Horizo	PASS
4	298.21	16.21	32.25	16.040	46.00	13.75	PK	Horizo	PASS
5	425.03	18.27	37.97	19.700	46.00	8.03	PK	Horizo	PASS
6	773.51	16.64	43.34	26.700	46.00	2.66	PK	Horizo	PASS


Transmit at 5180MHz by 802.11a with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	40.91	16.41	31.09	14.680	40.00	8.91	PK	Vertic	PASS
2	84.08	17.63	27.70	10.070	40.00	12.30	PK	Vertic	PASS
3	158.04	17.03	32.57	15.540	43.50	10.93	PK	Vertic	PASS
4	297.48	17.11	33.14	16.030	46.00	12.86	PK	Vertic	PASS
5	430.37	16.10	35.87	19.770	46.00	10.13	PK	Vertic	PASS
6	706.33	17.27	42.71	25.440	46.00	3.29	PK	Vertic	PASS



Test Graph




Note:

1. Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. In the report, for the sections below 1G and 18~40G, verification tests were only performed on the worst channel in the worst mode of the 1~18G range.
4. All test data above 18GHz are noise base, so no data shown in this report.


INNOWAVE Antenna:

Transmit at 5180MHz by 802.11a with Ant MAIN+AUX




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	40.97	44.18	3.210	68.30	24.12	PK	Horizo	PASS
2	15540.00	37.60	50.46	12.860	74.00	23.54	PK	Horizo	PASS
3	15540.00	29.81	42.67	12.860	54.00	11.33	AV	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	41.85	45.06	3.210	68.30	23.24	PK	Vertic	PASS
2	15540.00	37.91	50.77	12.860	74.00	23.23	PK	Vertic	PASS
3	15540.00	29.79	42.65	12.860	54.00	11.35	AV	Vertic	PASS

Transmit at 5200MHz by 802.11a with Ant MAIN+AUX
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	41.43	44.60	3.170	68.30	23.70	PK	Horizo	PASS
2	15600.00	37.41	50.39	12.980	74.00	23.61	PK	Horizo	PASS
3	15600.00	29.90	42.88	12.980	54.00	11.12	AV	Horizo	PASS

Transmit at 5200MHz by 802.11a with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	42.08	45.25	3.170	68.30	23.05	PK	Vertic	PASS
2	15600.00	37.46	50.44	12.980	74.00	23.56	PK	Vertic	PASS
3	15600.00	29.18	42.16	12.980	54.00	11.84	AV	Vertic	PASS


Transmit at 5240MHz by 802.11a with Ant MAIN+AUX

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	41.12	44.71	3.590	68.30	23.59	PK	Horizo	PASS
2	15720.00	38.47	51.35	12.880	74.00	22.65	PK	Horizo	PASS
3	15720.00	30.39	43.27	12.880	54.00	10.73	AV	Horizo	PASS

Transmit at 5240MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	41.49	45.08	3.590	68.30	23.22	PK	Vertic	PASS
2	15720.00	37.61	50.49	12.880	74.00	23.51	PK	Vertic	PASS
3	15720.00	29.51	42.39	12.880	54.00	11.61	AV	Vertic	PASS


Transmit at 5260MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.50	45.19	3.690	68.30	23.11	PK	Horizo	PASS
2	15780.00	38.18	50.84	12.660	74.00	23.16	PK	Horizo	PASS
3	15780.00	29.30	41.96	12.660	54.00	12.04	AV	Horizo	PASS

Transmit at 5260MHz by 802.11a with Ant MAIN+AUX
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	40.83	44.52	3.690	68.30	23.78	PK	Vertic	PASS
2	15780.00	38.35	51.01	12.660	74.00	22.99	PK	Vertic	PASS
3	15780.00	29.35	42.01	12.660	54.00	11.99	AV	Vertic	PASS

Transmit at 5280MHz by 802.11a with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	41.05	44.75	3.700	68.30	23.55	PK	Horizo	PASS
2	15915.15	41.33	54.48	13.150	74.00	19.52	PK	Horizo	PASS
3	15840.00	29.94	42.73	12.790	54.00	11.27	AV	Horizo	PASS

Transmit at 5280MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10561.90	44.31	48.01	3.700	68.30	20.29	PK	Vertic	PASS
2	15840.00	38.10	50.89	12.790	74.00	23.11	PK	Vertic	PASS
3	15840.00	30.03	42.82	12.790	54.00	11.18	AV	Vertic	PASS


Transmit at 5320MHz by 802.11a with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	40.53	44.35	3.820	74.00	29.65	PK	Horizo	PASS
2	15960.00	37.45	50.78	13.330	74.00	23.22	PK	Horizo	PASS
3	10640.00	32.23	36.05	3.820	54.00	17.95	AV	Horizo	PASS
4	15960.00	29.47	42.80	13.330	54.00	11.20	AV	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant MAIN+AUX




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	40.38	44.20	3.820	74.00	29.80	PK	Vertic	PASS
2	15960.00	36.39	49.72	13.330	74.00	24.28	PK	Vertic	PASS
3	10640.00	32.10	35.92	3.820	54.00	18.08	AV	Vertic	PASS
4	15960.00	28.97	42.30	13.330	54.00	11.70	AV	Vertic	PASS

Transmit at 5500MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.56	45.06	4.500	74.00	28.94	PK	Horizo	PASS
2	16500.00	36.21	49.24	13.030	68.30	19.06	PK	Horizo	PASS
3	11000.00	34.14	38.64	4.500	54.00	15.36	AV	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	39.72	44.22	4.500	74.00	29.78	PK	Vertic	PASS
2	16500.00	37.38	50.41	13.030	68.30	17.89	PK	Vertic	PASS
3	11000.00	31.69	36.19	4.500	54.00	17.81	AV	Vertic	PASS


Transmit at 5580MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	41.12	46.24	5.120	74.00	27.76	PK	Horizo	PASS
2	16740.00	37.76	51.11	13.350	68.30	17.19	PK	Horizo	PASS
3	11160.00	31.89	37.01	5.120	54.00	16.99	AV	Horizo	PASS

Transmit at 5580MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	43.63	48.75	5.120	74.00	25.25	PK	Vertic	PASS
2	16740.00	37.45	50.80	13.350	68.30	17.50	PK	Vertic	PASS
3	11160.00	34.31	39.43	5.120	54.00	14.57	AV	Vertic	PASS


Transmit at 5700MHz by 802.11a with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	41.13	47.14	6.010	74.00	26.86	PK	Horizo	PASS
2	17100.00	39.28	52.52	13.240	68.30	15.78	PK	Horizo	PASS
3	11400.00	32.98	38.99	6.010	54.00	15.01	AV	Horizo	PASS


Transmit at 5700MHz by 802.11a with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	41.26	47.27	6.010	74.00	26.73	PK	Vertic	PASS
2	17100.00	37.93	51.17	13.240	68.30	17.13	PK	Vertic	PASS
3	11400.00	33.11	39.12	6.010	54.00	14.88	AV	Vertic	PASS


Transmit at 5745MHz by 802.11a with Ant MAIN+AUX




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	44.08	49.99	5.910	74.00	24.01	PK	Horizo	PASS
2	17235.00	37.63	51.40	13.770	68.30	16.90	PK	Horizo	PASS
3	11490.00	36.91	42.82	5.910	54.00	11.18	AV	Horizo	PASS

Transmit at 5745MHz by 802.11a with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	41.53	47.44	5.910	74.00	26.56	PK	Vertic	PASS
2	17235.00	37.05	50.82	13.770	68.30	17.48	PK	Vertic	PASS
3	11490.00	32.50	38.41	5.910	54.00	15.59	AV	Vertic	PASS


Transmit at 5785MHz by 802.11a with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	40.68	46.71	6.030	74.00	27.29	PK	Horizo	PASS
2	17355.00	36.82	50.96	14.140	68.30	17.34	PK	Horizo	PASS
3	11570.00	32.16	38.19	6.030	54.00	15.81	AV	Horizo	PASS

Transmit at 5785MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	40.78	46.81	6.030	74.00	27.19	PK	Vertic	PASS
2	17355.00	37.11	51.25	14.140	68.30	17.05	PK	Vertic	PASS
3	11570.00	32.18	38.21	6.030	54.00	15.79	AV	Vertic	PASS

Transmit at 5825MHz by 802.11a with Ant MAIN+AUX




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	41.38	47.53	6.150	74.00	26.47	PK	Horizo	PASS
2	17475.00	35.93	50.78	14.850	68.30	17.52	PK	Horizo	PASS
3	11650.00	33.17	39.32	6.150	54.00	14.68	AV	Horizo	PASS

Transmit at 5825MHz by 802.11a with Ant MAIN+AUX




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	39.14	45.29	6.150	74.00	28.71	PK	Vertic	PASS
2	17475.00	35.98	50.83	14.850	68.30	17.47	PK	Vertic	PASS
3	11650.00	31.33	37.48	6.150	54.00	16.52	AV	Vertic	PASS

Transmit at 5845MHz by 802.11a with Ant MAIN+AUX
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11690.00	38.34	44.58	6.240	74.00	29.42	PK	Horizo	PASS
2	17535.00	35.76	50.85	15.090	68.30	17.45	PK	Horizo	PASS
3	11690.00	30.69	36.93	6.240	54.00	17.07	AV	Horizo	PASS

Transmit at 5845MHz by 802.11a with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11690.00	39.51	45.75	6.240	74.00	28.25	PK	Vertic	PASS
2	17535.00	37.36	52.45	15.090	68.30	15.85	PK	Vertic	PASS
3	11690.00	31.20	37.44	6.240	54.00	16.56	AV	Vertic	PASS


Transmit at 5865MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11730.00	39.79	46.05	6.260	74.00	27.95	PK	Horizo	PASS
2	17595.00	36.94	52.01	15.070	68.30	16.29	PK	Horizo	PASS
3	11730.00	31.36	37.62	6.260	54.00	16.38	AV	Horizo	PASS

Transmit at 5865MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11730.00	40.43	46.69	6.260	74.00	27.31	PK	Vertic	PASS
2	17595.00	36.68	51.75	15.070	68.30	16.55	PK	Vertic	PASS
3	11730.00	30.81	37.07	6.260	54.00	16.93	AV	Vertic	PASS

Transmit at 5885MHz by 802.11a with Ant MAIN+AUX




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11770.00	39.32	45.58	6.260	74.00	28.42	PK	Horizo	PASS
2	17655.00	37.20	52.52	15.320	68.30	15.78	PK	Horizo	PASS
3	11770.00	30.82	37.08	6.260	54.00	16.92	AV	Horizo	PASS

Transmit at 5885MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11770.00	39.61	45.87	6.260	74.00	28.13	PK	Vertic	PASS
2	17655.00	38.27	53.59	15.320	68.30	14.71	PK	Vertic	PASS
3	11770.00	31.85	38.11	6.260	54.00	15.89	AV	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	40.83	44.04	3.210	68.30	24.26	PK	Horizo	PASS
2	15540.00	37.34	50.20	12.860	74.00	23.80	PK	Horizo	PASS
3	15540.00	29.49	42.35	12.860	54.00	11.65	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	40.90	44.11	3.210	68.30	24.19	PK	Vertic	PASS
2	15540.00	37.91	50.77	12.860	74.00	23.23	PK	Vertic	PASS
3	15540.00	29.10	41.96	12.860	54.00	12.04	AV	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	40.12	43.94	3.820	74.00	30.06	PK	Horizo	PASS
2	15960.00	37.35	50.68	13.330	74.00	23.32	PK	Horizo	PASS
3	10640.00	31.92	35.74	3.820	54.00	18.26	AV	Horizo	PASS
4	15960.00	29.26	42.59	13.330	54.00	11.41	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10640.00	40.31	44.13	3.820	74.00	29.87	PK	Vertic	PASS
2	15960.00	36.67	50.00	13.330	74.00	24.00	PK	Vertic	PASS
3	10640.00	32.61	36.43	3.820	54.00	17.57	AV	Vertic	PASS
4	15960.00	29.53	42.86	13.330	54.00	11.14	AV	Vertic	PASS


Transmit at 5200MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	41.77	44.94	3.170	68.30	23.36	PK	Horizo	PASS
2	15600.00	37.56	50.54	12.980	74.00	23.46	PK	Horizo	PASS
3	15600.00	30.04	43.02	12.980	54.00	10.98	AV	Horizo	PASS

Transmit at 5200MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10400.00	41.64	44.81	3.170	68.30	23.49	PK	Vertic	PASS
2	15600.00	40.84	53.82	12.980	74.00	20.18	PK	Vertic	PASS
3	15600.00	30.29	43.27	12.980	54.00	10.73	AV	Vertic	PASS


Transmit at 5240MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	41.61	45.20	3.590	68.30	23.10	PK	Horizo	PASS
2	15720.00	39.47	52.35	12.880	74.00	21.65	PK	Horizo	PASS
3	15720.00	30.13	43.01	12.880	54.00	10.99	AV	Horizo	PASS


Transmit at 5240MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10480.00	41.91	45.50	3.590	68.30	22.80	PK	Vertic	PASS
2	15720.00	37.31	50.19	12.880	74.00	23.81	PK	Vertic	PASS
3	15720.00	30.90	43.78	12.880	54.00	10.22	AV	Vertic	PASS


Transmit at 5260MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	42.23	45.92	3.690	68.30	22.38	PK	Horizo	PASS
2	15780.00	39.62	52.28	12.660	74.00	21.72	PK	Horizo	PASS
3	15780.00	29.77	42.43	12.660	54.00	11.57	AV	Horizo	PASS


Transmit at 5260MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10520.00	41.41	45.10	3.690	68.30	23.20	PK	Vertic	PASS
2	15780.00	39.83	52.49	12.660	74.00	21.51	PK	Vertic	PASS
3	15780.00	30.16	42.82	12.660	54.00	11.18	AV	Vertic	PASS


Transmit at 5280MHz by 802.11ax(20MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	42.28	45.98	3.700	68.30	22.32	PK	Horizo	PASS
2	15840.00	39.53	52.32	12.790	74.00	21.68	PK	Horizo	PASS
3	15840.00	29.56	42.35	12.790	54.00	11.65	AV	Horizo	PASS

Transmit at 5280MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10560.00	41.89	45.59	3.700	68.30	22.71	PK	Vertic	PASS
2	15840.00	38.29	51.08	12.790	74.00	22.92	PK	Vertic	PASS
3	15840.00	30.12	42.91	12.790	54.00	11.09	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	42.00	46.50	4.500	74.00	27.50	PK	Horizo	PASS
2	16500.00	38.01	51.04	13.030	68.30	17.26	PK	Horizo	PASS
3	11000.00	32.41	36.91	4.500	54.00	17.09	AV	Horizo	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11000.00	40.65	45.15	4.500	74.00	28.85	PK	Vertic	PASS
2	16500.00	39.07	52.10	13.030	68.30	16.20	PK	Vertic	PASS
3	11000.00	34.11	38.61	4.500	54.00	15.39	AV	Vertic	PASS

Transmit at 5580MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	40.69	45.81	5.120	74.00	28.19	PK	Horizo	PASS
2	16740.00	37.31	50.66	13.350	68.30	17.64	PK	Horizo	PASS
3	11160.00	33.21	38.33	5.120	54.00	15.67	AV	Horizo	PASS


Transmit at 5580MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11160.00	42.44	47.56	5.120	74.00	26.44	PK	Vertic	PASS
2	16740.00	37.63	50.98	13.350	68.30	17.32	PK	Vertic	PASS
3	11160.00	34.00	39.12	5.120	54.00	14.88	AV	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant MAIN+AUX




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	39.93	45.94	6.010	74.00	28.06	PK	Horizo	PASS
2	17100.00	37.20	50.44	13.240	68.30	17.86	PK	Horizo	PASS
3	11400.00	32.74	38.75	6.010	54.00	15.25	AV	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11400.00	42.20	48.21	6.010	74.00	25.79	PK	Vertic	PASS
2	17100.00	37.73	50.97	13.240	68.30	17.33	PK	Vertic	PASS
3	11400.00	36.15	42.16	6.010	54.00	11.84	AV	Vertic	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	42.20	48.11	5.910	74.00	25.89	PK	Horizo	PASS
2	17235.00	38.27	52.04	13.770	68.30	16.26	PK	Horizo	PASS
3	11490.00	32.44	38.35	5.910	54.00	15.65	AV	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	44.11	50.02	5.910	74.00	23.98	PK	Vertic	PASS
2	17235.00	37.64	51.41	13.770	68.30	16.89	PK	Vertic	PASS
3	11490.00	35.04	40.95	5.910	54.00	13.05	AV	Vertic	PASS


Transmit at 5785MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	40.30	46.33	6.030	74.00	27.67	PK	Horizo	PASS
2	17355.00	38.07	52.21	14.140	68.30	16.09	PK	Horizo	PASS
3	11570.00	32.39	38.42	6.030	54.00	15.58	AV	Horizo	PASS


Transmit at 5785MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.00	41.61	47.64	6.030	74.00	26.36	PK	Vertic	PASS
2	17355.00	37.41	51.55	14.140	68.30	16.75	PK	Vertic	PASS
3	11570.00	33.44	39.47	6.030	54.00	14.53	AV	Vertic	PASS


Transmit at 5825MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	41.95	48.10	6.150	74.00	25.90	PK	Horizo	PASS
2	17475.00	37.12	51.97	14.850	68.30	16.33	PK	Horizo	PASS
3	11650.00	32.31	38.46	6.150	54.00	15.54	AV	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	41.13	47.28	6.150	74.00	26.72	PK	Vertic	PASS
2	17475.00	36.43	51.28	14.850	68.30	17.02	PK	Vertic	PASS
3	11650.00	33.94	40.09	6.150	54.00	13.91	AV	Vertic	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MAIN+AUX


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11690.00	40.24	46.48	6.240	74.00	27.52	PK	Horizo	PASS
2	17535.00	36.50	51.59	15.090	68.30	16.71	PK	Horizo	PASS
3	11690.00	31.98	38.22	6.240	54.00	15.78	AV	Horizo	PASS


Transmit at 5845MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11690.00	40.49	46.73	6.240	74.00	27.27	PK	Vertic	PASS
2	17535.00	36.51	51.60	15.090	68.30	16.70	PK	Vertic	PASS
3	11690.00	32.45	38.69	6.240	54.00	15.31	AV	Vertic	PASS


Transmit at 5865MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	11730.00	40.16	46.42	6.260	74.00	27.58	PK	Horizo	PASS
2	17595.00	37.11	52.18	15.070	68.30	16.12	PK	Horizo	PASS
3	11730.00	31.85	38.11	6.260	54.00	15.89	AV	Horizo	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11730.00	41.44	47.70	6.260	74.00	26.30	PK	Vertic	PASS
2	17595.00	37.32	52.39	15.070	68.30	15.91	PK	Vertic	PASS
3	11730.00	33.55	39.81	6.260	54.00	14.19	AV	Vertic	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11770.00	39.66	45.92	6.260	74.00	28.08	PK	Horizo	PASS
2	17655.00	37.68	53.00	15.320	68.30	15.30	PK	Horizo	PASS
3	11770.00	31.83	38.09	6.260	54.00	15.91	AV	Horizo	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11770.00	40.73	46.99	6.260	74.00	27.01	PK	Vertic	PASS
2	17655.00	37.75	53.07	15.320	68.30	15.23	PK	Vertic	PASS
3	11770.00	32.42	38.68	6.260	54.00	15.32	AV	Vertic	PASS


Transmit at 5190MHz by 802.11ax(40MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.38	44.56	3.180	68.30	23.74	PK	Horizo	PASS
2	15570.00	38.22	51.14	12.920	74.00	22.86	PK	Horizo	PASS
3	15570.00	30.42	43.34	12.920	54.00	10.66	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10380.00	41.30	44.48	3.180	68.30	23.82	PK	Vertic	PASS
2	15570.00	37.89	50.81	12.920	74.00	23.19	PK	Vertic	PASS
3	15570.00	30.23	43.15	12.920	54.00	10.85	AV	Vertic	PASS


Transmit at 5230MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	41.08	44.56	3.480	68.30	23.74	PK	Horizo	PASS
2	15690.00	37.95	50.91	12.960	74.00	23.09	PK	Horizo	PASS
3	15690.00	29.97	42.93	12.960	54.00	11.07	AV	Horizo	PASS


Transmit at 5230MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10460.00	40.45	43.93	3.480	68.30	24.37	PK	Vertic	PASS
2	15690.00	38.88	51.84	12.960	74.00	22.16	PK	Vertic	PASS
3	15690.00	30.43	43.39	12.960	54.00	10.61	AV	Vertic	PASS


Transmit at 5270MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	40.93	44.62	3.690	68.30	23.68	PK	Horizo	PASS
2	15810.00	38.21	50.85	12.640	74.00	23.15	PK	Horizo	PASS
3	15810.00	30.85	43.49	12.640	54.00	10.51	AV	Horizo	PASS

Transmit at 5270MHz by 802.11ax(40MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10540.00	41.54	45.23	3.690	68.30	23.07	PK	Vertic	PASS
2	15810.00	38.54	51.18	12.640	74.00	22.82	PK	Vertic	PASS
3	15810.00	29.87	42.51	12.640	54.00	11.49	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	40.14	43.90	3.760	74.00	30.10	PK	Horizo	PASS
2	15930.00	38.60	51.81	13.210	74.00	22.19	PK	Horizo	PASS
3	10620.00	33.01	36.77	3.760	54.00	17.23	AV	Horizo	PASS
4	15930.00	29.79	43.00	13.210	54.00	11.00	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10620.00	41.74	45.50	3.760	74.00	28.50	PK	Vertic	PASS
2	15930.00	38.36	51.57	13.210	74.00	22.43	PK	Vertic	PASS
3	10620.00	32.91	36.67	3.760	54.00	17.33	AV	Vertic	PASS
4	15930.00	30.62	43.83	13.210	54.00	10.17	AV	Vertic	PASS