



Transmit at 5885MHz by 802.11a with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.60	35.82	48.45	12.630	68.30	19.85	PK	Horizo	PASS
2	5668.80	36.72	49.61	12.890	82.25	32.64	PK	Horizo	PASS
3	5712.00	37.64	50.89	13.250	108.66	57.77	PK	Horizo	PASS
4	5718.60	36.73	50.03	13.300	110.51	60.48	PK	Horizo	PASS
5	5895.40	47.59	61.23	13.640	110.60	49.37	PK	Horizo	PASS
6	5915.20	36.91	50.53	13.620	95.67	45.14	PK	Horizo	PASS
7	5949.40	36.87	50.47	13.600	88.30	37.83	PK	Horizo	PASS
8	5987.40	37.19	50.89	13.700	88.30	37.41	PK	Horizo	PASS

Transmit at 5885MHz by 802.11a with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.40	36.14	48.79	12.650	68.30	19.51	PK	Vertic	PASS
2	5670.40	36.52	49.43	12.910	83.44	34.01	PK	Vertic	PASS
3	5704.20	36.76	49.95	13.190	106.48	56.53	PK	Vertic	PASS
4	5722.40	36.41	49.73	13.320	116.37	66.64	PK	Vertic	PASS
5	5905.00	41.76	55.38	13.620	103.35	47.97	PK	Vertic	PASS
6	5917.00	37.92	51.54	13.620	94.32	42.78	PK	Vertic	PASS
7	5940.00	37.12	50.73	13.610	88.30	37.57	PK	Vertic	PASS
8	5996.80	36.56	50.28	13.720	88.30	38.02	PK	Vertic	PASS


Transmit at 5885MHz by 802.11a with Ant MAIN+AUX

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.60	24.81	37.48	12.670	68.30	30.82	AV	Horizo	PASS
2	5667.80	24.67	37.56	12.890	81.51	43.95	AV	Horizo	PASS
3	5694.60	24.73	37.84	13.110	101.32	63.48	AV	Horizo	PASS
4	5716.00	24.85	38.13	13.280	109.78	71.65	AV	Horizo	PASS
5	5898.60	30.55	44.18	13.630	88.18	44.00	AV	Horizo	PASS
6	5910.00	26.02	39.65	13.630	79.59	39.94	AV	Horizo	PASS
7	5948.60	24.99	38.59	13.600	68.30	29.71	AV	Horizo	PASS
8	5997.00	24.87	38.59	13.720	68.30	29.71	AV	Horizo	PASS

Transmit at 5885MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5649.40	24.72	37.45	12.730	68.30	30.85	AV	Vertic	PASS
2	5672.80	24.94	37.86	12.920	85.21	47.35	AV	Vertic	PASS
3	5712.80	25.22	38.47	13.250	108.89	70.42	AV	Vertic	PASS
4	5722.60	24.94	38.26	13.320	116.83	78.57	AV	Vertic	PASS
5	5898.20	32.70	46.33	13.630	88.48	42.15	AV	Vertic	PASS
6	5915.00	35.50	49.12	13.620	75.82	26.70	AV	Vertic	PASS
7	5945.40	25.46	39.07	13.610	68.30	29.23	AV	Vertic	PASS
8	5979.20	24.91	38.59	13.680	68.30	29.71	AV	Vertic	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.00	36.14	48.82	12.680	68.30	19.48	PK	Horizo	PASS
2	5674.20	36.42	49.36	12.940	86.25	36.89	PK	Horizo	PASS
3	5715.00	36.66	49.93	13.270	109.50	59.57	PK	Horizo	PASS
4	5720.00	36.54	49.84	13.300	110.90	61.06	PK	Horizo	PASS
5	5897.20	37.54	51.17	13.630	109.24	58.07	PK	Horizo	PASS
6	5907.60	37.14	50.76	13.620	101.39	50.63	PK	Horizo	PASS
7	5957.00	36.73	50.36	13.630	88.30	37.94	PK	Horizo	PASS
8	5987.80	37.13	50.82	13.690	88.30	37.48	PK	Horizo	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.80	36.53	49.23	12.700	68.30	19.07	PK	Vertic	PASS
2	5674.00	36.26	49.20	12.940	86.10	36.90	PK	Vertic	PASS
3	5708.40	36.52	49.75	13.230	107.65	57.90	PK	Vertic	PASS
4	5721.20	37.31	50.63	13.320	113.64	63.01	PK	Vertic	PASS
5	5905.20	36.43	50.06	13.630	103.20	53.14	PK	Vertic	PASS
6	5927.00	36.50	50.12	13.620	88.30	38.18	PK	Vertic	PASS
7	5947.00	36.48	50.09	13.610	88.30	38.21	PK	Vertic	PASS
8	5988.20	36.72	50.42	13.700	88.30	37.88	PK	Vertic	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.40	24.59	37.27	12.680	68.30	31.03	AV	Horizo	PASS
2	5683.20	24.65	37.67	13.020	92.90	55.23	AV	Horizo	PASS
3	5708.80	24.79	38.02	13.230	107.77	69.75	AV	Horizo	PASS
4	5719.60	24.93	38.23	13.300	110.79	72.56	AV	Horizo	PASS
5	5899.00	25.36	38.99	13.630	87.88	48.89	AV	Horizo	PASS
6	5914.60	25.09	38.71	13.620	76.12	37.41	AV	Horizo	PASS
7	5948.80	25.05	38.65	13.600	68.30	29.65	AV	Horizo	PASS
8	5978.00	24.65	38.33	13.680	68.30	29.97	AV	Horizo	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.80	24.64	37.31	12.670	68.30	30.99	AV	Vertic	PASS
2	5672.60	24.80	37.72	12.920	85.06	47.34	AV	Vertic	PASS
3	5699.60	25.16	38.32	13.160	105.01	66.69	AV	Vertic	PASS
4	5719.40	25.03	38.33	13.300	110.73	72.40	AV	Vertic	PASS
5	5907.80	25.55	39.17	13.620	81.24	42.07	AV	Vertic	PASS
6	5930.20	25.19	38.81	13.620	68.30	29.49	AV	Vertic	PASS
7	5951.40	24.97	38.58	13.610	68.30	29.72	AV	Vertic	PASS
8	5978.60	24.97	38.65	13.680	68.30	29.65	AV	Vertic	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5629.60	36.48	49.04	12.560	68.30	19.26	PK	Horizo	PASS
2	5670.00	36.94	49.84	12.900	83.14	33.30	PK	Horizo	PASS
3	5702.60	37.77	50.95	13.180	106.03	55.08	PK	Horizo	PASS
4	5715.80	36.92	50.20	13.280	109.73	59.53	PK	Horizo	PASS
5	5897.40	37.30	50.93	13.630	109.09	58.16	PK	Horizo	PASS
6	5919.00	36.74	50.37	13.630	92.81	42.44	PK	Horizo	PASS
7	5958.60	37.23	50.86	13.630	88.30	37.44	PK	Horizo	PASS
8	5988.40	36.16	49.86	13.700	88.30	38.44	PK	Horizo	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.60	35.91	48.61	12.700	68.30	19.69	PK	Vertic	PASS
2	5674.00	36.26	49.20	12.940	86.10	36.90	PK	Vertic	PASS
3	5705.60	36.40	49.60	13.200	106.87	57.27	PK	Vertic	PASS
4	5717.60	37.04	50.32	13.280	110.23	59.91	PK	Vertic	PASS
5	5901.20	37.68	51.31	13.630	106.22	54.91	PK	Vertic	PASS
6	5917.00	37.94	51.56	13.620	94.32	42.76	PK	Vertic	PASS
7	5938.20	36.71	50.32	13.610	88.30	37.98	PK	Vertic	PASS
8	5981.40	37.31	51.00	13.690	88.30	37.30	PK	Vertic	PASS


Transmit at 5865MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5630.00	24.65	37.22	12.570	68.30	31.08	AV	Horizo	PASS
2	5673.80	24.66	37.60	12.940	85.95	48.35	AV	Horizo	PASS
3	5714.80	24.86	38.13	13.270	109.45	71.32	AV	Horizo	PASS
4	5717.40	24.88	38.16	13.280	110.17	72.01	AV	Horizo	PASS
5	5899.20	25.47	39.10	13.630	87.73	48.63	AV	Horizo	PASS
6	5922.60	25.22	38.84	13.620	70.10	31.26	AV	Horizo	PASS
7	5971.20	24.79	38.45	13.660	68.30	29.85	AV	Horizo	PASS
8	5997.80	24.81	38.53	13.720	68.30	29.77	AV	Horizo	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.60	24.55	37.20	12.650	68.30	31.10	AV	Vertic	PASS
2	5671.40	24.76	37.68	12.920	84.18	46.50	AV	Vertic	PASS
3	5703.60	25.07	38.26	13.190	106.31	68.05	AV	Vertic	PASS
4	5718.80	25.22	38.52	13.300	110.56	72.04	AV	Vertic	PASS
5	5897.20	26.21	39.84	13.630	89.24	49.40	AV	Vertic	PASS
6	5916.60	25.54	39.16	13.620	74.62	35.46	AV	Vertic	PASS
7	5948.80	24.94	38.54	13.600	68.30	29.76	AV	Vertic	PASS
8	5985.60	25.00	38.70	13.700	68.30	29.60	AV	Vertic	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.20	36.76	49.34	12.580	68.30	18.96	PK	Horizo	PASS
2	5667.40	36.12	49.00	12.880	81.21	32.21	PK	Horizo	PASS
3	5694.40	36.37	49.48	13.110	101.17	51.69	PK	Horizo	PASS
4	5714.20	37.29	50.55	13.260	109.28	58.73	PK	Horizo	PASS
5	5898.00	47.82	61.45	13.630	108.63	47.18	PK	Horizo	PASS
6	5913.40	37.16	50.78	13.620	97.03	46.25	PK	Horizo	PASS
7	5952.20	36.80	50.41	13.610	88.30	37.89	PK	Horizo	PASS
8	5984.60	37.41	51.11	13.700	88.30	37.19	PK	Horizo	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MAIN+AUX
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.00	36.07	48.73	12.660	68.30	19.57	PK	Vertic	PASS
2	5676.60	36.76	49.72	12.960	88.02	38.30	PK	Vertic	PASS
3	5705.00	36.52	49.72	13.200	106.70	56.98	PK	Vertic	PASS
4	5724.80	37.48	50.82	13.340	121.84	71.02	PK	Vertic	PASS
5	5898.20	47.64	61.27	13.630	108.48	47.21	PK	Vertic	PASS
6	5915.00	44.75	58.37	13.620	95.82	37.45	PK	Vertic	PASS
7	5950.60	37.54	51.15	13.610	88.30	37.15	PK	Vertic	PASS
8	5993.60	36.72	50.43	13.710	88.30	37.87	PK	Vertic	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.40	24.44	37.10	12.660	68.30	31.20	AV	Horizo	PASS
2	5667.80	24.92	37.81	12.890	81.51	43.70	AV	Horizo	PASS
3	5704.60	24.79	37.98	13.190	106.59	68.61	AV	Horizo	PASS
4	5724.80	24.83	38.17	13.340	121.84	83.67	AV	Horizo	PASS
5	5897.00	30.38	44.01	13.630	89.39	45.38	AV	Horizo	PASS
6	5926.60	25.54	39.16	13.620	68.30	29.14	AV	Horizo	PASS
7	5962.20	24.87	38.51	13.640	68.30	29.79	AV	Horizo	PASS
8	5997.20	24.88	38.60	13.720	68.30	29.70	AV	Horizo	PASS


Transmit at 5885MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.20	24.73	37.44	12.710	68.30	30.86	AV	Vertic	PASS
2	5677.60	24.93	37.90	12.970	88.76	50.86	AV	Vertic	PASS
3	5702.40	24.84	38.02	13.180	105.97	67.95	AV	Vertic	PASS
4	5718.80	25.05	38.35	13.300	110.56	72.21	AV	Vertic	PASS
5	5895.80	35.28	48.92	13.640	90.30	41.38	AV	Vertic	PASS
6	5917.20	26.63	40.25	13.620	74.16	33.91	AV	Vertic	PASS
7	5950.60	25.27	38.88	13.610	68.30	29.42	AV	Vertic	PASS
8	5993.20	24.95	38.66	13.710	68.30	29.64	AV	Vertic	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.80	36.37	49.02	12.650	68.30	19.28	PK	Horizo	PASS
2	5683.20	36.53	49.55	13.020	92.90	43.35	PK	Horizo	PASS
3	5710.00	36.59	49.82	13.230	108.10	58.28	PK	Horizo	PASS
4	5718.80	37.02	50.32	13.300	110.56	60.24	PK	Horizo	PASS
5	5899.00	37.39	51.02	13.630	107.88	56.86	PK	Horizo	PASS
6	5914.00	36.65	50.27	13.620	96.57	46.30	PK	Horizo	PASS
7	5950.40	36.69	50.30	13.610	88.30	38.00	PK	Horizo	PASS
8	5984.40	37.18	50.87	13.690	88.30	37.43	PK	Horizo	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5652.20	36.41	49.16	12.750	69.93	20.77	PK	Vertic	PASS
2	5680.00	36.39	49.38	12.990	90.54	41.16	PK	Vertic	PASS
3	5711.80	36.89	50.14	13.250	108.61	58.47	PK	Vertic	PASS
4	5717.20	36.77	50.05	13.280	110.12	60.07	PK	Vertic	PASS
5	5904.80	37.51	51.13	13.620	103.50	52.37	PK	Vertic	PASS
6	5933.00	36.71	50.33	13.620	88.30	37.97	PK	Vertic	PASS
7	5973.40	37.05	50.71	13.660	88.30	37.59	PK	Vertic	PASS
8	5994.80	36.67	50.38	13.710	88.30	37.92	PK	Vertic	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.00	24.62	37.24	12.620	68.30	31.06	AV	Horizo	PASS
2	5673.80	24.85	37.79	12.940	85.95	48.16	AV	Horizo	PASS
3	5700.60	24.89	38.05	13.160	105.47	67.42	AV	Horizo	PASS
4	5720.00	25.06	38.36	13.300	110.90	72.54	AV	Horizo	PASS
5	5898.00	25.60	39.23	13.630	88.63	49.40	AV	Horizo	PASS
6	5907.00	25.25	38.88	13.630	81.85	42.97	AV	Horizo	PASS
7	5941.60	25.13	38.74	13.610	68.30	29.56	AV	Horizo	PASS
8	5978.60	24.89	38.57	13.680	68.30	29.73	AV	Horizo	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.20	24.71	37.37	12.660	68.30	30.93	AV	Vertic	PASS
2	5680.80	25.33	38.33	13.000	91.13	52.80	AV	Vertic	PASS
3	5708.00	25.15	38.36	13.210	107.54	69.18	AV	Vertic	PASS
4	5722.00	25.21	38.53	13.320	115.46	76.93	AV	Vertic	PASS
5	5898.40	25.92	39.55	13.630	88.33	48.78	AV	Vertic	PASS
6	5911.40	25.45	39.07	13.620	78.53	39.46	AV	Vertic	PASS
7	5948.60	25.07	38.67	13.600	68.30	29.63	AV	Vertic	PASS
8	5988.80	24.90	38.60	13.700	68.30	29.70	AV	Vertic	PASS


Transmit at 5875MHz by 802.11ax(40MHz) with Ant MAIN+AUX

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.40	36.39	49.06	12.670	68.30	19.24	PK	Horizo	PASS
2	5674.40	36.16	49.10	12.940	86.40	37.30	PK	Horizo	PASS
3	5710.20	36.30	49.53	13.230	108.16	58.63	PK	Horizo	PASS
4	5717.20	36.80	50.08	13.280	110.12	60.04	PK	Horizo	PASS
5	5902.80	41.88	55.51	13.630	105.01	49.50	PK	Horizo	PASS
6	5918.00	39.20	52.82	13.620	93.56	40.74	PK	Horizo	PASS
7	5960.60	37.31	50.95	13.640	88.30	37.35	PK	Horizo	PASS
8	6001.40	36.97	50.70	13.730	88.30	37.60	PK	Horizo	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.00	36.97	49.62	12.650	68.30	18.68	PK	Vertic	PASS
2	5668.80	36.18	49.07	12.890	82.25	33.18	PK	Vertic	PASS
3	5711.80	36.90	50.15	13.250	108.61	58.46	PK	Vertic	PASS
4	5718.00	36.68	49.98	13.300	110.34	60.36	PK	Vertic	PASS
5	5908.80	43.85	57.48	13.630	100.49	43.01	PK	Vertic	PASS
6	5929.40	37.76	51.38	13.620	88.30	36.92	PK	Vertic	PASS
7	5976.40	36.80	50.47	13.670	88.30	37.83	PK	Vertic	PASS
8	6003.00	36.77	50.51	13.740	88.30	37.79	PK	Vertic	PASS


Transmit at 5875MHz by 802.11ax(40MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.20	24.56	37.24	12.680	68.30	31.06	AV	Horizo	PASS
2	5674.60	24.62	37.56	12.940	86.54	48.98	AV	Horizo	PASS
3	5689.40	24.80	37.87	13.070	97.48	59.61	AV	Horizo	PASS
4	5717.20	24.97	38.25	13.280	110.12	71.87	AV	Horizo	PASS
5	5905.60	29.70	43.33	13.630	82.90	39.57	AV	Horizo	PASS
6	5918.80	26.52	40.14	13.620	72.96	32.82	AV	Horizo	PASS
7	5939.00	25.42	39.03	13.610	68.30	29.27	AV	Horizo	PASS
8	5981.00	24.83	38.51	13.680	68.30	29.79	AV	Horizo	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.40	24.64	37.31	12.670	68.30	30.99	AV	Vertic	PASS
2	5677.60	24.87	37.84	12.970	88.76	50.92	AV	Vertic	PASS
3	5708.60	24.96	38.19	13.230	107.71	69.52	AV	Vertic	PASS
4	5720.00	25.13	38.43	13.300	110.90	72.47	AV	Vertic	PASS
5	5899.00	33.11	46.74	13.630	87.88	41.14	AV	Vertic	PASS
6	5918.60	27.50	41.12	13.620	73.11	31.99	AV	Vertic	PASS
7	5959.20	25.35	38.98	13.630	68.30	29.32	AV	Vertic	PASS
8	5997.80	24.87	38.59	13.720	68.30	29.71	AV	Vertic	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.60	35.99	48.65	12.660	68.30	19.65	PK	Horizo	PASS
2	5677.60	36.23	49.20	12.970	88.76	39.56	PK	Horizo	PASS
3	5711.60	37.14	50.39	13.250	108.55	58.16	PK	Horizo	PASS
4	5720.20	36.92	50.22	13.300	111.36	61.14	PK	Horizo	PASS
5	5897.60	52.29	65.92	13.630	108.94	43.02	PK	Horizo	PASS
6	5911.80	39.23	52.85	13.620	98.23	45.38	PK	Horizo	PASS
7	5953.20	37.86	51.47	13.610	88.30	36.83	PK	Horizo	PASS
8	5994.80	36.23	49.94	13.710	88.30	38.36	PK	Horizo	PASS


Transmit at 5855MHz by 802.11ax(80MHz) with Ant MAIN+AUX

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.20	37.04	49.69	12.650	68.30	18.61	PK	Vertic	PASS
2	5678.80	36.31	49.29	12.980	89.65	40.36	PK	Vertic	PASS
3	5706.20	36.56	49.77	13.210	107.04	57.27	PK	Vertic	PASS
4	5719.00	37.84	51.14	13.300	110.62	59.48	PK	Vertic	PASS
5	5903.00	42.55	56.18	13.630	104.86	48.68	PK	Vertic	PASS
6	5923.60	39.51	53.13	13.620	89.35	36.22	PK	Vertic	PASS
7	5962.20	37.19	50.83	13.640	88.30	37.47	PK	Vertic	PASS
8	5992.60	36.11	49.82	13.710	88.30	38.48	PK	Vertic	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.80	24.72	37.37	12.650	68.30	30.93	AV	Horizo	PASS
2	5687.60	24.87	37.92	13.050	96.15	58.23	AV	Horizo	PASS
3	5706.60	25.01	38.22	13.210	107.15	68.93	AV	Horizo	PASS
4	5715.80	25.34	38.62	13.280	109.73	71.11	AV	Horizo	PASS
5	5896.00	46.31	59.94	13.630	90.14	30.20	AV	Horizo	PASS
6	5920.00	27.40	41.02	13.620	72.06	31.04	AV	Horizo	PASS
7	5950.60	25.60	39.21	13.610	68.30	29.09	AV	Horizo	PASS
8	5992.20	24.77	38.48	13.710	68.30	29.82	AV	Horizo	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MAIN+AUX


Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5651.20	24.63	37.37	12.740	69.19	31.82	AV	Vertic	PASS
2	5683.00	24.89	37.91	13.020	92.76	54.85	AV	Vertic	PASS
3	5705.20	25.34	38.54	13.200	106.76	68.22	AV	Vertic	PASS
4	5722.00	25.81	39.13	13.320	115.46	76.33	AV	Vertic	PASS
5	5896.00	47.79	61.42	13.630	90.14	28.72	AV	Vertic	PASS
6	5909.80	29.71	43.34	13.630	79.74	36.40	AV	Vertic	PASS
7	5933.60	28.60	42.22	13.620	68.30	26.08	AV	Vertic	PASS
8	5974.80	25.28	38.95	13.670	68.30	29.35	AV	Vertic	PASS

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)


INNOWAVE Antenna:**Transmit at 5180MHz by 802.11a with Ant MAIN+AUX***Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5100.21	36.56	47.51	10.950	74.00	26.49	PK	Horizo	PASS
2	5150.00	33.60	44.60	11.000	74.00	29.40	PK	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5099.52	37.28	48.23	10.950	74.00	25.77	PK	Vertic	PASS
2	5150.00	34.92	45.92	11.000	74.00	28.08	PK	Vertic	PASS


Transmit at 5180MHz by 802.11a with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5024.31	26.62	37.17	10.550	54.00	16.83	AV	Horizo	PASS
2	5150.00	26.61	37.61	11.000	54.00	16.39	AV	Horizo	PASS


Transmit at 5180MHz by 802.11a with Ant MAIN+AUX




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5065.46	26.98	37.74	10.760	54.00	16.26	AV	Vertic	PASS
2	5150.00	27.46	38.46	11.000	54.00	15.54	AV	Vertic	PASS

Transmit at 5320MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.59	45.10	11.510	74.00	28.90	PK	Horizo	PASS
2	5361.23	37.33	48.92	11.590	74.00	25.08	PK	Horizo	PASS


Transmit at 5320MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	34.85	46.36	11.510	74.00	27.64	PK	Vertic	PASS
2	5364.79	37.62	49.24	11.620	74.00	24.76	PK	Vertic	PASS

Transmit at 5320MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.71	37.22	11.510	54.00	16.78	AV	Horizo	PASS
2	5360.68	26.67	38.26	11.590	54.00	15.74	AV	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	25.75	37.26	11.510	54.00	16.74	AV	Vertic	PASS
2	5362.89	26.97	38.58	11.610	54.00	15.42	AV	Vertic	PASS


Transmit at 5500MHz by 802.11a with Ant MAIN+AUX

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	35.86	47.90	12.040	68.30	20.40	PK	Horizo	PASS
2	5468.08	37.59	49.66	12.070	68.30	18.64	PK	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	35.39	47.43	12.040	68.30	20.87	PK	Vertic	PASS
2	5464.51	37.96	50.02	12.060	68.30	18.28	PK	Vertic	PASS


Transmit at 5500MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5447.44	26.52	38.52	12.000	54.00	15.48	AV	Horizo	PASS
2	5460.00	26.29	38.33	12.040	54.00	15.67	AV	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5433.22	26.52	38.49	11.970	54.00	15.51	AV	Vertic	PASS
2	5460.00	26.17	38.21	12.040	54.00	15.79	AV	Vertic	PASS


Transmit at 5700MHz by 802.11a with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	39.37	52.72	13.350	68.30	15.58	PK	Horizo	PASS
2	5728.30	40.36	53.73	13.370	68.30	14.57	PK	Horizo	PASS

Transmit at 5700MHz by 802.11a with Ant MAIN+AUX




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	38.97	52.32	13.350	68.30	15.98	PK	Vertic	PASS
2	5727.90	41.40	54.77	13.370	68.30	13.53	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5082.45	37.98	48.83	10.850	74.00	25.17	PK	Horizo	PASS
2	5150.00	34.91	45.91	11.000	74.00	28.09	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5137.65	38.53	49.52	10.990	74.00	24.48	PK	Vertic	PASS
2	5150.00	37.46	48.46	11.000	74.00	25.54	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5094.09	27.12	38.03	10.910	54.00	15.97	AV	Horizo	PASS
2	5150.00	27.38	38.38	11.000	54.00	15.62	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5129.80	27.58	38.56	10.980	54.00	15.44	AV	Vertic	PASS
2	5150.00	29.64	40.64	11.000	54.00	13.36	AV	Vertic	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.50	47.01	11.510	74.00	26.99	PK	Horizo	PASS
2	5363.91	37.17	48.78	11.610	74.00	25.22	PK	Horizo	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.10	46.61	11.510	74.00	27.39	PK	Vertic	PASS
2	5361.56	37.40	48.99	11.590	74.00	25.01	PK	Vertic	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.11	38.62	11.510	54.00	15.38	AV	Horizo	PASS
2	5363.74	28.41	40.02	11.610	54.00	13.98	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	28.04	39.55	11.510	54.00	14.45	AV	Vertic	PASS
2	5365.80	31.05	42.68	11.630	54.00	11.32	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	36.62	48.66	12.040	68.30	19.64	PK	Horizo	PASS
2	5468.19	39.66	51.73	12.070	68.30	16.57	PK	Horizo	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.98	50.02	12.040	68.30	18.28	PK	Vertic	PASS
2	5467.01	42.00	54.06	12.060	68.30	14.24	PK	Vertic	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5443.98	27.25	39.24	11.990	54.00	14.76	AV	Horizo	PASS
2	5460.00	26.15	38.19	12.040	54.00	15.81	AV	Horizo	PASS


Transmit at 5500MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5443.08	27.16	39.15	11.990	54.00	14.85	AV	Vertic	PASS
2	5460.00	26.89	38.93	12.040	54.00	15.07	AV	Vertic	PASS


Transmit at 5700MHz by 802.11ax(20MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	38.94	52.29	13.350	68.30	16.01	PK	Horizo	PASS
2	5735.30	37.65	51.07	13.420	68.30	17.23	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant MAIN+AUX




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	42.37	55.72	13.350	68.30	12.58	PK	Vertic	PASS
2	5739.45	38.16	51.61	13.450	68.30	16.69	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5099.15	37.34	48.29	10.950	74.00	25.71	PK	Horizo	PASS
2	5150.00	36.03	47.03	11.000	74.00	26.97	PK	Horizo	PASS


Transmit at 5190MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5027.89	36.96	47.53	10.570	74.00	26.47	PK	Vertic	PASS
2	5150.00	38.40	49.40	11.000	74.00	24.60	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4989.46	29.24	39.60	10.360	54.00	14.40	AV	Horizo	PASS
2	5150.00	30.34	41.34	11.000	54.00	12.66	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4992.47	27.82	38.21	10.390	54.00	15.79	AV	Vertic	PASS
2	5150.00	29.79	40.79	11.000	54.00	13.21	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.06	48.57	11.510	74.00	25.43	PK	Horizo	PASS
2	5354.83	36.93	48.47	11.540	74.00	25.53	PK	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MAIN+AUX


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	34.58	46.09	11.510	74.00	27.91	PK	Vertic	PASS
2	5357.87	37.55	49.11	11.560	74.00	24.89	PK	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	26.90	38.41	11.510	54.00	15.59	AV	Horizo	PASS
2	5364.21	27.64	39.25	11.610	54.00	14.75	AV	Horizo	PASS


Transmit at 5310MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.24	38.75	11.510	54.00	15.25	AV	Vertic	PASS
2	5363.67	27.64	39.25	11.610	54.00	14.75	AV	Vertic	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	37.46	49.50	12.040	68.30	18.80	PK	Horizo	PASS
2	5468.38	44.68	56.75	12.070	68.30	11.55	PK	Horizo	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	38.28	50.32	12.040	68.30	17.98	PK	Vertic	PASS
2	5464.48	48.83	60.89	12.060	68.30	7.41	PK	Vertic	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5450.51	27.91	39.92	12.010	54.00	14.08	AV	Horizo	PASS
2	5460.00	28.41	40.45	12.040	54.00	13.55	AV	Horizo	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5445.83	27.77	39.77	12.000	54.00	14.23	AV	Vertic	PASS
2	5460.00	28.32	40.36	12.040	54.00	13.64	AV	Vertic	PASS


Transmit at 5670MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.45	48.52	12.070	68.30	19.78	PK	Horizo	PASS
2	5725.00	35.92	49.27	13.350	68.30	19.03	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MAIN+AUX



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	35.53	47.60	12.070	68.30	20.70	PK	Vertic	PASS
2	5725.00	39.98	53.33	13.350	68.30	14.97	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5051.16	37.76	48.44	10.680	74.00	25.56	PK	Horizo	PASS
2	5150.00	36.15	47.15	11.000	74.00	26.85	PK	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5062.69	37.31	48.06	10.750	74.00	25.94	PK	Vertic	PASS
2	5150.00	36.13	47.13	11.000	74.00	26.87	PK	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5028.94	27.17	37.74	10.570	54.00	16.26	AV	Horizo	PASS
2	5150.00	27.93	38.93	11.000	54.00	15.07	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5005.03	27.60	38.05	10.450	54.00	15.95	AV	Vertic	PASS
2	5150.00	28.82	39.82	11.000	54.00	14.18	AV	Vertic	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.01	48.52	11.510	74.00	25.48	PK	Horizo	PASS
2	5361.96	38.23	49.83	11.600	74.00	24.17	PK	Horizo	PASS

Transmit at 5290MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.52	48.03	11.510	74.00	25.97	PK	Vertic	PASS
2	5363.85	38.29	49.90	11.610	74.00	24.10	PK	Vertic	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.65	39.16	11.510	54.00	14.84	AV	Horizo	PASS
2	5362.64	27.79	39.40	11.610	54.00	14.60	AV	Horizo	PASS


Transmit at 5290MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	28.52	40.03	11.510	54.00	13.97	AV	Vertic	PASS
2	5375.03	28.05	39.75	11.700	54.00	14.25	AV	Vertic	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	42.71	54.75	12.040	68.30	13.55	PK	Horizo	PASS
2	5467.26	49.94	62.01	12.070	68.30	6.29	PK	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	41.73	53.77	12.040	68.30	14.53	PK	Vertic	PASS
2	5467.33	51.09	63.16	12.070	68.30	5.14	PK	Vertic	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5448.67	35.27	47.28	12.010	54.00	6.72	AV	Horizo	PASS
2	5460.00	32.81	44.85	12.040	54.00	9.15	AV	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5455.24	34.91	46.94	12.030	54.00	7.06	AV	Vertic	PASS
2	5460.00	29.97	42.01	12.040	54.00	11.99	AV	Vertic	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	35.03	47.10	12.070	68.30	21.20	PK	Horizo	PASS
2	5725.00	35.68	49.03	13.350	68.30	19.27	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ax(80MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.62	48.69	12.070	68.30	19.61	PK	Vertic	PASS
2	5725.00	35.00	48.35	13.350	68.30	19.95	PK	Vertic	PASS

Transmit at 5745MHz by 802.11a with Ant MAIN+AUX


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.11	37.34	49.99	12.650	68.30	18.31	PK	Horizo	PASS
2	5678.63	37.06	50.03	12.970	89.52	39.49	PK	Horizo	PASS
3	5709.99	38.23	51.46	13.230	108.10	56.64	PK	Horizo	PASS
4	5722.34	45.05	58.37	13.320	116.23	57.86	PK	Horizo	PASS
5	5862.25	37.87	51.56	13.690	108.87	57.31	PK	Horizo	PASS
6	5875.41	37.79	51.45	13.660	104.99	53.54	PK	Horizo	PASS
7	5889.88	37.45	51.09	13.640	94.26	43.17	PK	Horizo	PASS
8	5931.80	37.58	51.19	13.610	68.30	17.11	PK	Horizo	PASS

Transmit at 5745MHz by 802.11a with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.50	37.10	49.78	12.680	68.30	18.52	PK	Vertic	PASS
2	5680.74	36.91	49.91	13.000	91.08	41.17	PK	Vertic	PASS
3	5704.46	37.99	51.18	13.190	106.55	55.37	PK	Vertic	PASS
4	5722.99	43.42	56.75	13.330	117.71	60.96	PK	Vertic	PASS
5	5859.98	37.16	50.85	13.690	109.51	58.66	PK	Vertic	PASS
6	5870.38	36.86	50.54	13.680	106.59	56.05	PK	Vertic	PASS
7	5894.26	37.14	50.78	13.640	91.01	40.23	PK	Vertic	PASS
8	5928.55	37.19	50.80	13.610	68.30	17.50	PK	Vertic	PASS

Transmit at 5825MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.34	36.56	49.24	12.680	68.30	19.06	PK	Horizo	PASS
2	5677.00	37.56	50.53	12.970	88.32	37.79	PK	Horizo	PASS
3	5694.23	36.64	49.75	13.110	101.04	51.29	PK	Horizo	PASS
4	5721.36	37.16	50.48	13.320	114.01	63.53	PK	Horizo	PASS
5	5853.15	39.37	53.07	13.700	115.12	62.05	PK	Horizo	PASS
6	5878.99	37.23	50.89	13.660	102.34	51.45	PK	Horizo	PASS
7	5918.15	37.22	50.84	13.620	73.35	22.51	PK	Horizo	PASS
8	5929.85	37.04	50.66	13.620	68.30	17.64	PK	Horizo	PASS


Transmit at 5825MHz by 802.11a with Ant MAIN+AUX



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	36.59	49.24	12.650	68.30	19.06	PK	Vertic	PASS
2	5673.75	36.84	49.78	12.940	85.92	36.14	PK	Vertic	PASS
3	5691.30	36.99	50.07	13.080	98.89	48.82	PK	Vertic	PASS
4	5721.85	37.41	50.73	13.320	115.12	64.39	PK	Vertic	PASS
5	5854.29	38.83	52.52	13.690	112.52	60.00	PK	Vertic	PASS
6	5866.48	37.60	51.28	13.680	107.68	56.40	PK	Vertic	PASS
7	5910.68	36.96	50.58	13.620	78.87	28.29	PK	Vertic	PASS
8	5936.51	37.59	51.21	13.620	68.30	17.09	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.63	36.96	49.61	12.650	68.30	18.69	PK	Horizo	PASS
2	5663.68	37.60	50.44	12.840	78.45	28.01	PK	Horizo	PASS
3	5681.23	37.46	50.46	13.000	91.44	40.98	PK	Horizo	PASS
4	5707.23	46.81	60.02	13.210	107.33	47.31	PK	Horizo	PASS
5	5853.31	37.60	51.30	13.700	114.75	63.45	PK	Horizo	PASS
6	5870.05	37.20	50.88	13.680	106.68	55.80	PK	Horizo	PASS
7	5901.90	37.82	51.45	13.630	85.36	33.91	PK	Horizo	PASS
8	5946.26	37.21	50.81	13.600	68.30	17.49	PK	Horizo	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.56	36.65	49.26	12.610	68.30	19.04	PK	Vertic	PASS
2	5679.93	41.96	54.95	12.990	90.48	35.53	PK	Vertic	PASS
3	5700.89	37.99	51.15	13.160	105.55	54.40	PK	Vertic	PASS
4	5720.55	41.18	54.49	13.310	112.15	57.66	PK	Vertic	PASS
5	5863.88	37.44	51.12	13.680	108.41	57.29	PK	Vertic	PASS
6	5890.69	38.57	52.21	13.640	93.66	41.45	PK	Vertic	PASS
7	5906.94	37.40	51.03	13.630	81.63	30.60	PK	Vertic	PASS
8	5936.68	37.83	51.45	13.620	68.30	16.85	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.99	36.49	49.07	12.580	68.30	19.23	PK	Horizo	PASS
2	5655.88	36.60	49.38	12.780	72.66	23.28	PK	Horizo	PASS
3	5685.94	37.19	50.22	13.030	94.93	44.71	PK	Horizo	PASS
4	5717.95	37.29	50.59	13.300	110.33	59.74	PK	Horizo	PASS
5	5862.09	37.79	51.48	13.690	108.91	57.43	PK	Horizo	PASS
6	5882.73	37.40	51.05	13.650	99.56	48.51	PK	Horizo	PASS
7	5912.95	38.96	52.59	13.630	77.19	24.60	PK	Horizo	PASS
8	5928.39	38.29	51.90	13.610	68.30	16.40	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.28	36.75	49.40	12.650	68.30	18.90	PK	Vertic	PASS
2	5686.75	37.11	50.16	13.050	95.53	45.37	PK	Vertic	PASS
3	5712.26	37.42	50.67	13.250	108.74	58.07	PK	Vertic	PASS
4	5720.23	38.14	51.44	13.300	111.41	59.97	PK	Vertic	PASS
5	5856.24	39.02	52.71	13.690	110.55	57.84	PK	Vertic	PASS
6	5881.59	39.08	52.73	13.650	100.41	47.68	PK	Vertic	PASS
7	5903.36	37.57	51.20	13.630	84.27	33.07	PK	Vertic	PASS
8	5930.34	37.56	51.18	13.620	68.30	17.12	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5648.73	37.57	50.29	12.720	68.30	18.01	PK	Horizo	PASS
2	5677.81	37.63	50.60	12.970	88.92	38.32	PK	Horizo	PASS
3	5704.30	40.38	53.57	13.190	106.51	52.94	PK	Horizo	PASS
4	5719.09	48.44	61.74	13.300	110.64	48.90	PK	Horizo	PASS
5	5864.20	37.93	51.61	13.680	108.32	56.71	PK	Horizo	PASS
6	5872.00	37.64	51.31	13.670	106.14	54.83	PK	Horizo	PASS
7	5896.86	37.64	51.27	13.630	89.08	37.81	PK	Horizo	PASS
8	5925.30	38.03	51.64	13.610	68.30	16.66	PK	Horizo	PASS


Transmit at 5755MHz by 802.11ax(40MHz) with Ant MAIN+AUX

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.29	37.18	49.88	12.700	68.30	18.42	PK	Vertic	PASS
2	5684.96	38.20	51.23	13.030	94.21	42.98	PK	Vertic	PASS
3	5710.64	44.73	57.96	13.230	108.28	50.32	PK	Vertic	PASS
4	5722.01	50.47	63.79	13.320	115.49	51.70	PK	Vertic	PASS
5	5852.99	37.40	51.10	13.700	115.49	64.39	PK	Vertic	PASS
6	5879.15	38.77	52.43	13.660	102.22	49.79	PK	Vertic	PASS
7	5903.04	38.07	51.70	13.630	84.51	32.81	PK	Vertic	PASS
8	5930.66	38.18	51.80	13.620	68.30	16.50	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.69	37.76	50.44	12.680	68.30	17.86	PK	Horizo	PASS
2	5673.91	37.22	50.16	12.940	86.04	35.88	PK	Horizo	PASS
3	5701.70	37.00	50.18	13.180	105.78	55.60	PK	Horizo	PASS
4	5716.00	37.34	50.62	13.280	109.78	59.16	PK	Horizo	PASS
5	5860.14	37.81	51.50	13.690	109.46	57.96	PK	Horizo	PASS
6	5870.86	37.34	51.01	13.670	106.46	55.45	PK	Horizo	PASS
7	5901.25	37.27	50.90	13.630	85.84	34.94	PK	Horizo	PASS
8	5929.53	37.21	50.83	13.620	68.30	17.47	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant MAIN+AUX


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.75	37.16	49.87	12.710	68.30	18.43	PK	Vertic	PASS
2	5678.79	37.08	50.06	12.980	89.64	39.58	PK	Vertic	PASS
3	5710.31	37.50	50.73	13.230	108.19	57.46	PK	Vertic	PASS
4	5716.33	37.89	51.17	13.280	109.87	58.70	PK	Vertic	PASS
5	5852.99	38.65	52.35	13.700	115.49	63.14	PK	Vertic	PASS
6	5872.33	38.03	51.70	13.670	106.05	54.35	PK	Vertic	PASS
7	5897.19	38.99	52.62	13.630	88.84	36.22	PK	Vertic	PASS
8	5927.41	38.71	52.33	13.620	68.30	15.97	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant MAIN+AUX



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.09	37.79	50.45	12.660	68.30	17.85	PK	Horizo	PASS
2	5680.90	43.43	56.43	13.000	91.20	34.77	PK	Horizo	PASS
3	5712.43	47.92	61.17	13.250	108.78	47.61	PK	Horizo	PASS
4	5720.71	49.59	62.90	13.310	112.53	49.63	PK	Horizo	PASS
5	5861.11	45.29	58.98	13.690	109.19	50.21	PK	Horizo	PASS
6	5870.05	45.13	58.81	13.680	106.68	47.87	PK	Horizo	PASS
7	5896.05	38.03	51.66	13.630	89.68	38.02	PK	Horizo	PASS
8	5940.41	36.81	50.42	13.610	68.30	17.88	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.88	37.85	50.52	12.670	68.30	17.78	PK	Vertic	PASS
2	5672.45	43.28	56.20	12.920	84.95	28.75	PK	Vertic	PASS
3	5712.26	49.54	62.79	13.250	108.74	45.95	PK	Vertic	PASS
4	5720.88	50.44	63.75	13.310	112.90	49.15	PK	Vertic	PASS
5	5861.11	47.24	60.93	13.690	109.19	48.26	PK	Vertic	PASS
6	5881.26	43.09	56.74	13.650	100.65	43.91	PK	Vertic	PASS
7	5898.98	38.17	51.80	13.630	87.52	35.72	PK	Vertic	PASS
8	5944.48	37.48	51.09	13.610	68.30	17.21	PK	Vertic	PASS


Transmit at 5845MHz by 802.11a with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.60	36.43	49.06	12.630	68.30	19.24	PK	Horizo	PASS
2	5677.00	36.20	49.17	12.970	88.32	39.15	PK	Horizo	PASS
3	5703.60	36.67	49.86	13.190	106.31	56.45	PK	Horizo	PASS
4	5718.80	36.63	49.93	13.300	110.56	60.63	PK	Horizo	PASS
5	5898.80	36.78	50.41	13.630	108.03	57.62	PK	Horizo	PASS
6	5921.20	37.01	50.63	13.620	91.16	40.53	PK	Horizo	PASS
7	5959.40	36.61	50.24	13.630	88.30	38.06	PK	Horizo	PASS
8	6006.80	36.58	50.33	13.750	88.30	37.97	PK	Horizo	PASS

Transmit at 5845MHz by 802.11a with Ant MAIN+AUX**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.20	36.41	49.09	12.680	68.30	19.21	PK	Vertic	PASS
2	5678.40	36.57	49.54	12.970	89.36	39.82	PK	Vertic	PASS
3	5705.60	36.57	49.77	13.200	106.87	57.10	PK	Vertic	PASS
4	5711.00	36.78	50.02	13.240	108.38	58.36	PK	Vertic	PASS
5	5908.60	37.07	50.69	13.620	100.64	49.95	PK	Vertic	PASS
6	5918.20	36.70	50.32	13.620	93.41	43.09	PK	Vertic	PASS
7	5965.20	36.61	50.25	13.640	88.30	38.05	PK	Vertic	PASS
8	5998.60	36.98	50.71	13.730	88.30	37.59	PK	Vertic	PASS

Transmit at 5845MHz by 802.11a with Ant MAIN+AUX**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.40	24.53	37.18	12.650	68.30	31.12	AV	Horizo	PASS
2	5661.60	24.67	37.50	12.830	76.91	39.41	AV	Horizo	PASS
3	5695.60	24.79	37.92	13.130	102.06	64.14	AV	Horizo	PASS
4	5714.00	24.99	38.25	13.260	109.22	70.97	AV	Horizo	PASS
5	5896.60	25.46	39.09	13.630	89.69	50.60	AV	Horizo	PASS
6	5937.00	25.15	38.76	13.610	68.30	29.54	AV	Horizo	PASS
7	5969.40	24.86	38.51	13.650	68.30	29.79	AV	Horizo	PASS
8	5992.40	24.76	38.47	13.710	68.30	29.83	AV	Horizo	PASS

Transmit at 5845MHz by 802.11a with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.40	24.61	37.26	12.650	68.30	31.04	AV	Vertic	PASS
2	5675.80	24.74	37.69	12.950	87.43	49.74	AV	Vertic	PASS
3	5698.60	24.98	38.13	13.150	104.27	66.14	AV	Vertic	PASS
4	5723.60	24.94	38.27	13.330	119.11	80.84	AV	Vertic	PASS
5	5910.60	25.39	39.01	13.620	79.13	40.12	AV	Vertic	PASS
6	5924.00	25.32	38.94	13.620	69.05	30.11	AV	Vertic	PASS
7	5976.00	25.02	38.69	13.670	68.30	29.61	AV	Vertic	PASS
8	6020.80	24.86	38.65	13.790	68.30	29.65	AV	Vertic	PASS

Transmit at 5865MHz by 802.11a with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.00	36.32	48.94	12.620	68.30	19.36	PK	Horizo	PASS
2	5682.60	36.24	49.25	13.010	92.46	43.21	PK	Horizo	PASS
3	5711.00	36.98	50.22	13.240	108.38	58.16	PK	Horizo	PASS
4	5721.40	36.69	50.01	13.320	114.09	64.08	PK	Horizo	PASS
5	5901.20	38.99	52.62	13.630	106.22	53.60	PK	Horizo	PASS
6	5930.40	36.75	50.37	13.620	88.30	37.93	PK	Horizo	PASS
7	5961.80	36.68	50.32	13.640	88.30	37.98	PK	Horizo	PASS
8	6002.40	36.59	50.33	13.740	88.30	37.97	PK	Horizo	PASS

Transmit at 5865MHz by 802.11a with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.20	36.18	48.87	12.690	68.30	19.43	PK	Vertic	PASS
2	5663.40	36.78	49.62	12.840	78.25	28.63	PK	Vertic	PASS
3	5697.20	36.93	50.06	13.130	103.24	53.18	PK	Vertic	PASS
4	5716.00	36.45	49.73	13.280	109.78	60.05	PK	Vertic	PASS
5	5901.80	37.99	51.62	13.630	105.77	54.15	PK	Vertic	PASS
6	5947.80	36.98	50.59	13.610	88.30	37.71	PK	Vertic	PASS
7	5974.00	36.37	50.03	13.660	88.30	38.27	PK	Vertic	PASS
8	6005.00	37.18	50.92	13.740	88.30	37.38	PK	Vertic	PASS


Transmit at 5865MHz by 802.11a with Ant MAIN+AUX

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.20	24.87	37.45	12.580	68.30	30.85	AV	Horizo	PASS
2	5661.80	24.66	37.49	12.830	77.06	39.57	AV	Horizo	PASS
3	5692.80	24.57	37.67	13.100	99.99	62.32	AV	Horizo	PASS
4	5718.80	24.76	38.06	13.300	110.56	72.50	AV	Horizo	PASS
5	5901.80	26.64	40.27	13.630	85.77	45.50	AV	Horizo	PASS
6	5931.40	25.09	38.70	13.610	68.30	29.60	AV	Horizo	PASS
7	5963.00	24.91	38.54	13.630	68.30	29.76	AV	Horizo	PASS
8	5992.00	24.93	38.64	13.710	68.30	29.66	AV	Horizo	PASS

Transmit at 5865MHz by 802.11a with Ant MAIN+AUX**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5648.80	24.58	37.30	12.720	68.30	31.00	AV	Vertic	PASS
2	5677.20	24.95	37.92	12.970	88.47	50.55	AV	Vertic	PASS
3	5692.80	24.88	37.98	13.100	99.99	62.01	AV	Vertic	PASS
4	5714.80	25.20	38.47	13.270	109.45	70.98	AV	Vertic	PASS
5	5902.40	27.49	41.12	13.630	85.31	44.19	AV	Vertic	PASS
6	5952.40	24.99	38.60	13.610	68.30	29.70	AV	Vertic	PASS
7	5995.20	25.07	38.79	13.720	68.30	29.51	AV	Vertic	PASS
8	6011.00	24.83	38.59	13.760	68.30	29.71	AV	Vertic	PASS


Transmit at 5885MHz by 802.11a with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.20	36.11	48.74	12.630	68.30	19.56	PK	Horizo	PASS
2	5679.60	37.10	50.08	12.980	90.24	40.16	PK	Horizo	PASS
3	5699.80	37.01	50.17	13.160	105.15	54.98	PK	Horizo	PASS
4	5723.20	36.90	50.23	13.330	118.20	67.97	PK	Horizo	PASS
5	5900.40	54.93	68.56	13.630	106.82	38.26	PK	Horizo	PASS
6	5907.40	46.47	60.09	13.620	101.54	41.45	PK	Horizo	PASS
7	5948.40	37.09	50.70	13.610	88.30	37.60	PK	Horizo	PASS
8	5989.00	36.92	50.62	13.700	88.30	37.68	PK	Horizo	PASS

Transmit at 5885MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.40	37.15	49.76	12.610	68.30	18.54	PK	Vertic	PASS
2	5681.20	36.93	49.93	13.000	91.43	41.50	PK	Vertic	PASS
3	5693.00	37.09	50.19	13.100	100.14	49.95	PK	Vertic	PASS
4	5718.20	36.36	49.66	13.300	110.40	60.74	PK	Vertic	PASS
5	5899.60	55.17	68.80	13.630	107.43	38.63	PK	Vertic	PASS
6	5913.80	40.73	54.35	13.620	96.72	42.37	PK	Vertic	PASS
7	5959.40	37.02	50.65	13.630	88.30	37.65	PK	Vertic	PASS
8	6003.40	36.47	50.21	13.740	88.30	38.09	PK	Vertic	PASS

Transmit at 5885MHz by 802.11a with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.00	24.76	37.38	12.620	68.30	30.92	AV	Horizo	PASS
2	5675.80	24.75	37.70	12.950	87.43	49.73	AV	Horizo	PASS
3	5704.60	24.95	38.14	13.190	106.59	68.45	AV	Horizo	PASS
4	5898.00	35.05	48.68	13.630	88.63	39.95	AV	Horizo	PASS
5	5912.20	28.24	41.87	13.630	77.93	36.06	AV	Horizo	PASS
6	5964.80	24.94	38.58	13.640	68.30	29.72	AV	Horizo	PASS
7	6019.20	24.82	38.61	13.790	68.30	29.69	AV	Horizo	PASS

Transmit at 5885MHz by 802.11a with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.80	24.80	37.48	12.680	68.30	30.82	AV	Vertic	PASS
2	5676.40	24.89	37.84	12.950	87.88	50.04	AV	Vertic	PASS
3	5698.60	24.93	38.08	13.150	104.27	66.19	AV	Vertic	PASS
4	5716.80	24.86	38.14	13.280	110.01	71.87	AV	Vertic	PASS
5	5897.80	34.44	48.07	13.630	88.79	40.72	AV	Vertic	PASS
6	5911.20	28.63	42.25	13.620	78.68	36.43	AV	Vertic	PASS
7	5960.60	25.27	38.91	13.640	68.30	29.39	AV	Vertic	PASS
8	5995.00	25.04	38.76	13.720	68.30	29.54	AV	Vertic	PASS


Transmit at 5855MHz by 802.11ax(80MHz) with Ant MAIN+AUX

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5629.00	36.41	48.97	12.560	68.30	19.33	PK	Horizo	PASS
2	5663.80	36.68	49.52	12.840	78.54	29.02	PK	Horizo	PASS
3	5703.60	36.74	49.93	13.190	106.31	56.38	PK	Horizo	PASS
4	5717.60	37.60	50.88	13.280	110.23	59.35	PK	Horizo	PASS
5	5896.20	56.88	70.51	13.630	109.99	39.48	PK	Horizo	PASS
6	5923.40	45.15	58.77	13.620	89.50	30.73	PK	Horizo	PASS
7	5961.40	41.05	54.69	13.640	88.30	33.61	PK	Horizo	PASS
8	5986.00	37.17	50.87	13.700	88.30	37.43	PK	Horizo	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.00	36.57	49.26	12.690	68.30	19.04	PK	Vertic	PASS
2	5677.00	36.92	49.89	12.970	88.32	38.43	PK	Vertic	PASS
3	5708.20	37.79	51.01	13.220	107.60	56.59	PK	Vertic	PASS
4	5719.20	38.48	51.78	13.300	110.68	58.90	PK	Vertic	PASS
5	5902.40	44.87	58.50	13.630	105.31	46.81	PK	Vertic	PASS
6	5932.40	44.89	58.50	13.610	88.30	29.80	PK	Vertic	PASS
7	5976.20	36.82	50.49	13.670	88.30	37.81	PK	Vertic	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5629.60	24.50	37.06	12.560	68.30	31.24	AV	Horizo	PASS
2	5662.00	24.57	37.40	12.830	77.21	39.81	AV	Horizo	PASS
3	5693.40	24.78	37.88	13.100	100.43	62.55	AV	Horizo	PASS
4	5720.60	25.69	39.00	13.310	112.27	73.27	AV	Horizo	PASS
5	5898.40	43.89	57.52	13.630	88.33	30.81	AV	Horizo	PASS
6	5917.00	32.41	46.03	13.620	74.32	28.29	AV	Horizo	PASS
7	5942.20	29.76	43.37	13.610	68.30	24.93	AV	Horizo	PASS
8	5984.20	25.25	38.94	13.690	68.30	29.36	AV	Horizo	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5634.80	24.49	37.09	12.600	68.30	31.21	AV	Vertic	PASS
2	5675.80	25.25	38.20	12.950	87.43	49.23	AV	Vertic	PASS
3	5705.00	25.74	38.94	13.200	106.70	67.76	AV	Vertic	PASS
4	5720.60	26.49	39.80	13.310	112.27	72.47	AV	Vertic	PASS
5	5896.00	47.05	60.68	13.630	90.14	29.46	AV	Vertic	PASS
6	5918.00	32.19	45.81	13.620	73.56	27.75	AV	Vertic	PASS
7	5953.60	29.50	43.12	13.620	68.30	25.18	AV	Vertic	PASS
8	5995.40	24.98	38.70	13.720	68.30	29.60	AV	Vertic	PASS


Transmit at 5845MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.60	37.05	49.72	12.670	68.30	18.58	PK	Horizo	PASS
2	5671.40	36.67	49.59	12.920	84.18	34.59	PK	Horizo	PASS
3	5705.80	36.04	49.24	13.200	106.93	57.69	PK	Horizo	PASS
4	5720.80	36.31	49.62	13.310	112.72	63.10	PK	Horizo	PASS
5	5903.60	37.18	50.81	13.630	104.41	53.60	PK	Horizo	PASS
6	5920.00	36.52	50.14	13.620	92.06	41.92	PK	Horizo	PASS
7	5966.40	36.49	50.13	13.640	88.30	38.17	PK	Horizo	PASS
8	5988.00	36.72	50.42	13.700	88.30	37.88	PK	Horizo	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MAIN+AUX
Test Graph

Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.60	36.22	48.84	12.620	68.30	19.46	PK	Vertic	PASS
2	5678.60	36.19	49.16	12.970	89.50	40.34	PK	Vertic	PASS
3	5695.60	36.97	50.10	13.130	102.06	51.96	PK	Vertic	PASS
4	5714.40	36.74	50.00	13.260	109.33	59.33	PK	Vertic	PASS
5	5898.60	36.92	50.55	13.630	108.18	57.63	PK	Vertic	PASS
6	5929.20	37.37	50.98	13.610	88.30	37.32	PK	Vertic	PASS
7	5967.80	36.87	50.52	13.650	88.30	37.78	PK	Vertic	PASS
8	5985.60	36.50	50.20	13.700	88.30	38.10	PK	Vertic	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.20	24.61	37.32	12.710	68.30	30.98	AV	Horizo	PASS
2	5670.00	24.85	37.75	12.900	83.14	45.39	AV	Horizo	PASS
3	5683.40	24.98	38.00	13.020	93.05	55.05	AV	Horizo	PASS
4	5711.80	24.80	38.05	13.250	108.61	70.56	AV	Horizo	PASS
5	5900.60	25.37	39.00	13.630	86.67	47.67	AV	Horizo	PASS
6	5924.00	25.34	38.96	13.620	69.05	30.09	AV	Horizo	PASS
7	5962.20	25.08	38.72	13.640	68.30	29.58	AV	Horizo	PASS
8	6002.60	24.68	38.42	13.740	68.30	29.88	AV	Horizo	PASS

Transmit at 5845MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.20	24.62	37.31	12.690	68.30	30.99	AV	Vertic	PASS
2	5681.40	24.91	37.91	13.000	91.57	53.66	AV	Vertic	PASS
3	5696.80	24.97	38.10	13.130	102.94	64.84	AV	Vertic	PASS
4	5719.40	24.81	38.11	13.300	110.73	72.62	AV	Vertic	PASS
5	5903.20	25.74	39.37	13.630	84.71	45.34	AV	Vertic	PASS
6	5919.80	25.43	39.05	13.620	72.21	33.16	AV	Vertic	PASS
7	5960.80	24.95	38.59	13.640	68.30	29.71	AV	Vertic	PASS
8	5982.40	24.78	38.47	13.690	68.30	29.83	AV	Vertic	PASS


Transmit at 5865MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.80	36.09	48.72	12.630	68.30	19.58	PK	Horizo	PASS
2	5670.80	36.20	49.11	12.910	83.73	34.62	PK	Horizo	PASS
3	5700.80	37.00	50.16	13.160	105.52	55.36	PK	Horizo	PASS
4	5716.20	36.62	49.90	13.280	109.84	59.94	PK	Horizo	PASS
5	5899.40	40.62	54.25	13.630	107.58	53.33	PK	Horizo	PASS
6	5925.40	37.47	51.08	13.610	88.30	37.22	PK	Horizo	PASS
7	5963.80	36.69	50.33	13.640	88.30	37.97	PK	Horizo	PASS
8	5992.40	37.30	51.01	13.710	88.30	37.29	PK	Horizo	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MAIN+AUX**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5650.40	36.45	49.18	12.730	68.60	19.42	PK	Vertic	PASS
2	5677.40	36.94	49.91	12.970	88.62	38.71	PK	Vertic	PASS
3	5703.00	36.11	49.29	13.180	106.14	56.85	PK	Vertic	PASS
4	5719.20	36.74	50.04	13.300	110.68	60.64	PK	Vertic	PASS
5	5899.20	40.46	54.09	13.630	107.73	53.64	PK	Vertic	PASS
6	5926.00	36.78	50.40	13.620	88.30	37.90	PK	Vertic	PASS
7	5967.80	37.00	50.65	13.650	88.30	37.65	PK	Vertic	PASS
8	6021.80	36.78	50.58	13.800	88.30	37.72	PK	Vertic	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.40	24.68	37.33	12.650	68.30	30.97	AV	Horizo	PASS
2	5671.80	24.60	37.52	12.920	84.47	46.95	AV	Horizo	PASS
3	5711.00	24.72	37.96	13.240	108.38	70.42	AV	Horizo	PASS
4	5718.00	24.71	38.01	13.300	110.34	72.33	AV	Horizo	PASS
5	5900.20	27.32	40.95	13.630	86.97	46.02	AV	Horizo	PASS
6	5933.60	25.06	38.68	13.620	68.30	29.62	AV	Horizo	PASS
7	5968.80	24.72	38.37	13.650	68.30	29.93	AV	Horizo	PASS
8	5991.00	24.78	38.48	13.700	68.30	29.82	AV	Horizo	PASS