



Transmit at 5865MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.00	24.55	37.26	12.710	68.30	31.04	AV	Vertic	PASS
2	5679.00	24.92	37.90	12.980	89.80	51.90	AV	Vertic	PASS
3	5701.60	24.83	38.00	13.170	105.75	67.75	AV	Vertic	PASS
4	5709.80	24.92	38.15	13.230	108.05	69.90	AV	Vertic	PASS
5	5900.40	27.93	41.56	13.630	86.82	45.26	AV	Vertic	PASS
6	5914.20	26.16	39.78	13.620	76.42	36.64	AV	Vertic	PASS
7	5970.20	24.89	38.54	13.650	68.30	29.76	AV	Vertic	PASS
8	5989.40	24.92	38.62	13.700	68.30	29.68	AV	Vertic	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.20	36.55	49.18	12.630	68.30	19.12	PK	Horizo	PASS
2	5673.60	36.69	49.63	12.940	85.80	36.17	PK	Horizo	PASS
3	5706.80	36.62	49.83	13.210	107.21	57.38	PK	Horizo	PASS
4	5715.60	37.14	50.42	13.280	109.67	59.25	PK	Horizo	PASS
5	5897.00	54.54	68.17	13.630	109.39	41.22	PK	Horizo	PASS
6	5902.60	51.24	64.87	13.630	105.16	40.29	PK	Horizo	PASS
7	5952.20	37.26	50.87	13.610	88.30	37.43	PK	Horizo	PASS
8	5997.00	36.52	50.24	13.720	88.30	38.06	PK	Horizo	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.40	36.35	49.00	12.650	68.30	19.30	PK	Vertic	PASS
2	5677.00	36.76	49.73	12.970	88.32	38.59	PK	Vertic	PASS
3	5707.00	36.39	49.60	13.210	107.26	57.66	PK	Vertic	PASS
4	5724.80	37.13	50.47	13.340	121.84	71.37	PK	Vertic	PASS
5	5901.60	51.68	65.30	13.620	105.92	40.62	PK	Vertic	PASS
6	5923.60	37.92	51.54	13.620	89.35	37.81	PK	Vertic	PASS
7	5946.40	38.71	52.31	13.600	88.30	35.99	PK	Vertic	PASS
8	5975.60	37.20	50.87	13.670	88.30	37.43	PK	Vertic	PASS


Transmit at 5885MHz by 802.11ax(20MHz) with Ant MAIN+AUX

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.60	24.78	37.41	12.630	68.30	30.89	AV	Horizo	PASS
2	5666.00	24.67	37.54	12.870	80.18	42.64	AV	Horizo	PASS
3	5700.40	24.82	37.98	13.160	105.41	67.43	AV	Horizo	PASS
4	5721.40	24.80	38.12	13.320	114.09	75.97	AV	Horizo	PASS
5	5897.60	36.77	50.40	13.630	88.94	38.54	AV	Horizo	PASS
6	5920.60	27.06	40.68	13.620	71.61	30.93	AV	Horizo	PASS
7	5958.80	24.97	38.60	13.630	68.30	29.70	AV	Horizo	PASS
8	5995.00	24.76	38.48	13.720	68.30	29.82	AV	Horizo	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.60	24.56	37.26	12.700	68.30	31.04	AV	Vertic	PASS
2	5672.80	24.84	37.76	12.920	85.21	47.45	AV	Vertic	PASS
3	5701.20	24.98	38.15	13.170	105.64	67.49	AV	Vertic	PASS
4	5718.20	24.83	38.13	13.300	110.40	72.27	AV	Vertic	PASS
5	5903.20	33.34	46.97	13.630	84.71	37.74	AV	Vertic	PASS
6	5921.00	27.79	41.41	13.620	71.31	29.90	AV	Vertic	PASS
7	5958.40	25.15	38.78	13.630	68.30	29.52	AV	Vertic	PASS
8	6002.40	24.75	38.49	13.740	68.30	29.81	AV	Vertic	PASS


Transmit at 5835MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.20	36.08	48.73	12.650	68.30	19.57	PK	Horizo	PASS
2	5669.20	36.60	49.49	12.890	82.55	33.06	PK	Horizo	PASS
3	5711.40	37.01	50.26	13.250	108.49	58.23	PK	Horizo	PASS
4	5722.20	36.45	49.77	13.320	115.92	66.15	PK	Horizo	PASS
5	5897.80	39.36	52.99	13.630	108.79	55.80	PK	Horizo	PASS
6	5909.40	37.27	50.90	13.630	100.04	49.14	PK	Horizo	PASS
7	5952.20	36.39	50.00	13.610	88.30	38.30	PK	Horizo	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.00	36.50	49.19	12.690	68.30	19.11	PK	Vertic	PASS
2	5659.60	36.12	48.93	12.810	75.43	26.50	PK	Vertic	PASS
3	5683.20	37.01	50.03	13.020	92.90	42.87	PK	Vertic	PASS
4	5708.60	37.55	50.78	13.230	107.71	56.93	PK	Vertic	PASS
5	5899.00	38.54	52.17	13.630	107.88	55.71	PK	Vertic	PASS
6	5919.40	39.73	53.35	13.620	92.51	39.16	PK	Vertic	PASS
7	5949.00	37.83	51.43	13.600	88.30	36.87	PK	Vertic	PASS
8	5985.80	36.49	50.19	13.700	88.30	38.11	PK	Vertic	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MAIN+AUX




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5995.40	24.70	38.42	13.720	68.30	29.88	AV	Horizo	PASS


Transmit at 5835MHz by 802.11ax(40MHz) with Ant MAIN+AUX

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.80	24.70	37.40	12.700	68.30	30.90	AV	Vertic	PASS
2	5671.00	24.95	37.86	12.910	83.88	46.02	AV	Vertic	PASS
3	5686.40	25.19	38.24	13.050	95.27	57.03	AV	Vertic	PASS
4	5715.40	25.33	38.60	13.270	109.61	71.01	AV	Vertic	PASS
5	5901.00	27.16	40.79	13.630	86.37	45.58	AV	Vertic	PASS
6	5952.40	25.01	38.62	13.610	68.30	29.68	AV	Vertic	PASS
7	5996.20	24.83	38.55	13.720	68.30	29.75	AV	Vertic	PASS
8	6018.80	24.67	38.46	13.790	68.30	29.84	AV	Vertic	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.80	35.96	48.64	12.680	68.30	19.66	PK	Horizo	PASS
2	5663.40	36.16	49.00	12.840	78.25	29.25	PK	Horizo	PASS
3	5701.80	36.79	49.97	13.180	105.80	55.83	PK	Horizo	PASS
4	5715.60	36.47	49.75	13.280	109.67	59.92	PK	Horizo	PASS
5	5912.60	50.62	64.25	13.630	97.63	33.38	PK	Horizo	PASS
6	5932.60	42.93	56.54	13.610	88.30	31.76	PK	Horizo	PASS
7	5959.00	36.78	50.41	13.630	88.30	37.89	PK	Horizo	PASS
8	5990.80	36.88	50.58	13.700	88.30	37.72	PK	Horizo	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MAIN+AUX*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.60	36.15	48.76	12.610	68.30	19.54	PK	Vertic	PASS
2	5685.40	36.55	49.58	13.030	94.53	44.95	PK	Vertic	PASS
3	5695.00	37.20	50.31	13.110	101.61	51.30	PK	Vertic	PASS
4	5714.00	36.35	49.61	13.260	109.22	59.61	PK	Vertic	PASS
5	5911.60	51.15	64.77	13.620	98.38	33.61	PK	Vertic	PASS
6	5921.20	48.89	62.51	13.620	91.16	28.65	PK	Vertic	PASS
7	5974.60	37.64	51.31	13.670	88.30	36.99	PK	Vertic	PASS
8	6019.00	36.37	50.16	13.790	88.30	38.14	PK	Vertic	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MAIN+AUX
Test Graph

Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5647.00	24.57	37.28	12.710	68.30	31.02	AV	Horizo	PASS
2	5669.20	24.66	37.55	12.890	82.55	45.00	AV	Horizo	PASS
3	5685.80	24.78	37.81	13.030	94.83	57.02	AV	Horizo	PASS
4	5713.00	24.90	38.15	13.250	108.94	70.79	AV	Horizo	PASS
5	5899.00	35.22	48.85	13.630	87.88	39.03	AV	Horizo	PASS
6	5922.20	31.14	44.75	13.610	70.40	25.65	AV	Horizo	PASS
7	5953.80	25.62	39.24	13.620	68.30	29.06	AV	Horizo	PASS
8	5984.80	24.85	38.55	13.700	68.30	29.75	AV	Horizo	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MAIN+AUX

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.20	24.63	37.33	12.700	68.30	30.97	AV	Vertic	PASS
2	5670.00	24.99	37.89	12.900	83.14	45.25	AV	Vertic	PASS
3	5698.80	24.83	37.98	13.150	104.42	66.44	AV	Vertic	PASS
4	5718.40	24.96	38.26	13.300	110.45	72.19	AV	Vertic	PASS
5	5896.20	38.18	51.81	13.630	89.99	38.18	AV	Vertic	PASS
6	5911.40	35.14	48.76	13.620	78.53	29.77	AV	Vertic	PASS
7	5947.80	26.42	40.03	13.610	68.30	28.27	AV	Vertic	PASS
8	5991.40	24.98	38.69	13.710	68.30	29.61	AV	Vertic	PASS

Note: Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)

The End