



Transmit at 5240MHz by 802.11ac(20MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10480.00        | 41.2           | 42.92          | 1.680         | 68.30          | 25.38       | PK  | Horizo | PASS    |
| 2  | 15720.00        | 36.7           | 46.15          | 9.500         | 74.00          | 27.85       | PK  | Horizo | PASS    |
| 3  | 15720.00        | 27.7           | 37.23          | 9.500         | 54.00          | 16.77       | AV  | Horizo | PASS    |

Transmit at 5240MHz by 802.11ac(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10480.00        | 40.9           | 42.58          | 1.680         | 68.30          | 25.72       | PK  | Vertic | PASS    |
| 2         | 15720.00        | 35.9           | 45.38          | 9.500         | 74.00          | 28.62       | PK  | Vertic | PASS    |
| 3         | 15720.00        | 27.8           | 37.31          | 9.500         | 54.00          | 16.69       | AV  | Vertic | PASS    |

Transmit at 5260MHz by 802.11ac(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10520.00        | 41.7           | 43.43          | 1.690         | 68.30          | 24.87       | PK  | Horizo | PASS    |
| 2         | 15780.00        | 36.9           | 46.27          | 9.330         | 74.00          | 27.73       | PK  | Horizo | PASS    |
| 3         | 15780.00        | 27.9           | 37.22          | 9.330         | 54.00          | 16.78       | AV  | Horizo | PASS    |

Transmit at 5260MHz by 802.11ac(20MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10520.00        | 41.5           | 43.17          | 1.690         | 68.30          | 25.13       | PK  | Vertic | PASS    |
| 2         | 15780.00        | 36.2           | 45.53          | 9.330         | 74.00          | 28.47       | PK  | Vertic | PASS    |
| 3         | 15780.00        | 28.1           | 37.47          | 9.330         | 54.00          | 16.53       | AV  | Vertic | PASS    |


Transmit at 5280MHz by 802.11ac(20MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10560.00        | 41.7           | 43.33          | 1.630         | 68.30          | 24.97       | PK  | Horizo | PASS    |
| 2  | 15840.00        | 36.4           | 45.71          | 9.280         | 74.00          | 28.29       | PK  | Horizo | PASS    |
| 3  | 15840.00        | 27.8           | 37.04          | 9.280         | 54.00          | 16.96       | AV  | Horizo | PASS    |

Transmit at 5280MHz by 802.11ac(20MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10560.00        | 41.3           | 42.91          | 1.630         | 68.30          | 25.39       | PK  | Vertic | PASS    |
| 2         | 15840.00        | 36.5           | 45.80          | 9.280         | 74.00          | 28.20       | PK  | Vertic | PASS    |
| 3         | 15840.00        | 27.7           | 36.97          | 9.280         | 54.00          | 17.03       | AV  | Vertic | PASS    |


Transmit at 5320MHz by 802.11ac(20MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10640.00        | 41.1           | 42.91          | 1.800         | 74.00          | 31.09       | PK  | Horizo | PASS    |
| 2  | 10640.00        | 32.3           | 34.06          | 1.800         | 54.00          | 19.94       | AV  | Horizo | PASS    |
| 3  | 15960.00        | 35.1           | 44.68          | 9.590         | 74.00          | 29.32       | PK  | Horizo | PASS    |
| 4  | 15960.00        | 26.3           | 35.85          | 9.590         | 54.00          | 18.15       | AV  | Horizo | PASS    |

Transmit at 5320MHz by 802.11ac(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10640.00        | 42.7           | 44.53          | 1.800         | 74.00          | 29.47       | PK  | Vertic | PASS    |
| 2         | 10640.00        | 32.5           | 34.33          | 1.800         | 54.00          | 19.67       | AV  | Vertic | PASS    |
| 3         | 15960.00        | 34.9           | 44.46          | 9.590         | 74.00          | 29.54       | PK  | Vertic | PASS    |
| 4         | 15960.00        | 26.9           | 36.50          | 9.590         | 54.00          | 17.50       | AV  | Vertic | PASS    |

Transmit at 5500MHz by 802.11ac(20MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11000.00        | 41.6           | 43.57          | 2.020         | 74.00          | 30.43       | PK  | Horizo | PASS    |
| 2         | 11000.00        | 32.3           | 34.29          | 2.020         | 54.00          | 19.71       | AV  | Horizo | PASS    |
| 3         | 16500.00        | 35.7           | 45.21          | 9.470         | 68.30          | 23.09       | PK  | Horizo | PASS    |


Transmit at 5500MHz by 802.11ac(20MHz) with Ant MIMO



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11000.00        | 43.1           | 45.07          | 2.020         | 74.00          | 28.93       | PK  | Vertic | PASS    |
| 2  | 11000.00        | 35.8           | 37.82          | 2.020         | 54.00          | 16.18       | AV  | Vertic | PASS    |
| 3  | 16500.00        | 36.5           | 45.96          | 9.470         | 68.30          | 22.34       | PK  | Vertic | PASS    |


Transmit at 5580MHz by 802.11ac(20MHz) with Ant MIMO



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11160.00        | 38.8           | 42.58          | 3.750         | 74.00          | 31.42       | PK  | Horizo | PASS    |
| 2  | 11160.00        | 30.7           | 34.46          | 3.750         | 54.00          | 19.54       | AV  | Horizo | PASS    |
| 3  | 16740.00        | 36.1           | 46.01          | 9.950         | 68.30          | 22.29       | PK  | Horizo | PASS    |


Transmit at 5580MHz by 802.11ac(20MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11160.00        | 43.1           | 46.82          | 3.750         | 74.00          | 27.18       | PK  | Vertic | PASS    |
| 2  | 11160.00        | 32.5           | 36.24          | 3.750         | 54.00          | 17.76       | AV  | Vertic | PASS    |
| 3  | 16740.00        | 36.0           | 45.97          | 9.950         | 68.30          | 22.33       | PK  | Vertic | PASS    |

Transmit at 5700MHz by 802.11ac(20MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11400.00        | 40.9           | 44.99          | 4.080         | 74.00          | 29.01       | PK  | Horizo | PASS    |
| 2         | 11400.00        | 31.1           | 35.22          | 4.080         | 54.00          | 18.78       | AV  | Horizo | PASS    |
| 3         | 17100.00        | 34.4           | 44.21          | 9.860         | 68.30          | 24.09       | PK  | Horizo | PASS    |


Transmit at 5700MHz by 802.11ac(20MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11393.58        | 44.5           | 48.57          | 4.060         | 74.00          | 25.43       | PK  | Vertic | PASS    |
| 2  | 11397.71        | 34.6           | 38.68          | 4.070         | 54.00          | 15.32       | AV  | Vertic | PASS    |
| 3  | 17100.00        | 34.2           | 44.02          | 9.860         | 68.30          | 24.28       | PK  | Vertic | PASS    |

Transmit at 5745MHz by 802.11ac(20MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11490.00        | 39.4           | 43.62          | 4.250         | 74.00          | 30.38       | PK  | Horizo | PASS    |
| 2         | 11490.00        | 31.4           | 35.65          | 4.250         | 54.00          | 18.35       | AV  | Horizo | PASS    |
| 3         | 17235.00        | 35.4           | 45.69          | 10.290        | 68.30          | 22.61       | PK  | Horizo | PASS    |


Transmit at 5745MHz by 802.11ac(20MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11490.00        | 40.8           | 45.01          | 4.250         | 74.00          | 28.99       | PK  | Vertic | PASS    |
| 2  | 11490.00        | 33.5           | 37.74          | 4.250         | 54.00          | 16.26       | AV  | Vertic | PASS    |
| 3  | 17235.00        | 35.6           | 45.90          | 10.290        | 68.30          | 22.40       | PK  | Vertic | PASS    |

Transmit at 5785MHz by 802.11ac(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11570.00        | 40.3           | 44.73          | 4.480         | 74.00          | 29.27       | PK  | Horizo | PASS    |
| 2         | 11570.00        | 31.4           | 35.87          | 4.480         | 54.00          | 18.13       | AV  | Horizo | PASS    |
| 3         | 17355.00        | 36.7           | 47.08          | 10.390        | 68.30          | 21.22       | PK  | Horizo | PASS    |

**Transmit at 5785MHz by 802.11ac(20MHz) with Ant MIMO**




| Data List |                  |                |                |               |                |             |     |        |         |
|-----------|------------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequenc y [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11570.00         | 41.2           | 45.64          | 4.480         | 74.00          | 28.36       | PK  | Vertic | PASS    |
| 2         | 11570.00         | 31.9           | 36.39          | 4.480         | 54.00          | 17.61       | AV  | Vertic | PASS    |
| 3         | 17355.00         | 35.9           | 46.28          | 10.390        | 68.30          | 22.02       | PK  | Vertic | PASS    |

Transmit at 5825MHz by 802.11ac(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11650.00        | 39.4           | 43.79          | 4.430         | 74.00          | 30.21       | PK  | Horizo | PASS    |
| 2         | 11650.00        | 31.9           | 36.29          | 4.430         | 54.00          | 17.71       | AV  | Horizo | PASS    |
| 3         | 17475.00        | 34.9           | 45.06          | 10.200        | 68.30          | 23.24       | PK  | Horizo | PASS    |

Transmit at 5825MHz by 802.11ac(20MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11650.00        | 40.0           | 44.38          | 4.430         | 74.00          | 29.62       | PK  | Vertic | PASS    |
| 2         | 11650.00        | 32.4           | 36.80          | 4.430         | 54.00          | 17.20       | AV  | Vertic | PASS    |
| 3         | 17475.00        | 35.2           | 45.44          | 10.200        | 68.30          | 22.86       | PK  | Vertic | PASS    |


Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10360.00        | 41.9           | 43.51          | 1.620         | 68.30          | 24.79       | PK  | Horizo | PASS    |
| 2  | 15540.00        | 36.5           | 45.60          | 9.100         | 74.00          | 28.40       | PK  | Horizo | PASS    |
| 3  | 15540.00        | 27.8           | 36.92          | 9.100         | 54.00          | 17.08       | AV  | Horizo | PASS    |


Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10360.00        | 41.8           | 43.42          | 1.620         | 68.30          | 24.88       | PK  | Vertic | PASS    |
| 2  | 15540.00        | 36.3           | 45.39          | 9.100         | 74.00          | 28.61       | PK  | Vertic | PASS    |
| 3  | 15540.00        | 28.3           | 37.35          | 9.100         | 54.00          | 16.65       | AV  | Vertic | PASS    |

Transmit at 5200MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10400.00        | 42.0           | 43.55          | 1.550         | 68.30          | 24.75       | PK  | Horizo | PASS    |
| 2         | 15600.00        | 35.4           | 44.74          | 9.310         | 74.00          | 29.26       | PK  | Horizo | PASS    |
| 3         | 15600.00        | 27.7           | 36.97          | 9.310         | 54.00          | 17.03       | AV  | Horizo | PASS    |

Transmit at 5200MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10400.00        | 42.8           | 44.33          | 1.550         | 68.30          | 23.97       | PK  | Vertic | PASS    |
| 2         | 15600.00        | 35.5           | 44.84          | 9.310         | 74.00          | 29.16       | PK  | Vertic | PASS    |
| 3         | 15600.00        | 27.7           | 36.96          | 9.310         | 54.00          | 17.04       | AV  | Vertic | PASS    |

Transmit at 5240MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10480.00        | 43.6           | 45.24          | 1.680         | 68.30          | 23.06       | PK  | Horizo | PASS    |
| 2         | 15720.00        | 35.9           | 45.37          | 9.500         | 74.00          | 28.63       | PK  | Horizo | PASS    |
| 3         | 15720.00        | 28.3           | 37.76          | 9.500         | 54.00          | 16.24       | AV  | Horizo | PASS    |

Transmit at 5240MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10480.00        | 41.4           | 43.03          | 1.680         | 68.30          | 25.27       | PK  | Vertic | PASS    |
| 2         | 15720.00        | 36.0           | 45.51          | 9.500         | 74.00          | 28.49       | PK  | Vertic | PASS    |
| 3         | 15720.00        | 27.9           | 37.39          | 9.500         | 54.00          | 16.61       | AV  | Vertic | PASS    |

Transmit at 5260MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10520.00        | 41.8           | 43.44          | 1.690         | 68.30          | 24.86       | PK  | Horizo | PASS    |
| 2         | 15780.00        | 37.1           | 46.46          | 9.330         | 74.00          | 27.54       | PK  | Horizo | PASS    |
| 3         | 15780.00        | 29.2           | 38.52          | 9.330         | 54.00          | 15.48       | AV  | Horizo | PASS    |

Transmit at 5260MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10520.00        | 42.9           | 44.57          | 1.690         | 68.30          | 23.73       | PK  | Vertic | PASS    |
| 2         | 15780.00        | 36.5           | 45.79          | 9.330         | 74.00          | 28.21       | PK  | Vertic | PASS    |
| 3         | 15780.00        | 27.9           | 37.22          | 9.330         | 54.00          | 16.78       | AV  | Vertic | PASS    |

Transmit at 5280MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10560.00        | 41.3           | 42.89          | 1.630         | 68.30          | 25.41       | PK  | Horizo | PASS    |
| 2         | 15840.00        | 36.5           | 45.82          | 9.280         | 74.00          | 28.18       | PK  | Horizo | PASS    |
| 3         | 15840.00        | 28.3           | 37.61          | 9.280         | 54.00          | 16.39       | AV  | Horizo | PASS    |

Transmit at 5280MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10560.00        | 43.9           | 45.51          | 1.630         | 68.30          | 22.79       | PK  | Vertic | PASS    |
| 2         | 15840.00        | 37.1           | 46.40          | 9.280         | 74.00          | 27.60       | PK  | Vertic | PASS    |
| 3         | 15840.00        | 28.8           | 38.10          | 9.280         | 54.00          | 15.90       | AV  | Vertic | PASS    |

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10640.00        | 41.8           | 43.57          | 1.800         | 74.00          | 30.43       | PK  | Horizo | PASS    |
| 2         | 10640.00        | 33.0           | 34.77          | 1.800         | 54.00          | 19.23       | AV  | Horizo | PASS    |
| 3         | 15960.00        | 36.5           | 46.04          | 9.590         | 74.00          | 27.96       | PK  | Horizo | PASS    |
| 4         | 15960.00        | 27.8           | 37.38          | 9.590         | 54.00          | 16.62       | AV  | Horizo | PASS    |


Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10640.00        | 41.9           | 43.73          | 1.800         | 74.00          | 30.27       | PK  | Vertic | PASS    |
| 2  | 10640.00        | 33.3           | 35.10          | 1.800         | 54.00          | 18.90       | AV  | Vertic | PASS    |
| 3  | 15960.00        | 36.8           | 46.41          | 9.590         | 74.00          | 27.59       | PK  | Vertic | PASS    |
| 4  | 15960.00        | 27.4           | 37.00          | 9.590         | 54.00          | 17.00       | AV  | Vertic | PASS    |


Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11000.00        | 40.9           | 42.87          | 2.020         | 74.00          | 31.13       | PK  | Horizo | PASS    |
| 2  | 11000.00        | 31.7           | 33.69          | 2.020         | 54.00          | 20.31       | AV  | Horizo | PASS    |
| 3  | 16500.00        | 36.7           | 46.12          | 9.470         | 68.30          | 22.18       | PK  | Horizo | PASS    |

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11005.83        | 46.9           | 49.03          | 2.110         | 74.00          | 24.97       | PK  | Vertic | PASS    |
| 2         | 11007.67        | 36.5           | 38.62          | 2.140         | 54.00          | 15.38       | AV  | Vertic | PASS    |
| 3         | 16500.00        | 35.5           | 44.93          | 9.470         | 68.30          | 23.37       | PK  | Vertic | PASS    |

Transmit at 5580MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11160.00        | 41.6           | 45.32          | 3.750         | 74.00          | 28.68       | PK  | Horizo | PASS    |
| 2         | 11160.00        | 31.1           | 34.82          | 3.750         | 54.00          | 19.18       | AV  | Horizo | PASS    |
| 3         | 16740.00        | 36.3           | 46.21          | 9.950         | 68.30          | 22.09       | PK  | Horizo | PASS    |

Transmit at 5580MHz by 802.11ax(20MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11161.21        | 35.4           | 39.14          | 3.760         | 54.00          | 14.86       | AV  | Vertic | PASS    |
| 2         | 11167.17        | 44.5           | 48.30          | 3.780         | 74.00          | 25.70       | PK  | Vertic | PASS    |
| 3         | 16740.00        | 37.0           | 46.90          | 9.950         | 68.30          | 21.40       | PK  | Vertic | PASS    |


Transmit at 5700MHz by 802.11ax(20MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11400.00        | 39.9           | 43.96          | 4.080         | 74.00          | 30.04       | PK  | Horizo | PASS    |
| 2  | 11400.00        | 31.6           | 35.68          | 4.080         | 54.00          | 18.32       | AV  | Horizo | PASS    |
| 3  | 17100.00        | 36.3           | 46.19          | 9.860         | 68.30          | 22.11       | PK  | Horizo | PASS    |

Transmit at 5700MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11404.58        | 34.3           | 38.37          | 4.090         | 54.00          | 15.63       | AV  | Vertic | PASS    |
| 2         | 11408.71        | 44.4           | 48.52          | 4.100         | 74.00          | 25.48       | PK  | Vertic | PASS    |
| 3         | 17100.00        | 35.3           | 45.15          | 9.860         | 68.30          | 23.15       | PK  | Vertic | PASS    |

Transmit at 5745MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11490.00        | 40.2           | 44.49          | 4.250         | 74.00          | 29.51       | PK  | Horizo | PASS    |
| 2         | 11490.00        | 32.1           | 36.37          | 4.250         | 54.00          | 17.63       | AV  | Horizo | PASS    |
| 3         | 17235.00        | 36.4           | 46.66          | 10.290        | 68.30          | 21.64       | PK  | Horizo | PASS    |

Transmit at 5745MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11490.00        | 33.4           | 37.67          | 4.250         | 54.00          | 16.33       | AV  | Vertic | PASS    |
| 2         | 11490.75        | 44.4           | 48.66          | 4.250         | 74.00          | 25.34       | PK  | Vertic | PASS    |
| 3         | 17235.00        | 35.9           | 46.19          | 10.290        | 68.30          | 22.11       | PK  | Vertic | PASS    |

Transmit at 5785MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11570.00        | 40.7           | 45.13          | 4.480         | 74.00          | 28.87       | PK  | Horizo | PASS    |
| 2         | 11570.00        | 31.5           | 35.95          | 4.480         | 54.00          | 18.05       | AV  | Horizo | PASS    |
| 3         | 17355.00        | 35.9           | 46.25          | 10.390        | 68.30          | 22.05       | PK  | Horizo | PASS    |

Transmit at 5785MHz by 802.11ax(20MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11570.00        | 40.5           | 45.02          | 4.480         | 74.00          | 28.98       | PK  | Vertic | PASS    |
| 2         | 11570.00        | 32.2           | 36.65          | 4.480         | 54.00          | 17.35       | AV  | Vertic | PASS    |
| 3         | 17355.00        | 35.6           | 46.01          | 10.390        | 68.30          | 22.29       | PK  | Vertic | PASS    |


Transmit at 5825MHz by 802.11ax(20MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11650.00        | 39.9           | 44.31          | 4.430         | 74.00          | 29.69       | PK  | Horizo | PASS    |
| 2  | 11650.00        | 31.2           | 35.67          | 4.430         | 54.00          | 18.33       | AV  | Horizo | PASS    |
| 3  | 17475.00        | 36.1           | 46.34          | 10.200        | 68.30          | 21.96       | PK  | Horizo | PASS    |

Transmit at 5825MHz by 802.11ax(20MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11650.00        | 40.0           | 44.47          | 4.430         | 74.00          | 29.53       | PK  | Vertic | PASS    |
| 2         | 11650.00        | 32.0           | 36.45          | 4.430         | 54.00          | 17.55       | AV  | Vertic | PASS    |
| 3         | 17475.00        | 36.1           | 46.31          | 10.200        | 68.30          | 21.99       | PK  | Vertic | PASS    |

Transmit at 5190MHz by 802.11ac(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10380.00        | 41.3           | 42.85          | 1.580         | 68.30          | 25.45       | PK  | Horizo | PASS    |
| 2         | 15570.00        | 36.1           | 45.33          | 9.200         | 74.00          | 28.67       | PK  | Horizo | PASS    |
| 3         | 15570.00        | 27.1           | 36.29          | 9.200         | 54.00          | 17.71       | AV  | Horizo | PASS    |

Transmit at 5190MHz by 802.11ac(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10380.00        | 42.5           | 44.04          | 1.580         | 68.30          | 24.26       | PK  | Vertic | PASS    |
| 2         | 15570.00        | 36.3           | 45.52          | 9.200         | 74.00          | 28.48       | PK  | Vertic | PASS    |
| 3         | 15570.00        | 27.3           | 36.49          | 9.200         | 54.00          | 17.51       | AV  | Vertic | PASS    |

Transmit at 5230MHz by 802.11ac(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10460.00        | 40.4           | 42.04          | 1.650         | 68.30          | 26.26       | PK  | Horizo | PASS    |
| 2         | 15690.00        | 35.2           | 44.73          | 9.540         | 74.00          | 29.27       | PK  | Horizo | PASS    |
| 3         | 15690.00        | 27.0           | 36.50          | 9.540         | 54.00          | 17.50       | AV  | Horizo | PASS    |

Transmit at 5230MHz by 802.11ac(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10460.00        | 41.2           | 42.83          | 1.650         | 68.30          | 25.47       | PK  | Vertic | PASS    |
| 2         | 15690.00        | 35.5           | 45.02          | 9.540         | 74.00          | 28.98       | PK  | Vertic | PASS    |
| 3         | 15690.00        | 27.8           | 37.32          | 9.540         | 54.00          | 16.68       | AV  | Vertic | PASS    |

Transmit at 5270MHz by 802.11ac(40MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10540.00        | 40.3           | 41.99          | 1.670         | 68.30          | 26.31       | PK  | Horizo | PASS    |
| 2         | 15810.00        | 36.7           | 45.92          | 9.270         | 74.00          | 28.08       | PK  | Horizo | PASS    |
| 3         | 15810.00        | 28.0           | 37.27          | 9.270         | 54.00          | 16.73       | AV  | Horizo | PASS    |


Transmit at 5270MHz by 802.11ac(40MHz) with Ant MIMO



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10540.00        | 41.8           | 43.43          | 1.670         | 68.30          | 24.87       | PK  | Vertic | PASS    |
| 2  | 15810.00        | 36.7           | 45.92          | 9.270         | 74.00          | 28.08       | PK  | Vertic | PASS    |
| 3  | 15810.00        | 27.8           | 37.09          | 9.270         | 54.00          | 16.91       | AV  | Vertic | PASS    |


Transmit at 5310MHz by 802.11ac(40MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10620.00        | 40.9           | 42.59          | 1.680         | 74.00          | 31.41       | PK  | Horizo | PASS    |
| 2  | 10620.00        | 31.5           | 33.18          | 1.680         | 54.00          | 20.82       | AV  | Horizo | PASS    |
| 3  | 15930.00        | 34.4           | 43.87          | 9.460         | 74.00          | 30.13       | PK  | Horizo | PASS    |
| 4  | 15930.00        | 26.0           | 35.44          | 9.460         | 54.00          | 18.56       | AV  | Horizo | PASS    |

Transmit at 5310MHz by 802.11ac(40MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10620.00        | 40.7           | 42.40          | 1.680         | 74.00          | 31.60       | PK  | Vertic | PASS    |
| 2         | 10620.00        | 31.9           | 33.61          | 1.680         | 54.00          | 20.39       | AV  | Vertic | PASS    |
| 3         | 15930.00        | 35.7           | 45.15          | 9.460         | 74.00          | 28.85       | PK  | Vertic | PASS    |
| 4         | 15930.00        | 26.2           | 35.62          | 9.460         | 54.00          | 18.38       | AV  | Vertic | PASS    |


Transmit at 5510MHz by 802.11ac(40MHz) with Ant MIMO



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11020.00        | 40.6           | 42.90          | 2.330         | 74.00          | 31.10       | PK  | Horizo | PASS    |
| 2  | 11020.00        | 32.1           | 34.47          | 2.330         | 54.00          | 19.53       | AV  | Horizo | PASS    |
| 3  | 16530.00        | 35.1           | 44.60          | 9.520         | 68.30          | 23.70       | PK  | Horizo | PASS    |


Transmit at 5510MHz by 802.11ac(40MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11020.00        | 41.5           | 43.87          | 2.330         | 74.00          | 30.13       | PK  | Vertic | PASS    |
| 2  | 11020.00        | 32.7           | 35.03          | 2.330         | 54.00          | 18.97       | AV  | Vertic | PASS    |
| 3  | 16530.00        | 35.9           | 45.44          | 9.520         | 68.30          | 22.86       | PK  | Vertic | PASS    |

Transmit at 5590MHz by 802.11ac(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11180.00        | 40.0           | 43.80          | 3.820         | 74.00          | 30.20       | PK  | Horizo | PASS    |
| 2         | 11180.00        | 31.1           | 34.87          | 3.820         | 54.00          | 19.13       | AV  | Horizo | PASS    |
| 3         | 16770.00        | 35.8           | 45.84          | 10.090        | 68.30          | 22.46       | PK  | Horizo | PASS    |

Transmit at 5590MHz by 802.11ac(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11179.08        | 43.4           | 47.23          | 3.820         | 74.00          | 26.77       | PK  | Vertic | PASS    |
| 2         | 11180.00        | 34.0           | 37.79          | 3.820         | 54.00          | 16.21       | AV  | Vertic | PASS    |
| 3         | 16770.00        | 35.8           | 45.89          | 10.090        | 68.30          | 22.41       | PK  | Vertic | PASS    |

Transmit at 5670MHz by 802.11ac(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11340.00        | 39.2           | 43.08          | 3.850         | 74.00          | 30.92       | PK  | Horizo | PASS    |
| 2         | 11340.00        | 30.9           | 34.79          | 3.850         | 54.00          | 19.21       | AV  | Horizo | PASS    |
| 3         | 17010.00        | 35.0           | 45.15          | 10.170        | 68.30          | 23.15       | PK  | Horizo | PASS    |

Transmit at 5670MHz by 802.11ac(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11340.00        | 41.0           | 44.88          | 3.850         | 74.00          | 29.12       | PK  | Vertic | PASS    |
| 2         | 11340.00        | 33.4           | 37.28          | 3.850         | 54.00          | 16.72       | AV  | Vertic | PASS    |
| 3         | 17010.00        | 35.1           | 45.25          | 10.170        | 68.30          | 23.05       | PK  | Vertic | PASS    |

Transmit at 5755MHz by 802.11ac(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11510.00        | 40.1           | 44.36          | 4.300         | 74.00          | 29.64       | PK  | Horizo | PASS    |
| 2         | 11510.00        | 31.4           | 35.67          | 4.300         | 54.00          | 18.33       | AV  | Horizo | PASS    |
| 3         | 17265.00        | 36.4           | 46.66          | 10.300        | 68.30          | 21.64       | PK  | Horizo | PASS    |

Transmit at 5755MHz by 802.11ac(40MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11510.00        | 40.1           | 44.35          | 4.300         | 74.00          | 29.65       | PK  | Vertic | PASS    |
| 2         | 11510.00        | 32.5           | 36.81          | 4.300         | 54.00          | 17.19       | AV  | Vertic | PASS    |
| 3         | 17265.00        | 36.9           | 47.17          | 10.300        | 68.30          | 21.13       | PK  | Vertic | PASS    |


Transmit at 5795MHz by 802.11ac(40MHz) with Ant MIMO



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11590.00        | 39.4           | 43.95          | 4.530         | 74.00          | 30.05       | PK  | Horizo | PASS    |
| 2  | 11590.00        | 31.8           | 36.32          | 4.530         | 54.00          | 17.68       | AV  | Horizo | PASS    |
| 3  | 17385.00        | 35.5           | 45.95          | 10.470        | 68.30          | 22.35       | PK  | Horizo | PASS    |


Transmit at 5795MHz by 802.11ac(40MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11590.00        | 40.2           | 44.73          | 4.530         | 74.00          | 29.27       | PK  | Vertic | PASS    |
| 2  | 11590.00        | 30.8           | 35.29          | 4.530         | 54.00          | 18.71       | AV  | Vertic | PASS    |
| 3  | 17385.00        | 35.4           | 45.91          | 10.470        | 68.30          | 22.39       | PK  | Vertic | PASS    |

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10380.00        | 41.1           | 42.69          | 1.580         | 68.30          | 25.61       | PK  | Horizo | PASS    |
| 2         | 15570.00        | 36.0           | 45.20          | 9.200         | 74.00          | 28.80       | PK  | Horizo | PASS    |
| 3         | 15570.00        | 27.1           | 36.33          | 9.200         | 54.00          | 17.67       | AV  | Horizo | PASS    |

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10380.00        | 41.4           | 42.99          | 1.580         | 68.30          | 25.31       | PK  | Vertic | PASS    |
| 2         | 15570.00        | 36.1           | 45.25          | 9.200         | 74.00          | 28.75       | PK  | Vertic | PASS    |
| 3         | 15570.00        | 26.8           | 36.03          | 9.200         | 54.00          | 17.97       | AV  | Vertic | PASS    |

Transmit at 5230MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10460.00        | 41.2           | 42.86          | 1.650         | 68.30          | 25.44       | PK  | Horizo | PASS    |
| 2         | 15690.00        | 36.2           | 45.73          | 9.540         | 74.00          | 28.27       | PK  | Horizo | PASS    |
| 3         | 15690.00        | 27.4           | 36.89          | 9.540         | 54.00          | 17.11       | AV  | Horizo | PASS    |

Transmit at 5230MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10460.00        | 40.7           | 42.39          | 1.650         | 68.30          | 25.91       | PK  | Vertic | PASS    |
| 2         | 15690.00        | 36.8           | 46.36          | 9.540         | 74.00          | 27.64       | PK  | Vertic | PASS    |
| 3         | 15690.00        | 27.0           | 36.53          | 9.540         | 54.00          | 17.47       | AV  | Vertic | PASS    |

Transmit at 5270MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10540.00        | 40.9           | 42.56          | 1.670         | 68.30          | 25.74       | PK  | Horizo | PASS    |
| 2         | 15810.00        | 35.7           | 44.94          | 9.270         | 74.00          | 29.06       | PK  | Horizo | PASS    |
| 3         | 15810.00        | 28.0           | 37.29          | 9.270         | 54.00          | 16.71       | AV  | Horizo | PASS    |

Transmit at 5270MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10540.00        | 41.7           | 43.35          | 1.670         | 68.30          | 24.95       | PK  | Vertic | PASS    |
| 2         | 15810.00        | 36.4           | 45.65          | 9.270         | 74.00          | 28.35       | PK  | Vertic | PASS    |
| 3         | 15810.00        | 27.1           | 36.35          | 9.270         | 54.00          | 17.65       | AV  | Vertic | PASS    |

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10620.00        | 39.9           | 41.57          | 1.680         | 74.00          | 32.43       | PK  | Horizo | PASS    |
| 2         | 10620.00        | 31.5           | 33.21          | 1.680         | 54.00          | 20.79       | AV  | Horizo | PASS    |
| 3         | 15930.00        | 34.7           | 44.14          | 9.460         | 74.00          | 29.86       | PK  | Horizo | PASS    |
| 4         | 15930.00        | 25.8           | 35.26          | 9.460         | 54.00          | 18.74       | AV  | Horizo | PASS    |

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10620.00        | 39.4           | 41.03          | 1.680         | 74.00          | 32.97       | PK  | Vertic | PASS    |
| 2         | 10620.00        | 31.8           | 33.52          | 1.680         | 54.00          | 20.48       | AV  | Vertic | PASS    |
| 3         | 15930.00        | 34.0           | 43.41          | 9.460         | 74.00          | 30.59       | PK  | Vertic | PASS    |
| 4         | 15930.00        | 25.9           | 35.31          | 9.460         | 54.00          | 18.69       | AV  | Vertic | PASS    |

Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11020.00        | 42.0           | 44.28          | 2.330         | 74.00          | 29.72       | PK  | Horizo | PASS    |
| 2         | 11020.00        | 32.4           | 34.68          | 2.330         | 54.00          | 19.32       | AV  | Horizo | PASS    |
| 3         | 16530.00        | 35.8           | 45.29          | 9.520         | 68.30          | 23.01       | PK  | Horizo | PASS    |

Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11020.00        | 41.4           | 43.71          | 2.330         | 74.00          | 30.29       | PK  | Vertic | PASS    |
| 2         | 11020.00        | 32.7           | 35.05          | 2.330         | 54.00          | 18.95       | AV  | Vertic | PASS    |
| 3         | 16530.00        | 36.6           | 46.08          | 9.520         | 68.30          | 22.22       | PK  | Vertic | PASS    |

Transmit at 5590MHz by 802.11ax(40MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11180.00        | 40.5           | 44.32          | 3.820         | 74.00          | 29.68       | PK  | Horizo | PASS    |
| 2         | 11180.00        | 31.1           | 34.96          | 3.820         | 54.00          | 19.04       | AV  | Horizo | PASS    |
| 3         | 16770.00        | 36.1           | 46.19          | 10.090        | 68.30          | 22.11       | PK  | Horizo | PASS    |


Transmit at 5590MHz by 802.11ax(40MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11180.00        | 42.8           | 46.65          | 3.820         | 74.00          | 27.35       | PK  | Vertic | PASS    |
| 2  | 11180.00        | 33.6           | 37.44          | 3.820         | 54.00          | 16.56       | AV  | Vertic | PASS    |
| 3  | 16770.00        | 35.2           | 45.24          | 10.090        | 68.30          | 23.06       | PK  | Vertic | PASS    |

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11340.00        | 40.5           | 44.34          | 3.850         | 74.00          | 29.66       | PK  | Horizo | PASS    |
| 2         | 11340.00        | 31.7           | 35.52          | 3.850         | 54.00          | 18.48       | AV  | Horizo | PASS    |
| 3         | 17010.00        | 33.8           | 43.99          | 10.170        | 68.30          | 24.31       | PK  | Horizo | PASS    |

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11340.00        | 42.4           | 46.20          | 3.850         | 74.00          | 27.80       | PK  | Vertic | PASS    |
| 2         | 11340.00        | 33.6           | 37.47          | 3.850         | 54.00          | 16.53       | AV  | Vertic | PASS    |
| 3         | 17010.00        | 35.1           | 45.30          | 10.170        | 68.30          | 23.00       | PK  | Vertic | PASS    |


Transmit at 5755MHz by 802.11ax(40MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11510.00        | 40.2           | 44.49          | 4.300         | 74.00          | 29.51       | PK  | Horizo | PASS    |
| 2  | 11510.00        | 31.2           | 35.50          | 4.300         | 54.00          | 18.50       | AV  | Horizo | PASS    |
| 3  | 17265.00        | 35.7           | 45.95          | 10.300        | 68.30          | 22.35       | PK  | Horizo | PASS    |

Transmit at 5755MHz by 802.11ax(40MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11510.00        | 40.3           | 44.57          | 4.300         | 74.00          | 29.43       | PK  | Vertic | PASS    |
| 2         | 11510.00        | 31.8           | 36.10          | 4.300         | 54.00          | 17.90       | AV  | Vertic | PASS    |
| 3         | 17265.00        | 36.1           | 46.37          | 10.300        | 68.30          | 21.93       | PK  | Vertic | PASS    |


Transmit at 5795MHz by 802.11ax(40MHz) with Ant MIMO



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11590.00        | 40.0           | 44.52          | 4.530         | 74.00          | 29.48       | PK  | Horizo | PASS    |
| 2  | 11590.00        | 31.3           | 35.83          | 4.530         | 54.00          | 18.17       | AV  | Horizo | PASS    |
| 3  | 17385.00        | 34.9           | 45.40          | 10.470        | 68.30          | 22.90       | PK  | Horizo | PASS    |


Transmit at 5795MHz by 802.11ax(40MHz) with Ant MIMO



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11590.00        | 31.2           | 35.72          | 4.530         | 54.00          | 18.28       | AV  | Vertic | PASS    |
| 2  | 11590.00        | 40.0           | 44.50          | 4.530         | 74.00          | 29.50       | PK  | Vertic | PASS    |
| 3  | 17385.00        | 34.9           | 45.41          | 10.470        | 68.30          | 22.89       | PK  | Vertic | PASS    |


Transmit at 5210MHz by 802.11ac(80MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10420.00        | 40.4           | 41.99          | 1.580         | 68.30          | 26.31       | PK  | Horizo | PASS    |
| 2  | 15630.00        | 35.5           | 44.92          | 9.400         | 74.00          | 29.08       | PK  | Horizo | PASS    |
| 3  | 15630.00        | 26.9           | 36.33          | 9.400         | 54.00          | 17.67       | AV  | Horizo | PASS    |

Transmit at 5210MHz by 802.11ac(80MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10420.00        | 40.7           | 42.29          | 1.580         | 68.30          | 26.01       | PK  | Vertic | PASS    |
| 2         | 15630.00        | 34.5           | 43.92          | 9.400         | 74.00          | 30.08       | PK  | Vertic | PASS    |
| 3         | 15630.00        | 27.1           | 36.46          | 9.400         | 54.00          | 17.54       | AV  | Vertic | PASS    |


Transmit at 5290MHz by 802.11ac(80MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10580.00        | 40.3           | 41.90          | 1.590         | 68.30          | 26.40       | PK  | Horizo | PASS    |
| 2  | 15870.00        | 36.6           | 45.92          | 9.300         | 74.00          | 28.08       | PK  | Horizo | PASS    |
| 3  | 15870.00        | 26.5           | 35.80          | 9.300         | 54.00          | 18.20       | AV  | Horizo | PASS    |

Transmit at 5290MHz by 802.11ac(80MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10580.00        | 40.7           | 42.24          | 1.590         | 68.30          | 26.06       | PK  | Vertic | PASS    |
| 2         | 15870.00        | 34.5           | 43.80          | 9.300         | 74.00          | 30.20       | PK  | Vertic | PASS    |
| 3         | 15870.00        | 26.0           | 35.32          | 9.300         | 54.00          | 18.68       | AV  | Vertic | PASS    |


Transmit at 5530MHz by 802.11ac(80MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11060.00        | 39.8           | 42.74          | 2.940         | 74.00          | 31.26       | PK  | Horizo | PASS    |
| 2  | 11060.00        | 31.4           | 34.36          | 2.940         | 54.00          | 19.64       | AV  | Horizo | PASS    |
| 3  | 16590.00        | 35.2           | 44.86          | 9.670         | 68.30          | 23.44       | PK  | Horizo | PASS    |

Transmit at 5530MHz by 802.11ac(80MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11060.00        | 39.9           | 42.83          | 2.940         | 74.00          | 31.17       | PK  | Vertic | PASS    |
| 2         | 11060.00        | 31.3           | 34.23          | 2.940         | 54.00          | 19.77       | AV  | Vertic | PASS    |
| 3         | 16590.00        | 35.4           | 45.03          | 9.670         | 68.30          | 23.27       | PK  | Vertic | PASS    |

Transmit at 5610MHz by 802.11ac(80MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11220.00        | 39.9           | 43.71          | 3.860         | 74.00          | 30.29       | PK  | Horizo | PASS    |
| 2         | 11220.00        | 31.0           | 34.84          | 3.860         | 54.00          | 19.16       | AV  | Horizo | PASS    |
| 3         | 16830.00        | 35.6           | 45.88          | 10.330        | 68.30          | 22.42       | PK  | Horizo | PASS    |

Transmit at 5610MHz by 802.11ac(80MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11220.00        | 40.7           | 44.56          | 3.860         | 74.00          | 29.44       | PK  | Vertic | PASS    |
| 2         | 11220.00        | 30.8           | 34.69          | 3.860         | 54.00          | 19.31       | AV  | Vertic | PASS    |
| 3         | 16830.00        | 35.1           | 45.44          | 10.330        | 68.30          | 22.86       | PK  | Vertic | PASS    |


Transmit at 5775MHz by 802.11ac(80MHz) with Ant MIMO



Data List


| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 11550.00        | 40.3           | 44.75          | 4.440         | 74.00          | 29.25       | PK  | Horizo | PASS    |
| 2  | 11550.00        | 31.8           | 36.21          | 4.440         | 54.00          | 17.79       | AV  | Horizo | PASS    |
| 3  | 17325.00        | 35.1           | 45.45          | 10.340        | 68.30          | 22.85       | PK  | Horizo | PASS    |

Transmit at 5775MHz by 802.11ac(80MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 11550.00        | 40.7           | 45.13          | 4.440         | 74.00          | 28.87       | PK  | Vertic | PASS    |
| 2         | 11550.00        | 31.8           | 36.19          | 4.440         | 54.00          | 17.81       | AV  | Vertic | PASS    |
| 3         | 17325.00        | 36.2           | 46.49          | 10.340        | 68.30          | 21.81       | PK  | Vertic | PASS    |

Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10420.00        | 42.5           | 44.11          | 1.580         | 68.30          | 24.19       | PK  | Horizo | PASS    |
| 2         | 15630.00        | 33.7           | 43.12          | 9.400         | 74.00          | 30.88       | PK  | Horizo | PASS    |
| 3         | 15630.00        | 25.9           | 35.31          | 9.400         | 54.00          | 18.69       | AV  | Horizo | PASS    |

Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO




| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10420.00        | 40.9           | 42.43          | 1.580         | 68.30          | 25.87       | PK  | Vertic | PASS    |
| 2         | 15630.00        | 35.9           | 45.33          | 9.400         | 74.00          | 28.67       | PK  | Vertic | PASS    |
| 3         | 15630.00        | 26.1           | 35.53          | 9.400         | 54.00          | 18.47       | AV  | Vertic | PASS    |

Transmit at 5290MHz by 802.11ax(80MHz) with Ant MIMO



| Data List |                 |                |                |               |                |             |     |        |         |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO        | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
| 1         | 10580.00        | 41.6           | 43.14          | 1.590         | 68.30          | 25.16       | PK  | Horizo | PASS    |
| 2         | 15870.00        | 35.1           | 44.41          | 9.300         | 74.00          | 29.59       | PK  | Horizo | PASS    |
| 3         | 15870.00        | 26.4           | 35.72          | 9.300         | 54.00          | 18.28       | AV  | Horizo | PASS    |

Transmit at 5290MHz by 802.11ax(80MHz) with Ant MIMO



Data List

| NO | Frequency [MHz] | Reading [dBμV] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Det | Pol    | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1  | 10580.00        | 40.2           | 41.78          | 1.590         | 68.30          | 26.52       | PK  | Vertic | PASS    |
| 2  | 15870.00        | 34.5           | 43.75          | 9.300         | 74.00          | 30.25       | PK  | Vertic | PASS    |
| 3  | 15870.00        | 25.9           | 35.24          | 9.300         | 54.00          | 18.76       | AV  | Vertic | PASS    |