



Transmit at 5530MHz by 802.11ax(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	41.4	44.35	2.940	74.00	29.65	PK	Horizo	PASS
2	11060.00	31.3	34.26	2.940	54.00	19.74	AV	Horizo	PASS
3	16590.00	35.7	45.37	9.670	68.30	22.93	PK	Horizo	PASS


Transmit at 5530MHz by 802.11ax(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11060.00	40.6	43.57	2.940	74.00	30.43	PK	Vertic	PASS
2	11060.00	32.3	35.27	2.940	54.00	18.73	AV	Vertic	PASS
3	16590.00	35.8	45.51	9.670	68.30	22.79	PK	Vertic	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	40.2	44.02	3.860	74.00	29.98	PK	Horizo	PASS
2	11220.00	31.4	35.22	3.860	54.00	18.78	AV	Horizo	PASS
3	16830.00	37.2	47.56	10.330	68.30	20.74	PK	Horizo	PASS


Transmit at 5610MHz by 802.11ax(80MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11220.00	39.6	43.41	3.860	74.00	30.59	PK	Vertic	PASS
2	11220.00	32.2	36.02	3.860	54.00	17.98	AV	Vertic	PASS
3	16830.00	36.3	46.64	10.330	68.30	21.66	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	41.9	46.33	4.440	74.00	27.67	PK	Horizo	PASS
2	11550.00	31.3	35.76	4.440	54.00	18.24	AV	Horizo	PASS
3	17325.00	35.4	45.72	10.340	68.30	22.58	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.3	44.74	4.440	74.00	29.26	PK	Vertic	PASS
2	11550.00	32.3	36.78	4.440	54.00	17.22	AV	Vertic	PASS
3	17325.00	36.4	46.73	10.340	68.30	21.57	PK	Vertic	PASS


Transmit at 5845MHz by 802.11ax(20MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11690.00	39.8	44.16	4.330	74.00	29.84	PK	Horizo	PASS
2	11690.00	30.7	35.01	4.330	54.00	18.99	AV	Horizo	PASS
3	17535.00	35.9	46.26	10.330	68.30	22.04	PK	Horizo	PASS


Transmit at 5845MHz by 802.11ax(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11690.00	39.4	43.70	4.330	74.00	30.30	PK	Vertic	PASS
2	11690.00	31.6	35.88	4.330	54.00	18.12	AV	Vertic	PASS
3	17535.00	35.8	46.08	10.330	68.30	22.22	PK	Vertic	PASS

Transmit at 5865MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11730.00	39.5	43.96	4.440	74.00	30.04	PK	Horizo	PASS
2	11730.00	31.0	35.44	4.440	54.00	18.56	AV	Horizo	PASS
3	17595.00	36.4	47.01	10.570	68.30	21.29	PK	Horizo	PASS


Transmit at 5865MHz by 802.11ax(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11730.00	40.8	45.22	4.440	74.00	28.78	PK	Vertic	PASS
2	11730.00	31.5	35.96	4.440	54.00	18.04	AV	Vertic	PASS
3	17595.00	35.9	46.42	10.570	68.30	21.88	PK	Vertic	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11770.00	38.3	42.96	4.630	74.00	31.04	PK	Horizo	PASS
2	11770.00	30.6	35.22	4.630	54.00	18.78	AV	Horizo	PASS
3	17655.00	35.9	46.55	10.650	68.30	21.75	PK	Horizo	PASS

Transmit at 5885MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11770.00	40.2	44.82	4.630	74.00	29.18	PK	Vertic	PASS
2	11770.00	30.3	34.89	4.630	54.00	19.11	AV	Vertic	PASS
3	17655.00	35.0	45.66	10.650	68.30	22.64	PK	Vertic	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11670.00	39.1	43.53	4.390	74.00	30.47	PK	Horizo	PASS
2	11670.00	30.8	35.23	4.390	54.00	18.77	AV	Horizo	PASS
3	17505.00	36.4	46.55	10.140	68.30	21.75	PK	Horizo	PASS

Transmit at 5835MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11670.00	39.9	44.30	4.390	74.00	29.70	PK	Vertic	PASS
2	11670.00	31.4	35.79	4.390	54.00	18.21	AV	Vertic	PASS
3	17505.00	35.6	45.72	10.140	68.30	22.58	PK	Vertic	PASS


Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11750.00	39.0	43.52	4.530	74.00	30.48	PK	Horizo	PASS
2	11750.00	29.5	34.07	4.530	54.00	19.93	AV	Horizo	PASS
3	17625.00	36.3	46.90	10.630	68.30	21.40	PK	Horizo	PASS

Transmit at 5875MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11750.00	39.0	43.55	4.530	74.00	30.45	PK	Vertic	PASS
2	11750.00	31.0	35.48	4.530	54.00	18.52	AV	Vertic	PASS
3	17625.00	36.6	47.21	10.630	68.30	21.09	PK	Vertic	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11710.00	40.8	45.16	4.360	74.00	28.84	PK	Horizo	PASS
2	11710.00	30.2	34.58	4.360	54.00	19.42	AV	Horizo	PASS
3	17565.00	36.0	46.49	10.470	68.30	21.81	PK	Horizo	PASS

Transmit at 5855MHz by 802.11ax(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11710.00	39.0	43.37	4.360	74.00	30.63	PK	Vertic	PASS
2	11710.00	30.1	34.48	4.360	54.00	19.52	AV	Vertic	PASS
3	17565.00	35.6	46.06	10.470	68.30	22.24	PK	Vertic	PASS

Transmit at 5180MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.31	16.3	29.58	13.270	40.00	10.42	PK	Horizo	PASS
2	71.95	14.7	24.72	10.020	40.00	15.28	PK	Horizo	PASS
3	95.72	23.0	34.90	11.900	43.50	8.60	PK	Horizo	PASS
4	226.91	15.2	27.71	12.560	46.00	18.29	PK	Horizo	PASS
5	366.35	15.8	31.47	15.630	46.00	14.53	PK	Horizo	PASS
6	908.09	17.3	40.20	22.940	46.00	5.80	PK	Horizo	PASS


Transmit at 5180MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	33.88	22.8	35.81	13.030	40.00	4.19	PK	Vertic	PASS
2	72.44	15.1	25.11	10.000	40.00	14.89	PK	Vertic	PASS
3	103.48	20.8	33.20	12.430	43.50	10.30	PK	Vertic	PASS
4	216.48	15.2	27.42	12.230	46.00	18.58	PK	Vertic	PASS
5	440.07	15.6	32.27	16.650	46.00	13.73	PK	Vertic	PASS
6	762.35	16.4	37.94	21.530	46.00	8.06	PK	Vertic	PASS



Test Graph



Note:

1. Level = Reading + Factor (Antenna factor + Amplifier factor + Cable loss)
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. In the report, for the sections below 1G and 18~40G, verification tests were only performed on the worst channel in the worst mode of the 1~18G range.
4. All test data above 18GHz are noise base, so no data shown in this report.

Maximum Conducted Output Power
INPAQ Antenna:

INPAQ Antenna											
	Mode	Channel	Frequency (MHz)	Average Power (dBm)			EIRP (dBm)			Limit (dBm)	
				MAIN	AUX	MAIN+AUX	MAIN	AUX	MAIN+AUX	Average Power	EIRP
5GHz WLAN	802.11a 6Mbps	36	5180	11.42	11.48	14.46	13.68	13.00	16.72	24.00	24.00
		40	5200	11.54	11.45	14.51	13.80	12.97	16.77	24.00	24.00
		48	5240	11.41	11.46	14.45	13.67	12.98	16.71	24.00	24.00
		52	5260	13.24	13.41	16.34	14.49	15.22	17.59	24.00	30.00
		56	5280	13.17	13.18	16.19	14.42	14.99	17.44	24.00	30.00
		64	5320	13.29	13.39	16.35	14.54	15.20	17.60	24.00	30.00
		100	5500	13.35	13.35	16.36	16.33	14.91	19.34	24.00	30.00
		116	5580	13.14	13.38	16.27	16.12	14.94	19.25	24.00	30.00
		140	5700	13.30	13.16	16.24	16.28	14.72	19.22	24.00	30.00
		149	5745	13.15	13.41	16.29	16.09	14.69	19.23	30.00	30.00
		157	5785	13.18	13.26	16.23	16.12	14.54	19.17	30.00	30.00
		165	5825	13.15	13.29	16.23	16.09	14.57	19.17	30.00	30.00
		169	5845	13.24	13.34	16.30	14.51	14.35	17.57	30.00	30.00
		173	5865	13.27	13.18	16.24	14.54	14.19	17.51	30.00	30.00
		177	5885	13.09	13.27	16.19	14.36	14.28	17.46	30.00	30.00
	802.11ac-VHT20 MCS0	36	5180	11.41	11.43	14.43	13.67	12.95	16.69	24.00	24.00
		40	5200	11.42	11.55	14.50	13.68	13.07	16.76	24.00	24.00
		48	5240	11.58	11.41	14.51	13.84	12.93	16.77	24.00	24.00
		52	5260	13.29	13.21	16.26	14.54	15.02	17.51	24.00	30.00
		56	5280	13.25	13.14	16.21	14.50	14.95	17.46	24.00	30.00
		64	5320	13.40	13.28	16.35	14.65	15.09	17.60	24.00	30.00
		100	5500	13.20	13.13	16.18	16.18	14.69	19.16	24.00	30.00
		116	5580	13.14	13.39	16.28	16.12	14.95	19.26	24.00	30.00
		140	5700	13.13	13.17	16.16	16.11	14.73	19.14	24.00	30.00
		149	5745	13.33	13.21	16.28	16.27	14.49	19.22	30.00	30.00
		157	5785	13.15	13.33	16.25	16.09	14.61	19.19	30.00	30.00
		165	5825	13.24	13.21	16.24	16.18	14.49	19.18	30.00	30.00
		169	5845	13.12	13.31	16.23	14.39	14.32	17.50	30.00	30.00
		173	5865	13.11	13.23	16.18	14.38	14.24	17.45	30.00	30.00
		177	5885	13.05	13.23	16.15	14.32	14.24	17.42	30.00	30.00
	802.11ac-VHT40 MCS0	38	5190	13.32	13.27	16.31	15.58	14.79	18.57	24.00	24.00
		46	5230	13.18	13.29	16.25	15.44	14.81	18.51	24.00	24.00
		54	5270	13.13	13.34	16.25	14.38	15.15	17.50	24.00	30.00
		62	5310	13.14	13.27	16.22	14.39	15.08	17.47	24.00	30.00
		102	5510	13.33	13.18	16.27	16.31	14.74	19.25	24.00	30.00
		118	5590	13.19	13.17	16.19	16.17	14.73	19.17	24.00	30.00
		134	5670	13.27	13.41	16.35	16.25	14.97	19.33	24.00	30.00
		151	5755	13.39	13.26	16.34	16.33	14.54	19.28	30.00	30.00
		159	5795	13.38	13.42	16.41	16.32	14.70	19.35	30.00	30.00

		167	5835	13.19	13.12	16.17	14.46	14.13	17.44	30.00	30.00
		175	5875	13.02	13.30	16.17	14.29	14.31	17.44	30.00	30.00
	802.11ac-VHT80 MCS0	42	5210	13.36	13.25	16.32	15.62	14.77	18.58	24.00	24.00
		58	5290	13.42	13.27	16.36	14.67	15.08	17.61	24.00	30.00
		106	5530	13.23	13.22	16.24	16.21	14.78	19.22	24.00	30.00
		122	5610	13.32	13.38	16.36	16.30	14.94	19.34	24.00	30.00
		155	5775	13.35	13.40	16.39	16.29	14.68	19.33	30.00	30.00
		171	5855	13.02	13.18	16.11	14.29	14.19	17.38	30.00	30.00
	802.11ax-HE20 MCS0	36	5180	11.48	11.43	14.47	13.74	12.95	16.73	24.00	24.00
		40	5200	11.41	11.58	14.51	13.67	13.10	16.77	24.00	24.00
		48	5240	11.59	11.34	14.48	13.85	12.86	16.74	24.00	24.00
		52	5260	13.26	13.32	16.30	14.51	15.13	17.55	24.00	30.00
		56	5280	13.30	13.40	16.36	14.55	15.21	17.61	24.00	30.00
		64	5320	13.18	13.37	16.29	14.43	15.18	17.54	24.00	30.00
		100	5500	13.15	13.18	16.18	16.13	14.74	19.16	24.00	30.00
		116	5580	13.17	13.20	16.20	16.15	14.76	19.18	24.00	30.00
		140	5700	13.32	13.40	16.37	16.30	14.96	19.35	24.00	30.00
		149	5745	13.14	13.38	16.27	16.08	14.66	19.21	30.00	30.00
		157	5785	13.28	13.18	16.24	16.22	14.46	19.18	30.00	30.00
		165	5825	13.18	13.41	16.31	16.12	14.69	19.25	30.00	30.00
		169	5845	13.19	13.29	16.25	14.46	14.30	17.52	30.00	30.00
		173	5865	13.07	13.31	16.20	14.34	14.32	17.47	30.00	30.00
		177	5885	13.14	13.14	16.15	14.41	14.15	17.42	30.00	30.00
	802.11ax-HE40 MCS0	38	5190	13.37	13.36	16.38	15.63	14.88	18.64	24.00	24.00
		46	5230	13.29	13.35	16.33	15.55	14.87	18.59	24.00	24.00
		54	5270	13.19	13.17	16.19	14.44	14.98	17.44	24.00	30.00
		62	5310	13.18	13.35	16.28	14.43	15.16	17.53	24.00	30.00
		102	5510	13.19	13.25	16.23	16.17	14.81	19.21	24.00	30.00
		118	5590	13.20	13.27	16.25	16.18	14.83	19.23	24.00	30.00
		134	5670	13.41	13.16	16.30	16.39	14.72	19.28	24.00	30.00
		151	5755	13.34	13.36	16.36	16.28	14.64	19.30	30.00	30.00
		159	5795	13.23	13.39	16.32	16.17	14.67	19.26	30.00	30.00
		167	5835	13.23	13.21	16.23	14.50	14.22	17.50	30.00	30.00
		175	5875	13.18	13.22	16.21	14.45	14.23	17.48	30.00	30.00
	802.11ax-HE80 MCS0	42	5210	13.41	13.47	16.45	15.67	14.99	18.71	24.00	24.00
		58	5290	13.44	13.36	16.41	14.69	15.17	17.66	24.00	30.00
		106	5530	13.41	13.29	16.36	16.39	14.85	19.34	24.00	30.00
		122	5610	13.45	13.37	16.42	16.43	14.93	19.40	24.00	30.00
		155	5775	13.47	13.41	16.45	16.41	14.69	19.39	30.00	30.00
		171	5855	13.27	13.31	16.30	14.54	14.32	17.57	30.00	30.00

AWAN Antenna:


AWAN Antenna											
	Mode	Channel	Frequency (MHz)	Average Power (dBm)			EIRP (dBm)			Limit (dBm)	
				MAIN	AUX	MAIN+AUX	MAIN	AUX	MAIN+AUX	Average Power	EIRP
5GHz WLAN	802.11a 6Mbps	36	5180	11.42	11.48	14.46	13.60	12.88	16.64	24.00	24.00
		40	5200	11.54	11.45	14.51	13.72	12.85	16.69	24.00	24.00
		48	5240	11.41	11.46	14.45	13.59	12.86	16.63	24.00	24.00
		52	5260	13.24	13.41	16.34	14.44	15.10	17.54	24.00	30.00
		56	5280	13.17	13.18	16.19	14.37	14.87	17.39	24.00	30.00
		64	5320	13.29	13.39	16.35	14.49	15.08	17.55	24.00	30.00
		100	5500	13.35	13.35	16.36	15.96	14.74	18.97	24.00	30.00
		116	5580	13.14	13.38	16.27	15.75	14.77	18.88	24.00	30.00
		140	5700	13.30	13.16	16.24	15.91	14.55	18.85	24.00	30.00
		149	5745	13.15	13.41	16.29	16.07	14.60	19.21	30.00	30.00
		157	5785	13.18	13.26	16.23	16.10	14.45	19.15	30.00	30.00
		165	5825	13.15	13.29	16.23	16.07	14.48	19.15	30.00	30.00
		169	5845	13.24	13.34	16.30	14.45	14.23	17.51	30.00	30.00
		173	5865	13.27	13.18	16.24	14.48	14.07	17.45	30.00	30.00
		177	5885	13.09	13.27	16.19	14.30	14.16	17.40	30.00	30.00
	802.11ac-VHT20 MCS0	36	5180	11.41	11.43	14.43	13.59	12.83	16.61	24.00	24.00
		40	5200	11.42	11.55	14.50	13.60	12.95	16.68	24.00	24.00
		48	5240	11.58	11.41	14.51	13.76	12.81	16.69	24.00	24.00
		52	5260	13.29	13.21	16.26	14.49	14.90	17.46	24.00	30.00
		56	5280	13.25	13.14	16.21	14.45	14.83	17.41	24.00	30.00
		64	5320	13.40	13.28	16.35	14.60	14.97	17.55	24.00	30.00
		100	5500	13.20	13.13	16.18	15.81	14.52	18.79	24.00	30.00
		116	5580	13.14	13.39	16.28	15.75	14.78	18.89	24.00	30.00
		140	5700	13.13	13.17	16.16	15.74	14.56	18.77	24.00	30.00
		149	5745	13.33	13.21	16.28	16.25	14.40	19.20	30.00	30.00
		157	5785	13.15	13.33	16.25	16.07	14.52	19.17	30.00	30.00
		165	5825	13.24	13.21	16.24	16.16	14.40	19.16	30.00	30.00
		169	5845	13.12	13.31	16.23	14.33	14.20	17.44	30.00	30.00
		173	5865	13.11	13.23	16.18	14.32	14.12	17.39	30.00	30.00
		177	5885	13.05	13.23	16.15	14.26	14.12	17.36	30.00	30.00
	802.11ac-VHT40 MCS0	38	5190	13.32	13.27	16.31	15.50	14.67	18.49	24.00	24.00
		46	5230	13.18	13.29	16.25	15.36	14.69	18.43	24.00	24.00
		54	5270	13.13	13.34	16.25	14.33	15.03	17.45	24.00	30.00
		62	5310	13.14	13.27	16.22	14.34	14.96	17.42	24.00	30.00
		102	5510	13.33	13.18	16.27	15.94	14.57	18.88	24.00	30.00
		118	5590	13.19	13.17	16.19	15.80	14.56	18.80	24.00	30.00
		134	5670	13.27	13.41	16.35	15.88	14.80	18.96	24.00	30.00
		151	5755	13.39	13.26	16.34	16.31	14.45	19.26	30.00	30.00
		159	5795	13.38	13.42	16.41	16.30	14.61	19.33	30.00	30.00
		167	5835	13.19	13.12	16.17	14.40	14.01	17.38	30.00	30.00

	802.11ac-VHT80 MCS0	175	5875	13.02	13.30	16.17	14.23	14.19	17.38	30.00	30.00
		42	5210	13.36	13.25	16.32	15.54	14.65	18.50	24.00	24.00
		58	5290	13.42	13.27	16.36	14.62	14.96	17.56	24.00	30.00
		106	5530	13.23	13.22	16.24	15.84	14.61	18.85	24.00	30.00
		122	5610	13.32	13.38	16.36	15.93	14.77	18.97	24.00	30.00
		155	5775	13.35	13.40	16.39	16.27	14.59	19.31	30.00	30.00
		171	5855	13.02	13.18	16.11	14.23	14.07	17.32	30.00	30.00
	802.11ax-HE20 MCS0	36	5180	11.48	11.43	14.47	13.66	12.83	16.65	24.00	24.00
		40	5200	11.41	11.58	14.51	13.59	12.98	16.69	24.00	24.00
		48	5240	11.59	11.34	14.48	13.77	12.74	16.66	24.00	24.00
		52	5260	13.26	13.32	16.30	14.46	15.01	17.50	24.00	30.00
		56	5280	13.30	13.40	16.36	14.50	15.09	17.56	24.00	30.00
		64	5320	13.18	13.37	16.29	14.38	15.06	17.49	24.00	30.00
		100	5500	13.15	13.18	16.18	15.76	14.57	18.79	24.00	30.00
		116	5580	13.17	13.20	16.20	15.78	14.59	18.81	24.00	30.00
		140	5700	13.32	13.40	16.37	15.93	14.79	18.98	24.00	30.00
		149	5745	13.14	13.38	16.27	16.06	14.57	19.19	30.00	30.00
		157	5785	13.28	13.18	16.24	16.20	14.37	19.16	30.00	30.00
		165	5825	13.18	13.41	16.31	16.10	14.60	19.23	30.00	30.00
		169	5845	13.33	13.21	16.28	14.54	14.10	17.49	30.00	30.00
		173	5865	13.15	13.33	16.25	14.36	14.22	17.46	30.00	30.00
		177	5885	13.24	13.21	16.24	14.45	14.10	17.45	30.00	30.00
	802.11ax-HE40 MCS0	38	5190	13.37	13.36	16.38	15.55	14.76	18.56	24.00	24.00
		46	5230	13.29	13.35	16.33	15.47	14.75	18.51	24.00	24.00
		54	5270	13.19	13.17	16.19	14.39	14.86	17.39	24.00	30.00
		62	5310	13.18	13.35	16.28	14.38	15.04	17.48	24.00	30.00
		102	5510	13.19	13.25	16.23	15.80	14.64	18.84	24.00	30.00
		118	5590	13.20	13.27	16.25	15.81	14.66	18.86	24.00	30.00
		134	5670	13.41	13.16	16.30	16.02	14.55	18.91	24.00	30.00
		151	5755	13.34	13.36	16.36	16.26	14.55	19.28	30.00	30.00
		159	5795	13.23	13.39	16.32	16.15	14.58	19.24	30.00	30.00
		167	5835	13.23	13.21	16.23	14.44	14.10	17.44	30.00	30.00
		175	5875	13.18	13.22	16.21	14.39	14.11	17.42	30.00	30.00
	802.11ax-HE80 MCS0	42	5210	13.41	13.47	16.45	15.59	14.87	18.63	24.00	24.00
		58	5290	13.44	13.36	16.41	14.64	15.05	17.61	24.00	30.00
		106	5530	13.41	13.29	16.36	16.02	14.68	18.97	24.00	30.00
		122	5610	13.45	13.37	16.42	16.06	14.76	19.03	24.00	30.00
		155	5775	13.47	13.41	16.45	16.39	14.60	19.37	30.00	30.00
		171	5855	13.27	13.31	16.30	14.66	14.28	17.64	30.00	30.00

Note 1: Limit = limit – (Directional gain -6dBi)

Note 2: EIRP = Average Power + Antenna Gain (Antenna Gain refers to the Antenna Information in Chapter 1)


Radiated Emission Band Edge
INPAQ Antenna:
Transmit at 5180MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4845.00	37.9	46.46	8.530	74.00	27.54	PK	Horizo	PASS
2	5150.00	35.7	45.25	9.590	74.00	28.75	PK	Horizo	PASS




Transmit at 5180MHz by 802.11a with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4894.94	27.3	36.20	8.870	54.00	17.80	AV	Horizo	PASS
2	5150.00	28.0	37.55	9.590	54.00	16.45	AV	Horizo	PASS


Transmit at 5180MHz by 802.11a with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4843.45	38.1	46.66	8.530	74.00	27.34	PK	Vertic	PASS
2	5150.00	36.1	45.72	9.590	74.00	28.28	PK	Vertic	PASS

Transmit at 5180MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4951.17	27.4	36.52	9.140	54.00	17.48	AV	Vertic	PASS
2	5150.00	27.8	37.43	9.590	54.00	16.57	AV	Vertic	PASS

Transmit at 5320MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	39.6	49.06	9.460	74.00	24.94	PK	Horizo	PASS
2	5354.51	44.0	53.50	9.470	74.00	20.50	PK	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	29.6	39.07	9.460	54.00	14.93	AV	Horizo	PASS
2	5375.66	27.3	36.84	9.550	54.00	17.16	AV	Horizo	PASS

Transmit at 5320MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	44.9	54.31	9.460	74.00	19.69	PK	Vertic	PASS
2	5350.00	44.9	54.31	9.460	74.00	19.69	PK	Vertic	PASS
3	5351.04	54.7	64.17	9.460	74.00	9.83	PK	Vertic	PASS

Transmit at 5320MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.9	41.33	9.460	54.00	12.67	AV	Vertic	PASS
2	5369.70	30.0	39.53	9.530	54.00	14.47	AV	Vertic	PASS

Transmit at 5500MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	46.0	55.83	9.800	68.30	12.47	PK	Horizo	PASS
2	5465.57	55.6	65.38	9.810	68.30	2.92	PK	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5436.08	27.3	37.03	9.720	54.00	16.97	AV	Horizo	PASS
2	5460.00	30.1	39.94	9.800	54.00	14.06	AV	Horizo	PASS

Transmit at 5500MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	46.6	56.40	9.800	68.30	11.90	PK	Vertic	PASS
2	5467.71	55.3	65.07	9.820	68.30	3.23	PK	Vertic	PASS

Transmit at 5500MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5418.64	29.8	39.50	9.680	54.00	14.50	AV	Vertic	PASS
2	5460.00	31.2	40.95	9.800	54.00	13.05	AV	Vertic	PASS

Transmit at 5700MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	54.1	65.44	11.350	68.30	2.86	PK	Horizo	PASS
2	5728.60	56.2	67.52	11.370	68.30	0.78	PK	Horizo	PASS

Transmit at 5700MHz by 802.11a with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	54.2	65.59	11.350	68.30	2.71	PK	Vertic	PASS
2	5729.05	53.9	65.31	11.370	68.30	2.99	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ac(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4913.31	37.5	46.44	8.970	74.00	27.56	PK	Horizo	PASS
2	5150.00	35.1	44.73	9.590	74.00	29.27	PK	Horizo	PASS


Transmit at 5180MHz by 802.11ac(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4977.83	27.2	36.48	9.280	54.00	17.52	AV	Horizo	PASS
2	5150.00	28.1	37.66	9.590	54.00	16.34	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ac(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4922.19	37.5	46.48	9.010	74.00	27.52	PK	Vertic	PASS
2	5150.00	36.1	45.66	9.590	74.00	28.34	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ac(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4888.73	27.1	35.96	8.830	54.00	18.04	AV	Vertic	PASS
2	5150.00	27.8	37.43	9.590	54.00	16.57	AV	Vertic	PASS

Transmit at 5320MHz by 802.11ac(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	35.9	45.34	9.460	74.00	28.66	PK	Horizo	PASS
2	5368.65	37.4	46.88	9.530	74.00	27.12	PK	Horizo	PASS

Transmit at 5320MHz by 802.11ac(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	26.2	35.66	9.460	54.00	18.34	AV	Horizo	PASS
2	5378.16	27.0	36.57	9.560	54.00	17.43	AV	Horizo	PASS


Transmit at 5320MHz by 802.11ac(20MHz) with Ant MIMO



Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5350.00	36.2	45.61	9.460	74.00	28.39	PK	Vertic	PASS
2	5398.44	38.1	47.77	9.640	74.00	26.23	PK	Vertic	PASS


Transmit at 5320MHz by 802.11ac(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	27.4	36.88	9.460	54.00	17.12	AV	Vertic	PASS
2	5385.94	27.1	36.67	9.590	54.00	17.33	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	42.4	52.21	9.800	68.30	16.09	PK	Horizo	PASS
2	5467.65	54.1	63.87	9.820	68.30	4.43	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5422.90	27.0	36.73	9.690	54.00	17.27	AV	Horizo	PASS
2	5460.00	29.3	39.06	9.800	54.00	14.94	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	46.8	56.55	9.800	68.30	11.75	PK	Vertic	PASS
2	5466.21	54.5	64.31	9.810	68.30	3.99	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ac(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5418.32	27.2	36.92	9.680	54.00	17.08	AV	Vertic	PASS
2	5460.00	29.9	39.67	9.800	54.00	14.33	AV	Vertic	PASS

Transmit at 5700MHz by 802.11ac(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	51.4	62.75	11.350	68.30	5.55	PK	Horizo	PASS
2	5726.95	49.6	60.92	11.360	68.30	7.38	PK	Horizo	PASS


Transmit at 5700MHz by 802.11ac(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	38.1	49.46	11.350	68.30	18.84	PK	Vertic	PASS
2	5727.05	49.0	60.36	11.360	68.30	7.94	PK	Vertic	PASS




Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4876.83	37.7	46.49	8.750	74.00	27.51	PK	Horizo	PASS
2	5150.00	37.0	46.58	9.590	74.00	27.42	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4910.64	27.8	36.75	8.960	54.00	17.25	AV	Horizo	PASS
2	5150.00	28.3	37.90	9.590	54.00	16.10	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4918.05	37.9	46.91	8.990	74.00	27.09	PK	Vertic	PASS
2	5150.00	36.4	46.00	9.590	74.00	28.00	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	4908.14	27.2	36.14	8.950	54.00	17.86	AV	Vertic	PASS
2	5150.00	28.6	38.17	9.590	54.00	15.83	AV	Vertic	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	38.2	47.63	9.460	74.00	26.37	PK	Horizo	PASS
2	5352.54	47.4	56.87	9.460	74.00	17.13	PK	Horizo	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	30.1	39.51	9.460	54.00	14.49	AV	Horizo	PASS
2	5388.94	27.1	36.66	9.600	54.00	17.34	AV	Horizo	PASS

Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	40.6	50.07	9.460	74.00	23.93	PK	Vertic	PASS
2	5352.83	49.8	59.23	9.460	74.00	14.77	PK	Vertic	PASS


Transmit at 5320MHz by 802.11ax(20MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	32.1	41.57	9.460	54.00	12.43	AV	Vertic	PASS
2	5376.47	27.2	36.79	9.560	54.00	17.21	AV	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	42.4	52.16	9.800	68.30	16.14	PK	Horizo	PASS
2	5462.32	53.6	63.35	9.800	68.30	4.95	PK	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5434.52	27.3	37.01	9.720	54.00	16.99	AV	Horizo	PASS
2	5460.00	28.9	38.67	9.800	54.00	15.33	AV	Horizo	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	45.3	55.11	9.800	68.30	13.19	PK	Vertic	PASS
2	5466.64	55.4	65.22	9.810	68.30	3.08	PK	Vertic	PASS

Transmit at 5500MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5392.54	26.9	36.46	9.610	54.00	17.54	AV	Vertic	PASS
2	5460.00	29.2	38.97	9.800	54.00	15.03	AV	Vertic	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	47.2	58.51	11.350	68.30	9.79	PK	Horizo	PASS
2	5728.50	49.3	60.67	11.370	68.30	7.63	PK	Horizo	PASS

Transmit at 5700MHz by 802.11ax(20MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5725.00	47.8	59.15	11.350	68.30	9.15	PK	Vertic	PASS
2	5727.00	54.6	65.91	11.360	68.30	2.39	PK	Vertic	PASS


Transmit at 5190MHz by 802.11ac(40MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4992.12	39.9	49.21	9.360	74.00	24.79	PK	Horizo	PASS
2	5150.00	42.5	52.11	9.590	74.00	21.89	PK	Horizo	PASS


Transmit at 5190MHz by 802.11ac(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4934.79	27.7	36.71	9.060	54.00	17.29	AV	Horizo	PASS
2	5150.00	30.6	40.20	9.590	54.00	13.80	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4984.22	37.8	47.11	9.310	74.00	26.89	PK	Vertic	PASS
2	5150.00	38.2	47.81	9.590	74.00	26.19	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4936.92	27.3	36.40	9.080	54.00	17.60	AV	Vertic	PASS
2	5150.00	31.7	41.31	9.590	54.00	12.69	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	53.6	63.09	9.460	74.00	10.91	PK	Horizo	PASS
2	5355.24	51.4	60.84	9.480	74.00	13.16	PK	Horizo	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.7	46.18	9.460	54.00	7.82	AV	Horizo	PASS
2	5354.03	43.2	52.66	9.470	54.00	1.34	AV	Horizo	PASS


Transmit at 5310MHz by 802.11ac(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	51.8	61.24	9.460	74.00	12.76	PK	Vertic	PASS
2	5351.86	55.8	65.23	9.460	74.00	8.77	PK	Vertic	PASS

Transmit at 5310MHz by 802.11ac(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	36.8	46.22	9.460	54.00	7.78	AV	Vertic	PASS
2	5375.00	44.2	53.73	9.550	54.00	0.27	AV	Vertic	PASS


Transmit at 5510MHz by 802.11ac(40MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	45.4	55.20	9.800	68.30	13.10	PK	Horizo	PASS
2	5460.28	57.1	66.93	9.800	68.30	1.37	PK	Horizo	PASS


Transmit at 5510MHz by 802.11ac(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5458.65	39.9	49.69	9.790	54.00	4.31	AV	Horizo	PASS
2	5460.00	31.9	41.71	9.800	54.00	12.29	AV	Horizo	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	46.6	56.44	9.800	68.30	11.86	PK	Vertic	PASS
2	5469.34	54.3	64.16	9.820	68.30	4.14	PK	Vertic	PASS

Transmit at 5510MHz by 802.11ac(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5445.42	29.1	38.82	9.750	54.00	15.18	AV	Vertic	PASS
2	5460.00	33.5	43.27	9.800	54.00	10.73	AV	Vertic	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.6	47.42	9.820	68.30	20.88	PK	Horizo	PASS
2	5725.00	41.8	53.18	11.350	68.30	15.12	PK	Horizo	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5396.22	27.1	36.71	9.630	54.00	17.29	AV	Horizo	PASS
2	5460.00	26.5	36.25	9.800	54.00	17.75	AV	Horizo	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.9	47.72	9.820	68.30	20.58	PK	Vertic	PASS
2	5725.00	44.1	55.41	11.350	68.30	12.89	PK	Vertic	PASS

Transmit at 5670MHz by 802.11ac(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5399.18	27.4	37.03	9.640	54.00	16.97	AV	Vertic	PASS
2	5460.00	27.3	37.07	9.800	54.00	16.93	AV	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4741.31	38.0	46.34	8.300	74.00	27.66	PK	Horizo	PASS
2	5150.00	36.9	46.50	9.590	74.00	27.50	PK	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4989.63	28.0	37.30	9.340	54.00	16.70	AV	Horizo	PASS
2	5150.00	31.0	40.58	9.590	54.00	13.42	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4722.32	38.1	46.42	8.280	74.00	27.58	PK	Vertic	PASS
2	5150.00	45.0	54.61	9.590	74.00	19.39	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4920.94	27.5	36.48	9.000	54.00	17.52	AV	Vertic	PASS
2	5150.00	31.6	41.18	9.590	54.00	12.82	AV	Vertic	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	47.6	57.02	9.460	74.00	16.98	PK	Horizo	PASS
2	5353.07	53.7	63.12	9.460	74.00	10.88	PK	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	37.8	47.29	9.460	54.00	6.71	AV	Horizo	PASS
2	5356.94	36.1	45.58	9.480	54.00	8.42	AV	Horizo	PASS

Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	51.1	60.54	9.460	74.00	13.46	PK	Vertic	PASS
2	5351.84	58.1	67.56	9.460	74.00	6.44	PK	Vertic	PASS


Transmit at 5310MHz by 802.11ax(40MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	38.4	47.81	9.460	54.00	6.19	AV	Vertic	PASS
2	5354.66	36.7	46.21	9.470	54.00	7.79	AV	Vertic	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	48.9	58.65	9.800	68.30	9.65	PK	Horizo	PASS
2	5469.76	58.2	67.98	9.820	68.30	0.32	PK	Horizo	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5447.00	30.9	40.60	9.750	54.00	13.40	AV	Horizo	PASS
2	5460.00	33.8	43.56	9.800	54.00	10.44	AV	Horizo	PASS

Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5460.00	48.0	57.77	9.800	68.30	10.53	PK	Vertic	PASS
2	5466.70	56.8	66.64	9.810	68.30	1.66	PK	Vertic	PASS


Transmit at 5510MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5415.32	27.6	37.27	9.680	54.00	16.73	AV	Vertic	PASS
2	5460.00	36.6	46.40	9.800	54.00	7.60	AV	Vertic	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.6	47.40	9.820	68.30	20.90	PK	Horizo	PASS
2	5725.00	44.9	56.20	11.350	68.30	12.10	PK	Horizo	PASS


Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5400.11	27.1	36.72	9.640	54.00	17.28	AV	Horizo	PASS
2	5460.00	26.8	36.59	9.800	54.00	17.41	AV	Horizo	PASS

Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	37.1	46.90	9.820	68.30	21.40	PK	Vertic	PASS
2	5725.00	44.1	55.42	11.350	68.30	12.88	PK	Vertic	PASS


Transmit at 5670MHz by 802.11ax(40MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5382.58	27.2	36.72	9.570	54.00	17.28	AV	Vertic	PASS
2	5460.00	26.7	36.54	9.800	54.00	17.46	AV	Vertic	PASS




Transmit at 5210MHz by 802.11ac(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5137.88	46.4	55.97	9.560	74.00	18.03	PK	Horizo	PASS
2	5150.00	42.0	51.59	9.590	74.00	22.41	PK	Horizo	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4954.69	27.9	37.08	9.160	54.00	16.92	AV	Horizo	PASS
2	5150.00	34.4	43.96	9.590	54.00	10.04	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5128.13	49.2	58.77	9.540	74.00	15.23	PK	Vertic	PASS
2	5150.00	43.6	53.21	9.590	74.00	20.79	PK	Vertic	PASS




Transmit at 5210MHz by 802.11ac(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4949.06	27.8	36.92	9.130	54.00	17.08	AV	Vertic	PASS
2	5150.00	33.6	43.18	9.590	54.00	10.82	AV	Vertic	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	39.1	48.51	9.460	74.00	25.49	PK	Horizo	PASS
2	5377.60	48.9	58.50	9.560	74.00	15.50	PK	Horizo	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	31.9	41.31	9.460	54.00	12.69	AV	Horizo	PASS
2	5364.56	32.4	41.88	9.500	54.00	12.12	AV	Horizo	PASS

Transmit at 5290MHz by 802.11ac(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	41.8	51.27	9.460	74.00	22.73	PK	Vertic	PASS
2	5364.50	54.1	63.63	9.500	74.00	10.37	PK	Vertic	PASS


Transmit at 5290MHz by 802.11ac(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5350.00	33.1	42.52	9.460	54.00	11.48	AV	Vertic	PASS
2	5366.18	35.4	44.96	9.520	54.00	9.04	AV	Vertic	PASS


Transmit at 5530MHz by 802.11ac(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5443.65	54.1	63.86	9.750	74.00	10.14	PK	Horizo	PASS
2	5460.00	47.4	57.15	9.800	68.30	11.15	PK	Horizo	PASS




Transmit at 5530MHz by 802.11ac(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5446.31	33.4	43.11	9.750	54.00	10.89	AV	Horizo	PASS
2	5460.00	31.7	41.46	9.800	54.00	12.54	AV	Horizo	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5449.15	56.2	66.00	9.760	74.00	8.00	PK	Vertic	PASS
2	5460.00	50.6	60.43	9.800	68.30	7.87	PK	Vertic	PASS

Transmit at 5530MHz by 802.11ac(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5431.10	32.0	41.76	9.720	54.00	12.24	AV	Vertic	PASS
2	5460.00	33.8	43.55	9.800	54.00	10.45	AV	Vertic	PASS


Transmit at 5610MHz by 802.11ac(80MHz) with Ant MIMO



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	36.8	46.63	9.820	68.30	21.67	PK	Horizo	PASS
2	5725.00	44.9	56.26	11.350	68.30	12.04	PK	Horizo	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5403.59	27.2	36.87	9.650	54.00	17.13	AV	Horizo	PASS
2	5460.00	26.8	36.56	9.800	54.00	17.44	AV	Horizo	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant MIMO




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5470.00	38.1	47.93	9.820	68.30	20.37	PK	Vertic	PASS
2	5725.00	45.0	56.33	11.350	68.30	11.97	PK	Vertic	PASS

Transmit at 5610MHz by 802.11ac(80MHz) with Ant MIMO



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5392.23	27.4	37.00	9.610	54.00	17.00	AV	Vertic	PASS
2	5460.00	27.2	36.97	9.800	54.00	17.03	AV	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5143.13	45.3	54.91	9.580	74.00	19.09	PK	Horizo	PASS
2	5150.00	39.7	49.24	9.590	74.00	24.76	PK	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5022.84	28.7	38.16	9.450	54.00	15.84	AV	Horizo	PASS
2	5150.00	32.4	41.95	9.590	54.00	12.05	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5116.97	47.5	57.00	9.520	74.00	17.00	PK	Vertic	PASS
2	5150.00	45.2	54.75	9.590	74.00	19.25	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant MIMO



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4933.97	27.6	36.65	9.060	54.00	17.35	AV	Vertic	PASS
2	5150.00	35.5	45.06	9.590	54.00	8.94	AV	Vertic	PASS