

RETLIF TESTING LABORATORIES

TABULAR DATA SHEET

Test Method:

Fundamental Field Strength

Customer:

Photo Control Corporation

Job No:

R-4529N1

Test Sample:

Photographic Flash unit w/ RF transceiver

Model No:

LH52K-M

Serial No:

4820

Test Specification:

FCC Part 15, Subpart C

Paragraph: 15.231(b)

Operating Mode:

Continuously Transmitting

Technician:

T. Hannemann

Date:

12/21/2005

Notes:

Corrected peak readings meet peak limit (20dB above average limit) per 15.35

[illegible]

RETLIF TESTING LABORATORIES

TABULAR DATA SHEET

Test Method:

Spurious Emissions 30MHz to 3.6GHz

Customer:

Photo Control Corporation

Job No:

R-4529N1

Test Sample:

Photographic Flash unit w/ RF transceiver

Model No:

LH52K-M

Serial No:

4820

Test Specification:

FCC Part 15, Subpart C

Paragraph: 15.231(b)

Operating Mode:

Continuously Transmitting

Technician:

T. Hannemann

Date:

12/21/2005

Notes:

Fundamental Frequency: 344.033661 MHz

[illegible]

RETLIF TESTING LABORATORIES

TABULAR DATA SHEET

Test Method:	Spurious Emissions 30MHz to 3.6GHz		
Customer:	Photo Control Corporation	Job No:	R-4529N1
Test Sample:	Photographic Flash unit w/ RF transceiver		
Model No:	LH52K-M	Serial No:	4820
Test Specification:	FCC Part 15, Subpart C Paragraph: 15.231(b)		
Operating Mode:	Continuously Transmitting		
Technician:	T. Hannemann	Date:	12/21/2005
Notes:	Fundamental Frequency: 349.6843687 MHz		

[illegible]

RETLIF TESTING LABORATORIES

TABULAR DATA SHEET

Test Method:

Spurious Emissions 30MHz to 3.6GHz

Customer:

Photo Control Corporation

Job No:

R-4529N1

Test Sample:

Photographic Flash unit w/ RF transceiver

Model No:

LH52K-M

Serial No:

4820

Test Specification:

FCC Part 15, Subpart C

Paragraph: 15.231(b)

Operating Mode:

Continuously Transmitting

Technician:

T. Hannemann

Date:

12/21/2005

Notes:


Fundamental Frequency: 354.1232465 MHz

[illegible]

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:		Occupied Bandwidth	
Customer:		Photo Control Corporation	
Model No:		LH52K-M	Test Sample:
Serial No:		4820	Photographic Flash unit w/ RF transceiver
FCC Part 15, Subpart C		Job No:	
Continuously Transmitting		R-4529N1	
Notes:		Date:	
		12/20/2006	
Test Specification:		Technician:	
		T. Hammemann	




Date: 20.DEC.2005 11:22:03

R-4529N1

RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:		Occupied Bandwidth	
Customer:	Photo Control Corporation	Test Sample:	Photographic Flash unit w/ RF transceiver
Model No:	LH52K-M	Serial No:	4820
Test Specification:	FCC Part 15, Subpart C		15.231(c)
Operating Mode:	Continuously Transmitting		
Notes:			



RETLIF TESTING LABORATORIES

EMISSIONS DATA SHEET

Test Method:		Occupied Bandwidth	
Customer:		Photo Control Corporation	
Model No:		LH52K-M	
Test Specification:		FCC Part 15, Subpart C	
Operating Mode:		Continuously Transmitting	
Notes:			
Test Sample:		Photographic Flash unit w/ RF transceiver	
Serial No:		4820	
Date:		12/20/2006	
Job No:		R-4529N1	
Technician:		T. Hammemann	
Date:		12/20/2006	

