







Band12 1.4MHz QPSK RB1 0 CH23017 below 18G




Band12 1.4MHz QPSK RB1 0 CH23095 below 18G




Band12 1.4MHz QPSK RB1 0 CH23173 below 18G



Band12 3MHz QPSK RB1 0 CH23025 below 18G



Band12 3MHz QPSK RB1 0 CH23095 below 18G




Band12 3MHz QPSK RB1 0 CH23165 below 18G


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Band12 5MHz QPSK RB1 0 CH23035 below 18G




Band12 5MHz QPSK RB1 0 CH23095 below 18G




Band12 5MHz QPSK RB1 0 CH23155 below 18G



Band12 10MHz QPSK RB1 0 CH23060 below 18G



Band12 10MHz QPSK RB1 0 CH23095 below 18G




Band12 10MHz QPSK RB1 0 CH23130 below 18G


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Band13 5MHz QPSK RB1 0 CH23205 below 18G



Band13 5MHz QPSK RB1 0 CH23230 below 18G



Band13 5MHz QPSK RB1 0 CH23255 below 18G



Band13 10MHz QPSK RB1 0 CH23230 below 18G

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.5 Field Strength Of Spurious Radiation

Report Number :TERF2605001879ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
31.94	-52.73	-34.32	-17.09	-1.32	-13.00	-39.73
52.31	-67.95	-51.90	-14.45	-1.60	-13.00	-54.95
101.78	-66.66	-60.56	-3.92	-2.18	-13.00	-53.66
165.80	-73.41	-66.95	-3.70	-2.76	-13.00	-60.41
561.56	-71.80	-68.14	1.46	-5.12	-13.00	-58.80
933.07	-68.74	-62.77	0.71	-6.68	-13.00	-55.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001879ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-51.18	-32.76	-17.09	-1.32	-13.00	-38.18
36.79	-64.01	-46.22	-16.42	-1.38	-13.00	-51.01
48.43	-69.62	-52.88	-15.19	-1.55	-13.00	-56.62
101.78	-76.07	-69.98	-3.92	-2.18	-13.00	-63.07
781.75	-72.96	-67.46	0.64	-6.14	-13.00	-59.96
978.66	-70.81	-64.78	0.79	-6.83	-13.00	-57.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1732.5 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Vertical

Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-53.22	-34.81	-17.09	-1.32	-13.00	-40.22
36.79	-64.41	-46.61	-16.42	-1.38	-13.00	-51.41
52.31	-67.88	-51.82	-14.45	-1.60	-13.00	-54.88
101.78	-65.89	-59.80	-3.92	-2.18	-13.00	-52.89
609.09	-72.77	-68.26	0.83	-5.34	-13.00	-59.77
895.24	-69.20	-63.71	1.04	-6.53	-13.00	-56.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001879ER

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1732.5 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Horizontal

Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-51.80	-33.39	-17.09	-1.32	-13.00	-38.80
37.76	-63.61	-45.82	-16.40	-1.39	-13.00	-50.61
48.43	-70.90	-54.16	-15.19	-1.55	-13.00	-57.90
81.41	-74.92	-67.98	-4.97	-1.97	-13.00	-61.92
101.78	-76.43	-70.34	-3.92	-2.18	-13.00	-63.43
950.53	-71.50	-65.40	0.64	-6.74	-13.00	-58.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001879ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :836.5 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-52.53	-34.12	-17.09	-1.32	-13.00	-39.53
52.31	-67.88	-51.82	-14.45	-1.60	-13.00	-54.88
91.11	-69.59	-64.21	-3.31	-2.07	-13.00	-56.59
101.78	-70.70	-64.60	-3.92	-2.18	-13.00	-57.70
606.18	-72.20	-67.71	0.84	-5.32	-13.00	-59.20
991.27	-69.94	-63.96	0.91	-6.89	-13.00	-56.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :836.5 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-49.85	-31.43	-17.09	-1.32	-13.00	-36.85
37.76	-64.96	-47.16	-16.40	-1.39	-13.00	-51.96
48.43	-71.70	-54.96	-15.19	-1.55	-13.00	-58.70
89.17	-76.31	-70.78	-3.48	-2.05	-13.00	-63.31
595.51	-75.22	-70.93	1.00	-5.28	-13.00	-62.22
992.24	-70.56	-64.56	0.90	-6.89	-13.00	-57.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-52.67	-34.26	-17.09	-1.32	-13.00	-39.67
52.31	-69.25	-53.19	-14.45	-1.60	-13.00	-56.25
101.78	-69.98	-63.88	-3.92	-2.18	-13.00	-56.98
433.52	-73.20	-69.83	1.11	-4.48	-13.00	-60.20
563.50	-71.98	-68.30	1.46	-5.13	-13.00	-58.98
935.01	-68.86	-62.90	0.73	-6.69	-13.00	-55.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-48.86	-30.45	-17.09	-1.32	-13.00	-35.86
36.79	-65.26	-47.46	-16.42	-1.38	-13.00	-52.26
47.46	-71.27	-54.48	-15.26	-1.53	-13.00	-58.27
363.68	-76.92	-74.44	1.61	-4.09	-13.00	-63.92
563.50	-74.79	-71.11	1.46	-5.13	-13.00	-61.79
934.04	-70.83	-64.86	0.72	-6.68	-13.00	-57.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-51.40	-32.99	-17.09	-1.32	-13.00	-38.40
37.76	-65.38	-47.58	-16.40	-1.39	-13.00	-52.38
52.31	-65.91	-49.85	-14.45	-1.60	-13.00	-52.91
101.78	-68.10	-62.00	-3.92	-2.18	-13.00	-55.10
572.23	-72.54	-68.63	1.27	-5.19	-13.00	-59.54
928.22	-68.66	-62.67	0.66	-6.66	-13.00	-55.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
31.94	-49.10	-30.69	-17.09	-1.32	-13.00	-36.10
37.76	-65.03	-47.24	-16.40	-1.39	-13.00	-52.03
46.49	-71.29	-54.48	-15.29	-1.52	-13.00	-58.29
89.17	-77.69	-72.16	-3.48	-2.05	-13.00	-64.69
163.86	-78.19	-71.53	-3.91	-2.75	-13.00	-65.19
724.52	-72.70	-67.76	0.93	-5.87	-13.00	-59.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B2

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1855 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Vertical

Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3710.00	-55.65	-63.41	8.30	-0.54	-13.00	-42.65
5565.00	-55.21	-65.21	10.66	-0.67	-13.00	-42.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1855 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18672.00	-65.46	-65.54	17.80	-17.72	-13.00	-52.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B2

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1855 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Horizontal

Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3710.00	-57.56	-65.32	8.30	-0.54	-13.00	-44.56
5565.00	-54.68	-64.67	10.66	-0.67	-13.00	-41.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B2

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1855 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Horizontal

Engineer :Alex Li




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
18432.00	-64.89	-65.06	17.77	-17.60	-13.00	-51.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3760.00	-42.61	-50.40	8.34	-0.55	-13.00	-29.61
5640.00	-37.48	-47.46	10.64	-0.66	-13.00	-24.48
7500.00	-44.74	-56.21	12.20	-0.73	-13.00	-31.74
9375.00	-42.96	-55.65	13.45	-0.76	-13.00	-29.96
11250.00	-40.78	-53.09	13.20	-0.89	-13.00	-27.78
13125.00	-36.60	-49.46	13.75	-0.89	-13.00	-23.60
15000.00	-34.35	-47.19	13.80	-0.96	-13.00	-21.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B2

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1880 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Vertical

Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18050.00	-64.99	-65.25	17.62	-17.36	-13.00	-51.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1880 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3760.00	-34.24	-42.03	8.34	-0.55	-13.00	-21.24
5640.00	-45.60	-55.58	10.64	-0.66	-13.00	-32.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
Operation Mode :LTE B2
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1880 MHz

Test Site :SAC C
Test Date :2026-07-15
Temp./Humi. :24.3°C/56%
Antenna Pol. :Horizontal
Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18604.00	-69.15	-69.27	17.80	-17.68	-13.00	-56.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1905 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3810.00	-35.53	-43.47	8.50	-0.56	-13.00	-22.53
5715.00	-36.48	-46.49	10.66	-0.64	-13.00	-23.48
7620.00	-36.40	-47.82	12.14	-0.72	-13.00	-23.40
9525.00	-40.30	-52.94	13.45	-0.81	-13.00	-27.30
11430.00	-40.28	-52.67	13.20	-0.81	-13.00	-27.28
13335.00	-39.64	-52.41	13.67	-0.89	-13.00	-26.64
15240.00	-34.37	-47.30	13.90	-0.97	-13.00	-21.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2605001879ER
Operation Mode :LTE B2
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1905 MHz

Test Site :SAC C
Test Date :2026-07-15
Temp./Humi. :24.3°C/56%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18634.00	-64.87	-64.97	17.80	-17.70	-13.00	-51.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1905 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3810.00	-28.15	-36.09	8.50	-0.56	-13.00	-15.15
5715.00	-39.76	-49.78	10.66	-0.64	-13.00	-26.76
7620.00	-41.27	-52.69	12.14	-0.72	-13.00	-28.27
9525.00	-39.47	-52.11	13.45	-0.81	-13.00	-26.47
11430.00	-39.24	-51.63	13.20	-0.81	-13.00	-26.24
13335.00	-41.69	-54.47	13.67	-0.89	-13.00	-28.69
15240.00	-40.35	-53.28	13.90	-0.97	-13.00	-27.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
Operation Mode :LTE B2
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1905 MHz

Test Site :SAC C
Test Date :2026-07-15
Temp./Humi. :24.3°C/56%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18848.00	-69.29	-69.30	17.80	-17.79	-13.00	-56.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1715 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Vertical

Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3430.00	-42.37	-50.08	8.24	-0.53	-13.00	-29.37
5145.00	-41.51	-50.71	9.85	-0.64	-13.00	-28.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2605001879ER
Operation Mode :LTE B4
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1715 MHz

Test Site :SAC C
Test Date :2026-07-15
Temp./Humi. :24.3°C/56%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18002.00	-64.63	-64.93	17.60	-17.30	-13.00	-51.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1715 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3430.00	-33.15	-40.86	8.24	-0.53	-13.00	-20.15
5145.00	-44.00	-53.21	9.85	-0.64	-13.00	-31.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
Operation Mode :LTE B4
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1715 MHz

Test Site :SAC C
Test Date :2026-07-15
Temp./Humi. :24.3°C/56%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
19222.00	-68.76	-68.75	17.98	-17.98	-13.00	-55.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Test Site :SAC C

Operation Mode :LTE B4

Test Date :2026-07-15

Test Mode :Tx


Temp./Humi. :24.3°C/56%

EUT Pol :E2 Plane

Antenna Pol. :Vertical

Test Frequency :1732.5 MHz

Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
2139.00	-47.82	-52.52	5.10	-0.41	-13.00	-34.82
3465.00	-46.18	-54.12	8.49	-0.55	-13.00	-33.18
5197.50	-46.03	-55.18	9.80	-0.65	-13.00	-33.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1732.5 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Vertical

Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
19040.00	-69.99	-69.92	17.83	-17.90	-13.00	-56.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1732.5 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Horizontal

Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3465.00	-31.67	-39.62	8.49	-0.55	-13.00	-18.67
5197.50	-44.68	-53.83	9.80	-0.65	-13.00	-31.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1732.5 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18852.00	-68.68	-68.69	17.80	-17.79	-13.00	-55.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1750 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Vertical

Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
2156.00	-41.15	-45.90	5.16	-0.41	-13.00	-28.15
3500.00	-46.22	-54.36	8.70	-0.56	-13.00	-33.22
5250.00	-44.94	-54.19	9.90	-0.64	-13.00	-31.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B4

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1750 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Vertical

Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18152.00	-70.07	-70.29	17.66	-17.44	-13.00	-57.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1750 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
3500.00	-40.35	-48.49	8.70	-0.56	-13.00	-27.35
5250.00	-49.57	-58.83	9.90	-0.64	-13.00	-36.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
Operation Mode :LTE B4
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1750 MHz

Test Site :SAC C
Test Date :2026-07-15
Temp./Humi. :24.3°C/56%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
18052.00	-69.44	-69.70	17.62	-17.36	-13.00	-56.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Test Site :SAC C

Operation Mode :LTE B5

Test Date :2026-07-15

Test Mode :Tx


Temp./Humi. :24.3°C/56%

EUT Pol :E2 Plane

Antenna Pol. :Vertical

Test Frequency :829 MHz

Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1658.00	-52.48	-58.03	5.90	-0.35	-13.00	-39.48
2487.00	-56.94	-62.37	5.87	-0.44	-13.00	-43.94
3295.00	-52.10	-59.46	7.86	-0.50	-13.00	-39.10
4123.00	-49.64	-57.85	8.79	-0.58	-13.00	-36.64
4951.00	-43.94	-53.22	9.90	-0.63	-13.00	-30.94
5770.00	-39.01	-49.12	10.76	-0.65	-13.00	-26.01
6598.00	-38.80	-49.34	11.20	-0.66	-13.00	-25.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :829 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1658.00	-51.61	-57.16	5.90	-0.35	-13.00	-38.61
2487.00	-53.28	-58.71	5.87	-0.44	-13.00	-40.28
4123.00	-52.90	-61.11	8.79	-0.58	-13.00	-39.90
4951.00	-42.53	-51.80	9.90	-0.63	-13.00	-29.53
5770.00	-39.01	-49.12	10.76	-0.65	-13.00	-26.01
6598.00	-46.39	-56.93	11.20	-0.66	-13.00	-33.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :836.5 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1673.00	-55.57	-61.12	5.90	-0.35	-13.00	-42.57
2509.50	-57.93	-63.39	5.90	-0.44	-13.00	-44.93
4159.00	-51.45	-59.80	8.94	-0.58	-13.00	-38.45
4996.00	-44.25	-53.60	9.99	-0.64	-13.00	-31.25
5824.00	-38.76	-48.84	10.75	-0.66	-13.00	-25.76
6661.00	-39.13	-49.71	11.28	-0.70	-13.00	-26.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :836.5 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1673.00	-51.05	-56.60	5.90	-0.35	-13.00	-38.05
2509.00	-47.87	-53.33	5.90	-0.44	-13.00	-34.87
4159.00	-52.34	-60.69	8.94	-0.58	-13.00	-39.34
4996.00	-38.91	-48.27	9.99	-0.64	-13.00	-25.91
5824.00	-37.18	-47.27	10.75	-0.66	-13.00	-24.18
6661.00	-46.05	-56.63	11.28	-0.70	-13.00	-33.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Test Site :SAC C

Operation Mode :LTE B5

Test Date :2026-07-15

Test Mode :Tx


Temp./Humi. :24.3°C/56%

EUT Pol :E2 Plane

Antenna Pol. :Vertical

Test Frequency :844 MHz

Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1688.00	-51.93	-57.48	5.90	-0.35	-13.00	-38.93
2532.00	-55.57	-61.13	6.00	-0.45	-13.00	-42.57
4195.00	-50.45	-58.95	9.08	-0.58	-13.00	-37.45
5041.00	-42.21	-51.89	10.33	-0.64	-13.00	-29.21
5878.00	-39.42	-49.49	10.74	-0.67	-13.00	-26.42
6715.00	-39.17	-49.62	11.17	-0.72	-13.00	-26.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B5
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :844 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1688.00	-50.84	-56.39	5.90	-0.35	-13.00	-37.84
2532.00	-55.91	-61.46	6.00	-0.45	-13.00	-42.91
3358.00	-51.54	-59.03	8.00	-0.51	-13.00	-38.54
4195.00	-52.35	-60.85	9.08	-0.58	-13.00	-39.35
5041.00	-37.22	-46.90	10.33	-0.64	-13.00	-24.22
5878.00	-40.43	-50.51	10.74	-0.67	-13.00	-27.43
6715.00	-46.10	-56.56	11.17	-0.72	-13.00	-33.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B12

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :704 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Vertical

Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1408.00	-57.75	-61.68	4.26	-0.33	-13.00	-44.75
2112.00	-57.22	-61.64	4.82	-0.40	-13.00	-44.22
4195.00	-50.95	-59.45	9.08	-0.58	-13.00	-37.95
4897.00	-51.07	-60.54	10.09	-0.62	-13.00	-38.07
5599.00	-43.49	-53.62	10.80	-0.67	-13.00	-30.49
6292.00	-42.38	-52.57	10.87	-0.68	-13.00	-29.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2605001879ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :704 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1408.00	-44.05	-47.98	4.26	-0.33	-13.00	-31.05
2112.00	-50.04	-54.46	4.82	-0.40	-13.00	-37.04
5599.00	-46.78	-56.91	10.80	-0.67	-13.00	-33.78
6292.00	-48.41	-58.59	10.87	-0.68	-13.00	-35.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
Operation Mode :LTE B12
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :707.5 MHz

Test Site :SAC C
Test Date :2026-07-15
Temp./Humi. :24.3°C/56%
Antenna Pol. :Vertical
Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1415.00	-55.81	-59.83	4.35	-0.33	-13.00	-42.81
2122.50	-57.98	-62.53	4.95	-0.40	-13.00	-44.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1415.00	-48.22	-52.23	4.35	-0.33	-13.00	-35.22
2122.00	-47.23	-51.77	4.94	-0.40	-13.00	-34.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER

Operation Mode :LTE B12

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :711 MHz


Test Site :SAC C

Test Date :2026-07-15

Temp./Humi. :24.3°C/56%

Antenna Pol. :Vertical

Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1422.00	-55.21	-59.32	4.44	-0.33	-13.00	-42.21
2133.00	-56.74	-61.43	5.10	-0.41	-13.00	-43.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :711 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1422.00	-47.56	-51.67	4.44	-0.33	-13.00	-34.56
2133.00	-50.93	-55.63	5.10	-0.41	-13.00	-37.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1564.00	-56.31	-62.36	6.40	-0.35	-40.00	-16.31
2346.00	-51.43	-56.50	5.50	-0.43	-13.00	-38.43
4663.00	-52.72	-61.72	9.63	-0.62	-13.00	-39.72
5446.00	-49.31	-59.06	10.40	-0.65	-13.00	-36.31
6220.00	-43.99	-53.96	10.64	-0.67	-13.00	-30.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
1564.00	-60.30	-66.35	6.40	-0.35	-40.00	-20.30
2346.00	-59.13	-64.20	5.50	-0.43	-13.00	-46.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
766.49	-85.52	-79.78	0.33	-6.06	-35.00	-50.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Vertical
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
796.38	-86.60	-81.18	0.73	-6.16	-35.00	-51.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
 Operation Mode :LTE B13
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :782 MHz

Test Site :SAC C
 Test Date :2026-07-15
 Temp./Humi. :24.3°C/56%
 Antenna Pol. :Horizontal
 Engineer :Alex Li




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
767.63	-86.28	-80.58	0.36	-6.06	-35.00	-51.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2605001879ER
Operation Mode :LTE B13
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :782 MHz

Test Site :SAC C
Test Date :2026-07-15
Temp./Humi. :24.3°C/56%
Antenna Pol. :Horizontal
Engineer :Alex Li



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
801.54	-86.99	-81.61	0.79	-6.17	-35.00	-51.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.6 Frequency Stability

Reference Freq.:	LTE B2 Mid Channel		1880.0000	MHz 10M QPSK CH 18900
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
Freq. ERROR vs. VOLTAGE				
4.4275	20	1879.999981	-0.0099	+/- 2.5 ppm
3.85	20	1880.000000	-0.0002	
3.2725	20	1879.999990	-0.0052	
3.2	20	1879.999986	-0.0072	
(End Point)				
Freq. ERROR vs. Temp.				
3.85	-30	1880.000019	0.0102	+/- 2.5 ppm
3.85	-20	1879.999991	-0.0048	
3.85	-10	1880.000005	0.0027	
3.85	0	1879.999999	-0.0007	
3.85	10	1880.000012	0.0062	
3.85	20	1880.000017	0.0089	
3.85	30	1880.000000	-0.0002	
3.85	40	1879.999999	-0.0004	
3.85	50	1879.999996	-0.0023	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Reference Freq.:	LTE B4 Mid Channel		1732.5000	MHz 10M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
Freq. ERROR vs. VOLTAGE				
4.4275	20	1732.499984	-0.0094	+/- 2.5 ppm
3.85	20	1732.500010	0.0055	
3.2725	20	1732.499998	-0.0009	
3.2	20	1732.499993	-0.0039	
(End Point)				
Freq. ERROR vs. Temp.				
3.85	-30	1732.500015	0.0088	+/- 2.5 ppm
3.85	-20	1732.500000	0.0001	
3.85	-10	1732.499998	-0.0013	
3.85	0	1732.500012	0.0071	
3.85	10	1732.500002	0.0011	
3.85	20	1732.500002	0.0010	
3.85	30	1732.500000	-0.0003	
3.85	40	1732.499996	-0.0024	
3.85	50	1732.499982	-0.0106	
Reference Freq.:	LTE B5 Mid Channel		836.5000	MHz 10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
Freq. ERROR vs. VOLTAGE				
4.4275	20	836.500001	0.0011	+/- 2.5 ppm
3.85	20	836.499992	-0.0096	
3.2725	20	836.500012	0.0146	
3.2	20	836.500008	0.0093	
(End Point)				
Freq. ERROR vs. Temp.				
3.85	-30	836.499994	-0.0077	+/- 2.5 ppm
3.85	-20	836.500003	0.0033	
3.85	-10	836.499991	-0.0105	
3.85	0	836.499985	-0.0175	
3.85	10	836.500020	0.0233	
3.85	20	836.500018	0.0220	
3.85	30	836.500004	0.0053	
3.85	40	836.499986	-0.0170	
3.85	50	836.500004	0.0045	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Reference Freq.:	LTE B12 Mid Channel		707.5000	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
Freq. ERROR vs. VOLTAGE				
4.4275	20	707.500016	0.0219	+/- 2.5 ppm
3.85	20	707.500014	0.0192	
3.2725	20	707.499999	-0.0020	
3.2	20	707.500019	0.0267	
(End Point)				
Freq. ERROR vs. Temp.				
3.85	-30	707.499990	-0.0143	+/- 2.5 ppm
3.85	-20	707.499997	-0.0045	
3.85	-10	707.500013	0.0181	
3.85	0	707.499998	-0.0035	
3.85	10	707.500007	0.0100	
3.85	20	707.500007	0.0099	
3.85	30	707.500000	-0.0006	
3.85	40	707.500012	0.0170	
3.85	50	707.500006	0.0086	
Reference Freq.:	LTE B13 Mid Channel		782.0000	MHz 10M QPSK CH 23230
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit
Freq. ERROR vs. VOLTAGE				
4.4275	20	781.999998	-0.0026	+/- 2.5 ppm
3.85	20	781.999993	-0.0092	
3.2725	20	781.999996	-0.0050	
3.2	20	782.000016	0.0201	
(End Point)				
Freq. ERROR vs. Temp.				
3.85	-30	782.000013	0.0162	+/- 2.5 ppm
3.85	-20	782.000010	0.0124	
3.85	-10	781.999989	-0.0145	
3.85	0	781.999987	-0.0173	
3.85	10	782.000009	0.0115	
3.85	20	781.999984	-0.0201	
3.85	30	782.000009	0.0116	
3.85	40	781.999994	-0.0077	
3.85	50	782.000015	0.0187	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7.7 Peak To Average Ratio

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		QPSK	Limit			QPSK	Limit
18607	1850.7	4.98	13	18615	1851.5	5.28	13
18900	1880.0	5.19	13	18900	1880.0	5.14	13
19193	1909.3	4.51	13	19185	1908.5	4.84	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		QPSK	Limit			QPSK	Limit
18625	1852.5	5.40	13	18650	1855.0	5.69	13
18900	1880.0	5.21	13	18900	1880.0	5.11	13
19175	1907.5	5.09	13	19150	1905.0	5.37	13

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		QPSK	Limit			QPSK	Limit
19957	1710.7	2.75	13	19965	1711.5	3.78	13
20175	1732.5	4.67	13	20175	1732.5	4.91	13
20393	1754.3	2.90	13	20385	1753.5	3.98	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		QPSK	Limit			QPSK	Limit
19975	1712.5	3.65	13	20000	1715.0	4.14	13
20175	1732.5	4.94	13	20175	1732.5	4.88	13
20375	1752.5	3.62	13	20350	1750.0	3.94	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

LTE BAND 5							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		QPSK	Limit			QPSK	Limit
20407	824.7	5.11	13	20415	825.5	5.22	13
20525	836.5	5.42	13	20525	836.5	5.62	13
20643	848.3	4.47	13	20635	847.5	4.93	13

LTE BAND 5							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		QPSK	Limit			QPSK	Limit
20425	826.5	5.48	13	20450	829.0	5.36	13
20525	836.5	5.41	13	20525	836.5	5.46	13
20625	846.5	5.07	13	20600	844.0	5.41	13

LTE BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		QPSK	Limit			QPSK	Limit
23017	699.7	5.68	13	23025	700.5	5.79	13
23095	707.5	5.90	13	23095	707.5	5.53	13
23173	715.3	5.79	13	23165	714.5	5.92	13

LTE BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		QPSK	Limit			QPSK	Limit
23035	701.5	5.64	13	23060	704.0	5.58	13
23095	707.5	5.68	13	23095	707.5	5.79	13
23155	713.5	5.93	13	23130	711.0	5.98	13

LTE BAND 13							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
CH	Freq. (MHz)	PAPR (dB)		CH	Freq. (MHz)	PAPR (dB)	
		QPSK	Limit			QPSK	Limit
23205	779.5	5.83	13	23230	782.0	5.76	13
23230	782.0	6.17	13				
23255	784.5	5.92	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



End of Report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.