

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<Adapter Mode>

Band Edges, 4.5GHz ~ 7GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5150.000	71.62	30.40	41.22	74.00	-2.38	100	64	Peak	Horizontal		
2	5180.000	117.86	76.62	41.24	68.20	49.66	100	64	Peak	Horizontal		
3	5361.000	55.98	14.46	41.52	74.00	-18.02	100	64	Peak	Horizontal		

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5140.000	70.20	29.00	41.20	74.00	-3.80	226	322	Peak	Vertical		
2	5180.000	117.22	75.98	41.24	68.20	49.02	226	322	Peak	Vertical		
3	5411.500	55.21	13.80	41.41	74.00	-18.79	226	322	Peak	Vertical		

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	51.75	10.53	41.22	54.00	-2.25	100	64	Average	Horizontal	
2	5180.000	100.34	67.10	41.24	54.00	54.34	100	64	Average	Horizontal	
3	5420.000	42.57	1.14	41.43	54.00	-11.43	100	64	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	51.07	9.85	41.22	54.00	-2.93	226	322	Average	Vertical	
2	5180.000	100.18	66.94	41.24	54.00	54.18	226	322	Average	Vertical	
3	5357.500	42.38	0.85	41.53	54.00	-11.62	226	322	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	68.34	27.12	41.22	74.00	-5.66	259	29 Peak	Horizontal	
2	* 5200.000	119.72	78.46	41.26	68.28	51.52	259	29 Peak	Horizontal	
3	5426.000	55.72	14.27	41.45	74.00	-18.28	259	29 Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.500	71.68	38.46	41.22	74.00	-2.32	249	322 Peak	Vertical	
2	* 5200.000	118.64	77.38	41.26	68.28	50.44	249	322 Peak	Vertical	
3	5370.500	56.47	14.99	41.48	74.00	-17.53	249	322 Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.000	49.97	8.78	41.19	54.00	-4.03	259	29	Average	Horizontal	
2	* 5200.000	118.00	68.74	41.26	54.00	56.00	259	29	Average	Horizontal	
3	5358.500	43.99	2.46	41.53	54.00	-10.01	259	29	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.500	51.26	10.04	41.22	54.00	-2.74	249	322	Average	Vertical	
2	* 5200.000	109.91	68.65	41.26	54.00	55.91	249	322	Average	Vertical	
3	5357.500	42.57	1.04	41.53	54.00	-11.43	249	322	Average	Vertical	


802.11a

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.000	67.13	25.96	41.17	74.00	-6.87	100	66	Peak	Horizontal	
2 *	5240.000	121.99	80.79	41.20	68.20	53.79	100	66	Peak	Horizontal	
3	5352.500	60.22	18.68	41.54	74.00	-13.78	100	66	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.000	64.69	23.48	41.21	74.00	-9.31	258	325	Peak	VERTICAL	
2 *	5240.000	120.14	78.94	41.20	68.20	51.94	258	325	Peak	VERTICAL	
3	5354.000	57.83	16.30	41.53	74.00	-16.17	258	325	Peak	VERTICAL	

802.11a

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.000	50.25	9.04	41.21	54.00	-3.75	100	66	Average	Horizontal	
2	* 5240.000	111.49	70.29	41.20	54.00	57.49	100	66	Average	Horizontal	
3	5352.500	44.19	2.65	41.54	54.00	-9.81	100	66	Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.500	49.99	8.78	41.21	54.00	-4.01	258	325	Average	VERTICAL	
2	* 5240.000	110.41	69.21	41.20	54.00	56.41	258	325	Average	VERTICAL	
3	5353.500	44.25	2.71	41.54	54.00	-9.75	258	325	Average	VERTICAL	

802.11be EHT20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.000	69.50	28.34	41.16	74.00	-4.50	286	348	Peak	Horizontal	
2	5180.000	119.00	77.76	41.24	68.20	50.80	286	348	Peak	Horizontal	
3	5390.500	55.32	13.90	41.42	74.00	-18.68	286	340	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.500	71.18	29.98	41.20	74.00	-2.82	225	322	Peak	Vertical	
2	5180.000	118.68	77.44	41.24	68.20	50.48	225	322	Peak	Vertical	
3	5442.000	55.73	14.24	41.49	74.00	-18.27	225	322	Peak	Vertical	


	Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.000	49.03	7.81	41.22	54.00	-4.97	334	310	Average	Vertical
2	5200.000	101.05	59.79	41.26	54.00	47.05	334	310	Average	Vertical
3	5355.500	42.11	0.58	41.53	54.00	-11.89	334	310	Average	Vertical

802.11be EHT20

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5139.000	57.83	16.70	41.13	74.00	-16.17	345	347	Peak	Horizontal	
2 *	5240.000	118.75	77.55	41.20	68.20	50.55	345	347	Peak	Horizontal	
3	5443.000	55.72	14.22	41.50	74.00	-18.28	345	347	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	59.88	18.66	41.22	74.00	-14.12	313	315	Peak	Vertical	
2 *	5240.000	118.64	77.44	41.20	68.20	50.44	313	315	Peak	Vertical	
3	5370.000	56.01	14.53	41.48	74.00	-17.99	313	315	Peak	Vertical	

802.11be EHT20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.000	44.67	3.45	41.22	54.00	-9.33	345	347	Average	Horizontal	
2	* 5240.000	103.37	62.17	41.20	54.00	49.37	345	347	Average	Horizontal	
3	5360.000	43.39	1.87	41.52	54.00	-10.61	345	347	Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5150.000	45.19	3.97	41.22	54.00	-8.81	313	315	Average	Vertical	
2	* 5240.000	101.50	60.30	41.20	54.00	47.50	313	315	Average	Vertical	
3	5360.000	43.10	1.58	41.52	54.00	-10.90	313	315	Average	Vertical	


802.11be EHT40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.786	66.41	25.19	41.22	74.00	-7.59	247	331	Peak	Horizontal	
2 *	5190.000	114.69	73.44	41.25	68.20	46.49	247	331	Peak	Horizontal	
3	5379.412	55.57	14.12	41.45	74.00	-18.43	247	331	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5147.941	62.62	21.42	41.20	74.00	-11.38	356	310	Peak	Vertical	
2 *	5190.000	112.13	70.88	41.25	68.20	43.93	356	310	Peak	Vertical	
3	5375.588	55.41	13.94	41.47	74.00	-18.59	356	310	Peak	Vertical	

802.11be EHT40

CH 38 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




		Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	!	5150.000	52.16	10.94	41.22	54.00	-1.84	247	331	Average	Horizontal	
2	*	5190.000	103.63	62.38	41.25	54.00	49.63	247	331	Average	Horizontal	
3		5350.000	43.75	2.20	41.55	54.00	-10.25	247	331	Average	Horizontal	

802.11be EHT40

CH 46 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.176	69.47	28.36	41.11	74.00	-4.53	281	332	Peak	Horizontal	
2	5230.000	115.58	74.37	41.21	68.20	47.38	281	332	Peak	Horizontal	
3	5350.441	59.56	18.01	41.55	74.00	-14.44	281	332	Peak	Horizontal	

CH 46 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.000	65.68	24.50	41.18	74.00	-8.32	370	310	Peak	Vertical	
2	5230.000	112.57	71.36	41.21	68.20	44.37	370	310	Peak	Vertical	
3	5350.882	57.46	15.91	41.55	74.00	-16.54	370	310	Peak	Vertical	

802.11be EHT40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.765	51.82	10.63	41.19	54.00	-2.18	281	332	Average	Horizontal	
2	5230.000	104.90	63.69	41.21	54.00	50.90	281	332	Average	Horizontal	
3	5353.529	45.80	4.26	41.54	54.00	-8.20	281	332	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.412	49.03	7.81	41.22	54.00	-4.97	370	310	Average	Vertical	
2	5230.000	101.70	60.49	41.21	54.00	47.70	370	310	Average	Vertical	
3	5350.882	45.07	3.52	41.55	54.00	-8.93	370	310	Average	Vertical	


802.11be EHT80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.000	63.57	22.35	41.22	74.00	-10.43	270	338	Peak	Horizontal	
2	5210.000	107.53	66.29	41.24	68.20	39.33	270	338	Peak	Horizontal	
3	5393.000	54.69	13.28	41.41	74.00	-19.31	270	338	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5117.500	62.90	21.06	40.94	74.00	-11.10	339	326	Peak	Vertical	
2	5210.000	104.56	63.32	41.24	68.20	36.36	339	326	Peak	Vertical	
3	5432.000	55.25	13.79	41.46	74.00	-18.75	339	326	Peak	Vertical	

802.11be EHT80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.500	51.79	10.61	41.18	54.00	-2.21	270	338	Average	Horizontal	
2	5210.000	96.85	55.61	41.24	54.00	42.85	270	338	Average	Horizontal	
3	5358.000	43.20	1.67	41.53	54.00	-10.80	270	338	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.500	49.66	8.55	41.11	54.00	-4.34	339	326	Average	Vertical	
2	5210.000	93.93	52.69	41.24	54.00	39.93	339	326	Average	Vertical	
3	5382.500	42.98	1.54	41.44	54.00	-11.02	339	326	Average	Vertical	

Mask, 4.5GHz ~ 7GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5642.500	65.36	23.66	41.70	68.20	-2.84	100	106	Peak	Horizontal		
2	5700.000	83.33	41.46	41.87	105.20	-21.87	100	106	Peak	Horizontal		
3	5720.000	96.01	54.17	41.84	110.80	-14.79	100	106	Peak	Horizontal		
4	5723.000	101.81	59.97	41.84	125.32	-23.51	100	106	Peak	Horizontal		
5	5745.000	122.11	80.30	41.81	135.00	-12.89	100	106	Peak	Horizontal		
6	5851.500	65.66	23.60	41.90	127.74	-62.00	100	106	Peak	Horizontal		
7	5858.500	62.16	20.16	42.00	109.02	-47.66	100	106	Peak	Horizontal		
8	5880.500	58.26	16.16	42.10	101.11	-42.85	100	106	Peak	Horizontal		
9	5984.000	57.94	15.55	42.39	68.20	-10.26	100	106	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5650.000	61.49	19.75	41.74	68.20	-6.71	287	187	Peak	Vertical		
2	5698.500	77.40	35.53	41.87	104.00	-26.69	287	187	Peak	Vertical		
3	5720.000	92.25	50.41	41.84	110.80	-18.55	287	187	Peak	Vertical		
4	5721.000	94.35	52.51	41.84	115.64	-21.29	287	187	Peak	Vertical		
5	5745.000	119.10	77.29	41.81	135.00	-15.90	287	187	Peak	Vertical		
6	5851.500	59.33	17.35	41.90	127.74	-60.41	287	187	Peak	Vertical		
7	5858.000	59.64	17.64	42.00	109.96	-50.32	287	187	Peak	Vertical		
8	5879.500	58.81	16.71	42.10	101.86	-43.05	287	187	Peak	Vertical		
9	5966.500	56.50	14.19	42.31	68.20	-11.70	287	187	Peak	Vertical		

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.000	57.80	16.06	41.74	68.20	-10.40	305	253 Peak	Horizontal	
2	5699.000	69.33	27.46	41.87	104.46	-35.13	305	253 Peak	Horizontal	
3	5720.000	77.21	35.37	41.84	110.80	-33.59	305	253 Peak	Horizontal	
4	5720.500	79.10	37.26	41.84	113.22	-34.12	305	253 Peak	Horizontal	
5	5785.000	122.82	88.93	41.89	135.00	-12.18	305	253 Peak	Horizontal	
6	5854.000	72.97	30.90	41.99	115.64	-42.67	305	253 Peak	Horizontal	
7	5859.000	74.96	32.97	42.01	109.68	-34.70	305	253 Peak	Horizontal	
8	5877.500	70.12	28.03	42.09	103.34	-33.22	305	253 Peak	Horizontal	
9	5929.500	60.21	17.99	42.22	68.20	-7.99	305	253 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5638.000	60.61	18.93	41.68	68.20	-7.59	301	360 Peak	Vertical	
2	5699.500	70.35	28.48	41.87	104.83	-34.48	301	360 Peak	Vertical	
3	5716.500	73.99	32.14	41.85	109.82	-35.83	301	360 Peak	Vertical	
4	5724.500	72.55	30.71	41.84	132.58	-60.03	301	360 Peak	Vertical	
5	5785.000	119.09	77.20	41.89	135.00	-15.91	301	360 Peak	Vertical	
6	5850.000	68.41	26.44	41.97	135.00	-60.59	301	360 Peak	Vertical	
7	5857.000	71.72	29.72	42.00	110.24	-38.52	301	360 Peak	Vertical	
8	5877.000	66.11	24.02	42.09	103.71	-37.60	301	360 Peak	Vertical	
9	5928.000	57.18	14.97	42.21	68.20	-11.02	301	360 Peak	Vertical	


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5586.500	57.65	16.12	41.53	68.20	-10.55	100	115 Peak	Horizontal	
2	5700.000	59.35	17.48	41.87	105.20	-45.85	100	115 Peak	Horizontal	
3	5717.500	61.95	20.11	41.84	110.10	-48.15	100	115 Peak	Horizontal	
4	5722.000	62.38	20.54	41.84	120.48	-58.10	100	115 Peak	Horizontal	
5	5825.000	121.67	79.72	41.95	135.00	-13.33	100	115 Peak	Horizontal	
6	5850.000	95.27	53.30	41.97	135.00	-39.73	100	115 Peak	Horizontal	
7	5856.500	93.28	51.28	42.00	110.38	-17.10	100	115 Peak	Horizontal	
8	5877.000	79.76	37.67	42.09	103.71	-23.95	100	115 Peak	Horizontal	
9	5925.500	64.10	21.89	42.21	68.20	-4.10	100	115 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5684.500	55.39	13.86	41.53	68.20	-12.81	242	10 Peak	Vertical	
2	5697.000	56.43	14.57	41.86	102.99	-46.56	242	10 Peak	Vertical	
3	5715.500	57.40	15.55	41.85	109.54	-52.14	242	10 Peak	Vertical	
4	5722.000	58.86	17.02	41.84	120.48	-61.62	242	10 Peak	Vertical	
5	5825.000	119.67	77.92	41.95	135.00	-15.13	242	10 Peak	Vertical	
6	5853.500	89.48	47.50	41.98	118.06	-20.58	242	10 Peak	Vertical	
7	5855.000	84.78	42.79	41.99	110.80	-26.02	242	10 Peak	Vertical	
8	5875.000	75.19	33.11	42.08	105.20	-30.01	242	10 Peak	Vertical	
9	5925.500	60.16	17.95	42.21	68.20	-8.04	242	10 Peak	Vertical	

802.11be EHT20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.000	60.89	19.15	41.74	60.20	-7.31	100	101 Peak	Horizontal	
2	5698.000	75.85	33.98	41.87	104.09	-28.24	100	101 Peak	Horizontal	
3	5720.000	88.56	46.72	41.84	110.80	-22.24	100	101 Peak	Horizontal	
4	5724.500	94.38	52.54	41.84	132.58	-38.20	100	101 Peak	Horizontal	
5	5745.000	123.13	81.32	41.81	135.00	-11.87	100	101 Peak	Horizontal	
6	5852.000	58.75	16.77	41.98	125.32	-66.57	100	101 Peak	Horizontal	
7	5865.000	58.48	16.45	42.03	108.00	-49.52	100	101 Peak	Horizontal	
8	5907.000	58.25	16.05	42.20	81.48	-23.23	100	101 Peak	Horizontal	
9	5944.500	57.82	15.59	42.23	68.20	-10.38	100	101 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5647.500	57.39	15.66	41.73	68.20	-10.81	269	343 Peak	Vertical	
2	5698.000	69.98	28.11	41.87	103.73	-33.75	269	343 Peak	Vertical	
3	5718.000	80.47	38.63	41.84	110.24	-29.77	269	343 Peak	Vertical	
4	5722.000	89.31	47.47	41.84	120.48	-31.17	269	343 Peak	Vertical	
5	5745.000	118.69	76.88	41.81	135.00	-16.31	269	343 Peak	Vertical	
6	5852.000	57.22	15.24	41.98	122.90	-65.68	269	343 Peak	Vertical	
7	5871.000	57.47	15.41	42.06	106.32	-48.85	269	343 Peak	Vertical	
8	5887.500	57.70	15.56	42.14	95.92	-38.22	269	343 Peak	Vertical	
9	5949.500	57.02	14.79	42.23	68.20	-11.18	269	343 Peak	Vertical	


802.11be EHT20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5632.500	56.94	15.28	41.66	68.20	-11.26	100	104 Peak	Horizontal	
2	5699.000	62.99	21.12	41.87	104.46	-41.47	100	104 Peak	Horizontal	
3	5718.500	66.63	24.79	41.84	110.38	-43.75	100	104 Peak	Horizontal	
4	5723.000	69.64	27.80	41.84	125.32	-55.68	100	104 Peak	Horizontal	
5	5785.000	122.76	88.87	41.89	135.00	-12.24	100	104 Peak	Horizontal	
6	5852.500	72.67	30.69	41.98	122.90	-50.23	100	104 Peak	Horizontal	
7	5868.000	66.01	23.96	42.05	107.16	-41.15	100	104 Peak	Horizontal	
8	5883.000	59.17	17.05	42.12	99.26	-40.09	100	104 Peak	Horizontal	
9	5984.500	58.37	15.98	42.39	68.20	-9.83	100	104 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5549.000	56.21	14.63	41.58	68.20	-11.99	251	345 Peak	Vertical	
2	5697.500	58.68	16.82	41.86	103.36	-44.68	251	345 Peak	Vertical	
3	5712.500	65.08	23.22	41.86	108.70	-43.62	251	345 Peak	Vertical	
4	5723.000	65.47	23.63	41.84	125.32	-59.85	251	345 Peak	Vertical	
5	5785.000	120.54	78.65	41.89	135.00	-14.46	251	345 Peak	Vertical	
6	5851.500	62.59	20.61	41.98	127.74	-65.15	251	345 Peak	Vertical	
7	5856.000	61.79	19.80	41.99	110.52	-48.73	251	345 Peak	Vertical	
8	5877.000	59.15	17.06	42.09	103.71	-44.56	251	345 Peak	Vertical	
9	5952.500	57.30	15.06	42.24	68.20	-10.90	251	345 Peak	Vertical	

802.11be EHT20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5595.000	56.85	15.34	41.51	68.20	-11.35	100	104 Peak	Horizontal	
2	5694.500	57.33	15.47	41.86	101.15	-43.82	100	104 Peak	Horizontal	
3	5719.000	60.07	18.23	41.84	110.52	-50.45	100	104 Peak	Horizontal	
4	5724.000	60.07	18.23	41.84	130.16	-70.09	100	104 Peak	Horizontal	
5	5825.000	123.74	81.79	41.95	135.00	-11.26	100	104 Peak	Horizontal	
6	5850.000	66.70	44.73	41.97	135.00	-40.30	100	104 Peak	Horizontal	
7	5857.500	84.63	42.63	42.00	110.10	-25.47	100	104 Peak	Horizontal	
8	5877.500	75.60	33.51	42.09	103.34	-27.74	100	104 Peak	Horizontal	
9	5928.000	59.75	17.54	42.21	68.20	-8.45	100	104 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5585.000	56.77	15.24	41.53	68.20	-11.43	311	342 Peak	Vertical	
2	5660.000	55.66	13.89	41.77	75.63	-19.97	311	342 Peak	Vertical	
3	5707.000	55.70	13.83	41.87	107.16	-51.46	311	342 Peak	Vertical	
4	5724.500	56.89	15.05	41.84	132.58	-75.69	311	342 Peak	Vertical	
5	5825.000	118.46	76.51	41.95	135.00	-16.54	311	342 Peak	Vertical	
6	5852.000	54.51	42.53	41.90	125.32	-40.81	311	342 Peak	Vertical	
7	5850.000	76.72	34.72	42.00	109.96	-33.24	311	342 Peak	Vertical	
8	5878.000	68.66	26.57	42.09	102.97	-34.31	311	342 Peak	Vertical	
9	5974.500	57.45	15.11	42.34	68.20	-10.75	311	342 Peak	Vertical	