


802.11be EHT40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.000	66.35	24.62	41.73	68.20	-1.85	100	22 Peak	Horizontal	
2	5699.000	76.72	34.85	41.87	104.46	-27.74	100	22 Peak	Horizontal	
3	5717.500	87.80	45.96	41.84	110.10	-22.30	100	22 Peak	Horizontal	
4	5724.000	89.94	48.10	41.84	130.16	-40.22	100	22 Peak	Horizontal	
5	5755.000	118.83	77.01	41.82	135.00	-16.17	100	22 Peak	Horizontal	
6	5852.000	66.54	24.56	41.98	125.32	-58.78	100	22 Peak	Horizontal	
7	5856.000	67.33	25.34	41.99	118.52	-43.19	100	22 Peak	Horizontal	
8	5878.500	62.91	20.82	42.09	102.60	-39.69	100	22 Peak	Horizontal	
9	5932.500	57.10	14.88	42.22	68.20	-11.10	100	22 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5650.000	61.77	20.03	41.74	68.20	-6.43	327	36 Peak	Vertical	
2	5699.000	71.54	29.67	41.87	104.46	-32.92	327	36 Peak	Vertical	
3	5719.500	82.04	40.20	41.84	110.66	-28.62	327	36 Peak	Vertical	
4	5724.000	83.72	41.88	41.84	130.16	-46.44	327	36 Peak	Vertical	
5	5755.000	113.88	72.06	41.82	135.00	-21.12	327	36 Peak	Vertical	
6	5850.000	62.62	20.65	41.97	135.00	-72.38	327	36 Peak	Vertical	
7	5857.500	62.23	20.23	42.00	110.10	-47.87	327	36 Peak	Vertical	
8	5878.000	59.53	17.44	42.09	102.97	-43.44	327	36 Peak	Vertical	
9	5964.000	56.08	13.78	42.30	68.20	-12.12	327	36 Peak	Vertical	

802.11be EHT40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.500	58.81	17.08	41.73	68.20	-9.39	100	19 Peak	Horizontal	
2	5697.500	68.52	26.66	41.86	103.36	-34.84	100	19 Peak	Horizontal	
3	5718.000	72.06	30.22	41.84	110.24	-38.18	100	19 Peak	Horizontal	
4	5723.000	72.81	30.97	41.84	125.32	-52.51	100	19 Peak	Horizontal	
5	5795.000	118.80	76.88	41.92	135.00	-16.20	100	19 Peak	Horizontal	
6	5852.500	76.80	34.32	41.98	122.90	-46.10	100	19 Peak	Horizontal	
7	5858.000	75.55	33.55	42.00	109.96	-34.41	100	19 Peak	Horizontal	
8	5878.000	70.70	28.61	42.09	102.97	-32.27	100	19 Peak	Horizontal	
9	5927.500	61.03	18.82	42.21	68.20	-7.17	100	19 Peak	Horizontal	

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.000	57.50	15.78	41.72	68.20	-10.70	301	177 Peak	Vertical	
2	5696.000	65.91	24.05	41.86	102.25	-36.34	301	177 Peak	Vertical	
3	5710.500	67.65	25.79	41.86	108.14	-40.49	301	177 Peak	Vertical	
4	5720.500	68.97	27.13	41.84	113.22	-44.25	301	177 Peak	Vertical	
5	5795.000	116.27	74.35	41.92	135.00	-18.73	301	177 Peak	Vertical	
6	5854.500	71.16	29.17	41.99	113.22	-42.06	301	177 Peak	Vertical	
7	5855.000	71.10	29.11	41.99	110.80	-39.70	301	177 Peak	Vertical	
8	5875.000	64.04	21.96	42.08	105.20	-41.16	301	177 Peak	Vertical	
9	5930.500	57.45	15.23	42.22	68.20	-10.75	301	177 Peak	Vertical	


802.11be EHT80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.500	66.88	25.15	41.73	68.20	-1.32	100	100 Peak	Horizontal	
2	5695.000	77.04	35.18	41.86	101.51	-24.47	100	100 Peak	Horizontal	
3	5717.500	80.58	38.74	41.84	110.10	-29.52	100	100 Peak	Horizontal	
4	5724.500	79.21	37.37	41.84	132.58	-53.37	100	100 Peak	Horizontal	
5	5775.000	114.23	72.36	41.87	135.00	-20.77	100	100 Peak	Horizontal	
6	5853.500	80.05	38.07	41.98	118.06	-38.01	100	100 Peak	Horizontal	
7	5857.500	80.79	38.79	42.00	118.10	-29.31	100	100 Peak	Horizontal	
8	5878.000	71.17	29.88	42.09	102.97	-31.80	100	100 Peak	Horizontal	
9	5931.500	60.12	17.90	42.22	68.20	-8.80	100	100 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.000	62.17	20.44	41.73	68.20	-6.03	264	182 Peak	Vertical	
2	5696.000	69.24	27.38	41.86	102.25	-33.01	264	182 Peak	Vertical	
3	5717.000	74.95	33.10	41.85	109.96	-35.01	264	182 Peak	Vertical	
4	5721.000	74.26	32.42	41.84	115.64	-41.38	264	182 Peak	Vertical	
5	5775.000	110.56	68.69	41.87	135.00	-24.44	264	182 Peak	Vertical	
6	5851.500	74.32	32.34	41.98	127.74	-53.42	264	182 Peak	Vertical	
7	5857.000	73.03	31.03	42.00	110.24	-37.21	264	182 Peak	Vertical	
8	5876.000	66.23	24.15	42.08	104.46	-38.23	264	182 Peak	Vertical	
9	5935.000	56.96	14.74	42.22	68.20	-11.24	264	182 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-3


802.11a

CH 149(Open) (9kHz ~ 150kHz)

CH 149(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.010	61.20	43.09	18.11	127.60	-66.40	100	229 Peak	Open	
2	0.030	48.84	28.83	20.01	118.05	-69.21	100	229 Peak	Open	
3	0.063	40.06	21.94	18.12	111.57	-71.51	100	134 Peak	Open	
4	0.102	32.68	14.64	18.04	107.46	-74.78	100	174 Peak	Open	
5	0.115	38.01	19.89	18.12	106.37	-68.36	100	155 Peak	Open	
6	0.133	27.74	9.51	18.23	105.11	-77.37	100	175 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.747	49.16	30.32	18.84	70.14	-20.98	100	178 Peak	Open	
2	1.523	40.75	21.98	18.77	63.95	-23.20	100	178 Peak	Open	
3	2.389	33.61	14.77	18.84	69.50	-35.89	100	178 Peak	Open	
4	13.105	33.78	12.36	21.42	69.50	-35.72	100	244 Peak	Open	
5	17.075	34.14	11.96	22.18	69.50	-35.36	100	213 Peak	Open	
6	24.806	34.87	11.95	22.92	69.50	-34.63	100	236 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	62.010	27.60	34.52	-6.92	40.00	-12.40	100	64 Peak	Horizontal	
2	198.780	33.91	42.53	-8.62	43.50	-9.59	100	129 Peak	Horizontal	
3	288.020	31.39	37.22	-5.83	46.00	-14.61	100	253 Peak	Horizontal	
4	390.840	29.69	33.32	-3.63	46.00	-16.31	100	211 Peak	Horizontal	
5	715.790	33.23	31.02	2.21	46.00	-12.77	100	211 Peak	Horizontal	
6	845.770	34.01	30.17	3.84	46.00	-11.99	100	90 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	32.910	36.06	43.00	-7.84	40.00	-3.94	100	345 QP	Vertical	
2	44.550	35.35	41.00	-6.45	40.00	-4.65	100	66 QP	Vertical	
3	53.280	36.14	42.10	-5.96	40.00	-3.86	100	166 QP	Vertical	
4	61.040	36.57	43.40	-6.83	40.00	-3.43	100	48 QP	Vertical	
5	198.780	35.94	44.56	-8.62	43.50	-7.56	100	284 Peak	Vertical	
6	920.460	34.56	29.66	4.90	46.00	-11.44	100	145 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18360.000	53.76	59.64	-5.88	60.20	-14.44	100	108 Peak	Horizontal	
2 15540.000	44.57	43.62	0.95	54.00	-9.43	100	275 Average	Horizontal	
3 15540.000	60.25	59.30	0.95	74.00	-13.75	100	275 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18360.000	56.95	62.83	-5.88	60.20	-11.25	100	56 Peak	Vertical	
2 15540.000	46.66	45.71	0.95	54.00	-7.34	100	263 Average	Vertical	
3 15540.000	62.03	61.08	0.95	74.00	-11.97	100	263 Peak	Vertical	


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18400.000	55.07	60.87	-5.80	60.20	-13.13	269	0 Peak	Horizontal	
2 115600.000	49.22	48.18	1.04	54.00	-4.78	284	250 Average	Horizontal	
3 15600.000	64.86	63.82	1.04	74.00	-9.14	284	250 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18400.000	57.76	63.56	-5.80	60.20	-10.44	100	59 Peak	Vertical	
2 115600.000	49.56	48.52	1.04	54.00	-4.44	100	267 Average	Vertical	
3 15600.000	64.45	63.41	1.04	74.00	-9.55	100	267 Peak	Vertical	


802.11a

CH 48 (Horizontal)


CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18360.000	52.78	58.66	-5.88	68.20	-15.42	183	279 Peak	Horizontal	
2 15540.000	43.48	42.53	0.95	54.00	-10.52	276	253 Average	Horizontal	
3 15540.000	60.77	59.82	0.95	74.00	-13.23	276	253 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18360.000	55.77	61.65	-5.88	68.20	-12.43	181	56 Peak	Vertical	
2 15540.000	45.30	44.35	0.95	54.00	-8.70	180	263 Average	Vertical	
3 15540.000	62.19	61.24	0.95	74.00	-11.81	180	263 Peak	Vertical	


802.11be EHT20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18400.000	54.08	59.88	-5.80	68.20	-14.12	180	106 Peak	Horizontal	
2 115600.000	50.92	49.88	1.04	54.00	-3.08	181	247 Average	Horizontal	
3 15600.000	66.06	65.02	1.04	74.00	-7.94	181	247 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18400.000	56.45	62.25	-5.80	68.20	-11.75	181	54 Peak	Vertical	
2 115600.000	51.61	50.57	1.04	54.00	-2.39	180	262 Average	Vertical	
3 15600.000	66.55	65.51	1.04	74.00	-7.45	180	262 Peak	Vertical	


802.11be EHT20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18480.000	56.35	61.98	-5.63	68.20	-11.85	185	187 Peak	Horizontal	
2 15720.000	51.69	50.45	1.24	54.00	-2.31	181	249 Average	Horizontal	
3 15720.000	67.42	66.18	1.24	74.00	-6.58	181	249 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18480.000	59.29	64.92	-5.63	68.20	-8.91	180	56 Peak	Vertical	
2 15720.000	52.36	51.12	1.24	54.00	-1.64	180	262 Average	Vertical	
3 15720.000	68.48	67.24	1.24	74.00	-5.52	180	262 Peak	Vertical	


802.11be EHT40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18380.000	49.29	55.13	-5.84	68.20	-18.91	180	278 Peak	Horizontal	
2 15570.000	41.14	40.14	1.00	54.00	-12.86	181	248 Average	Horizontal	
3 15570.000	54.17	53.17	1.00	74.00	-19.83	181	248 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 18380.000	50.65	56.49	-5.84	68.20	-17.55	190	275 Peak	Vertical	
2 15570.000	43.11	42.11	1.00	54.00	-10.89	180	240 Average	Vertical	
3 15570.000	56.86	55.86	1.00	74.00	-17.14	180	240 Peak	Vertical	


802.11be EHT40

CH 46 (Horizontal)


CH 46 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11be EHT80

CH 42 (Horizontal)


CH 42 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11490.000	42.97	46.68	-3.71	54.00	-11.03	180	270 Average	Horizontal	
2 11490.000	56.49	60.20	-3.71	74.00	-17.51	180	270 Peak	Horizontal	
3 117235.000	63.12	59.31	3.81	68.20	-5.08	281	0 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11490.000	47.97	51.68	-3.71	54.00	-6.03	230	0 Average	Vertical	
2 11490.000	62.03	65.74	-3.71	74.00	-11.97	230	0 Peak	Vertical	
3 117235.000	64.78	60.97	3.81	68.20	-3.42	180	281 Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.000	45.88	49.27	-3.47	54.00	-8.20	180	267 Average	Horizontal	
2	11570.000	59.64	63.11	-3.47	74.00	-14.36	180	267 Peak	Horizontal	
3	117355.000	65.61	61.76	3.85	68.20	-2.59	194	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.000	47.86	50.53	-3.47	54.00	-6.94	369	278 Average	Vertical	
2	11570.000	60.83	63.50	-3.47	74.00	-13.97	369	278 Peak	Vertical	
3	117355.000	64.45	60.60	3.85	68.20	-3.75	344	360 Peak	Vertical	


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11650.000	45.99	49.29	-3.30	54.00	-8.01	214	349 Average	Horizontal	
2 11650.000	59.82	63.12	-3.30	74.00	-14.18	214	349 Peak	Horizontal	
3 117475.000	64.54	68.67	3.87	68.20	-3.66	199	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 11650.000	47.38	50.68	-3.30	54.00	-6.62	284	153 Average	Vertical	
2 11650.000	60.93	64.23	-3.30	74.00	-13.07	284	153 Peak	Vertical	
3 117475.000	63.17	59.30	3.87	68.20	-5.03	283	152 Peak	Vertical	


802.11be EHT20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.000	37.97	41.68	-3.71	54.00	-16.03	100	281 Average	Horizontal	
2	11490.000	51.66	55.37	-3.71	74.00	-22.34	100	281 Peak	Horizontal	
3	17235.000	61.64	57.83	3.81	68.20	-6.56	100	304 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.000	40.87	44.58	-3.71	54.00	-13.13	105	270 Average	Vertical	
2	11490.000	55.64	59.35	-3.71	74.00	-18.36	105	270 Peak	Vertical	
3	17235.000	62.74	58.93	3.81	68.20	-5.46	109	284 Peak	Vertical	

	Freq	Level	Read Level	Factor	Line Limit	Over Limit	Apos	Tpos	Remark	Pol/Phase	Note
	Hz	dBu/m	dBu	dB/m	dBu/m	dB	cm	deg			
1	11570.000	42.16	45.63	-3.47	54.00	-11.84	100	270	Average	Vertical	
2	11570.000	56.71	60.18	-3.47	74.00	-17.29	100	270	Peak	Vertical	
3	117355.000	63.14	59.29	3.85	68.20	-5.06	109	279	Peak	Vertical	


802.11be EHT20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.000	42.91	46.21	-3.30	54.00	-11.09	100	267 Average	Horizontal	
2	11650.000	57.13	60.43	-3.30	74.00	-16.87	100	267 Peak	Horizontal	
3	17475.000	62.08	58.21	3.87	68.20	-6.12	106	298 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.000	42.72	46.02	-3.30	54.00	-11.28	100	270 Average	Vertical	
2	11650.000	56.95	60.25	-3.30	74.00	-17.05	100	270 Peak	Vertical	
3	17475.000	63.06	59.19	3.87	68.20	-5.14	100	253 Peak	Vertical	


802.11be EHT40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.000	35.38	39.03	-3.65	54.00	-18.62	300	234 Average	Horizontal	
2	11510.000	47.56	51.21	-3.65	74.00	-26.44	300	234 Peak	Horizontal	
3	17265.000	57.38	53.59	3.79	68.20	-10.82	200	0 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.000	38.04	41.69	-3.65	54.00	-15.96	200	277 Average	Vertical	
2	11510.000	50.49	54.14	-3.65	74.00	-23.51	200	277 Peak	Vertical	
3	17265.000	54.05	50.26	3.79	68.20	-14.15	300	1 Peak	Vertical	


802.11be EHT40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.000	39.51	42.93	-3.42	54.00	-14.49	200	268 Average	Horizontal	
2	11590.000	52.04	55.46	-3.42	74.00	-21.96	200	268 Peak	Horizontal	
3	17385.000	59.29	55.40	3.89	68.20	-8.91	200	356 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.000	41.18	44.60	-3.42	54.00	-12.82	300	216 Average	Vertical	
2	11590.000	53.59	57.01	-3.42	74.00	-20.41	300	216 Peak	Vertical	
3	17385.000	56.85	52.96	3.89	68.20	-11.35	200	287 Peak	Vertical	


802.11be EHT80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.000	33.87	37.40	-3.53	54.00	-20.13	100	287 Average	Horizontal	
2	11550.000	46.78	50.31	-3.53	74.00	-27.22	100	287 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.000	34.68	38.21	-3.53	54.00	-19.32	100	272 Average	Vertical	
2	11550.000	47.42	50.95	-3.53	74.00	-26.58	100	272 Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)


(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



<POE Mode>

Spurious Emissions, Tx Mode, 9kHz ~30MHz


802.11a

CH 149(Open) (9kHz ~ 150kHz)

CH 149(Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.010	61.64	43.53	18.11	127.60	-65.96	100	14 Peak	Open	
2	0.030	48.14	28.13	20.01	118.05	-69.91	100	300 Peak	Open	
3	0.063	39.52	21.40	18.12	111.57	-72.05	100	329 Peak	Open	
4	0.088	31.89	13.82	18.07	108.75	-76.86	100	275 Peak	Open	
5	0.116	35.98	17.85	18.13	106.29	-70.31	100	193 Peak	Open	
6	0.124	29.87	11.69	18.18	105.70	-75.83	100	162 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.747	50.40	31.56	18.84	70.14	-19.74	100	150 Peak	Open	
2	1.523	42.73	23.96	18.77	63.95	-21.22	100	150 Peak	Open	
3	2.269	34.72	15.90	18.82	69.50	-34.78	100	150 Peak	Open	
4	11.612	33.84	12.31	21.53	69.50	-35.66	100	108 Peak	Open	
5	16.329	35.29	13.41	21.88	69.50	-34.21	100	168 Peak	Open	
6	25.940	34.86	12.21	22.65	69.50	-34.64	100	294 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	68.878	29.97	36.53	-6.56	40.00	-10.03	200	162	Peak	Horizontal	
2	125.868	31.86	40.62	-8.76	43.50	-11.64	200	272	Peak	Horizontal	
3	222.060	33.54	42.05	-8.51	46.00	-12.46	200	262	Peak	Horizontal	
4	311.300	33.66	39.01	-5.35	46.00	-12.34	100	61	Peak	Horizontal	
5	869.050	33.60	29.25	4.35	46.00	-12.40	100	310	Peak	Horizontal	
6	939.860	34.07	28.72	5.35	46.00	-11.93	157	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	44.550	37.65	44.10	-6.45	40.00	-2.35	100	1	QP	Vertical	
2	54.250	37.74	43.70	-5.96	40.00	-2.26	100	277	QP	Vertical	
3	125.060	33.42	42.18	-8.76	43.50	-10.08	100	138	Peak	Vertical	
4	299.660	31.86	37.48	-5.62	46.00	-14.14	100	171	Peak	Vertical	
5	844.800	34.20	30.38	3.82	46.00	-11.80	200	360	Peak	Vertical	
6	927.250	34.01	29.06	4.95	46.00	-11.99	100	127	Peak	Vertical	

Mains Conducted Emission, Tx Mode, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dB	dB		
1	0.154	36.34	26.69	9.65	55.79	-19.45 Average	line1
2	0.154	56.02	46.37	9.65	65.79	-9.77 QP	line1
3	0.193	31.17	21.53	9.64	53.89	-22.72 Average	line1
4	0.193	47.69	38.05	9.64	63.89	-16.20 QP	line1
5	0.524	39.15	29.51	9.64	46.00	-6.85 Average	line1
6	0.524	48.07	38.43	9.64	56.00	-7.93 QP	line1
7	2.825	29.75	20.06	9.69	46.00	-16.25 Average	line1
8	2.825	36.04	26.35	9.69	56.00	-19.96 QP	line1
9	8.759	30.73	20.97	9.76	50.00	-19.27 Average	line1
10	8.759	35.68	25.92	9.76	60.00	-24.32 QP	line1
11	11.294	36.65	26.86	9.79	50.00	-13.35 Average	line1
12	11.294	41.78	31.99	9.79	60.00	-18.22 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dB	dB		
1	0.152	31.71	22.07	9.64	55.88	-24.17 Average	neutral
2	0.152	50.58	40.94	9.64	65.88	-15.30 QP	neutral
3	0.173	31.35	21.72	9.63	54.80	-23.45 Average	neutral
4	0.173	47.84	38.21	9.63	64.80	-16.96 QP	neutral
5	0.522	41.85	32.21	9.64	46.00	-4.15 Average	neutral
6	0.522	48.40	38.76	9.64	56.00	-7.60 QP	neutral
7	3.030	23.84	14.14	9.70	46.00	-22.16 Average	neutral
8	3.030	30.96	21.26	9.70	56.00	-25.04 QP	neutral
9	5.268	24.62	14.89	9.73	50.00	-25.38 Average	neutral
10	5.268	32.64	22.91	9.73	60.00	-27.36 QP	neutral
11	10.799	34.05	24.25	9.80	50.00	-15.95 Average	neutral
12	10.799	39.52	29.72	9.80	60.00	-20.48 QP	neutral