11AX160MIMO_Ant3_6665



Date: 1.FEB.2026 03:58:05

11AX160MIMO_Ant2_6825



Date: 1.FEB.2026 04:00:56

11AX160MIMO_Ant3_6825



Date: 1.FEB.2026 04:02:28

11AX160MIMO_Ant2_6985



Date: 1.FEB.2026 04:07:28

11AX160MIMO_Ant3_6985



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-400.000 MHz	-246.290 MHz	2.000 MHz	6.73827 GHz	-52.09 dBm	-51.23 dB	-11.23 dB
-246.290 MHz	-164.190 MHz	2.000 MHz	6.73923 GHz	-52.06 dBm	-51.21 dB	-11.29 dB
-164.190 MHz	-83.100 MHz	2.000 MHz	6.82789 GHz	-39.68 dBm	-38.82 dB	-11.52 dB
-83.100 MHz	-82.100 MHz	2.000 MHz	6.90194 GHz	-33.69 dBm	-32.83 dB	-13.67 dB
82.100 MHz	83.100 MHz	2.000 MHz	7.06806 GHz	-34.31 dBm	-33.46 dB	-14.29 dB
83.100 MHz	164.190 MHz	2.000 MHz	7.06814 GHz	-34.59 dBm	-33.74 dB	-13.74 dB
164.190 MHz	246.290 MHz	2.000 MHz	7.23069 GHz	-58.22 dBm	-57.36 dB	-17.45 dB
246.290 MHz	400.000 MHz	2.000 MHz	7.23149 GHz	-58.21 dBm	-57.35 dB	-17.35 dB

Single RU

In-Band Emissions

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20MIMO	Ant2	5935	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	5935	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant3	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant2	7115	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant3	7115	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS

Test Graphs

11AX20MIMO_Ant2_5935_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.710 MHz	500.000 kHz	5.90203 GHz	-70.11 dBm	-50.72 dB	-10.72 dB
-31.710 MHz	-21.140 MHz	500.000 kHz	5.90338 GHz	-70.43 dBm	-51.03 dB	-11.13 dB
-21.140 MHz	-11.570 MHz	500.000 kHz	5.92340 GHz	-54.50 dBm	-35.11 dB	-15.08 dB
-11.570 MHz	-10.570 MHz	500.000 kHz	5.92344 GHz	-55.20 dBm	-35.81 dB	-15.91 dB
10.570 MHz	11.570 MHz	500.000 kHz	5.94657 GHz	-66.12 dBm	-46.73 dB	-26.83 dB
11.570 MHz	21.140 MHz	500.000 kHz	5.95614 GHz	-70.53 dBm	-51.13 dB	-23.14 dB
21.140 MHz	31.710 MHz	500.000 kHz	5.96663 GHz	-70.38 dBm	-50.98 dB	-11.08 dB
31.710 MHz	50.000 MHz	500.000 kHz	5.98496 GHz	-70.02 dBm	-50.63 dB	-10.63 dB

11AX20MIMO_Ant2_5935_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.710 MHz	500.000 kHz	5.89884 GHz	-69.81 dBm	-50.12 dB	-10.12 dB
-31.710 MHz	-21.140 MHz	500.000 kHz	5.90346 GHz	-70.19 dBm	-50.50 dB	-10.68 dB
-21.140 MHz	-11.570 MHz	500.000 kHz	5.92342 GHz	-54.92 dBm	-35.23 dB	-15.22 dB
-11.570 MHz	-10.570 MHz	500.000 kHz	5.92344 GHz	-55.16 dBm	-35.47 dB	-15.57 dB
10.570 MHz	11.570 MHz	500.000 kHz	5.94657 GHz	-64.96 dBm	-45.26 dB	-25.36 dB
11.570 MHz	21.140 MHz	500.000 kHz	5.95611 GHz	-70.38 dBm	-50.69 dB	-22.72 dB
21.140 MHz	31.710 MHz	500.000 kHz	5.96669 GHz	-70.39 dBm	-50.69 dB	-10.71 dB
31.710 MHz	50.000 MHz	500.000 kHz	5.97098 GHz	-70.00 dBm	-50.30 dB	-10.30 dB

Date: 21.FEB.2026 18:25:43

11AX20MIMO_Ant2_5935_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.710 MHz	500.000 kHz	5.88657 GHz	-69.86 dBm	-50.24 dB	-10.24 dB
-31.710 MHz	-21.140 MHz	500.000 kHz	5.90332 GHz	-70.38 dBm	-50.76 dB	-10.80 dB
-21.140 MHz	-11.570 MHz	500.000 kHz	5.92342 GHz	-53.13 dBm	-33.51 dB	-13.51 dB
-11.570 MHz	-10.570 MHz	500.000 kHz	5.92345 GHz	-53.49 dBm	-33.87 dB	-14.37 dB
10.570 MHz	11.570 MHz	500.000 kHz	5.94657 GHz	-63.06 dBm	-43.44 dB	-23.54 dB
11.570 MHz	21.140 MHz	500.000 kHz	5.94684 GHz	-62.39 dBm	-42.77 dB	-22.55 dB
21.140 MHz	31.710 MHz	500.000 kHz	5.96666 GHz	-70.36 dBm	-50.74 dB	-10.79 dB
31.710 MHz	50.000 MHz	500.000 kHz	5.97888 GHz	-69.97 dBm	-50.35 dB	-10.35 dB

Date: 21.FEB.2026 18:27:42

11AX20MIMO_Ant3_5935_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-32.280 MHz	500.000 kHz	5.89112 GHz	-69.91 dBm	-50.34 dB	-10.34 dB
-32.280 MHz	-21.520 MHz	500.000 kHz	5.90277 GHz	-70.05 dBm	-50.48 dB	-10.53 dB
-21.520 MHz	-11.760 MHz	500.000 kHz	5.92309 GHz	-55.44 dBm	-35.87 dB	-15.75 dB
-11.760 MHz	-10.760 MHz	500.000 kHz	5.92324 GHz	-56.24 dBm	-36.67 dB	-16.77 dB
10.760 MHz	11.760 MHz	500.000 kHz	5.94673 GHz	-66.22 dBm	-46.65 dB	-27.15 dB
11.760 MHz	21.520 MHz	500.000 kHz	5.95640 GHz	-70.20 dBm	-50.63 dB	-22.73 dB
21.520 MHz	32.280 MHz	500.000 kHz	5.96723 GHz	-70.14 dBm	-50.57 dB	-10.62 dB
32.280 MHz	50.000 MHz	500.000 kHz	5.98440 GHz	-69.88 dBm	-50.31 dB	-10.31 dB

Date: 21.FEB.2026 18:24:26

11AX20MIMO_Ant3_5935_52Tone_RU37



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-32.280 MHz	500.000 kHz	5.88532 GHz	-69.80 dBm	-50.12 dB	-10.12 dB
-32.280 MHz	-21.520 MHz	500.000 kHz	5.90278 GHz	-70.01 dBm	-50.33 dB	-10.39 dB
-21.520 MHz	-11.760 MHz	500.000 kHz	5.92323 GHz	-55.54 dBm	-35.86 dB	-15.85 dB
-11.760 MHz	-10.760 MHz	500.000 kHz	5.92327 GHz	-55.85 dBm	-36.17 dB	-16.67 dB
10.760 MHz	11.760 MHz	500.000 kHz	5.94676 GHz	-65.58 dBm	-45.90 dB	-26.00 dB
11.760 MHz	21.520 MHz	500.000 kHz	5.95652 GHz	-70.20 dBm	-50.52 dB	-22.52 dB
21.520 MHz	32.280 MHz	500.000 kHz	5.96725 GHz	-70.21 dBm	-50.53 dB	-10.57 dB
32.280 MHz	50.000 MHz	500.000 kHz	5.98453 GHz	-69.85 dBm	-50.17 dB	-10.17 dB

Date: 21.FEB.2026 18:26:40

11AX20MIMO_Ant3_5935_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-32.280 MHz	500.000 kHz	5.88987 GHz	-69.73 dBm	-50.09 dB	-10.09 dB
-32.280 MHz	-21.520 MHz	500.000 kHz	5.90273 GHz	-70.11 dBm	-50.47 dB	-10.48 dB
-21.520 MHz	-11.760 MHz	500.000 kHz	5.92315 GHz	-54.08 dBm	-34.44 dB	-14.37 dB
-11.760 MHz	-10.760 MHz	500.000 kHz	5.92326 GHz	-54.47 dBm	-34.83 dB	-15.13 dB
10.760 MHz	11.760 MHz	500.000 kHz	5.94676 GHz	-63.02 dBm	-43.38 dB	-23.48 dB
11.760 MHz	21.520 MHz	500.000 kHz	5.95650 GHz	-70.00 dBm	-50.36 dB	-22.37 dB
21.520 MHz	32.280 MHz	500.000 kHz	5.96720 GHz	-70.20 dBm	-50.56 dB	-10.65 dB
32.280 MHz	50.000 MHz	500.000 kHz	5.97253 GHz	-69.91 dBm	-50.27 dB	-10.27 dB

Date: 21.FEB.2026 18:28:39

11AX20MIMO_Ant2_5955_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	500.000 kHz	5.91028 GHz	-60.44 dBm	-52.94 dB	-12.94 dB
-31.500 MHz	-21.000 MHz	500.000 kHz	5.92360 GHz	-60.86 dBm	-53.36 dB	-13.47 dB
-21.000 MHz	-11.500 MHz	500.000 kHz	5.94339 GHz	-42.86 dBm	-35.36 dB	-15.26 dB
-11.500 MHz	-10.500 MHz	500.000 kHz	5.94353 GHz	-42.83 dBm	-35.32 dB	-15.82 dB
10.500 MHz	11.500 MHz	500.000 kHz	5.96650 GHz	-54.65 dBm	-47.15 dB	-27.25 dB
11.500 MHz	21.000 MHz	500.000 kHz	5.97573 GHz	-60.54 dBm	-53.04 dB	-25.27 dB
21.000 MHz	31.500 MHz	500.000 kHz	5.98637 GHz	-60.75 dBm	-53.25 dB	-13.40 dB
31.500 MHz	50.000 MHz	500.000 kHz	5.99956 GHz	-60.34 dBm	-52.84 dB	-12.84 dB

Date: 1.FEB.2026 04:19:06

11AX20MIMO_Ant2_5955_52Tone_RU37



Date: 1.FEB.2026 05:26:07

11AX20MIMO_Ant2_5955_106Tone_RU53



Date: 1.FEB.2026 04:24:27

11AX20MIMO_Ant3_5955_26Tone_RU0



Date: 1.FEB.2026 04:20:03

11AX20MIMO_Ant3_5955_52Tone_RU37



Date: 1.FEB.2026 05:27:04

11AX20MIMO_Ant3_5955_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.790 MHz	500.000 kHz	5.90765 GHz	-60.21 dBm	-52.57 dB	-12.57 dB
-31.790 MHz	-21.190 MHz	500.000 kHz	5.92324 GHz	-60.58 dBm	-52.94 dB	-12.98 dB
-21.190 MHz	-11.600 MHz	500.000 kHz	5.94338 GHz	-41.70 dBm	-34.06 dB	-14.04 dB
-11.600 MHz	-10.600 MHz	500.000 kHz	5.94341 GHz	-41.93 dBm	-34.29 dB	-14.39 dB
10.600 MHz	11.600 MHz	500.000 kHz	5.96660 GHz	-50.61 dBm	-42.97 dB	-23.07 dB
11.600 MHz	21.190 MHz	500.000 kHz	5.96692 GHz	-50.36 dBm	-42.72 dB	-22.46 dB
21.190 MHz	31.790 MHz	500.000 kHz	5.98679 GHz	-60.56 dBm	-52.93 dB	-12.93 dB
31.790 MHz	50.000 MHz	500.000 kHz	6.00040 GHz	-60.27 dBm	-52.63 dB	-12.63 dB

Date: 1.FEB.2026 04:25:24

11AX20MIMO_Ant2_6435_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	500.000 kHz	6.39804 GHz	-60.22 dBm	-53.19 dB	-13.19 dB
-31.500 MHz	-21.000 MHz	500.000 kHz	6.40359 GHz	-60.51 dBm	-53.47 dB	-13.57 dB
-21.000 MHz	-11.500 MHz	500.000 kHz	6.42340 GHz	-42.27 dBm	-35.23 dB	-15.15 dB
-11.500 MHz	-10.500 MHz	500.000 kHz	6.42351 GHz	-42.46 dBm	-35.42 dB	-15.52 dB
10.500 MHz	11.500 MHz	500.000 kHz	6.44649 GHz	-54.28 dBm	-47.24 dB	-27.34 dB
11.500 MHz	21.000 MHz	500.000 kHz	6.45596 GHz	-60.51 dBm	-53.48 dB	-25.51 dB
21.000 MHz	31.500 MHz	500.000 kHz	6.46649 GHz	-60.50 dBm	-53.47 dB	-13.48 dB
31.500 MHz	50.000 MHz	500.000 kHz	6.48318 GHz	-59.99 dBm	-52.95 dB	-12.95 dB

Date: 1.FEB.2026 05:29:24

11AX20MIMO_Ant2_6435_52Tone_RU37



Date: 1.FEB.2026 05:32:48

11AX20MIMO_Ant2_6435_106Tone_RU53



Date: 1.FEB.2026 05:36:36

11AX20MIMO_Ant3_6435_26Tone_RU0



11AX20MIMO_Ant3_6435_52Tone_RU37



11AX20MIMO_Ant3_6435_106Tone_RU53



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.500 MHz	500.000 kHz	6.40210 GHz	-60.15 dBm	-52.58 dB	-12.58 dB
-31.500 MHz	-21.000 MHz	500.000 kHz	6.40362 GHz	-60.39 dBm	-52.82 dB	-12.96 dB
-21.000 MHz	-11.500 MHz	500.000 kHz	6.42345 GHz	-40.68 dBm	-33.11 dB	-13.06 dB
-11.500 MHz	-10.500 MHz	500.000 kHz	6.42351 GHz	-41.23 dBm	-33.65 dB	-13.75 dB
10.500 MHz	11.500 MHz	500.000 kHz	6.44649 GHz	-50.55 dBm	-42.98 dB	-23.08 dB
11.500 MHz	21.000 MHz	500.000 kHz	6.44667 GHz	-50.20 dBm	-42.63 dB	-22.49 dB
21.000 MHz	31.500 MHz	500.000 kHz	6.46639 GHz	-60.29 dBm	-52.72 dB	-12.85 dB
31.500 MHz	50.000 MHz	500.000 kHz	6.48491 GHz	-60.01 dBm	-52.43 dB	-12.43 dB

Date: 1.FEB.2026 05:37:53

11AX20MIMO_Ant2_6535_26Tone_RU0



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-32.000 MHz	500.000 kHz	6.50171 GHz	-60.03 dBm	-53.19 dB	-13.19 dB
-32.000 MHz	-21.330 MHz	500.000 kHz	6.50302 GHz	-60.26 dBm	-53.43 dB	-13.44 dB
-21.330 MHz	-11.670 MHz	500.000 kHz	6.52332 GHz	-42.79 dBm	-35.96 dB	-15.95 dB
-11.670 MHz	-10.670 MHz	500.000 kHz	6.52334 GHz	-43.04 dBm	-36.21 dB	-16.31 dB
10.670 MHz	11.670 MHz	500.000 kHz	6.54666 GHz	-54.90 dBm	-48.07 dB	-28.17 dB
11.670 MHz	21.330 MHz	500.000 kHz	6.55615 GHz	-59.71 dBm	-52.88 dB	-25.04 dB
21.330 MHz	32.000 MHz	500.000 kHz	6.56699 GHz	-59.88 dBm	-53.05 dB	-13.06 dB
32.000 MHz	50.000 MHz	500.000 kHz	6.56787 GHz	-59.42 dBm	-52.59 dB	-12.59 dB

Date: 1.FEB.2026 05:39:41

11AX20MIMO_Ant2_6535_52Tone_RU37



Date: 1.FEB.2026 05:44:04

11AX20MIMO_Ant2_6535_106Tone_RU53



Date: 1.FEB.2026 05:47:52

11AX20MIMO_Ant3_6535_26Tone_RU0



Date: 1.FEB.2026 05:41:02

11AX20MIMO_Ant3_6535_52Tone_RU37



Date: 1.FEB.2026 05:45:33

11AX20MIMO_Ant3_6535_106Tone_RU53



Date: 1.FEB.2026 05:49:10

11AX20MIMO_Ant2_7095_26Tone_RU8



Date: 1.FEB.2026 05:52:55

11AX20MIMO_Ant2_7095_52Tone_RU40



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.940 MHz	500.000 kHz	7.06095 GHz	-60.54 dBm	-53.66 dB	-13.66 dB
-31.940 MHz	-21.290 MHz	500.000 kHz	7.06309 GHz	-61.17 dBm	-54.29 dB	-14.32 dB
-21.290 MHz	-11.650 MHz	500.000 kHz	7.08318 GHz	-52.89 dBm	-46.01 dB	-25.87 dB
-11.650 MHz	-10.650 MHz	500.000 kHz	7.08336 GHz	-53.22 dBm	-46.34 dB	-26.44 dB
10.650 MHz	11.650 MHz	500.000 kHz	7.10665 GHz	-42.67 dBm	-35.79 dB	-15.89 dB
11.650 MHz	21.290 MHz	500.000 kHz	7.10674 GHz	-42.42 dBm	-35.54 dB	-15.47 dB
21.290 MHz	31.940 MHz	500.000 kHz	7.12690 GHz	-61.81 dBm	-54.93 dB	-14.97 dB
31.940 MHz	50.000 MHz	500.000 kHz	7.13578 GHz	-61.41 dBm	-54.53 dB	-14.53 dB

Date: 1.FEB.2026 05:57:15

11AX20MIMO_Ant2_7095_106Tone_RU54



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.940 MHz	500.000 kHz	7.05543 GHz	-60.69 dBm	-53.79 dB	-13.79 dB
-31.940 MHz	-21.290 MHz	500.000 kHz	7.06316 GHz	-61.16 dBm	-54.26 dB	-14.37 dB
-21.290 MHz	-11.650 MHz	500.000 kHz	7.08293 GHz	-50.21 dBm	-43.30 dB	-22.95 dB
-11.650 MHz	-10.650 MHz	500.000 kHz	7.08336 GHz	-50.84 dBm	-43.94 dB	-24.24 dB
10.650 MHz	11.650 MHz	500.000 kHz	7.10665 GHz	-41.62 dBm	-34.72 dB	-14.82 dB
11.650 MHz	21.290 MHz	500.000 kHz	7.10674 GHz	-41.42 dBm	-34.52 dB	-14.45 dB
21.290 MHz	31.940 MHz	500.000 kHz	7.12686 GHz	-61.68 dBm	-54.78 dB	-14.86 dB
31.940 MHz	50.000 MHz	500.000 kHz	7.13232 GHz	-61.56 dBm	-54.65 dB	-14.65 dB

Date: 1.FEB.2026 06:01:28

11AX20MIMO_Ant3_7095_26Tone_RU8



Date: 1.FEB.2026 05:54:31

11AX20MIMO_Ant3_7095_52Tone_RU40



Date: 1.FEB.2026 05:59:29

11AX20MIMO_Ant3_7095_106Tone_RU54



Date: 1.FEB.2026 06:02:49

11AX20MIMO_Ant2_7115_26Tone_RU8



Date: 21.FEB.2026 18:34:32

11AX20MIMO_Ant2_7115_52Tone_RU40



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.710 MHz	500.000 kHz	7.06561 GHz	-70.72 dBm	-49.52 dB	-9.52 dB
-31.710 MHz	-21.140 MHz	500.000 kHz	7.08331 GHz	-71.32 dBm	-50.11 dB	-10.13 dB
-21.140 MHz	-11.570 MHz	500.000 kHz	7.09410 GHz	-70.90 dBm	-49.70 dB	-21.89 dB
-11.570 MHz	-10.570 MHz	500.000 kHz	7.10344 GHz	-66.28 dBm	-45.07 dB	-25.17 dB
10.570 MHz	11.570 MHz	500.000 kHz	7.12657 GHz	-56.43 dBm	-35.22 dB	-15.32 dB
11.570 MHz	21.140 MHz	500.000 kHz	7.12657 GHz	-55.91 dBm	-34.70 dB	-14.70 dB
21.140 MHz	31.710 MHz	500.000 kHz	7.14667 GHz	-71.66 dBm	-50.45 dB	-10.50 dB
31.710 MHz	50.000 MHz	500.000 kHz	7.15282 GHz	-71.28 dBm	-50.07 dB	-10.07 dB

Date: 21.FEB.2026 18:36:31

11AX20MIMO_Ant2_7115_106Tone_RU54



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.710 MHz	500.000 kHz	7.06724 GHz	-70.65 dBm	-49.53 dB	-9.53 dB
-31.710 MHz	-21.140 MHz	500.000 kHz	7.08332 GHz	-71.23 dBm	-50.11 dB	-10.14 dB
-21.140 MHz	-11.570 MHz	500.000 kHz	7.09390 GHz	-70.51 dBm	-49.39 dB	-21.43 dB
-11.570 MHz	-10.570 MHz	500.000 kHz	7.10344 GHz	-64.41 dBm	-43.29 dB	-23.39 dB
10.570 MHz	11.570 MHz	500.000 kHz	7.12656 GHz	-55.30 dBm	-34.18 dB	-14.48 dB
11.570 MHz	21.140 MHz	500.000 kHz	7.12659 GHz	-54.86 dBm	-33.74 dB	-13.73 dB
21.140 MHz	31.710 MHz	500.000 kHz	7.14661 GHz	-71.47 dBm	-50.35 dB	-10.46 dB
31.710 MHz	50.000 MHz	500.000 kHz	7.14694 GHz	-71.24 dBm	-50.12 dB	-10.12 dB

Date: 21.FEB.2026 18:38:33

11AX20MIMO_Ant3_7115_26Tone_RU8



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.580 MHz	500.000 kHz	7.06778 GHz	-70.67 dBm	-49.62 dB	-9.62 dB
-31.580 MHz	-21.050 MHz	500.000 kHz	7.08353 GHz	-71.17 dBm	-50.13 dB	-10.25 dB
-21.050 MHz	-11.530 MHz	500.000 kHz	7.09396 GHz	-71.31 dBm	-50.27 dB	-22.28 dB
-11.530 MHz	-10.530 MHz	500.000 kHz	7.10348 GHz	-67.77 dBm	-46.73 dB	-26.83 dB
10.530 MHz	11.530 MHz	500.000 kHz	7.12653 GHz	-57.02 dBm	-35.98 dB	-16.08 dB
11.530 MHz	21.050 MHz	500.000 kHz	7.12662 GHz	-56.45 dBm	-35.41 dB	-15.33 dB
21.050 MHz	31.580 MHz	500.000 kHz	7.14654 GHz	-71.58 dBm	-50.53 dB	-10.58 dB
31.580 MHz	50.000 MHz	500.000 kHz	7.14890 GHz	-71.32 dBm	-50.27 dB	-10.27 dB

Date: 21.FEB.2026 18:35:29

11AX20MIMO_Ant3_7115_52Tone_RU40



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.580 MHz	500.000 kHz	7.07120 GHz	-70.66 dBm	-49.52 dB	-9.52 dB
-31.580 MHz	-21.050 MHz	500.000 kHz	7.08344 GHz	-71.17 dBm	-50.03 dB	-10.05 dB
-21.050 MHz	-11.530 MHz	500.000 kHz	7.09399 GHz	-71.18 dBm	-50.04 dB	-22.08 dB
-11.530 MHz	-10.530 MHz	500.000 kHz	7.10348 GHz	-66.55 dBm	-45.41 dB	-25.52 dB
10.530 MHz	11.530 MHz	500.000 kHz	7.12653 GHz	-55.93 dBm	-34.79 dB	-14.89 dB
11.530 MHz	21.050 MHz	500.000 kHz	7.12656 GHz	-55.40 dBm	-34.26 dB	-14.24 dB
21.050 MHz	31.580 MHz	500.000 kHz	7.14647 GHz	-71.54 dBm	-50.40 dB	-10.53 dB
31.580 MHz	50.000 MHz	500.000 kHz	7.14763 GHz	-71.28 dBm	-50.14 dB	-10.14 dB

Date: 21.FEB.2026 18:37:29

11AX20MIMO_Ant3_7115_106Tone_RU54



Range Low	Range Up	RBW	Frequency	Power Abs	Power Rel	ΔLimit
-50.000 MHz	-31.580 MHz	500.000 kHz	7.06586 GHz	-70.63 dBm	-49.65 dB	-9.65 dB
-31.580 MHz	-21.050 MHz	500.000 kHz	7.08352 GHz	-71.10 dBm	-50.13 dB	-10.24 dB
-21.050 MHz	-11.530 MHz	500.000 kHz	7.09402 GHz	-70.55 dBm	-49.57 dB	-21.63 dB
-11.530 MHz	-10.530 MHz	500.000 kHz	7.10348 GHz	-63.78 dBm	-42.80 dB	-22.90 dB
10.530 MHz	11.530 MHz	500.000 kHz	7.12653 GHz	-54.66 dBm	-33.68 dB	-13.78 dB
11.530 MHz	21.050 MHz	500.000 kHz	7.12657 GHz	-54.17 dBm	-33.20 dB	-13.16 dB
21.050 MHz	31.580 MHz	500.000 kHz	7.14652 GHz	-71.53 dBm	-50.56 dB	-10.63 dB
31.580 MHz	50.000 MHz	500.000 kHz	7.15140 GHz	-71.29 dBm	-50.31 dB	-10.31 dB

Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant2	5935	26Tone	RU0	-16.70	-1.90	-18.60	≤-1.00	PASS
			52Tone	RU37	-16.91	-1.90	-18.81	≤-1.00	PASS
			106Tone	RU53	-16.89	-1.90	-18.79	≤-1.00	PASS
	Ant3	5935	26Tone	RU0	-17.01	0.00	-17.01	≤-1.00	PASS
			52Tone	RU37	-17.02	0.00	-17.02	≤-1.00	PASS
			106Tone	RU53	-16.94	0.00	-16.94	≤-1.00	PASS
	total	5935	26Tone	RU0	-13.84	---	-13.84	≤-1.00	PASS
			52Tone	RU37	-13.95	---	-13.95	≤-1.00	PASS
			106Tone	RU53	-13.90	---	-13.90	≤-1.00	PASS
	Ant2	5955	26Tone	RU0	-5.16	-1.90	-7.06	≤-1.00	PASS
			52Tone	RU37	-5.31	-1.90	-7.21	≤-1.00	PASS
			106Tone	RU53	-5.41	-1.90	-7.31	≤-1.00	PASS
	Ant3	5955	26Tone	RU0	-5.02	0.00	-5.02	≤-1.00	PASS
			52Tone	RU37	-5.13	0.00	-5.13	≤-1.00	PASS
			106Tone	RU53	-5.14	0.00	-5.14	≤-1.00	PASS
	total	5955	26Tone	RU0	-2.08	---	-2.08	≤-1.00	PASS
			52Tone	RU37	-2.21	---	-2.21	≤-1.00	PASS
			106Tone	RU53	-2.26	---	-2.26	≤-1.00	PASS
	Ant2	6435	26Tone	RU0	-4.22	-1.40	-5.62	≤-1.00	PASS
			52Tone	RU37	-4.61	-1.40	-6.01	≤-1.00	PASS
			106Tone	RU53	-4.58	-1.40	-5.98	≤-1.00	PASS
	Ant3	6435	26Tone	RU0	-4.42	-1.10	-5.52	≤-1.00	PASS
			52Tone	RU37	-4.85	-1.10	-5.95	≤-1.00	PASS
			106Tone	RU53	-4.95	-1.10	-6.05	≤-1.00	PASS
	total	6435	26Tone	RU0	-1.31	---	-2.41	≤-1.00	PASS
			52Tone	RU37	-1.72	---	-2.82	≤-1.00	PASS
			106Tone	RU53	-1.75	---	-2.85	≤-1.00	PASS
	Ant2	6535	26Tone	RU0	-4.61	-0.60	-5.21	≤-1.00	PASS
			52Tone	RU37	-5.10	-0.60	-5.70	≤-1.00	PASS
			106Tone	RU53	-4.72	-0.60	-5.32	≤-1.00	PASS
	Ant3	6535	26Tone	RU0	-4.48	-1.70	-6.18	≤-1.00	PASS
			52Tone	RU37	-4.50	-1.70	-6.20	≤-1.00	PASS
			106Tone	RU53	-4.10	-1.70	-5.80	≤-1.00	PASS

	total	6535	26Tone	RU0	-1.53	---	-2.13	≤-1.00	PASS
			52Tone	RU37	-1.78	---	-2.38	≤-1.00	PASS
			106Tone	RU53	-1.39	---	-1.99	≤-1.00	PASS
	Ant2	7095	26Tone	RU8	-4.96	-0.50	-5.46	≤-1.00	PASS
			52Tone	RU40	-5.01	-0.50	-5.51	≤-1.00	PASS
			106Tone	RU54	-4.81	-0.50	-5.31	≤-1.00	PASS
	Ant3	7095	26Tone	RU8	-4.83	-0.10	-4.93	≤-1.00	PASS
			52Tone	RU40	-4.72	-0.10	-4.82	≤-1.00	PASS
			106Tone	RU54	-4.72	-0.10	-4.82	≤-1.00	PASS
	total	7095	26Tone	RU8	-1.88	---	-1.98	≤-1.00	PASS
			52Tone	RU40	-1.85	---	-1.95	≤-1.00	PASS
			106Tone	RU54	-1.75	---	-1.85	≤-1.00	PASS
	Ant2	7115	26Tone	RU8	-18.88	-0.50	-19.38	≤-1.00	PASS
			52Tone	RU40	-18.58	-0.50	-19.08	≤-1.00	PASS
			106Tone	RU54	-18.61	-0.50	-19.11	≤-1.00	PASS
	Ant3	7115	26Tone	RU8	-18.54	-0.10	-18.64	≤-1.00	PASS
			52Tone	RU40	-18.34	-0.10	-18.44	≤-1.00	PASS
			106Tone	RU54	-18.60	-0.10	-18.70	≤-1.00	PASS
	total	7115	26Tone	RU8	-15.70	---	-15.80	≤-1.00	PASS
			52Tone	RU40	-15.45	---	-15.55	≤-1.00	PASS
			106Tone	RU54	-15.59	---	-15.69	≤-1.00	PASS

Note：1.The Duty Cycle Factor and is compensated in the graph.

Test Graphs

11AX20MIMO_Ant2_5935_26Tone_RU0



11AX20MIMO_Ant2_5935_52Tone_RU37



Date: 21.FEB.2026 18:20:13

11AX20MIMO_Ant2_5935_106Tone_RU53



Date: 21.FEB.2026 18:21:51

11AX20MIMO_Ant3_5935_26Tone_RU0



Date: 21.FEB.2026 18:19:35

11AX20MIMO_Ant3_5935_52Tone_RU37



Date: 21.FEB.2026 18:20:28

11AX20MIMO_Ant3_5935_106Tone_RU53



Date: 21.FEB.2026 18:22:05

11AX20MIMO_Ant2_5955_26Tone_RU0



Date: 13.MAR.2026 19:12:17

11AX20MIMO_Ant2_5955_52Tone_RU37



Date: 13.MAR.2026 19:06:21

11AX20MIMO_Ant2_5955_106Tone_RU53



Date: 13.MAR.2026 19:07:29

11AX20MIMO_Ant3_5955_26Tone_RU0



Date: 13.MAR.2026 19:12:32

11AX20MIMO_Ant3_5955_52Tone_RU37



Date: 13.MAR.2026 19:06:36

11AX20MIMO_Ant3_5955_106Tone_RU53



Date: 13.MAR.2026 19:07:44

11AX20MIMO_Ant2_6435_26Tone_RU0



Date: 4.FEB.2026 05:09:57

11AX20MIMO_Ant2_6435_52Tone_RU37



Date: 4.FEB.2026 05:10:56

11AX20MIMO_Ant2_6435_106Tone_RU53



Date: 4.FEB.2026 05:12:22

11AX20MIMO_Ant3_6435_26Tone_RU0



Date: 4.FEB.2026 05:10:12

11AX20MIMO_Ant3_6435_52Tone_RU37



Date: 4.FEB.2026 05:11:11

11AX20MIMO_Ant3_6435_106Tone_RU53



Date: 4.FEB.2026 05:12:38

11AX20MIMO_Ant2_6535_26Tone_RU0



Date: 13.MAR.2026 19:32:29

11AX20MIMO_Ant2_6535_52Tone_RU37



Date: 13.MAR.2026 19:37:46

11AX20MIMO_Ant2_6535_106Tone_RU53



Date: 13.MAR.2026 19:40:43

11AX20MIMO_Ant3_6535_26Tone_RU0



Date: 13.MAR.2026 19:32:44

11AX20MIMO_Ant3_6535_52Tone_RU37



Date: 13.MAR.2026 19:38:01

11AX20MIMO_Ant3_6535_106Tone_RU53



Date: 13.MAR.2026 19:40:58

11AX20MIMO_Ant2_7095_26Tone_RU8



Date: 13.MAR.2026 19:44:14

11AX20MIMO_Ant2_7095_52Tone_RU40



Date: 13.MAR.2026 19:50:48

11AX20MIMO_Ant2_7095_106Tone_RU54



Date: 13.MAR.2026 19:52:30

11AX20MIMO_Ant3_7095_26Tone_RU8



Date: 13.MAR.2026 19:44:29

11AX20MIMO_Ant3_7095_52Tone_RU40



Date: 13.MAR.2026 19:51:03

11AX20MIMO_Ant3_7095_106Tone_RU54



Date: 13.MAR.2026 19:52:45

11AX20MIMO_Ant2_7115_26Tone_RU8



Date: 21.FEB.2026 18:30:46

11AX20MIMO_Ant2_7115_52Tone_RU40



Date: 21.FEB.2026 18:31:59

11AX20MIMO_Ant2_7115_106Tone_RU54



Date: 21.FEB.2026 18:32:46

11AX20MIMO_Ant3_7115_26Tone_RU8



Date: 21.FEB.2026 18:31:00

11AX20MIMO_Ant3_7115_52Tone_RU40



Date: 21.FEB.2026 18:32:14

11AX20MIMO_Ant3_7115_106Tone_RU54



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	**Temperature :**	24.2~25.6℃
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	**Phase :**	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.641	39.70	-16.30	56.00	19.60	9.59	10.51	QP
2	0.641	30.30	-15.70	46.00	10.20	9.59	10.51	Average
3	0.708	38.34	-17.66	56.00	18.25	9.58	10.51	QP
4 *	0.708	30.59	-15.41	46.00	10.50	9.58	10.51	Average
5	1.303	37.65	-18.35	56.00	17.50	9.59	10.56	QP
6	1.303	28.35	-17.65	46.00	8.20	9.59	10.56	Average
7	1.716	37.64	-18.36	56.00	17.49	9.60	10.55	QP
8	1.716	28.34	-17.66	46.00	8.19	9.60	10.55	Average
9	2.321	36.34	-19.66	56.00	16.21	9.60	10.53	QP
10	2.321	27.34	-18.66	46.00	7.21	9.60	10.53	Average
11	4.006	34.72	-21.28	56.00	14.60	9.61	10.51	QP
12	4.006	28.32	-17.68	46.00	8.20	9.61	10.51	Average

Test Engineer :	Amos Zhang	Temperature :	24.2~25.6℃
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

		Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
		MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1		0.150	47.53	-18.47	66.00	27.50	9.56	10.47	QP
2		0.150	30.59	-25.41	56.00	10.56	9.56	10.47	Average
3		0.201	45.58	-18.00	63.58	25.50	9.60	10.48	QP
4		0.201	32.88	-20.70	53.58	12.80	9.60	10.48	Average
5		0.229	45.62	-16.86	62.48	25.50	9.64	10.48	QP
6		0.229	32.32	-20.16	52.48	12.20	9.64	10.48	Average
7	*	0.592	41.09	-14.91	56.00	20.80	9.78	10.51	QP
8		0.592	28.09	-17.91	46.00	7.80	9.78	10.51	Average
9		1.734	39.90	-16.10	56.00	19.50	9.85	10.55	QP
10		1.734	28.20	-17.80	46.00	7.80	9.85	10.55	Average
11		4.136	37.72	-18.28	56.00	17.60	9.61	10.51	QP
12		4.136	28.32	-17.68	46.00	8.20	9.61	10.51	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix A. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	52 ~ 56 %
		Temperature :	22 ~ 25 ℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	2+3	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	2+3	802.11a	45	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	2+3	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	2+3	802.11ax HE20	45	6195	MCS0	-	-
Mode 6	U-NII-5	5.925-6.425	2+3	802.11ax HE20	93	6415	MCS0	-	-
Mode 7	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Partial_26/0RU	-
Mode 8	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Partial_52/37RU	-
Mode 9	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Partial_106/53RU	-
Mode 10	U-NII-5	5.925-6.425	2+3	802.11ax HE40	3	5965	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	2+3	802.11ax HE40	43	6205	MCS0	-	-
Mode 12	U-NII-5	5.925-6.425	2+3	802.11ax HE40	91	6405	MCS0	-	-
Mode 13	U-NII-5	5.925-6.425	2+3	802.11ax HE80	7	5985	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	2+3	802.11ax HE80	39	6225	MCS0	-	-
Mode 15	U-NII-5	5.925-6.425	2+3	802.11ax HE80	87	6385	MCS0	-	-
Mode 16	U-NII-5	5.925-6.425	2+3	802.11ax HE160	15	6025	MCS0	-	-
Mode 17	U-NII-5	5.925-6.425	2+3	802.11ax HE160	47	6185	MCS0	-	-
Mode 18	U-NII-5	5.925-6.425	2+3	802.11ax HE160	79	6345	MCS0	-	-
Mode 19	U-NII-6	6.425-6.525	2+3	802.11a	97	6435	6Mbps	-	-
Mode 20	U-NII-6	6.425-6.525	2+3	802.11a	105	6475	6Mbps	-	-
Mode 21	U-NII-6	5.925-6.425	2+3	802.11a	113	6515	6Mbps	-	-
Mode 22	U-NII-6	5.925-6.425	2+3	802.11ax HE20	97	6435	MCS0	-	-
Mode 23	U-NII-6	5.925-6.425	2+3	802.11ax HE20	105	6475	MCS0	-	-
Mode 24	U-NII-6	5.925-6.425	2+3	802.11ax HE20	113	6515	MCS0	-	-
Mode 25	U-NII-6	5.925-6.425	2+3	802.11ax HE40	99	6445	MCS0	-	-
Mode 26	U-NII-6	5.925-6.425	2+3	802.11ax HE40	107	6485	MCS0	-	-
Mode 27	U-NII-6	5.925-6.425	2+3	802.11ax HE40	115	6525	MCS0	-	-
Mode 28	U-NII-6	5.925-6.425	2+3	802.11ax HE80	103	6465	MCS0	-	-
Mode 29	U-NII-6	5.925-6.425	2+3	802.11ax HE80	119	6545	MCS0	-	-
Mode 30	U-NII-6	5.925-6.425	2+3	802.11ax HE160	111	6505	MCS0	-	-
Mode 31	U-NII-7	6.875-7.125	2+3	802.11a	117	6535	6Mbps	-	-
Mode 32	U-NII-7	6.875-7.125	2+3	802.11a	149	6695	6Mbps	-	-
Mode 33	U-NII-7	6.875-7.125	2+3	802.11a	181	6855	6Mbps	-	-
Mode 34	U-NII-7-8	6.875-7.125	2+3	802.11a	185	6875	6Mbps	-	-
Mode 35	U-NII-7	6.875-7.125	2+3	802.11ax HE20	117	6535	MCS0	-	-
Mode 36	U-NII-7	6.875-7.125	2+3	802.11ax HE20	149	6695	MCS0	-	-
Mode 37	U-NII-7	6.875-7.125	2+3	802.11ax HE20	181	6855	MCS0	-	-

Mode 38	U-NII-7-8	6.875-7.125	2+3	802.11ax HE20	185	6875	MCS0	-	-
Mode 39	U-NII-7	6.525-6.875	2+3	802.11ax HE40	123	6565	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	2+3	802.11ax HE40	147	6685	MCS0	-	-
Mode 41	U-NII-7	6.875-7.125	2+3	802.11ax HE40	179	6845	MCS0	-	-
Mode 42	U-NII-7	6.875-7.125	2+3	802.11ax HE40	187	6885	MCS0	-	-
Mode 43	U-NII-7	6.875-7.125	2+3	802.11ax HE80	135	6625	MCS0	-	-
Mode 44	U-NII-7	6.875-7.125	2+3	802.11ax HE80	151	6705	MCS0	-	-
Mode 45	U-NII-7	6.875-7.125	2+3	802.11ax HE80	167	6785	MCS0	-	-
Mode 46	U-NII-7	6.875-7.125	2+3	802.11ax HE80	183	6865	MCS0	-	-
Mode 47	U-NII-7	6.875-7.125	2+3	802.11ax HE160	143	6665	MCS0	-	-
Mode 48	U-NII-7	6.875-7.125	2+3	802.11ax HE160	175	6825	MCS0	-	-
Mode 49	U-NII-8	6.875-7.125	2+3	802.11a	189	6895	6Mbps	-	-
Mode 50	U-NII-8	6.875-7.125	2+3	802.11a	209	6995	6Mbps	-	-
Mode 51	U-NII-8	6.875-7.125	2+3	802.11a	229	7095	6Mbps	-	-
Mode 52	U-NII-8	6.875-7.125	2+3	802.11ax HE20	189	6895	MCS0	-	-
Mode 53	U-NII-8	6.875-7.125	2+3	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 54	U-NII-8	6.875-7.125	2+3	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	2+3	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 56	U-NII-8	6.875-7.125	2+3	802.11ax HE40	203	6925	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	2+3	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	2+3	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	2+3	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 60	U-NII-8	6.875-7.125	2+3	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 61	U-NII-8	6.875-7.125	2+3	802.11ax HE20	229	7095	MCS0	Partial_26/0RU	-
Mode 62	U-NII-8	6.875-7.125	2+3	802.11ax HE20	229	7095	MCS0	Partial_52/37RU	-
Mode 63	U-NII-8	6.875-7.125	2+3	802.11ax HE20	229	7095	MCS0	Partial_106/53RU	-
Mode 64	UNII-5	5.925-6.425	2+3	802.11a	2	5935	6Mbps	Full	-
Mode 65	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	Full	-
Mode 66	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU26/0	-
Mode 67	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU52/37	-
Mode 68	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU106/53	-
Mode 69	UNII-8	6.875-7.125	2+3	802.11a	233	7115	6Mbps	Full	-
Mode 70	UNII-8	6.875-7.125	2+3	802.11ax HE20	233	7115	MCS0	Full	-
Mode 71	UNII-8	6.875-7.125	2+3	802.11ax HE20	233	7115	MCS0	RU26/8	-
Mode 72	UNII-8	6.875-7.125	2+3	802.11ax HE20	233	7115	MCS0	RU52/40	-
Mode 73	UNII-8	6.875-7.125	2+3	802.11ax HE20	233	7115	MCS0	RU106/54	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	61.65	68.20	-6.55	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	46.26	74.00	-27.74	V	PEAK	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12390.00	47.03	74.00	-26.97	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.50	88.20	-41.70	V	PEAK	Pass	Harmonic
4	802.11ax HE20	1	5924.97	48.30	68.20	-19.90	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	45.81	74.00	-28.19	H	PEAK	Pass	Harmonic
5	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	45	12390.00	46.87	74.00	-27.13	V	PEAK	Pass	Harmonic
6	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	93	12830.00	46.96	88.20	-41.24	H	PEAK	Pass	Harmonic
7	802.11ax HE20	1	5904.82	49.19	68.20	-19.01	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE20	1	5898.71	49.19	68.20	-19.01	H	AVERAGE	Pass	Band Edge
8	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
9	802.11ax HE20	1	5900.66	49.15	68.20	-19.05	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	3	5924.82	55.80	68.20	-12.40	V	AVERAGE	Pass	Band Edge
10	802.11ax HE40	3	11930.00	45.09	74.00	-28.91	V	PEAK	Pass	Harmonic
11	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE40	43	12410.00	46.44	74.00	-27.56	H	PEAK	Pass	Harmonic
12	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE40	91	12810.00	44.69	88.20	-43.51	V	PEAK	Pass	Harmonic
13	802.11ax HE80	7	5916.52	63.39	68.20	-4.81	H	AVERAGE	Pass	Band Edge
13	802.11ax HE80	7	11970.00	43.11	74.00	-30.89	H	PEAK	Pass	Harmonic
14	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE80	39	12450.00	44.66	74.00	-29.34	H	PEAK	Pass	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE80	87	12770.00	44.07	88.20	-44.13	H	PEAK	Pass	Harmonic
16	802.11ax HE160	15	5921.80	66.39	68.20	-1.81	V	AVERAGE	Pass	Band Edge
16	802.11ax HE160	15	12050.00	43.18	74.00	-30.82	V	PEAK	Pass	Harmonic
17	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE160	47	12370.00	45.12	74.00	-28.88	H	PEAK	Pass	Harmonic
18	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE160	79	12690.00	44.30	74.00	-29.70	V	PEAK	Pass	Harmonic
19	802.11a	97	-	-	-	-	-	-	-	Band Edge
19	802.11a	97	12870.00	46.55	88.20	-41.65	H	PEAK	Pass	Harmonic
20	802.11a	105	-	-	-	-	-	-	-	Band Edge
20	802.11a	105	12950.00	47.36	88.20	-40.84	H	PEAK	Pass	Harmonic
21	802.11a	113	-	-	-	-	-	-	-	Band Edge
21	802.11a	113	13030.00	46.28	88.20	-41.92	V	PEAK	Pass	Harmonic
22	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge

22	802.11ax HE20	97	12870.00	46.85	88.20	-41.35	H	PEAK	Pass	Harmonic
23	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	105	12950.00	46.29	88.20	-41.91	V	PEAK	Pass	Harmonic
24	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE20	113	13030.00	46.76	88.20	-41.44	V	PEAK	Pass	Harmonic
25	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE40	99	12890.00	45.55	88.20	-42.65	H	PEAK	Pass	Harmonic
26	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	107	12970.00	44.77	88.20	-43.43	H	PEAK	Pass	Harmonic
27	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	115	13050.00	44.96	88.20	-43.24	V	PEAK	Pass	Harmonic
28	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE80	103	12930.00	44.19	88.20	-44.01	V	PEAK	Pass	Harmonic
29	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE80	119	13090.00	43.79	88.20	-44.41	V	PEAK	Pass	Harmonic
30	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE160	111	13010.00	43.32	88.20	-44.88	H	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	47.13	88.20	-41.07	V	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	46.20	74.00	-27.80	V	PEAK	Pass	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	Band Edge
33	802.11a	181	13710.00	45.92	88.20	-42.28	V	PEAK	Pass	Harmonic
34	802.11a	185	-	-	-	-	-	-	-	Band Edge
34	802.11a	185	13750.00	45.66	88.20	-42.54	V	PEAK	Pass	Harmonic
35	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	117	13070.00	46.63	88.20	-41.57	V	PEAK	Pass	Harmonic
36	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	149	13390.00	46.11	74.00	-27.89	H	PEAK	Pass	Harmonic
37	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	181	13710.00	46.61	88.20	-41.59	V	PEAK	Pass	Harmonic
38	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	185	13750.00	45.82	88.20	-42.38	H	PEAK	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	44.65	88.20	-43.55	H	PEAK	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	44.64	74.00	-29.36	H	PEAK	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	44.08	88.20	-44.12	V	PEAK	Pass	Harmonic
42	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	187	13770.00	43.50	88.20	-44.70	H	PEAK	Pass	Harmonic
43	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	135	13250.00	43.80	74.00	-30.20	V	PEAK	Pass	Harmonic
44	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	151	13410.00	42.97	88.20	-45.23	V	PEAK	Pass	Harmonic
45	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	167	13570.00	43.44	88.20	-44.76	V	PEAK	Pass	Harmonic

46	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE80	183	13730.00	42.19	88.20	-46.01	H	PEAK	Pass	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	143	13330.00	41.58	74.00	-32.42	V	PEAK	Pass	Harmonic
48	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	175	13650.00	41.68	88.20	-46.52	V	PEAK	Pass	Harmonic
49	802.11a	189	-	-	-	-	-	-	-	Band Edge
49	802.11a	189	13790.00	45.30	88.20	-42.90	H	PEAK	Pass	Harmonic
50	802.11a	209	-	-	-	-	-	-	-	Band Edge
50	802.11a	209	13990.00	46.61	88.20	-41.59	H	PEAK	Pass	Harmonic
51	802.11a	229	7125.80	61.54	68.20	-6.66	H	AVERAGE	Pass	Band Edge
51	802.11a	229	14190.00	46.07	88.20	-42.13	H	PEAK	Pass	Harmonic
52	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE20	189	13790.00	45.82	88.20	-42.38	V	PEAK	Pass	Harmonic
53	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE20	209	13990.00	45.95	88.20	-42.25	H	PEAK	Pass	Harmonic
54	802.11ax HE20	229	7125.00	58.71	68.20	-9.49	H	AVERAGE	Pass	Band Edge
54	802.11ax HE20	229	14190.00	46.10	88.20	-42.10	V	PEAK	Pass	Harmonic
55	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE40	187	13770.00	45.49	88.20	-42.71	H	PEAK	Pass	Harmonic
56	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE40	203	13850.00	45.24	88.20	-42.96	H	PEAK	Pass	Harmonic
57	802.11ax HE40	227	7127.24	63.91	68.20	-4.29	H	AVERAGE	Pass	Band Edge
57	802.11ax HE40	227	14170.00	44.96	88.20	-43.24	V	PEAK	Pass	Harmonic
58	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE80	199	13890.00	43.18	88.20	-45.02	H	PEAK	Pass	Harmonic
59	802.11ax HE80	215	7129.06	63.38	68.20	-4.82	H	AVERAGE	Pass	Band Edge
59	802.11ax HE80	215	14050.00	43.23	88.20	-44.97	H	PEAK	Pass	Harmonic
60	802.11ax HE160	207	7129.48	66.88	68.20	-1.32	H	AVERAGE	Pass	Band Edge
60	802.11ax HE160	207	13970.00	42.41	88.20	-45.79	V	PEAK	Pass	Harmonic
61	802.11ax HE20	229	7152.52	50.42	68.20	-17.78	H	AVERAGE	Pass	Band Edge
61	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	229	7151.08	50.44	68.20	-17.76	H	AVERAGE	Pass	Band Edge
62	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE20	229	7155.08	50.35	68.20	-17.85	H	AVERAGE	Pass	Band Edge
63	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
64	802.11a	2	5924.97	67.82	68.20	-0.38	H	AVERAGE	Pass	Band Edge
64	802.11a	2	11870.00	46.30	74.00	-27.70	H	PEAK	Pass	Harmonic
65	802.11ax HE20	2	5924.97	67.25	68.20	-0.95	V	AVERAGE	Pass	Band Edge
65	802.11ax HE20	2	11870.00	35.53	54.00	-18.47	V	AVERAGE	Pass	Harmonic
66	802.11ax HE20	2	5924.97	66.68	68.20	-1.52	H	AVERAGE	Pass	Band Edge
66	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
67	802.11ax HE20	2	5924.97	67.35	68.20	-0.85	H	AVERAGE	Pass	Band Edge
67	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
68	802.11ax HE20	2	5924.97	67.56	68.20	-0.64	V	AVERAGE	Pass	Band Edge
68	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
69	802.11a	233	7125.00	66.66	68.20	-1.54	H	AVERAGE	Pass	Band Edge

69	802.11a	233	14230.00	46.58	88.20	-41.62	V	PEAK	Pass	Harmonic
70	802.11ax HE20	233	7125.00	66.44	68.20	-1.76	V	AVERAGE	Pass	Band Edge
70	802.11ax HE20	233	14230.00	46.27	88.20	-41.93	V	PEAK	Pass	Harmonic
71	802.11ax HE20	233	7125.00	67.59	68.20	-0.61	H	AVERAGE	Pass	Band Edge
71	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
72	802.11ax HE20	233	7125.00	67.66	68.20	-0.54	V	AVERAGE	Pass	Band Edge
72	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
73	802.11ax HE20	233	7125.00	67.54	68.2	-0.66	V	AVERAGE	Pass	Band Edge
73	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic

Mode	1	
	Band Edge	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	2+3	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5924.58	72.56	88.20	-15.64	61.42	35.30	12.66	36.82	0.00	100	307	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	117.63	------	------	106.61	35.30	12.70	36.98	0.00	100	307	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5924.97	61.65	68.20	-6.55	50.51	35.30	12.66	36.82	0.00	100	307	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	108.79	------	------	97.77	35.30	12.70	36.98	0.00	100	307	AVERAGE

Mode	1	
	Band Edge	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	2+3	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5923.02	70.64	88.20	-17.56	59.49	35.30	12.66	36.81	0.00	312	325	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	117.48	------	------	106.43	35.30	12.69	36.94	0.00	312	325	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5922.63	60.17	68.20	-8.03	49.02	35.30	12.66	36.81	0.00	312	325	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	109.01	------	------	97.96	35.30	12.69	36.94	0.00	312	325	AVERAGE

Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11910.00 45.95 74.00 -28.05 55.46 38.61 18.16 66.28 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11910.00 46.26 74.00 -27.74 55.77 38.61 18.16 66.28 0.00 --- --- PEAK

Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH45_6195MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12390.00 47.03 74.00 -26.97 55.33 38.80 18.61 65.71 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12390.00 46.75 74.00 -27.25 55.05 38.80 18.61 65.71 0.00 --- --- PEAK

Mode	3	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12830.00 46.08 88.20 -42.12 53.64 39.20 19.04 65.80 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12830.00 46.50 88.20 -41.70 54.06 39.20 19.04 65.80 0.00 --- --- PEAK

Mode	4	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	2+3	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5924.84	59.81	88.20	-28.39	48.67	35.30	12.66	36.82	0.00	100	304	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	116.74	------	------	105.72	35.30	12.70	36.98	0.00	100	304	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5924.97	48.30	68.20	-19.90	37.16	35.30	12.66	36.82	0.00	100	304	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	106.79	------	------	95.77	35.30	12.70	36.98	0.00	100	304	AVERAGE

Mode	4	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	2+3	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5923.93	59.23	88.20	-28.97	48.09	35.30	12.66	36.82	0.00	298	64	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	118.61	------	------	107.59	35.30	12.70	36.98	0.00	298	64	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5924.32	47.96	68.20	-20.24	36.82	35.30	12.66	36.82	0.00	298	64	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	107.95	------	------	96.93	35.30	12.70	36.98	0.00	298	64	AVERAGE

Mode	4	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11910.00 45.81 74.00 -28.19 55.32 38.61 18.16 66.28 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11910.00 45.29 74.00 -28.71 54.80 38.61 18.16 66.28 0.00 --- --- PEAK

Mode	5	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_6195MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12390.00	46.38	74.00	-27.62	54.68	38.80	18.61	65.71	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12390.00	46.87	74.00	-27.13	55.17	38.80	18.61	65.71	0.00	---	---	PEAK

Mode	6	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12830.00	46.96	88.20	-41.24	54.52	39.20	19.04	65.80	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12830.00	45.80	88.20	-42.40	53.36	39.20	19.04	65.80	0.00	---	---	PEAK

Mode	7	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_26/0RU_5955MHz	
ANT	2+3	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5924.97	61.47	88.20	-26.73	50.33	35.30	12.66	36.82	0.00	100	63	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	121.28	------	------	110.23	35.30	12.69	36.94	0.00	100	63	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5904.82	49.19	68.20	-19.01	37.99	35.30	12.63	36.73	0.00	100	63	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	112.93	------	------	101.88	35.30	12.69	36.94	0.00	100	63	AVERAGE

Mode	7	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_26/0RU_5955MHz	
ANT	2+3	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5910.15	60.65	88.20	-27.55	49.47	35.30	12.64	36.76	0.00	200	14	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	119.16	------	------	108.11	35.30	12.69	36.94	0.00	200	14	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5898.84	49.10	68.20	-19.10	37.89	35.30	12.62	36.71	0.00	200	14	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	111.67	------	------	100.62	35.30	12.69	36.94	0.00	200	14	AVERAGE

Mode	8	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_52/37RU_5955MHz	
ANT	2+3	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5922.63	62.08	88.20	-26.12	50.93	35.30	12.66	36.81	0.00	100	63	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	117.72	------	------	106.67	35.30	12.69	36.94	0.00	100	63	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5898.71	49.19	68.20	-19.01	37.99	35.29	12.62	36.71	0.00	100	63	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	109.85	------	------	98.80	35.30	12.69	36.94	0.00	100	63	AVERAGE

Mode	8	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_52/37RU_5955MHz	
ANT	2+3	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5914.96	60.50	88.20	-27.70	49.33	35.30	12.65	36.78	0.00	200	14	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	117.64	------	------	106.59	35.30	12.69	36.94	0.00	200	14	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5896.76	49.10	68.20	-19.10	37.89	35.29	12.62	36.70	0.00	200	14	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	108.64	------	------	97.59	35.30	12.69	36.94	0.00	200	14	AVERAGE

Mode	9	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_106/53RU_5955MHz	
ANT	2+3	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5905.21	60.94	88.20	-27.26	49.74	35.30	12.63	36.73	0.00	100	35	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	115.09	------	------	104.04	35.30	12.69	36.94	0.00	100	35	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5900.66	49.15	68.20	-19.05	37.93	35.30	12.63	36.71	0.00	100	35	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	106.65	------	------	95.60	35.30	12.69	36.94	0.00	100	35	AVERAGE

Mode	9	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_106/53RU_5955MHz	
ANT	2+3	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5878.04	61.08	88.20	-27.12	49.94	35.21	12.60	36.67	0.00	200	14	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	114.80	------	------	103.75	35.30	12.69	36.94	0.00	200	14	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5897.02	49.07	68.20	-19.13	37.86	35.29	12.62	36.70	0.00	200	14	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5955.00	105.63	------	------	94.58	35.30	12.69	36.94	0.00	200	14	AVERAGE

Mode	10	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz	
ANT	2+3	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5917.68	64.06	88.20	-24.14	52.90	35.30	12.65	36.79	0.00	100	303	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5965.00	114.67	------	------	103.67	35.30	12.72	37.02	0.00	100	303	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5924.96	53.54	68.20	-14.66	42.40	35.30	12.66	36.82	0.00	100	303	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5965.00	104.56	------	------	93.56	35.30	12.72	37.02	0.00	100	303	AVERAGE

Mode	10	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz	
ANT	2+3	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.82 67.16 88.20 -21.04 56.02 35.30 12.66 36.82 0.00 297 65 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 114.30 ------ ------ 103.30 35.30 12.72 37.02 0.00 297 65 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5924.82 55.80 68.20 -12.40 44.66 35.30 12.66 36.82 0.00 297 65 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5965.00 105.19 ------ ------ 94.19 35.30 12.72 37.02 0.00 297 65 AVERAGE

Mode	10	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	11930.00	44.90	74.00	-29.10	54.37	38.63	18.17	66.27	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	11930.00	45.09	74.00	-28.91	54.56	38.63	18.17	66.27	0.00	---	---	PEAK

Mode	11	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_6205MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12410.00	46.44	74.00	-27.56	54.69	38.81	18.63	65.69	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12410.00	45.45	74.00	-28.55	53.70	38.81	18.63	65.69	0.00	---	---	PEAK

Mode	12	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_6405MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12810.00	44.09	88.20	-44.11	51.66	39.20	19.02	65.79	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12810.00	44.69	88.20	-43.51	52.26	39.20	19.02	65.79	0.00	---	---	PEAK

Mode	13	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_5985MHz	
ANT	2+3	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5916.84	75.74	88.20	-12.46	64.58	35.30	12.65	36.79	0.00	300	305	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5985.00	110.10	------	------	99.16	35.30	12.74	37.10	0.00	300	305	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5916.52	63.39	68.20	-4.81	52.22	35.30	12.65	36.78	0.00	300	305	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5985.00	100.95	------	------	90.01	35.30	12.74	37.10	0.00	300	305	AVERAGE

Mode	13	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_5985MHz	
ANT	2+3	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5918.12 73.90 88.20 -14.30 62.74 35.30 12.65 36.79 0.00 316 347 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 110.94 ------ ------ 99.97 35.30 12.73 37.06 0.00 316 347 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5919.72 62.99 68.20 -5.21 51.84 35.30 12.65 36.80 0.00 316 347 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5985.00 102.18 ------ ------ 91.24 35.30 12.74 37.10 0.00 316 347 AVERAGE

Mode	13	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_5985MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11970.00 43.11 74.00 -30.89 52.48 38.67 18.20 66.24 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11970.00 42.79 74.00 -31.21 52.16 38.67 18.20 66.24 0.00 --- --- PEAK

Mode	14	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH39_6225MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12450.00	44.66	74.00	-29.34	52.78	38.85	18.67	65.64	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12450.00	43.34	74.00	-30.66	51.46	38.85	18.67	65.64	0.00	---	---	PEAK

Mode	15	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_6385MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12770.00	44.07	88.20	-44.13	51.65	39.20	18.98	65.76	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12770.00	43.56	88.20	-44.64	51.14	39.20	18.98	65.76	0.00	---	---	PEAK

Mode	16
	Band Edge
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_6025MHz
ANT	2+3

Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5914.60	76.20	88.20	-12.00	65.04	35.30	12.64	36.78	0.00	263	322	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6025.00	107.02	------	------	96.12	35.30	12.78	37.18	0.00	263	322	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5923.20	65.48	68.20	-2.72	54.33	35.30	12.66	36.81	0.00	263	322	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	6025.00	98.88	------	------	87.98	35.30	12.77	37.17	0.00	263	322	AVERAGE

Mode	16	
	Band Edge	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_6025MHz	
ANT	2+3	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5922.00 77.20 88.20 -11.00 66.06 35.30 12.65 36.81 0.00 279 321 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 107.08 ------ ------ 96.18 35.30 12.78 37.18 0.00 279 321 PEAK
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5921.80 66.39 68.20 -1.81 55.25 35.30 12.65 36.81 0.00 279 321 AVERAGE	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 6025.00 99.24 ------ ------ 88.34 35.30 12.77 37.17 0.00 279 321 AVERAGE

Mode	16	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_6025MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 42.61 74.00 -31.39 51.79 38.70 18.27 66.15 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12050.00 43.18 74.00 -30.82 52.36 38.70 18.27 66.15 0.00 --- --- PEAK

Mode	17	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_6185MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12370.00	45.12	74.00	-28.88	53.47	38.80	18.59	65.74	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12370.00	44.54	74.00	-29.46	52.89	38.80	18.59	65.74	0.00	---	---	PEAK

Mode	18	
	Harmonic	
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_6345MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12690.00 44.28 74.00 -29.72 51.90 39.18 18.90 65.70 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12690.00 44.30 74.00 -29.70 51.92 39.18 18.90 65.70 0.00 --- --- PEAK

Mode	19	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 46.55 88.20 -41.65 54.10 39.20 19.08 65.83 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12870.00 46.17 88.20 -42.03 53.72 39.20 19.08 65.83 0.00 --- --- PEAK

Mode	20	
	Harmonic	
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 47.36 88.20 -40.84 54.93 39.15 19.16 65.88 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 12950.00 45.77 88.20 -42.43 53.34 39.15 19.16 65.88 0.00 --- --- PEAK

Mode	21	
	Harmonic	
	U-NII-6_5.925-6.425_802.11a_CH113_6515MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 46.17 88.20 -42.03 53.78 39.04 19.22 65.87 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13030.00 46.28 88.20 -41.92 53.89 39.04 19.22 65.87 0.00 --- --- PEAK

Mode	22	
	Harmonic	
	U-NII-6_5.925-6.425_802.11ax HE20_CH97_6435MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12870.00	46.85	88.20	-41.35	54.40	39.20	19.08	65.83	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12870.00	45.54	88.20	-42.66	53.09	39.20	19.08	65.83	0.00	---	---	PEAK

Mode	23	
	Harmonic	
	U-NII-6_5.925-6.425_802.11ax HE20_CH105_6475MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12950.00	46.13	88.20	-42.07	53.70	39.15	19.16	65.88	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12950.00	46.29	88.20	-41.91	53.86	39.15	19.16	65.88	0.00	---	---	PEAK

Mode	24	
	Harmonic	
	U-NII-6_5.925-6.425_802.11ax HE20_CH113_6515MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13030.00	46.53	88.20	-41.67	54.14	39.04	19.22	65.87	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13030.00	46.76	88.20	-41.44	54.37	39.04	19.22	65.87	0.00	---	---	PEAK

Mode	25	
	Harmonic	
	U-NII-6_5.925-6.425_802.11ax HE40_CH99_6445MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12890.00	45.55	88.20	-42.65	53.09	39.20	19.10	65.84	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12890.00	45.43	88.20	-42.77	52.97	39.20	19.10	65.84	0.00	---	---	PEAK

Mode	26	
	Harmonic	
	U-NII-6_5.925-6.425_802.11ax HE40_CH107_6485MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12970.00	44.77	88.20	-43.43	52.36	39.13	19.18	65.90	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12970.00	44.62	88.20	-43.58	52.21	39.13	19.18	65.90	0.00	---	---	PEAK

Mode	27	
	Harmonic	
	U-NII-6_5.925-6.425_802.11ax HE40_CH115_6525MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13050.00	44.63	88.20	-43.57	52.24	39.00	19.23	65.84	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13050.00	44.96	88.20	-43.24	52.57	39.00	19.23	65.84	0.00	---	---	PEAK

Mode	28	
	Harmonic	
	U-NII-6_5.925-6.425_802.11ax HE80_CH103_6465MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12930.00	43.43	88.20	-44.77	51.04	39.17	19.14	65.92	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	12930.00	44.19	88.20	-44.01	51.80	39.17	19.14	65.92	0.00	---	---	PEAK

Mode	29	
	Harmonic	
	U-NII-6_5.925-6.425_802.11ax HE80_CH119_6545MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13090.00	43.12	88.20	-45.08	50.67	38.92	19.25	65.72	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13090.00	43.79	88.20	-44.41	51.34	38.92	19.25	65.72	0.00	---	---	PEAK

Mode	30	
	Harmonic	
	U-NII-6_5.925-6.425_802.11ax HE160_CH111_6505MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13010.00 43.32 88.20 -44.88 50.94 39.08 19.21 65.91 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13010.00 42.63 88.20 -45.57 50.25 39.08 19.21 65.91 0.00 --- --- PEAK

Mode	31	
	Harmonic	
	U-NII-7_6.875-7.125_802.11a_CH117_6535MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 46.07 88.20 -42.13 53.64 38.96 19.24 65.77 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13070.00 47.13 88.20 -41.07 54.70 38.96 19.24 65.77 0.00 --- --- PEAK

Mode	32	
	Harmonic	
	U-NII-7_6.875-7.125_802.11a_CH149_6695MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 46.00 74.00 -28.00 52.73 38.90 19.40 65.03 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 46.20 74.00 -27.80 52.93 38.90 19.40 65.03 0.00 --- --- PEAK

Mode	33	
	Harmonic	
	U-NII-7_6.875-7.125_802.11a_CH181_6855MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13710.00 45.27 88.20 -42.93 51.79 38.60 19.55 64.67 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13710.00 45.92 88.20 -42.28 52.44 38.60 19.55 64.67 0.00 --- --- PEAK

Mode	34	
	Harmonic	
	U-NII-7-8_6.875-7.125_802.11a_CH185_6875MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13750.00	45.22	88.20	-42.98	51.70	38.60	19.57	64.65	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13750.00	45.66	88.20	-42.54	52.14	38.60	19.57	64.65	0.00	---	---	PEAK

Mode	35	
	Harmonic	
	U-NII-7_6.875-7.125_802.11ax HE20_CH117_6535MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13070.00	46.09	88.20	-42.11	53.66	38.96	19.24	65.77	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	13070.00	46.63	88.20	-41.57	54.20	38.96	19.24	65.77	0.00	---	---	PEAK

Mode	36	
	Harmonic	
	U-NII-7_6.875-7.125_802.11ax HE20_CH149_6695MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 46.11 74.00 -27.89 52.84 38.90 19.40 65.03 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13390.00 45.23 74.00 -28.77 51.96 38.90 19.40 65.03 0.00 --- --- PEAK

Mode	37	
	Harmonic	
	U-NII-7_6.875-7.125_802.11ax HE20_CH181_6855MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13710.00 44.73 88.20 -43.47 51.25 38.60 19.55 64.67 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13710.00 46.61 88.20 -41.59 53.13 38.60 19.55 64.67 0.00 --- --- PEAK

Mode	38	
	Harmonic	
	U-NII-7-8_6.875-7.125_802.11ax HE20_CH185_6875MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 45.82 88.20 -42.38 52.30 38.60 19.57 64.65 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13750.00 45.28 88.20 -42.92 51.76 38.60 19.57 64.65 0.00 --- --- PEAK

Mode	39	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_6565MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13130.00 44.65 88.20 -43.55 52.11 38.90 19.27 65.63 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13130.00 44.42 88.20 -43.78 51.88 38.90 19.27 65.63 0.00 --- --- PEAK

Mode	40	
	Harmonic	
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_6685MHz	
ANT	2+3	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13370.00 44.64 74.00 -29.36 51.43 38.90 19.39 65.08 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 13370.00 44.22 74.00 -29.78 51.01 38.90 19.39 65.08 0.00 --- --- PEAK