















Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A-MIMO	Ant2	5935	0.38	-1.90	-1.52	≤17.00	PASS
	Ant3	5935	0.47	0.00	0.47	≤17.00	PASS
	total	5935	3.44	---	3.44	≤17.00	PASS
	Ant2	5955	6.00	-1.90	4.10	≤17.00	PASS
	Ant3	5955	5.81	0.00	5.81	≤17.00	PASS
	total	5955	8.92	---	8.92	≤17.00	PASS
	Ant2	6195	6.01	-1.90	4.11	≤17.00	PASS
	Ant3	6195	5.86	0.00	5.86	≤17.00	PASS
	total	6195	8.95	---	8.95	≤17.00	PASS
	Ant2	6415	6.03	-1.90	4.13	≤17.00	PASS
	Ant3	6415	5.36	0.00	5.36	≤17.00	PASS
	total	6415	8.72	---	8.72	≤17.00	PASS
	Ant2	6535	5.63	-0.60	5.03	≤17.00	PASS
	Ant3	6535	5.90	-1.70	4.20	≤17.00	PASS
	total	6535	8.78	---	8.18	≤17.00	PASS
	Ant2	6695	6.15	-0.60	5.55	≤17.00	PASS
	Ant3	6695	5.96	-1.70	4.26	≤17.00	PASS
	total	6695	9.07	---	8.47	≤17.00	PASS
	Ant2	6855	7.17	-0.60	6.57	≤17.00	PASS
	Ant3	6855	7.05	-1.70	5.35	≤17.00	PASS
	total	6855	10.12	---	9.52	≤17.00	PASS
11AX20MIMO	Ant2	5935	-16.86	-1.90	-18.76	≤17.00	PASS
	Ant3	5935	-16.70	0.00	-16.70	≤17.00	PASS
	total	5935	-13.77	---	-13.77	≤17.00	PASS
	Ant2	5955	5.39	-1.90	3.49	≤17.00	PASS
	Ant3	5955	5.17	0.00	5.17	≤17.00	PASS
	total	5955	8.29	---	8.29	≤17.00	PASS
	Ant2	6195	5.36	-1.90	3.46	≤17.00	PASS
	Ant3	6195	5.22	0.00	5.22	≤17.00	PASS
	total	6195	8.30	---	8.30	≤17.00	PASS
	Ant2	6415	5.34	-1.90	3.44	≤17.00	PASS
	Ant3	6415	4.71	0.00	4.71	≤17.00	PASS
	total	6415	8.05	---	8.05	≤17.00	PASS




	Ant2	6535	4.98	-0.60	4.38	≤17.00	PASS
	Ant3	6535	5.17	-1.70	3.47	≤17.00	PASS
	total	6535	8.09	---	7.49	≤17.00	PASS
	Ant2	6695	5.52	-0.60	4.92	≤17.00	PASS
	Ant3	6695	5.25	-1.70	3.55	≤17.00	PASS
	total	6695	8.40	---	7.80	≤17.00	PASS
	Ant2	6855	6.56	-0.60	5.96	≤17.00	PASS
	Ant3	6855	6.20	-1.70	4.50	≤17.00	PASS
	total	6855	9.39	---	8.79	≤17.00	PASS
11AX40MIMO	Ant2	5965	3.54	-1.90	1.64	≤17.00	PASS
	Ant3	5965	3.24	0.00	3.24	≤17.00	PASS
	total	5965	6.40	---	6.40	≤17.00	PASS
	Ant2	6205	3.22	-1.90	1.32	≤17.00	PASS
	Ant3	6205	2.98	0.00	2.98	≤17.00	PASS
	total	6205	6.11	---	6.11	≤17.00	PASS
	Ant2	6405	3.23	-1.90	1.33	≤17.00	PASS
	Ant3	6405	2.60	0.00	2.60	≤17.00	PASS
	total	6405	5.94	---	5.94	≤17.00	PASS
	Ant2	6565	3.39	-0.60	2.79	≤17.00	PASS
	Ant3	6565	3.26	-1.70	1.56	≤17.00	PASS
	total	6565	6.34	---	5.74	≤17.00	PASS
	Ant2	6685	3.52	-0.60	2.92	≤17.00	PASS
	Ant3	6685	2.87	-1.70	1.17	≤17.00	PASS
	total	6685	6.22	---	5.62	≤17.00	PASS
	Ant2	6845	4.31	-0.60	3.71	≤17.00	PASS
	Ant3	6845	3.60	-1.70	1.90	≤17.00	PASS
	total	6845	6.98	---	6.38	≤17.00	PASS
11AX80MIMO	Ant2	5985	0.40	-1.90	-1.50	≤17.00	PASS
	Ant3	5985	0.67	0.00	0.67	≤17.00	PASS
	total	5985	3.55	---	3.55	≤17.00	PASS
	Ant2	6225	0.89	-1.90	-1.01	≤17.00	PASS
	Ant3	6225	0.69	0.00	0.69	≤17.00	PASS
	total	6225	3.80	---	3.80	≤17.00	PASS
	Ant2	6385	0.47	-1.90	-1.43	≤17.00	PASS
	Ant3	6385	-0.16	0.00	-0.16	≤17.00	PASS
	total	6385	3.18	---	3.18	≤17.00	PASS
	Ant2	6625	0.59	-0.60	-0.01	≤17.00	PASS
	Ant3	6625	0.48	-1.70	-1.22	≤17.00	PASS
	total	6625	3.55	---	2.95	≤17.00	PASS



	Ant2	6705	0.72	-0.60	0.12	≤17.00	PASS
	Ant3	6705	0.22	-1.70	-1.48	≤17.00	PASS
	total	6705	3.49	---	2.89	≤17.00	PASS
	Ant2	6785	1.06	-0.60	0.46	≤17.00	PASS
	Ant3	6785	0.85	-1.70	-0.85	≤17.00	PASS
	total	6785	3.97	---	3.37	≤17.00	PASS
11AX160MIMO	Ant2	6025	-1.82	-1.90	-3.72	≤17.00	PASS
	Ant3	6025	-2.04	0.00	-2.04	≤17.00	PASS
	total	6025	1.08	---	1.08	≤17.00	PASS
	Ant2	6185	-1.64	-1.90	-3.54	≤17.00	PASS
	Ant3	6185	-1.71	0.00	-1.71	≤17.00	PASS
	total	6185	1.34	---	1.34	≤17.00	PASS
	Ant2	6345	-2.34	-1.90	-4.24	≤17.00	PASS
	Ant3	6345	-2.41	0.00	-2.41	≤17.00	PASS
	total	6345	0.64	---	0.64	≤17.00	PASS
	Ant2	6665	-1.75	-0.60	-2.35	≤17.00	PASS
	Ant3	6665	-1.94	-1.70	-3.64	≤17.00	PASS
	total	6665	1.17	---	0.57	≤17.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs



































































































In-Band Emissions

Test Result


TestMode	Antenna	Freq(MHz)	Result	Limit	Verdict
11A-MIMO	Ant2	5935	See test graph	See test graph	PASS
	Ant3	5935	See test graph	See test graph	PASS
	Ant2	5955	See test graph	See test graph	PASS
	Ant3	5955	See test graph	See test graph	PASS
	Ant2	6195	See test graph	See test graph	PASS
	Ant3	6195	See test graph	See test graph	PASS
	Ant2	6415	See test graph	See test graph	PASS
	Ant3	6415	See test graph	See test graph	PASS
	Ant2	6535	See test graph	See test graph	PASS
	Ant3	6535	See test graph	See test graph	PASS
	Ant2	6695	See test graph	See test graph	PASS
	Ant3	6695	See test graph	See test graph	PASS
	Ant2	6855	See test graph	See test graph	PASS
	Ant3	6855	See test graph	See test graph	PASS
11AX20MIMO	Ant2	5935	See test graph	See test graph	PASS
	Ant3	5935	See test graph	See test graph	PASS
	Ant2	5955	See test graph	See test graph	PASS
	Ant3	5955	See test graph	See test graph	PASS
	Ant2	6195	See test graph	See test graph	PASS
	Ant3	6195	See test graph	See test graph	PASS
	Ant2	6415	See test graph	See test graph	PASS
	Ant3	6415	See test graph	See test graph	PASS
	Ant2	6535	See test graph	See test graph	PASS
	Ant3	6535	See test graph	See test graph	PASS
	Ant2	6695	See test graph	See test graph	PASS
	Ant3	6695	See test graph	See test graph	PASS
	Ant2	6855	See test graph	See test graph	PASS
	Ant3	6855	See test graph	See test graph	PASS
11AX40MIMO	Ant2	5965	See test graph	See test graph	PASS
	Ant3	5965	See test graph	See test graph	PASS
	Ant2	6205	See test graph	See test graph	PASS
	Ant3	6205	See test graph	See test graph	PASS
	Ant2	6405	See test graph	See test graph	PASS







	Ant3	6405	See test graph	See test graph	PASS
	Ant2	6565	See test graph	See test graph	PASS
	Ant3	6565	See test graph	See test graph	PASS
	Ant2	6685	See test graph	See test graph	PASS
	Ant3	6685	See test graph	See test graph	PASS
	Ant2	6845	See test graph	See test graph	PASS
	Ant3	6845	See test graph	See test graph	PASS
11AX80MIMO	Ant2	5985	See test graph	See test graph	PASS
	Ant3	5985	See test graph	See test graph	PASS
	Ant2	6225	See test graph	See test graph	PASS
	Ant3	6225	See test graph	See test graph	PASS
	Ant2	6385	See test graph	See test graph	PASS
	Ant3	6385	See test graph	See test graph	PASS
	Ant2	6625	See test graph	See test graph	PASS
	Ant3	6625	See test graph	See test graph	PASS
	Ant2	6705	See test graph	See test graph	PASS
	Ant3	6705	See test graph	See test graph	PASS
	Ant2	6785	See test graph	See test graph	PASS
	Ant3	6785	See test graph	See test graph	PASS
11AX160MIMO	Ant2	6025	See test graph	See test graph	PASS
	Ant3	6025	See test graph	See test graph	PASS
	Ant2	6185	See test graph	See test graph	PASS
	Ant3	6185	See test graph	See test graph	PASS
	Ant2	6345	See test graph	See test graph	PASS
	Ant3	6345	See test graph	See test graph	PASS
	Ant2	6665	See test graph	See test graph	PASS
	Ant3	6665	See test graph	See test graph	PASS



Test Graphs











11A-MIMO_Ant3_6195





Date: 31.JAN.2026 01:49:14

11A-MIMO_Ant2_6415




Date: 31.JAN.2026 01:51:03






11A-MIMO_Ant3_6535



Date: 31.JAN.2026 02:07:27


11A-MIMO_Ant2_6695



Date: 31.JAN.2026 02:09:56




11A-MIMO_Ant3_6695







Date: 31.JAN.2026 02:11:28


11A-MIMO_Ant2_6855







Date: 31.JAN.2026 02:28:12























































































Single RU

Maximum power spectral density


Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant2	5935	26Tone	RU0	-18.24	-1.90	-20.14	≤17.00	PASS
			52Tone	RU37	-17.33	-1.90	-19.23	≤17.00	PASS
			106Tone	RU53	-17.50	-1.90	-19.40	≤17.00	PASS
	Ant3	5935	26Tone	RU0	-18.44	0.00	-18.44	≤17.00	PASS
			52Tone	RU37	-17.47	0.00	-17.47	≤17.00	PASS
			106Tone	RU53	-17.46	0.00	-17.46	≤17.00	PASS
	total	5935	26Tone	RU0	-15.33	---	-15.33	≤17.00	PASS
			52Tone	RU37	-14.39	---	-14.39	≤17.00	PASS
			106Tone	RU53	-14.47	---	-14.47	≤17.00	PASS
	Ant2	5955	26Tone	RU0	5.22	-1.90	3.32	≤17.00	PASS
			52Tone	RU37	5.19	-1.90	3.29	≤17.00	PASS
			106Tone	RU53	4.92	-1.90	3.02	≤17.00	PASS
	Ant3	5955	26Tone	RU0	5.14	0.00	5.14	≤17.00	PASS
			52Tone	RU37	5.06	0.00	5.06	≤17.00	PASS
			106Tone	RU53	4.82	0.00	4.82	≤17.00	PASS
	total	5955	26Tone	RU0	8.19	---	8.19	≤17.00	PASS
			52Tone	RU37	8.14	---	8.14	≤17.00	PASS
			106Tone	RU53	7.88	---	7.88	≤17.00	PASS
	Ant2	6535	26Tone	RU0	4.65	-0.60	4.05	≤17.00	PASS
			52Tone	RU37	4.61	-0.60	4.01	≤17.00	PASS
			106Tone	RU53	4.35	-0.60	3.75	≤17.00	PASS
	Ant3	6535	26Tone	RU0	5.13	-1.70	3.43	≤17.00	PASS
			52Tone	RU37	5.23	-1.70	3.53	≤17.00	PASS
			106Tone	RU53	4.92	-1.70	3.22	≤17.00	PASS
	total	6535	26Tone	RU0	7.91	---	7.31	≤17.00	PASS
			52Tone	RU37	7.94	---	7.34	≤17.00	PASS
			106Tone	RU53	7.65	---	7.05	≤17.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs































In-Band Emissions



Test Result



Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20MIMO	Ant2	5935	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	5935	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS



Test Graphs














11AX20MIMO_Ant3_5935_106Tone_RU53







11AX20MIMO_Ant2_5955_26Tone_RU0
















11AX20MIMO_Ant3_6535_26Tone_RU0



11AX20MIMO_Ant3_6535_52Tone_RU37







Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	52 ~ 56 %
		Temperature :	22 ~ 25 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	2+3	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	2+3	802.11a	45	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	2+3	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	2+3	802.11ax HE20	45	6195	MCS0	-	-
Mode 6	U-NII-5	5.925-6.425	2+3	802.11ax HE20	93	6415	MCS0	-	-
Mode 7	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Partial_26/0RU	-
Mode 8	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Partial_52/37RU	-
Mode 9	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Partial_106/53RU	-
Mode 10	U-NII-5	5.925-6.425	2+3	802.11ax HE40	3	5965	MCS0	-	-
Mode 11	U-NII-5	5.925-6.425	2+3	802.11ax HE40	43	6205	MCS0	-	-
Mode 12	U-NII-5	5.925-6.425	2+3	802.11ax HE40	91	6405	MCS0	-	-
Mode 13	U-NII-5	5.925-6.425	2+3	802.11ax HE80	7	5985	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	2+3	802.11ax HE80	39	6225	MCS0	-	-
Mode 15	U-NII-5	5.925-6.425	2+3	802.11ax HE80	87	6385	MCS0	-	-
Mode 16	U-NII-5	5.925-6.425	2+3	802.11ax HE160	15	6025	MCS0	-	-
Mode 17	U-NII-5	5.925-6.425	2+3	802.11ax HE160	47	6185	MCS0	-	-
Mode 18	U-NII-5	5.925-6.425	2+3	802.11ax HE160	79	6345	MCS0	-	-
Mode 31	U-NII-7	6.875-7.125	2+3	802.11a	117	6535	6Mbps	-	-
Mode 32	U-NII-7	6.875-7.125	2+3	802.11a	149	6695	6Mbps	-	-
Mode 33	U-NII-7	6.875-7.125	2+3	802.11a	181	6855	6Mbps	-	-
Mode 35	U-NII-7	6.875-7.125	2+3	802.11ax HE20	117	6535	MCS0	-	-
Mode 36	U-NII-7	6.875-7.125	2+3	802.11ax HE20	149	6695	MCS0	-	-
Mode 37	U-NII-7	6.875-7.125	2+3	802.11ax HE20	181	6855	MCS0	-	-
Mode 39	U-NII-7	6.525-6.875	2+3	802.11ax HE40	123	6565	MCS0	-	-
Mode 40	U-NII-7	6.525-6.875	2+3	802.11ax HE40	147	6685	MCS0	-	-
Mode 41	U-NII-7	6.875-7.125	2+3	802.11ax HE40	179	6845	MCS0	-	-
Mode 43	U-NII-7	6.875-7.125	2+3	802.11ax HE80	135	6625	MCS0	-	-
Mode 44	U-NII-7	6.875-7.125	2+3	802.11ax HE80	151	6705	MCS0	-	-
Mode 45	U-NII-7	6.875-7.125	2+3	802.11ax HE80	167	6785	MCS0	-	-
Mode 47	U-NII-7	6.875-7.125	2+3	802.11ax HE160	143	6665	MCS0	-	-
Mode 64	UNII-5	5.925-6.425	2+3	802.11a	2	5935	6Mbps	Full	-
Mode 65	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	Full	-
Mode 66	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU26/0	-
Mode 67	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU52/37	-
Mode 68	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU106/53	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	61.65	68.20	-6.55	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	46.26	74.00	-27.74	V	PEAK	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12390.00	47.03	74.00	-26.97	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.50	88.20	-41.70	V	PEAK	Pass	Harmonic
4	802.11ax HE20	1	5924.97	48.30	68.20	-19.90	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	45.81	74.00	-28.19	H	PEAK	Pass	Harmonic
5	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	45	12390.00	46.87	74.00	-27.13	V	PEAK	Pass	Harmonic
6	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	93	12830.00	46.96	88.20	-41.24	H	PEAK	Pass	Harmonic
7	802.11ax HE20	1	5904.82	49.19	68.20	-19.01	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE20	1	5898.71	49.19	68.20	-19.01	H	AVERAGE	Pass	Band Edge
8	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
9	802.11ax HE20	1	5900.66	49.15	68.20	-19.05	H	AVERAGE	Pass	Band Edge
9	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	3	5924.82	55.80	68.20	-12.40	V	AVERAGE	Pass	Band Edge
10	802.11ax HE40	3	11930.00	45.09	74.00	-28.91	V	PEAK	Pass	Harmonic
11	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE40	43	12410.00	46.44	74.00	-27.56	H	PEAK	Pass	Harmonic
12	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE40	91	12810.00	44.69	88.20	-43.51	V	PEAK	Pass	Harmonic
13	802.11ax HE80	7	5916.52	63.39	68.20	-4.81	H	AVERAGE	Pass	Band Edge
13	802.11ax HE80	7	11970.00	43.11	74.00	-30.89	H	PEAK	Pass	Harmonic
14	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE80	39	12450.00	44.66	74.00	-29.34	H	PEAK	Pass	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE80	87	12770.00	44.07	88.20	-44.13	H	PEAK	Pass	Harmonic
16	802.11ax HE160	15	5921.80	66.39	68.20	-1.81	V	AVERAGE	Pass	Band Edge
16	802.11ax HE160	15	12050.00	43.18	74.00	-30.82	V	PEAK	Pass	Harmonic
17	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE160	47	12370.00	45.12	74.00	-28.88	H	PEAK	Pass	Harmonic
18	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE160	79	12690.00	44.30	74.00	-29.70	V	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	47.13	88.20	-41.07	V	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	46.20	74.00	-27.80	V	PEAK	Pass	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	Band Edge







33	802.11a	181	13710.00	45.92	88.20	-42.28	V	PEAK	Pass	Harmonic
35	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	117	13070.00	46.63	88.20	-41.57	V	PEAK	Pass	Harmonic
36	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	149	13390.00	46.11	74.00	-27.89	H	PEAK	Pass	Harmonic
37	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	181	13710.00	46.61	88.20	-41.59	V	PEAK	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	44.65	88.20	-43.55	H	PEAK	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	44.64	74.00	-29.36	H	PEAK	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	44.08	88.20	-44.12	V	PEAK	Pass	Harmonic
43	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	135	13250.00	43.80	74.00	-30.20	V	PEAK	Pass	Harmonic
44	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	151	13410.00	42.97	88.20	-45.23	V	PEAK	Pass	Harmonic
45	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	167	13570.00	43.44	88.20	-44.76	V	PEAK	Pass	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	143	13330.00	41.58	74.00	-32.42	V	PEAK	Pass	Harmonic
64	802.11a	2	5924.97	67.82	68.20	-0.38	H	AVERAGE	Pass	Band Edge
64	802.11a	2	11870.00	46.30	74.00	-27.70	H	PEAK	Pass	Harmonic
65	802.11ax HE20	2	5924.97	67.25	68.20	-0.95	V	AVERAGE	Pass	Band Edge
65	802.11ax HE20	2	11870.00	35.53	54.00	-18.47	V	AVERAGE	Pass	Harmonic
66	802.11ax HE20	2	5924.97	66.68	68.20	-1.52	H	AVERAGE	Pass	Band Edge
66	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
67	802.11ax HE20	2	5924.97	67.35	68.20	-0.85	H	AVERAGE	Pass	Band Edge
67	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
68	802.11ax HE20	2	5924.97	67.56	68.20	-0.64	V	AVERAGE	Pass	Band Edge
68	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic





Mode	1																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																						
ANT	2+3																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>72.56</td><td>88.20</td><td>-15.64</td><td>61.42</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.58	72.56	88.20	-15.64	61.42	35.30	12.66	36.82	0.00	100	307 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.63</td><td>-----</td><td>-----</td><td>106.61</td><td>35.30</td><td>12.70</td><td>36.98</td><td>0.00</td><td>100</td><td>307 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	117.63	-----	-----	106.61	35.30	12.70	36.98	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5924.58	72.56	88.20	-15.64	61.42	35.30	12.66	36.82	0.00	100	307 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5955.00	117.63	-----	-----	106.61	35.30	12.70	36.98	0.00	100	307 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>61.65</td><td>68.20</td><td>-6.55</td><td>50.51</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>307 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5924.97	61.65	68.20	-6.55	50.51	35.30	12.66	36.82	0.00	100	307 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.79</td><td>-----</td><td>-----</td><td>97.77</td><td>35.30</td><td>12.70</td><td>36.98</td><td>0.00</td><td>100</td><td>307 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	108.79	-----	-----	97.77	35.30	12.70	36.98	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5924.97	61.65	68.20	-6.55	50.51	35.30	12.66	36.82	0.00	100	307 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5955.00	108.79	-----	-----	97.77	35.30	12.70	36.98	0.00	100	307 AVERAGE																																																																																																												





		1																																																																																																																
Mode		Band Edge																																																																																																																
		U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																
ANT		2+3																																																																																																																
Pol.		Vertical					Fundamental																																																																																																											
Peak																																																																																																																		
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.02</td><td>70.64</td><td>88.20</td><td>-17.56</td><td>59.49</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>312</td><td>325</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.02	70.64	88.20	-17.56	59.49	35.30	12.66	36.81	0.00	312	325	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>117.48</td><td>-----</td><td>-----</td><td>106.43</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>312</td><td>325</td><td>PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	117.48	-----	-----	106.43	35.30	12.69	36.94	0.00	312	325
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5923.02	70.64	88.20	-17.56	59.49	35.30	12.66	36.81	0.00	312	325	PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5955.00	117.48	-----	-----	106.43	35.30	12.69	36.94	0.00	312	325	PEAK																																																																																																						
Avg																																																																																																																		
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.63</td><td>60.17</td><td>68.20</td><td>-8.03</td><td>49.02</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>312</td><td>325</td><td>AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5922.63	60.17	68.20	-8.03	49.02	35.30	12.66	36.81	0.00	312	325	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>109.01</td><td>-----</td><td>-----</td><td>97.96</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>312</td><td>325</td><td>AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	109.01	-----	-----	97.96	35.30	12.69	36.94	0.00	312	325
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5922.63	60.17	68.20	-8.03	49.02	35.30	12.66	36.81	0.00	312	325	AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5955.00	109.01	-----	-----	97.96	35.30	12.69	36.94	0.00	312	325	AVERAGE																																																																																																						





Mode	1																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																									
ANT	2+3																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.95</td><td>74.00</td><td>-28.05</td><td>55.46</td><td>38.61</td><td>18.16</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.95	74.00	-28.05	55.46	38.61	18.16	66.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>55.77</td><td>38.61</td><td>18.16</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.26	74.00	-27.74	55.77	38.61	18.16	66.28	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11910.00	45.95	74.00	-28.05	55.46	38.61	18.16	66.28	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11910.00	46.26	74.00	-27.74	55.77	38.61	18.16	66.28	0.00	---	---	PEAK																																																																																														







Mode	2																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH45_6195MHz																																																																																																								
ANT	2+3																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>12390.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>55.33</td><td>38.00</td><td>18.61</td><td>65.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	47.03	74.00	-26.97	55.33	38.00	18.61	65.71	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>12390.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>55.05</td><td>38.00</td><td>18.61</td><td>65.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	12390.00	46.75	74.00	-27.25	55.05	38.00	18.61	65.71	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12390.00	47.03	74.00	-26.97	55.33	38.00	18.61	65.71	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																														
1	12390.00	46.75	74.00	-27.25	55.05	38.00	18.61	65.71	0.00	---	---	PEAK																																																																																													



Mode	3																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																								
ANT	2+3																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.00</td><td>88.20</td><td>-42.12</td><td>53.64</td><td>39.20</td><td>19.04</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.00	88.20	-42.12	53.64	39.20	19.04	65.80	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.50</td><td>88.20</td><td>-41.70</td><td>54.06</td><td>39.20</td><td>19.04</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.50	88.20	-41.70	54.06	39.20	19.04	65.80	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12830.00	46.00	88.20	-42.12	53.64	39.20	19.04	65.80	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12830.00	46.50	88.20	-41.70	54.06	39.20	19.04	65.80	0.00	---	---	PEAK																																																																																													



Mode	4																																																							
	Band Edge																																																							
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																							
ANT	2+3																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.84</td><td>59.81</td><td>88.20</td><td>-28.39</td><td>48.67</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>304 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.84	59.81	88.20	-28.39	48.67	35.30	12.66	36.82	0.00	100	304 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.84	59.81	88.20	-28.39	48.67	35.30	12.66	36.82	0.00	100	304 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.74</td><td>-----</td><td>-----</td><td>105.72</td><td>35.30</td><td>12.70</td><td>36.98</td><td>0.00</td><td>100</td><td>304 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.74	-----	-----	105.72	35.30	12.70	36.98	0.00	100	304 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	116.74	-----	-----	105.72	35.30	12.70	36.98	0.00	100	304 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>48.30</td><td>68.20</td><td>-19.90</td><td>37.16</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>304 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	48.30	68.20	-19.90	37.16	35.30	12.66	36.82	0.00	100	304 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5924.97	48.30	68.20	-19.90	37.16	35.30	12.66	36.82	0.00	100	304 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.79</td><td>-----</td><td>-----</td><td>95.77</td><td>35.30</td><td>12.70</td><td>36.98</td><td>0.00</td><td>100</td><td>304 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.79	-----	-----	95.77	35.30	12.70	36.98	0.00	100	304 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5955.00	106.79	-----	-----	95.77	35.30	12.70	36.98	0.00	100	304 AVERAGE																																													