


Test Graphs





11ax20MIMO-Ant2-2437-26Tone-RU4-PASS



11ax20MIMO-Ant3-2437-26Tone-RU4-PASS



11ax20MIMO-Ant2-2437-52Tone-RU39-PASS



11ax20MIMO-Ant3-2437-52Tone-RU39-PASS



11ax20MIMO-Ant2-2437-106Tone-RU53-PASS



11ax20MIMO-Ant3-2437-106Tone-RU53-PASS



11ax20MIMO-Ant2-2462-26Tone-RU8-PASS



11ax20MIMO-Ant3-2462-26Tone-RU8-PASS



11ax20MIMO-Ant2-2462-52Tone-RU40-PASS




11ax20MIMO-Ant3-2462-52Tone-RU40-PASS



11ax20MIMO-Ant2-2462-106Tone-RU54-PASS



11ax20MIMO-Ant3-2462-106Tone-RU54-PASS




Conducted Spurious Emission Test Result





TestMode	Antenna	Frequency[MHz]	Ru Size	Ru Index	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11ax20MIMO	Ant2	2412	26Tone	RU0	0~Reference	9.14	9.14	---	PASS
11ax20MIMO	Ant3	2412	26Tone	RU0	0~Reference	10.16	10.16	---	PASS
11ax20MIMO	Ant2	2412	52Tone	RU37	0~Reference	6.85	6.85	---	PASS
11ax20MIMO	Ant3	2412	52Tone	RU37	0~Reference	7.58	7.58	---	PASS
11ax20MIMO	Ant2	2412	106Tone	RU53	0~Reference	4.35	4.35	---	PASS
11ax20MIMO	Ant3	2412	106Tone	RU53	0~Reference	4.52	4.52	---	PASS
11ax20MIMO	Ant2	2412	26Tone	RU0	30~1000	9.14	-48.24	≤-20.86	PASS
11ax20MIMO	Ant3	2412	26Tone	RU0	30~1000	10.16	-48.69	≤-19.84	PASS
11ax20MIMO	Ant2	2412	52Tone	RU37	30~1000	6.85	-48.51	≤-23.15	PASS
11ax20MIMO	Ant3	2412	52Tone	RU37	30~1000	7.58	-48.42	≤-22.42	PASS
11ax20MIMO	Ant2	2412	106Tone	RU53	30~1000	4.35	-48.51	≤-25.65	PASS
11ax20MIMO	Ant3	2412	106Tone	RU53	30~1000	4.52	-48.92	≤-25.48	PASS
11ax20MIMO	Ant2	2412	26Tone	RU0	1000~26500	9.14	-40.41	≤-20.86	PASS
11ax20MIMO	Ant3	2412	26Tone	RU0	1000~26500	10.16	-39.73	≤-19.84	PASS
11ax20MIMO	Ant2	2412	52Tone	RU37	1000~26500	6.85	-38.79	≤-23.15	PASS
11ax20MIMO	Ant3	2412	52Tone	RU37	1000~26500	7.58	-39.22	≤-22.42	PASS
11ax20MIMO	Ant2	2412	106Tone	RU53	1000~26500	4.35	-39.62	≤-25.65	PASS
11ax20MIMO	Ant3	2412	106Tone	RU53	1000~26500	4.52	-38.49	≤-25.48	PASS
11ax20MIMO	Ant3	2437	26Tone	RU4	0~Reference	9.42	9.42	---	PASS
11ax20MIMO	Ant2	2437	26Tone	RU4	0~Reference	9.22	9.22	---	PASS
11ax20MIMO	Ant2	2437	52Tone	RU39	0~Reference	6.70	6.70	---	PASS
11ax20MIMO	Ant3	2437	52Tone	RU39	0~Reference	7.16	7.16	---	PASS
11ax20MIMO	Ant2	2437	106Tone	RU53	0~Reference	4.40	4.40	---	PASS
11ax20MIMO	Ant3	2437	106Tone	RU53	0~Reference	4.32	4.32	---	PASS
11ax20MIMO	Ant3	2437	26Tone	RU4	30~1000	9.42	-48.45	≤-20.58	PASS
11ax20MIMO	Ant2	2437	26Tone	RU4	30~1000	9.22	-49.24	≤-20.78	PASS
11ax20MIMO	Ant2	2437	52Tone	RU39	30~1000	6.70	-48.11	≤-23.3	PASS
11ax20MIMO	Ant3	2437	52Tone	RU39	30~1000	7.16	-49.20	≤-22.84	PASS
11ax20MIMO	Ant2	2437	106Tone	RU53	30~1000	4.40	-49.18	≤-25.6	PASS
11ax20MIMO	Ant3	2437	106Tone	RU53	30~1000	4.32	-48.42	≤-25.68	PASS
11ax20MIMO	Ant3	2437	26Tone	RU4	1000~26500	9.42	-39.69	≤-20.58	PASS
11ax20MIMO	Ant2	2437	26Tone	RU4	1000~26500	9.22	-39.67	≤-20.78	PASS
11ax20MIMO	Ant2	2437	52Tone	RU39	1000~26500	6.70	-39.34	≤-23.3	PASS
11ax20MIMO	Ant3	2437	52Tone	RU39	1000~26500	7.16	-39.83	≤-22.84	PASS
11ax20MIMO	Ant2	2437	106Tone	RU53	1000~26500	4.40	-39.81	≤-25.6	PASS
11ax20MIMO	Ant3	2437	106Tone	RU53	1000~26500	4.32	-39.90	≤-25.68	PASS
11ax20MIMO	Ant2	2462	26Tone	RU8	0~Reference	10.34	10.34	---	PASS
11ax20MIMO	Ant3	2462	26Tone	RU8	0~Reference	9.92	9.92	---	PASS
11ax20MIMO	Ant2	2462	52Tone	RU40	0~Reference	7.12	7.12	---	PASS
11ax20MIMO	Ant3	2462	52Tone	RU40	0~Reference	6.79	6.79	---	PASS
11ax20MIMO	Ant2	2462	106Tone	RU54	0~Reference	4.60	4.60	---	PASS
11ax20MIMO	Ant3	2462	106Tone	RU54	0~Reference	5.00	5.00	---	PASS
11ax20MIMO	Ant2	2462	26Tone	RU8	30~1000	10.34	-48.42	≤-19.66	PASS
11ax20MIMO	Ant3	2462	26Tone	RU8	30~1000	9.92	-48.31	≤-20.08	PASS
11ax20MIMO	Ant2	2462	52Tone	RU40	30~1000	7.12	-48.84	≤-22.88	PASS
11ax20MIMO	Ant3	2462	52Tone	RU40	30~1000	6.79	-48.90	≤-23.21	PASS
11ax20MIMO	Ant2	2462	106Tone	RU54	30~1000	4.60	-48.68	≤-25.4	PASS
11ax20MIMO	Ant3	2462	106Tone	RU54	30~1000	5.00	-48.33	≤-25	PASS
11ax20MIMO	Ant2	2462	26Tone	RU8	1000~26500	10.34	-40.31	≤-19.66	PASS
11ax20MIMO	Ant3	2462	26Tone	RU8	1000~26500	9.92	-39.83	≤-20.08	PASS
11ax20MIMO	Ant2	2462	52Tone	RU40	1000~26500	7.12	-39.61	≤-22.88	PASS
11ax20MIMO	Ant3	2462	52Tone	RU40	1000~26500	6.79	-40.28	≤-23.21	PASS
11ax20MIMO	Ant2	2462	106Tone	RU54	1000~26500	4.60	-39.78	≤-25.4	PASS
11ax20MIMO	Ant3	2462	106Tone	RU54	1000~26500	5.00	-39.54	≤-25	PASS
11ax40MIMO	Ant2	2422	242Tone	RU61	0~Reference	1.43	1.43	---	PASS
11ax40MIMO	Ant3	2422	242Tone	RU61	0~Reference	1.18	1.18	---	PASS
11ax40MIMO	Ant2	2422	242Tone	RU61	30~1000	1.43	-48.94	≤-28.57	PASS
11ax40MIMO	Ant3	2422	242Tone	RU61	30~1000	1.18	-48.13	≤-28.82	PASS
11ax40MIMO	Ant2	2422	242Tone	RU61	1000~26500	1.43	-39.11	≤-28.57	PASS
11ax40MIMO	Ant3	2422	242Tone	RU61	1000~26500	1.18	-39.37	≤-28.82	PASS
11ax40MIMO	Ant2	2437	242Tone	RU61	0~Reference	0.49	0.49	---	PASS
11ax40MIMO	Ant3	2437	242Tone	RU61	0~Reference	0.79	0.79	---	PASS


11ax40MIMO	Ant2	2437	242Tone	RU61	30~1000	0.49	-47.94	≤-29.51	PASS
11ax40MIMO	Ant3	2437	242Tone	RU61	30~1000	0.79	-48.63	≤-29.21	PASS
11ax40MIMO	Ant2	2437	242Tone	RU61	1000~26500	0.49	-39.91	≤-29.51	PASS
11ax40MIMO	Ant3	2437	242Tone	RU61	1000~26500	0.79	-39.78	≤-29.21	PASS
11ax40MIMO	Ant2	2452	242Tone	RU62	0~Reference	1.52	1.52	---	PASS
11ax40MIMO	Ant3	2452	242Tone	RU62	0~Reference	0.62	0.62	---	PASS
11ax40MIMO	Ant2	2452	242Tone	RU62	30~1000	1.52	-48.30	≤-28.48	PASS
11ax40MIMO	Ant3	2452	242Tone	RU62	30~1000	0.62	-48.66	≤-29.38	PASS
11ax40MIMO	Ant2	2452	242Tone	RU62	1000~26500	1.52	-39.27	≤-28.48	PASS
11ax40MIMO	Ant3	2452	242Tone	RU62	1000~26500	0.62	-39.44	≤-29.38	PASS

Test Graphs









11ax20MIMO-Ant3-2437-26Tone-RU4-0~Reference-PASS




11ax20MIMO-Ant2-2437-26Tone-RU4-0~Reference-PASS



11ax20MIMO-Ant3-2437-52Tone-RU39-0~Reference-PASS



11ax20MIMO-Ant2-2437-52Tone-RU39-0~Reference-PASS




11ax20MIMO-Ant3-2437-106Tone-RU53-0~Reference-PASS



11ax20MIMO-Ant2-2437-106Tone-RU53-0~Reference-PASS





11ax20MIMO-Ant3-2437-26Tone-RU4-1000~26500-PASS




11ax20MIMO-Ant2-2437-26Tone-RU4-1000~26500-PASS



11ax20MIMO-Ant2-2437-52Tone-RU39-1000~26500-PASS






11ax20MIMO-Ant3-2437-52Tone-RU39-1000~26500-PASS








11ax20MIMO-Ant2-2437-106Tone-RU53-1000~26500-PASS




11ax20MIMO-Ant3-2437-106Tone-RU53-1000~26500-PASS











11ax40MIMO-Ant2-2422-242Tone-RU61-0~Reference-PASS




11ax40MIMO-Ant3-2422-242Tone-RU61-0~Reference-PASS



11ax40MIMO-Ant2-2422-242Tone-RU61-30~1000-PASS




11ax40MIMO-Ant3-2422-242Tone-RU61-30~1000-PASS




11ax40MIMO-Ant2-2422-242Tone-RU61-1000~26500-PASS




11ax40MIMO-Ant3-2422-242Tone-RU61-1000~26500-PASS




11ax40MIMO-Ant2-2437-242Tone-RU61-0~Reference-PASS



11ax40MIMO-Ant3-2437-242Tone-RU61-0~Reference-PASS



11ax40MIMO-Ant2-2437-242Tone-RU61-30~1000-PASS




11ax40MIMO-Ant3-2437-242Tone-RU61-30~1000-PASS



11ax40MIMO-Ant2-2437-242Tone-RU61-1000~26500-PASS




11ax40MIMO-Ant3-2437-242Tone-RU61-1000~26500-PASS




11ax40MIMO-Ant2-2452-242Tone-RU62-0~Reference-PASS



11ax40MIMO-Ant3-2452-242Tone-RU62-0~Reference-PASS



11ax40MIMO-Ant2-2452-242Tone-RU62-30~1000-PASS



11ax40MIMO-Ant3-2452-242Tone-RU62-30~1000-PASS



11ax40MIMO-Ant2-2452-242Tone-RU62-1000~26500-PASS



11ax40MIMO-Ant3-2452-242Tone-RU62-1000~26500-PASS

Duty Cycle Test Result


TestMode	Antenna	Frequency[MHz]	RuSize	RuIndex	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11ax20MIMO	Ant2	2412	26Tone	RU0	5.08	5.11	99.41
11ax20MIMO	Ant3	2412	26Tone	RU0	5.09	5.11	99.61
11ax20MIMO	Ant2	2412	26Tone	RU8	5.42	5.44	99.63
11ax20MIMO	Ant2	2412	52Tone	RU37	5.07	5.09	99.61
11ax20MIMO	Ant3	2412	52Tone	RU37	5.09	5.11	99.61
11ax20MIMO	Ant2	2412	106Tone	RU53	4.76	4.78	99.58
11ax20MIMO	Ant3	2412	106Tone	RU53	4.77	4.79	99.58
11ax20MIMO	Ant2	2437	26Tone	RU4	5.08	5.10	99.61
11ax20MIMO	Ant3	2437	26Tone	RU4	5.09	5.11	99.61
11ax20MIMO	Ant2	2437	52Tone	RU39	5.07	5.09	99.61
11ax20MIMO	Ant3	2437	52Tone	RU39	5.08	5.10	99.61
11ax20MIMO	Ant2	2437	106Tone	RU53	4.77	4.79	99.58
11ax20MIMO	Ant3	2437	106Tone	RU53	4.76	4.78	99.58
11ax20MIMO	Ant2	2462	26Tone	RU8	5.08	5.11	99.41
11ax20MIMO	Ant3	2462	26Tone	RU8	5.09	5.11	99.61
11ax20MIMO	Ant2	2462	52Tone	RU40	5.08	5.10	99.61
11ax20MIMO	Ant3	2462	52Tone	RU40	5.08	5.09	99.80
11ax20MIMO	Ant2	2462	106Tone	RU54	4.77	4.79	99.58
11ax20MIMO	Ant3	2462	106Tone	RU54	4.77	4.80	99.38
11ax40MIMO	Ant3	2422	242Tone	RU61	4.35	4.37	99.54
11ax40MIMO	Ant2	2422	242Tone	RU61	4.34	4.37	99.31
11ax40MIMO	Ant2	2437	242Tone	RU61	4.35	4.37	99.54
11ax40MIMO	Ant3	2437	242Tone	RU61	4.34	4.37	99.31
11ax40MIMO	Ant2	2452	242Tone	RU62	4.35	4.37	99.54
11ax40MIMO	Ant3	2452	242Tone	RU62	4.36	4.38	99.54

Radiated Spurious Emissions

Test Result Below 1GHz

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;26Tone_RU0;power setting 10		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	62.84	42.16	-23.59	18.57	40.00	21.43	Horizontal	PASS
2	131.47	50.55	-26.50	24.05	43.50	19.45	Horizontal	PASS
3	184.19	51.90	-24.93	26.97	43.50	16.53	Horizontal	PASS
4	228.57	53.86	-22.65	31.21	47.00	15.79	Horizontal	PASS
5	438.92	45.55	-16.96	28.59	47.00	18.41	Horizontal	PASS
6	605.38	43.75	-12.84	30.91	47.00	16.09	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;26Tone_RU0;power setting 10		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	49.93	46.93	-22.27	24.66	40.00	15.34	Vertical	PASS
2	57.79	50.48	-22.74	27.74	40.00	12.26	Vertical	PASS
3	119.97	51.14	-24.56	26.58	43.50	16.92	Vertical	PASS
4	225.95	50.14	-22.81	27.33	47.00	19.67	Vertical	PASS
5	370.15	43.06	-17.89	25.17	47.00	21.83	Vertical	PASS
6	581.72	39.66	-13.09	26.57	47.00	20.43	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	61.38	41.08	-23.20	17.88	40.00	22.12	Horizontal	PASS
2	120.26	49.24	-25.40	23.84	43.50	19.66	Horizontal	PASS
3	188.02	51.99	-24.58	27.41	43.50	16.09	Horizontal	PASS
4	227.07	52.11	-23.01	29.10	47.00	17.90	Horizontal	PASS
5	315.63	47.70	-19.91	27.79	47.00	19.21	Horizontal	PASS
6	585.06	43.57	-13.44	30.13	47.00	16.87	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	50.18	47.64	-22.44	25.20	40.00	14.80	Vertical	PASS
2	58.18	50.47	-22.54	27.93	40.00	12.07	Vertical	PASS
3	120.02	52.24	-24.56	27.68	43.50	15.82	Vertical	PASS
4	227.84	49.15	-22.74	26.41	47.00	20.59	Vertical	PASS
5	580.99	39.43	-12.98	26.45	47.00	20.55	Vertical	PASS
6	899.36	36.95	-8.58	28.37	47.00	18.63	Vertical	PASS

Test Result Above 1GHz


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4824.50	44.32	-7.85	36.47	54.00	17.53	Horizontal	PASS
2	6960.50	41.53	-2.42	39.11	54.00	14.89	Horizontal	PASS
3	17842.50	33.09	12.70	45.79	54.00	8.21	Horizontal	PASS
4	2409.10	51.52	2.24	53.76	-	-	Horizontal	NA
5	4824.00	48.57	-7.84	40.73	74.00	33.27	Horizontal	PASS
6	6960.00	45.46	-2.43	43.03	74.00	30.97	Horizontal	PASS
7	17348.50	41.15	12.79	53.94	74.00	20.06	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2994.60	37.26	5.12	42.38	54.00	11.62	Vertical	PASS
2	4824.50	41.50	-7.85	33.65	54.00	20.35	Vertical	PASS
3	7607.50	37.28	-1.09	36.19	54.00	17.81	Vertical	PASS
4	2409.10	52.05	2.24	54.29	-	-	Vertical	NA
5	2994.50	51.27	5.12	56.39	74.00	17.61	Vertical	PASS
6	4791.00	45.99	-7.61	38.38	74.00	35.62	Vertical	PASS
7	7591.50	45.31	-1.19	44.12	74.00	29.88	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4874.50	44.44	-8.08	36.36	54.00	17.64	Horizontal	PASS
2	6960.50	41.55	-2.42	39.13	54.00	14.87	Horizontal	PASS
3	17859.50	33.73	12.69	46.42	54.00	7.58	Horizontal	PASS
4	2437.90	57.16	2.29	59.45	-	-	Horizontal	NA
5	4874.00	47.18	-8.08	39.10	74.00	34.90	Horizontal	PASS
6	6960.00	45.63	-2.43	43.20	74.00	30.80	Horizontal	PASS
7	17351.00	40.74	12.82	53.56	74.00	20.44	Horizontal	PASS

Project Information

Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4874.50	41.44	-8.08	33.36	54.00	20.64	Vertical	PASS
2	14475.50	35.52	7.91	43.43	54.00	10.57	Vertical	PASS
3	17360.50	33.33	12.45	45.78	54.00	8.22	Vertical	PASS
4	2437.90	56.97	2.29	59.26	-	-	Vertical	NA
5	4933.50	46.11	-7.68	38.43	74.00	35.57	Vertical	PASS
6	14351.50	40.52	9.32	49.84	74.00	24.16	Vertical	PASS
7	17855.50	39.34	12.73	52.07	74.00	21.93	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4924.50	42.72	-7.76	34.96	54.00	19.04	Horizontal	PASS
2	6960.50	42.89	-2.42	40.47	54.00	13.53	Horizontal	PASS
3	17350.00	33.06	12.86	45.92	54.00	8.08	Horizontal	PASS
4	2461.00	55.16	2.33	57.49	-	-	Horizontal	NA
5	4924.00	46.88	-7.76	39.12	74.00	34.88	Horizontal	PASS
6	6960.50	45.27	-2.42	42.85	74.00	31.15	Horizontal	PASS
7	17342.00	40.11	12.49	52.60	74.00	21.40	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2963.50	34.09	5.41	39.50	54.00	14.50	Vertical	PASS
2	4924.50	42.28	-7.76	34.52	54.00	19.48	Vertical	PASS
3	17357.50	33.61	12.57	46.18	54.00	7.82	Vertical	PASS
4	2461.00	56.07	2.33	58.40	-	-	Vertical	NA
5	2963.40	44.88	5.41	50.29	74.00	23.71	Vertical	PASS
6	4924.00	46.03	-7.76	38.27	74.00	35.73	Vertical	PASS
7	17455.00	40.57	11.75	52.32	74.00	21.68	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6960.50	41.98	-2.42	39.56	54.00	14.44	Horizontal	PASS
2	14363.00	34.11	9.08	43.19	54.00	10.81	Horizontal	PASS
3	17353.00	33.18	12.74	45.92	54.00	8.08	Horizontal	PASS
4	2461.30	56.52	2.34	58.86	-	-	Horizontal	NA
5	7022.50	45.47	-1.93	43.54	74.00	30.46	Horizontal	PASS
6	15068.50	40.76	8.95	49.71	74.00	24.29	Horizontal	PASS
7	17856.50	39.93	12.72	52.65	74.00	21.35	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4790.50	39.57	-7.61	31.96	54.00	22.04	Vertical	PASS
2	6960.50	39.79	-2.42	37.37	54.00	16.63	Vertical	PASS
3	17350.00	32.94	12.86	45.80	54.00	8.20	Vertical	PASS
4	2460.10	60.65	2.33	62.98	-	-	Vertical	NA
5	4783.50	47.10	-7.68	39.42	74.00	34.58	Vertical	PASS
6	7399.50	45.16	-1.02	44.14	74.00	29.86	Vertical	PASS
7	17357.00	40.86	12.59	53.45	74.00	20.55	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2936.90	30.04	5.47	35.51	54.00	18.49	Horizontal	PASS
2	6960.50	41.65	-2.42	39.23	54.00	14.77	Horizontal	PASS
3	17356.50	33.66	12.61	46.27	54.00	7.73	Horizontal	PASS
4	2460.60	57.57	2.33	59.90	-	-	Horizontal	NA
5	2964.80	39.61	5.39	45.00	74.00	29.00	Horizontal	PASS
6	6960.00	45.58	-2.43	43.15	74.00	30.85	Horizontal	PASS
7	17351.00	39.50	12.82	52.32	74.00	21.68	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2988.10	32.02	5.18	37.20	54.00	16.80	Vertical	PASS
2	4792.00	39.07	-7.60	31.47	54.00	22.53	Vertical	PASS
3	17358.50	33.70	12.53	46.23	54.00	7.77	Vertical	PASS
4	2459.90	58.77	2.33	61.10	-	-	Vertical	NA
5	2988.00	41.97	5.18	47.15	74.00	26.85	Vertical	PASS
6	4797.50	46.61	-7.55	39.06	74.00	34.94	Vertical	PASS
7	17893.50	40.67	12.29	52.96	74.00	21.04	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 17		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2990.60	31.21	5.16	36.37	54.00	17.63	Horizontal	PASS
2	6960.50	41.98	-2.42	39.56	54.00	14.44	Horizontal	PASS
3	17858.00	33.59	12.71	46.30	54.00	7.70	Horizontal	PASS
4	2429.40	61.79	2.27	64.06	-	-	Horizontal	NA
5	2990.50	43.31	5.16	48.47	74.00	25.53	Horizontal	PASS
6	6960.00	46.11	-2.43	43.68	74.00	30.32	Horizontal	PASS
7	17786.50	40.97	11.70	52.67	74.00	21.33	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.00	39.70	-7.01	32.69	54.00	21.31	Vertical	PASS
2	9503.00	37.38	2.67	40.05	54.00	13.95	Vertical	PASS
3	17333.50	34.01	12.10	46.11	54.00	7.89	Vertical	PASS
4	2428.70	63.10	2.26	65.36	-	-	Vertical	NA
5	4781.50	46.14	-7.69	38.45	74.00	35.55	Vertical	PASS
6	9594.00	44.06	2.80	46.86	74.00	27.14	Vertical	PASS
7	17342.50	40.02	12.51	52.53	74.00	21.47	Vertical	PASS

Project Information

Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 17		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6960.50	41.81	-2.42	39.39	54.00	14.61	Horizontal	PASS
2	14667.50	33.74	9.44	43.18	54.00	10.82	Horizontal	PASS
3	17351.00	33.51	12.82	46.33	54.00	7.67	Horizontal	PASS
4	2429.20	60.59	2.27	62.86	-	-	Horizontal	NA
5	6960.00	45.72	-2.43	43.29	74.00	30.71	Horizontal	PASS
6	15076.00	41.03	8.98	50.01	74.00	23.99	Horizontal	PASS
7	17357.00	39.45	12.59	52.04	74.00	21.96	Horizontal	PASS