



Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7395.00	37.97	-1.06	36.91	54.00	17.09	Vertical	PASS
2	15063.00	34.90	8.93	43.83	54.00	10.17	Vertical	PASS
3	17361.00	33.75	12.43	46.18	54.00	7.82	Vertical	PASS
4	2429.20	62.63	2.27	64.90	-	-	Vertical	NA
5	7266.00	45.92	-1.43	44.49	74.00	29.51	Vertical	PASS
6	14498.50	41.91	8.28	50.19	74.00	23.81	Vertical	PASS
7	17349.00	39.95	12.82	52.77	74.00	21.23	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;26Tone_RU0;power setting 10		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2402.70	46.82	2.22	49.04	-	-	Horizontal	NA
2	6960.50	42.28	-2.42	39.86	54.00	14.14	Horizontal	PASS
3	15078.00	34.69	8.99	43.68	54.00	10.32	Horizontal	PASS
4	17367.00	34.33	12.20	46.53	54.00	7.47	Horizontal	PASS
5	6960.00	45.27	-2.43	42.84	74.00	31.16	Horizontal	PASS
6	15068.00	40.97	8.95	49.92	74.00	24.08	Horizontal	PASS
7	17360.00	40.61	12.47	53.08	74.00	20.92	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;26Tone_RU0;power setting 10		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5489.50	39.26	-6.02	33.24	54.00	20.76	Vertical	PASS
2	15078.50	34.66	8.99	43.65	54.00	10.35	Vertical	PASS
3	17346.00	33.54	12.68	46.22	54.00	7.78	Vertical	PASS
4	2402.60	56.58	2.22	58.80	74.00	15.20	Vertical	PASS
5	4799.00	45.82	-7.54	38.28	74.00	35.72	Vertical	PASS
6	14665.00	40.24	9.51	49.75	74.00	24.25	Vertical	PASS
7	17362.00	39.78	12.39	52.17	74.00	21.83	Vertical	PASS

Test Result Above 18GHz(worst case)


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	18591.53	50.58	-8.01	42.57	74.00	31.43	Horizontal	PASS
2	20744.14	49.97	-7.81	42.16	74.00	31.84	Horizontal	PASS
3	24469.02	48.56	-4.78	43.78	74.00	30.22	Horizontal	PASS
4	18662.93	41.40	-7.82	33.58	54.00	20.42	Horizontal	PASS
5	20786.84	40.86	-7.75	33.11	54.00	20.89	Horizontal	PASS
6	24458.52	39.52	-4.75	34.77	54.00	19.23	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	18764.44	49.88	-7.74	42.14	74.00	31.86	Vertical	PASS
2	20690.58	49.96	-8.06	41.90	74.00	32.10	Vertical	PASS
3	23641.23	49.26	-5.18	44.08	74.00	29.92	Vertical	PASS
4	18681.13	41.69	-7.78	33.91	54.00	20.09	Vertical	PASS
5	20774.59	42.16	-7.76	34.40	54.00	19.60	Vertical	PASS
6	23753.59	39.40	-5.06	34.34	54.00	19.66	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.80	44.15	1.43	45.58	54.00	8.42	Horizontal	PASS
2	2386.37	48.03	1.43	49.46	54.00	4.54	Horizontal	PASS
3	2386.75	48.31	1.42	49.73	54.00	4.27	Horizontal	PASS
4	2383.98	52.70	1.43	54.13	74.00	19.87	Horizontal	PASS
5	2386.33	53.85	1.43	55.28	74.00	18.72	Horizontal	PASS
6	2387.64	54.15	1.43	55.58	74.00	18.42	Horizontal	PASS


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.61	46.92	1.43	48.35	54.00	5.65	Vertical	PASS
2	2385.29	49.99	1.43	51.42	54.00	2.58	Vertical	PASS
3	2387.23	50.86	1.42	52.28	54.00	1.72	Vertical	PASS
4	2383.50	53.10	1.43	54.53	74.00	19.47	Vertical	PASS
5	2385.51	55.04	1.43	56.47	74.00	17.53	Vertical	PASS
6	2387.31	55.70	1.42	57.12	74.00	16.88	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2485.90	44.84	1.88	46.72	54.00	7.28	Horizontal	PASS
2	2486.89	45.50	1.90	47.40	54.00	6.60	Horizontal	PASS
3	2490.30	37.90	1.93	39.83	54.00	14.17	Horizontal	PASS
4	2486.58	52.12	1.89	54.01	74.00	19.99	Horizontal	PASS
5	2490.76	49.67	1.93	51.60	74.00	22.40	Horizontal	PASS
6	2495.25	53.17	1.98	55.15	74.00	18.85	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 20		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2485.81	46.81	1.88	48.69	54.00	5.31	Vertical	PASS
2	2486.94	47.56	1.90	49.46	54.00	4.54	Vertical	PASS
3	2488.74	44.68	1.91	46.59	54.00	7.41	Vertical	PASS
4	2485.93	53.47	1.88	55.35	74.00	18.65	Vertical	PASS
5	2486.65	53.23	1.89	55.12	74.00	18.88	Vertical	PASS
6	2488.45	51.48	1.91	53.39	74.00	20.61	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 18.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.28	46.92	1.43	48.35	54.00	5.65	Horizontal	PASS
2	2387.23	48.91	1.42	50.33	54.00	3.67	Horizontal	PASS
3	2389.14	51.16	1.43	52.59	54.00	1.41	Horizontal	PASS
4	2384.36	60.49	1.43	61.92	74.00	12.08	Horizontal	PASS
5	2387.38	60.08	1.42	61.50	74.00	12.50	Horizontal	PASS
6	2389.88	62.55	1.43	63.98	74.00	10.02	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 18.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.24	47.14	1.43	48.57	54.00	5.43	Vertical	PASS
2	2387.01	49.94	1.42	51.36	54.00	2.64	Vertical	PASS
3	2389.17	51.31	1.43	52.74	54.00	1.26	Vertical	PASS
4	2384.36	59.48	1.43	60.91	74.00	13.09	Vertical	PASS
5	2387.42	60.45	1.42	61.87	74.00	12.13	Vertical	PASS
6	2389.36	61.39	1.43	62.82	74.00	11.18	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.62	48.81	1.86	50.67	54.00	3.33	Horizontal	PASS
2	2486.15	45.76	1.88	47.64	54.00	6.36	Horizontal	PASS
3	2495.94	35.83	1.98	37.81	54.00	16.19	Horizontal	PASS
4	2484.82	61.00	1.87	62.87	74.00	11.13	Horizontal	PASS
5	2486.46	58.85	1.89	60.74	74.00	13.26	Horizontal	PASS
6	2495.39	54.59	1.98	56.57	74.00	17.43	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.79	51.10	1.87	52.97	54.00	1.03	Vertical	PASS
2	2485.88	50.56	1.88	52.44	54.00	1.56	Vertical	PASS
3	2490.30	39.25	1.93	41.18	54.00	12.82	Vertical	PASS
4	2483.74	64.02	1.86	65.88	74.00	8.12	Vertical	PASS
5	2486.29	63.33	1.89	65.22	74.00	8.78	Vertical	PASS
6	2490.44	49.80	1.93	51.73	74.00	22.27	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.59	48.62	1.43	50.05	54.00	3.95	Horizontal	PASS
2	2387.98	51.03	1.43	52.46	54.00	1.54	Horizontal	PASS
3	2389.51	51.34	1.43	52.77	54.00	1.23	Horizontal	PASS
4	2385.40	59.31	1.43	60.74	74.00	13.26	Horizontal	PASS
5	2386.97	61.53	1.42	62.95	74.00	11.05	Horizontal	PASS
6	2388.72	62.29	1.43	63.72	74.00	10.28	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.38	46.35	1.43	47.78	54.00	6.22	Vertical	PASS
2	2386.15	50.06	1.43	51.49	54.00	2.51	Vertical	PASS
3	2389.96	51.38	1.43	52.81	54.00	1.19	Vertical	PASS
4	2382.00	57.14	1.43	58.57	74.00	15.43	Vertical	PASS
5	2386.30	61.72	1.43	63.15	74.00	10.85	Vertical	PASS
6	2389.92	63.16	1.43	64.59	74.00	9.41	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.98	46.69	1.87	48.56	54.00	5.44	Horizontal	PASS
2	2485.52	45.76	1.88	47.64	54.00	6.36	Horizontal	PASS
3	2490.95	36.49	1.93	38.42	54.00	15.58	Horizontal	PASS
4	2483.94	58.92	1.87	60.79	74.00	13.21	Horizontal	PASS
5	2485.69	57.85	1.88	59.73	74.00	14.27	Horizontal	PASS
6	2491.74	49.93	1.95	51.88	74.00	22.12	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.60	50.58	1.86	52.44	54.00	1.56	Vertical	PASS
2	2484.27	50.07	1.87	51.94	54.00	2.06	Vertical	PASS
3	2485.45	48.37	1.88	50.25	54.00	3.75	Vertical	PASS
4	2483.60	62.70	1.86	64.56	74.00	9.44	Vertical	PASS
5	2484.78	62.18	1.87	64.05	74.00	9.95	Vertical	PASS
6	2485.74	60.48	1.88	62.36	74.00	11.64	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.37	51.11	1.43	52.54	54.00	1.46	Vertical	PASS
2	2387.69	51.28	1.43	52.71	54.00	1.29	Vertical	PASS
3	2389.67	51.74	1.43	53.17	54.00	0.83	Vertical	PASS
4	2386.28	63.10	1.43	64.53	74.00	9.47	Vertical	PASS
5	2388.57	63.05	1.43	64.48	74.00	9.52	Vertical	PASS
6	2389.84	63.63	1.43	65.06	74.00	8.94	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.69	48.53	1.43	49.96	54.00	4.04	Horizontal	PASS
2	2387.07	50.26	1.42	51.68	54.00	2.32	Horizontal	PASS
3	2389.75	51.98	1.43	53.41	54.00	0.59	Horizontal	PASS
4	2383.55	58.09	1.43	59.52	74.00	14.48	Horizontal	PASS
5	2386.06	60.98	1.43	62.41	74.00	11.59	Horizontal	PASS
6	2389.75	62.75	1.43	64.18	74.00	9.82	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 16		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.05	47.78	1.87	49.65	54.00	4.35	Horizontal	PASS
2	2485.03	47.90	1.87	49.77	54.00	4.23	Horizontal	PASS
3	2486.77	45.73	1.90	47.63	54.00	6.37	Horizontal	PASS
4	2483.81	59.10	1.87	60.97	74.00	13.03	Horizontal	PASS
5	2485.41	58.96	1.88	60.84	74.00	13.16	Horizontal	PASS
6	2486.19	58.32	1.88	60.20	74.00	13.80	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 16		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	50.57	1.85	52.42	54.00	1.58	Vertical	PASS
2	2484.66	49.84	1.87	51.71	54.00	2.29	Vertical	PASS
3	2486.43	48.39	1.89	50.28	54.00	3.72	Vertical	PASS
4	2484.08	62.09	1.87	63.96	74.00	10.04	Vertical	PASS
5	2484.83	61.50	1.87	63.37	74.00	10.63	Vertical	PASS
6	2487.11	59.48	1.90	61.38	74.00	12.62	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 18.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.54	47.04	1.43	48.47	54.00	5.53	Horizontal	PASS
2	2387.64	50.31	1.43	51.74	54.00	2.26	Horizontal	PASS
3	2389.32	51.02	1.43	52.45	54.00	1.55	Horizontal	PASS
4	2385.63	60.61	1.43	62.04	74.00	11.96	Horizontal	PASS
5	2386.86	62.23	1.42	63.65	74.00	10.35	Horizontal	PASS
6	2388.50	63.98	1.43	65.41	74.00	8.59	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 18.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.83	46.36	1.43	47.79	54.00	6.21	Vertical	PASS
2	2387.60	50.11	1.43	51.54	54.00	2.46	Vertical	PASS
3	2389.55	51.26	1.43	52.69	54.00	1.31	Vertical	PASS
4	2382.71	56.14	1.43	57.57	74.00	16.43	Vertical	PASS
5	2385.25	60.05	1.43	61.48	74.00	12.52	Vertical	PASS
6	2388.16	63.80	1.43	65.23	74.00	8.77	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	46.66	1.85	48.51	54.00	5.49	Horizontal	PASS
2	2484.46	46.74	1.87	48.61	54.00	5.39	Horizontal	PASS
3	2485.69	45.56	1.88	47.44	54.00	6.56	Horizontal	PASS
4	2483.86	59.08	1.87	60.95	74.00	13.05	Horizontal	PASS
5	2485.09	59.36	1.87	61.23	74.00	12.77	Horizontal	PASS
6	2485.86	59.13	1.88	61.01	74.00	12.99	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 19.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	50.23	1.85	52.08	54.00	1.92	Vertical	PASS
2	2484.92	48.88	1.87	50.75	54.00	3.25	Vertical	PASS
3	2486.60	46.54	1.89	48.43	54.00	5.57	Vertical	PASS
4	2483.72	64.59	1.86	66.45	74.00	7.55	Vertical	PASS
5	2484.78	61.50	1.87	63.37	74.00	10.63	Vertical	PASS
6	2486.79	58.80	1.90	60.70	74.00	13.30	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.47	47.16	1.43	48.59	54.00	5.41	Horizontal	PASS
2	2386.85	48.83	1.42	50.25	54.00	3.75	Horizontal	PASS
3	2389.58	50.50	1.43	51.93	54.00	2.07	Horizontal	PASS
4	2384.91	60.34	1.43	61.77	74.00	12.23	Horizontal	PASS
5	2388.52	61.23	1.43	62.66	74.00	11.34	Horizontal	PASS
6	2389.93	61.98	1.43	63.41	74.00	10.59	Horizontal	PASS


Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.50	45.34	1.43	46.77	54.00	7.23	Vertical	PASS
2	2388.04	50.93	1.43	52.36	54.00	1.64	Vertical	PASS
3	2389.84	51.01	1.43	52.44	54.00	1.56	Vertical	PASS
4	2382.71	56.02	1.43	57.45	74.00	16.55	Vertical	PASS
5	2386.15	60.61	1.43	62.04	74.00	11.96	Vertical	PASS
6	2388.17	63.23	1.43	64.66	74.00	9.34	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 16		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.54	47.54	1.85	49.39	54.00	4.61	Horizontal	PASS
2	2485.13	47.13	1.87	49.00	54.00	5.00	Horizontal	PASS
3	2486.60	46.04	1.89	47.93	54.00	6.07	Horizontal	PASS
4	2483.64	59.12	1.86	60.98	74.00	13.02	Horizontal	PASS
5	2484.83	59.85	1.87	61.72	74.00	12.28	Horizontal	PASS
6	2486.53	56.96	1.89	58.85	74.00	15.15	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;power setting 16		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.64	50.53	1.86	52.39	54.00	1.61	Vertical	PASS
2	2484.79	49.90	1.87	51.77	54.00	2.23	Vertical	PASS
3	2485.88	48.75	1.88	50.63	54.00	3.37	Vertical	PASS
4	2483.94	62.67	1.87	64.54	74.00	9.46	Vertical	PASS
5	2484.93	61.40	1.87	63.27	74.00	10.73	Vertical	PASS
6	2485.85	60.48	1.88	62.36	74.00	11.64	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;106 Tone_RU53;power setting 17.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.09	39.33	1.43	40.76	54.00	13.24	Horizontal	PASS
2	2385.89	45.94	1.43	47.37	54.00	6.63	Horizontal	PASS
3	2389.70	50.26	1.43	51.69	54.00	2.31	Horizontal	PASS
4	2381.70	57.76	1.43	59.19	74.00	14.81	Horizontal	PASS
5	2386.82	69.00	1.42	70.42	74.00	3.58	Horizontal	PASS
6	2387.64	70.18	1.43	71.61	74.00	2.39	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	40MHz	Channel	1
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;106 Tone_RU53;power setting 17.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2382.23	40.88	1.43	42.31	54.00	11.69	Vertical	PASS
2	2387.75	48.18	1.43	49.61	54.00	4.39	Vertical	PASS
3	2389.66	49.91	1.43	51.34	54.00	2.66	Vertical	PASS
4	2381.70	58.41	1.43	59.84	74.00	14.16	Vertical	PASS
5	2387.08	67.57	1.42	68.99	74.00	5.01	Vertical	PASS
6	2389.81	69.92	1.43	71.35	74.00	2.65	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;106 Tone_RU54;power setting 15		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.77	44.33	1.87	46.20	54.00	7.80	Horizontal	PASS
2	2485.06	40.68	1.87	42.55	54.00	11.45	Horizontal	PASS
3	2487.20	38.11	1.90	40.01	54.00	13.99	Horizontal	PASS
4	2483.82	66.01	1.87	67.88	74.00	6.12	Horizontal	PASS
5	2485.11	63.40	1.87	65.27	74.00	8.73	Horizontal	PASS
6	2488.04	59.59	1.90	61.49	74.00	12.51	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;106 Tone_RU54;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.53	48.69	1.85	50.54	54.00	3.46	Vertical	PASS
2	2488.07	39.86	1.90	41.76	54.00	12.24	Vertical	PASS
3	2489.19	38.56	1.92	40.48	54.00	13.52	Vertical	PASS
4	2483.82	70.60	1.87	72.47	74.00	1.53	Vertical	PASS
5	2487.92	63.46	1.90	65.36	74.00	8.64	Vertical	PASS
6	2489.17	62.26	1.92	64.18	74.00	9.82	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;52Tone_RU40;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.39	42.88	1.87	44.75	54.00	9.25	Horizontal	PASS
2	2486.60	38.86	1.89	40.75	54.00	13.25	Horizontal	PASS
3	2488.21	37.18	1.90	39.08	54.00	14.92	Horizontal	PASS
4	2483.55	66.43	1.85	68.28	74.00	5.72	Horizontal	PASS
5	2485.23	62.73	1.88	64.61	74.00	9.39	Horizontal	PASS
6	2487.97	59.06	1.90	60.96	74.00	13.04	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;52Tone_RU40;power setting 15		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.15	46.45	1.87	48.32	54.00	5.68	Vertical	PASS
2	2487.99	39.69	1.90	41.59	54.00	12.41	Vertical	PASS
3	2488.95	38.53	1.92	40.45	54.00	13.55	Vertical	PASS
4	2483.74	70.55	1.86	72.41	74.00	1.59	Vertical	PASS
5	2488.11	63.49	1.90	65.39	74.00	8.61	Vertical	PASS
6	2488.79	62.23	1.92	64.15	74.00	9.85	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;26Tone_RU8;power setting 15		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.62	43.33	1.86	45.19	54.00	8.81	Horizontal	PASS
2	2486.36	40.83	1.89	42.72	54.00	11.28	Horizontal	PASS
3	2487.85	37.79	1.90	39.69	54.00	14.31	Horizontal	PASS
4	2483.74	65.88	1.86	67.74	74.00	6.26	Horizontal	PASS
5	2484.32	65.38	1.87	67.25	74.00	6.75	Horizontal	PASS
6	2487.97	59.14	1.90	61.04	74.00	12.96	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	Y;26Tone_RU8;power setting 15		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	47.20	1.86	49.06	54.00	4.94	Vertical	PASS
2	2484.10	45.96	1.87	47.83	54.00	6.17	Vertical	PASS
3	2487.78	39.87	1.90	41.77	54.00	12.23	Vertical	PASS
4	2483.50	71.21	1.85	73.06	74.00	0.94	Vertical	PASS
5	2483.96	70.63	1.87	72.50	74.00	1.50	Vertical	PASS
6	2488.04	64.05	1.90	65.95	74.00	8.05	Vertical	PASS

~The End~