


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.69	32.75	12.65	45.40	54.00	8.60	Horizontal	PASS
2	5453.09	33.36	12.69	46.05	54.00	7.95	Horizontal	PASS
3	5458.07	34.30	12.77	47.07	54.00	6.93	Horizontal	PASS
4	5457.44	46.93	12.76	59.69	74.00	14.31	Horizontal	PASS
5	5462.16	48.16	12.83	60.99	68.20	7.21	Horizontal	PASS
6	5466.54	48.93	12.91	61.84	68.20	6.36	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.69	37.44	12.70	50.14	54.00	3.86	Vertical	PASS
2	5457.05	38.19	12.75	50.94	54.00	3.06	Vertical	PASS
3	5459.09	39.00	12.78	51.78	54.00	2.22	Vertical	PASS
4	5457.62	51.68	12.77	64.45	74.00	9.55	Vertical	PASS
5	5466.51	54.55	12.91	67.46	68.20	0.74	Vertical	PASS
6	5468.46	53.96	12.94	66.90	68.20	1.30	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.06	47.02	13.37	60.39	68.20	7.81	Horizontal	PASS
2	5726.05	46.44	13.35	59.79	68.20	8.41	Horizontal	PASS
3	5729.50	45.78	13.30	59.08	68.20	9.12	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.42	50.85	13.36	64.21	68.20	3.99	Vertical	PASS
2	5726.29	51.36	13.35	64.71	68.20	3.49	Vertical	PASS
3	5730.49	49.24	13.28	62.52	68.20	5.68	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5863.58	43.93	13.37	57.30	68.20	10.90	Horizontal	PASS
2	5924.90	44.93	13.91	58.84	68.20	9.36	Horizontal	PASS
3	5949.21	43.49	14.09	57.58	68.20	10.62	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5868.71	43.55	13.42	56.97	68.20	11.23	Vertical	PASS
2	5900.59	44.46	13.73	58.19	68.20	10.01	Vertical	PASS
3	5989.46	43.66	13.67	57.33	68.20	10.87	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.39	33.20	12.64	45.84	54.00	8.16	Horizontal	PASS
2	5454.29	33.19	12.71	45.90	54.00	8.10	Horizontal	PASS
3	5458.82	33.64	12.78	46.42	54.00	7.58	Horizontal	PASS
4	5450.12	45.29	12.64	57.93	74.00	16.07	Horizontal	PASS
5	5457.65	44.96	12.77	57.73	74.00	16.27	Horizontal	PASS
6	5468.55	46.78	12.94	59.72	68.20	8.48	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.11	36.94	12.66	49.60	54.00	4.40	Vertical	PASS
2	5457.05	38.17	12.75	50.92	54.00	3.08	Vertical	PASS
3	5459.78	38.32	12.80	51.12	54.00	2.88	Vertical	PASS
4	5450.51	48.92	12.65	61.57	74.00	12.43	Vertical	PASS
5	5458.85	50.72	12.78	63.50	74.00	10.50	Vertical	PASS
6	5468.10	51.47	12.93	64.40	68.20	3.80	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.87	48.98	13.36	62.34	68.20	5.86	Horizontal	PASS
2	5728.72	47.91	13.31	61.22	68.20	6.98	Horizontal	PASS
3	5731.03	47.08	13.27	60.35	68.20	7.85	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.42	52.80	13.36	66.16	68.20	2.04	Vertical	PASS
2	5730.16	52.64	13.29	65.93	68.20	2.27	Vertical	PASS
3	5731.39	51.33	13.27	64.60	68.20	3.60	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.53	44.30	13.33	57.63	68.20	10.57	Horizontal	PASS
2	5896.81	44.15	13.70	57.85	68.20	10.35	Horizontal	PASS
3	5939.76	43.99	14.02	58.01	68.20	10.19	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.21	44.84	13.29	58.13	68.20	10.07	Vertical	PASS
2	5916.26	43.87	13.84	57.71	68.20	10.49	Vertical	PASS
3	5961.10	44.04	13.98	58.02	68.20	10.18	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.50	32.51	12.39	44.90	54.00	9.10	Horizontal	PASS
2	5457.77	32.97	12.40	45.37	54.00	8.63	Horizontal	PASS
3	5459.36	33.05	12.40	45.45	54.00	8.55	Horizontal	PASS
4	5467.77	48.57	12.40	60.97	68.20	7.23	Horizontal	PASS
5	5468.37	49.67	12.40	62.07	68.20	6.13	Horizontal	PASS
6	5469.03	50.76	12.39	63.15	68.20	5.05	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.19	33.84	12.39	46.23	54.00	7.77	Vertical	PASS
2	5457.74	34.44	12.40	46.84	54.00	7.16	Vertical	PASS
3	5459.12	35.30	12.39	47.69	54.00	6.31	Vertical	PASS
4	5465.13	51.91	12.40	64.31	68.20	3.89	Vertical	PASS
5	5466.69	53.59	12.40	65.99	68.20	2.21	Vertical	PASS
6	5468.61	54.93	12.40	67.33	68.20	0.87	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.75	48.48	12.91	61.39	68.20	6.81	Horizontal	PASS
2	5727.25	47.31	12.90	60.21	68.20	7.99	Horizontal	PASS
3	5729.62	47.82	12.88	60.70	68.20	7.50	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.24	52.35	12.91	65.26	68.20	2.94	Vertical	PASS
2	5726.08	51.30	12.91	64.21	68.20	3.99	Vertical	PASS
3	5728.27	51.95	12.89	64.84	68.20	3.36	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.07	43.53	12.89	56.42	68.20	11.78	Horizontal	PASS
2	5888.70	43.84	12.98	56.82	68.20	11.38	Horizontal	PASS
3	5912.21	44.57	13.09	57.66	68.20	10.54	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5856.83	43.27	12.88	56.15	68.20	12.05	Vertical	PASS
2	5886.27	44.52	12.97	57.49	68.20	10.71	Vertical	PASS
3	5898.97	43.55	13.01	56.56	68.20	11.64	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.24	32.78	12.40	45.18	54.00	8.82	Horizontal	PASS
2	5457.60	33.44	12.40	45.84	54.00	8.16	Horizontal	PASS
3	5458.92	33.59	12.39	45.98	54.00	8.02	Horizontal	PASS
4	5464.89	46.24	12.40	58.64	68.20	9.56	Horizontal	PASS
5	5467.37	47.98	12.39	60.37	68.20	7.83	Horizontal	PASS
6	5468.81	46.42	12.39	58.81	68.20	9.39	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.60	35.01	12.39	47.40	54.00	6.60	Vertical	PASS
2	5457.20	35.13	12.39	47.52	54.00	6.48	Vertical	PASS
3	5459.56	36.22	12.40	48.62	54.00	5.38	Vertical	PASS
4	5467.85	53.46	12.40	65.86	68.20	2.34	Vertical	PASS
5	5468.61	53.22	12.40	65.62	68.20	2.58	Vertical	PASS
6	5469.85	53.26	12.40	65.66	68.20	2.54	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.19	46.31	12.90	59.21	68.20	8.99	Horizontal	PASS
2	5728.39	47.19	12.89	60.08	68.20	8.12	Horizontal	PASS
3	5730.29	46.01	12.87	58.88	68.20	9.32	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.69	52.25	12.90	65.15	68.20	3.05	Vertical	PASS
2	5730.39	49.08	12.87	61.95	68.20	6.25	Vertical	PASS
3	5732.44	48.59	12.86	61.45	68.20	6.75	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	142
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5870.88	43.65	12.92	56.57	68.20	11.63	Horizontal	PASS
2	5876.55	43.87	12.94	56.81	68.20	11.39	Horizontal	PASS
3	5917.07	43.34	13.13	56.47	68.20	11.73	Horizontal	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	142
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.34	43.72	12.89	56.61	68.20	11.59	Vertical	PASS
2	5876.82	43.78	12.94	56.72	68.20	11.48	Vertical	PASS
3	5916.80	44.03	13.12	57.15	68.20	11.05	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.86	34.55	12.39	46.94	54.00	7.06	Horizontal	PASS
2	5456.78	35.57	12.39	47.96	54.00	6.04	Horizontal	PASS
3	5459.72	36.00	12.40	48.40	54.00	5.60	Horizontal	PASS
4	5458.70	47.70	12.39	60.09	74.00	13.91	Horizontal	PASS
5	5465.67	47.20	12.39	59.59	68.20	8.61	Horizontal	PASS
6	5469.39	48.46	12.40	60.86	68.20	7.34	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5456.42	38.76	12.39	51.15	54.00	2.85	Vertical	PASS
2	5457.80	39.39	12.40	51.79	54.00	2.21	Vertical	PASS
3	5459.72	40.67	12.40	53.07	54.00	0.93	Vertical	PASS
4	5460.81	52.36	12.39	64.75	68.20	3.45	Vertical	PASS
5	5467.17	52.15	12.39	64.54	68.20	3.66	Vertical	PASS
6	5469.27	53.76	12.40	66.16	68.20	2.04	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.84	48.81	12.89	61.70	68.20	6.50	Horizontal	PASS
2	5734.42	47.32	12.84	60.16	68.20	8.04	Horizontal	PASS
3	5736.76	47.87	12.82	60.69	68.20	7.51	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5728.03	53.72	12.89	66.61	68.20	1.59	Vertical	PASS
2	5729.65	52.12	12.88	65.00	68.20	3.20	Vertical	PASS
3	5738.83	51.60	12.81	64.41	68.20	3.79	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	134
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.78	51.61	12.87	64.48	68.20	3.72	Horizontal	PASS
2	5871.69	49.12	12.93	62.05	68.20	6.15	Horizontal	PASS
3	5878.71	46.87	12.95	59.82	68.20	8.38	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	134
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5851.43	52.99	12.86	65.85	68.20	2.35	Vertical	PASS
2	5857.91	52.64	12.88	65.52	68.20	2.68	Vertical	PASS
3	5870.88	51.83	12.92	64.75	68.20	3.45	Vertical	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5441.50	34.48	12.37	46.85	54.00	7.15	Horizontal	PASS
2	5451.48	35.68	12.39	48.07	54.00	5.93	Horizontal	PASS
3	5459.35	36.64	12.40	49.04	54.00	4.96	Horizontal	PASS
4	5459.18	47.11	12.40	59.51	74.00	14.49	Horizontal	PASS
5	5469.51	48.37	12.40	60.77	68.20	7.43	Horizontal	PASS
6	5728.99	47.17	12.88	60.05	68.20	8.15	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5439.92	37.83	12.37	50.20	54.00	3.80	Vertical	PASS
2	5448.32	39.25	12.39	51.64	54.00	2.36	Vertical	PASS
3	5458.30	41.10	12.39	53.49	54.00	0.51	Vertical	PASS
4	5447.45	50.16	12.38	62.54	74.00	11.46	Vertical	PASS
5	5467.58	51.05	12.40	63.45	68.20	4.75	Vertical	PASS
6	5731.27	51.44	12.87	64.31	68.20	3.89	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.96	32.65	12.39	45.04	54.00	8.96	Horizontal	PASS
2	5457.36	32.50	12.39	44.89	54.00	9.11	Horizontal	PASS
3	5459.60	33.13	12.40	45.53	54.00	8.47	Horizontal	PASS
4	5465.97	44.88	12.40	57.28	68.20	10.92	Horizontal	PASS
5	5467.41	45.17	12.39	57.56	68.20	10.64	Horizontal	PASS
6	5468.93	46.20	12.39	58.59	68.20	9.61	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.84	34.20	12.39	46.59	54.00	7.41	Vertical	PASS
2	5458.00	35.42	12.40	47.82	54.00	6.18	Vertical	PASS
3	5459.00	35.81	12.39	48.20	54.00	5.80	Vertical	PASS
4	5465.85	49.02	12.40	61.42	68.20	6.78	Vertical	PASS
5	5467.49	51.76	12.39	64.15	68.20	4.05	Vertical	PASS
6	5469.49	50.51	12.40	62.91	68.20	5.29	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.89	48.81	12.89	61.70	68.20	6.50	Horizontal	PASS
2	5728.74	49.66	12.89	62.55	68.20	5.65	Horizontal	PASS
3	5733.39	49.53	12.85	62.38	68.20	5.82	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.14	52.82	12.90	65.72	68.20	2.48	Vertical	PASS
2	5730.29	52.32	12.87	65.19	68.20	3.01	Vertical	PASS
3	5731.74	53.00	12.86	65.86	68.20	2.34	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	142
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.51	44.56	12.87	57.43	68.20	10.77	Horizontal	PASS
2	5861.96	44.26	12.90	57.16	68.20	11.04	Horizontal	PASS
3	5882.76	43.86	12.96	56.82	68.20	11.38	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	U-NII-2C
Bandwidth	40MHz	Channel	142
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.99	44.20	12.89	57.09	68.20	11.11	Vertical	PASS
2	5880.60	44.07	12.95	57.02	68.20	11.18	Vertical	PASS
3	5911.40	43.49	13.09	56.58	68.20	11.62	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 16.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.56	35.01	12.39	47.40	54.00	6.60	Horizontal	PASS
2	5456.48	36.11	12.39	48.50	54.00	5.50	Horizontal	PASS
3	5459.48	36.34	12.40	48.74	54.00	5.26	Horizontal	PASS
4	5450.90	46.67	12.39	59.06	74.00	14.94	Horizontal	PASS
5	5459.48	49.39	12.40	61.79	74.00	12.21	Horizontal	PASS
6	5468.55	49.91	12.40	62.31	68.20	5.89	Horizontal	PASS


Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 16.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5456.60	39.95	12.39	52.34	54.00	1.66	Vertical	PASS
2	5458.58	40.57	12.39	52.96	54.00	1.04	Vertical	PASS
3	5459.72	40.84	12.40	53.24	54.00	0.76	Vertical	PASS
4	5467.29	54.48	12.39	66.87	68.20	1.33	Vertical	PASS
5	5468.31	54.69	12.40	67.09	68.20	1.11	Vertical	PASS
6	5469.51	54.52	12.40	66.92	68.20	1.28	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.69	49.36	12.91	62.27	68.20	5.93	Horizontal	PASS
2	5728.48	49.14	12.89	62.03	68.20	6.17	Horizontal	PASS
3	5730.82	47.71	12.87	60.58	68.20	7.62	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.60	53.83	12.91	66.74	68.20	1.46	Vertical	PASS
2	5727.85	52.96	12.89	65.85	68.20	2.35	Vertical	PASS
3	5730.10	52.47	12.88	65.35	68.20	2.85	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	138
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5850.89	51.69	12.86	64.55	68.20	3.65	Horizontal	PASS
2	5860.88	51.75	12.89	64.64	68.20	3.56	Horizontal	PASS
3	5869.52	48.84	12.92	61.76	68.20	6.44	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	U-NII-2C
Bandwidth	80MHz	Channel	138
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 20		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5850.89	54.42	12.86	67.28	68.20	0.92	Vertical	PASS
2	5860.88	53.23	12.89	66.12	68.20	2.08	Vertical	PASS
3	5868.71	54.65	12.92	67.57	68.20	0.63	Vertical	PASS

Project Information

Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 14		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5440.80	34.26	12.37	46.63	54.00	7.37	Horizontal	PASS
2	5450.08	35.57	12.39	47.96	54.00	6.04	Horizontal	PASS
3	5459.88	37.27	12.39	49.66	54.00	4.34	Horizontal	PASS
4	5461.11	47.99	12.40	60.39	68.20	7.81	Horizontal	PASS
5	5468.98	47.66	12.39	60.05	68.20	8.15	Horizontal	PASS
6	5727.59	48.24	12.89	61.13	68.20	7.07	Horizontal	PASS


Project Information			
Mode:	802.11ax160	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 14		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5438.69	38.21	12.37	50.58	54.00	3.42	Vertical	PASS
2	5449.90	39.73	12.39	52.12	54.00	1.88	Vertical	PASS
3	5458.65	40.76	12.39	53.15	54.00	0.85	Vertical	PASS
4	5457.78	50.92	12.40	63.32	74.00	10.68	Vertical	PASS
5	5467.23	52.20	12.39	64.59	68.20	3.61	Vertical	PASS
6	5728.46	50.79	12.89	63.68	68.20	4.52	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5635.24	43.54	13.43	56.97	68.20	11.23	Horizontal	PASS
2	5944.96	43.22	14.05	57.27	68.20	10.93	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5633.29	43.61	13.41	57.02	68.20	11.18	Vertical	PASS
2	5943.66	43.41	14.05	57.46	68.20	10.74	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5628.90	43.51	13.40	56.91	68.20	11.29	Horizontal	PASS
2	5932.44	43.37	13.96	57.33	68.20	10.87	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5646.14	43.13	13.48	56.61	68.20	11.59	Vertical	PASS
2	5941.06	44.04	14.02	58.06	68.20	10.14	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5643.37	46.04	13.46	59.50	68.20	8.70	Horizontal	PASS
2	5949.35	44.14	14.09	58.23	68.20	9.97	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.98	43.79	13.45	57.24	68.20	10.96	Vertical	PASS
2	5935.69	43.85	13.99	57.84	68.20	10.36	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.98	43.33	13.45	56.78	68.20	11.42	Horizontal	PASS
2	5934.88	43.68	13.98	57.66	68.20	10.54	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5652.96	47.49	13.51	61.00	70.40	9.40	Vertical	PASS
2	5942.85	44.08	14.04	58.12	68.20	10.08	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.00	45.34	13.10	58.44	68.20	9.76	Horizontal	PASS
2	5938.78	43.46	13.28	56.74	68.20	11.46	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5643.86	47.49	13.09	60.58	68.20	7.62	Vertical	PASS
2	5937.64	43.55	13.28	56.83	68.20	11.37	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5648.90	43.62	13.14	56.76	68.20	11.44	Horizontal	PASS
2	5932.93	43.88	13.24	57.12	68.20	11.08	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5648.90	45.32	13.14	58.46	68.20	9.74	Vertical	PASS
2	5926.91	44.70	13.19	57.89	68.20	10.31	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.33	47.54	13.04	60.58	68.20	7.62	Horizontal	PASS
2	5651.18	49.51	13.14	62.65	69.07	6.42	Horizontal	PASS
3	5936.67	45.55	13.26	58.81	68.20	9.39	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5644.02	53.12	13.09	66.21	68.20	1.99	Vertical	PASS
2	5654.75	55.33	13.14	68.47	71.73	3.26	Vertical	PASS
3	5925.94	48.02	13.19	61.21	68.20	6.99	Vertical	PASS
4	5947.56	47.70	13.35	61.05	68.20	7.15	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5643.86	42.71	13.09	55.80	68.20	12.40	Horizontal	PASS
2	5932.60	43.95	13.24	57.19	68.20	11.01	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5637.19	44.02	13.04	57.06	68.20	11.14	Vertical	PASS
2	5938.13	44.22	13.28	57.50	68.20	10.70	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5646.62	43.62	13.12	56.74	68.20	11.46	Horizontal	PASS
2	5931.79	43.63	13.23	56.86	68.20	11.34	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5643.05	42.68	13.08	55.76	68.20	12.44	Vertical	PASS
2	5932.44	43.57	13.23	56.80	68.20	11.40	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5629.71	47.20	12.97	60.17	68.20	8.03	Horizontal	PASS
2	5936.99	44.09	13.26	57.35	68.20	10.85	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.00	51.51	13.10	64.61	68.20	3.59	Vertical	PASS
2	5933.25	44.16	13.25	57.41	68.20	10.79	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 20.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.00	46.20	13.10	59.30	68.20	8.90	Horizontal	PASS
2	5937.48	44.90	13.27	58.17	68.20	10.03	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 20.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5648.74	51.21	13.12	64.33	68.20	3.87	Vertical	PASS
2	5924.31	50.90	13.18	64.08	68.71	4.63	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 18		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5641.58	46.25	13.07	59.32	68.20	8.88	Horizontal	PASS
2	5945.12	44.31	13.33	57.64	68.20	10.56	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 18		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5642.88	53.23	13.08	66.31	68.20	1.89	Vertical	PASS
2	5656.22	54.71	13.14	67.85	72.82	4.97	Vertical	PASS
3	5934.07	48.27	13.25	61.52	68.20	6.68	Vertical	PASS
4	5945.45	46.61	13.33	59.94	68.20	8.26	Vertical	PASS