


Project Information

Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU0;power setting 20		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5137.62	33.50	12.39	45.89	54.00	8.11	Horizontal	PASS
2	5140.15	33.17	12.41	45.58	54.00	8.42	Horizontal	PASS
3	5145.16	35.82	12.45	48.27	54.00	5.73	Horizontal	PASS
4	5138.59	50.02	12.40	62.42	74.00	11.58	Horizontal	PASS
5	5140.80	51.97	12.41	64.38	74.00	9.62	Horizontal	PASS
6	5145.13	56.98	12.45	69.43	74.00	4.57	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU0;power setting 20		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5129.84	32.84	12.34	45.18	54.00	8.82	Vertical	PASS
2	5137.03	36.59	12.39	48.98	54.00	5.02	Vertical	PASS
3	5144.83	37.03	12.44	49.47	54.00	4.53	Vertical	PASS
4	5129.81	49.96	12.34	62.30	74.00	11.70	Vertical	PASS
5	5138.72	54.22	12.40	66.62	74.00	7.38	Vertical	PASS
6	5144.93	59.86	12.44	72.30	74.00	1.70	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU37;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.64	34.61	12.41	47.02	54.00	6.98	Horizontal	PASS
2	5145.65	34.05	12.45	46.50	54.00	7.50	Horizontal	PASS
3	5149.84	34.93	12.48	47.41	54.00	6.59	Horizontal	PASS
4	5140.97	52.26	12.41	64.67	74.00	9.33	Horizontal	PASS
5	5145.00	50.99	12.44	63.43	74.00	10.57	Horizontal	PASS
6	5149.81	52.87	12.48	65.35	74.00	8.65	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU37;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.76	35.52	12.41	47.93	54.00	6.07	Vertical	PASS
2	5144.18	35.97	12.44	48.41	54.00	5.59	Vertical	PASS
3	5149.03	37.42	12.48	49.90	54.00	4.10	Vertical	PASS
4	5139.18	53.94	12.41	66.35	74.00	7.65	Vertical	PASS
5	5145.06	53.44	12.45	65.89	74.00	8.11	Vertical	PASS
6	5148.54	55.84	12.47	68.31	74.00	5.69	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU53;power setting 20		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.88	34.27	12.43	46.70	54.00	7.30	Horizontal	PASS
2	5144.96	36.63	12.44	49.07	54.00	4.93	Horizontal	PASS
3	5149.35	39.20	12.48	51.68	54.00	2.32	Horizontal	PASS
4	5140.80	54.31	12.41	66.72	74.00	7.28	Horizontal	PASS
5	5145.19	55.94	12.45	68.39	74.00	5.61	Horizontal	PASS
6	5149.97	55.97	12.48	68.45	74.00	5.55	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU53;power setting 20		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5145.81	37.47	12.45	49.92	54.00	4.08	Vertical	PASS
2	5148.44	40.47	12.47	52.94	54.00	1.06	Vertical	PASS
3	5149.48	39.61	12.48	52.09	54.00	1.91	Vertical	PASS
4	5145.16	56.20	12.45	68.65	74.00	5.35	Vertical	PASS
5	5148.41	57.06	12.47	69.53	74.00	4.47	Vertical	PASS
6	5149.58	56.84	12.48	69.32	74.00	4.68	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU54;power setting 20		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.22	37.89	12.68	50.57	54.00	3.43	Horizontal	PASS
2	5355.07	35.33	12.71	48.04	54.00	5.96	Horizontal	PASS
3	5357.60	34.36	12.72	47.08	54.00	6.92	Horizontal	PASS
4	5350.32	54.40	12.68	67.08	74.00	6.92	Horizontal	PASS
5	5353.44	54.71	12.70	67.41	74.00	6.59	Horizontal	PASS
6	5357.96	55.69	12.72	68.41	74.00	5.59	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU54;power setting 20		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.26	40.00	12.68	52.68	54.00	1.32	Vertical	PASS
2	5353.21	37.72	12.70	50.42	54.00	3.58	Vertical	PASS
3	5358.19	36.49	12.72	49.21	54.00	4.79	Vertical	PASS
4	5350.03	58.83	12.68	71.51	74.00	2.49	Vertical	PASS
5	5353.60	58.46	12.70	71.16	74.00	2.84	Vertical	PASS
6	5358.09	59.24	12.72	71.96	74.00	2.04	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU40;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.22	37.75	12.68	50.43	54.00	3.57	Horizontal	PASS
2	5351.33	37.01	12.69	49.70	54.00	4.30	Horizontal	PASS
3	5357.70	34.80	12.72	47.52	54.00	6.48	Horizontal	PASS
4	5350.19	55.66	12.68	68.34	74.00	5.66	Horizontal	PASS
5	5351.04	55.59	12.69	68.28	74.00	5.72	Horizontal	PASS
6	5357.67	55.19	12.72	67.91	74.00	6.09	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU40;power setting 20		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.06	38.98	12.68	51.66	54.00	2.34	Vertical	PASS
2	5351.10	38.01	12.69	50.70	54.00	3.30	Vertical	PASS
3	5357.70	36.44	12.72	49.16	54.00	4.84	Vertical	PASS
4	5350.45	58.88	12.68	71.56	74.00	2.44	Vertical	PASS
5	5354.09	57.38	12.70	70.08	74.00	3.92	Vertical	PASS
6	5358.22	57.46	12.72	70.18	74.00	3.82	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU8;power setting 20		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.13	36.74	12.68	49.42	54.00	4.58	Horizontal	PASS
2	5353.25	35.80	12.70	48.50	54.00	5.50	Horizontal	PASS
3	5357.47	34.39	12.73	47.12	54.00	6.88	Horizontal	PASS
4	5350.26	58.67	12.68	71.35	74.00	2.65	Horizontal	PASS
5	5351.36	57.06	12.69	69.75	74.00	4.25	Horizontal	PASS
6	5357.99	55.65	12.72	68.37	74.00	5.63	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU8;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.06	38.89	12.68	51.57	54.00	2.43	Vertical	PASS
2	5356.08	36.22	12.72	48.94	54.00	5.06	Vertical	PASS
3	5357.64	36.46	12.72	49.18	54.00	4.82	Vertical	PASS
4	5350.06	60.44	12.68	73.12	74.00	0.88	Vertical	PASS
5	5351.07	59.28	12.69	71.97	74.00	2.03	Vertical	PASS
6	5358.25	57.93	12.72	70.65	74.00	3.35	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU8;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.28	32.28	12.67	44.95	54.00	9.05	Horizontal	PASS
2	5456.66	32.42	12.75	45.17	54.00	8.83	Horizontal	PASS
3	5458.91	32.99	12.78	45.77	54.00	8.23	Horizontal	PASS
4	5460.84	47.93	12.82	60.75	68.20	7.45	Horizontal	PASS
5	5464.86	50.02	12.88	62.90	68.20	5.30	Horizontal	PASS
6	5469.60	52.02	12.96	64.98	68.20	3.22	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU8;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.14	33.31	12.66	45.97	54.00	8.03	Vertical	PASS
2	5453.78	33.61	12.70	46.31	54.00	7.69	Vertical	PASS
3	5457.86	34.43	12.77	47.20	54.00	6.80	Vertical	PASS
4	5460.90	51.53	12.82	64.35	68.20	3.85	Vertical	PASS
5	5464.65	53.63	12.88	66.51	68.20	1.69	Vertical	PASS
6	5469.75	54.00	12.96	66.96	68.20	1.24	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU37;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.64	32.73	12.69	45.42	54.00	8.58	Horizontal	PASS
2	5454.83	32.42	12.72	45.14	54.00	8.86	Horizontal	PASS
3	5459.03	32.44	12.78	45.22	54.00	8.78	Horizontal	PASS
4	5460.78	48.23	12.81	61.04	68.20	7.16	Horizontal	PASS
5	5463.36	47.30	12.86	60.16	68.20	8.04	Horizontal	PASS
6	5469.84	50.41	12.96	63.37	68.20	4.83	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU37;power setting 19.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.89	33.41	12.67	46.08	54.00	7.92	Vertical	PASS
2	5454.35	33.59	12.71	46.30	54.00	7.70	Vertical	PASS
3	5459.39	33.96	12.80	46.76	54.00	7.24	Vertical	PASS
4	5461.05	50.23	12.82	63.05	68.20	5.15	Vertical	PASS
5	5465.49	49.77	12.89	62.66	68.20	5.54	Vertical	PASS
6	5469.78	53.56	12.96	66.52	68.20	1.68	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU53;power setting 19.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.15	31.80	12.64	44.44	54.00	9.56	Horizontal	PASS
2	5454.89	31.90	12.72	44.62	54.00	9.38	Horizontal	PASS
3	5456.99	32.21	12.75	44.96	54.00	9.04	Horizontal	PASS
4	5461.08	47.76	12.82	60.58	68.20	7.62	Horizontal	PASS
5	5465.52	46.91	12.89	59.80	68.20	8.40	Horizontal	PASS
6	5469.72	51.34	12.96	64.30	68.20	3.90	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU53;power setting 19.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5450.24	33.34	12.64	45.98	54.00	8.02	Vertical	PASS
2	5454.23	33.57	12.71	46.28	54.00	7.72	Vertical	PASS
3	5459.03	33.76	12.78	46.54	54.00	7.46	Vertical	PASS
4	5460.99	50.65	12.82	63.47	68.20	4.73	Vertical	PASS
5	5467.02	49.92	12.91	62.83	68.20	5.37	Vertical	PASS
6	5469.78	53.91	12.96	66.87	68.20	1.33	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU54;power setting 17.5		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.41	49.60	13.35	62.95	68.20	5.25	Horizontal	PASS
2	5727.40	48.42	13.33	61.75	68.20	6.45	Horizontal	PASS
3	5729.35	48.87	13.30	62.17	68.20	6.03	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU54;power setting 17.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.81	54.01	13.36	67.37	68.20	0.83	Vertical	PASS
2	5726.98	54.30	13.34	67.64	68.20	0.56	Vertical	PASS
3	5728.81	53.34	13.31	66.65	68.20	1.55	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU40;power setting 17		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.30	49.44	13.37	62.81	68.20	5.39	Horizontal	PASS
2	5726.83	48.79	13.34	62.13	68.20	6.07	Horizontal	PASS
3	5728.99	47.10	13.30	60.40	68.20	7.80	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU40;power setting 17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.03	54.22	13.37	67.59	68.20	0.61	Vertical	PASS
2	5726.23	53.21	13.35	66.56	68.20	1.64	Vertical	PASS
3	5727.46	52.91	13.33	66.24	68.20	1.96	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU8;power setting 16		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.02	49.31	13.35	62.66	68.20	5.54	Horizontal	PASS
2	5729.38	45.14	13.30	58.44	68.20	9.76	Horizontal	PASS
3	5731.72	44.59	13.26	57.85	68.20	10.35	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU8;power setting 16		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.21	53.18	13.37	66.55	68.20	1.65	Vertical	PASS
2	5725.96	54.11	13.35	67.46	68.20	0.74	Vertical	PASS
3	5728.57	48.07	13.31	61.38	68.20	6.82	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU8;power setting 20		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.51	43.45	13.26	56.71	68.20	11.49	Horizontal	PASS
2	5925.17	43.52	13.91	57.43	68.20	10.77	Horizontal	PASS
3	5968.39	42.95	13.90	56.85	68.20	11.35	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU8;power setting 20		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5857.91	43.91	13.32	57.23	68.20	10.97	Vertical	PASS
2	5905.99	43.96	13.77	57.73	68.20	10.47	Vertical	PASS
3	5948.67	44.02	14.08	58.10	68.20	10.10	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU4;power setting 20		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5874.12	43.18	13.48	56.66	68.20	11.54	Horizontal	PASS
2	5923.82	43.31	13.90	57.21	68.20	10.99	Horizontal	PASS
3	5954.35	43.34	14.04	57.38	68.20	10.82	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU4;power setting 20		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5870.34	43.52	13.44	56.96	68.20	11.24	Vertical	PASS
2	5914.91	43.13	13.84	56.97	68.20	11.23	Vertical	PASS
3	5951.92	43.30	14.07	57.37	68.20	10.83	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU54;power setting 20		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.07	43.24	13.34	56.58	68.20	11.62	Horizontal	PASS
2	5949.48	43.18	14.09	57.27	68.20	10.93	Horizontal	PASS
3	5983.79	43.14	13.73	56.87	68.20	11.33	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU54;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.51	43.76	13.26	57.02	68.20	11.18	Vertical	PASS
2	5911.40	43.02	13.81	56.83	68.20	11.37	Vertical	PASS
3	5953.00	42.80	14.06	56.86	68.20	11.34	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU53;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5639.79	42.73	13.45	56.18	68.20	12.02	Horizontal	PASS
2	5926.26	43.23	13.92	57.15	68.20	11.05	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU53;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5647.92	43.16	13.49	56.65	68.20	11.55	Vertical	PASS
2	5943.98	43.03	14.05	57.08	68.20	11.12	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU37;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5634.59	42.95	13.42	56.37	68.20	11.83	Horizontal	PASS
2	5947.72	42.89	14.08	56.97	68.20	11.23	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU37;power setting 20		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5643.05	43.01	13.46	56.47	68.20	11.73	Vertical	PASS
2	5942.52	43.12	14.04	57.16	68.20	11.04	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU0;power setting 20		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5641.91	43.13	13.46	56.59	68.20	11.61	Horizontal	PASS
2	5946.59	43.57	14.06	57.63	68.20	10.57	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU0;power setting 20		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5646.14	43.02	13.48	56.50	68.20	11.70	Vertical	PASS
2	5929.19	44.35	13.94	58.29	68.20	9.91	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU8;power setting 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5637.52	43.45	13.44	56.89	68.20	11.31	Horizontal	PASS
2	5941.55	43.28	14.03	57.31	68.20	10.89	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;26Tone_RU8;power setting 20		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5631.50	43.42	13.41	56.83	68.20	11.37	Vertical	PASS
2	5949.67	43.22	14.09	57.31	68.20	10.89	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU40;power setting 20		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5639.47	43.51	13.45	56.96	68.20	11.24	Horizontal	PASS
2	5946.59	43.08	14.06	57.14	68.20	11.06	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;52Tone_RU40;power setting 20		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5628.09	42.61	13.39	56.00	68.20	12.20	Vertical	PASS
2	5934.07	43.30	13.98	57.28	68.20	10.92	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU40;power setting 20		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5646.62	42.49	13.49	55.98	68.20	12.22	Horizontal	PASS
2	5934.72	42.96	13.98	56.94	68.20	11.26	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	X;106Tone_RU54;power setting 20		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5646.30	43.44	13.49	56.93	68.20	11.27	Vertical	PASS
2	5926.59	43.47	13.92	57.39	68.20	10.81	Vertical	PASS

~The End~