


Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5241.74	89.08	11.51	100.59	-	-	Horizontal	NA
2	7442.65	37.28	-0.47	36.81	54.00	17.19	Horizontal	PASS
3	11368.88	35.85	5.72	41.57	54.00	12.43	Horizontal	PASS
4	17991.95	32.27	15.29	47.56	54.00	6.44	Horizontal	PASS
5	5241.19	95.03	11.52	106.55	-	-	Horizontal	NA
6	7444.56	44.17	-0.48	43.69	74.00	30.31	Horizontal	PASS
7	11506.88	42.34	5.57	47.91	74.00	26.09	Horizontal	PASS
8	17891.90	39.33	16.08	55.41	74.00	18.59	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5239.36	90.15	11.53	101.68	-	-	Vertical	NA
2	7485.58	38.04	-0.51	37.53	54.00	16.47	Vertical	PASS
3	11519.53	35.84	5.65	41.49	54.00	12.51	Vertical	PASS
4	17893.05	31.68	16.12	47.80	54.00	6.20	Vertical	PASS
5	5242.11	96.26	11.51	107.77	-	-	Vertical	NA
6	7475.62	44.27	-0.51	43.76	74.00	30.24	Vertical	PASS
7	12169.31	42.33	6.23	48.56	74.00	25.44	Vertical	PASS
8	17891.51	38.84	16.07	54.91	74.00	19.09	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	52
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5261.54	88.89	11.52	100.41	-	-	Horizontal	NA
2	7434.60	37.60	-0.42	37.18	54.00	16.82	Horizontal	PASS
3	11351.63	36.32	5.79	42.11	54.00	11.89	Horizontal	PASS
4	17909.15	32.35	13.82	46.17	54.00	7.83	Horizontal	PASS
5	5258.61	94.01	11.50	105.51	-	-	Horizontal	NA
6	7590.24	43.97	-0.41	43.56	74.00	30.44	Horizontal	PASS
7	10869.38	42.30	4.86	47.16	74.00	26.84	Horizontal	PASS
8	17919.50	39.15	13.75	52.90	74.00	21.10	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	52
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5261.36	91.19	11.52	102.71	-	-	Vertical	NA
2	7576.44	37.52	-0.43	37.09	54.00	16.91	Vertical	PASS
3	11500.75	35.96	5.54	41.50	54.00	12.50	Vertical	PASS
4	17871.96	32.82	13.59	46.41	54.00	7.59	Vertical	PASS
5	5258.43	96.72	11.50	108.22	-	-	Vertical	NA
6	7351.03	45.01	-0.38	44.63	74.00	29.37	Vertical	PASS
7	11421.01	42.27	5.57	47.84	74.00	26.16	Vertical	PASS
8	17893.81	39.00	13.82	52.82	74.00	21.18	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	60
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5299.31	87.86	11.68	99.54	-	-	Horizontal	NA
2	7671.12	36.71	0.22	36.93	54.00	17.07	Horizontal	PASS
3	11542.92	35.80	5.78	41.58	54.00	12.42	Horizontal	PASS
4	17899.95	32.77	13.88	46.65	54.00	7.35	Horizontal	PASS
5	5299.13	94.02	11.68	105.70	-	-	Horizontal	NA
6	7066.59	49.52	-0.52	49.00	68.20	19.20	Horizontal	PASS
7	11466.63	42.74	5.55	48.29	74.00	25.71	Horizontal	PASS
8	17879.63	39.55	13.67	53.22	74.00	20.78	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	60
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5301.14	90.05	11.69	101.74	-	-	Vertical	NA
2	7448.01	37.22	-0.50	36.72	54.00	17.28	Vertical	PASS
3	12129.05	36.33	6.10	42.43	54.00	11.57	Vertical	PASS
4	17843.59	32.78	13.31	46.09	54.00	7.91	Vertical	PASS
5	5301.14	97.45	11.69	109.14	-	-	Vertical	NA
6	7066.59	47.99	-0.52	47.47	68.20	20.73	Vertical	PASS
7	11580.87	43.22	5.97	49.19	74.00	24.81	Vertical	PASS
8	17790.31	39.95	12.76	52.71	74.00	21.29	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	64
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.68	88.25	11.88	100.13	-	-	Horizontal	NA
2	7310.78	37.64	-0.35	37.29	54.00	16.71	Horizontal	PASS
3	12106.44	35.84	6.02	41.86	54.00	12.14	Horizontal	PASS
4	17841.29	33.41	13.28	46.69	54.00	7.31	Horizontal	PASS
5	5319.29	94.37	11.85	106.22	-	-	Horizontal	NA
6	7093.42	47.27	-0.41	46.86	68.20	21.34	Horizontal	PASS
7	12185.02	42.08	6.28	48.36	74.00	25.64	Horizontal	PASS
8	17924.10	39.08	13.72	52.80	74.00	21.20	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	20MHz	Channel	64
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.13	91.41	11.87	103.28	-	-	Vertical	NA
2	7416.20	37.60	-0.30	37.30	54.00	16.70	Vertical	PASS
3	11281.86	35.22	6.00	41.22	54.00	12.78	Vertical	PASS
4	17889.60	32.60	13.77	46.37	54.00	7.63	Vertical	PASS
5	5319.29	98.07	11.85	109.92	-	-	Vertical	NA
6	7093.42	48.03	-0.41	47.62	68.20	20.58	Vertical	PASS
7	10781.59	44.70	4.74	49.44	74.00	24.56	Vertical	PASS
8	17831.33	40.88	13.18	54.06	74.00	19.94	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.17	88.71	12.41	101.12	-	-	Horizontal	NA
2	7701.02	38.85	0.52	39.37	54.00	14.63	Horizontal	PASS
3	12055.07	36.28	5.82	42.10	54.00	11.90	Horizontal	PASS
4	17835.93	33.25	13.22	46.47	54.00	7.53	Horizontal	PASS
5	5502.27	95.41	12.41	107.82	-	-	Horizontal	NA
6	7701.41	45.83	0.52	46.35	74.00	27.65	Horizontal	PASS
7	11435.20	42.45	5.56	48.01	74.00	25.99	Horizontal	PASS
8	17797.98	40.63	12.83	53.46	74.00	20.54	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5498.97	93.00	12.41	105.41	-	-	Vertical	NA
2	7698.72	38.97	0.51	39.48	54.00	14.52	Vertical	PASS
3	11931.25	35.42	5.87	41.29	54.00	12.71	Vertical	PASS
4	17981.98	33.28	13.32	46.60	54.00	7.40	Vertical	PASS
5	5499.15	98.67	12.40	111.07	-	-	Vertical	NA
6	7700.64	45.01	0.52	45.53	74.00	28.47	Vertical	PASS
7	11449.76	42.36	5.56	47.92	74.00	26.08	Vertical	PASS
8	17888.45	39.30	13.77	53.07	74.00	20.93	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5599.44	87.39	12.73	100.12	-	-	Horizontal	NA
2	7569.15	37.53	-0.43	37.10	54.00	16.90	Horizontal	PASS
3	11430.98	36.68	5.57	42.25	54.00	11.75	Horizontal	PASS
4	17894.20	32.84	13.82	46.66	54.00	7.34	Horizontal	PASS
5	5597.60	93.18	12.72	105.90	-	-	Horizontal	NA
6	7349.88	44.46	-0.38	44.08	74.00	29.92	Horizontal	PASS
7	11999.87	42.74	5.59	48.33	74.00	25.67	Horizontal	PASS
8	17937.90	39.47	13.62	53.09	74.00	20.91	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	120
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5598.89	90.70	12.72	103.42	-	-	Vertical	NA
2	7411.98	37.92	-0.28	37.64	54.00	16.36	Vertical	PASS
3	11488.87	37.19	5.54	42.73	54.00	11.27	Vertical	PASS
4	17883.85	32.61	13.72	46.33	54.00	7.67	Vertical	PASS
5	5599.07	97.30	12.73	110.03	-	-	Vertical	NA
6	7183.89	43.85	0.05	43.90	68.20	24.30	Vertical	PASS
7	11440.56	42.57	5.56	48.13	74.00	25.87	Vertical	PASS
8	17981.98	39.57	13.32	52.89	74.00	21.11	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5699.36	86.88	13.11	99.99	-	-	Horizontal	NA
2	7436.13	37.97	-0.42	37.55	54.00	16.45	Horizontal	PASS
3	11488.10	36.03	5.54	41.57	54.00	12.43	Horizontal	PASS
4	17881.55	32.72	13.69	46.41	54.00	7.59	Horizontal	PASS
5	5698.26	92.81	13.11	105.92	-	-	Horizontal	NA
6	7434.98	44.30	-0.42	43.88	74.00	30.12	Horizontal	PASS
7	11030.77	42.46	5.54	48.00	74.00	26.00	Horizontal	PASS
8	17816.76	39.91	13.03	52.94	74.00	21.06	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5700.82	90.93	13.10	104.03	-	-	Vertical	NA
2	7627.04	37.27	-0.18	37.09	54.00	16.91	Vertical	PASS
3	11276.88	36.09	6.00	42.09	54.00	11.91	Vertical	PASS
4	17888.45	32.56	13.77	46.33	54.00	7.67	Vertical	PASS
5	5698.99	97.24	13.11	110.35	-	-	Vertical	NA
6	7456.45	44.48	-0.51	43.97	74.00	30.03	Vertical	PASS
7	11287.61	41.79	6.01	47.80	74.00	26.20	Vertical	PASS
8	17909.91	39.30	13.81	53.11	74.00	20.89	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5718.97	87.12	12.96	100.08	-	-	Horizontal	NA
2	7466.03	37.43	-0.51	36.92	54.00	17.08	Horizontal	PASS
3	11469.32	35.78	5.55	41.33	54.00	12.67	Horizontal	PASS
4	17885.00	32.32	13.73	46.05	54.00	7.95	Horizontal	PASS
5	5718.97	92.91	12.96	105.87	-	-	Horizontal	NA
6	7740.51	43.62	0.50	44.12	74.00	29.88	Horizontal	PASS
7	11372.33	42.39	5.70	48.09	74.00	25.91	Horizontal	PASS
8	17799.13	40.56	12.85	53.41	74.00	20.59	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5720.99	90.77	12.95	103.72	-	-	Vertical	NA
2	7365.98	37.71	-0.33	37.38	54.00	16.62	Vertical	PASS
3	11517.23	36.16	5.63	41.79	54.00	12.21	Vertical	PASS
4	17865.06	32.53	13.52	46.05	54.00	7.95	Vertical	PASS
5	5722.64	96.57	12.93	109.50	-	-	Vertical	NA
6	7459.52	43.98	-0.51	43.47	74.00	30.53	Vertical	PASS
7	11440.18	42.66	5.56	48.22	74.00	25.78	Vertical	PASS
8	17822.13	40.05	13.08	53.13	74.00	20.87	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7458.37	37.51	-0.51	37.00	54.00	17.00	Horizontal	PASS
2	12179.66	35.30	6.26	41.56	54.00	12.44	Horizontal	PASS
3	17926.40	32.98	13.70	46.68	54.00	7.32	Horizontal	PASS
4	5744.27	98.74	12.76	111.50	-	-	Horizontal	NA
5	9503.13	43.70	3.16	46.86	68.20	21.34	Horizontal	PASS
6	13590.37	42.03	8.95	50.98	68.20	17.22	Horizontal	PASS
7	17926.01	39.61	13.70	53.31	74.00	20.69	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8353.48	37.23	1.14	38.37	54.00	15.63	Vertical	PASS
2	12696.02	35.76	7.47	43.23	54.00	10.77	Vertical	PASS
3	17965.88	32.90	13.43	46.33	54.00	7.67	Vertical	PASS
4	5743.91	101.42	12.77	114.19	-	-	Vertical	NA
5	8342.36	42.76	1.06	43.82	74.00	30.18	Vertical	PASS
6	13436.65	41.81	8.11	49.92	68.20	18.28	Vertical	PASS
7	17910.68	39.58	13.80	53.38	74.00	20.62	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7458.75	38.08	-0.51	37.57	54.00	16.43	Horizontal	PASS
2	12124.07	35.89	6.08	41.97	54.00	12.03	Horizontal	PASS
3	17928.70	32.38	13.68	46.06	54.00	7.94	Horizontal	PASS
4	5784.24	97.06	12.76	109.82	-	-	Horizontal	NA
5	7479.07	44.44	-0.51	43.93	74.00	30.07	Horizontal	PASS
6	12223.74	41.76	6.29	48.05	74.00	25.95	Horizontal	PASS
7	17983.13	41.24	13.31	54.55	74.00	19.45	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 19		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7481.75	37.55	-0.51	37.04	54.00	16.96	Vertical	PASS
2	11493.47	35.55	5.55	41.10	54.00	12.90	Vertical	PASS
3	15413.95	33.74	9.56	43.30	54.00	10.70	Vertical	PASS
4	5783.88	100.40	12.76	113.16	-	-	Vertical	NA
5	6453.25	39.54	13.97	53.51	68.20	14.69	Vertical	PASS
6	15081.97	41.65	10.40	52.05	68.20	16.15	Vertical	PASS
7	17820.21	39.86	13.07	52.93	74.00	21.07	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7471.78	37.77	-0.51	37.26	54.00	16.74	Horizontal	PASS
2	8234.26	37.14	0.76	37.90	54.00	16.10	Horizontal	PASS
3	17886.53	33.08	13.74	46.82	54.00	7.18	Horizontal	PASS
4	5824.21	96.87	12.82	109.69	-	-	Horizontal	NA
5	7451.85	44.13	-0.51	43.62	74.00	30.38	Horizontal	PASS
6	8416.73	43.18	1.50	44.68	74.00	29.32	Horizontal	PASS
7	17892.66	38.88	13.81	52.69	74.00	21.31	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8179.82	37.45	0.79	38.24	54.00	15.76	Vertical	PASS
2	12104.90	35.57	6.02	41.59	54.00	12.41	Vertical	PASS
3	17853.95	33.04	13.41	46.45	54.00	7.55	Vertical	PASS
4	5824.03	100.59	12.82	113.41	-	-	Vertical	NA
5	8478.83	43.39	1.75	45.14	74.00	28.86	Vertical	PASS
6	12047.40	42.76	5.79	48.55	74.00	25.45	Vertical	PASS
7	17875.41	40.17	13.63	53.80	74.00	20.20	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8279.11	36.46	0.76	37.22	54.00	16.78	Horizontal	PASS
2	9531.50	36.65	3.30	39.95	-	-	Horizontal	NA
3	17943.65	32.71	13.58	46.29	54.00	7.71	Horizontal	PASS
4	5760.04	41.68	12.73	54.41	68.20	13.79	Horizontal	PASS
5	6906.73	47.33	-0.86	46.47	68.20	21.73	Horizontal	PASS
6	14712.81	39.82	11.42	51.24	68.20	16.96	Horizontal	PASS
7	17897.26	39.44	13.85	53.29	74.00	20.71	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7415.81	37.66	-0.30	37.36	54.00	16.64	Vertical	PASS
2	11390.73	35.59	5.62	41.21	54.00	12.79	Vertical	PASS
3	17807.94	33.27	12.95	46.22	54.00	7.78	Vertical	PASS
4	5179.22	102.94	11.83	114.77	-	-	Vertical	NA
5	5760.04	41.06	12.73	53.79	68.20	14.41	Vertical	PASS
6	6906.73	53.71	-0.86	52.85	68.20	15.35	Vertical	PASS
7	17844.74	40.35	13.32	53.67	74.00	20.33	Vertical	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7485.97	36.73	-0.51	36.22	54.00	17.78	Horizontal	PASS
2	12109.50	35.63	6.03	41.66	54.00	12.34	Horizontal	PASS
3	15988.58	34.25	7.80	42.05	54.00	11.95	Horizontal	PASS
4	5197.37	98.39	11.76	110.15	-	-	Horizontal	NA
5	5760.04	40.96	12.73	53.69	68.20	14.51	Horizontal	PASS
6	6933.18	48.24	-0.86	47.38	68.20	20.82	Horizontal	PASS
7	15580.32	40.09	9.26	49.35	74.00	24.65	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5412.43	32.88	12.31	45.19	54.00	8.81	Vertical	PASS
2	5760.04	35.93	12.73	48.66	-	-	Vertical	NA
3	8119.25	37.54	0.75	38.29	54.00	15.71	Vertical	PASS
4	15576.87	33.38	9.24	42.62	54.00	11.38	Vertical	PASS
5	6356.81	39.68	14.00	53.68	68.20	14.52	Vertical	PASS
6	6933.18	52.18	-0.86	51.32	68.20	16.88	Vertical	PASS
7	15070.85	41.43	10.17	51.60	68.20	16.60	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7456.07	37.50	-0.51	36.99	54.00	17.01	Horizontal	PASS
2	12068.49	35.45	5.87	41.32	54.00	12.68	Horizontal	PASS
3	17984.28	32.68	13.31	45.99	54.00	8.01	Horizontal	PASS
4	5238.26	99.61	11.54	111.15	-	-	Horizontal	NA
5	5759.86	40.87	12.73	53.60	68.20	14.60	Horizontal	PASS
6	6986.47	48.55	-0.90	47.65	68.20	20.55	Horizontal	PASS
7	17885.76	40.38	13.73	54.11	74.00	19.89	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7443.03	37.94	-0.47	37.47	54.00	16.53	Vertical	PASS
2	11493.85	35.58	5.55	41.13	54.00	12.87	Vertical	PASS
3	16123.52	34.62	8.12	42.74	54.00	11.26	Vertical	PASS
4	5238.44	100.79	11.54	112.33	-	-	Vertical	NA
5	6986.85	53.33	-0.90	52.43	68.20	15.77	Vertical	PASS
6	11501.90	42.29	5.55	47.84	74.00	26.16	Vertical	PASS
7	17824.43	40.33	13.11	53.44	74.00	20.56	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7439.58	37.83	-0.45	37.38	54.00	16.62	Horizontal	PASS
2	12227.57	36.26	6.27	42.53	54.00	11.47	Horizontal	PASS
3	17911.45	32.39	13.81	46.20	54.00	7.80	Horizontal	PASS
4	5260.81	97.03	11.51	108.54	-	-	Horizontal	NA
5	7013.30	49.52	-0.81	48.71	68.20	19.49	Horizontal	PASS
6	12746.62	42.69	7.09	49.78	68.20	18.42	Horizontal	PASS
7	17890.36	39.03	13.78	52.81	74.00	21.19	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7457.22	37.60	-0.51	37.09	54.00	16.91	Vertical	PASS
2	11483.12	35.28	5.55	40.83	54.00	13.17	Vertical	PASS
3	17864.68	32.73	13.52	46.25	54.00	7.75	Vertical	PASS
4	5259.16	102.85	11.51	114.36	-	-	Vertical	NA
5	5759.86	42.42	12.73	55.15	68.20	13.05	Vertical	PASS
6	7013.30	52.72	-0.81	51.91	68.20	16.29	Vertical	PASS
7	17895.35	39.35	13.83	53.18	74.00	20.82	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7461.05	37.27	-0.51	36.76	54.00	17.24	Horizontal	PASS
2	11332.84	35.47	5.88	41.35	54.00	12.65	Horizontal	PASS
3	17880.40	32.82	13.68	46.50	54.00	7.50	Horizontal	PASS
4	5301.51	96.92	11.69	108.61	-	-	Horizontal	NA
5	7066.97	48.93	-0.52	48.41	68.20	19.79	Horizontal	PASS
6	11488.87	42.84	5.54	48.38	74.00	25.62	Horizontal	PASS
7	17878.10	39.58	13.66	53.24	74.00	20.76	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20MHz	Channel	56
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7448.78	37.59	-0.51	37.08	54.00	16.92	Vertical	PASS
2	11539.08	35.26	5.75	41.01	54.00	12.99	Vertical	PASS
3	17870.05	33.41	13.57	46.98	54.00	7.02	Vertical	PASS
4	5299.13	102.99	11.68	114.67	-	-	Vertical	NA
5	5760.04	41.61	12.73	54.34	68.20	13.86	Vertical	PASS
6	7066.59	52.02	-0.52	51.50	68.20	16.70	Vertical	PASS
7	17796.06	40.14	12.82	52.96	74.00	21.04	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8430.15	36.57	1.60	38.17	54.00	15.83	Horizontal	PASS
2	12110.65	35.29	6.03	41.32	54.00	12.68	Horizontal	PASS
3	17831.71	32.80	13.18	45.98	54.00	8.02	Horizontal	PASS
4	5320.94	96.49	11.87	108.36	-	-	Horizontal	NA
5	7093.42	49.30	-0.41	48.89	68.20	19.31	Horizontal	PASS
6	12154.36	42.58	6.18	48.76	74.00	25.24	Horizontal	PASS
7	17867.36	40.58	13.54	54.12	74.00	19.88	Horizontal	PASS

Project Information			
Mode:	802.11ac	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 17.5		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7432.68	37.46	-0.41	37.05	54.00	16.95	Vertical	PASS
2	12056.60	35.94	5.83	41.77	54.00	12.23	Vertical	PASS
3	17930.61	32.73	13.67	46.40	54.00	7.60	Vertical	PASS
4	5318.74	103.10	11.85	114.95	-	-	Vertical	NA
5	7093.42	51.28	-0.41	50.87	68.20	17.33	Vertical	PASS
6	12113.34	42.15	6.05	48.20	74.00	25.80	Vertical	PASS
7	17914.90	38.90	13.78	52.68	74.00	21.32	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8042.58	37.48	0.58	38.06	54.00	15.94	Horizontal	PASS
2	13374.16	36.43	7.90	44.33	54.00	9.67	Horizontal	PASS
3	17896.11	32.57	13.84	46.41	54.00	7.59	Horizontal	PASS
4	5743.91	96.75	12.77	109.52	-	-	Horizontal	NA
5	8118.10	43.37	0.74	44.11	74.00	29.89	Horizontal	PASS
6	13701.54	40.88	10.07	50.95	68.20	17.25	Horizontal	PASS
7	17892.28	39.75	13.80	53.55	74.00	20.45	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7439.58	37.58	-0.45	37.13	54.00	16.87	Vertical	PASS
2	12047.78	36.48	5.79	42.27	54.00	11.73	Vertical	PASS
3	17831.71	33.30	13.18	46.48	54.00	7.52	Vertical	PASS
4	5744.09	102.35	12.77	115.12	-	-	Vertical	NA
5	6164.67	40.55	13.49	54.04	68.20	14.16	Vertical	PASS
6	13672.41	41.12	9.79	50.91	68.20	17.29	Vertical	PASS
7	17887.30	38.86	13.75	52.61	74.00	21.39	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7440.73	37.77	-0.45	37.32	54.00	16.68	Horizontal	PASS
2	12019.03	35.81	5.67	41.48	54.00	12.52	Horizontal	PASS
3	17889.21	32.88	13.77	46.65	54.00	7.35	Horizontal	PASS
4	5786.08	96.18	12.75	108.93	-	-	Horizontal	NA
5	7456.07	44.77	-0.51	44.26	74.00	29.74	Horizontal	PASS
6	13754.83	41.88	9.31	51.19	68.20	17.01	Horizontal	PASS
7	17977.77	39.46	13.35	52.81	74.00	21.19	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8338.53	37.55	1.03	38.58	54.00	15.42	Vertical	PASS
2	11319.04	35.85	5.94	41.79	54.00	12.21	Vertical	PASS
3	17888.45	33.72	13.77	47.49	54.00	6.51	Vertical	PASS
4	5784.06	101.01	12.76	113.77	-	-	Vertical	NA
5	6942.76	45.77	-0.87	44.90	68.20	23.30	Vertical	PASS
6	12689.89	41.91	7.41	49.32	74.00	24.68	Vertical	PASS
7	17888.06	39.82	13.76	53.58	74.00	20.42	Vertical	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7507.05	38.05	-0.51	37.54	54.00	16.46	Horizontal	PASS
2	12347.56	35.89	6.29	42.18	54.00	11.82	Horizontal	PASS
3	17888.83	32.63	13.77	46.40	54.00	7.60	Horizontal	PASS
4	5824.21	96.46	12.82	109.28	-	-	Horizontal	NA
5	7362.15	44.03	-0.34	43.69	74.00	30.31	Horizontal	PASS
6	12699.86	42.23	7.51	49.74	74.00	24.26	Horizontal	PASS
7	17992.33	40.06	13.25	53.31	74.00	20.69	Horizontal	PASS

Project Information

Mode:	802.11ac	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x:power setting 19		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8082.84	37.80	0.65	38.45	54.00	15.55	Vertical	PASS
2	11516.85	37.03	5.63	42.66	54.00	11.34	Vertical	PASS
3	17896.11	32.98	13.84	46.82	54.00	7.18	Vertical	PASS
4	5823.84	100.72	12.82	113.54	-	-	Vertical	NA
5	5823.84	100.72	12.82	113.54	-	-	Vertical	NA
6	7766.96	44.74	0.39	45.13	68.20	23.07	Vertical	PASS
7	12108.35	42.46	6.03	48.49	74.00	25.51	Vertical	PASS
8	17885.76	39.82	13.73	53.55	74.00	20.45	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;Power setting 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5201.77	92.37	11.73	104.10	-	-	Horizontal	NA
2	8414.81	37.44	1.48	38.92	54.00	15.08	Horizontal	PASS
3	12083.44	36.09	5.93	42.02	54.00	11.98	Horizontal	PASS
4	17889.21	33.34	13.77	47.11	54.00	6.89	Horizontal	PASS
5	5201.04	98.91	11.73	110.64	-	-	Horizontal	NA
6	6933.18	49.50	-0.86	48.64	68.20	19.56	Horizontal	PASS
7	15133.72	41.17	10.39	51.56	68.20	16.64	Horizontal	PASS
8	17354.06	41.85	11.66	53.51	68.20	14.69	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
SN:	dbb88090	Engineer:	Tian Shuo
Remark:	x;Power setting 17.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5198.47	96.73	11.74	108.47	-	-	Vertical	NA
2	8109.67	37.85	0.71	38.56	54.00	15.44	Vertical	PASS
3	12145.92	35.78	6.15	41.93	54.00	12.07	Vertical	PASS
4	5199.21	103.12	11.74	114.86	-	-	Vertical	NA
5	5759.86	42.91	12.73	55.64	68.20	12.56	Vertical	PASS
6	6933.18	54.12	-0.86	53.26	68.20	14.94	Vertical	PASS
7	15116.47	40.81	10.58	51.39	68.20	16.81	Vertical	PASS