



















































Single RU

In-Band Emissions

Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX20MIMO	Ant2	5935	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	5935	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant3	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant2	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant3	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant2	7115	26Tone	RU8	See test graph	See test graph	PASS







			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant3	7115	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS







Test Graphs















11AX20MIMO_Ant3_5955_52Tone_RU37







Date: 25.FEB.2026 01:28:22

11AX20MIMO_Ant3_5955_106Tone_RU53




Date: 25.FEB.2026 01:30:32








11AX20MIMO_Ant3_6435_52Tone_RU37



Date: 25.FEB.2026 01:46:02


11AX20MIMO_Ant3_6435_106Tone_RU53



Date: 25.FEB.2026 01:49:25




11AX20MIMO_Ant2_6535_26Tone_RU0






Date: 25.FEB.2026 01:51:34



11AX20MIMO_Ant2_6535_52Tone_RU37





Date: 25.FEB.2026 01:53:45













11AX20MIMO_Ant3_7095_52Tone_RU40







Date: 26.FEB.2026 17:36:36

11AX20MIMO_Ant3_7095_106Tone_RU54




Date: 26.FEB.2026 17:39:04








11AX20MIMO_Ant3_7115_52Tone_RU40



Date: 25.FEB.2026 02:17:50

11AX20MIMO_Ant3_7115_106Tone_RU54



Date: 25.FEB.2026 02:20:03



Maximum power spectral density

Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant2	5935	26Tone	RU0	-17.98	-0.10	-18.08	≤ -1.00	PASS
			52Tone	RU37	-17.95	-0.10	-18.05	≤ -1.00	PASS
			106Tone	RU53	-21.39	-0.10	-21.49	≤ -1.00	PASS
	Ant3	5935	26Tone	RU0	-18.28	-0.60	-18.88	≤ -1.00	PASS
			52Tone	RU37	-18.32	-0.60	-18.92	≤ -1.00	PASS
			106Tone	RU53	-21.78	-0.60	-22.38	≤ -1.00	PASS
	total	5935	26Tone	RU0	-15.12	---	-15.22	≤ -1.00	PASS
			52Tone	RU37	-15.12	---	-15.22	≤ -1.00	PASS
			106Tone	RU53	-18.57	---	-18.67	≤ -1.00	PASS
	Ant2	5955	26Tone	RU0	-4.80	-0.10	-4.90	≤ -1.00	PASS
			52Tone	RU37	-4.42	-0.10	-4.52	≤ -1.00	PASS
			106Tone	RU53	-4.82	-0.10	-4.92	≤ -1.00	PASS
	Ant3	5955	26Tone	RU0	-4.75	-0.60	-5.35	≤ -1.00	PASS
			52Tone	RU37	-5.22	-0.60	-5.82	≤ -1.00	PASS
			106Tone	RU53	-4.84	-0.60	-5.44	≤ -1.00	PASS
	total	5955	26Tone	RU0	-1.76	---	-1.86	≤ -1.00	PASS
			52Tone	RU37	-1.79	---	-1.89	≤ -1.00	PASS
			106Tone	RU53	-1.82	---	-1.92	≤ -1.00	PASS
	Ant2	6435	26Tone	RU0	-4.52	-2.90	-7.42	≤ -1.00	PASS
			52Tone	RU37	-4.52	-2.90	-7.42	≤ -1.00	PASS
			106Tone	RU53	-4.52	-2.90	-7.42	≤ -1.00	PASS
	Ant3	6435	26Tone	RU0	-4.57	-0.80	-5.37	≤ -1.00	PASS
			52Tone	RU37	-4.49	-0.80	-5.29	≤ -1.00	PASS
			106Tone	RU53	-4.56	-0.80	-5.36	≤ -1.00	PASS
	total	6435	26Tone	RU0	-1.53	---	-2.33	≤ -1.00	PASS
			52Tone	RU37	-1.49	---	-2.29	≤ -1.00	PASS
			106Tone	RU53	-1.53	---	-2.33	≤ -1.00	PASS
	Ant2	6535	26Tone	RU0	-4.52	-0.50	-5.02	≤ -1.00	PASS
			52Tone	RU37	-4.55	-0.50	-5.05	≤ -1.00	PASS
			106Tone	RU53	-4.83	-0.50	-5.33	≤ -1.00	PASS
	Ant3	6535	26Tone	RU0	-3.83	-2.60	-6.43	≤ -1.00	PASS
			52Tone	RU37	-3.87	-2.60	-6.47	≤ -1.00	PASS
			106Tone	RU53	-4.21	-2.60	-6.81	≤ -1.00	PASS



	total	6535	26Tone	RU0	-1.15	---	-1.65	≤ -1.00	PASS
			52Tone	RU37	-1.19	---	-1.69	≤ -1.00	PASS
			106Tone	RU53	-1.50	---	-2.00	≤ -1.00	PASS
	Ant2	7095	26Tone	RU8	-4.37	-0.60	-4.97	≤ -1.00	PASS
			52Tone	RU40	-4.60	-0.60	-5.20	≤ -1.00	PASS
			106Tone	RU54	-5.18	-0.60	-5.78	≤ -1.00	PASS
	Ant3	7095	26Tone	RU8	-3.97	-1.80	-5.77	≤ -1.00	PASS
			52Tone	RU40	-4.49	-1.80	-6.29	≤ -1.00	PASS
			106Tone	RU54	-4.79	-1.80	-6.59	≤ -1.00	PASS
	total	7095	26Tone	RU8	-1.16	---	-1.76	≤ -1.00	PASS
			52Tone	RU40	-1.53	---	-2.13	≤ -1.00	PASS
			106Tone	RU54	-1.97	---	-2.57	≤ -1.00	PASS
	Ant2	7115	26Tone	RU8	-20.04	-0.60	-20.64	≤ -1.00	PASS
			52Tone	RU40	-20.57	-0.60	-21.17	≤ -1.00	PASS
			106Tone	RU54	-21.32	-0.60	-21.92	≤ -1.00	PASS
	Ant3	7115	26Tone	RU8	-20.07	-1.80	-21.87	≤ -1.00	PASS
			52Tone	RU40	-20.42	-1.80	-22.22	≤ -1.00	PASS
			106Tone	RU54	-21.29	-1.80	-23.09	≤ -1.00	PASS
	total	7115	26Tone	RU8	-17.04	---	-17.64	≤ -1.00	PASS
			52Tone	RU40	-17.48	---	-18.08	≤ -1.00	PASS
			106Tone	RU54	-18.29	---	-18.89	≤ -1.00	PASS



Note: 1.The Duty Cycle Factor and is compensated in the graph.







Test Graphs


































































Appendix B. AC Conducted Emission Test Results


Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.228	41.28	-21.24	62.52	21.20	9.60	10.48	QP
2	0.228	29.28	-23.24	52.52	9.20	9.60	10.48	Average
3	0.579	37.30	-18.70	56.00	17.20	9.59	10.51	QP
4	0.579	27.40	-18.60	46.00	7.30	9.59	10.51	Average
5 *	0.641	37.60	-18.40	56.00	17.50	9.59	10.51	QP
6	0.641	27.40	-18.60	46.00	7.30	9.59	10.51	Average
7	1.810	35.64	-20.36	56.00	15.50	9.60	10.54	QP
8	1.810	25.44	-20.56	46.00	5.30	9.60	10.54	Average
9	2.088	34.64	-21.36	56.00	14.50	9.60	10.54	QP
10	2.088	25.34	-20.66	46.00	5.20	9.60	10.54	Average
11	4.269	33.73	-22.27	56.00	13.60	9.62	10.51	QP
12	4.269	27.03	-18.97	46.00	6.90	9.62	10.51	Average

Test Engineer :	Amos Zhang	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.582	42.48	-13.52	56.00	22.20	9.77	10.51	QP
2	0.582	28.48	-17.52	46.00	8.20	9.77	10.51	Average
3 *	0.634	42.90	-13.10	56.00	22.60	9.79	10.51	QP
4	0.634	29.50	-16.50	46.00	9.20	9.79	10.51	Average
5	1.560	40.02	-15.98	56.00	19.60	9.87	10.55	QP
6	1.560	25.62	-20.38	46.00	5.20	9.87	10.55	Average
7	2.249	38.52	-17.48	56.00	18.21	9.78	10.53	QP
8	2.249	26.52	-19.48	46.00	6.21	9.78	10.53	Average
9	4.202	36.42	-19.58	56.00	16.30	9.61	10.51	QP
10	4.202	27.32	-18.68	46.00	7.20	9.61	10.51	Average
11	4.574	37.32	-18.68	56.00	17.20	9.62	10.50	QP
12	4.574	28.24	-17.76	46.00	8.12	9.62	10.50	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	52 ~ 56 %
		Temperature :	22 ~ 25 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Sample
Mode 1	U-NII-5	5.925-6.425	2+3	802.11a	1	5955	6Mbps	-	3
Mode 2	U-NII-5	5.925-6.425	2+3	802.11a	45	6195	6Mbps	-	3
Mode 3	U-NII-5	5.925-6.425	2+3	802.11a	93	6415	6Mbps	-	3
Mode 4	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Full RU	3
Mode 5	U-NII-5	5.925-6.425	2+3	802.11ax HE20	45	6195	MCS0	-	3
Mode 6	U-NII-5	5.925-6.425	2+3	802.11ax HE20	93	6415	MCS0	-	3
Mode 7	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Partial_26/0RU	3
Mode 8	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Partial_52/37RU	3
Mode 9	U-NII-5	5.925-6.425	2+3	802.11ax HE20	1	5955	MCS0	Partial_106/53RU	3
Mode 10	U-NII-5	5.925-6.425	2+3	802.11ax HE40	3	5965	MCS0	-	3
Mode 11	U-NII-5	5.925-6.425	2+3	802.11ax HE40	43	6205	MCS0	-	3
Mode 12	U-NII-5	5.925-6.425	2+3	802.11ax HE40	91	6405	MCS0	-	3
Mode 13	U-NII-5	5.925-6.425	2+3	802.11ax HE80	7	5985	MCS0	-	3
Mode 14	U-NII-5	5.925-6.425	2+3	802.11ax HE80	39	6225	MCS0	-	3
Mode 15	U-NII-5	5.925-6.425	2+3	802.11ax HE80	87	6385	MCS0	-	3
Mode 16	U-NII-5	5.925-6.425	2+3	802.11ax HE160	15	6025	MCS0	-	3
Mode 17	U-NII-5	5.925-6.425	2+3	802.11ax HE160	47	6185	MCS0	-	3
Mode 18	U-NII-5	5.925-6.425	2+3	802.11ax HE160	79	6345	MCS0	-	3
Mode 19	U-NII-6	6.425-6.525	2+3	802.11a	97	6435	6Mbps	-	3
Mode 20	U-NII-6	6.425-6.525	2+3	802.11a	105	6475	6Mbps	-	3
Mode 21	U-NII-6	5.925-6.425	2+3	802.11a	113	6515	6Mbps	-	3
Mode 22	U-NII-6	5.925-6.425	2+3	802.11ax HE20	97	6435	MCS0	-	3
Mode 23	U-NII-6	5.925-6.425	2+3	802.11ax HE20	105	6475	MCS0	-	3
Mode 24	U-NII-6	5.925-6.425	2+3	802.11ax HE20	113	6515	MCS0	-	3
Mode 25	U-NII-6	5.925-6.425	2+3	802.11ax HE40	99	6445	MCS0	-	3
Mode 26	U-NII-6	5.925-6.425	2+3	802.11ax HE40	107	6485	MCS0	-	3
Mode 27	U-NII-6	5.925-6.425	2+3	802.11ax HE40	115	6525	MCS0	-	3
Mode 28	U-NII-6	5.925-6.425	2+3	802.11ax HE80	103	6465	MCS0	-	3
Mode 29	U-NII-6	5.925-6.425	2+3	802.11ax HE80	119	6545	MCS0	-	3
Mode 30	U-NII-6	5.925-6.425	2+3	802.11ax HE160	111	6505	MCS0	-	3



Mode 31	U-NII-7	6.875-7.125	2+3	802.11a	117	6535	6Mbps	-	3
Mode 32	U-NII-7	6.875-7.125	2+3	802.11a	149	6695	6Mbps	-	3
Mode 33	U-NII-7	6.875-7.125	2+3	802.11a	181	6855	6Mbps	-	3
Mode 34	U-NII-7-8	6.875-7.125	2+3	802.11a	185	6875	6Mbps	-	3
Mode 35	U-NII-7	6.875-7.125	2+3	802.11ax HE20	117	6535	MCS0	-	3
Mode 36	U-NII-7	6.875-7.125	2+3	802.11ax HE20	149	6695	MCS0	-	3
Mode 37	U-NII-7	6.875-7.125	2+3	802.11ax HE20	181	6855	MCS0	-	3
Mode 38	U-NII-7-8	6.875-7.125	2+3	802.11ax HE20	185	6875	MCS0	-	3
Mode 39	U-NII-7	6.525-6.875	2+3	802.11ax HE40	123	6565	MCS0	-	3
Mode 40	U-NII-7	6.525-6.875	2+3	802.11ax HE40	147	6685	MCS0	-	3
Mode 41	U-NII-7	6.875-7.125	2+3	802.11ax HE40	179	6845	MCS0	-	3
Mode 42	U-NII-7	6.875-7.125	2+3	802.11ax HE40	187	6885	MCS0	-	3
Mode 43	U-NII-7	6.875-7.125	2+3	802.11ax HE80	135	6625	MCS0	-	3
Mode 44	U-NII-7	6.875-7.125	2+3	802.11ax HE80	151	6705	MCS0	-	3
Mode 45	U-NII-7	6.875-7.125	2+3	802.11ax HE80	167	6785	MCS0	-	3
Mode 46	U-NII-7	6.875-7.125	2+3	802.11ax HE80	183	6865	MCS0	-	3
Mode 47	U-NII-7	6.875-7.125	2+3	802.11ax HE160	143	6665	MCS0	-	3
Mode 48	U-NII-7	6.875-7.125	2+3	802.11ax HE160	175	6825	MCS0	-	3
Mode 49	U-NII-8	6.875-7.125	2+3	802.11a	189	6895	6Mbps	-	3
Mode 50	U-NII-8	6.875-7.125	2+3	802.11a	209	6995	6Mbps	-	3
Mode 51	U-NII-8	6.875-7.125	2+3	802.11a	229	7095	6Mbps	-	3
Mode 52	U-NII-8	6.875-7.125	2+3	802.11ax HE20	189	6895	MCS0	-	3
Mode 53	U-NII-8	6.875-7.125	2+3	802.11ax HE20	209	6995	MCS0	Full RU	3
Mode 54	U-NII-8	6.875-7.125	2+3	802.11ax HE20	229	7095	MCS0	Full RU	3
Mode 55	U-NII-8	6.875-7.125	2+3	802.11ax HE40	187	6885	MCS0	Full RU	3
Mode 56	U-NII-8	6.875-7.125	2+3	802.11ax HE40	203	6925	MCS0	Full RU	3
Mode 57	U-NII-8	6.875-7.125	2+3	802.11ax HE40	227	7085	MCS0	Full RU	3
Mode 58	U-NII-8	6.875-7.125	2+3	802.11ax HE80	199	6945	MCS0	Full RU	3
Mode 59	U-NII-8	6.875-7.125	2+3	802.11ax HE80	215	7025	MCS0	Full RU	3
Mode 60	U-NII-8	6.875-7.125	2+3	802.11ax HE160	207	6985	MCS0	Full RU	3
Mode 61	U-NII-8	6.875-7.125	2+3	802.11ax HE20	229	7095	MCS0	Partial_26/0RU	3
Mode 62	U-NII-8	6.875-7.125	2+3	802.11ax HE20	229	7095	MCS0	Partial_52/37RU	3
Mode 63	U-NII-8	6.875-7.125	2+3	802.11ax HE20	229	7095	MCS0	Partial_106/53RU	3
Mode 64	UNII-5	5.925-6.425	2+3	802.11a	2	5935	6Mbps	Full	3
Mode 65	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	Full	3
Mode 66	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU26/0	3
Mode 67	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU52/37	3
Mode 68	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU106/53	3
Mode 69	UNII-8	6.875-7.125	2+3	802.11a	233	7115	6Mbps	Full	3



Mode 70	UNII-8	6.875-7.125	2+3	802.11ax HE20	233	7115	MCS0	Full	3
Mode 71	UNII-8	6.875-7.125	2+3	802.11ax HE20	233	7115	MCS0	RU26/8	3
Mode 72	UNII-8	6.875-7.125	2+3	802.11ax HE20	233	7115	MCS0	RU52/40	3
Mode 73	UNII-8	6.875-7.125	2+3	802.11ax HE20	233	7115	MCS0	RU106/54	3
Mode 74	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU106/53	1
Mode 75	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU106/53	2
Mode 76	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU106/53	4
Mode 77	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU106/53	5
Mode 78	UNII-5	5.925-6.425	2+3	802.11ax HE20	2	5935	MCS0	RU106/53	6

Note: Mode 74~78 were performed with sample 1/2/4/5/6 which is verified worse case of the sample 3.



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5923.80	51.97	68.20	-16.23	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	37.15	54.00	-16.85	V	AVERAGE	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12390.00	37.72	54.00	-16.28	V	AVERAGE	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.38	88.20	-40.82	H	PEAK	Pass	Harmonic
4	802.11ax HE20	1	5923.54	51.43	68.20	-16.77	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	36.83	54.00	-17.17	V	AVERAGE	Pass	Harmonic
5	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	45	12390.00	37.61	54.00	-16.39	V	AVERAGE	Pass	Harmonic
6	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	93	12830.00	48.00	88.20	-40.20	V	PEAK	Pass	Harmonic
7	802.11ax HE20	1	5924.97	51.82	68.20	-16.38	V	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE20	1	5916.78	49.06	68.20	-19.14	V	AVERAGE	Pass	Band Edge
8	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
9	802.11ax HE20	1	5924.97	54.63	68.20	-13.57	V	AVERAGE	Pass	Band Edge
9	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
10	802.11ax HE40	3	5922.72	59.21	68.20	-8.99	H	AVERAGE	Pass	Band Edge
10	802.11ax HE40	3	11930.00	36.81	54.00	-17.19	H	AVERAGE	Pass	Harmonic
11	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE40	43	12410.00	37.56	54.00	-16.44	V	AVERAGE	Pass	Harmonic
12	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE40	91	12810.00	46.94	88.20	-41.26	V	PEAK	Pass	Harmonic
13	802.11ax HE80	7	5922.60	64.75	68.20	-3.45	H	AVERAGE	Pass	Band Edge
13	802.11ax HE80	7	11970.00	45.47	74.00	-28.53	V	PEAK	Pass	Harmonic
14	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE80	39	12450.00	46.88	74.00	-27.12	V	PEAK	Pass	Harmonic
15	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE80	87	12770.00	47.11	88.20	-41.09	H	PEAK	Pass	Harmonic
16	802.11ax HE160	15	5922.80	65.79	68.20	-2.41	H	AVERAGE	Pass	Band Edge
16	802.11ax HE160	15	12050.00	46.67	74.00	-27.33	H	PEAK	Pass	Harmonic
17	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE160	47	12370.00	37.39	54.00	-16.61	H	AVERAGE	Pass	Harmonic
18	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge



18	802.11ax HE160	79	12690.00	37.34	54.00	-16.66	H	AVERAGE	Pass	Harmonic
19	802.11a	97	-	-	-	-	-	-	-	Band Edge
19	802.11a	97	12870.00	47.79	88.20	-40.41	V	PEAK	Pass	Harmonic
20	802.11a	105	-	-	-	-	-	-	-	Band Edge
20	802.11a	105	12950.00	47.53	88.20	-40.67	H	PEAK	Pass	Harmonic
21	802.11a	113	-	-	-	-	-	-	-	Band Edge
21	802.11a	113	13030.00	49.55	88.20	-38.65	H	PEAK	Pass	Harmonic
22	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	97	12870.00	47.88	88.20	-40.32	V	PEAK	Pass	Harmonic
23	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	105	12950.00	47.89	88.20	-40.31	H	PEAK	Pass	Harmonic
24	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE20	113	13030.00	48.50	88.20	-39.70	H	PEAK	Pass	Harmonic
25	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE40	99	12890.00	48.38	88.20	-39.82	H	PEAK	Pass	Harmonic
26	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	107	12970.00	47.22	88.20	-40.98	V	PEAK	Pass	Harmonic
27	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	115	13050.00	47.96	88.20	-40.24	H	PEAK	Pass	Harmonic
28	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE80	103	12930.00	46.71	88.20	-41.49	H	PEAK	Pass	Harmonic
29	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE80	119	13090.00	46.44	88.20	-41.76	V	PEAK	Pass	Harmonic
30	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE160	111	13010.00	47.11	88.20	-41.09	V	PEAK	Pass	Harmonic
31	802.11a	117	-	-	-	-	-	-	-	Band Edge
31	802.11a	117	13070.00	48.67	88.20	-39.53	V	PEAK	Pass	Harmonic
32	802.11a	149	-	-	-	-	-	-	-	Band Edge
32	802.11a	149	13390.00	38.31	54.00	-15.69	H	AVERAGE	Pass	Harmonic
33	802.11a	181	-	-	-	-	-	-	-	Band Edge
33	802.11a	181	13710.00	48.66	88.20	-39.54	H	PEAK	Pass	Harmonic
34	802.11a	185	-	-	-	-	-	-	-	Band Edge
34	802.11a	185	13750.00	48.30	88.20	-39.90	H	PEAK	Pass	Harmonic
35	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	117	13070.00	48.03	88.20	-40.17	H	PEAK	Pass	Harmonic
36	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	149	13390.00	37.54	54.00	-16.46	V	AVERAGE	Pass	Harmonic
37	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	181	13710.00	47.71	88.20	-40.49	V	PEAK	Pass	Harmonic



38	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	185	13750.00	47.34	88.20	-40.86	V	PEAK	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	47.70	88.20	-40.50	V	PEAK	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	47.95	74.00	-26.05	H	PEAK	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	46.83	88.20	-41.37	V	PEAK	Pass	Harmonic
42	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE40	187	13770.00	46.67	88.20	-41.53	H	PEAK	Pass	Harmonic
43	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	135	13250.00	46.30	74.00	-27.70	V	PEAK	Pass	Harmonic
44	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	151	13410.00	46.07	88.20	-42.13	V	PEAK	Pass	Harmonic
45	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE80	167	13570.00	45.92	88.20	-42.28	H	PEAK	Pass	Harmonic
46	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE80	183	13730.00	46.03	88.20	-42.17	H	PEAK	Pass	Harmonic
47	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	143	13330.00	47.25	74.00	-26.75	H	PEAK	Pass	Harmonic
48	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	175	13650.00	46.68	88.20	-41.52	H	PEAK	Pass	Harmonic
49	802.11a	189	-	-	-	-	-	-	-	Band Edge
49	802.11a	189	13790.00	47.27	88.20	-40.93	H	PEAK	Pass	Harmonic
50	802.11a	209	-	-	-	-	-	-	-	Band Edge
50	802.11a	209	13990.00	47.01	88.20	-41.19	H	PEAK	Pass	Harmonic
51	802.11a	229	7126.44	65.82	68.20	-2.38	H	AVERAGE	Pass	Band Edge
51	802.11a	229	14190.00	47.10	88.20	-41.10	H	PEAK	Pass	Harmonic
52	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE20	189	13790.00	46.65	88.20	-41.55	H	PEAK	Pass	Harmonic
53	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE20	209	13990.00	46.74	88.20	-41.46	H	PEAK	Pass	Harmonic
54	802.11ax HE20	229	7125.32	66.50	68.20	-1.70	H	AVERAGE	Pass	Band Edge
54	802.11ax HE20	229	14190.00	47.37	88.20	-40.83	H	PEAK	Pass	Harmonic
55	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE40	187	13770.00	46.55	88.20	-41.65	H	PEAK	Pass	Harmonic
56	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE40	203	13850.00	46.97	88.20	-41.23	H	PEAK	Pass	Harmonic
57	802.11ax HE40	227	7125.00	65.96	68.20	-2.24	H	AVERAGE	Pass	Band Edge






57	802.11ax HE40	227	14170.00	47.34	88.20	-40.86	V	PEAK	Pass	Harmonic
58	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
58	802.11ax HE80	199	13890.00	47.45	88.20	-40.75	H	PEAK	Pass	Harmonic
59	802.11ax HE80	215	7128.62	64.71	68.20	-3.49	H	AVERAGE	Pass	Band Edge
59	802.11ax HE80	215	14050.00	46.42	88.20	-41.78	H	PEAK	Pass	Harmonic
60	802.11ax HE160	207	7125.16	60.82	68.20	-7.38	H	AVERAGE	Pass	Band Edge
60	802.11ax HE160	207	13970.00	46.45	88.20	-41.75	V	PEAK	Pass	Harmonic
61	802.11ax HE20	229	7125.00	58.65	68.20	-9.55	V	AVERAGE	Pass	Band Edge
61	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
62	802.11ax HE20	229	7125.64	60.92	68.20	-7.28	V	AVERAGE	Pass	Band Edge
62	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE20	229	7128.52	61.23	68.20	-6.97	V	AVERAGE	Pass	Band Edge
63	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
64	802.11a	2	5924.97	67.32	68.20	-0.88	V	AVERAGE	Pass	Band Edge
64	802.11a	2	11870.00	46.52	74.00	-27.48	H	PEAK	Pass	Harmonic
65	802.11ax HE20	2	5924.97	65.95	68.20	-2.25	H	AVERAGE	Pass	Band Edge
65	802.11ax HE20	2	11870.00	46.45	74.00	-27.55	V	PEAK	Pass	Harmonic
66	802.11ax HE20	2	5924.97	67.48	68.20	-0.72	V	AVERAGE	Pass	Band Edge
66	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
67	802.11ax HE20	2	5924.97	67.37	68.20	-0.83	V	AVERAGE	Pass	Band Edge
67	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
68	802.11ax HE20	2	5924.97	67.72	68.20	-0.48	V	AVERAGE	Pass	Band Edge
68	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
69	802.11a	233	7125.00	67.5	68.20	-0.7	H	AVERAGE	Pass	Band Edge
69	802.11a	233	14230.00	47.09	88.20	-41.11	V	PEAK	Pass	Harmonic
70	802.11ax HE20	233	7125.00	67.48	68.20	-0.72	H	AVERAGE	Pass	Band Edge
70	802.11ax HE20	233	14230.00	47.04	88.20	-41.16	H	PEAK	Pass	Harmonic
71	802.11ax HE20	233	7125.00	67.23	68.20	-0.97	V	AVERAGE	Pass	Band Edge
71	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
72	802.11ax HE20	233	7125.00	67.18	68.20	-1.02	V	AVERAGE	Pass	Band Edge
72	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
73	802.11ax HE20	233	7125.00	67.63	68.20	-0.57	V	AVERAGE	Pass	Band Edge
73	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
74	802.11ax HE20	2	5924.97	65.86	68.20	-2.34	V	AVERAGE	Pass	Band Edge
74	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
75	802.11ax HE20	2	5924.97	65.59	68.20	-2.61	H	AVERAGE	Pass	Band Edge
75	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
76	802.11ax HE20	2	5924.97	67.16	68.20	-1.04	H	AVERAGE	Pass	Band Edge
76	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic







77	802.11ax HE20	2	5924.97	67.08	68.20	-1.12	H	AVERAGE	Pass	Band Edge
77	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic
78	802.11ax HE20	2	5924.97	67.44	68.20	-0.76	V	AVERAGE	Pass	Band Edge
78	802.11ax HE20	2	-	-	-	-	-	-	-	Harmonic





Mode	1																																																						
	Band Edge																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																						
ANT	2+3																																																						
Pol.	Horizontal																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.93</td><td>61.57</td><td>88.20</td><td>-26.63</td><td>50.43</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>333 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.93	61.57	88.20	-26.63	50.43	35.30	12.66	36.82	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5923.93	61.57	88.20	-26.63	50.43	35.30	12.66	36.82	0.00	100	333 PEAK																																												
Avg																																																							
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>119.39</td><td>-----</td><td>-----</td><td>108.34</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>333 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	119.39	-----	-----	108.34	35.30	12.69	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5955.00	119.39	-----	-----	108.34	35.30	12.69	36.94	0.00	100	333 PEAK																																												





Mode	1																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																				
ANT	2+3																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.98</td><td>61.73</td><td>88.20</td><td>-26.47</td><td>50.59</td><td>35.30</td><td>12.65</td><td>36.81</td><td>0.00</td><td>107</td><td>321 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.98	61.73	88.20	-26.47	50.59	35.30	12.65	36.81	0.00	107	321 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>117.09</td><td>-----</td><td>-----</td><td>106.07</td><td>35.30</td><td>12.70</td><td>36.98</td><td>0.00</td><td>107</td><td>321 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.09	-----	-----	106.07	35.30	12.70	36.98	0.00	107	321 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5921.98	61.73	88.20	-26.47	50.59	35.30	12.65	36.81	0.00	107	321 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	117.09	-----	-----	106.07	35.30	12.70	36.98	0.00	107	321 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>50.85</td><td>68.20</td><td>-17.35</td><td>39.71</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>107</td><td>321 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	50.85	68.20	-17.35	39.71	35.30	12.66	36.82	0.00	107	321 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>107.94</td><td>-----</td><td>-----</td><td>96.92</td><td>35.30</td><td>12.70</td><td>36.98</td><td>0.00</td><td>107</td><td>321 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	107.94	-----	-----	96.92	35.30	12.70	36.98	0.00	107	321 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.97	50.85	68.20	-17.35	39.71	35.30	12.66	36.82	0.00	107	321 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	107.94	-----	-----	96.92	35.30	12.70	36.98	0.00	107	321 AVERAGE																																																																																										





Mode	1																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																													
ANT	2+3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>57.25</td><td>38.61</td><td>18.16</td><td>66.30</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>36.64</td><td>54.00</td><td>-17.36</td><td>46.17</td><td>38.61</td><td>18.16</td><td>66.30</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	47.72	74.00	-26.28	57.25	38.61	18.16	66.30	0.00	300	360	PEAK	2	11910.00	36.64	54.00	-17.36	46.17	38.61	18.16	66.30	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>57.81</td><td>38.61</td><td>18.16</td><td>66.30</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>37.15</td><td>54.00</td><td>-16.85</td><td>46.68</td><td>38.61</td><td>18.16</td><td>66.30</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	48.28	74.00	-25.72	57.81	38.61	18.16	66.30	0.00	100	360	PEAK	2	11910.00	37.15	54.00	-16.85	46.68	38.61	18.16	66.30	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11910.00	47.72	74.00	-26.28	57.25	38.61	18.16	66.30	0.00	300	360	PEAK																																																																																																																		
2	11910.00	36.64	54.00	-17.36	46.17	38.61	18.16	66.30	0.00	300	360	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	11910.00	48.28	74.00	-25.72	57.81	38.61	18.16	66.30	0.00	100	360	PEAK																																																																																																																		
2	11910.00	37.15	54.00	-16.85	46.68	38.61	18.16	66.30	0.00	100	360	AVERAGE																																																																																																																		







Mode	2																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11a_CH45_6195MHz																																																																																																																													
ANT	2+3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>56.31</td><td>38.80</td><td>18.61</td><td>65.98</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>37.41</td><td>54.00</td><td>-16.59</td><td>45.98</td><td>38.80</td><td>18.61</td><td>65.98</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.74	74.00	-26.26	56.31	38.80	18.61	65.98	0.00	300	360	PEAK	2	12390.00	37.41	54.00	-16.59	45.98	38.80	18.61	65.98	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>48.40</td><td>74.00</td><td>-25.60</td><td>56.97</td><td>38.80</td><td>18.61</td><td>65.98</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>37.72</td><td>54.00</td><td>-16.28</td><td>46.29</td><td>38.80</td><td>18.61</td><td>65.98</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	48.40	74.00	-25.60	56.97	38.80	18.61	65.98	0.00	100	360	PEAK	2	12390.00	37.72	54.00	-16.28	46.29	38.80	18.61	65.98	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12390.00	47.74	74.00	-26.26	56.31	38.80	18.61	65.98	0.00	300	360	PEAK																																																																																																																		
2	12390.00	37.41	54.00	-16.59	45.98	38.80	18.61	65.98	0.00	300	360	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12390.00	48.40	74.00	-25.60	56.97	38.80	18.61	65.98	0.00	100	360	PEAK																																																																																																																		
2	12390.00	37.72	54.00	-16.28	46.29	38.80	18.61	65.98	0.00	100	360	AVERAGE																																																																																																																		







Mode	3																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																									
ANT	2+3																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.38</td><td>88.20</td><td>-40.82</td><td>55.06</td><td>39.20</td><td>19.04</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	47.38	88.20	-40.82	55.06	39.20	19.04	65.92	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.92</td><td>88.20</td><td>-41.28</td><td>54.60</td><td>39.20</td><td>19.04</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.92	88.20	-41.28	54.60	39.20	19.04	65.92	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	47.38	88.20	-40.82	55.06	39.20	19.04	65.92	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	46.92	88.20	-41.28	54.60	39.20	19.04	65.92	0.00	---	---	PEAK																																																																																														





Mode	4																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																						
ANT	2+3																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.02</td><td>62.13</td><td>88.20</td><td>-26.07</td><td>50.98</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>330</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.02	62.13	88.20	-26.07	50.98	35.30	12.66	36.81	0.00	100	330	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>118.38</td><td>-----</td><td>-----</td><td>107.33</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>330</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	118.38	-----	-----	107.33	35.30	12.69	36.94	0.00	100	330
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5923.02	62.13	88.20	-26.07	50.98	35.30	12.66	36.81	0.00	100	330	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	118.38	-----	-----	107.33	35.30	12.69	36.94	0.00	100	330	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.54</td><td>51.43</td><td>68.20</td><td>-16.77</td><td>40.29</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>330</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.54	51.43	68.20	-16.77	40.29	35.30	12.66	36.82	0.00	100	330	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.13</td><td>-----</td><td>-----</td><td>98.08</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>330</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.13	-----	-----	98.08	35.30	12.69	36.94	0.00	100	330
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5923.54	51.43	68.20	-16.77	40.29	35.30	12.66	36.82	0.00	100	330	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	109.13	-----	-----	98.08	35.30	12.69	36.94	0.00	100	330	AVERAGE																																																																																											





Mode	4																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																				
ANT	2+3																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5918.60</td><td>61.09</td><td>88.20</td><td>-27.11</td><td>49.93</td><td>35.30</td><td>12.65</td><td>36.79</td><td>0.00</td><td>100</td><td>319 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.60	61.09	88.20	-27.11	49.93	35.30	12.65	36.79	0.00	100	319 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>117.10</td><td>-----</td><td>-----</td><td>106.08</td><td>35.30</td><td>12.70</td><td>36.98</td><td>0.00</td><td>100</td><td>319 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	117.10	-----	-----	106.08	35.30	12.70	36.98	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5918.60	61.09	88.20	-27.11	49.93	35.30	12.65	36.79	0.00	100	319 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	117.10	-----	-----	106.08	35.30	12.70	36.98	0.00	100	319 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5919.12</td><td>49.77</td><td>68.20</td><td>-18.43</td><td>38.62</td><td>35.30</td><td>12.65</td><td>36.80</td><td>0.00</td><td>100</td><td>319 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.12	49.77	68.20	-18.43	38.62	35.30	12.65	36.80	0.00	100	319 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>105.98</td><td>-----</td><td>-----</td><td>94.96</td><td>35.30</td><td>12.70</td><td>36.98</td><td>0.00</td><td>100</td><td>319 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	105.98	-----	-----	94.96	35.30	12.70	36.98	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5919.12	49.77	68.20	-18.43	38.62	35.30	12.65	36.80	0.00	100	319 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	105.98	-----	-----	94.96	35.30	12.70	36.98	0.00	100	319 AVERAGE																																																																																										





Mode	4																																																																																																																						
	Harmonic																																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full RU_5955MHz																																																																																																																						
ANT	2+3																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.94</td><td>74.00</td><td>-27.06</td><td>56.47</td><td>38.61</td><td>18.16</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.94	74.00	-27.06	56.47	38.61	18.16	66.30	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>56.75</td><td>38.61</td><td>18.16</td><td>66.30</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11910.00</td><td>36.83</td><td>54.00</td><td>-17.17</td><td>46.36</td><td>38.61</td><td>18.16</td><td>66.30</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	47.22	74.00	-26.78	56.75	38.61	18.16	66.30	0.00	100	360	PEAK	2	11910.00	36.83	54.00	-17.17	46.36	38.61	18.16	66.30	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11910.00	46.94	74.00	-27.06	56.47	38.61	18.16	66.30	0.00	---	---	PEAK																																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	11910.00	47.22	74.00	-26.78	56.75	38.61	18.16	66.30	0.00	100	360	PEAK																																																																																																											
2	11910.00	36.83	54.00	-17.17	46.36	38.61	18.16	66.30	0.00	100	360	AVERAGE																																																																																																											







Mode	5																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_6195MHz																																																																																																																													
ANT	2+3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>56.01</td><td>38.80</td><td>18.61</td><td>65.98</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>37.35</td><td>54.00</td><td>-16.65</td><td>45.92</td><td>38.80</td><td>18.61</td><td>65.98</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	47.44	74.00	-26.56	56.01	38.80	18.61	65.98	0.00	300	360	PEAK	2	12390.00	37.35	54.00	-16.65	45.92	38.80	18.61	65.98	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>56.70</td><td>38.80</td><td>18.61</td><td>65.98</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>12390.00</td><td>37.61</td><td>54.00</td><td>-16.39</td><td>46.18</td><td>38.80</td><td>18.61</td><td>65.98</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	48.13	74.00	-25.87	56.70	38.80	18.61	65.98	0.00	100	360	PEAK	2	12390.00	37.61	54.00	-16.39	46.18	38.80	18.61	65.98	0.00	100	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12390.00	47.44	74.00	-26.56	56.01	38.80	18.61	65.98	0.00	300	360	PEAK																																																																																																																		
2	12390.00	37.35	54.00	-16.65	45.92	38.80	18.61	65.98	0.00	300	360	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	12390.00	48.13	74.00	-25.87	56.70	38.80	18.61	65.98	0.00	100	360	PEAK																																																																																																																		
2	12390.00	37.61	54.00	-16.39	46.18	38.80	18.61	65.98	0.00	100	360	AVERAGE																																																																																																																		







Mode	6																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																																																																								
ANT	2+3																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>47.13</td><td>88.20</td><td>-41.07</td><td>54.81</td><td>39.20</td><td>19.04</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12830.00	47.13	88.20	-41.07	54.81	39.20	19.04	65.92	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.00</td><td>88.20</td><td>-40.20</td><td>55.68</td><td>39.20</td><td>19.04</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	48.00	88.20	-40.20	55.68	39.20	19.04	65.92	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12830.00	47.13	88.20	-41.07	54.81	39.20	19.04	65.92	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	12830.00	48.00	88.20	-40.20	55.68	39.20	19.04	65.92	0.00	---	---	PEAK																																																																																													







Mode	7																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_26/0RU_5955MHz																																																																																																				
ANT	2+3																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.70</td><td>61.14</td><td>88.20</td><td>-27.06</td><td>49.98</td><td>35.30</td><td>12.64</td><td>36.78</td><td>0.00</td><td>100</td><td>131 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.70	61.14	88.20	-27.06	49.98	35.30	12.64	36.78	0.00	100	131 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>118.18</td><td>-----</td><td>-----</td><td>107.13</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>131 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	118.18	-----	-----	107.13	35.30	12.69	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5914.70	61.14	88.20	-27.06	49.98	35.30	12.64	36.78	0.00	100	131 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	118.18	-----	-----	107.13	35.30	12.69	36.94	0.00	100	131 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5914.44</td><td>48.68</td><td>68.20</td><td>-19.52</td><td>37.51</td><td>35.30</td><td>12.64</td><td>36.77</td><td>0.00</td><td>100</td><td>131 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.44	48.68	68.20	-19.52	37.51	35.30	12.64	36.77	0.00	100	131 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.66</td><td>-----</td><td>-----</td><td>99.61</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>131 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.66	-----	-----	99.61	35.30	12.69	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5914.44	48.68	68.20	-19.52	37.51	35.30	12.64	36.77	0.00	100	131 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	110.66	-----	-----	99.61	35.30	12.69	36.94	0.00	100	131 AVERAGE																																																																																										







Mode	7																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_26/0RU_5955MHz																																																																																																						
ANT	2+3																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5900.53</td><td>64.90</td><td>88.20</td><td>-23.30</td><td>53.68</td><td>35.30</td><td>12.63</td><td>36.71</td><td>0.00</td><td>171</td><td>204</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5900.53	64.90	88.20	-23.30	53.68	35.30	12.63	36.71	0.00	171	204	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>122.92</td><td>-----</td><td>-----</td><td>111.87</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>171</td><td>204</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	122.92	-----	-----	111.87	35.30	12.69	36.94	0.00	171	204
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5900.53	64.90	88.20	-23.30	53.68	35.30	12.63	36.71	0.00	171	204	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	122.92	-----	-----	111.87	35.30	12.69	36.94	0.00	171	204	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>51.82</td><td>68.20</td><td>-16.38</td><td>40.68</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>171</td><td>204</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	51.82	68.20	-16.38	40.68	35.30	12.66	36.82	0.00	171	204	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>113.22</td><td>-----</td><td>-----</td><td>102.17</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>171</td><td>204</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.22	-----	-----	102.17	35.30	12.69	36.94	0.00	171	204
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.97	51.82	68.20	-16.38	40.68	35.30	12.66	36.82	0.00	171	204	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	113.22	-----	-----	102.17	35.30	12.69	36.94	0.00	171	204	AVERAGE																																																																																											







Mode	8																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_52/37RU_5955MHz																																																																																																						
ANT	2+3																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.80</td><td>68.27</td><td>88.20</td><td>-19.93</td><td>57.13</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>128</td><td>140</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.80	68.27	88.20	-19.93	57.13	35.30	12.66	36.82	0.00	128	140	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>118.71</td><td>-----</td><td>-----</td><td>107.66</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>128</td><td>140</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	118.71	-----	-----	107.66	35.30	12.69	36.94	0.00	128	140
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5923.80	68.27	88.20	-19.93	57.13	35.30	12.66	36.82	0.00	128	140	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	118.71	-----	-----	107.66	35.30	12.69	36.94	0.00	128	140	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.47</td><td>48.74</td><td>68.20</td><td>-19.46</td><td>37.58</td><td>35.30</td><td>12.65</td><td>36.79</td><td>0.00</td><td>128</td><td>140</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.47	48.74	68.20	-19.46	37.58	35.30	12.65	36.79	0.00	128	140	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.39</td><td>-----</td><td>-----</td><td>97.34</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>128</td><td>140</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.39	-----	-----	97.34	35.30	12.69	36.94	0.00	128	140
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5918.47	48.74	68.20	-19.46	37.58	35.30	12.65	36.79	0.00	128	140	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	108.39	-----	-----	97.34	35.30	12.69	36.94	0.00	128	140	AVERAGE																																																																																											







Mode	8																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_52/37RU_5955MHz																																																																																																						
ANT	2+3																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5914.96</td><td>66.08</td><td>88.20</td><td>-22.12</td><td>54.91</td><td>35.30</td><td>12.65</td><td>36.78</td><td>0.00</td><td>163</td><td>206</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5914.96	66.08	88.20	-22.12	54.91	35.30	12.65	36.78	0.00	163	206	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>119.82</td><td>-----</td><td>-----</td><td>108.77</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>163</td><td>206</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	119.82	-----	-----	108.77	35.30	12.69	36.94	0.00	163	206
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5914.96	66.08	88.20	-22.12	54.91	35.30	12.65	36.78	0.00	163	206	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	119.82	-----	-----	108.77	35.30	12.69	36.94	0.00	163	206	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5916.78</td><td>49.06</td><td>68.20</td><td>-19.14</td><td>37.90</td><td>35.30</td><td>12.65</td><td>36.79</td><td>0.00</td><td>163</td><td>206</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5916.78	49.06	68.20	-19.14	37.90	35.30	12.65	36.79	0.00	163	206	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>110.26</td><td>-----</td><td>-----</td><td>99.21</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>163</td><td>206</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.26	-----	-----	99.21	35.30	12.69	36.94	0.00	163	206
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5916.78	49.06	68.20	-19.14	37.90	35.30	12.65	36.79	0.00	163	206	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	110.26	-----	-----	99.21	35.30	12.69	36.94	0.00	163	206	AVERAGE																																																																																											







Mode	9																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_106/53RU_5955MHz																																																																																																				
ANT	2+3																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak)						 Level (dBuV/m) Frequency (MHz) WiFi 6E(Peak)																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5839.95</td><td>59.92</td><td>88.20</td><td>-28.28</td><td>48.90</td><td>35.08</td><td>12.54</td><td>36.60</td><td>0.00</td><td>100</td><td>225 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5839.95	59.92	88.20	-28.28	48.90	35.08	12.54	36.60	0.00	100	225 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>113.09</td><td>-----</td><td>-----</td><td>102.04</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>225 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	113.09	-----	-----	102.04	35.30	12.69	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5839.95	59.92	88.20	-28.28	48.90	35.08	12.54	36.60	0.00	100	225 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	113.09	-----	-----	102.04	35.30	12.69	36.94	0.00	100	225 PEAK																																																																																										
Avg	 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG)						 Level (dBuV/m) Frequency (MHz) WiFi 6E(AVG)																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>52.50</td><td>68.20</td><td>-15.70</td><td>41.36</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>100</td><td>225 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	52.50	68.20	-15.70	41.36	35.30	12.66	36.82	0.00	100	225 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.95</td><td>-----</td><td>-----</td><td>92.90</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>100</td><td>225 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.95	-----	-----	92.90	35.30	12.69	36.94	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.97	52.50	68.20	-15.70	41.36	35.30	12.66	36.82	0.00	100	225 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	103.95	-----	-----	92.90	35.30	12.69	36.94	0.00	100	225 AVERAGE																																																																																										







Mode	9																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial_106/53RU_5955MHz																																																																																																						
ANT	2+3																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5867.90</td><td>61.51</td><td>88.20</td><td>-26.69</td><td>50.41</td><td>35.17</td><td>12.58</td><td>36.65</td><td>0.00</td><td>141</td><td>208</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5867.90	61.51	88.20	-26.69	50.41	35.17	12.58	36.65	0.00	141	208	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>116.50</td><td>-----</td><td>-----</td><td>105.45</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>141</td><td>208</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	116.50	-----	-----	105.45	35.30	12.69	36.94	0.00	141	208
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5867.90	61.51	88.20	-26.69	50.41	35.17	12.58	36.65	0.00	141	208	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	116.50	-----	-----	105.45	35.30	12.69	36.94	0.00	141	208	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>54.63</td><td>68.20</td><td>-13.57</td><td>43.49</td><td>35.30</td><td>12.66</td><td>36.82</td><td>0.00</td><td>141</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	54.63	68.20	-13.57	43.49	35.30	12.66	36.82	0.00	141	208	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>106.96</td><td>-----</td><td>-----</td><td>95.91</td><td>35.30</td><td>12.69</td><td>36.94</td><td>0.00</td><td>141</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	106.96	-----	-----	95.91	35.30	12.69	36.94	0.00	141	208
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.97	54.63	68.20	-13.57	43.49	35.30	12.66	36.82	0.00	141	208	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	106.96	-----	-----	95.91	35.30	12.69	36.94	0.00	141	208	AVERAGE																																																																																											





Mode	10																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																																				
ANT	2+3																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.04</td><td>74.06</td><td>88.20</td><td>-14.14</td><td>62.91</td><td>35.30</td><td>12.65</td><td>36.80</td><td>0.00</td><td>100</td><td>331 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.04	74.06	88.20	-14.14	62.91	35.30	12.65	36.80	0.00	100	331 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>117.59</td><td>-----</td><td>-----</td><td>106.57</td><td>35.30</td><td>12.70</td><td>36.98</td><td>0.00</td><td>100</td><td>331 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	117.59	-----	-----	106.57	35.30	12.70	36.98	0.00	100	331 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5921.04	74.06	88.20	-14.14	62.91	35.30	12.65	36.80	0.00	100	331 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	117.59	-----	-----	106.57	35.30	12.70	36.98	0.00	100	331 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5922.72</td><td>59.21</td><td>68.20</td><td>-8.99</td><td>48.06</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>331 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.72	59.21	68.20	-8.99	48.06	35.30	12.66	36.81	0.00	100	331 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5965.00</td><td>107.22</td><td>-----</td><td>-----</td><td>96.20</td><td>35.30</td><td>12.70</td><td>36.98</td><td>0.00</td><td>100</td><td>331 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	107.22	-----	-----	96.20	35.30	12.70	36.98	0.00	100	331 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5922.72	59.21	68.20	-8.99	48.06	35.30	12.66	36.81	0.00	100	331 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	107.22	-----	-----	96.20	35.30	12.70	36.98	0.00	100	331 AVERAGE																																																																																										





Mode	10																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																																				
ANT	2+3																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5911.24</td><td>70.02</td><td>88.20</td><td>-18.18</td><td>58.84</td><td>35.30</td><td>12.64</td><td>36.76</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5911.24	70.02	88.20	-18.18	58.84	35.30	12.64	36.76	0.00	100	317 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>112.42</td><td>-----</td><td>-----</td><td>101.42</td><td>35.30</td><td>12.72</td><td>37.02</td><td>0.00</td><td>100</td><td>317 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	112.42	-----	-----	101.42	35.30	12.72	37.02	0.00	100	317 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5911.24	70.02	88.20	-18.18	58.84	35.30	12.64	36.76	0.00	100	317 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	112.42	-----	-----	101.42	35.30	12.72	37.02	0.00	100	317 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.08</td><td>54.41</td><td>68.20</td><td>-13.79</td><td>43.26</td><td>35.30</td><td>12.65</td><td>36.80</td><td>0.00</td><td>100</td><td>317 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.08	54.41	68.20	-13.79	43.26	35.30	12.65	36.80	0.00	100	317 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>104.00</td><td>-----</td><td>-----</td><td>93.00</td><td>35.30</td><td>12.72</td><td>37.02</td><td>0.00</td><td>100</td><td>317 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	104.00	-----	-----	93.00	35.30	12.72	37.02	0.00	100	317 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5919.08	54.41	68.20	-13.79	43.26	35.30	12.65	36.80	0.00	100	317 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5965.00	104.00	-----	-----	93.00	35.30	12.72	37.02	0.00	100	317 AVERAGE																																																																																										





Mode	10																																																																																																													
	Harmonic																																																																																																													
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																																													
ANT	2+3																																																																																																													
Pol.	Horizontal						Vertical																																																																																																							
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>57.30</td><td>38.63</td><td>18.17</td><td>66.29</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2 11930.00</td><td>36.81</td><td>54.00</td><td>-17.19</td><td>46.30</td><td>38.63</td><td>18.17</td><td>66.29</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11930.00	47.81	74.00	-26.19	57.30	38.63	18.17	66.29	0.00	300	360	PEAK	2 11930.00	36.81	54.00	-17.19	46.30	38.63	18.17	66.29	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11930.00</td><td>46.18</td><td>74.00</td><td>-27.82</td><td>55.67</td><td>38.63</td><td>18.17</td><td>66.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11930.00	46.18	74.00	-27.82	55.67	38.63	18.17	66.29	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1 11930.00	47.81	74.00	-26.19	57.30	38.63	18.17	66.29	0.00	300	360	PEAK																																																																																																			
2 11930.00	36.81	54.00	-17.19	46.30	38.63	18.17	66.29	0.00	300	360	AVERAGE																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1 11930.00	46.18	74.00	-27.82	55.67	38.63	18.17	66.29	0.00	---	---	PEAK																																																																																																			







Mode	11																																																																	
	Harmonic																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_6205MHz																																																																	
ANT	2+3																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>47.20</td><td>74.00</td><td>-26.80</td><td>55.72</td><td>38.81</td><td>18.63</td><td>65.96</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2 12410.00</td><td>37.56</td><td>54.00</td><td>-16.44</td><td>46.08</td><td>38.81</td><td>18.63</td><td>65.96</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12410.00	47.20	74.00	-26.80	55.72	38.81	18.63	65.96	0.00	300	360 PEAK	2 12410.00	37.56	54.00	-16.44	46.08	38.81	18.63	65.96	0.00	300	360 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 12410.00	47.20	74.00	-26.80	55.72	38.81	18.63	65.96	0.00	300	360 PEAK																																																								
2 12410.00	37.56	54.00	-16.44	46.08	38.81	18.63	65.96	0.00	300	360 AVERAGE																																																								
																																																																		
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12410.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>56.19</td><td>38.81</td><td>18.63</td><td>65.96</td><td>0.00</td><td>100</td><td>360 PEAK</td></tr><tr><td>2 12410.00</td><td>37.56</td><td>54.00</td><td>-16.44</td><td>46.08</td><td>38.81</td><td>18.63</td><td>65.96</td><td>0.00</td><td>100</td><td>360 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12410.00	47.67	74.00	-26.33	56.19	38.81	18.63	65.96	0.00	100	360 PEAK	2 12410.00	37.56	54.00	-16.44	46.08	38.81	18.63	65.96	0.00	100	360 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																								
1 12410.00	47.67	74.00	-26.33	56.19	38.81	18.63	65.96	0.00	100	360 PEAK																																																								
2 12410.00	37.56	54.00	-16.44	46.08	38.81	18.63	65.96	0.00	100	360 AVERAGE																																																								







Mode	12																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_6405MHz																																																																																																									
ANT	2+3																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>46.50</td><td>88.20</td><td>-41.70</td><td>54.19</td><td>39.20</td><td>19.02</td><td>65.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	46.50	88.20	-41.70	54.19	39.20	19.02	65.91	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>46.94</td><td>88.20</td><td>-41.26</td><td>54.63</td><td>39.20</td><td>19.02</td><td>65.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	46.94	88.20	-41.26	54.63	39.20	19.02	65.91	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12810.00	46.50	88.20	-41.70	54.19	39.20	19.02	65.91	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12810.00	46.94	88.20	-41.26	54.63	39.20	19.02	65.91	0.00	---	---	PEAK																																																																																														





Mode	13																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_5985MHz																																																																																																				
ANT	2+3																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.44</td><td>78.27</td><td>88.20</td><td>-9.93</td><td>67.12</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>331 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.44	78.27	88.20	-9.93	67.12	35.30	12.66	36.81	0.00	100	331 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>112.57</td><td>-----</td><td>-----</td><td>101.63</td><td>35.30</td><td>12.74</td><td>37.10</td><td>0.00</td><td>100</td><td>331 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	112.57	-----	-----	101.63	35.30	12.74	37.10	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5922.44	78.27	88.20	-9.93	67.12	35.30	12.66	36.81	0.00	100	331 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5985.00	112.57	-----	-----	101.63	35.30	12.74	37.10	0.00	100	331 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.60</td><td>64.75</td><td>68.20</td><td>-3.45</td><td>53.60</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>331 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.60	64.75	68.20	-3.45	53.60	35.30	12.66	36.81	0.00	100	331 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>103.77</td><td>-----</td><td>-----</td><td>92.83</td><td>35.30</td><td>12.74</td><td>37.10</td><td>0.00</td><td>100</td><td>331 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	103.77	-----	-----	92.83	35.30	12.74	37.10	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5922.60	64.75	68.20	-3.45	53.60	35.30	12.66	36.81	0.00	100	331 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5985.00	103.77	-----	-----	92.83	35.30	12.74	37.10	0.00	100	331 AVERAGE																																																																																										





Mode	13																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_5985MHz																																																																																											
ANT	2+3																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5915.88</td><td>73.81</td><td>88.20</td><td>-14.39</td><td>62.64</td><td>35.30</td><td>12.65</td><td>36.78</td><td>0.00</td><td>100</td><td>318 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5915.88	73.81	88.20	-14.39	62.64	35.30	12.65	36.78	0.00	100	318 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>110.81</td><td>-----</td><td>-----</td><td>99.84</td><td>35.30</td><td>12.73</td><td>37.06</td><td>0.00</td><td>100</td><td>318 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	110.81	-----	-----	99.84	35.30	12.73	37.06	0.00	100	318 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5915.88	73.81	88.20	-14.39	62.64	35.30	12.65	36.78	0.00	100	318 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	110.81	-----	-----	99.84	35.30	12.73	37.06	0.00	100	318 PEAK																																																																																	
Avg	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5917.64</td><td>61.35</td><td>68.20</td><td>-6.85</td><td>50.19</td><td>35.30</td><td>12.65</td><td>36.79</td><td>0.00</td><td>100</td><td>318 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.64	61.35	68.20	-6.85	50.19	35.30	12.65	36.79	0.00	100	318 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>101.04</td><td>-----</td><td>-----</td><td>90.07</td><td>35.30</td><td>12.73</td><td>37.06</td><td>0.00</td><td>100</td><td>318 AVERAGE</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	101.04	-----	-----	90.07	35.30	12.73	37.06	0.00	100	318 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5917.64	61.35	68.20	-6.85	50.19	35.30	12.65	36.79	0.00	100	318 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	101.04	-----	-----	90.07	35.30	12.73	37.06	0.00	100	318 AVERAGE																																																																																	





Mode	13																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_5985MHz																																																																																																							
ANT	2+3																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.29</td><td>74.00</td><td>-28.71</td><td>54.71</td><td>38.67</td><td>18.20</td><td>66.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	45.29	74.00	-28.71	54.71	38.67	18.20	66.29	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>54.89</td><td>38.67</td><td>18.20</td><td>66.29</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11970.00	45.47	74.00	-28.53	54.89	38.67	18.20	66.29	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	11970.00	45.29	74.00	-28.71	54.71	38.67	18.20	66.29	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	11970.00	45.47	74.00	-28.53	54.89	38.67	18.20	66.29	0.00	---	---	PEAK																																																																																												







Mode	14																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE80_CH39_6225MHz																																																																																																							
ANT	2+3																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12450.00</td><td>46.13</td><td>74.00</td><td>-27.87</td><td>54.54</td><td>38.85</td><td>18.67</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12450.00	46.13	74.00	-27.87	54.54	38.85	18.67	65.93	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12450.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>55.29</td><td>38.85</td><td>18.67</td><td>65.93</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12450.00	46.88	74.00	-27.12	55.29	38.85	18.67	65.93	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12450.00	46.13	74.00	-27.87	54.54	38.85	18.67	65.93	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	12450.00	46.88	74.00	-27.12	55.29	38.85	18.67	65.93	0.00	---	---	PEAK																																																																																												







		15																																																										
Mode		Harmonic																																																										
		U-NII-5_5.925-6.425_802.11ax HE80_CH87_6385MHz																																																										
ANT		2+3																																																										
Pol.		Horizontal						Vertical																																																				
Peak Avg																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12770.00</td><td>47.11</td><td>88.20</td><td>-41.09</td><td>54.84</td><td>39.20</td><td>18.98</td><td>65.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12770.00	47.11	88.20	-41.09	54.84	39.20	18.98	65.91	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	12770.00	47.11	88.20	-41.09	54.84	39.20	18.98	65.91	0.00	---	---	PEAK																																																
																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12770.00</td><td>46.40</td><td>88.20</td><td>-41.80</td><td>54.13</td><td>39.20</td><td>18.98</td><td>65.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12770.00	46.40	88.20	-41.80	54.13	39.20	18.98	65.91	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																	
1	12770.00	46.40	88.20	-41.80	54.13	39.20	18.98	65.91	0.00	---	---	PEAK																																																





Mode	16																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_6025MHz																																																																																																			
ANT	2+3																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.60</td><td>76.43</td><td>88.20</td><td>-11.77</td><td>65.29</td><td>35.30</td><td>12.65</td><td>36.81</td><td>0.00</td><td>100</td><td>331 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.60	76.43	88.20	-11.77	65.29	35.30	12.65	36.81	0.00	100	331 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>109.43</td><td>-----</td><td>-----</td><td>98.53</td><td>35.30</td><td>12.78</td><td>37.18</td><td>0.00</td><td>100</td><td>331 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	109.43	-----	-----	98.53	35.30	12.78	37.18	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5921.60	76.43	88.20	-11.77	65.29	35.30	12.65	36.81	0.00	100	331 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	109.43	-----	-----	98.53	35.30	12.78	37.18	0.00	100	331 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.00</td><td>65.79</td><td>68.20</td><td>-2.41</td><td>54.64</td><td>35.30</td><td>12.66</td><td>36.81</td><td>0.00</td><td>100</td><td>331 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5922.00	65.79	68.20	-2.41	54.64	35.30	12.66	36.81	0.00	100	331 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>99.63</td><td>-----</td><td>-----</td><td>88.73</td><td>35.30</td><td>12.77</td><td>37.17</td><td>0.00</td><td>100</td><td>331 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	99.63	-----	-----	88.73	35.30	12.77	37.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5922.00	65.79	68.20	-2.41	54.64	35.30	12.66	36.81	0.00	100	331 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	99.63	-----	-----	88.73	35.30	12.77	37.17	0.00	100	331 AVERAGE																																																																																									




Mode	16																																																																																																			
	Band Edge																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_6025MHz																																																																																																			
ANT	2+3																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5907.80</td><td>74.12</td><td>88.20</td><td>-14.08</td><td>62.93</td><td>35.30</td><td>12.64</td><td>36.75</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5907.80	74.12	88.20	-14.08	62.93	35.30	12.64	36.75	0.00	100	321 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>106.41</td><td>-----</td><td>-----</td><td>95.51</td><td>35.30</td><td>12.77</td><td>37.17</td><td>0.00</td><td>100</td><td>321 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	106.41	-----	-----	95.51	35.30	12.77	37.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5907.80	74.12	88.20	-14.08	62.93	35.30	12.64	36.75	0.00	100	321 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	106.41	-----	-----	95.51	35.30	12.77	37.17	0.00	100	321 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5918.00</td><td>62.70</td><td>68.20</td><td>-5.50</td><td>51.54</td><td>35.30</td><td>12.65</td><td>36.79</td><td>0.00</td><td>100</td><td>321 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5918.00	62.70	68.20	-5.50	51.54	35.30	12.65	36.79	0.00	100	321 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6025.00</td><td>97.21</td><td>-----</td><td>-----</td><td>86.31</td><td>35.30</td><td>12.77</td><td>37.17</td><td>0.00</td><td>100</td><td>321 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	97.21	-----	-----	86.31	35.30	12.77	37.17	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5918.00	62.70	68.20	-5.50	51.54	35.30	12.65	36.79	0.00	100	321 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	6025.00	97.21	-----	-----	86.31	35.30	12.77	37.17	0.00	100	321 AVERAGE																																																																																									





Mode	16																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_6025MHz																																																																																																									
ANT	2+3																																																																																																									
Pol.	Horizontal											Vertical																																																																																														
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>46.67</td><td>74.00</td><td>-27.33</td><td>55.94</td><td>38.70</td><td>18.27</td><td>66.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12050.00	46.67	74.00	-27.33	55.94	38.70	18.27	66.24	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12050.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>55.26</td><td>38.70</td><td>18.27</td><td>66.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12050.00	45.99	74.00	-28.01	55.26	38.70	18.27	66.24	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12050.00	46.67	74.00	-27.33	55.94	38.70	18.27	66.24	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12050.00	45.99	74.00	-28.01	55.26	38.70	18.27	66.24	0.00	---	---	PEAK																																																																																														





Mode	17																																																																			
	Harmonic																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_6185MHz																																																																			
ANT	2+3																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>55.73</td><td>38.80</td><td>18.59</td><td>65.99</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>12370.00</td><td>37.39</td><td>54.00</td><td>-16.61</td><td>46.06</td><td>38.80</td><td>18.55</td><td>66.02</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	47.13	74.00	-26.87	55.73	38.80	18.59	65.99	0.00	100	0 PEAK	2	12370.00	37.39	54.00	-16.61	46.06	38.80	18.55	66.02	0.00	100	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	12370.00	47.13	74.00	-26.87	55.73	38.80	18.59	65.99	0.00	100	0 PEAK																																																									
2	12370.00	37.39	54.00	-16.61	46.06	38.80	18.55	66.02	0.00	100	0 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>55.40</td><td>38.80</td><td>18.59</td><td>65.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	46.80	74.00	-27.20	55.40	38.80	18.59	65.99	0.00	---	---	PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	12370.00	46.80	74.00	-27.20	55.40	38.80	18.59	65.99	0.00	---	---	PEAK																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12370.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>55.40</td><td>38.80</td><td>18.59</td><td>65.99</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12370.00	46.80	74.00	-27.20	55.40	38.80	18.59	65.99	0.00	---	---	PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	12370.00	46.80	74.00	-27.20	55.40	38.80	18.59	65.99	0.00	---	---	PEAK																																																								



Mode	18																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_6345MHz																																																																																																																			
ANT	2+3																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>55.24</td><td>39.18</td><td>18.90</td><td>65.91</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>12690.00</td><td>37.34</td><td>54.00</td><td>-16.66</td><td>45.35</td><td>39.05</td><td>18.84</td><td>65.90</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12690.00	47.41	74.00	-26.59	55.24	39.18	18.90	65.91	0.00	100	0 PEAK	2	12690.00	37.34	54.00	-16.66	45.35	39.05	18.84	65.90	0.00	100	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12690.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>54.64</td><td>39.18</td><td>18.90</td><td>65.91</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12690.00	46.81	74.00	-27.19	54.64	39.18	18.90	65.91	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	12690.00	47.41	74.00	-26.59	55.24	39.18	18.90	65.91	0.00	100	0 PEAK																																																																																																									
2	12690.00	37.34	54.00	-16.66	45.35	39.05	18.84	65.90	0.00	100	0 AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	12690.00	46.81	74.00	-27.19	54.64	39.18	18.90	65.91	0.00	---	---	PEAK																																																																																																								



Mode	19																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																																									
ANT	2+3																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.66</td><td>88.20</td><td>-40.54</td><td>55.30</td><td>39.20</td><td>19.00</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	47.66	88.20	-40.54	55.30	39.20	19.00	65.92	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.79</td><td>88.20</td><td>-40.41</td><td>55.43</td><td>39.20</td><td>19.00</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12870.00	47.79	88.20	-40.41	55.43	39.20	19.00	65.92	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12870.00	47.66	88.20	-40.54	55.30	39.20	19.00	65.92	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12870.00	47.79	88.20	-40.41	55.43	39.20	19.00	65.92	0.00	---	---	PEAK																																																																																														