






Mode	3																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.21</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>40.61</td><td>32.50</td><td>8.11</td><td>37.05</td><td>6.00</td><td>237</td><td>0 PEAK</td></tr><tr><td>2</td><td>2490.21</td><td>25.38</td><td>54.00</td><td>-28.62</td><td>15.82</td><td>32.50</td><td>8.11</td><td>37.05</td><td>6.00</td><td>237</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2490.21	50.17	74.00	-23.83	40.61	32.50	8.11	37.05	6.00	237	0 PEAK	2	2490.21	25.38	54.00	-28.62	15.82	32.50	8.11	37.05	6.00	237	0 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2490.21	50.17	74.00	-23.83	40.61	32.50	8.11	37.05	6.00	237	0 PEAK																																																									
2	2490.21	25.38	54.00	-28.62	15.82	32.50	8.11	37.05	6.00	237	0 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.19</td><td>-----</td><td>-----</td><td>92.54</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>237</td><td>0 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>77.40</td><td>-----</td><td>-----</td><td>67.75</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>237</td><td>0 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	102.19	-----	-----	92.54	32.60	8.10	37.05	6.00	237	0 PEAK	2	2480.00	77.40	-----	-----	67.75	32.60	8.10	37.05	6.00	237	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2480.00	102.19	-----	-----	92.54	32.60	8.10	37.05	6.00	237	0 PEAK																																																									
2	2480.00	77.40	-----	-----	67.75	32.60	8.10	37.05	6.00	237	0 AVERAGE																																																									





Mode	3																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>60.08</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.12</td><td>74.00</td><td>-30.88</td><td>59.39</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.24	74.00	-33.76	60.08	33.92	11.59	65.35	0.00	---	--- PEAK	2	7440.00	43.12	74.00	-30.88	59.39	35.00	14.23	66.30	0.00	---	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.96</td><td>74.00</td><td>-34.04</td><td>59.80</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.37</td><td>74.00</td><td>-31.63</td><td>58.64</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.96	74.00	-34.04	59.80	33.92	11.59	65.35	0.00	---	--- PEAK	2	7440.00	42.37	74.00	-31.63	58.64	35.00	14.23	66.30	0.00	---	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	40.24	74.00	-33.76	60.08	33.92	11.59	65.35	0.00	---	--- PEAK																																																																																																															
2	7440.00	43.12	74.00	-30.88	59.39	35.00	14.23	66.30	0.00	---	--- PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	39.96	74.00	-34.04	59.80	33.92	11.59	65.35	0.00	---	--- PEAK																																																																																																															
2	7440.00	42.37	74.00	-31.63	58.64	35.00	14.23	66.30	0.00	---	--- PEAK																																																																																																															





Mode	3	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	3																																																																																																																																																																																																																														
	30-1G																																																																																																																																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																																																														
ANT	2																																																																																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																																																																																								
Peak																																																																																																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.24</td><td>20.94</td><td>40.00</td><td>-19.06</td><td>27.79</td><td>24.75</td><td>0.47</td><td>32.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>130.52</td><td>28.57</td><td>43.50</td><td>-14.93</td><td>41.40</td><td>17.61</td><td>1.59</td><td>32.03</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>209.21</td><td>30.13</td><td>43.50</td><td>-13.37</td><td>45.07</td><td>15.10</td><td>2.03</td><td>32.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>378.23</td><td>32.51</td><td>46.00</td><td>-13.49</td><td>40.87</td><td>21.03</td><td>2.74</td><td>32.13</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>511.00</td><td>35.38</td><td>46.00</td><td>-10.62</td><td>40.38</td><td>24.09</td><td>3.18</td><td>32.27</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>815.94</td><td>30.79</td><td>46.00</td><td>-15.21</td><td>30.75</td><td>27.88</td><td>4.03</td><td>31.87</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.24	20.94	40.00	-19.06	27.79	24.75	0.47	32.07	0.00	---	Peak	2	130.52	28.57	43.50	-14.93	41.40	17.61	1.59	32.03	0.00	---	Peak	3	209.21	30.13	43.50	-13.37	45.07	15.10	2.03	32.07	0.00	---	Peak	4	378.23	32.51	46.00	-13.49	40.87	21.03	2.74	32.13	0.00	---	Peak	5	511.00	35.38	46.00	-10.62	40.38	24.09	3.18	32.27	0.00	---	Peak	6	815.94	30.79	46.00	-15.21	30.75	27.88	4.03	31.87	0.00	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>54.49</td><td>29.61</td><td>40.00</td><td>-10.39</td><td>48.06</td><td>12.81</td><td>0.80</td><td>32.06</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>130.64</td><td>25.90</td><td>43.50</td><td>-17.60</td><td>38.73</td><td>17.61</td><td>1.59</td><td>32.03</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>210.06</td><td>30.74</td><td>43.50</td><td>-12.76</td><td>45.69</td><td>15.09</td><td>2.03</td><td>32.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>399.09</td><td>27.43</td><td>46.00</td><td>-18.57</td><td>34.87</td><td>21.87</td><td>2.83</td><td>32.14</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>554.16</td><td>27.09</td><td>46.00</td><td>-18.91</td><td>30.10</td><td>26.00</td><td>3.31</td><td>32.32</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>874.87</td><td>30.03</td><td>46.00</td><td>-15.97</td><td>28.05</td><td>29.34</td><td>4.18</td><td>31.54</td><td>0.00</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	54.49	29.61	40.00	-10.39	48.06	12.81	0.80	32.06	0.00	---	Peak	2	130.64	25.90	43.50	-17.60	38.73	17.61	1.59	32.03	0.00	---	Peak	3	210.06	30.74	43.50	-12.76	45.69	15.09	2.03	32.07	0.00	---	Peak	4	399.09	27.43	46.00	-18.57	34.87	21.87	2.83	32.14	0.00	---	Peak	5	554.16	27.09	46.00	-18.91	30.10	26.00	3.31	32.32	0.00	---	Peak	6	874.87	30.03	46.00	-15.97	28.05	29.34	4.18	31.54	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																				
1	30.24	20.94	40.00	-19.06	27.79	24.75	0.47	32.07	0.00	---	Peak																																																																																																																																																																																																																				
2	130.52	28.57	43.50	-14.93	41.40	17.61	1.59	32.03	0.00	---	Peak																																																																																																																																																																																																																				
3	209.21	30.13	43.50	-13.37	45.07	15.10	2.03	32.07	0.00	---	Peak																																																																																																																																																																																																																				
4	378.23	32.51	46.00	-13.49	40.87	21.03	2.74	32.13	0.00	---	Peak																																																																																																																																																																																																																				
5	511.00	35.38	46.00	-10.62	40.38	24.09	3.18	32.27	0.00	---	Peak																																																																																																																																																																																																																				
6	815.94	30.79	46.00	-15.21	30.75	27.88	4.03	31.87	0.00	---	Peak																																																																																																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																				
1	54.49	29.61	40.00	-10.39	48.06	12.81	0.80	32.06	0.00	---	Peak																																																																																																																																																																																																																				
2	130.64	25.90	43.50	-17.60	38.73	17.61	1.59	32.03	0.00	---	Peak																																																																																																																																																																																																																				
3	210.06	30.74	43.50	-12.76	45.69	15.09	2.03	32.07	0.00	---	Peak																																																																																																																																																																																																																				
4	399.09	27.43	46.00	-18.57	34.87	21.87	2.83	32.14	0.00	---	Peak																																																																																																																																																																																																																				
5	554.16	27.09	46.00	-18.91	30.10	26.00	3.31	32.32	0.00	---	Peak																																																																																																																																																																																																																				
6	874.87	30.03	46.00	-15.97	28.05	29.34	4.18	31.54	0.00	---	Peak																																																																																																																																																																																																																				



Mode	4																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.19</td><td>54.84</td><td>74.00</td><td>-19.16</td><td>45.25</td><td>32.54</td><td>8.10</td><td>37.05</td><td>6.00</td><td>111</td><td>343 PEAK</td></tr><tr><td>2</td><td>2486.19</td><td>30.05</td><td>54.00</td><td>-23.95</td><td>20.46</td><td>32.54</td><td>8.10</td><td>37.05</td><td>6.00</td><td>111</td><td>343 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2486.19	54.84	74.00	-19.16	45.25	32.54	8.10	37.05	6.00	111	343 PEAK	2	2486.19	30.05	54.00	-23.95	20.46	32.54	8.10	37.05	6.00	111	343 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2486.19	54.84	74.00	-19.16	45.25	32.54	8.10	37.05	6.00	111	343 PEAK																																																									
2	2486.19	30.05	54.00	-23.95	20.46	32.54	8.10	37.05	6.00	111	343 AVERAGE																																																									
																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.00</td><td>-----</td><td>-----</td><td>88.35</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>111</td><td>343 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>73.21</td><td>-----</td><td>-----</td><td>63.56</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>111</td><td>343 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	98.00	-----	-----	88.35	32.60	8.10	37.05	6.00	111	343 PEAK	2	2480.00	73.21	-----	-----	63.56	32.60	8.10	37.05	6.00	111	343 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2480.00	98.00	-----	-----	88.35	32.60	8.10	37.05	6.00	111	343 PEAK																																																									
2	2480.00	73.21	-----	-----	63.56	32.60	8.10	37.05	6.00	111	343 AVERAGE																																																									



Mode	4																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.78</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>44.47</td><td>32.55</td><td>8.10</td><td>37.05</td><td>6.00</td><td>399</td><td>8 PEAK</td></tr><tr><td>2</td><td>2484.78</td><td>29.28</td><td>54.00</td><td>-24.72</td><td>19.68</td><td>32.55</td><td>8.10</td><td>37.05</td><td>6.00</td><td>399</td><td>8 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.78	54.07	74.00	-19.93	44.47	32.55	8.10	37.05	6.00	399	8 PEAK	2	2484.78	29.28	54.00	-24.72	19.68	32.55	8.10	37.05	6.00	399	8 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2484.78	54.07	74.00	-19.93	44.47	32.55	8.10	37.05	6.00	399	8 PEAK																																																									
2	2484.78	29.28	54.00	-24.72	19.68	32.55	8.10	37.05	6.00	399	8 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.47</td><td>-----</td><td>-----</td><td>89.82</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>399</td><td>8 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>74.68</td><td>-----</td><td>-----</td><td>65.03</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>399</td><td>8 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.47	-----	-----	89.82	32.60	8.10	37.05	6.00	399	8 PEAK	2	2480.00	74.68	-----	-----	65.03	32.60	8.10	37.05	6.00	399	8 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	99.47	-----	-----	89.82	32.60	8.10	37.05	6.00	399	8 PEAK																																																									
2	2480.00	74.68	-----	-----	65.03	32.60	8.10	37.05	6.00	399	8 AVERAGE																																																									




Mode	4																																																																																											
	Harmonic																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																											
ANT	2																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>59.66</td><td>33.92</td><td>11.59</td><td>65.35</td></tr><tr><td>2</td><td>7440.00</td><td>43.00</td><td>74.00</td><td>-31.00</td><td>59.27</td><td>35.00</td><td>14.23</td><td>66.30</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	39.82	74.00	-34.18	59.66	33.92	11.59	65.35	2	7440.00	43.00	74.00	-31.00	59.27	35.00	14.23	66.30	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>39.83</td><td>74.00</td><td>-34.17</td><td>59.67</td><td>33.92</td><td>11.59</td><td>65.35</td></tr><tr><td>2</td><td>7440.00</td><td>42.30</td><td>74.00</td><td>-31.70</td><td>58.57</td><td>35.00</td><td>14.23</td><td>66.30</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	4960.00	39.83	74.00	-34.17	59.67	33.92	11.59	65.35	2	7440.00	42.30	74.00	-31.70	58.57	35.00	14.23	66.30
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	4960.00	39.82	74.00	-34.18	59.66	33.92	11.59	65.35																																																																																				
2	7440.00	43.00	74.00	-31.00	59.27	35.00	14.23	66.30																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	4960.00	39.83	74.00	-34.17	59.67	33.92	11.59	65.35																																																																																				
2	7440.00	42.30	74.00	-31.70	58.57	35.00	14.23	66.30																																																																																				





Mode	5																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.37</td><td>54.09</td><td>74.00</td><td>-19.91</td><td>44.49</td><td>32.55</td><td>8.10</td><td>37.05</td><td>6.00</td><td>107</td><td>349 PEAK</td></tr><tr><td>2</td><td>2485.37</td><td>29.30</td><td>54.00</td><td>-24.70</td><td>19.70</td><td>32.55</td><td>8.10</td><td>37.05</td><td>6.00</td><td>107</td><td>349 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.37	54.09	74.00	-19.91	44.49	32.55	8.10	37.05	6.00	107	349 PEAK	2	2485.37	29.30	54.00	-24.70	19.70	32.55	8.10	37.05	6.00	107	349 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2485.37	54.09	74.00	-19.91	44.49	32.55	8.10	37.05	6.00	107	349 PEAK																																																									
2	2485.37	29.30	54.00	-24.70	19.70	32.55	8.10	37.05	6.00	107	349 AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.85</td><td>-----</td><td>-----</td><td>91.20</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>107</td><td>349 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.06</td><td>-----</td><td>-----</td><td>66.41</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>107</td><td>349 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	100.85	-----	-----	91.20	32.60	8.10	37.05	6.00	107	349 PEAK	2	2480.00	76.06	-----	-----	66.41	32.60	8.10	37.05	6.00	107	349 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2480.00	100.85	-----	-----	91.20	32.60	8.10	37.05	6.00	107	349 PEAK																																																									
2	2480.00	76.06	-----	-----	66.41	32.60	8.10	37.05	6.00	107	349 AVERAGE																																																									





Mode	5																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.69</td><td>53.55</td><td>74.00</td><td>-20.45</td><td>44.05</td><td>32.44</td><td>8.12</td><td>37.06</td><td>6.00</td><td>100</td><td>55 PEAK</td></tr><tr><td>2</td><td>2495.69</td><td>28.76</td><td>54.00</td><td>-25.24</td><td>19.26</td><td>32.44</td><td>8.12</td><td>37.06</td><td>6.00</td><td>100</td><td>55 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2495.69	53.55	74.00	-20.45	44.05	32.44	8.12	37.06	6.00	100	55 PEAK	2	2495.69	28.76	54.00	-25.24	19.26	32.44	8.12	37.06	6.00	100	55 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2495.69	53.55	74.00	-20.45	44.05	32.44	8.12	37.06	6.00	100	55 PEAK																																																									
2	2495.69	28.76	54.00	-25.24	19.26	32.44	8.12	37.06	6.00	100	55 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.50</td><td>-----</td><td>90.85</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>55 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.71</td><td>-----</td><td>66.06</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>55 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	100.50	-----	90.85	32.60	8.10	37.05	6.00	100	55 PEAK	2	2480.00	75.71	-----	66.06	32.60	8.10	37.05	6.00	100	55 AVERAGE		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2480.00	100.50	-----	90.85	32.60	8.10	37.05	6.00	100	55 PEAK																																																										
2	2480.00	75.71	-----	66.06	32.60	8.10	37.05	6.00	100	55 AVERAGE																																																										





Mode	5																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.05</td><td>74.00</td><td>-33.95</td><td>59.89</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.75</td><td>74.00</td><td>-31.25</td><td>59.02</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.05	74.00	-33.95	59.89	33.92	11.59	65.35	0.00	---	PEAK	2	7440.00	42.75	74.00	-31.25	59.02	35.00	14.23	66.30	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.50</td><td>74.00</td><td>-34.50</td><td>59.34</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.26</td><td>74.00</td><td>-30.74</td><td>59.53</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.50	74.00	-34.50	59.34	33.92	11.59	65.35	0.00	---	PEAK	2	7440.00	43.26	74.00	-30.74	59.53	35.00	14.23	66.30	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.05	74.00	-33.95	59.89	33.92	11.59	65.35	0.00	---	PEAK																																																																																																																			
2	7440.00	42.75	74.00	-31.25	59.02	35.00	14.23	66.30	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	39.50	74.00	-34.50	59.34	33.92	11.59	65.35	0.00	---	PEAK																																																																																																																			
2	7440.00	43.26	74.00	-30.74	59.53	35.00	14.23	66.30	0.00	---	PEAK																																																																																																																			





Mode	6																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal						Fundamental																																																													
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.91</td><td>50.22</td><td>74.00</td><td>-23.78</td><td>40.67</td><td>32.49</td><td>8.11</td><td>37.05</td><td>6.00</td><td>100</td><td>343 PEAK</td></tr><tr><td>2</td><td>2490.91</td><td>25.43</td><td>54.00</td><td>-28.57</td><td>15.88</td><td>32.49</td><td>8.11</td><td>37.05</td><td>6.00</td><td>100</td><td>343 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.91	50.22	74.00	-23.78	40.67	32.49	8.11	37.05	6.00	100	343 PEAK	2	2490.91	25.43	54.00	-28.57	15.88	32.49	8.11	37.05	6.00	100	343 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2490.91	50.22	74.00	-23.78	40.67	32.49	8.11	37.05	6.00	100	343 PEAK																																																									
2	2490.91	25.43	54.00	-28.57	15.88	32.49	8.11	37.05	6.00	100	343 AVERAGE																																																									
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.27</td><td>-----</td><td>-----</td><td>90.62</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>343 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.48</td><td>-----</td><td>-----</td><td>65.83</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>343 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.27	-----	-----	90.62	32.60	8.10	37.05	6.00	100	343 PEAK	2	2480.00	75.48	-----	-----	65.83	32.60	8.10	37.05	6.00	100	343 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	100.27	-----	-----	90.62	32.60	8.10	37.05	6.00	100	343 PEAK																																																									
2	2480.00	75.48	-----	-----	65.83	32.60	8.10	37.05	6.00	100	343 AVERAGE																																																									





Mode	6																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.78</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>40.68</td><td>32.54</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>260 PEAK</td></tr><tr><td>2</td><td>2485.78</td><td>25.48</td><td>54.00</td><td>-28.52</td><td>15.89</td><td>32.54</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>260 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.78	50.27	74.00	-23.73	40.68	32.54	8.10	37.05	6.00	100	260 PEAK	2	2485.78	25.48	54.00	-28.52	15.89	32.54	8.10	37.05	6.00	100	260 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2485.78	50.27	74.00	-23.73	40.68	32.54	8.10	37.05	6.00	100	260 PEAK																																																									
2	2485.78	25.48	54.00	-28.52	15.89	32.54	8.10	37.05	6.00	100	260 AVERAGE																																																									
Pol.	Fundamental																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.38</td><td>-----</td><td>90.73</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>260 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.59</td><td>-----</td><td>65.94</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>260 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	100.38	-----	90.73	32.60	8.10	37.05	6.00	100	260 PEAK	2	2480.00	75.59	-----	65.94	32.60	8.10	37.05	6.00	100	260 AVERAGE		
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	2480.00	100.38	-----	90.73	32.60	8.10	37.05	6.00	100	260 PEAK																																																										
2	2480.00	75.59	-----	65.94	32.60	8.10	37.05	6.00	100	260 AVERAGE																																																										





Mode	6																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																							
ANT	2																																																																																																																																							
Pol.	Horizontal												Vertical																																																																																																																											
Peak Avg																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>39.65</td><td>74.00</td><td>-34.35</td><td>59.49</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.53</td><td>74.00</td><td>-31.47</td><td>58.00</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	39.65	74.00	-34.35	59.49	33.92	11.59	65.35	0.00	---	--- PEAK	2	7440.00	42.53	74.00	-31.47	58.00	35.00	14.23	66.30	0.00	---	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th colspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.23</td><td>74.00</td><td>-33.77</td><td>60.07</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.11</td><td>74.00</td><td>-30.89</td><td>59.38</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.23	74.00	-33.77	60.07	33.92	11.59	65.35	0.00	---	--- PEAK	2	7440.00	43.11	74.00	-30.89	59.38	35.00	14.23	66.30	0.00	---	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4960.00	39.65	74.00	-34.35	59.49	33.92	11.59	65.35	0.00	---	--- PEAK																																																																																																																													
2	7440.00	42.53	74.00	-31.47	58.00	35.00	14.23	66.30	0.00	---	--- PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4960.00	40.23	74.00	-33.77	60.07	33.92	11.59	65.35	0.00	---	--- PEAK																																																																																																																													
2	7440.00	43.11	74.00	-30.89	59.38	35.00	14.23	66.30	0.00	---	--- PEAK																																																																																																																													





Mode	7																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.93</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>40.81</td><td>32.43</td><td>8.12</td><td>37.06</td><td>6.00</td><td>100</td><td>328 PEAK</td></tr><tr><td>2</td><td>2496.93</td><td>25.51</td><td>54.00</td><td>-28.49</td><td>16.02</td><td>32.43</td><td>8.12</td><td>37.06</td><td>6.00</td><td>100</td><td>328 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.93	50.30	74.00	-23.70	40.81	32.43	8.12	37.06	6.00	100	328 PEAK	2	2496.93	25.51	54.00	-28.49	16.02	32.43	8.12	37.06	6.00	100	328 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2496.93	50.30	74.00	-23.70	40.81	32.43	8.12	37.06	6.00	100	328 PEAK																																																									
2	2496.93	25.51	54.00	-28.49	16.02	32.43	8.12	37.06	6.00	100	328 AVERAGE																																																									
																																																																				
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.59</td><td>-----</td><td>-----</td><td>88.94</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>328 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>73.80</td><td>-----</td><td>-----</td><td>64.15</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>100</td><td>328 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.59	-----	-----	88.94	32.60	8.10	37.05	6.00	100	328 PEAK	2	2480.00	73.80	-----	-----	64.15	32.60	8.10	37.05	6.00	100	328 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	98.59	-----	-----	88.94	32.60	8.10	37.05	6.00	100	328 PEAK																																																									
2	2480.00	73.80	-----	-----	64.15	32.60	8.10	37.05	6.00	100	328 AVERAGE																																																									





Mode	7																																																																																																																												
	Band Edge																																																																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																												
ANT	2																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.82</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>40.65</td><td>32.41</td><td>8.12</td><td>37.06</td><td>6.00</td><td>268</td><td>317 PEAK</td></tr><tr><td>2</td><td>2498.82</td><td>25.33</td><td>54.00</td><td>-28.67</td><td>15.86</td><td>32.41</td><td>8.12</td><td>37.06</td><td>6.00</td><td>268</td><td>317 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2498.82	50.12	74.00	-23.88	40.65	32.41	8.12	37.06	6.00	268	317 PEAK	2	2498.82	25.33	54.00	-28.67	15.86	32.41	8.12	37.06	6.00	268	317 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.53</td><td>-----</td><td>-----</td><td>90.88</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>268</td><td>317 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>75.74</td><td>-----</td><td>-----</td><td>66.09</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>268</td><td>317 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	100.53	-----	-----	90.88	32.60	8.10	37.05	6.00	268	317 PEAK	2	2480.00	75.74	-----	-----	66.09	32.60	8.10	37.05	6.00	268	317 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	2498.82	50.12	74.00	-23.88	40.65	32.41	8.12	37.06	6.00	268	317 PEAK																																																																																																																		
2	2498.82	25.33	54.00	-28.67	15.86	32.41	8.12	37.06	6.00	268	317 AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	2480.00	100.53	-----	-----	90.88	32.60	8.10	37.05	6.00	268	317 PEAK																																																																																																																		
2	2480.00	75.74	-----	-----	66.09	32.60	8.10	37.05	6.00	268	317 AVERAGE																																																																																																																		





Mode	7																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.35</td><td>74.00</td><td>-33.65</td><td>60.19</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.14</td><td>74.00</td><td>-30.86</td><td>59.41</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.35	74.00	-33.65	60.19	33.92	11.59	65.35	0.00	---	---	PEAK	2	7440.00	43.14	74.00	-30.86	59.41	35.00	14.23	66.30	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.66</td><td>74.00</td><td>-33.34</td><td>60.50</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.31</td><td>74.00</td><td>-30.69</td><td>59.58</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.66	74.00	-33.34	60.50	33.92	11.59	65.35	0.00	---	---	PEAK	2	7440.00	43.31	74.00	-30.69	59.58	35.00	14.23	66.30	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.35	74.00	-33.65	60.19	33.92	11.59	65.35	0.00	---	---	PEAK																																																																																																																		
2	7440.00	43.14	74.00	-30.86	59.41	35.00	14.23	66.30	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.66	74.00	-33.34	60.50	33.92	11.59	65.35	0.00	---	---	PEAK																																																																																																																		
2	7440.00	43.31	74.00	-30.69	59.58	35.00	14.23	66.30	0.00	---	---	PEAK																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.35</td><td>74.00</td><td>-33.65</td><td>60.19</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.14</td><td>74.00</td><td>-30.86</td><td>59.41</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.35	74.00	-33.65	60.19	33.92	11.59	65.35	0.00	---	---	PEAK	2	7440.00	43.14	74.00	-30.86	59.41	35.00	14.23	66.30	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.66</td><td>74.00</td><td>-33.34</td><td>60.50</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.31</td><td>74.00</td><td>-30.69</td><td>59.58</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.66	74.00	-33.34	60.50	33.92	11.59	65.35	0.00	---	---	PEAK	2	7440.00	43.31	74.00	-30.69	59.58	35.00	14.23	66.30	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.35	74.00	-33.65	60.19	33.92	11.59	65.35	0.00	---	---	PEAK																																																																																																																		
2	7440.00	43.14	74.00	-30.86	59.41	35.00	14.23	66.30	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.66	74.00	-33.34	60.50	33.92	11.59	65.35	0.00	---	---	PEAK																																																																																																																		
2	7440.00	43.31	74.00	-30.69	59.58	35.00	14.23	66.30	0.00	---	---	PEAK																																																																																																																		







Mode	8																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.52</td><td>50.38</td><td>74.00</td><td>-23.62</td><td>40.89</td><td>32.43</td><td>8.12</td><td>37.06</td><td>6.00</td><td>126</td><td>51 PEAK</td></tr><tr><td>2</td><td>2496.52</td><td>25.59</td><td>54.00</td><td>-28.41</td><td>16.10</td><td>32.43</td><td>8.12</td><td>37.06</td><td>6.00</td><td>126</td><td>51 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.52	50.38	74.00	-23.62	40.89	32.43	8.12	37.06	6.00	126	51 PEAK	2	2496.52	25.59	54.00	-28.41	16.10	32.43	8.12	37.06	6.00	126	51 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2496.52	50.38	74.00	-23.62	40.89	32.43	8.12	37.06	6.00	126	51 PEAK																																																									
2	2496.52	25.59	54.00	-28.41	16.10	32.43	8.12	37.06	6.00	126	51 AVERAGE																																																									
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.06</td><td>74.00</td><td>-23.62</td><td>40.89</td><td>32.43</td><td>8.12</td><td>37.06</td><td>6.00</td><td>126</td><td>51 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>74.27</td><td>54.00</td><td>-20.41</td><td>16.10</td><td>32.43</td><td>8.12</td><td>37.06</td><td>6.00</td><td>126</td><td>51 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.06	74.00	-23.62	40.89	32.43	8.12	37.06	6.00	126	51 PEAK	2	2480.00	74.27	54.00	-20.41	16.10	32.43	8.12	37.06	6.00	126	51 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	99.06	74.00	-23.62	40.89	32.43	8.12	37.06	6.00	126	51 PEAK																																																									
2	2480.00	74.27	54.00	-20.41	16.10	32.43	8.12	37.06	6.00	126	51 AVERAGE																																																									




Mode	8																																																																																																																																	
	Band Edge																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																	
ANT	2																																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																																											
Peak																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.27</td><td>50.42</td><td>74.00</td><td>-23.58</td><td>40.88</td><td>32.48</td><td>8.11</td><td>37.05</td><td>6.00</td><td>144</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>2492.27</td><td>25.63</td><td>54.00</td><td>-28.37</td><td>16.09</td><td>32.48</td><td>8.11</td><td>37.05</td><td>6.00</td><td>144</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2492.27	50.42	74.00	-23.58	40.88	32.48	8.11	37.05	6.00	144	360	PEAK	2	2492.27	25.63	54.00	-28.37	16.09	32.48	8.11	37.05	6.00	144	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.57</td><td>72.78</td><td>24.79</td><td>24.79</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>144</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>72.78</td><td>72.78</td><td>0.00</td><td>0.00</td><td>32.60</td><td>8.10</td><td>37.05</td><td>6.00</td><td>144</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	97.57	72.78	24.79	24.79	32.60	8.10	37.05	6.00	144	360	PEAK	2	2480.00	72.78	72.78	0.00	0.00	32.60	8.10	37.05	6.00	144	360	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	2492.27	50.42	74.00	-23.58	40.88	32.48	8.11	37.05	6.00	144	360	PEAK																																																																																																																						
2	2492.27	25.63	54.00	-28.37	16.09	32.48	8.11	37.05	6.00	144	360	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	2480.00	97.57	72.78	24.79	24.79	32.60	8.10	37.05	6.00	144	360	PEAK																																																																																																																						
2	2480.00	72.78	72.78	0.00	0.00	32.60	8.10	37.05	6.00	144	360	AVERAGE																																																																																																																						




Mode	8																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.57</td><td>74.00</td><td>-33.43</td><td>60.41</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.38</td><td>74.00</td><td>-31.62</td><td>58.65</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.57	74.00	-33.43	60.41	33.92	11.59	65.35	0.00	---	---	PEAK	2	7440.00	42.38	74.00	-31.62	58.65	35.00	14.23	66.30	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.42</td><td>74.00</td><td>-33.58</td><td>60.26</td><td>33.92</td><td>11.59</td><td>65.35</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.05</td><td>74.00</td><td>-30.95</td><td>59.32</td><td>35.00</td><td>14.23</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.42	74.00	-33.58	60.26	33.92	11.59	65.35	0.00	---	---	PEAK	2	7440.00	43.05	74.00	-30.95	59.32	35.00	14.23	66.30	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.57	74.00	-33.43	60.41	33.92	11.59	65.35	0.00	---	---	PEAK																																																																																																																		
2	7440.00	42.38	74.00	-31.62	58.65	35.00	14.23	66.30	0.00	---	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.42	74.00	-33.58	60.26	33.92	11.59	65.35	0.00	---	---	PEAK																																																																																																																		
2	7440.00	43.05	74.00	-30.95	59.32	35.00	14.23	66.30	0.00	---	---	PEAK																																																																																																																		
																																																																																																																														

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 00



DH5 on time (Count Pulses) Plot on Channel 00



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.