












FR1 N77 MIMO_ANT7

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0004	PASS	NV
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0002	PASS	LV
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0003	PASS	HV
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0000	PASS	-30°C
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0006	PASS	-20°C
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0015	PASS	-10°C
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0018	PASS	0°C
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0016	PASS	10°C
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0007	PASS	20°C
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0024	PASS	30°C
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0002	PASS	40°C
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	0.0008	PASS	50°C




Peak to Average Ratio

Test Result

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Result	Verdict
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	7.68	13
77	30	20	656000	3840.0	CP-OFDM QPSK	1@0	7.82	13
77	30	20	656000	3840.0	CP-OFDM 16 QAM	51@0	7.76	13
77	30	20	656000	3840.0	CP-OFDM 16 QAM	1@0	8.59	13



Test Graphs






Occupied Bandwidth


Test Result

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	OBW(MHz)	26dB OBW(MHz)
77	30	20	656000	3840.0	CP-OFDM QPSK	51@0	18.24	19.12
77	30	20	656000	3840.0	CP-OFDM 16 QAM	51@0	18.2	19.56
77	30	30	656000	3840.0	CP-OFDM QPSK	78@0	27.87	29.18
77	30	30	656000	3840.0	CP-OFDM 16 QAM	78@0	27.89	29.41
77	30	40	656000	3840.0	CP-OFDM QPSK	106@0	37.84	39.52
77	30	40	656000	3840.0	CP-OFDM 16 QAM	106@0	37.9	39.29
77	30	60	656000	3840.0	CP-OFDM QPSK	162@0	57.79	59.82
77	30	60	656000	3840.0	CP-OFDM 16 QAM	162@0	57.96	59.75
77	30	80	656000	3840.0	CP-OFDM QPSK	217@0	77.38	80.63
77	30	80	656000	3840.0	CP-OFDM 16 QAM	217@0	77.42	79.87
77	30	100	656000	3840.0	CP-OFDM QPSK	273@0	97.4	100.3
77	30	100	656000	3840.0	CP-OFDM 16 QAM	273@0	97.65	101.5



Test Graphs








Conducted Spurious Emissions


Test Result


NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Result	Verdict
77	30	20	647334	3710.01	CP-OFDM QPSK	1@0	See graph	---
77	30	20	647334	3710.01	CP-OFDM QPSK	1@0	See graph	PASS
77	30	20	656000	3840.0	CP-OFDM QPSK	1@0	See graph	---
77	30	20	656000	3840.0	CP-OFDM QPSK	1@0	See graph	PASS
77	30	20	664666	3969.99	CP-OFDM QPSK	1@0	See graph	---
77	30	20	664666	3969.99	CP-OFDM QPSK	1@0	See graph	PASS
77	30	60	648668	3730.02	CP-OFDM QPSK	1@0	See graph	---
77	30	60	648668	3730.02	CP-OFDM QPSK	1@0	See graph	PASS
77	30	60	656000	3840.0	CP-OFDM QPSK	1@0	See graph	---
77	30	60	656000	3840.0	CP-OFDM QPSK	1@0	See graph	PASS
77	30	60	663332	3949.98	CP-OFDM QPSK	1@0	See graph	---
77	30	60	663332	3949.98	CP-OFDM QPSK	1@0	See graph	PASS
77	30	100	650000	3750.0	CP-OFDM QPSK	1@0	See graph	---
77	30	100	650000	3750.0	CP-OFDM QPSK	1@0	See graph	PASS
77	30	100	656000	3840.0	CP-OFDM QPSK	1@0	See graph	---
77	30	100	656000	3840.0	CP-OFDM QPSK	1@0	See graph	PASS
77	30	100	662000	3930.0	CP-OFDM QPSK	1@0	See graph	---
77	30	100	662000	3930.0	CP-OFDM QPSK	1@0	See graph	PASS



Test Graphs










Conducted Band Edge


Test Result


NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Result	Verdict
77	30	20	647334	3710.01	CP-OFDM QPSK	1@0	See graph	PASS
77	30	20	647334	3710.01	CP-OFDM 16 QAM	1@0	See graph	PASS
77	30	20	647334	3710.01	CP-OFDM QPSK	51@0	See graph	PASS
77	30	20	647334	3710.01	CP-OFDM 16 QAM	51@0	See graph	PASS
77	30	20	664666	3969.99	CP-OFDM QPSK	1@50	See graph	PASS
77	30	20	664666	3969.99	CP-OFDM 16 QAM	1@50	See graph	PASS
77	30	20	664666	3969.99	CP-OFDM QPSK	51@0	See graph	PASS
77	30	20	664666	3969.99	CP-OFDM 16 QAM	51@0	See graph	PASS
77	30	60	648668	3730.02	CP-OFDM QPSK	1@0	See graph	PASS
77	30	60	648668	3730.02	CP-OFDM 16 QAM	1@0	See graph	PASS
77	30	60	648668	3730.02	CP-OFDM QPSK	162@0	See graph	PASS
77	30	60	648668	3730.02	CP-OFDM 16 QAM	162@0	See graph	PASS
77	30	60	663332	3949.98	CP-OFDM QPSK	1@161	See graph	PASS
77	30	60	663332	3949.98	CP-OFDM 16 QAM	1@161	See graph	PASS
77	30	60	663332	3949.98	CP-OFDM QPSK	162@0	See graph	PASS
77	30	60	663332	3949.98	CP-OFDM 16 QAM	162@0	See graph	PASS
77	30	100	650000	3750.0	CP-OFDM QPSK	1@0	See graph	PASS
77	30	100	650000	3750.0	CP-OFDM 16 QAM	1@0	See graph	PASS
77	30	100	650000	3750.0	CP-OFDM QPSK	273@0	See graph	PASS
77	30	100	650000	3750.0	CP-OFDM 16 QAM	273@0	See graph	PASS
77	30	100	662000	3930.0	CP-OFDM QPSK	1@272	See graph	PASS
77	30	100	662000	3930.0	CP-OFDM 16 QAM	1@272	See graph	PASS
77	30	100	662000	3930.0	CP-OFDM QPSK	273@0	See graph	PASS
77	30	100	662000	3930.0	CP-OFDM 16 QAM	273@0	See graph	PASS




Test Graphs









FR1 N78_ANT7

Transmitter Conducted Output Power And EIRP, ($G_T - L_C$)= -0.4 dB

NR Band	SCS	Band Width	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP(W)
78	30	20	647334	3710.01	DFT-s-OFDM PI/2 BPSK	1@1	27.22	26.82	0.4808
78	30	20	647334	3710.01	DFT-s-OFDM QPSK	1@1	27.24	26.84	0.4831
78	30	20	647334	3710.01	DFT-s-OFDM 16 QAM	1@1	26.21	25.81	0.3811
78	30	20	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.65	26.25	0.4217
78	30	20	650000	3750	DFT-s-OFDM QPSK	1@1	26.64	26.24	0.4207
78	30	20	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.80	25.40	0.3467
78	30	20	652666	3789.99	DFT-s-OFDM PI/2 BPSK	1@1	27.18	26.78	0.4764
78	30	20	652666	3789.99	DFT-s-OFDM QPSK	1@1	27.19	26.79	0.4775
78	30	20	652666	3789.99	DFT-s-OFDM 16 QAM	1@1	26.23	25.83	0.3828
78	30	30	647668	3715.02	DFT-s-OFDM PI/2 BPSK	1@1	27.19	26.79	0.4775
78	30	30	647668	3715.02	DFT-s-OFDM QPSK	1@1	27.17	26.77	0.4753
78	30	30	647668	3715.02	DFT-s-OFDM 16 QAM	1@1	26.25	25.85	0.3846
78	30	30	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.76	26.36	0.4325
78	30	30	650000	3750	DFT-s-OFDM QPSK	1@1	26.71	26.31	0.4276
78	30	30	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.85	25.45	0.3508
78	30	30	652332	3784.98	DFT-s-OFDM PI/2 BPSK	1@1	27.15	26.75	0.4732
78	30	30	652332	3784.98	DFT-s-OFDM QPSK	1@1	27.09	26.69	0.4667
78	30	30	652332	3784.98	DFT-s-OFDM 16 QAM	1@1	26.12	25.72	0.3733
78	30	40	648000	3720	DFT-s-OFDM PI/2 BPSK	1@1	27.22	26.82	0.4808
78	30	40	648000	3720	DFT-s-OFDM QPSK	1@1	27.23	26.83	0.4819
78	30	40	648000	3720	DFT-s-OFDM 16 QAM	1@1	26.37	25.97	0.3954
78	30	40	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	27.07	26.67	0.4645
78	30	40	650000	3750	DFT-s-OFDM QPSK	1@1	27.06	26.66	0.4634
78	30	40	650000	3750	DFT-s-OFDM 16 QAM	1@1	26.22	25.82	0.3819
78	30	40	652000	3780	DFT-s-OFDM PI/2 BPSK	1@1	27.04	26.64	0.4613
78	30	40	652000	3780	DFT-s-OFDM QPSK	1@1	27.11	26.71	0.4688
78	30	40	652000	3780	DFT-s-OFDM 16 QAM	1@1	26.20	25.80	0.3802
78	30	50	648334	3725.01	DFT-s-OFDM PI/2 BPSK	1@1	27.03	26.63	0.4603
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@1	27.07	26.67	0.4645



78	30	50	648334	3725.01	DFT-s-OFDM 16 QAM	1@1	26.19	25.79	0.3793
78	30	50	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.87	26.47	0.4436
78	30	50	650000	3750	DFT-s-OFDM QPSK	1@1	26.84	26.44	0.4406
78	30	50	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.91	25.51	0.3556
78	30	50	651666	3774.99	DFT-s-OFDM PI/2 BPSK	1@1	26.48	26.08	0.4055
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	1@1	26.53	26.13	0.4102
78	30	50	651666	3774.99	DFT-s-OFDM 16 QAM	1@1	25.58	25.18	0.3296
78	30	60	648668	3730.02	DFT-s-OFDM PI/2 BPSK	1@1	27.00	26.60	0.4571
78	30	60	648668	3730.02	DFT-s-OFDM QPSK	1@1	26.99	26.59	0.4560
78	30	60	648668	3730.02	DFT-s-OFDM 16 QAM	1@1	26.13	25.73	0.3741
78	30	60	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.89	26.49	0.4457
78	30	60	650000	3750	DFT-s-OFDM QPSK	1@1	26.89	26.49	0.4457
78	30	60	650000	3750	DFT-s-OFDM 16 QAM	1@1	26.00	25.60	0.3631
78	30	60	651332	3769.98	DFT-s-OFDM PI/2 BPSK	1@1	26.55	26.15	0.4121
78	30	60	651332	3769.98	DFT-s-OFDM QPSK	1@1	26.54	26.14	0.4111
78	30	60	651332	3769.98	DFT-s-OFDM 16 QAM	1@1	25.60	25.20	0.3311
78	30	70	649000	3735	DFT-s-OFDM PI/2 BPSK	1@1	27.05	26.65	0.4624
78	30	70	649000	3735	DFT-s-OFDM QPSK	1@1	26.95	26.55	0.4519
78	30	70	649000	3735	DFT-s-OFDM 16 QAM	1@1	26.01	25.61	0.3639
78	30	70	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.93	26.53	0.4498
78	30	70	650000	3750	DFT-s-OFDM QPSK	1@1	26.87	26.47	0.4436
78	30	70	650000	3750	DFT-s-OFDM 16 QAM	1@1	25.94	25.54	0.3581
78	30	70	651000	3765	DFT-s-OFDM PI/2 BPSK	1@1	26.72	26.32	0.4285
78	30	70	651000	3765	DFT-s-OFDM QPSK	1@1	26.75	26.35	0.4315
78	30	70	651000	3765	DFT-s-OFDM 16 QAM	1@1	25.89	25.49	0.3540
78	30	80	649334	3740.01	DFT-s-OFDM PI/2 BPSK	1@1	26.91	26.51	0.4477
78	30	80	649334	3740.01	DFT-s-OFDM QPSK	1@1	26.93	26.53	0.4498
78	30	80	649334	3740.01	DFT-s-OFDM 16 QAM	1@1	26.11	25.71	0.3724
78	30	80	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.86	26.46	0.4426
78	30	80	650000	3750	DFT-s-OFDM QPSK	1@1	26.92	26.52	0.4487
78	30	80	650000	3750	DFT-s-OFDM 16 QAM	1@1	26.00	25.60	0.3631
78	30	80	650666	3759.99	DFT-s-OFDM PI/2 BPSK	1@1	26.95	26.55	0.4519
78	30	80	650666	3759.99	DFT-s-OFDM QPSK	1@1	26.97	26.57	0.4539
78	30	80	650666	3759.99	DFT-s-OFDM 16 QAM	1@1	26.00	25.60	0.3631



78	30	90	649668	3745.02	DFT-s-OFDM PI/2 BPSK	1@1	27.01	26.61	0.4581
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@1	26.96	26.56	0.4529
78	30	90	649668	3745.02	DFT-s-OFDM 16 QAM	1@1	26.00	25.60	0.3631
78	30	90	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.93	26.53	0.4498
78	30	90	650000	3750	DFT-s-OFDM QPSK	1@1	26.83	26.43	0.4395
78	30	90	650000	3750	DFT-s-OFDM 16 QAM	1@1	26.00	25.60	0.3631
78	30	90	650332	3754.98	DFT-s-OFDM PI/2 BPSK	1@1	26.89	26.49	0.4457
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	1@1	26.87	26.47	0.4436
78	30	90	650332	3754.98	DFT-s-OFDM 16 QAM	1@1	26.04	25.64	0.3664
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@1	26.90	26.50	0.4467
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@0	23.15	22.75	0.1884
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	1@271	26.51	26.11	0.4083
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	2@0	23.29	22.89	0.1945
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	135@67	26.71	26.31	0.4276
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	2@271	22.94	22.54	0.1795
78	30	100	650000	3750	DFT-s-OFDM PI/2 BPSK	270@0	26.27	25.87	0.3864
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@1	26.94	26.54	0.4508
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@0	23.18	22.78	0.1897
78	30	100	650000	3750	DFT-s-OFDM QPSK	1@271	26.50	26.10	0.4074
78	30	100	650000	3750	DFT-s-OFDM QPSK	2@0	23.23	22.83	0.1919
78	30	100	650000	3750	DFT-s-OFDM QPSK	135@67	26.66	26.26	0.4227
78	30	100	650000	3750	DFT-s-OFDM QPSK	2@271	22.87	22.47	0.1766
78	30	100	650000	3750	DFT-s-OFDM QPSK	270@0	25.72	25.32	0.3404
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	1@1	26.08	25.68	0.3698
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	1@1	24.26	23.86	0.2432
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	1@1	22.19	21.79	0.1510
78	30	100	650000	3750	DFT-s-OFDM 16 QAM	270@0	24.67	24.27	0.2673
78	30	100	650000	3750	DFT-s-OFDM 64 QAM	270@0	24.19	23.79	0.2393
78	30	100	650000	3750	DFT-s-OFDM 256 QAM	270@0	21.99	21.59	0.1442
78	30	100	650000	3750	CP-OFDM QPSK	1@1	25.35	24.95	0.3126
78	30	100	650000	3750	CP-OFDM 16 QAM	1@1	24.91	24.51	0.2825
78	30	100	650000	3750	CP-OFDM 64 QAM	1@1	23.42	23.02	0.2004

FR1 N78_ANT4

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0016	PASS	NV
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0013	PASS	LV
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0009	PASS	HV
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0000	PASS	-30°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0012	PASS	-20°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0021	PASS	-10°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0014	PASS	0°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0013	PASS	10°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0027	PASS	20°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0018	PASS	30°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0015	PASS	40°C
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	0.0014	PASS	50°C




Peak to Average Ratio

Test Result

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Result	Verdict
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	50@0	3.99	13
78	30	20	650000	3750.0	DFT-s-OFDM PI/2 BPSK	1@0	4.29	13
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	50@0	5.13	13
78	30	20	650000	3750.0	DFT-s-OFDM QPSK	1@0	5.54	13



Test Graphs






Occupied Bandwidth

Test Result

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	OBW(MHz)	26dB OBW(MHz)
78	30	50	650000	3750.0	CP-OFDM QPSK	133@0	47.48	49.45
78	30	50	650000	3750.0	CP-OFDM 16 QAM	133@0	47.43	49.47
78	30	70	650000	3750.0	CP-OFDM QPSK	189@0	67.5	69.82
78	30	70	650000	3750.0	CP-OFDM 16 QAM	189@0	67.5	70.25
78	30	90	650000	3750.0	CP-OFDM QPSK	245@0	87.12	90.11
78	30	90	650000	3750.0	CP-OFDM 16 QAM	245@0	87.57	90.15



Test Graphs






Conducted Spurious Emissions


Test Result


NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Result	Verdict
78	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	See graph	---
78	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	50	650000	3750.0	DFT-s-OFDM BPSK	1@0	See graph	---
78	30	50	650000	3750.0	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	50	651666	3774.99	DFT-s-OFDM BPSK	1@0	See graph	---
78	30	50	651666	3774.99	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	70	649000	3735.0	DFT-s-OFDM BPSK	1@0	See graph	---
78	30	70	649000	3735.0	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	70	650000	3750.0	DFT-s-OFDM BPSK	1@0	See graph	---
78	30	70	650000	3750.0	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	70	651000	3765.0	DFT-s-OFDM BPSK	1@0	See graph	---
78	30	70	651000	3765.0	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	90	649668	3745.02	DFT-s-OFDM BPSK	1@0	See graph	---
78	30	90	649668	3745.02	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	90	650000	3750.0	DFT-s-OFDM BPSK	1@0	See graph	---
78	30	90	650000	3750.0	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	90	650332	3754.98	DFT-s-OFDM BPSK	1@0	See graph	---
78	30	90	650332	3754.98	DFT-s-OFDM BPSK	1@0	See graph	PASS



Test Graphs







Conducted Band Edge

Test Result

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Result	Verdict
78	30	50	648334	3725.01	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	1@0	See graph	PASS
78	30	50	648334	3725.01	DFT-s-OFDM BPSK	128@0	See graph	PASS
78	30	50	648334	3725.01	DFT-s-OFDM QPSK	128@0	See graph	PASS
78	30	50	651666	3774.99	DFT-s-OFDM BPSK	1@132	See graph	PASS
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	1@132	See graph	PASS
78	30	50	651666	3774.99	DFT-s-OFDM BPSK	128@0	See graph	PASS
78	30	50	651666	3774.99	DFT-s-OFDM QPSK	128@0	See graph	PASS
78	30	70	649000	3735.0	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	70	649000	3735.0	DFT-s-OFDM QPSK	1@0	See graph	PASS
78	30	70	649000	3735.0	DFT-s-OFDM BPSK	180@0	See graph	PASS
78	30	70	649000	3735.0	DFT-s-OFDM QPSK	180@0	See graph	PASS
78	30	70	651000	3765.0	DFT-s-OFDM BPSK	1@188	See graph	PASS
78	30	70	651000	3765.0	DFT-s-OFDM QPSK	1@188	See graph	PASS
78	30	70	651000	3765.0	DFT-s-OFDM BPSK	180@0	See graph	PASS
78	30	70	651000	3765.0	DFT-s-OFDM QPSK	180@0	See graph	PASS
78	30	90	649668	3745.02	DFT-s-OFDM BPSK	1@0	See graph	PASS
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	1@0	See graph	PASS
78	30	90	649668	3745.02	DFT-s-OFDM BPSK	243@0	See graph	PASS
78	30	90	649668	3745.02	DFT-s-OFDM QPSK	243@0	See graph	PASS
78	30	90	650332	3754.98	DFT-s-OFDM BPSK	1@244	See graph	PASS
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	1@244	See graph	PASS
78	30	90	650332	3754.98	DFT-s-OFDM BPSK	243@0	See graph	PASS
78	30	90	650332	3754.98	DFT-s-OFDM QPSK	243@0	See graph	PASS



Test Graphs

