



Label location

LOGO
H≥3mm

Arial-Bold 3PT

DATALOGIC

Datalogic S.r.l.
Via San Vitalino, 13
40012 Lippo di Calderara di Reno (BO) - Italy

MOBILE COMPUTER/BARCODE READER
FALCON X60 000AC6SAW2GF2AN-WRD
Model: CMFSWF
FCC ID: U4G-CMFSWF IC: 3862E-CMFSWF
PATENT: See www.patents.datalogic.com for patent list
INPUT RATING: 5-10Vdc, Max 3A, 15W Max
US:

UK CA CE

Wi-Fi CERTIFIED

Made in China

LOGO
H≥3mm


Arial-Bold 3PT

DATALOGIC


HVIN: AW2GF0
TYPE: 000AC6SAW2GF2AN-WRD
MFD: YYMMDD
PMN: FALCON X60
PN: 946600001
SN: XXXXXXXXXX
QTY: 1

PN SN


SKU 1



SKU 2



SKU 3



SKU 4

LOGO
 $H \geq 3\text{mm}$
 Arial-Bold 3PT



DataLogic S.r.l.
 Via San Vitalino, 13
 40012 Lippo di Calderara di Reno (BO) - Italy

UK
CA
CE








CERTIFIED
 Made in China

MOBILE COMPUTER/BARCODE READER
 FALCON X60 000AC65X22GN2AN-WRD
 Model: CMFSWF
 FCC ID: U4G-CMFSWF
 IC: 3862E-CMFSWF
 PATENT: See www.patents.datalogic.com for patent list
 INPUT RATING: 5-10Vdc, Max 3A, 15W Max
 US:

LOGO
 $H \geq 3\text{mm}$
 Arial-Bold 3PT



HVIN: X22GN0
 TYPE: 000AC65X22GN2AN-WRD
 MFD: YYMMDD
 PMN: FALCON X60
 PN: 946600005
 SN: XXXXXXXXXX
 QTY: 1




PN
 SN

SKU 5

LOGO
 $H \geq 3\text{mm}$
 Arial-Bold 3PT



DataLogic S.r.l.
 Via San Vitalino, 13
 40012 Lippo di Calderara di Reno (BO) - Italy

UK
CA
CE








CERTIFIED
 Made in China

MOBILE COMPUTER/BARCODE READER
 FALCON X60 000AC65AW2GS2AN-WRD
 Model: CMFSWF
 FCC ID: U4G-CMFSWF
 IC: 3862E-CMFSWF
 PATENT: See www.patents.datalogic.com for patent list
 INPUT RATING: 5-10Vdc, Max 3A, 15W Max
 US:

LOGO
 $H \geq 3\text{mm}$
 Arial-Bold 3PT



HVIN: AW2GS0
 TYPE: 000AC65AW2GS2AN-WRD
 MFD: YYMMDD
 PMN: FALCON X60
 PN: 946600003
 SN: XXXXXXXXXX
 QTY: 1




PN
 SN

SKU 6

LOGO
 $H \geq 3\text{mm}$
 Arial-Bold 3PT



DataLogic S.r.l.
 Via San Vitalino, 13
 40012 Lippo di Calderara di Reno (BO) - Italy

UK
CA
CE








CERTIFIED
 Made in China

MOBILE COMPUTER/BARCODE READER
 FALCON X60 000AC65XW2GF2AN-WRD
 Model: CMFSWF
 FCC ID: U4G-CMFSWF
 IC: 3862E-CMFSWF
 PATENT: See www.patents.datalogic.com for patent list
 INPUT RATING: 5-10Vdc, Max 3A, 15W Max
 US:

LOGO
 $H \geq 3\text{mm}$
 Arial-Bold 3PT




HVIN: XW2GF0
 TYPE: 000AC65XW2GF2AN-WRD
 MFD: YYMMDD
 PMN: FALCON X60
 PN: 946600007
 SN: XXXXXXXXXX
 QTY: 1





PN
 SN


SKU 7




SKU 8




SKU 9




SKU 10




SKU 11




SKU 12



SKU 13



SKU 14



SKU 15