


Project Information			
Mode:	802.11ax20 RU52right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y;power setting 15		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	58.42	49.25	-22.63	26.62	40.00	13.38	Vertical	PASS
2	132.83	53.76	-26.03	27.73	43.50	15.77	Vertical	PASS
3	205.05	53.07	-23.45	29.62	43.50	13.88	Vertical	PASS
4	374.27	46.42	-17.62	28.80	47.00	18.20	Vertical	PASS
5	452.60	51.73	-17.08	34.65	47.00	12.35	Vertical	PASS
6	571.19	44.47	-13.53	30.94	47.00	16.06	Vertical	PASS

Test Result Above 1GHz


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4824.50	44.56	-6.79	37.77	54.00	16.23	Horizontal	PASS
2	9590.50	36.16	3.32	39.48	54.00	14.52	Horizontal	PASS
3	17888.50	32.65	13.63	46.28	54.00	7.72	Horizontal	PASS
4	2412.90	107.82	1.26	109.08	-	-	Horizontal	NA
5	4824.50	47.84	-6.79	41.05	74.00	32.95	Horizontal	PASS
6	9398.00	44.68	2.71	47.39	74.00	26.61	Horizontal	PASS
7	17286.00	41.85	11.56	53.41	74.00	20.59	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4824.50	44.81	-6.79	38.02	54.00	15.98	Vertical	PASS
2	9951.00	36.55	3.48	40.03	54.00	13.97	Vertical	PASS
3	17809.00	33.49	12.58	46.07	54.00	7.93	Vertical	PASS
4	2412.90	104.29	1.26	105.55	-	-	Vertical	NA
5	4824.00	48.44	-6.79	41.65	74.00	32.35	Vertical	PASS
6	9021.50	45.27	2.40	47.67	74.00	26.33	Vertical	PASS
7	17763.50	41.17	12.35	53.52	74.00	20.48	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4874.50	44.75	-6.81	37.94	54.00	16.06	Horizontal	PASS
2	10026.00	36.83	3.36	40.19	54.00	13.81	Horizontal	PASS
3	17882.00	33.16	13.54	46.70	54.00	7.30	Horizontal	PASS
4	2437.90	106.76	1.53	108.29	-	-	Horizontal	NA
5	4874.00	48.67	-6.81	41.86	74.00	32.14	Horizontal	PASS
6	9391.50	44.59	2.74	47.33	74.00	26.67	Horizontal	PASS
7	17704.50	41.80	12.18	53.98	74.00	20.02	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	6
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4874.50	43.66	-6.81	36.85	54.00	17.15	Vertical	PASS
2	10524.50	36.68	4.27	40.95	54.00	13.05	Vertical	PASS
3	17879.00	32.47	13.50	45.97	54.00	8.03	Vertical	PASS
4	2437.90	104.19	1.53	105.72	-	-	Vertical	NA
5	4874.00	47.71	-6.81	40.90	74.00	33.10	Vertical	PASS
6	10184.00	44.41	3.99	48.40	74.00	25.60	Vertical	PASS
7	17888.00	39.71	13.63	53.34	74.00	20.66	Vertical	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4924.50	40.85	-6.64	34.21	54.00	19.79	Horizontal	PASS
2	8866.00	36.94	2.57	39.51	54.00	14.49	Horizontal	PASS
3	17889.50	33.07	13.64	46.71	54.00	7.29	Horizontal	PASS
4	2462.90	106.89	1.69	108.58	-	-	Horizontal	NA
5	5044.50	45.89	-6.13	39.76	74.00	34.24	Horizontal	PASS
6	8641.50	44.51	1.79	46.30	74.00	27.70	Horizontal	PASS
7	17799.00	41.31	12.46	53.77	74.00	20.23	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5033.50	39.26	-6.17	33.09	54.00	20.91	Vertical	PASS
2	9241.50	36.36	3.43	39.79	54.00	14.21	Vertical	PASS
3	17885.00	32.23	13.58	45.81	54.00	8.19	Vertical	PASS
4	2462.90	104.74	1.69	106.43	-	-	Vertical	NA
5	5191.50	46.74	-5.83	40.91	74.00	33.09	Vertical	PASS
6	8819.00	45.21	2.64	47.85	74.00	26.15	Vertical	PASS
7	17655.00	41.24	11.95	53.19	74.00	20.81	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	6
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5049.00	38.96	-6.12	32.84	54.00	21.16	Horizontal	PASS
2	8909.00	37.21	2.56	39.77	54.00	14.23	Horizontal	PASS
3	17936.00	32.51	13.52	46.03	54.00	7.97	Horizontal	PASS
4	2437.70	107.78	1.53	109.31	-	-	Horizontal	NA
5	4506.50	47.93	-7.57	40.36	74.00	33.64	Horizontal	PASS
6	8833.50	44.42	2.60	47.02	74.00	26.98	Horizontal	PASS
7	17884.50	40.21	13.58	53.79	74.00	20.21	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	6
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4616.00	39.54	-6.89	32.65	54.00	21.35	Vertical	PASS
2	8629.00	37.35	1.81	39.16	54.00	14.84	Vertical	PASS
3	17885.00	32.97	13.58	46.55	54.00	7.45	Vertical	PASS
4	2436.00	105.09	1.50	106.59	-	-	Vertical	NA
5	4894.00	46.15	-6.76	39.39	74.00	34.61	Vertical	PASS
6	8780.50	43.23	2.53	45.76	74.00	28.24	Vertical	PASS
7	17791.50	41.66	12.43	54.09	74.00	19.91	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5135.00	38.44	-5.74	32.70	54.00	21.30	Horizontal	PASS
2	10079.50	36.39	3.72	40.11	54.00	13.89	Horizontal	PASS
3	17889.00	32.87	13.64	46.51	54.00	7.49	Horizontal	PASS
4	2414.30	108.99	1.28	110.27	-	-	Horizontal	NA
5	5015.00	47.25	-6.24	41.01	74.00	32.99	Horizontal	PASS
6	10134.50	43.67	3.92	47.59	74.00	26.41	Horizontal	PASS
7	17695.50	41.59	12.15	53.74	74.00	20.26	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4825.50	40.25	-6.79	33.46	54.00	20.54	Vertical	PASS
2	9413.50	37.11	2.70	39.81	54.00	14.19	Vertical	PASS
3	17869.00	32.34	13.37	45.71	54.00	8.29	Vertical	PASS
4	2413.20	105.85	1.26	107.11	-	-	Vertical	NA
5	5292.50	45.98	-5.26	40.72	74.00	33.28	Vertical	PASS
6	9462.50	44.59	2.76	47.35	74.00	26.65	Vertical	PASS
7	17965.00	40.26	13.31	53.57	74.00	20.43	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4651.00	39.16	-6.87	32.29	54.00	21.71	Horizontal	PASS
2	9146.50	36.42	3.23	39.65	54.00	14.35	Horizontal	PASS
3	17934.00	32.74	13.54	46.28	54.00	7.72	Horizontal	PASS
4	2418.30	105.99	1.31	107.30	-	-	Horizontal	NA
5	4619.50	46.59	-6.89	39.70	74.00	34.30	Horizontal	PASS
6	9390.50	44.43	2.75	47.18	74.00	26.82	Horizontal	PASS
7	17981.50	41.03	13.20	54.23	74.00	19.77	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4615.00	39.56	-6.89	32.67	54.00	21.33	Vertical	PASS
2	9583.00	36.47	3.30	39.77	54.00	14.23	Vertical	PASS
3	17892.00	32.15	13.67	45.82	54.00	8.18	Vertical	PASS
4	2424.00	105.25	1.38	106.63	-	-	Vertical	NA
5	4567.50	46.89	-7.16	39.73	74.00	34.27	Vertical	PASS
6	9139.00	43.80	3.16	46.96	74.00	27.04	Vertical	PASS
7	15075.50	44.39	10.42	54.81	74.00	19.19	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	6
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5438.50	39.34	-5.27	34.07	54.00	19.93	Horizontal	PASS
2	11148.00	36.28	5.61	41.89	54.00	12.11	Horizontal	PASS
3	17943.50	32.70	13.46	46.16	54.00	7.84	Horizontal	PASS
4	2439.30	111.45	1.55	113.00	-	-	Horizontal	NA
5	5018.00	46.48	-6.23	40.25	74.00	33.75	Horizontal	PASS
6	11126.50	44.92	5.50	50.42	74.00	23.58	Horizontal	PASS
7	17902.50	40.46	13.76	54.22	74.00	19.78	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	6
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4872.50	39.98	-6.82	33.16	54.00	20.84	Vertical	PASS
2	9468.00	36.79	2.79	39.58	54.00	14.42	Vertical	PASS
3	17930.50	32.75	13.56	46.31	54.00	7.69	Vertical	PASS
4	2439.60	110.76	1.55	112.31	-	-	Vertical	NA
5	4872.50	48.38	-6.82	41.56	74.00	32.44	Vertical	PASS
6	9466.00	44.47	2.78	47.25	74.00	26.75	Vertical	PASS
7	17933.50	40.07	13.53	53.60	74.00	20.40	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5171.00	38.45	-5.77	32.68	54.00	21.32	Horizontal	PASS
2	8749.50	37.05	2.28	39.33	54.00	14.67	Horizontal	PASS
3	17881.00	32.60	13.53	46.13	54.00	7.87	Horizontal	PASS
4	2419.40	108.79	1.33	110.12	-	-	Horizontal	NA
5	4946.50	46.43	-6.54	39.89	74.00	34.11	Horizontal	PASS
6	8922.50	44.64	2.50	47.14	74.00	26.86	Horizontal	PASS
7	17724.50	40.77	12.24	53.01	74.00	20.99	Horizontal	PASS


Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5457.00	38.61	-5.19	33.42	54.00	20.58	Vertical	PASS
2	9292.00	36.08	3.49	39.57	54.00	14.43	Vertical	PASS
3	17866.00	33.15	13.33	46.48	54.00	7.52	Vertical	PASS
4	2423.00	107.14	1.37	108.51	-	-	Vertical	NA
5	5115.50	46.20	-5.80	40.40	74.00	33.60	Vertical	PASS
6	9389.00	44.48	2.76	47.24	74.00	26.76	Vertical	PASS
7	17712.00	41.62	12.21	53.83	74.00	20.17	Vertical	PASS


Project Information			
Mode:	802.11ax20 RU26right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4940.50	38.10	-6.56	31.54	54.00	22.46	Horizontal	PASS
2	9565.00	35.88	3.24	39.12	54.00	14.88	Horizontal	PASS
3	17906.00	31.68	13.73	45.41	54.00	8.59	Horizontal	PASS
4	2470.40	110.16	1.72	111.88	-	-	Horizontal	NA
5	4942.00	48.51	-6.56	41.95	74.00	32.05	Horizontal	PASS
6	9143.50	42.93	3.19	46.12	74.00	27.88	Horizontal	PASS
7	17855.50	39.61	13.19	52.80	74.00	21.20	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4788.50	38.76	-6.71	32.05	54.00	21.95	Vertical	PASS
2	9579.00	37.42	3.28	40.70	54.00	13.30	Vertical	PASS
3	17938.00	31.30	13.50	44.80	54.00	9.20	Vertical	PASS
4	2471.00	111.69	1.71	113.40	-	-	Vertical	NA
5	4941.50	51.60	-6.56	45.04	74.00	28.96	Vertical	PASS
6	9571.50	45.71	3.26	48.97	74.00	25.03	Vertical	PASS
7	17883.50	39.08	13.57	52.65	74.00	21.35	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5389.00	37.34	-5.36	31.98	54.00	22.02	Horizontal	PASS
2	11178.00	33.98	5.76	39.74	54.00	14.26	Horizontal	PASS
3	17905.00	31.84	13.74	45.58	54.00	8.42	Horizontal	PASS
4	2468.70	107.82	1.71	109.53	-	-	Horizontal	NA
5	4939.50	46.48	-6.57	39.91	74.00	34.09	Horizontal	PASS
6	9474.00	43.08	2.82	45.90	74.00	28.10	Horizontal	PASS
7	17928.00	39.28	13.58	52.86	74.00	21.14	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4796.00	38.63	-6.71	31.92	54.00	22.08	Vertical	PASS
2	9594.50	35.83	3.33	39.16	54.00	14.84	Vertical	PASS
3	17893.00	31.69	13.69	45.38	54.00	8.62	Vertical	PASS
4	2469.40	108.67	1.72	110.39	-	-	Vertical	NA
5	4938.00	50.00	-6.57	43.43	74.00	30.57	Vertical	PASS
6	9556.50	44.03	3.21	47.24	74.00	26.76	Vertical	PASS
7	17786.50	40.03	12.42	52.45	74.00	21.55	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106left	Band:	-
Bandwidth	20MHz	Channel	6
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	6137.50	37.41	-3.60	33.81	54.00	20.19	Horizontal	PASS
2	11303.50	34.06	5.80	39.86	54.00	14.14	Horizontal	PASS
3	17887.00	31.72	13.60	45.32	54.00	8.68	Horizontal	PASS
4	2429.90	107.33	1.44	108.77	-	-	Horizontal	NA
5	5345.50	44.89	-5.24	39.65	74.00	34.35	Horizontal	PASS
6	10217.50	43.77	3.99	47.76	74.00	26.24	Horizontal	PASS
7	17781.00	40.58	12.40	52.98	74.00	21.02	Horizontal	PASS


Project Information			
Mode:	802.11ax20 RU106left	Band:	-
Bandwidth	20MHz	Channel	6
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5180.50	38.18	-5.80	32.38	54.00	21.62	Vertical	PASS
2	9472.00	36.31	2.81	39.12	54.00	14.88	Vertical	PASS
3	17879.00	31.37	13.50	44.87	54.00	9.13	Vertical	PASS
4	2428.20	107.95	1.42	109.37	-	-	Vertical	NA
5	5180.50	45.47	-5.80	39.67	74.00	34.33	Vertical	PASS
6	9523.00	44.25	3.05	47.30	74.00	26.70	Vertical	PASS
7	17940.00	39.38	13.49	52.87	74.00	21.13	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4765.50	38.10	-6.74	31.36	54.00	22.64	Horizontal	PASS
2	6960.50	39.77	-1.08	38.69	54.00	15.31	Horizontal	PASS
3	17897.00	31.32	13.74	45.06	54.00	8.94	Horizontal	PASS
4	2416.20	103.42	1.29	104.71	-	-	Horizontal	NA
5	4784.00	45.63	-6.72	38.91	74.00	35.09	Horizontal	PASS
6	8054.00	43.55	0.63	44.18	74.00	29.82	Horizontal	PASS
7	17800.50	40.22	12.47	52.69	74.00	21.31	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5037.50	37.91	-6.16	31.75	54.00	22.25	Vertical	PASS
2	11324.00	34.33	5.71	40.04	54.00	13.96	Vertical	PASS
3	17909.00	31.41	13.72	45.13	54.00	8.87	Vertical	PASS
4	2416.20	103.62	1.29	104.91	-	-	Vertical	NA
5	5004.00	45.65	-6.28	39.37	74.00	34.63	Vertical	PASS
6	11456.50	42.31	5.66	47.97	74.00	26.03	Vertical	PASS
7	17900.50	39.57	13.77	53.34	74.00	20.66	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2375.80	36.07	1.09	37.16	54.00	16.84	Horizontal	PASS
2	2384.02	39.17	1.10	40.27	54.00	13.73	Horizontal	PASS
3	2387.16	43.66	1.10	44.76	54.00	9.24	Horizontal	PASS
4	2372.82	48.16	1.09	49.25	74.00	24.75	Horizontal	PASS
5	2381.59	48.03	1.09	49.12	74.00	24.88	Horizontal	PASS
6	2387.46	51.16	1.10	52.26	74.00	21.74	Horizontal	PASS

Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.76	38.64	1.10	39.74	54.00	14.26	Vertical	PASS
2	2385.33	41.27	1.10	42.37	54.00	11.63	Vertical	PASS
3	2387.16	43.12	1.10	44.22	54.00	9.78	Vertical	PASS
4	2386.41	50.94	1.10	52.04	74.00	21.96	Vertical	PASS
5	2388.54	51.79	1.11	52.90	74.00	21.10	Vertical	PASS
6	2389.55	51.77	1.11	52.88	74.00	21.12	Vertical	PASS


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.62	40.25	1.75	42.00	54.00	12.00	Horizontal	PASS
2	2485.83	43.42	1.76	45.18	54.00	8.82	Horizontal	PASS
3	2486.84	44.25	1.77	46.02	54.00	7.98	Horizontal	PASS
4	2483.60	51.07	1.75	52.82	74.00	21.18	Horizontal	PASS
5	2485.81	51.46	1.76	53.22	74.00	20.78	Horizontal	PASS
6	2486.82	51.78	1.77	53.55	74.00	20.45	Horizontal	PASS


Project Information			
Mode:	802.11b	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2485.78	42.26	1.76	44.02	54.00	9.98	Vertical	PASS
2	2486.89	42.84	1.77	44.61	54.00	9.39	Vertical	PASS
3	2488.14	41.16	1.76	42.92	54.00	11.08	Vertical	PASS
4	2483.65	49.69	1.75	51.44	74.00	22.56	Vertical	PASS
5	2486.05	51.10	1.76	52.86	74.00	21.14	Vertical	PASS
6	2487.25	51.10	1.77	52.87	74.00	21.13	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.00	43.87	1.10	44.97	54.00	9.03	Horizontal	PASS
2	2387.90	45.74	1.11	46.85	54.00	7.15	Horizontal	PASS
3	2389.40	46.77	1.11	47.88	54.00	6.12	Horizontal	PASS
4	2385.70	53.47	1.10	54.57	74.00	19.43	Horizontal	PASS
5	2387.68	57.32	1.11	58.43	74.00	15.57	Horizontal	PASS
6	2388.69	58.48	1.11	59.59	74.00	14.41	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2380.51	35.98	1.10	37.08	54.00	16.92	Vertical	PASS
2	2387.68	43.92	1.11	45.03	54.00	8.97	Vertical	PASS
3	2389.36	45.96	1.11	47.07	54.00	6.93	Vertical	PASS
4	2384.69	51.12	1.10	52.22	74.00	21.78	Vertical	PASS
5	2387.23	55.94	1.10	57.04	74.00	16.96	Vertical	PASS
6	2388.69	56.82	1.11	57.93	74.00	16.07	Vertical	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	44.78	1.75	46.53	54.00	7.47	Horizontal	PASS
2	2484.15	44.62	1.76	46.38	54.00	7.62	Horizontal	PASS
3	2484.73	43.78	1.76	45.54	54.00	8.46	Horizontal	PASS
4	2484.03	55.71	1.76	57.47	74.00	16.53	Horizontal	PASS
5	2484.54	55.43	1.76	57.19	74.00	16.81	Horizontal	PASS
6	2484.99	54.61	1.76	56.37	74.00	17.63	Horizontal	PASS

Project Information			
Mode:	802.11g	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.55	43.86	1.75	45.61	54.00	8.39	Vertical	PASS
2	2484.42	43.03	1.76	44.79	54.00	9.21	Vertical	PASS
3	2484.92	42.68	1.76	44.44	54.00	9.56	Vertical	PASS
4	2483.89	54.04	1.76	55.80	74.00	18.20	Vertical	PASS
5	2484.25	54.25	1.76	56.01	74.00	17.99	Vertical	PASS
6	2485.21	53.53	1.76	55.29	74.00	18.71	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.78	46.00	1.10	47.10	54.00	6.90	Horizontal	PASS
2	2388.58	46.81	1.11	47.92	54.00	6.08	Horizontal	PASS
3	2389.62	47.38	1.11	48.49	54.00	5.51	Horizontal	PASS
4	2388.02	58.31	1.11	59.42	74.00	14.58	Horizontal	PASS
5	2388.54	59.36	1.11	60.47	74.00	13.53	Horizontal	PASS
6	2389.02	58.99	1.11	60.10	74.00	13.90	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2382.49	48.52	1.09	49.61	74.00	24.39	Vertical	PASS
2	2386.37	54.04	1.10	55.14	74.00	18.86	Vertical	PASS
3	2387.87	59.33	1.11	60.44	74.00	13.56	Vertical	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.89	45.69	1.76	47.45	54.00	6.55	Horizontal	PASS
2	2485.62	43.86	1.76	45.62	54.00	8.38	Horizontal	PASS
3	2487.01	42.72	1.77	44.49	54.00	9.51	Horizontal	PASS
4	2484.13	57.78	1.76	59.54	74.00	14.46	Horizontal	PASS
5	2485.93	56.74	1.76	58.50	74.00	15.50	Horizontal	PASS
6	2487.35	54.98	1.77	56.75	74.00	17.25	Horizontal	PASS

Project Information			
Mode:	802.11n20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.06	45.69	1.76	47.45	54.00	6.55	Vertical	PASS
2	2485.47	44.47	1.76	46.23	54.00	7.77	Vertical	PASS
3	2487.18	42.81	1.77	44.58	54.00	9.42	Vertical	PASS
4	2483.62	58.22	1.75	59.97	74.00	14.03	Vertical	PASS
5	2485.35	56.17	1.76	57.93	74.00	16.07	Vertical	PASS
6	2486.15	55.48	1.76	57.24	74.00	16.76	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.27	47.52	1.10	48.62	54.00	5.38	Horizontal	PASS
2	2388.74	50.23	1.11	51.34	54.00	2.66	Horizontal	PASS
3	2389.75	52.20	1.11	53.31	54.00	0.69	Horizontal	PASS
4	2388.17	59.76	1.11	60.87	74.00	13.13	Horizontal	PASS
5	2389.31	62.56	1.11	63.67	74.00	10.33	Horizontal	PASS
6	2389.93	63.43	1.11	64.54	74.00	9.46	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.25	49.37	1.10	50.47	54.00	3.53	Vertical	PASS
2	2388.13	50.97	1.11	52.08	54.00	1.92	Vertical	PASS
3	2389.40	51.23	1.11	52.34	54.00	1.66	Vertical	PASS
4	2385.35	57.31	1.10	58.41	74.00	15.59	Vertical	PASS
5	2386.89	61.37	1.10	62.47	74.00	11.53	Vertical	PASS
6	2389.18	62.30	1.11	63.41	74.00	10.59	Vertical	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.71	48.90	1.75	50.65	54.00	3.35	Horizontal	PASS
2	2484.22	48.17	1.76	49.93	54.00	4.07	Horizontal	PASS
3	2484.90	46.89	1.76	48.65	54.00	5.35	Horizontal	PASS
4	2484.05	59.52	1.76	61.28	74.00	12.72	Horizontal	PASS
5	2484.35	60.59	1.76	62.35	74.00	11.65	Horizontal	PASS
6	2485.24	58.06	1.76	59.82	74.00	14.18	Horizontal	PASS

Project Information			
Mode:	802.11n40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.05	50.64	1.76	52.40	54.00	1.60	Vertical	PASS
2	2484.42	49.95	1.76	51.71	54.00	2.29	Vertical	PASS
3	2485.17	48.82	1.76	50.58	54.00	3.42	Vertical	PASS
4	2483.98	61.82	1.76	63.58	74.00	10.42	Vertical	PASS
5	2484.42	61.19	1.76	62.95	74.00	11.05	Vertical	PASS
6	2485.10	60.66	1.76	62.42	74.00	11.58	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.37	48.05	1.10	49.15	54.00	4.85	Horizontal	PASS
2	2387.72	48.75	1.11	49.86	54.00	4.14	Horizontal	PASS
3	2389.58	48.91	1.11	50.02	54.00	3.98	Horizontal	PASS
4	2386.22	58.68	1.10	59.78	74.00	14.22	Horizontal	PASS
5	2388.58	61.65	1.11	62.76	74.00	11.24	Horizontal	PASS
6	2389.17	60.59	1.11	61.70	74.00	12.30	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.04	46.97	1.10	48.07	54.00	5.93	Vertical	PASS
2	2389.10	48.38	1.11	49.49	54.00	4.51	Vertical	PASS
3	2389.58	48.90	1.11	50.01	54.00	3.99	Vertical	PASS
4	2387.23	58.11	1.10	59.21	74.00	14.79	Vertical	PASS
5	2388.39	59.25	1.11	60.36	74.00	13.64	Vertical	PASS
6	2389.17	61.14	1.11	62.25	74.00	11.75	Vertical	PASS


Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	46.42	1.75	48.17	54.00	5.83	Horizontal	PASS
2	2484.44	45.67	1.76	47.43	54.00	6.57	Horizontal	PASS
3	2484.75	45.17	1.76	46.93	54.00	7.07	Horizontal	PASS
4	2483.60	58.44	1.75	60.19	74.00	13.81	Horizontal	PASS
5	2484.58	57.80	1.76	59.56	74.00	14.44	Horizontal	PASS
6	2485.14	58.52	1.76	60.28	74.00	13.72	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	46.84	1.75	48.59	54.00	5.41	Vertical	PASS
2	2484.25	45.78	1.76	47.54	54.00	6.46	Vertical	PASS
3	2484.92	45.19	1.76	46.95	54.00	7.05	Vertical	PASS
4	2483.72	58.55	1.75	60.30	74.00	13.70	Vertical	PASS
5	2485.09	58.62	1.76	60.38	74.00	13.62	Vertical	PASS
6	2485.64	56.88	1.76	58.64	74.00	15.36	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.37	48.33	1.10	49.43	54.00	4.57	Horizontal	PASS
2	2389.01	51.14	1.11	52.25	54.00	1.75	Horizontal	PASS
3	2389.97	52.27	1.11	53.38	54.00	0.62	Horizontal	PASS
4	2388.61	61.06	1.11	62.17	74.00	11.83	Horizontal	PASS
5	2389.05	62.23	1.11	63.34	74.00	10.66	Horizontal	PASS
6	2389.58	62.26	1.11	63.37	74.00	10.63	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.19	49.04	1.10	50.14	54.00	3.86	Vertical	PASS
2	2387.25	50.78	1.10	51.88	54.00	2.12	Vertical	PASS
3	2389.49	51.72	1.11	52.83	54.00	1.17	Vertical	PASS
4	2387.47	63.38	1.10	64.48	74.00	9.52	Vertical	PASS
5	2388.83	62.06	1.11	63.17	74.00	10.83	Vertical	PASS
6	2390.11	63.48	1.11	64.59	-	-	Vertical	NA


Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.64	49.03	1.75	50.78	54.00	3.22	Horizontal	PASS
2	2485.17	46.85	1.76	48.61	54.00	5.39	Horizontal	PASS
3	2486.73	45.37	1.77	47.14	54.00	6.86	Horizontal	PASS
4	2484.05	61.01	1.76	62.77	74.00	11.23	Horizontal	PASS
5	2485.07	59.94	1.76	61.70	74.00	12.30	Horizontal	PASS
6	2487.41	58.10	1.77	59.87	74.00	14.13	Horizontal	PASS


Project Information			
Mode:	802.11ax40	Band:	-
Bandwidth	40MHz	Channel	9
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.81	50.77	1.76	52.53	54.00	1.47	Vertical	PASS
2	2484.39	50.10	1.76	51.86	54.00	2.14	Vertical	PASS
3	2485.71	49.29	1.76	51.05	54.00	2.95	Vertical	PASS
4	2484.05	62.02	1.76	63.78	74.00	10.22	Vertical	PASS
5	2485.27	62.38	1.76	64.14	74.00	9.86	Vertical	PASS
6	2485.95	60.41	1.76	62.17	74.00	11.83	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU26left	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.38	39.52	1.10	40.62	54.00	13.38	Horizontal	PASS
2	2387.98	43.60	1.11	44.71	54.00	9.29	Horizontal	PASS
3	2389.55	42.37	1.11	43.48	54.00	10.52	Horizontal	PASS
4	2386.86	53.97	1.10	55.07	74.00	18.93	Horizontal	PASS
5	2388.16	61.78	1.11	62.89	74.00	11.11	Horizontal	PASS
6	2389.88	61.15	1.11	62.26	74.00	11.74	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26left	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.85	38.18	1.10	39.28	54.00	14.72	Vertical	PASS
2	2388.20	42.69	1.11	43.80	54.00	10.20	Vertical	PASS
3	2389.66	44.25	1.11	45.36	54.00	8.64	Vertical	PASS
4	2385.44	53.83	1.10	54.93	74.00	19.07	Vertical	PASS
5	2388.16	61.49	1.11	62.60	74.00	11.40	Vertical	PASS
6	2390.03	66.29	1.11	67.40	-	-	Vertical	NA

Project Information			
Mode:	802.11ax20 RU52left	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.31	40.01	1.10	41.11	54.00	12.89	Horizontal	PASS
2	2388.39	42.40	1.11	43.51	54.00	10.49	Horizontal	PASS
3	2389.40	42.36	1.11	43.47	54.00	10.53	Horizontal	PASS
4	2386.89	56.18	1.10	57.28	74.00	16.72	Horizontal	PASS
5	2388.35	60.34	1.11	61.45	74.00	12.55	Horizontal	PASS
6	2389.96	59.77	1.11	60.88	74.00	13.12	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52left	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2388.02	42.90	1.11	44.01	54.00	9.99	Vertical	PASS
2	2389.10	43.08	1.11	44.19	54.00	9.81	Vertical	PASS
3	2389.43	44.23	1.11	45.34	54.00	8.66	Vertical	PASS
4	2386.48	57.79	1.10	58.89	74.00	15.11	Vertical	PASS
5	2388.61	61.02	1.11	62.13	74.00	11.87	Vertical	PASS
6	2389.85	62.56	1.11	63.67	74.00	10.33	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106left	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.46	42.05	1.10	43.15	54.00	10.85	Horizontal	PASS
2	2388.16	42.51	1.11	43.62	54.00	10.38	Horizontal	PASS
3	2389.47	41.91	1.11	43.02	54.00	10.98	Horizontal	PASS
4	2387.42	60.07	1.10	61.17	74.00	12.83	Horizontal	PASS
5	2388.13	61.03	1.11	62.14	74.00	11.86	Horizontal	PASS
6	2389.43	58.05	1.11	59.16	74.00	14.84	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU106left	Band:	-
Bandwidth	20MHz	Channel	1
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.70	37.90	1.10	39.00	54.00	15.00	Vertical	PASS
2	2387.68	42.36	1.11	43.47	54.00	10.53	Vertical	PASS
3	2389.62	42.94	1.11	44.05	54.00	9.95	Vertical	PASS
4	2386.78	56.10	1.10	57.20	74.00	16.80	Vertical	PASS
5	2387.79	60.63	1.11	61.74	74.00	12.26	Vertical	PASS
6	2389.06	59.87	1.11	60.98	74.00	13.02	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.77	44.19	1.76	45.95	54.00	8.05	Horizontal	PASS
2	2484.15	43.56	1.76	45.32	54.00	8.68	Horizontal	PASS
3	2484.80	42.04	1.76	43.80	54.00	10.20	Horizontal	PASS
4	2483.79	66.85	1.76	68.61	74.00	5.39	Horizontal	PASS
5	2484.13	67.73	1.76	69.49	74.00	4.51	Horizontal	PASS
6	2484.39	66.95	1.76	68.71	74.00	5.29	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.79	44.40	1.76	46.16	54.00	7.84	Vertical	PASS
2	2484.25	43.87	1.76	45.63	54.00	8.37	Vertical	PASS
3	2484.66	43.42	1.76	45.18	54.00	8.82	Vertical	PASS
4	2483.82	67.20	1.76	68.96	74.00	5.04	Vertical	PASS
5	2484.22	67.89	1.76	69.65	74.00	4.35	Vertical	PASS
6	2484.63	66.04	1.76	67.80	74.00	6.20	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.32	43.99	1.76	45.75	54.00	8.25	Horizontal	PASS
2	2484.80	42.40	1.76	44.16	54.00	9.84	Horizontal	PASS
3	2486.07	39.08	1.76	40.84	54.00	13.16	Horizontal	PASS
4	2483.74	64.61	1.75	66.36	74.00	7.64	Horizontal	PASS
5	2484.49	63.53	1.76	65.29	74.00	8.71	Horizontal	PASS
6	2485.11	59.73	1.76	61.49	74.00	12.51	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.06	44.18	1.76	45.94	54.00	8.06	Vertical	PASS
2	2484.34	44.37	1.76	46.13	54.00	7.87	Vertical	PASS
3	2484.87	43.10	1.76	44.86	54.00	9.14	Vertical	PASS
4	2483.77	65.40	1.76	67.16	74.00	6.84	Vertical	PASS
5	2484.58	64.40	1.76	66.16	74.00	7.84	Vertical	PASS
6	2484.99	61.31	1.76	63.07	74.00	10.93	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.91	44.56	1.76	46.32	54.00	7.68	Horizontal	PASS
2	2484.97	42.05	1.76	43.81	54.00	10.19	Horizontal	PASS
3	2485.45	40.97	1.76	42.73	54.00	11.27	Horizontal	PASS
4	2483.89	65.33	1.76	67.09	74.00	6.91	Horizontal	PASS
5	2485.14	62.74	1.76	64.50	74.00	9.50	Horizontal	PASS
6	2486.19	59.08	1.76	60.84	74.00	13.16	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU106right	Band:	-
Bandwidth	20MHz	Channel	11
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.65	45.24	1.75	46.99	54.00	7.01	Vertical	PASS
2	2485.14	42.44	1.76	44.20	54.00	9.80	Vertical	PASS
3	2486.41	39.66	1.77	41.43	54.00	12.57	Vertical	PASS
4	2484.03	65.83	1.76	67.59	74.00	6.41	Vertical	PASS
5	2485.11	62.40	1.76	64.16	74.00	9.84	Vertical	PASS
6	2486.15	59.30	1.76	61.06	74.00	12.94	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2384.52	47.20	1.10	48.30	54.00	5.70	Horizontal	PASS
2	2387.29	50.53	1.10	51.63	54.00	2.37	Horizontal	PASS
3	2388.26	52.01	1.11	53.12	54.00	0.88	Horizontal	PASS
4	2386.06	61.84	1.10	62.94	74.00	11.06	Horizontal	PASS
5	2387.25	64.64	1.10	65.74	74.00	8.26	Horizontal	PASS
6	2388.21	66.85	1.11	67.96	74.00	6.04	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	-
Bandwidth	40MHz	Channel	3
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.03	49.53	1.10	50.63	54.00	3.37	Vertical	PASS
2	2388.35	52.35	1.11	53.46	54.00	0.54	Vertical	PASS
3	2390.11	52.01	1.11	53.12	-	-	Vertical	NA
4	2387.42	65.25	1.10	66.35	74.00	7.65	Vertical	PASS
5	2388.35	66.93	1.11	68.04	74.00	5.96	Vertical	PASS
6	2388.92	65.57	1.11	66.68	74.00	7.32	Vertical	PASS


Project Information			
Mode:	802.11ax40 RU242right	Band:	-
Bandwidth	40MHz	Channel	9
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.64	50.72	1.75	52.47	54.00	1.53	Horizontal	PASS
2	2484.28	51.44	1.76	53.20	54.00	0.80	Horizontal	PASS
3	2484.69	50.93	1.76	52.69	54.00	1.31	Horizontal	PASS
4	2484.08	66.77	1.76	68.53	74.00	5.47	Horizontal	PASS
5	2485.30	66.92	1.76	68.68	74.00	5.32	Horizontal	PASS
6	2487.01	64.37	1.77	66.14	74.00	7.86	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242right	Band:	-
Bandwidth	40MHz	Channel	9
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.57	51.40	1.75	53.15	54.00	0.85	Vertical	PASS
2	2484.56	50.87	1.76	52.63	54.00	1.37	Vertical	PASS
3	2485.27	50.61	1.76	52.37	54.00	1.63	Vertical	PASS
4	2483.91	67.44	1.76	69.20	74.00	4.80	Vertical	PASS
5	2484.25	67.44	1.76	69.20	74.00	4.80	Vertical	PASS
6	2485.17	66.76	1.76	68.52	74.00	5.48	Vertical	PASS

~The End~