


## Radiated Band Edge

## Test Result

| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-1    |
| Bandwidth           | 20MHz    | Channel   | 36        |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

## Test Graph




| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5145.42     | 31.65          | 11.94       | 43.59          | 54.00          | 10.41       | Horizontal | PASS    |
| 2         | 5147.76     | 31.75          | 11.95       | 43.70          | 54.00          | 10.30       | Horizontal | PASS    |
| 3         | 5149.35     | 31.84          | 11.97       | 43.81          | 54.00          | 10.19       | Horizontal | PASS    |
| 4         | 5145.42     | 43.10          | 11.94       | 55.04          | 74.00          | 18.96       | Horizontal | PASS    |
| 5         | 5148.61     | 43.38          | 11.96       | 55.34          | 74.00          | 18.66       | Horizontal | PASS    |
| 6         | 5149.61     | 43.35          | 11.97       | 55.32          | 74.00          | 18.68       | Horizontal | PASS    |

## Project Information

|           |          |           |           |
|-----------|----------|-----------|-----------|
| Mode:     | 802.11a  | Band:     | UNII-1    |
| Bandwidth | 20MHz    | Channel   | 36        |
| SN:       | 17aba958 | Engineer: | Tian Shuo |
| Remark:   | Y        |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5146.27     | 35.28          | 11.95       | 47.23          | 54.00          | 6.77        | Vertical | PASS    |
| 2   | 5148.57     | 35.16          | 11.96       | 47.12          | 54.00          | 6.88        | Vertical | PASS    |
| 3   | 5149.16     | 35.20          | 11.97       | 47.17          | 54.00          | 6.83        | Vertical | PASS    |
| 4   | 5146.10     | 46.49          | 11.94       | 58.43          | 74.00          | 15.57       | Vertical | PASS    |
| 5   | 5147.37     | 47.04          | 11.95       | 58.99          | 74.00          | 15.01       | Vertical | PASS    |
| 6   | 5149.03     | 46.92          | 11.97       | 58.89          | 74.00          | 15.11       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-1    |
| Bandwidth           | 20MHz      | Channel   | 36        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5142.27     | 31.12          | 11.92       | 43.04          | 54.00          | 10.96       | Horizontal | PASS    |
| 2   | 5147.37     | 31.65          | 11.95       | 43.60          | 54.00          | 10.40       | Horizontal | PASS    |
| 3   | 5149.32     | 31.81          | 11.97       | 43.78          | 54.00          | 10.22       | Horizontal | PASS    |
| 4   | 5142.36     | 42.63          | 11.92       | 54.55          | 74.00          | 19.45       | Horizontal | PASS    |
| 5   | 5148.54     | 44.27          | 11.96       | 56.23          | 74.00          | 17.77       | Horizontal | PASS    |
| 6   | 5149.65     | 42.78          | 11.97       | 54.75          | 74.00          | 19.25       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-1    |
| Bandwidth           | 20MHz      | Channel   | 36        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5145.00     | 34.75          | 11.94       | 46.69          | 54.00          | 7.31        | Vertical | PASS    |
| 2   | 5147.63     | 35.31          | 11.95       | 47.26          | 54.00          | 6.74        | Vertical | PASS    |
| 3   | 5149.06     | 35.33          | 11.97       | 47.30          | 54.00          | 6.70        | Vertical | PASS    |
| 4   | 5144.12     | 46.95          | 11.93       | 58.88          | 74.00          | 15.12       | Vertical | PASS    |
| 5   | 5147.24     | 47.19          | 11.95       | 59.14          | 74.00          | 14.86       | Vertical | PASS    |
| 6   | 5148.90     | 46.70          | 11.97       | 58.67          | 74.00          | 15.33       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-1    |
| Bandwidth           | 40MHz      | Channel   | 38        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5145.03     | 32.52          | 11.94       | 44.46          | 54.00          | 9.54        | Horizontal | PASS    |
| 2   | 5147.49     | 33.19          | 11.95       | 45.14          | 54.00          | 8.86        | Horizontal | PASS    |
| 3   | 5149.83     | 33.91          | 11.97       | 45.88          | 54.00          | 8.12        | Horizontal | PASS    |
| 4   | 5145.71     | 43.78          | 11.94       | 55.72          | 74.00          | 18.28       | Horizontal | PASS    |
| 5   | 5148.34     | 44.41          | 11.96       | 56.37          | 74.00          | 17.63       | Horizontal | PASS    |
| 6   | 5149.45     | 45.26          | 11.97       | 57.23          | 74.00          | 16.77       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-1    |
| Bandwidth           | 40MHz      | Channel   | 38        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5144.43     | 37.97          | 11.94       | 49.91          | 54.00          | 4.09        | Vertical | PASS    |
| 2         | 5147.11     | 38.45          | 11.95       | 50.40          | 54.00          | 3.60        | Vertical | PASS    |
| 3         | 5149.15     | 39.37          | 11.97       | 51.34          | 54.00          | 2.66        | Vertical | PASS    |
| 4         | 5144.77     | 48.34          | 11.94       | 60.28          | 74.00          | 13.72       | Vertical | PASS    |
| 5         | 5147.24     | 50.68          | 11.95       | 62.63          | 74.00          | 11.37       | Vertical | PASS    |
| 6         | 5148.39     | 50.47          | 11.96       | 62.43          | 74.00          | 11.57       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-1    |
| Bandwidth           | 80MHz      | Channel   | 42        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5145.76     | 34.90          | 11.94       | 46.84          | 54.00          | 7.16        | Horizontal | PASS    |
| 2         | 5148.64     | 34.95          | 11.96       | 46.91          | 54.00          | 7.09        | Horizontal | PASS    |
| 3         | 5149.39     | 35.53          | 11.97       | 47.50          | 54.00          | 6.50        | Horizontal | PASS    |
| 4         | 5143.51     | 46.26          | 11.92       | 58.18          | 74.00          | 15.82       | Horizontal | PASS    |
| 5         | 5147.39     | 46.07          | 11.95       | 58.02          | 74.00          | 15.98       | Horizontal | PASS    |
| 6         | 5148.89     | 46.60          | 11.97       | 58.57          | 74.00          | 15.43       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-1    |
| Bandwidth           | 80MHz      | Channel   | 42        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


### Test Graph



### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5144.70     | 41.22          | 11.94       | 53.16          | 54.00          | 0.84        | Vertical | PASS    |
| 2   | 5147.76     | 41.09          | 11.95       | 53.04          | 54.00          | 0.96        | Vertical | PASS    |
| 3   | 5149.89     | 41.31          | 11.97       | 53.28          | 54.00          | 0.72        | Vertical | PASS    |
| 4   | 5144.32     | 54.39          | 11.94       | 66.33          | 74.00          | 7.67        | Vertical | PASS    |
| 5   | 5148.14     | 54.11          | 11.96       | 66.07          | 74.00          | 7.93        | Vertical | PASS    |
| 6   | 5149.32     | 52.96          | 11.97       | 64.93          | 74.00          | 9.07        | Vertical | PASS    |


| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ac160 | Band:     | UNII-1    |
| Bandwidth           | 160MHz      | Channel   | 50        |
| SN:                 | 17aba958    | Engineer: | Tian Shuo |
| Remark:             | Y           |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5096.22     | 29.39          | 11.61       | 41.00          | 54.00          | 13.00       | Horizontal | PASS    |
| 2   | 5388.57     | 33.65          | 12.25       | 45.90          | 54.00          | 8.10        | Horizontal | PASS    |
| 3   | 5408.38     | 32.36          | 12.31       | 44.67          | 54.00          | 9.33        | Horizontal | PASS    |
| 4   | 5095.82     | 40.20          | 11.61       | 51.81          | 74.00          | 22.19       | Horizontal | PASS    |
| 5   | 5383.57     | 44.70          | 12.23       | 56.93          | 74.00          | 17.07       | Horizontal | PASS    |
| 6   | 5395.57     | 45.46          | 12.28       | 57.74          | 74.00          | 16.26       | Horizontal | PASS    |


| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ac160 | Band:     | UNII-1    |
| Bandwidth           | 160MHz      | Channel   | 50        |
| SN:                 | 17aba958    | Engineer: | Tian Shuo |
| Remark:             | Y           |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5102.63     | 35.41          | 11.66       | 47.07          | 54.00          | 6.93        | Vertical | PASS    |
| 2         | 5393.17     | 39.16          | 12.26       | 51.42          | 54.00          | 2.58        | Vertical | PASS    |
| 3         | 5403.78     | 37.96          | 12.30       | 50.26          | 54.00          | 3.74        | Vertical | PASS    |
| 4         | 5093.82     | 47.03          | 11.59       | 58.62          | 74.00          | 15.38       | Vertical | PASS    |
| 5         | 5391.77     | 52.42          | 12.27       | 64.69          | 74.00          | 9.31        | Vertical | PASS    |
| 6         | 5402.98     | 50.47          | 12.30       | 62.77          | 74.00          | 11.23       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-1    |
| Bandwidth           | 20MHz      | Channel   | 36        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5145.16     | 31.76          | 11.94       | 43.70          | 54.00          | 10.30       | Horizontal | PASS    |
| 2   | 5147.27     | 31.91          | 11.95       | 43.86          | 54.00          | 10.14       | Horizontal | PASS    |
| 3   | 5148.96     | 32.46          | 11.97       | 44.43          | 54.00          | 9.57        | Horizontal | PASS    |
| 4   | 5146.59     | 43.98          | 11.95       | 55.93          | 74.00          | 18.07       | Horizontal | PASS    |
| 5   | 5147.73     | 44.02          | 11.95       | 55.97          | 74.00          | 18.03       | Horizontal | PASS    |
| 6   | 5149.13     | 42.82          | 11.97       | 54.79          | 74.00          | 19.21       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-1    |
| Bandwidth           | 20MHz      | Channel   | 36        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5144.90     | 36.32          | 11.94       | 48.26          | 54.00          | 5.74        | Vertical | PASS    |
| 2   | 5147.21     | 36.30          | 11.95       | 48.25          | 54.00          | 5.75        | Vertical | PASS    |
| 3   | 5149.16     | 36.33          | 11.97       | 48.30          | 54.00          | 5.70        | Vertical | PASS    |
| 4   | 5145.16     | 48.96          | 11.94       | 60.90          | 74.00          | 13.10       | Vertical | PASS    |
| 5   | 5148.54     | 48.30          | 11.96       | 60.26          | 74.00          | 13.74       | Vertical | PASS    |
| 6   | 5149.39     | 47.94          | 11.97       | 59.91          | 74.00          | 14.09       | Vertical | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax40 | Band:     | UNII-1    |
| Bandwidth | 40MHz      | Channel   | 38        |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5142.43     | 32.90          | 11.92       | 44.82          | 54.00          | 9.18        | Horizontal | PASS    |
| 2   | 5147.79     | 34.34          | 11.95       | 46.29          | 54.00          | 7.71        | Horizontal | PASS    |
| 3   | 5149.58     | 34.66          | 11.97       | 46.63          | 54.00          | 7.37        | Horizontal | PASS    |
| 4   | 5141.97     | 45.53          | 11.92       | 57.45          | 74.00          | 16.55       | Horizontal | PASS    |
| 5   | 5143.58     | 46.33          | 11.92       | 58.25          | 74.00          | 15.75       | Horizontal | PASS    |
| 6   | 5148.81     | 45.84          | 11.97       | 57.81          | 74.00          | 16.19       | Horizontal | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-1    |
| Bandwidth           | 40MHz      | Channel   | 38        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5143.11     | 38.61          | 11.92       | 50.53          | 54.00          | 3.47        | Vertical | PASS    |
| 2   | 5148.13     | 39.81          | 11.96       | 51.77          | 54.00          | 2.23        | Vertical | PASS    |
| 3   | 5149.32     | 40.26          | 11.97       | 52.23          | 54.00          | 1.77        | Vertical | PASS    |
| 4   | 5143.45     | 52.93          | 11.92       | 64.85          | 74.00          | 9.15        | Vertical | PASS    |
| 5   | 5147.62     | 53.45          | 11.95       | 65.40          | 74.00          | 8.60        | Vertical | PASS    |
| 6   | 5149.79     | 53.68          | 11.97       | 65.65          | 74.00          | 8.35        | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | UNII-1    |
| Bandwidth           | 80MHz      | Channel   | 42        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5137.94     | 31.19          | 11.89       | 43.08          | 54.00          | 10.92       | Horizontal | PASS    |
| 2   | 5143.76     | 31.45          | 11.93       | 43.38          | 54.00          | 10.62       | Horizontal | PASS    |
| 3   | 5148.89     | 31.89          | 11.97       | 43.86          | 54.00          | 10.14       | Horizontal | PASS    |
| 4   | 5138.82     | 43.23          | 11.90       | 55.13          | 74.00          | 18.87       | Horizontal | PASS    |
| 5   | 5142.82     | 42.79          | 11.92       | 54.71          | 74.00          | 19.29       | Horizontal | PASS    |
| 6   | 5148.20     | 44.32          | 11.96       | 56.28          | 74.00          | 17.72       | Horizontal | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax80 | Band:     | UNII-1    |
| Bandwidth | 80MHz      | Channel   | 42        |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5143.32     | 35.73          | 11.92       | 47.65          | 54.00          | 6.35        | Vertical | PASS    |
| 2   | 5146.64     | 35.87          | 11.95       | 47.82          | 54.00          | 6.18        | Vertical | PASS    |
| 3   | 5149.20     | 35.83          | 11.97       | 47.80          | 54.00          | 6.20        | Vertical | PASS    |
| 4   | 5136.44     | 47.21          | 11.88       | 59.09          | 74.00          | 14.91       | Vertical | PASS    |
| 5   | 5145.01     | 48.54          | 11.94       | 60.48          | 74.00          | 13.52       | Vertical | PASS    |
| 6   | 5149.07     | 46.39          | 11.97       | 58.36          | 74.00          | 15.64       | Vertical | PASS    |

| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ax160 | Band:     | UNII-1    |
| Bandwidth           | 160MHz      | Channel   | 50        |
| SN:                 | 17aba958    | Engineer: | Tian Shuo |
| Remark:             | Y           |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5090.02     | 29.03          | 11.56       | 40.59          | 54.00          | 13.41       | Horizontal | PASS    |
| 2   | 5388.97     | 33.39          | 12.25       | 45.64          | 54.00          | 8.36        | Horizontal | PASS    |
| 3   | 5410.78     | 31.92          | 12.31       | 44.23          | 54.00          | 9.77        | Horizontal | PASS    |
| 4   | 5079.21     | 40.73          | 11.48       | 52.21          | 74.00          | 21.79       | Horizontal | PASS    |
| 5   | 5383.57     | 45.07          | 12.23       | 57.30          | 74.00          | 16.70       | Horizontal | PASS    |
| 6   | 5401.38     | 43.60          | 12.29       | 55.89          | 74.00          | 18.11       | Horizontal | PASS    |

## Project Information

|           |             |           |           |
|-----------|-------------|-----------|-----------|
| Mode:     | 802.11ax160 | Band:     | UNII-1    |
| Bandwidth | 160MHz      | Channel   | 50        |
| SN:       | 17aba958    | Engineer: | Tian Shuo |
| Remark:   | Y           |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5093.22     | 35.15          | 11.59       | 46.74          | 54.00          | 7.26        | Vertical | PASS    |
| 2   | 5386.97     | 39.14          | 12.25       | 51.39          | 54.00          | 2.61        | Vertical | PASS    |
| 3   | 5402.58     | 37.83          | 12.30       | 50.13          | 54.00          | 3.87        | Vertical | PASS    |
| 4   | 5088.42     | 46.99          | 11.55       | 58.54          | 74.00          | 15.46       | Vertical | PASS    |
| 5   | 5393.97     | 51.47          | 12.27       | 63.74          | 74.00          | 10.26       | Vertical | PASS    |
| 6   | 5418.38     | 48.73          | 12.33       | 61.06          | 74.00          | 12.94       | Vertical | PASS    |


| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-2A   |
| Bandwidth           | 20MHz    | Channel   | 64        |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5350.68     | 32.39          | 12.13       | 44.52          | 54.00          | 9.48        | Horizontal | PASS    |
| 2         | 5352.47     | 31.96          | 12.14       | 44.10          | 54.00          | 9.90        | Horizontal | PASS    |
| 3         | 5355.82     | 31.49          | 12.15       | 43.64          | 54.00          | 10.36       | Horizontal | PASS    |
| 4         | 5350.78     | 43.83          | 12.13       | 55.96          | 74.00          | 18.04       | Horizontal | PASS    |
| 5         | 5352.76     | 43.08          | 12.13       | 55.21          | 74.00          | 18.79       | Horizontal | PASS    |
| 6         | 5356.34     | 42.93          | 12.15       | 55.08          | 74.00          | 18.92       | Horizontal | PASS    |


| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-2A   |
| Bandwidth           | 20MHz    | Channel   | 64        |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5350.84     | 33.44          | 12.13       | 45.57          | 54.00          | 8.43        | Vertical | PASS    |
| 2         | 5351.82     | 33.91          | 12.14       | 46.05          | 54.00          | 7.95        | Vertical | PASS    |
| 3         | 5352.86     | 33.01          | 12.13       | 45.14          | 54.00          | 8.86        | Vertical | PASS    |
| 4         | 5350.19     | 45.74          | 12.13       | 57.87          | 74.00          | 16.13       | Vertical | PASS    |
| 5         | 5351.13     | 44.81          | 12.14       | 56.95          | 74.00          | 17.05       | Vertical | PASS    |
| 6         | 5352.82     | 44.34          | 12.13       | 56.47          | 74.00          | 17.53       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-2A   |
| Bandwidth           | 20MHz      | Channel   | 64        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5350.91     | 31.60          | 12.13       | 43.73          | 54.00          | 10.27       | Horizontal | PASS    |
| 2         | 5353.18     | 31.91          | 12.14       | 44.05          | 54.00          | 9.95        | Horizontal | PASS    |
| 3         | 5356.17     | 31.64          | 12.15       | 43.79          | 54.00          | 10.21       | Horizontal | PASS    |
| 4         | 5350.65     | 43.35          | 12.13       | 55.48          | 74.00          | 18.52       | Horizontal | PASS    |
| 5         | 5351.72     | 43.95          | 12.14       | 56.09          | 74.00          | 17.91       | Horizontal | PASS    |
| 6         | 5354.45     | 43.05          | 12.14       | 55.19          | 74.00          | 18.81       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-2A   |
| Bandwidth           | 20MHz      | Channel   | 64        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5350.58     | 32.95          | 12.13       | 45.08          | 54.00          | 8.92        | Vertical | PASS    |
| 2         | 5353.57     | 32.60          | 12.14       | 44.74          | 54.00          | 9.26        | Vertical | PASS    |
| 3         | 5357.25     | 32.59          | 12.16       | 44.75          | 54.00          | 9.25        | Vertical | PASS    |
| 4         | 5351.59     | 44.38          | 12.14       | 56.52          | 74.00          | 17.48       | Vertical | PASS    |
| 5         | 5354.35     | 44.72          | 12.14       | 56.86          | 74.00          | 17.14       | Vertical | PASS    |
| 6         | 5357.41     | 44.01          | 12.16       | 56.17          | 74.00          | 17.83       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-2A   |
| Bandwidth           | 40MHz      | Channel   | 62        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5351.15     | 33.32          | 12.14       | 45.46          | 54.00          | 8.54        | Horizontal | PASS    |
| 2   | 5354.72     | 32.88          | 12.14       | 45.02          | 54.00          | 8.98        | Horizontal | PASS    |
| 3   | 5359.10     | 32.09          | 12.16       | 44.25          | 54.00          | 9.75        | Horizontal | PASS    |
| 4   | 5350.93     | 44.73          | 12.13       | 56.86          | 74.00          | 17.14       | Horizontal | PASS    |
| 5   | 5353.57     | 44.18          | 12.14       | 56.32          | 74.00          | 17.68       | Horizontal | PASS    |
| 6   | 5357.18     | 44.50          | 12.16       | 56.66          | 74.00          | 17.34       | Horizontal | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-2A   |
| Bandwidth           | 40MHz      | Channel   | 62        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5350.38     | 38.11          | 12.13       | 50.24          | 54.00          | 3.76        | Vertical | PASS    |
| 2         | 5353.95     | 37.05          | 12.14       | 49.19          | 54.00          | 4.81        | Vertical | PASS    |
| 3         | 5357.35     | 36.40          | 12.16       | 48.56          | 54.00          | 5.44        | Vertical | PASS    |
| 4         | 5350.89     | 49.96          | 12.13       | 62.09          | 74.00          | 11.91       | Vertical | PASS    |
| 5         | 5353.14     | 51.50          | 12.14       | 63.64          | 74.00          | 10.36       | Vertical | PASS    |
| 6         | 5355.61     | 48.95          | 12.15       | 61.10          | 74.00          | 12.90       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-2A   |
| Bandwidth           | 80MHz      | Channel   | 58        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**


| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5353.85     | 33.71          | 12.14       | 45.85          | 54.00          | 8.15        | Horizontal | PASS    |
| 2         | 5358.35     | 33.96          | 12.15       | 46.11          | 54.00          | 7.89        | Horizontal | PASS    |
| 3         | 5364.43     | 33.24          | 12.18       | 45.42          | 54.00          | 8.58        | Horizontal | PASS    |
| 4         | 5353.55     | 45.56          | 12.14       | 57.70          | 74.00          | 16.30       | Horizontal | PASS    |
| 5         | 5359.40     | 45.23          | 12.16       | 57.39          | 74.00          | 16.61       | Horizontal | PASS    |
| 6         | 5366.01     | 44.68          | 12.18       | 56.86          | 74.00          | 17.14       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-2A   |
| Bandwidth           | 80MHz      | Channel   | 58        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5352.50     | 39.02          | 12.13       | 51.15          | 54.00          | 2.85        | Vertical | PASS    |
| 2   | 5360.68     | 38.55          | 12.17       | 50.72          | 54.00          | 3.28        | Vertical | PASS    |
| 3   | 5366.83     | 37.99          | 12.19       | 50.18          | 54.00          | 3.82        | Vertical | PASS    |
| 4   | 5351.75     | 51.75          | 12.14       | 63.89          | 74.00          | 10.11       | Vertical | PASS    |
| 5   | 5358.65     | 52.55          | 12.16       | 64.71          | 74.00          | 9.29        | Vertical | PASS    |
| 6   | 5362.63     | 50.31          | 12.17       | 62.48          | 74.00          | 11.52       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-2A   |
| Bandwidth           | 20MHz      | Channel   | 64        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5350.42     | 31.98          | 12.13       | 44.11          | 54.00          | 9.89        | Horizontal | PASS    |
| 2         | 5352.08     | 31.91          | 12.14       | 44.05          | 54.00          | 9.95        | Horizontal | PASS    |
| 3         | 5356.69     | 31.92          | 12.15       | 44.07          | 54.00          | 9.93        | Horizontal | PASS    |
| 4         | 5350.19     | 43.53          | 12.13       | 55.66          | 74.00          | 18.34       | Horizontal | PASS    |
| 5         | 5351.88     | 43.13          | 12.14       | 55.27          | 74.00          | 18.73       | Horizontal | PASS    |
| 6         | 5356.11     | 42.85          | 12.15       | 55.00          | 74.00          | 19.00       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-2A   |
| Bandwidth           | 20MHz      | Channel   | 64        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5350.45     | 34.41          | 12.13       | 46.54          | 54.00          | 7.46        | Vertical | PASS    |
| 2         | 5353.02     | 34.05          | 12.14       | 46.19          | 54.00          | 7.81        | Vertical | PASS    |
| 3         | 5355.88     | 33.69          | 12.15       | 45.84          | 54.00          | 8.16        | Vertical | PASS    |
| 4         | 5350.09     | 46.63          | 12.13       | 58.76          | 74.00          | 15.24       | Vertical | PASS    |
| 5         | 5352.92     | 46.04          | 12.14       | 58.18          | 74.00          | 15.82       | Vertical | PASS    |
| 6         | 5355.59     | 45.57          | 12.15       | 57.72          | 74.00          | 16.28       | Vertical | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax40 | Band:     | UNII-2A   |
| Bandwidth | 40MHz      | Channel   | 62        |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5351.19     | 34.32          | 12.14       | 46.46          | 54.00          | 7.54        | Horizontal | PASS    |
| 2   | 5353.02     | 33.77          | 12.14       | 45.91          | 54.00          | 8.09        | Horizontal | PASS    |
| 3   | 5355.23     | 33.68          | 12.15       | 45.83          | 54.00          | 8.17        | Horizontal | PASS    |
| 4   | 5350.98     | 45.16          | 12.14       | 57.30          | 74.00          | 16.70       | Horizontal | PASS    |
| 5   | 5351.83     | 45.27          | 12.14       | 57.41          | 74.00          | 16.59       | Horizontal | PASS    |
| 6   | 5354.67     | 44.64          | 12.14       | 56.78          | 74.00          | 17.22       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-2A   |
| Bandwidth           | 40MHz      | Channel   | 62        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5350.47     | 40.10          | 12.13       | 52.23          | 54.00          | 1.77        | Vertical | PASS    |
| 2         | 5352.12     | 39.56          | 12.14       | 51.70          | 54.00          | 2.30        | Vertical | PASS    |
| 3         | 5355.23     | 38.28          | 12.15       | 50.43          | 54.00          | 3.57        | Vertical | PASS    |
| 4         | 5350.25     | 53.31          | 12.13       | 65.44          | 74.00          | 8.56        | Vertical | PASS    |
| 5         | 5351.78     | 52.30          | 12.14       | 64.44          | 74.00          | 9.56        | Vertical | PASS    |
| 6         | 5352.38     | 51.50          | 12.14       | 63.64          | 74.00          | 10.36       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | UNII-2A   |
| Bandwidth           | 80MHz      | Channel   | 58        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5350.48     | 34.67          | 12.13       | 46.80          | 54.00          | 7.20        | Horizontal | PASS    |
| 2         | 5353.18     | 34.32          | 12.14       | 46.46          | 54.00          | 7.54        | Horizontal | PASS    |
| 3         | 5359.48     | 34.09          | 12.16       | 46.25          | 54.00          | 7.75        | Horizontal | PASS    |
| 4         | 5351.53     | 45.47          | 12.14       | 57.61          | 74.00          | 16.39       | Horizontal | PASS    |
| 5         | 5355.13     | 46.05          | 12.15       | 58.20          | 74.00          | 15.80       | Horizontal | PASS    |
| 6         | 5360.53     | 47.60          | 12.16       | 59.76          | 74.00          | 14.24       | Horizontal | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | UNII-2A   |
| Bandwidth           | 80MHz      | Channel   | 58        |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5350.85     | 40.48          | 12.13       | 52.61          | 54.00          | 1.39        | Vertical | PASS    |
| 2         | 5354.00     | 40.40          | 12.14       | 52.54          | 54.00          | 1.46        | Vertical | PASS    |
| 3         | 5359.55     | 39.51          | 12.16       | 51.67          | 54.00          | 2.33        | Vertical | PASS    |
| 4         | 5352.13     | 52.95          | 12.14       | 65.09          | 74.00          | 8.91        | Vertical | PASS    |
| 5         | 5357.38     | 51.73          | 12.16       | 63.89          | 74.00          | 10.11       | Vertical | PASS    |
| 6         | 5365.71     | 51.61          | 12.18       | 63.79          | 74.00          | 10.21       | Vertical | PASS    |


| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-2C   |
| Bandwidth           | 20MHz    | Channel   | 100       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5453.36     | 31.18          | 12.39       | 43.57          | 54.00          | 10.43       | Horizontal | PASS    |
| 2   | 5457.35     | 31.44          | 12.39       | 43.83          | 54.00          | 10.17       | Horizontal | PASS    |
| 3   | 5459.78     | 31.27          | 12.40       | 43.67          | 54.00          | 10.33       | Horizontal | PASS    |
| 4   | 5461.47     | 43.31          | 12.40       | 55.71          | 68.20          | 12.49       | Horizontal | PASS    |
| 5   | 5463.96     | 43.28          | 12.39       | 55.67          | 68.20          | 12.53       | Horizontal | PASS    |
| 6   | 5469.51     | 44.18          | 12.40       | 56.58          | 68.20          | 11.62       | Horizontal | PASS    |

| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-2C   |
| Bandwidth           | 20MHz    | Channel   | 100       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

### Test Graph




### Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5454.95     | 31.88          | 12.39       | 44.27          | 54.00          | 9.73        | Vertical | PASS    |
| 2   | 5456.75     | 31.71          | 12.39       | 44.10          | 54.00          | 9.90        | Vertical | PASS    |
| 3   | 5459.06     | 31.72          | 12.39       | 44.11          | 54.00          | 9.89        | Vertical | PASS    |
| 4   | 5462.49     | 43.09          | 12.39       | 55.48          | 68.20          | 12.72       | Vertical | PASS    |
| 5   | 5466.99     | 43.65          | 12.39       | 56.04          | 68.20          | 12.16       | Vertical | PASS    |
| 6   | 5469.18     | 43.39          | 12.40       | 55.79          | 68.20          | 12.41       | Vertical | PASS    |

| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-2C   |
| Bandwidth           | 20MHz    | Channel   | 140       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5725.51     | 43.12          | 12.91       | 56.03          | 68.20          | 12.17       | Horizontal | PASS    |
| 2         | 5730.28     | 43.28          | 12.87       | 56.15          | 68.20          | 12.05       | Horizontal | PASS    |
| 3         | 5734.57     | 43.45          | 12.84       | 56.29          | 68.20          | 11.91       | Horizontal | PASS    |


| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-2C   |
| Bandwidth           | 20MHz    | Channel   | 140       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5725.72     | 43.79          | 12.91       | 56.70          | 68.20          | 11.50       | Vertical | PASS    |
| 2         | 5729.83     | 43.62          | 12.88       | 56.50          | 68.20          | 11.70       | Vertical | PASS    |
| 3         | 5733.25     | 43.65          | 12.85       | 56.50          | 68.20          | 11.70       | Vertical | PASS    |

| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-2C   |
| Bandwidth           | 20MHz    | Channel   | 144       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5858.45     | 42.96          | 12.89       | 55.85          | 68.20          | 12.35       | Horizontal | PASS    |
| 2   | 5889.78     | 42.94          | 12.98       | 55.92          | 68.20          | 12.28       | Horizontal | PASS    |
| 3   | 5935.71     | 43.20          | 13.26       | 56.46          | 68.20          | 11.74       | Horizontal | PASS    |

| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-2C   |
| Bandwidth           | 20MHz    | Channel   | 144       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5872.23     | 43.35          | 12.93       | 56.28          | 68.20          | 11.92       | Vertical | PASS    |
| 2         | 5890.87     | 42.81          | 12.98       | 55.79          | 68.20          | 12.41       | Vertical | PASS    |
| 3         | 5946.78     | 42.94          | 13.33       | 56.27          | 68.20          | 11.93       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 100       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5455.10     | 31.56          | 12.39       | 43.95          | 54.00          | 10.05       | Horizontal | PASS    |
| 2   | 5456.51     | 31.51          | 12.39       | 43.90          | 54.00          | 10.10       | Horizontal | PASS    |
| 3   | 5459.48     | 31.69          | 12.40       | 44.09          | 54.00          | 9.91        | Horizontal | PASS    |
| 4   | 5464.17     | 42.89          | 12.40       | 55.29          | 68.20          | 12.91       | Horizontal | PASS    |
| 5   | 5465.73     | 43.74          | 12.39       | 56.13          | 68.20          | 12.07       | Horizontal | PASS    |
| 6   | 5469.03     | 43.58          | 12.39       | 55.97          | 68.20          | 12.23       | Horizontal | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ac20 | Band:     | UNII-2C   |
| Bandwidth | 20MHz      | Channel   | 100       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5451.65     | 32.70          | 12.39       | 45.09          | 54.00          | 8.91        | Vertical | PASS    |
| 2   | 5457.47     | 33.04          | 12.39       | 45.43          | 54.00          | 8.57        | Vertical | PASS    |
| 3   | 5459.78     | 33.04          | 12.40       | 45.44          | 54.00          | 8.56        | Vertical | PASS    |
| 4   | 5462.52     | 44.61          | 12.40       | 57.01          | 68.20          | 11.19       | Vertical | PASS    |
| 5   | 5465.40     | 45.49          | 12.39       | 57.88          | 68.20          | 10.32       | Vertical | PASS    |
| 6   | 5469.27     | 45.67          | 12.40       | 58.07          | 68.20          | 10.13       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 140       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5725.63     | 44.12          | 12.91       | 57.03          | 68.20          | 11.17       | Horizontal | PASS    |
| 2         | 5726.98     | 44.32          | 12.90       | 57.22          | 68.20          | 10.98       | Horizontal | PASS    |
| 3         | 5728.81     | 44.14          | 12.89       | 57.03          | 68.20          | 11.17       | Horizontal | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 140       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5725.72     | 44.27          | 12.91       | 57.18          | 68.20          | 11.02       | Vertical | PASS    |
| 2         | 5728.84     | 43.52          | 12.89       | 56.41          | 68.20          | 11.79       | Vertical | PASS    |
| 3         | 5733.79     | 44.00          | 12.85       | 56.85          | 68.20          | 11.35       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 144       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5861.15     | 43.18          | 12.89       | 56.07          | 68.20          | 12.13       | Horizontal | PASS    |
| 2         | 5875.74     | 42.92          | 12.94       | 55.86          | 68.20          | 12.34       | Horizontal | PASS    |
| 3         | 5920.58     | 42.60          | 13.15       | 55.75          | 68.20          | 12.45       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 144       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5852.78     | 43.33          | 12.87       | 56.20          | 68.20          | 12.00       | Vertical | PASS    |
| 2         | 5877.63     | 43.07          | 12.94       | 56.01          | 68.20          | 12.19       | Vertical | PASS    |
| 3         | 5918.69     | 43.04          | 13.14       | 56.18          | 68.20          | 12.02       | Vertical | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ac40 | Band:     | UNII-2C   |
| Bandwidth | 40MHz      | Channel   | 102       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5455.64     | 32.01          | 12.39       | 44.40          | 54.00          | 9.60        | Horizontal | PASS    |
| 2   | 5457.56     | 32.05          | 12.40       | 44.45          | 54.00          | 9.55        | Horizontal | PASS    |
| 3   | 5459.68     | 32.46          | 12.40       | 44.86          | 54.00          | 9.14        | Horizontal | PASS    |
| 4   | 5467.01     | 46.94          | 12.39       | 59.33          | 68.20          | 8.87        | Horizontal | PASS    |
| 5   | 5468.09     | 45.57          | 12.40       | 57.97          | 68.20          | 10.23       | Horizontal | PASS    |
| 6   | 5469.85     | 46.79          | 12.40       | 59.19          | 68.20          | 9.01        | Horizontal | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ac40 | Band:     | UNII-2C   |
| Bandwidth | 40MHz      | Channel   | 102       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5454.28     | 33.74          | 12.40       | 46.14          | 54.00          | 7.86        | Vertical | PASS    |
| 2   | 5457.72     | 34.29          | 12.40       | 46.69          | 54.00          | 7.31        | Vertical | PASS    |
| 3   | 5459.88     | 34.96          | 12.39       | 47.35          | 54.00          | 6.65        | Vertical | PASS    |
| 4   | 5468.65     | 50.82          | 12.40       | 63.22          | 68.20          | 4.98        | Vertical | PASS    |
| 5   | 5468.85     | 51.29          | 12.39       | 63.68          | 68.20          | 4.52        | Vertical | PASS    |
| 6   | 5469.97     | 50.68          | 12.40       | 63.08          | 68.20          | 5.12        | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-2C   |
| Bandwidth           | 40MHz      | Channel   | 134       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5727.59     | 43.74          | 12.89       | 56.63          | 68.20          | 11.57       | Horizontal | PASS    |
| 2         | 5733.59     | 44.38          | 12.85       | 57.23          | 68.20          | 10.97       | Horizontal | PASS    |
| 3         | 5742.60     | 44.78          | 12.78       | 57.56          | 68.20          | 10.64       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-2C   |
| Bandwidth           | 40MHz      | Channel   | 134       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5727.79     | 43.54          | 12.89       | 56.43          | 68.20          | 11.77       | Vertical | PASS    |
| 2         | 5728.74     | 43.50          | 12.89       | 56.39          | 68.20          | 11.81       | Vertical | PASS    |
| 3         | 5737.69     | 42.93          | 12.82       | 55.75          | 68.20          | 12.45       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-2C   |
| Bandwidth           | 40MHz      | Channel   | 142       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5852.78     | 43.03          | 12.87       | 55.90          | 68.20          | 12.30       | Horizontal | PASS    |
| 2         | 5886.54     | 43.25          | 12.97       | 56.22          | 68.20          | 11.98       | Horizontal | PASS    |
| 3         | 5914.10     | 43.38          | 13.11       | 56.49          | 68.20          | 11.71       | Horizontal | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-2C   |
| Bandwidth           | 40MHz      | Channel   | 142       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5867.36     | 42.99          | 12.91       | 55.90          | 68.20          | 12.30       | Vertical | PASS    |
| 2         | 5896.27     | 43.34          | 13.00       | 56.34          | 68.20          | 11.86       | Vertical | PASS    |
| 3         | 5914.91     | 43.09          | 13.11       | 56.20          | 68.20          | 12.00       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-2C   |
| Bandwidth           | 80MHz      | Channel   | 106       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5454.74     | 35.00          | 12.39       | 47.39          | 54.00          | 6.61        | Horizontal | PASS    |
| 2         | 5457.56     | 35.66          | 12.40       | 48.06          | 54.00          | 5.94        | Horizontal | PASS    |
| 3         | 5459.12     | 36.44          | 12.39       | 48.83          | 54.00          | 5.17        | Horizontal | PASS    |
| 4         | 5460.03     | 49.14          | 12.39       | 61.53          | 68.20          | 6.67        | Horizontal | PASS    |
| 5         | 5464.53     | 49.61          | 12.40       | 62.01          | 68.20          | 6.19        | Horizontal | PASS    |
| 6         | 5467.83     | 51.01          | 12.40       | 63.41          | 68.20          | 4.79        | Horizontal | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-2C   |
| Bandwidth           | 80MHz      | Channel   | 106       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5455.46     | 39.54          | 12.39       | 51.93          | 54.00          | 2.07        | Vertical | PASS    |
| 2         | 5457.74     | 40.14          | 12.40       | 52.54          | 54.00          | 1.46        | Vertical | PASS    |
| 3         | 5459.66     | 40.61          | 12.40       | 53.01          | 54.00          | 0.99        | Vertical | PASS    |
| 4         | 5461.35     | 53.32          | 12.40       | 65.72          | 68.20          | 2.48        | Vertical | PASS    |
| 5         | 5464.59     | 52.27          | 12.40       | 64.67          | 68.20          | 3.53        | Vertical | PASS    |
| 6         | 5468.73     | 53.99          | 12.40       | 66.39          | 68.20          | 1.81        | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-2C   |
| Bandwidth           | 80MHz      | Channel   | 122       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5726.68     | 43.91          | 12.90       | 56.81          | 68.20          | 11.39       | Horizontal | PASS    |
| 2   | 5731.36     | 43.15          | 12.87       | 56.02          | 68.20          | 12.18       | Horizontal | PASS    |
| 3   | 5739.82     | 43.09          | 12.80       | 55.89          | 68.20          | 12.31       | Horizontal | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ac80 | Band:     | UNII-2C   |
| Bandwidth | 80MHz      | Channel   | 122       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |

## Test Graph




## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5727.31     | 43.80          | 12.90       | 56.70          | 68.20          | 11.50       | Vertical | PASS    |
| 2   | 5732.62     | 44.44          | 12.86       | 57.30          | 68.20          | 10.90       | Vertical | PASS    |
| 3   | 5739.37     | 43.64          | 12.80       | 56.44          | 68.20          | 11.76       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-2C   |
| Bandwidth           | 80MHz      | Channel   | 138       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5861.96     | 43.74          | 12.90       | 56.64          | 68.20          | 11.56       | Horizontal | PASS    |
| 2         | 5875.20     | 43.60          | 12.94       | 56.54          | 68.20          | 11.66       | Horizontal | PASS    |
| 3         | 5882.22     | 43.81          | 12.96       | 56.77          | 68.20          | 11.43       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-2C   |
| Bandwidth           | 80MHz      | Channel   | 138       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5855.21     | 43.91          | 12.88       | 56.79          | 68.20          | 11.41       | Vertical | PASS    |
| 2         | 5879.25     | 43.78          | 12.95       | 56.73          | 68.20          | 11.47       | Vertical | PASS    |
| 3         | 5899.51     | 43.72          | 13.01       | 56.73          | 68.20          | 11.47       | Vertical | PASS    |

## Project Information

|           |             |           |           |
|-----------|-------------|-----------|-----------|
| Mode:     | 802.11ac160 | Band:     | UNII-2C   |
| Bandwidth | 160MHz      | Channel   | 114       |
| SN:       | 17aba958    | Engineer: | Tian Shuo |
| Remark:   | Y           |           |           |


## Test Graph



## Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5433.79     | 30.17          | 12.36       | 42.53          | 54.00          | 11.47       | Horizontal | PASS    |
| 2   | 5442.55     | 30.47          | 12.38       | 42.85          | 54.00          | 11.15       | Horizontal | PASS    |
| 3   | 5458.30     | 31.54          | 12.39       | 43.93          | 54.00          | 10.07       | Horizontal | PASS    |
| 4   | 5459.35     | 43.18          | 12.40       | 55.58          | 74.00          | 18.42       | Horizontal | PASS    |
| 5   | 5468.81     | 43.74          | 12.39       | 56.13          | 68.20          | 12.07       | Horizontal | PASS    |
| 6   | 5734.24     | 46.99          | 12.84       | 59.83          | 68.20          | 8.37        | Horizontal | PASS    |

| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ac160 | Band:     | UNII-2C   |
| Bandwidth           | 160MHz      | Channel   | 114       |
| SN:                 | 17aba958    | Engineer: | Tian Shuo |
| Remark:             | Y           |           |           |

**Test Graph****Data List**


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5433.27     | 33.40          | 12.36       | 45.76          | 54.00          | 8.24        | Vertical | PASS    |
| 2   | 5440.80     | 33.85          | 12.37       | 46.22          | 54.00          | 7.78        | Vertical | PASS    |
| 3   | 5454.45     | 36.03          | 12.40       | 48.43          | 54.00          | 5.57        | Vertical | PASS    |
| 4   | 5460.93     | 48.32          | 12.40       | 60.72          | 68.20          | 7.48        | Vertical | PASS    |
| 5   | 5465.83     | 47.12          | 12.39       | 59.51          | 68.20          | 8.69        | Vertical | PASS    |
| 6   | 5734.42     | 46.16          | 12.84       | 59.00          | 68.20          | 9.20        | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 100       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5454.32     | 31.76          | 12.40       | 44.16          | 54.00          | 9.84        | Horizontal | PASS    |
| 2   | 5456.27     | 31.75          | 12.39       | 44.14          | 54.00          | 9.86        | Horizontal | PASS    |
| 3   | 5459.27     | 32.09          | 12.40       | 44.49          | 54.00          | 9.51        | Horizontal | PASS    |
| 4   | 5464.68     | 43.28          | 12.40       | 55.68          | 68.20          | 12.52       | Horizontal | PASS    |
| 5   | 5467.32     | 45.10          | 12.39       | 57.49          | 68.20          | 10.71       | Horizontal | PASS    |
| 6   | 5469.21     | 45.16          | 12.40       | 57.56          | 68.20          | 10.64       | Horizontal | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 100       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5451.95     | 33.20          | 12.39       | 45.59          | 54.00          | 8.41        | Vertical | PASS    |
| 2   | 5456.84     | 33.23          | 12.39       | 45.62          | 54.00          | 8.38        | Vertical | PASS    |
| 3   | 5458.88     | 33.80          | 12.39       | 46.19          | 54.00          | 7.81        | Vertical | PASS    |
| 4   | 5462.73     | 45.16          | 12.40       | 57.56          | 68.20          | 10.64       | Vertical | PASS    |
| 5   | 5466.69     | 45.33          | 12.40       | 57.73          | 68.20          | 10.47       | Vertical | PASS    |
| 6   | 5468.82     | 46.61          | 12.39       | 59.00          | 68.20          | 9.20        | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 140       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5726.05     | 45.98          | 12.91       | 58.89          | 68.20          | 9.31        | Horizontal | PASS    |
| 2         | 5728.21     | 44.77          | 12.89       | 57.66          | 68.20          | 10.54       | Horizontal | PASS    |
| 3         | 5731.81     | 44.29          | 12.86       | 57.15          | 68.20          | 11.05       | Horizontal | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 140       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5726.41     | 46.09          | 12.90       | 58.99          | 68.20          | 9.21        | Vertical | PASS    |
| 2   | 5727.46     | 45.17          | 12.90       | 58.07          | 68.20          | 10.13       | Vertical | PASS    |
| 3   | 5730.73     | 44.30          | 12.87       | 57.17          | 68.20          | 11.03       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 144       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5862.23     | 43.89          | 12.90       | 56.79          | 68.20          | 11.41       | Horizontal | PASS    |
| 2         | 5890.60     | 43.90          | 12.98       | 56.88          | 68.20          | 11.32       | Horizontal | PASS    |
| 3         | 5932.74     | 43.09          | 13.24       | 56.33          | 68.20          | 11.87       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-2C   |
| Bandwidth           | 20MHz      | Channel   | 144       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5864.66     | 43.08          | 12.90       | 55.98          | 68.20          | 12.22       | Vertical | PASS    |
| 2         | 5897.62     | 42.74          | 13.00       | 55.74          | 68.20          | 12.46       | Vertical | PASS    |
| 3         | 5942.73     | 42.86          | 13.31       | 56.17          | 68.20          | 12.03       | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-2C   |
| Bandwidth           | 40MHz      | Channel   | 102       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph****Data List**

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5455.56     | 31.96          | 12.39       | 44.35          | 54.00          | 9.65        | Horizontal | PASS    |
| 2   | 5457.72     | 31.84          | 12.40       | 44.24          | 54.00          | 9.76        | Horizontal | PASS    |
| 3   | 5459.84     | 32.24          | 12.39       | 44.63          | 54.00          | 9.37        | Horizontal | PASS    |
| 4   | 5465.69     | 44.43          | 12.39       | 56.82          | 68.20          | 11.38       | Horizontal | PASS    |
| 5   | 5467.33     | 45.11          | 12.39       | 57.50          | 68.20          | 10.70       | Horizontal | PASS    |
| 6   | 5469.29     | 46.08          | 12.40       | 58.48          | 68.20          | 9.72        | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-2C   |
| Bandwidth           | 40MHz      | Channel   | 102       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5455.08     | 33.10          | 12.39       | 45.49          | 54.00          | 8.51        | Vertical | PASS    |
| 2         | 5457.48     | 33.55          | 12.39       | 45.94          | 54.00          | 8.06        | Vertical | PASS    |
| 3         | 5459.56     | 34.04          | 12.40       | 46.44          | 54.00          | 7.56        | Vertical | PASS    |
| 4         | 5467.53     | 47.67          | 12.40       | 60.07          | 68.20          | 8.13        | Vertical | PASS    |
| 5         | 5468.45     | 48.88          | 12.40       | 61.28          | 68.20          | 6.92        | Vertical | PASS    |
| 6         | 5469.09     | 48.33          | 12.39       | 60.72          | 68.20          | 7.48        | Vertical | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-2C   |
| Bandwidth           | 40MHz      | Channel   | 134       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5728.24     | 43.11          | 12.89       | 56.00          | 68.20          | 12.20       | Horizontal | PASS    |
| 2         | 5730.24     | 43.74          | 12.87       | 56.61          | 68.20          | 11.59       | Horizontal | PASS    |
| 3         | 5735.84     | 43.51          | 12.83       | 56.34          | 68.20          | 11.86       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-2C   |
| Bandwidth           | 40MHz      | Channel   | 134       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**


| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5728.29     | 43.43          | 12.89       | 56.32          | 68.20          | 11.88       | Vertical | PASS    |
| 2         | 5731.19     | 43.41          | 12.87       | 56.28          | 68.20          | 11.92       | Vertical | PASS    |
| 3         | 5738.24     | 43.82          | 12.81       | 56.63          | 68.20          | 11.57       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-2C   |
| Bandwidth           | 40MHz      | Channel   | 142       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5857.10     | 43.11          | 12.88       | 55.99          | 68.20          | 12.21       | Horizontal | PASS    |
| 2         | 5891.68     | 42.88          | 12.99       | 55.87          | 68.20          | 12.33       | Horizontal | PASS    |
| 3         | 5936.25     | 42.64          | 13.26       | 55.90          | 68.20          | 12.30       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-2C   |
| Bandwidth           | 40MHz      | Channel   | 142       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5870.34     | 43.24          | 12.92       | 56.16          | 68.20          | 12.04       | Vertical | PASS    |
| 2         | 5887.35     | 43.04          | 12.97       | 56.01          | 68.20          | 12.19       | Vertical | PASS    |
| 3         | 5927.06     | 43.17          | 13.20       | 56.37          | 68.20          | 11.83       | Vertical | PASS    |

## Project Information

|           |            |           |           |
|-----------|------------|-----------|-----------|
| Mode:     | 802.11ax80 | Band:     | UNII-2C   |
| Bandwidth | 80MHz      | Channel   | 106       |
| SN:       | 17aba958   | Engineer: | Tian Shuo |
| Remark:   | Y          |           |           |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5454.50     | 33.23          | 12.39       | 45.62          | 54.00          | 8.38        | Horizontal | PASS    |
| 2   | 5456.96     | 33.80          | 12.39       | 46.19          | 54.00          | 7.81        | Horizontal | PASS    |
| 3   | 5458.64     | 34.05          | 12.39       | 46.44          | 54.00          | 7.56        | Horizontal | PASS    |
| 4   | 5460.99     | 46.88          | 12.40       | 59.28          | 68.20          | 8.92        | Horizontal | PASS    |
| 5   | 5463.03     | 45.37          | 12.40       | 57.77          | 68.20          | 10.43       | Horizontal | PASS    |
| 6   | 5468.31     | 46.28          | 12.40       | 58.68          | 68.20          | 9.52        | Horizontal | PASS    |


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | UNII-2C   |
| Bandwidth           | 80MHz      | Channel   | 106       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5454.08     | 37.61          | 12.39       | 50.00          | 54.00          | 4.00        | Vertical | PASS    |
| 2         | 5456.66     | 38.32          | 12.39       | 50.71          | 54.00          | 3.29        | Vertical | PASS    |
| 3         | 5459.54     | 38.56          | 12.40       | 50.96          | 54.00          | 3.04        | Vertical | PASS    |
| 4         | 5461.17     | 50.80          | 12.40       | 63.20          | 68.20          | 5.00        | Vertical | PASS    |
| 5         | 5465.85     | 51.21          | 12.40       | 63.61          | 68.20          | 4.59        | Vertical | PASS    |
| 6         | 5468.01     | 52.89          | 12.40       | 65.29          | 68.20          | 2.91        | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | UNII-2C   |
| Bandwidth           | 80MHz      | Channel   | 122       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


### Test Graph



| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5729.20     | 43.96          | 12.88       | 56.84          | 68.20          | 11.36       | Horizontal | PASS    |
| 2         | 5734.06     | 46.16          | 12.84       | 59.00          | 68.20          | 9.20        | Horizontal | PASS    |
| 3         | 5742.35     | 43.66          | 12.78       | 56.44          | 68.20          | 11.76       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | UNII-2C   |
| Bandwidth           | 80MHz      | Channel   | 122       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


### Test Graph



### Data List


| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5725.96     | 44.87          | 12.91       | 57.78          | 68.20          | 10.42       | Vertical | PASS    |
| 2   | 5729.47     | 44.55          | 12.88       | 57.43          | 68.20          | 10.77       | Vertical | PASS    |
| 3   | 5733.88     | 45.14          | 12.85       | 57.99          | 68.20          | 10.21       | Vertical | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | UNII-2C   |
| Bandwidth           | 80MHz      | Channel   | 138       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5864.93     | 43.72          | 12.90       | 56.62          | 68.20          | 11.58       | Horizontal | PASS    |
| 2         | 5872.77     | 43.80          | 12.93       | 56.73          | 68.20          | 11.47       | Horizontal | PASS    |
| 3         | 5907.61     | 43.30          | 13.07       | 56.37          | 68.20          | 11.83       | Horizontal | PASS    |

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | UNII-2C   |
| Bandwidth           | 80MHz      | Channel   | 138       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5865.20     | 43.19          | 12.91       | 56.10          | 68.20          | 12.10       | Vertical | PASS    |
| 2         | 5888.43     | 43.66          | 12.98       | 56.64          | 68.20          | 11.56       | Vertical | PASS    |
| 3         | 5942.19     | 43.09          | 13.30       | 56.39          | 68.20          | 11.81       | Vertical | PASS    |

## Project Information

|           |             |           |           |
|-----------|-------------|-----------|-----------|
| Mode:     | 802.11ax160 | Band:     | UNII-2C   |
| Bandwidth | 160MHz      | Channel   | 114       |
| SN:       | 17aba958    | Engineer: | Tian Shuo |
| Remark:   | Y           |           |           |


## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| 1   | 5436.07     | 32.58          | 12.36       | 44.94          | 54.00          | 9.06        | Horizontal | PASS    |
| 2   | 5449.20     | 32.94          | 12.39       | 45.33          | 54.00          | 8.67        | Horizontal | PASS    |
| 3   | 5457.60     | 33.13          | 12.40       | 45.53          | 54.00          | 8.47        | Horizontal | PASS    |
| 4   | 5463.21     | 44.67          | 12.40       | 57.07          | 68.20          | 11.13       | Horizontal | PASS    |
| 5   | 5467.23     | 44.18          | 12.39       | 56.57          | 68.20          | 11.63       | Horizontal | PASS    |
| 6   | 5728.46     | 46.92          | 12.89       | 59.81          | 68.20          | 8.39        | Horizontal | PASS    |


| Project Information |             |           |           |
|---------------------|-------------|-----------|-----------|
| Mode:               | 802.11ax160 | Band:     | UNII-2C   |
| Bandwidth           | 160MHz      | Channel   | 114       |
| SN:                 | 17aba958    | Engineer: | Tian Shuo |
| Remark:             | Y           |           |           |

**Test Graph**

| Data List |             |                |             |                |                |             |          |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
| 1         | 5435.54     | 35.24          | 12.36       | 47.60          | 54.00          | 6.40        | Vertical | PASS    |
| 2         | 5449.55     | 36.52          | 12.39       | 48.91          | 54.00          | 5.09        | Vertical | PASS    |
| 3         | 5458.83     | 37.15          | 12.39       | 49.54          | 54.00          | 4.46        | Vertical | PASS    |
| 4         | 5456.73     | 48.11          | 12.39       | 60.50          | 74.00          | 13.50       | Vertical | PASS    |
| 5         | 5465.13     | 47.80          | 12.40       | 60.20          | 68.20          | 8.00        | Vertical | PASS    |
| 6         | 5739.14     | 49.47          | 12.80       | 62.27          | 68.20          | 5.93        | Vertical | PASS    |


| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-3    |
| Bandwidth           | 20MHz    | Channel   | 149       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

### Test Graph




| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-3    |
| Bandwidth           | 20MHz    | Channel   | 149       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |

### Test Graph




| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-3    |
| Bandwidth           | 20MHz    | Channel   | 165       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |


### Test Graph



| Project Information |          |           |           |
|---------------------|----------|-----------|-----------|
| Mode:               | 802.11a  | Band:     | UNII-3    |
| Bandwidth           | 20MHz    | Channel   | 165       |
| SN:                 | 17aba958 | Engineer: | Tian Shuo |
| Remark:             | Y        |           |           |


**Test Graph**

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-3    |
| Bandwidth           | 20MHz      | Channel   | 149       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


**Test Graph**

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-3    |
| Bandwidth           | 20MHz      | Channel   | 149       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-3    |
| Bandwidth           | 20MHz      | Channel   | 165       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac20 | Band:     | UNII-3    |
| Bandwidth           | 20MHz      | Channel   | 165       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-3    |
| Bandwidth           | 40MHz      | Channel   | 151       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-3    |
| Bandwidth           | 40MHz      | Channel   | 151       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-3    |
| Bandwidth           | 40MHz      | Channel   | 159       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac40 | Band:     | UNII-3    |
| Bandwidth           | 40MHz      | Channel   | 159       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |


**Test Graph**

| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-3    |
| Bandwidth           | 80MHz      | Channel   | 155       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ac80 | Band:     | UNII-3    |
| Bandwidth           | 80MHz      | Channel   | 155       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

## Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-3    |
| Bandwidth           | 20MHz      | Channel   | 149       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-3    |
| Bandwidth           | 20MHz      | Channel   | 149       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-3    |
| Bandwidth           | 20MHz      | Channel   | 165       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax20 | Band:     | UNII-3    |
| Bandwidth           | 20MHz      | Channel   | 165       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-3    |
| Bandwidth           | 40MHz      | Channel   | 151       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-3    |
| Bandwidth           | 40MHz      | Channel   | 151       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-3    |
| Bandwidth           | 40MHz      | Channel   | 159       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax40 | Band:     | UNII-3    |
| Bandwidth           | 40MHz      | Channel   | 159       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

**Test Graph**


| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | UNII-3    |
| Bandwidth           | 80MHz      | Channel   | 155       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph




| Project Information |            |           |           |
|---------------------|------------|-----------|-----------|
| Mode:               | 802.11ax80 | Band:     | UNII-3    |
| Bandwidth           | 80MHz      | Channel   | 155       |
| SN:                 | 17aba958   | Engineer: | Tian Shuo |
| Remark:             | Y          |           |           |

### Test Graph



| Project Information |                     |           |           |
|---------------------|---------------------|-----------|-----------|
| Mode:               | 802.11ax20 RU26left | Band:     | UNII-1    |
| Bandwidth           | 20MHz               | Channel   | 36        |
| SN:                 | 17aba958            | Engineer: | Tian Shuo |
| Remark:             | Y                   |           |           |


**Test Graph**

| Data List |             |                |             |                |                |             |            |         |
|-----------|-------------|----------------|-------------|----------------|----------------|-------------|------------|---------|
| NO.       | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1         | 5141.45     | 31.19          | 11.92       | 43.11          | 54.00          | 10.89       | Horizontal | PASS    |
| 2         | 5146.69     | 31.14          | 11.95       | 43.09          | 54.00          | 10.91       | Horizontal | PASS    |
| 3         | 5149.74     | 31.17          | 11.97       | 43.14          | 54.00          | 10.86       | Horizontal | PASS    |
| 4         | 5141.19     | 42.75          | 11.91       | 54.66          | 74.00          | 19.34       | Horizontal | PASS    |
| 5         | 5147.44     | 42.37          | 11.95       | 54.32          | 74.00          | 19.68       | Horizontal | PASS    |
| 6         | 5149.61     | 43.10          | 11.97       | 55.07          | 74.00          | 18.93       | Horizontal | PASS    |

## Project Information

|           |                     |           |           |
|-----------|---------------------|-----------|-----------|
| Mode:     | 802.11ax20 RU26left | Band:     | UNII-1    |
| Bandwidth | 20MHz               | Channel   | 36        |
| SN:       | 17aba958            | Engineer: | Tian Shuo |
| Remark:   | Y                   |           |           |

## Test Graph



## Data List

| NO. | Freq. [MHz] | Reading [dBμV] | Factor [dB] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|----------------|-------------|----------------|----------------|-------------|----------|---------|
| 1   | 5140.87     | 31.09          | 11.91       | 43.00          | 54.00          | 11.00       | Vertical | PASS    |
| 2   | 5145.42     | 31.14          | 11.94       | 43.08          | 54.00          | 10.92       | Vertical | PASS    |
| 3   | 5149.03     | 31.03          | 11.97       | 43.00          | 54.00          | 11.00       | Vertical | PASS    |
| 4   | 5139.34     | 42.47          | 11.90       | 54.37          | 74.00          | 19.63       | Vertical | PASS    |
| 5   | 5145.36     | 42.32          | 11.94       | 54.26          | 74.00          | 19.74       | Vertical | PASS    |
| 6   | 5148.87     | 42.92          | 11.97       | 54.89          | 74.00          | 19.11       | Vertical | PASS    |