


Project Information			
Mode:	802.11ax20 RU52left	Band:	UNII-1
Bandwidth	20MHz	Channel	36
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.57	31.02	11.94	42.96	54.00	11.04	Horizontal	PASS
2	5147.79	31.20	11.95	43.15	54.00	10.85	Horizontal	PASS
3	5149.39	31.16	11.97	43.13	54.00	10.87	Horizontal	PASS
4	5144.44	42.12	11.94	54.06	74.00	19.94	Horizontal	PASS
5	5147.92	42.67	11.95	54.62	74.00	19.38	Horizontal	PASS
6	5149.58	42.63	11.97	54.60	74.00	19.40	Horizontal	PASS

Project Information

Mode:	802.11ax20 RU52left	Band:	UNII-1
Bandwidth	20MHz	Channel	36
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.93	31.79	11.94	43.73	54.00	10.27	Vertical	PASS
2	5147.14	31.67	11.95	43.62	54.00	10.38	Vertical	PASS
3	5148.83	31.57	11.97	43.54	54.00	10.46	Vertical	PASS
4	5144.61	43.54	11.94	55.48	74.00	18.52	Vertical	PASS
5	5146.69	43.15	11.95	55.10	74.00	18.90	Vertical	PASS
6	5148.90	42.53	11.97	54.50	74.00	19.50	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106left	Band:	UNII-1
Bandwidth	20MHz	Channel	36
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.27	31.03	11.92	42.95	54.00	11.05	Horizontal	PASS
2	5146.72	31.27	11.95	43.22	54.00	10.78	Horizontal	PASS
3	5149.35	31.33	11.97	43.30	54.00	10.70	Horizontal	PASS
4	5144.67	42.15	11.94	54.09	74.00	19.91	Horizontal	PASS
5	5146.98	43.48	11.95	55.43	74.00	18.57	Horizontal	PASS
6	5149.52	44.51	11.97	56.48	74.00	17.52	Horizontal	PASS


Project Information			
Mode:	802.11ax20 RU106left	Band:	UNII-1
Bandwidth	20MHz	Channel	36
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.96	31.73	11.94	43.67	54.00	10.33	Vertical	PASS
2	5147.11	31.73	11.95	43.68	54.00	10.32	Vertical	PASS
3	5149.03	32.61	11.97	44.58	54.00	9.42	Vertical	PASS
4	5145.71	44.81	11.94	56.75	74.00	17.25	Vertical	PASS
5	5147.27	46.46	11.95	58.41	74.00	15.59	Vertical	PASS
6	5149.58	46.58	11.97	58.55	74.00	15.45	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-1
Bandwidth	40MHz	Channel	38
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5146.05	35.51	11.94	47.45	54.00	6.55	Horizontal	PASS
2	5148.09	36.03	11.96	47.99	54.00	6.01	Horizontal	PASS
3	5149.83	36.90	11.97	48.87	54.00	5.13	Horizontal	PASS
4	5145.84	53.87	11.94	65.81	74.00	8.19	Horizontal	PASS
5	5148.26	56.18	11.96	68.14	74.00	5.86	Horizontal	PASS
6	5149.79	52.89	11.97	64.86	74.00	9.14	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-1
Bandwidth	40MHz	Channel	38
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5146.09	39.94	11.94	51.88	54.00	2.12	Vertical	PASS
2	5148.81	40.92	11.97	52.89	54.00	1.11	Vertical	PASS
3	5149.66	41.72	11.97	53.69	54.00	0.31	Vertical	PASS
4	5145.50	57.78	11.94	69.72	74.00	4.28	Vertical	PASS
5	5148.22	60.28	11.96	72.24	74.00	1.76	Vertical	PASS
6	5149.62	59.09	11.97	71.06	74.00	2.94	Vertical	PASS


Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-1
Bandwidth	80MHz	Channel	42
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5147.03	35.04	11.95	46.99	54.00	7.01	Horizontal	PASS
2	5148.13	36.09	11.96	48.05	54.00	5.95	Horizontal	PASS
3	5149.87	35.37	11.97	47.34	54.00	6.66	Horizontal	PASS
4	5146.81	52.92	11.95	64.87	74.00	9.13	Horizontal	PASS
5	5148.22	55.79	11.96	67.75	74.00	6.25	Horizontal	PASS
6	5149.75	55.37	11.97	67.34	74.00	6.66	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-1
Bandwidth	80MHz	Channel	42
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5146.81	39.07	11.95	51.02	54.00	2.98	Vertical	PASS
2	5147.92	40.04	11.95	51.99	54.00	2.01	Vertical	PASS
3	5149.79	40.46	11.97	52.43	54.00	1.57	Vertical	PASS
4	5145.50	59.39	11.94	71.33	74.00	2.67	Vertical	PASS
5	5148.00	60.19	11.95	72.14	74.00	1.86	Vertical	PASS
6	5149.62	61.99	11.97	73.96	74.00	0.04	Vertical	PASS

Project Information

Mode:	802.11ax160 RU996left	Band:	UNII-1
Bandwidth	160MHz	Channel	50
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5117.63	33.88	11.76	45.64	54.00	8.36	Horizontal	PASS
2	5398.77	33.14	12.28	45.42	54.00	8.58	Horizontal	PASS
3	5405.78	31.97	12.30	44.27	54.00	9.73	Horizontal	PASS
4	5117.43	49.97	11.76	61.73	74.00	12.27	Horizontal	PASS
5	5391.97	53.87	12.27	66.14	74.00	7.86	Horizontal	PASS
6	5398.97	54.38	12.28	66.66	74.00	7.34	Horizontal	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-1
Bandwidth	160MHz	Channel	50
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.05	38.14	11.92	50.06	54.00	3.94	Vertical	PASS
2	5392.57	38.05	12.26	50.31	54.00	3.69	Vertical	PASS
3	5396.17	37.84	12.28	50.12	54.00	3.88	Vertical	PASS
4	5117.43	51.89	11.76	63.65	74.00	10.35	Vertical	PASS
5	5396.37	60.13	12.28	72.41	74.00	1.59	Vertical	PASS
6	5402.38	58.23	12.29	70.52	74.00	3.48	Vertical	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-1
Bandwidth	160MHz	Channel	50
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5116.43	31.54	11.75	43.29	54.00	10.71	Horizontal	PASS
2	5353.15	35.05	12.14	47.19	54.00	6.81	Horizontal	PASS
3	5358.75	34.78	12.16	46.94	54.00	7.06	Horizontal	PASS
4	5117.63	48.07	11.76	59.83	74.00	14.17	Horizontal	PASS
5	5392.17	53.84	12.27	66.11	74.00	7.89	Horizontal	PASS
6	5399.17	53.35	12.29	65.64	74.00	8.36	Horizontal	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-1
Bandwidth	160MHz	Channel	50
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5117.83	33.72	11.76	45.48	54.00	8.52	Vertical	PASS
2	5355.55	40.33	12.15	52.48	54.00	1.52	Vertical	PASS
3	5364.96	38.94	12.18	51.12	54.00	2.88	Vertical	PASS
4	5117.03	50.99	11.75	62.74	74.00	11.26	Vertical	PASS
5	5385.57	57.03	12.24	69.27	74.00	4.73	Vertical	PASS
6	5398.97	59.58	12.28	71.86	74.00	2.14	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.20	31.83	12.14	43.97	54.00	10.03	Horizontal	PASS
2	5352.50	31.85	12.14	43.99	54.00	10.01	Horizontal	PASS
3	5357.28	31.69	12.16	43.85	54.00	10.15	Horizontal	PASS
4	5351.52	43.43	12.14	55.57	74.00	18.43	Horizontal	PASS
5	5352.95	43.01	12.14	55.15	74.00	18.85	Horizontal	PASS
6	5356.89	43.59	12.16	55.75	74.00	18.25	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.43	31.78	12.14	43.92	54.00	10.08	Vertical	PASS
2	5354.06	31.89	12.14	44.03	54.00	9.97	Vertical	PASS
3	5362.06	31.86	12.17	44.03	54.00	9.97	Vertical	PASS
4	5351.88	43.15	12.14	55.29	74.00	18.71	Vertical	PASS
5	5354.77	43.99	12.14	56.13	74.00	17.87	Vertical	PASS
6	5358.74	44.34	12.16	56.50	74.00	17.50	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.13	32.13	12.14	44.27	54.00	9.73	Horizontal	PASS
2	5351.82	31.71	12.14	43.85	54.00	10.15	Horizontal	PASS
3	5355.36	32.06	12.15	44.21	54.00	9.79	Horizontal	PASS
4	5350.87	43.44	12.13	55.57	74.00	18.43	Horizontal	PASS
5	5351.95	43.54	12.14	55.68	74.00	18.32	Horizontal	PASS
6	5355.39	42.75	12.15	54.90	74.00	19.10	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.07	32.25	12.14	44.39	54.00	9.61	Vertical	PASS
2	5352.53	32.35	12.13	44.48	54.00	9.52	Vertical	PASS
3	5354.03	32.53	12.14	44.67	54.00	9.33	Vertical	PASS
4	5351.17	45.78	12.14	57.92	74.00	16.08	Vertical	PASS
5	5352.82	43.57	12.13	55.70	74.00	18.30	Vertical	PASS
6	5354.16	43.56	12.14	55.70	74.00	18.30	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.22	31.81	12.13	43.94	54.00	10.06	Horizontal	PASS
2	5352.66	32.07	12.13	44.20	54.00	9.80	Horizontal	PASS
3	5355.88	31.77	12.15	43.92	54.00	10.08	Horizontal	PASS
4	5350.13	44.31	12.13	56.44	74.00	17.56	Horizontal	PASS
5	5353.57	43.53	12.14	55.67	74.00	18.33	Horizontal	PASS
6	5355.49	43.16	12.15	55.31	74.00	18.69	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.74	32.95	12.13	45.08	54.00	8.92	Vertical	PASS
2	5351.65	32.95	12.14	45.09	54.00	8.91	Vertical	PASS
3	5354.81	32.69	12.14	44.83	54.00	9.17	Vertical	PASS
4	5350.42	48.78	12.13	60.91	74.00	13.09	Vertical	PASS
5	5351.46	48.68	12.14	60.82	74.00	13.18	Vertical	PASS
6	5357.67	47.09	12.15	59.24	74.00	14.76	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-2A
Bandwidth	40MHz	Channel	62
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.34	35.24	12.13	47.37	54.00	6.63	Horizontal	PASS
2	5352.46	34.24	12.14	46.38	54.00	7.62	Horizontal	PASS
3	5355.02	34.37	12.15	46.52	54.00	7.48	Horizontal	PASS
4	5350.98	52.50	12.14	64.64	74.00	9.36	Horizontal	PASS
5	5352.04	52.89	12.14	65.03	74.00	8.97	Horizontal	PASS
6	5354.67	54.21	12.14	66.35	74.00	7.65	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-2A
Bandwidth	40MHz	Channel	62
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.19	38.53	12.14	50.67	54.00	3.33	Vertical	PASS
2	5352.17	38.64	12.14	50.78	54.00	3.22	Vertical	PASS
3	5355.06	37.76	12.15	49.91	54.00	4.09	Vertical	PASS
4	5352.12	61.66	12.14	73.80	74.00	0.20	Vertical	PASS
5	5354.76	57.83	12.14	69.97	74.00	4.03	Vertical	PASS
6	5356.25	57.14	12.15	69.29	74.00	4.71	Vertical	PASS

Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	41.65	12.13	53.78	54.00	0.22	Vertical	PASS
2	5353.48	39.28	12.14	51.42	54.00	2.58	Vertical	PASS
3	5359.03	38.95	12.16	51.11	54.00	2.89	Vertical	PASS
4	5362.56	58.71	12.17	70.88	74.00	3.12	Vertical	PASS
5	5378.61	58.65	12.22	70.87	74.00	3.13	Vertical	PASS
6	5382.59	59.65	12.23	71.88	74.00	2.12	Vertical	PASS

Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5352.95	35.75	12.14	47.89	54.00	6.11	Horizontal	PASS
2	5355.73	35.00	12.15	47.15	54.00	6.85	Horizontal	PASS
3	5366.53	34.68	12.19	46.87	54.00	7.13	Horizontal	PASS
4	5351.90	53.81	12.14	65.95	74.00	8.05	Horizontal	PASS
5	5357.45	53.90	12.16	66.06	74.00	7.94	Horizontal	PASS
6	5366.38	55.79	12.19	67.98	74.00	6.02	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.25	41.75	12.13	53.88	54.00	0.12	Vertical	PASS
2	5353.33	40.29	12.14	52.43	54.00	1.57	Vertical	PASS
3	5358.88	39.52	12.16	51.68	54.00	2.32	Vertical	PASS
4	5362.56	61.64	12.17	73.81	74.00	0.19	Vertical	PASS
5	5368.41	60.48	12.19	72.67	74.00	1.33	Vertical	PASS
6	5371.11	59.88	12.20	72.08	74.00	1.92	Vertical	PASS

Project Information

Mode:	802.11ax20 RU26left	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.80	31.57	12.39	43.96	54.00	10.04	Horizontal	PASS
2	5455.94	31.57	12.40	43.97	54.00	10.03	Horizontal	PASS
3	5459.00	31.51	12.39	43.90	54.00	10.10	Horizontal	PASS
4	5463.99	43.44	12.39	55.83	68.20	12.37	Horizontal	PASS
5	5466.24	42.81	12.40	55.21	68.20	12.99	Horizontal	PASS
6	5469.27	43.24	12.40	55.64	68.20	12.56	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26left	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.42	31.70	12.39	44.09	54.00	9.91	Vertical	PASS
2	5457.38	31.54	12.39	43.93	54.00	10.07	Vertical	PASS
3	5459.00	31.48	12.39	43.87	54.00	10.13	Vertical	PASS
4	5463.57	42.80	12.39	55.19	68.20	13.01	Vertical	PASS
5	5467.26	42.71	12.39	55.10	68.20	13.10	Vertical	PASS
6	5469.63	43.72	12.40	56.12	68.20	12.08	Vertical	PASS


Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.32	43.29	12.90	56.19	68.20	12.01	Horizontal	PASS
2	5728.15	43.34	12.89	56.23	68.20	11.97	Horizontal	PASS
3	5732.95	43.15	12.85	56.00	68.20	12.20	Horizontal	PASS


Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.49	44.35	12.90	57.25	68.20	10.95	Vertical	PASS
2	5729.92	43.35	12.88	56.23	68.20	11.97	Vertical	PASS
3	5730.79	43.78	12.87	56.65	68.20	11.55	Vertical	PASS


Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-2C&3
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5861.69	44.15	12.90	57.05	68.20	11.15	Horizontal	PASS
2	5894.11	43.05	12.99	56.04	68.20	12.16	Horizontal	PASS
3	5933.28	43.53	13.25	56.78	68.20	11.42	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-2C&3
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.21	43.46	12.88	56.34	68.20	11.86	Vertical	PASS
2	5879.79	43.99	12.95	56.94	68.20	11.26	Vertical	PASS
3	5915.18	43.12	13.12	56.24	68.20	11.96	Vertical	PASS

Project Information

Mode:	802.11ax20 RU52left	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.11	31.54	12.39	43.93	54.00	10.07	Horizontal	PASS
2	5456.90	31.56	12.39	43.95	54.00	10.05	Horizontal	PASS
3	5459.42	31.35	12.40	43.75	54.00	10.25	Horizontal	PASS
4	5463.30	43.19	12.40	55.59	68.20	12.61	Horizontal	PASS
5	5467.53	43.13	12.40	55.53	68.20	12.67	Horizontal	PASS
6	5469.75	43.20	12.40	55.60	68.20	12.60	Horizontal	PASS


Project Information			
Mode:	802.11ax20 RU52left	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.52	31.72	12.39	44.11	54.00	9.89	Vertical	PASS
2	5456.72	31.81	12.39	44.20	54.00	9.80	Vertical	PASS
3	5459.03	31.94	12.39	44.33	54.00	9.67	Vertical	PASS
4	5463.81	43.25	12.39	55.64	68.20	12.56	Vertical	PASS
5	5466.09	43.23	12.40	55.63	68.20	12.57	Vertical	PASS
6	5469.81	43.79	12.40	56.19	68.20	12.01	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5726.56	42.95	12.90	55.85	68.20	12.35	Horizontal	PASS
2	5730.85	43.11	12.87	55.98	68.20	12.22	Horizontal	PASS
3	5734.51	43.15	12.84	55.99	68.20	12.21	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.51	43.86	12.91	56.77	68.20	11.43	Vertical	PASS
2	5727.61	43.90	12.89	56.79	68.20	11.41	Vertical	PASS
3	5729.44	43.31	12.88	56.19	68.20	12.01	Vertical	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-2C&3
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.13	43.71	12.87	56.58	68.20	11.62	Horizontal	PASS
2	5886.81	44.05	12.97	57.02	68.20	11.18	Horizontal	PASS
3	5923.01	43.03	13.18	56.21	68.20	11.99	Horizontal	PASS

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-2C&3
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.45	43.47	12.89	56.36	68.20	11.84	Vertical	PASS
2	5892.22	43.44	12.99	56.43	68.20	11.77	Vertical	PASS
3	5922.47	42.97	13.16	56.13	68.20	12.07	Vertical	PASS

Project Information

Mode:	802.11ax20 RU106left	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.46	31.58	12.39	43.97	54.00	10.03	Horizontal	PASS
2	5457.35	31.57	12.39	43.96	54.00	10.04	Horizontal	PASS
3	5459.15	31.54	12.39	43.93	54.00	10.07	Horizontal	PASS
4	5466.09	43.35	12.40	55.75	68.20	12.45	Horizontal	PASS
5	5468.82	43.09	12.39	55.48	68.20	12.72	Horizontal	PASS
6	5469.54	43.64	12.40	56.04	68.20	12.16	Horizontal	PASS

Project Information

Mode:	802.11ax20 RU106left	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.83	31.79	12.39	44.18	54.00	9.82	Vertical	PASS
2	5457.83	32.06	12.40	44.46	54.00	9.54	Vertical	PASS
3	5459.54	31.88	12.40	44.28	54.00	9.72	Vertical	PASS
4	5466.00	43.89	12.40	56.29	68.20	11.91	Vertical	PASS
5	5468.25	44.55	12.40	56.95	68.20	11.25	Vertical	PASS
6	5469.12	44.86	12.39	57.25	68.20	10.95	Vertical	PASS


Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.18	47.67	12.91	60.58	68.20	7.62	Horizontal	PASS
2	5725.60	47.00	12.91	59.91	68.20	8.29	Horizontal	PASS
3	5729.35	45.57	12.88	58.45	68.20	9.75	Horizontal	PASS


Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.33	50.10	12.91	63.01	68.20	5.19	Vertical	PASS
2	5725.81	48.77	12.91	61.68	68.20	6.52	Vertical	PASS
3	5729.50	45.74	12.88	58.62	68.20	9.58	Vertical	PASS


Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-2C&3
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.80	43.20	12.89	56.09	68.20	12.11	Horizontal	PASS
2	5875.20	44.02	12.94	56.96	68.20	11.24	Horizontal	PASS
3	5911.94	43.05	13.09	56.14	68.20	12.06	Horizontal	PASS


Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-2C&3
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.80	43.21	12.89	56.10	68.20	12.10	Vertical	PASS
2	5873.04	43.47	12.93	56.40	68.20	11.80	Vertical	PASS
3	5893.84	43.07	12.99	56.06	68.20	12.14	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-2C
Bandwidth	40MHz	Channel	102
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.72	31.43	12.39	43.82	54.00	10.18	Horizontal	PASS
2	5457.24	31.69	12.39	44.08	54.00	9.92	Horizontal	PASS
3	5459.20	31.88	12.40	44.28	54.00	9.72	Horizontal	PASS
4	5468.37	49.69	12.40	62.09	68.20	6.11	Horizontal	PASS
5	5468.69	48.91	12.40	61.31	68.20	6.89	Horizontal	PASS
6	5469.69	48.74	12.40	61.14	68.20	7.06	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-2C
Bandwidth	40MHz	Channel	102
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.12	33.24	12.39	45.63	54.00	8.37	Vertical	PASS
2	5456.68	33.86	12.39	46.25	54.00	7.75	Vertical	PASS
3	5459.00	34.36	12.39	46.75	54.00	7.25	Vertical	PASS
4	5465.53	51.21	12.39	63.60	68.20	4.60	Vertical	PASS
5	5468.13	54.35	12.40	66.75	68.20	1.45	Vertical	PASS
6	5469.57	54.85	12.40	67.25	68.20	0.95	Vertical	PASS


Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-2C
Bandwidth	40MHz	Channel	134
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.84	45.76	12.91	58.67	68.20	9.53	Horizontal	PASS
2	5729.24	43.71	12.88	56.59	68.20	11.61	Horizontal	PASS
3	5730.89	43.68	12.87	56.55	68.20	11.65	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-2C
Bandwidth	40MHz	Channel	134
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.74	48.71	12.91	61.62	68.20	6.58	Vertical	PASS
2	5728.14	45.51	12.89	58.40	68.20	9.80	Vertical	PASS
3	5732.49	45.23	12.86	58.09	68.20	10.11	Vertical	PASS

Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-2C&3
Bandwidth	40MHz	Channel	142
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5859.26	43.95	12.89	56.84	68.20	11.36	Horizontal	PASS
2	5867.09	43.63	12.91	56.54	68.20	11.66	Horizontal	PASS
3	5880.87	43.62	12.95	56.57	68.20	11.63	Horizontal	PASS

Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-2C&3
Bandwidth	40MHz	Channel	142
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5862.50	44.09	12.90	56.99	68.20	11.21	Vertical	PASS
2	5874.39	44.63	12.93	57.56	68.20	10.64	Vertical	PASS
3	5899.24	43.25	13.01	56.26	68.20	11.94	Vertical	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-2C
Bandwidth	80MHz	Channel	106
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5469.51	54.18	12.40	66.58	68.20	1.62	Vertical	PASS

Project Information

Mode:	802.11ax80 RU484left	Band:	UNII-2C
Bandwidth	80MHz	Channel	106
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.90	32.10	12.39	44.49	54.00	9.51	Horizontal	PASS
2	5455.82	32.26	12.39	44.65	54.00	9.35	Horizontal	PASS
3	5457.50	32.35	12.40	44.75	54.00	9.25	Horizontal	PASS
4	5464.41	46.75	12.40	59.15	68.20	9.05	Horizontal	PASS
5	5466.57	48.66	12.40	61.06	68.20	7.14	Horizontal	PASS
6	5469.45	48.73	12.40	61.13	68.20	7.07	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-2C
Bandwidth	80MHz	Channel	106
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.28	34.53	12.39	46.92	54.00	7.08	Vertical	PASS
2	5456.12	34.66	12.40	47.06	54.00	6.94	Vertical	PASS
3	5458.88	34.56	12.39	46.95	54.00	7.05	Vertical	PASS
4	5462.79	52.79	12.40	65.19	68.20	3.01	Vertical	PASS
5	5465.67	53.99	12.39	66.38	68.20	1.82	Vertical	PASS
6	5469.57	55.44	12.40	67.84	68.20	0.36	Vertical	PASS


Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-2C
Bandwidth	80MHz	Channel	122
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5729.11	45.32	12.88	58.20	68.20	10.00	Horizontal	PASS
2	5732.35	45.10	12.86	57.96	68.20	10.24	Horizontal	PASS
3	5734.33	45.08	12.84	57.92	68.20	10.28	Horizontal	PASS


Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-2C
Bandwidth	80MHz	Channel	122
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.33	45.51	12.91	58.42	68.20	9.78	Vertical	PASS
2	5729.92	46.96	12.88	59.84	68.20	8.36	Vertical	PASS
3	5732.62	46.69	12.86	59.55	68.20	8.65	Vertical	PASS

Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-2C
Bandwidth	80MHz	Channel	138
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.72	42.99	12.89	55.88	68.20	12.32	Horizontal	PASS
2	5880.87	43.47	12.95	56.42	68.20	11.78	Horizontal	PASS
3	5901.94	43.67	13.02	56.69	68.20	11.51	Horizontal	PASS

Project Information

Mode:	802.11ax80 RU484right	Band:	UNII-2C
Bandwidth	80MHz	Channel	138
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5857.10	43.76	12.88	56.64	68.20	11.56	Vertical	PASS
2	5872.23	43.63	12.93	56.56	68.20	11.64	Vertical	PASS
3	5902.75	43.73	13.03	56.76	68.20	11.44	Vertical	PASS

Project Information			
Mode:	802.11ax160 RU996left	Band:	UNII-2C
Bandwidth	160MHz	Channel	114
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5421.36	32.25	12.33	44.58	54.00	9.42	Horizontal	PASS
2	5444.65	32.42	12.38	44.80	54.00	9.20	Horizontal	PASS
3	5456.03	33.06	12.40	45.46	54.00	8.54	Horizontal	PASS
4	5464.26	45.28	12.40	57.68	68.20	10.52	Horizontal	PASS
5	5725.31	51.62	12.91	64.53	68.20	3.67	Horizontal	PASS
6	5728.11	50.84	12.89	63.73	68.20	4.47	Horizontal	PASS

Project Information

Mode:	802.11ax160 RU996left	Band:	UNII-2C
Bandwidth	160MHz	Channel	114
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5432.57	35.04	12.36	47.40	54.00	6.60	Vertical	PASS
2	5438.87	35.16	12.37	47.53	54.00	6.47	Vertical	PASS
3	5455.85	35.25	12.40	47.65	54.00	6.35	Vertical	PASS
4	5467.23	46.47	12.39	58.86	68.20	9.34	Vertical	PASS
5	5725.31	54.90	12.91	67.81	68.20	0.39	Vertical	PASS
6	5728.11	53.22	12.89	66.11	68.20	2.09	Vertical	PASS

Project Information

Mode:	802.11ax160 RU996right	Band:	UNII-2C
Bandwidth	160MHz	Channel	114
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5439.04	32.45	12.37	44.82	54.00	9.18	Horizontal	PASS
2	5443.95	32.58	12.38	44.96	54.00	9.04	Horizontal	PASS
3	5456.03	31.69	12.40	44.09	54.00	9.91	Horizontal	PASS
4	5463.56	44.07	12.39	56.46	68.20	11.74	Horizontal	PASS
5	5725.49	52.22	12.91	65.13	68.20	3.07	Horizontal	PASS
6	5728.29	51.09	12.89	63.98	68.20	4.22	Horizontal	PASS

Project Information			
Mode:	802.11ax160 RU996right	Band:	UNII-2C
Bandwidth	160MHz	Channel	114
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5413.83	33.75	12.32	46.07	54.00	7.93	Vertical	PASS
2	5434.84	34.05	12.36	46.41	54.00	7.59	Vertical	PASS
3	5447.45	33.64	12.38	46.02	54.00	7.98	Vertical	PASS
4	5467.23	46.82	12.39	59.21	68.20	8.99	Vertical	PASS
5	5725.31	54.24	12.91	67.15	68.20	1.05	Vertical	PASS
6	5728.46	53.07	12.89	65.96	68.20	2.24	Vertical	PASS


Project Information			
Mode:	802.11ax20 RU26left	Band:	UNII-3
Bandwidth	20MHz	Channel	149
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Project Information			
Mode:	802.11ax20 RU26left	Band:	UNII-3
Bandwidth	20MHz	Channel	149
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-3
Bandwidth	20MHz	Channel	165
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Project Information			
Mode:	802.11ax20 RU26right	Band:	UNII-3
Bandwidth	20MHz	Channel	165
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Project Information			
Mode:	802.11ax20 RU52left	Band:	UNII-3
Bandwidth	20MHz	Channel	149
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Project Information			
Mode:	802.11ax20 RU52left	Band:	UNII-3
Bandwidth	20MHz	Channel	149
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-3
Bandwidth	20MHz	Channel	165
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Project Information			
Mode:	802.11ax20 RU52right	Band:	UNII-3
Bandwidth	20MHz	Channel	165
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Project Information			
Mode:	802.11ax20 RU106left	Band:	UNII-3
Bandwidth	20MHz	Channel	149
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Project Information			
Mode:	802.11ax20 RU106left	Band:	UNII-3
Bandwidth	20MHz	Channel	149
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph




Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-3
Bandwidth	20MHz	Channel	165
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Project Information			
Mode:	802.11ax20 RU106right	Band:	UNII-3
Bandwidth	20MHz	Channel	165
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-3
Bandwidth	40MHz	Channel	151
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Project Information			
Mode:	802.11ax40 RU242left	Band:	UNII-3
Bandwidth	40MHz	Channel	151
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-3
Bandwidth	40MHz	Channel	159
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Project Information			
Mode:	802.11ax40 RU242right	Band:	UNII-3
Bandwidth	40MHz	Channel	159
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-3
Bandwidth	80MHz	Channel	155
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Project Information			
Mode:	802.11ax80 RU484left	Band:	UNII-3
Bandwidth	80MHz	Channel	155
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-3
Bandwidth	80MHz	Channel	155
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Project Information			
Mode:	802.11ax80 RU484right	Band:	UNII-3
Bandwidth	80MHz	Channel	155
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

~The End~