







NTNV-11ax20MIMO-Ant2-5720-26Tone-RU8



NTNV-11ax20MIMO-Ant3-5720-26Tone-RU8



NTNV-11ax20MIMO-Ant2-5720-52Tone-RU40




NTNV-11ax20MIMO-Ant3-5720-52Tone-RU40




NTNV-11ax20MIMO-Ant2-5720-106Tone-RU54




NTNV-11ax20MIMO-Ant3-5720-106Tone-RU54




NTNV-11ax20MIMO-Ant2-5745-26Tone-RU0




NTNV-11ax20MIMO-Ant3-5745-26Tone-RU0




NTNV-11ax20MIMO-Ant2-5745-52Tone-RU37




NTNV-11ax20MIMO-Ant3-5745-52Tone-RU37




NTNV-11ax20MIMO-Ant2-5745-106Tone-RU53




NTNV-11ax20MIMO-Ant3-5745-106Tone-RU53




NTNV-11ax20MIMO-Ant2-5785-26Tone-RU4



NTNV-11ax20MIMO-Ant3-5785-26Tone-RU4




NTNV-11ax20MIMO-Ant2-5785-52Tone-RU39




NTNV-11ax20MIMO-Ant3-5785-52Tone-RU39




NTNV-11ax20MIMO-Ant2-5785-106Tone-RU53




NTNV-11ax20MIMO-Ant3-5785-106Tone-RU53




NTNV-11ax20MIMO-Ant2-5825-26Tone-RU8



NTNV-11ax20MIMO-Ant3-5825-26Tone-RU8




NTNV-11ax20MIMO-Ant2-5825-52Tone-RU40




NTNV-11ax20MIMO-Ant3-5825-52Tone-RU40




NTNV-11ax20MIMO-Ant2-5825-106Tone-RU54




NTNV-11ax20MIMO-Ant3-5825-106Tone-RU54




NTNV-11ax40MIMO-Ant2-5190-242Tone-RU61



NTNV-11ax40MIMO-Ant3-5190-242Tone-RU61




NTNV-11ax40MIMO-Ant2-5230-242Tone-RU62




NTNV-11ax40MIMO-Ant3-5230-242Tone-RU62



NTNV-11ax40MIMO-Ant2-5270-242Tone-RU61




NTNV-11ax40MIMO-Ant3-5270-242Tone-RU61




NTNV-11ax40MIMO-Ant2-5310-242Tone-RU62




NTNV-11ax40MIMO-Ant3-5310-242Tone-RU62




NTNV-11ax40MIMO-Ant2-5510-242Tone-RU61




NTNV-11ax40MIMO-Ant3-5510-242Tone-RU61




NTNV-11ax40MIMO-Ant3-5590-242Tone-RU61




NTNV-11ax40MIMO-Ant2-5590-242Tone-RU61




NTNV-11ax40MIMO-Ant2-5670-242Tone-RU62



NTNV-11ax40MIMO-Ant3-5670-242Tone-RU62




NTNV-11ax40MIMO-Ant2-5710-242Tone-RU62




NTNV-11ax40MIMO-Ant3-5710-242Tone-RU62




NTNV-11ax40MIMO-Ant2-5755-242Tone-RU61




NTNV-11ax40MIMO-Ant3-5755-242Tone-RU61




NTNV-11ax40MIMO-Ant2-5795-242Tone-RU62




NTNV-11ax40MIMO-Ant3-5795-242Tone-RU62




NTNV-11ax80MIMO-Ant2-5210-484Tone-RU65




NTNV-11ax80MIMO-Ant3-5210-484Tone-RU65




NTNV-11ax80MIMO-Ant2-5210-484Tone-RU66




NTNV-11ax80MIMO-Ant3-5210-484Tone-RU66




NTNV-11ax80MIMO-Ant2-5290-484Tone-RU65




NTNV-11ax80MIMO-Ant3-5290-484Tone-RU65




NTNV-11ax80MIMO-Ant2-5290-484Tone-RU66




NTNV-11ax80MIMO-Ant3-5290-484Tone-RU66




NTNV-11ax80MIMO-Ant2-5530-484Tone-RU65




NTNV-11ax80MIMO-Ant3-5530-484Tone-RU65




NTNV-11ax80MIMO-Ant2-5610-484Tone-RU65




NTNV-11ax80MIMO-Ant3-5610-484Tone-RU65




NTNV-11ax80MIMO-Ant2-5690-484Tone-RU66




NTNV-11ax80MIMO-Ant3-5690-484Tone-RU66




NTNV-11ax80MIMO-Ant2-5775-484Tone-RU65




NTNV-11ax80MIMO-Ant3-5775-484Tone-RU65




NTNV-11ax80MIMO-Ant2-5775-484Tone-RU66




NTNV-11ax80MIMO-Ant3-5775-484Tone-RU66




NTNV-11ax160MIMO-Ant3-5250-996Tone-RU67




NTNV-11ax160MIMO-Ant2-5250-996Tone-RU67




NTNV-11ax160MIMO-Ant2-5250-996Tone-RU68




NTNV-11ax160MIMO-Ant3-5250-996Tone-RU68




NTNV-11ax160MIMO-Ant3-5570-996Tone-RU67



NTNV-11ax160MIMO-Ant2-5570-996Tone-RU67



NTNV-11ax160MIMO-Ant2-5570-996Tone-RU68




NTNV-11ax160MIMO-Ant3-5570-996Tone-RU68

Radiated Spurious Emissions

Test Result Below 1GHz


Project Information			
Mode:	802.11ax20	Band:	UNII-2A
Bandwidth	20MHz	Channel	52
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y;power setting 16.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	132.00	53.18	-26.95	26.23	43.50	17.27	Horizontal	PASS
2	165.80	52.58	-25.69	26.89	43.50	16.61	Horizontal	PASS
3	211.00	49.91	-24.33	25.58	43.50	17.92	Horizontal	PASS
4	367.95	44.94	-17.97	26.97	46.00	19.03	Horizontal	PASS
5	446.86	46.69	-16.85	29.84	46.00	16.16	Horizontal	PASS
6	995.39	36.60	-7.64	28.96	54.00	25.04	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2A
Bandwidth	20MHz	Channel	52
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y;power setting 16.5		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	57.84	49.79	-22.68	27.11	40.00	12.89	Vertical	PASS
2	131.27	54.76	-25.91	28.85	43.50	14.65	Vertical	PASS
3	205.76	53.54	-23.57	29.97	43.50	13.53	Vertical	PASS
4	368.00	45.96	-17.97	27.99	46.00	18.01	Vertical	PASS
5	438.13	51.16	-17.00	34.16	46.00	11.84	Vertical	PASS
6	579.65	43.54	-12.87	30.67	46.00	15.33	Vertical	PASS

Project Information			
Mode:	802.11ax80 RU242left	Band:	UNII-1
Bandwidth	80MHz	Channel	42
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y;power setting 15		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	130.78	52.41	-26.06	26.35	43.50	17.15	Horizontal	PASS
2	166.04	52.68	-25.67	27.01	43.50	16.49	Horizontal	PASS
3	216.48	49.52	-23.82	25.70	46.00	20.30	Horizontal	PASS
4	363.68	44.87	-18.22	26.65	46.00	19.35	Horizontal	PASS
5	447.29	46.09	-16.83	29.26	46.00	16.74	Horizontal	PASS
6	992.24	37.30	-7.79	29.51	54.00	24.49	Horizontal	PASS

Project Information			
Mode:	802.11ax80 RU242left	Band:	UNII-1
Bandwidth	80MHz	Channel	42
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y;power setting 15		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	58.18	49.52	-22.54	26.98	40.00	13.02	Vertical	PASS
2	130.59	53.87	-26.04	27.83	43.50	15.67	Vertical	PASS
3	203.63	53.25	-23.63	29.62	43.50	13.88	Vertical	PASS
4	366.49	46.79	-18.03	28.76	46.00	17.24	Vertical	PASS
5	480.76	50.00	-16.04	33.96	46.00	12.04	Vertical	PASS
6	964.55	37.86	-8.17	29.69	54.00	24.31	Vertical	PASS

Test Result Above 1GHz


Project Information			
Mode:	802.11a	Band:	UNII-1
Bandwidth	20MHz	Channel	36
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7430.76	37.32	-0.39	36.93	54.00	17.07	Horizontal	PASS
2	11194.46	35.69	5.89	41.58	54.00	12.42	Horizontal	PASS
3	17916.81	32.24	13.77	46.01	54.00	7.99	Horizontal	PASS
4	5180.87	89.49	11.83	101.32	-	-	Horizontal	NA
5	6906.35	49.74	-0.86	48.88	68.20	19.32	Horizontal	PASS
6	11412.20	42.33	5.58	47.91	74.00	26.09	Horizontal	PASS
7	17886.91	38.48	13.74	52.22	74.00	21.78	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-1
Bandwidth	20MHz	Channel	36
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7440.35	37.83	-0.45	37.38	54.00	16.62	Vertical	PASS
2	12184.26	35.11	6.28	41.39	54.00	12.61	Vertical	PASS
3	17901.86	32.89	13.87	46.76	54.00	7.24	Vertical	PASS
4	5181.06	97.83	11.83	109.66	-	-	Vertical	NA
5	5760.04	41.89	12.73	54.62	68.20	13.58	Vertical	PASS
6	6906.73	47.36	-0.86	46.50	68.20	21.70	Vertical	PASS
7	17894.58	38.82	13.83	52.65	74.00	21.35	Vertical	PASS

Project Information

Mode:	802.11a	Band:	UNII-1
Bandwidth	20MHz	Channel	40
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7350.65	37.94	-0.38	37.56	54.00	16.44	Horizontal	PASS
2	11518.38	36.17	5.64	41.81	54.00	12.19	Horizontal	PASS
3	17888.06	33.03	13.76	46.79	54.00	7.21	Horizontal	PASS
4	5201.22	90.25	11.73	101.98	-	-	Horizontal	NA
5	6933.18	48.78	-0.86	47.92	68.20	20.28	Horizontal	PASS
6	11181.04	42.14	5.84	47.98	74.00	26.02	Horizontal	PASS
7	17887.30	39.30	13.75	53.05	74.00	20.95	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-1
Bandwidth	20MHz	Channel	40
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7436.90	37.77	-0.43	37.34	54.00	16.66	Vertical	PASS
2	11360.06	35.39	5.76	41.15	54.00	12.85	Vertical	PASS
3	17789.16	33.99	12.75	46.74	54.00	7.26	Vertical	PASS
4	5199.21	98.31	11.74	110.05	-	-	Vertical	NA
5	6933.18	46.64	-0.86	45.78	68.20	22.42	Vertical	PASS
6	11450.92	42.77	5.56	48.33	74.00	25.67	Vertical	PASS
7	17940.20	39.11	13.61	52.72	74.00	21.28	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-1
Bandwidth	20MHz	Channel	48
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7422.71	37.62	-0.35	37.27	54.00	16.73	Horizontal	PASS
2	11517.23	35.85	5.63	41.48	54.00	12.52	Horizontal	PASS
3	17886.15	32.94	13.74	46.68	54.00	7.32	Horizontal	PASS
4	5241.56	88.13	11.51	99.64	-	-	Horizontal	NA
5	6986.47	48.83	-0.90	47.93	68.20	20.27	Horizontal	PASS
6	11516.85	42.34	5.63	47.97	74.00	26.03	Horizontal	PASS
7	17885.76	39.33	13.73	53.06	74.00	20.94	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	UNII-1
Bandwidth	20MHz	Channel	48
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7402.01	37.62	-0.22	37.40	54.00	16.60	Vertical	PASS
2	11368.88	36.03	5.72	41.75	54.00	12.25	Vertical	PASS
3	17966.27	33.18	13.43	46.61	54.00	7.39	Vertical	PASS
4	5238.81	97.37	11.53	108.90	-	-	Vertical	NA
5	6986.85	47.05	-0.90	46.15	68.20	22.05	Vertical	PASS
6	11337.06	42.53	5.85	48.38	74.00	25.62	Vertical	PASS
7	17843.98	40.07	13.31	53.38	74.00	20.62	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-1
Bandwidth	20MHz	Channel	36
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7390.13	37.90	-0.24	37.66	54.00	16.34	Horizontal	PASS
2	12121.00	35.53	6.07	41.60	54.00	12.40	Horizontal	PASS
3	17794.91	33.39	12.80	46.19	54.00	7.81	Horizontal	PASS
4	5179.04	90.53	11.83	102.36	-	-	Horizontal	NA
5	6906.73	47.60	-0.86	46.74	68.20	21.46	Horizontal	PASS
6	12214.54	42.83	6.31	49.14	74.00	24.86	Horizontal	PASS
7	17876.95	39.69	13.64	53.33	74.00	20.67	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	UNII-1
Bandwidth	20MHz	Channel	36
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7320.74	37.78	-0.36	37.42	54.00	16.58	Vertical	PASS
2	11983.77	36.85	5.66	42.51	54.00	11.49	Vertical	PASS
3	17866.21	33.36	13.53	46.89	54.00	7.11	Vertical	PASS
4	5181.06	99.11	11.83	110.94	-	-	Vertical	NA
5	6906.35	46.16	-0.86	45.30	68.20	22.90	Vertical	PASS
6	11952.72	44.51	5.79	50.30	74.00	23.70	Vertical	PASS
7	17881.16	39.56	13.69	53.25	74.00	20.75	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-1
Bandwidth	20MHz	Channel	40
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7395.50	37.47	-0.23	37.24	54.00	16.76	Horizontal	PASS
2	11454.37	35.57	5.56	41.13	54.00	12.87	Horizontal	PASS
3	17889.21	32.46	13.77	46.23	54.00	7.77	Horizontal	PASS
4	5201.77	91.62	11.73	103.35	-	-	Horizontal	NA
5	6933.56	48.69	-0.86	47.83	68.20	20.37	Horizontal	PASS
6	12797.23	43.66	6.64	50.30	68.20	17.90	Horizontal	PASS
7	17919.50	38.94	13.75	52.69	74.00	21.31	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-1
Bandwidth	20MHz	Channel	40
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7182.74	37.13	0.04	37.17	-	-	Vertical	NA
2	11511.87	35.81	5.60	41.41	54.00	12.59	Vertical	PASS
3	17865.83	33.13	13.53	46.66	54.00	7.34	Vertical	PASS
4	5201.41	99.58	11.73	111.31	-	-	Vertical	NA
5	6933.56	44.86	-0.86	44.00	68.20	24.20	Vertical	PASS
6	11516.47	42.26	5.63	47.89	74.00	26.11	Vertical	PASS
7	17384.35	41.24	11.65	52.89	68.20	15.31	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	UNII-1
Bandwidth	20MHz	Channel	48
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7474.08	37.17	-0.51	36.66	54.00	17.34	Horizontal	PASS
2	11148.07	35.76	5.74	41.50	54.00	12.50	Horizontal	PASS
3	17988.88	33.29	13.28	46.57	54.00	7.43	Horizontal	PASS
4	5238.99	89.33	11.53	100.86	-	-	Horizontal	NA
5	6986.85	48.02	-0.90	47.12	68.20	21.08	Horizontal	PASS
6	11380.76	44.01	5.67	49.68	74.00	24.32	Horizontal	PASS
7	17910.68	38.99	13.80	52.79	74.00	21.21	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	UNII-1
Bandwidth	20MHz	Channel	48
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7362.91	37.55	-0.34	37.21	54.00	16.79	Vertical	PASS
2	11358.53	35.33	5.76	41.09	54.00	12.91	Vertical	PASS
3	17968.18	32.97	13.41	46.38	54.00	7.62	Vertical	PASS
4	5238.44	98.19	11.54	109.73	-	-	Vertical	NA
5	6986.85	46.63	-0.90	45.73	68.20	22.47	Vertical	PASS
6	11493.08	42.43	5.55	47.98	74.00	26.02	Vertical	PASS
7	17926.40	39.12	13.70	52.82	74.00	21.18	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	UNII-1
Bandwidth	40MHz	Channel	38
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7270.14	37.39	-0.12	37.27	54.00	16.73	Horizontal	PASS
2	11479.67	36.79	5.55	42.34	54.00	11.66	Horizontal	PASS
3	17867.75	33.07	13.56	46.63	54.00	7.37	Horizontal	PASS
4	5187.66	87.84	11.79	99.63	-	-	Horizontal	NA
5	6920.15	47.79	-0.86	46.93	68.20	21.27	Horizontal	PASS
6	11479.28	42.07	5.55	47.62	74.00	26.38	Horizontal	PASS
7	17877.71	39.24	13.66	52.90	74.00	21.10	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-1
Bandwidth	40MHz	Channel	38
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7413.13	37.47	-0.29	37.18	54.00	16.82	Vertical	PASS
2	11468.17	36.10	5.55	41.65	54.00	12.35	Vertical	PASS
3	17923.33	33.43	13.72	47.15	54.00	6.85	Vertical	PASS
4	5193.34	96.38	11.77	108.15	-	-	Vertical	NA
5	6920.15	45.71	-0.86	44.85	68.20	23.35	Vertical	PASS
6	11365.05	42.33	5.73	48.06	74.00	25.94	Vertical	PASS
7	17883.08	39.32	13.71	53.03	74.00	20.97	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-1
Bandwidth	40MHz	Channel	46
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7289.31	37.82	-0.27	37.55	54.00	16.45	Horizontal	PASS
2	11270.36	35.58	5.99	41.57	54.00	12.43	Horizontal	PASS
3	17885.38	32.78	13.73	46.51	54.00	7.49	Horizontal	PASS
4	5227.81	87.41	11.59	99.00	-	-	Horizontal	NA
5	6973.43	48.36	-0.88	47.48	68.20	20.72	Horizontal	PASS
6	11376.55	41.91	5.68	47.59	74.00	26.41	Horizontal	PASS
7	17923.33	39.36	13.72	53.08	74.00	20.92	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-1
Bandwidth	40MHz	Channel	46
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7704.47	36.47	0.52	36.99	54.00	17.01	Vertical	PASS
2	12072.70	35.95	5.89	41.84	54.00	12.16	Vertical	PASS
3	17876.18	32.55	13.63	46.18	54.00	7.82	Vertical	PASS
4	5228.72	95.82	11.59	107.41	-	-	Vertical	NA
5	6973.05	46.55	-0.88	45.67	68.20	22.53	Vertical	PASS
6	12009.07	42.49	5.63	48.12	74.00	25.88	Vertical	PASS
7	17992.72	39.50	13.25	52.75	74.00	21.25	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	UNII-1
Bandwidth	80MHz	Channel	42
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7351.03	37.59	-0.38	37.21	54.00	16.79	Horizontal	PASS
2	11290.29	35.24	6.01	41.25	54.00	12.75	Horizontal	PASS
3	17893.81	32.43	13.82	46.25	54.00	7.75	Horizontal	PASS
4	5208.56	84.86	11.70	96.56	-	-	Horizontal	NA
5	6946.60	48.69	-0.88	47.81	68.20	20.39	Horizontal	PASS
6	11533.72	42.29	5.72	48.01	74.00	25.99	Horizontal	PASS
7	17978.92	39.91	13.35	53.26	74.00	20.74	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	UNII-1
Bandwidth	80MHz	Channel	42
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7410.06	37.46	-0.27	37.19	54.00	16.81	Vertical	PASS
2	11469.32	36.21	5.55	41.76	54.00	12.24	Vertical	PASS
3	17977.77	32.96	13.35	46.31	54.00	7.69	Vertical	PASS
4	5207.64	92.99	11.70	104.69	-	-	Vertical	NA
5	6946.60	46.06	-0.88	45.18	68.20	23.02	Vertical	PASS
6	11509.57	42.53	5.59	48.12	74.00	25.88	Vertical	PASS
7	17866.60	39.75	13.54	53.29	74.00	20.71	Vertical	PASS

Project Information

Mode:	802.11ac160	Band:	UNII-1
Bandwidth	160MHz	Channel	50
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7600.20	38.16	-0.40	37.76	54.00	16.24	Horizontal	PASS
2	11568.60	34.96	5.91	40.87	54.00	13.13	Horizontal	PASS
3	17856.25	32.97	13.43	46.40	54.00	7.60	Horizontal	PASS
4	5243.39	78.24	11.51	89.75	-	-	Horizontal	NA
5	7000.27	48.32	-0.90	47.42	68.20	20.78	Horizontal	PASS
6	11331.31	42.56	5.88	48.44	74.00	25.56	Horizontal	PASS
7	17874.65	39.59	13.62	53.21	74.00	20.79	Horizontal	PASS

Project Information			
Mode:	802.11ac160	Band:	UNII-1
Bandwidth	160MHz	Channel	50
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7421.56	37.98	-0.34	37.64	54.00	16.36	Vertical	PASS
2	11375.78	35.53	5.68	41.21	54.00	12.79	Vertical	PASS
3	17874.65	32.37	13.62	45.99	54.00	8.01	Vertical	PASS
4	5244.49	86.79	11.50	98.29	-	-	Vertical	NA
5	6999.88	48.45	-0.90	47.55	68.20	20.65	Vertical	PASS
6	11442.48	42.06	5.57	47.63	74.00	26.37	Vertical	PASS
7	17808.33	40.25	12.95	53.20	74.00	20.80	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	UNII-1
Bandwidth	20MHz	Channel	36
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7430.00	37.28	-0.39	36.89	54.00	17.11	Horizontal	PASS
2	11456.28	35.96	5.55	41.51	54.00	12.49	Horizontal	PASS
3	17792.23	34.26	12.78	47.04	54.00	6.96	Horizontal	PASS
4	5179.22	92.09	11.83	103.92	-	-	Horizontal	NA
5	6906.73	49.45	-0.86	48.59	68.20	19.61	Horizontal	PASS
6	12129.44	42.38	6.10	48.48	74.00	25.52	Horizontal	PASS
7	17990.80	39.78	13.26	53.04	74.00	20.96	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-1
Bandwidth	20MHz	Channel	36
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7460.67	38.28	-0.51	37.77	54.00	16.23	Vertical	PASS
2	11343.58	35.17	5.83	41.00	54.00	13.00	Vertical	PASS
3	17840.14	33.35	13.27	46.62	54.00	7.38	Vertical	PASS
4	5178.67	100.98	11.84	112.82	-	-	Vertical	NA
5	6906.35	46.50	-0.86	45.64	68.20	22.56	Vertical	PASS
6	11355.85	42.44	5.77	48.21	74.00	25.79	Vertical	PASS
7	17875.03	39.78	13.63	53.41	74.00	20.59	Vertical	PASS

Project Information

Mode:	802.11ax20	Band:	UNII-1
Bandwidth	20MHz	Channel	40
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7427.31	37.10	-0.37	36.73	54.00	17.27	Horizontal	PASS
2	12227.96	35.70	6.27	41.97	54.00	12.03	Horizontal	PASS
3	17888.45	32.82	13.77	46.59	54.00	7.41	Horizontal	PASS
4	5194.62	92.51	11.76	104.27	-	-	Horizontal	NA
5	6933.56	47.91	-0.86	47.05	68.20	21.15	Horizontal	PASS
6	12111.04	42.28	6.03	48.31	74.00	25.69	Horizontal	PASS
7	17927.93	39.51	13.69	53.20	74.00	20.80	Horizontal	PASS


Project Information			
Mode:	802.11ax20	Band:	UNII-1
Bandwidth	20MHz	Channel	40
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7471.02	37.54	-0.51	37.03	54.00	16.97	Vertical	PASS
2	11244.67	34.77	5.95	40.72	54.00	13.28	Vertical	PASS
3	17883.46	32.71	13.71	46.42	54.00	7.58	Vertical	PASS
4	5199.57	101.94	11.74	113.68	-	-	Vertical	NA
5	6933.56	46.41	-0.86	45.55	68.20	22.65	Vertical	PASS
6	11437.50	43.20	5.56	48.76	74.00	25.24	Vertical	PASS
7	17858.16	39.38	13.46	52.84	74.00	21.16	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-1
Bandwidth	20MHz	Channel	48
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7452.23	37.68	-0.51	37.17	54.00	16.83	Horizontal	PASS
2	12029.77	36.07	5.71	41.78	54.00	12.22	Horizontal	PASS
3	17865.83	33.16	13.53	46.69	54.00	7.31	Horizontal	PASS
4	5242.29	92.48	11.51	103.99	-	-	Horizontal	NA
5	6986.47	48.19	-0.90	47.29	68.20	20.91	Horizontal	PASS
6	11607.70	42.14	6.07	48.21	74.00	25.79	Horizontal	PASS
7	17960.90	39.23	13.46	52.69	74.00	21.31	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-1
Bandwidth	20MHz	Channel	48
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7459.90	37.21	-0.51	36.70	54.00	17.30	Vertical	PASS
2	11422.16	35.62	5.57	41.19	54.00	12.81	Vertical	PASS
3	17826.73	33.32	13.13	46.45	54.00	7.55	Vertical	PASS
4	5159.97	38.18	11.92	50.10	-	-	Vertical	NA
5	5241.01	101.47	11.52	112.99	-	-	Vertical	NA
6	6986.47	46.35	-0.90	45.45	68.20	22.75	Vertical	PASS
7	11344.34	41.94	5.83	47.77	74.00	26.23	Vertical	PASS
8	17877.33	39.17	13.64	52.81	74.00	21.19	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	UNII-1
Bandwidth	40MHz	Channel	38
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7484.05	37.73	-0.51	37.22	54.00	16.78	Horizontal	PASS
2	11396.10	35.99	5.59	41.58	54.00	12.42	Horizontal	PASS
3	17939.05	32.78	13.62	46.40	54.00	7.60	Horizontal	PASS
4	5190.77	88.39	11.78	100.17	-	-	Horizontal	NA
5	6920.15	47.77	-0.86	46.91	68.20	21.29	Horizontal	PASS
6	11341.28	42.57	5.84	48.41	74.00	25.59	Horizontal	PASS
7	17953.23	39.00	13.52	52.52	74.00	21.48	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-1
Bandwidth	40MHz	Channel	38
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7332.24	37.51	-0.37	37.14	54.00	16.86	Vertical	PASS
2	11292.59	36.16	6.01	42.17	54.00	11.83	Vertical	PASS
3	17881.16	32.20	13.69	45.89	54.00	8.11	Vertical	PASS
4	5192.42	97.62	11.78	109.40	-	-	Vertical	NA
5	6920.15	46.15	-0.86	45.29	68.20	22.91	Vertical	PASS
6	11440.95	43.09	5.56	48.65	74.00	25.35	Vertical	PASS
7	17800.28	41.32	12.86	54.18	74.00	19.82	Vertical	PASS


Project Information			
Mode:	802.11ax40	Band:	UNII-1
Bandwidth	40MHz	Channel	46
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7420.03	37.09	-0.33	36.76	54.00	17.24	Horizontal	PASS
2	11287.99	35.15	6.01	41.16	54.00	12.84	Horizontal	PASS
3	17883.46	32.32	13.71	46.03	54.00	7.97	Horizontal	PASS
4	5230.92	88.44	11.57	100.01	-	-	Horizontal	NA
5	6973.43	48.45	-0.88	47.57	68.20	20.63	Horizontal	PASS
6	11522.60	42.46	5.67	48.13	74.00	25.87	Horizontal	PASS
7	17888.83	39.04	13.77	52.81	74.00	21.19	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-1
Bandwidth	40MHz	Channel	46
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7309.63	37.49	-0.36	37.13	54.00	16.87	Vertical	PASS
2	12185.02	35.52	6.28	41.80	54.00	12.20	Vertical	PASS
3	17972.78	33.16	13.38	46.54	54.00	7.46	Vertical	PASS
4	5231.29	97.47	11.57	109.04	-	-	Vertical	NA
5	6973.43	46.89	-0.88	46.01	68.20	22.19	Vertical	PASS
6	11963.07	42.66	5.74	48.40	74.00	25.60	Vertical	PASS
7	17890.36	39.34	13.78	53.12	74.00	20.88	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	UNII-1
Bandwidth	80MHz	Channel	42
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7436.51	37.47	-0.43	37.04	54.00	16.96	Horizontal	PASS
2	11440.18	36.24	5.56	41.80	54.00	12.20	Horizontal	PASS
3	17799.13	33.29	12.85	46.14	54.00	7.86	Horizontal	PASS
4	5206.17	86.75	11.70	98.45	-	-	Horizontal	NA
5	6946.60	49.53	-0.88	48.65	68.20	19.55	Horizontal	PASS
6	12099.54	42.46	6.00	48.46	74.00	25.54	Horizontal	PASS
7	17912.98	39.92	13.79	53.71	74.00	20.29	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-1
Bandwidth	80MHz	Channel	42
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7370.20	37.18	-0.31	36.87	54.00	17.13	Vertical	PASS
2	12142.85	35.19	6.15	41.34	54.00	12.66	Vertical	PASS
3	17881.55	32.49	13.69	46.18	54.00	7.82	Vertical	PASS
4	5209.29	95.30	11.69	106.99	-	-	Vertical	NA
5	6946.60	46.84	-0.88	45.96	68.20	22.24	Vertical	PASS
6	12035.13	43.20	5.74	48.94	74.00	25.06	Vertical	PASS
7	17972.78	39.61	13.38	52.99	74.00	21.01	Vertical	PASS

Project Information

Mode:	802.11ax160	Band:	UNII-1
Bandwidth	160MHz	Channel	50
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7426.16	37.40	-0.36	37.04	54.00	16.96	Horizontal	PASS
2	11291.44	35.10	6.01	41.11	54.00	12.89	Horizontal	PASS
3	17879.25	32.57	13.67	46.24	54.00	7.76	Horizontal	PASS
4	5247.61	80.30	11.49	91.79	-	-	Horizontal	NA
5	7000.27	48.48	-0.90	47.58	68.20	20.62	Horizontal	PASS
6	11491.17	42.17	5.54	47.71	74.00	26.29	Horizontal	PASS
7	17940.58	39.84	13.60	53.44	74.00	20.56	Horizontal	PASS

Project Information

Mode:	802.11ax160	Band:	UNII-1
Bandwidth	160MHz	Channel	50
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7320.74	37.15	-0.36	36.79	54.00	17.21	Vertical	PASS
2	11451.30	36.81	5.56	42.37	54.00	11.63	Vertical	PASS
3	17888.06	32.73	13.76	46.49	54.00	7.51	Vertical	PASS
4	5232.02	89.55	11.56	101.11	-	-	Vertical	NA
5	6999.88	48.47	-0.90	47.57	68.20	20.63	Vertical	PASS
6	12113.34	42.68	6.05	48.73	74.00	25.27	Vertical	PASS
7	17814.08	40.82	13.01	53.83	74.00	20.17	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	UNII-2A
Bandwidth	20MHz	Channel	52
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7408.53	37.18	-0.26	36.92	54.00	17.08	Horizontal	PASS
2	11095.55	35.68	5.57	41.25	54.00	12.75	Horizontal	PASS
3	17891.51	32.73	13.79	46.52	54.00	7.48	Horizontal	PASS
4	5259.16	88.05	11.51	99.56	-	-	Horizontal	NA
5	7013.30	48.05	-0.81	47.24	68.20	20.96	Horizontal	PASS
6	11438.65	42.86	5.56	48.42	74.00	25.58	Horizontal	PASS
7	17978.15	39.66	13.35	53.01	74.00	20.99	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	UNII-2A
Bandwidth	20MHz	Channel	52
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7319.98	37.22	-0.36	36.86	54.00	17.14	Vertical	PASS
2	11291.44	35.52	6.01	41.53	54.00	12.47	Vertical	PASS
3	17874.26	32.61	13.62	46.23	54.00	7.77	Vertical	PASS
4	5258.98	97.31	11.51	108.82	-	-	Vertical	NA
5	7013.68	46.18	-0.81	45.37	68.20	22.83	Vertical	PASS
6	11460.12	42.28	5.56	47.84	74.00	26.16	Vertical	PASS
7	17884.23	39.43	13.72	53.15	74.00	20.85	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	UNII-2A
Bandwidth	20MHz	Channel	60
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7362.53	37.30	-0.34	36.96	54.00	17.04	Horizontal	PASS
2	11291.83	35.27	6.01	41.28	54.00	12.72	Horizontal	PASS
3	17884.61	33.49	13.72	47.21	54.00	6.79	Horizontal	PASS
4	5299.31	89.02	11.68	100.70	-	-	Horizontal	NA
5	7066.97	47.07	-0.52	46.55	68.20	21.65	Horizontal	PASS
6	11492.70	43.59	5.55	49.14	74.00	24.86	Horizontal	PASS
7	17923.33	39.18	13.72	52.90	74.00	21.10	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-2A
Bandwidth	20MHz	Channel	60
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7464.50	37.72	-0.51	37.21	54.00	16.79	Vertical	PASS
2	11413.73	35.22	5.58	40.80	54.00	13.20	Vertical	PASS
3	17911.45	32.72	13.81	46.53	54.00	7.47	Vertical	PASS
4	5299.31	97.83	11.68	109.51	-	-	Vertical	NA
5	7066.59	45.05	-0.52	44.53	68.20	23.67	Vertical	PASS
6	11281.09	42.34	6.00	48.34	74.00	25.66	Vertical	PASS
7	17943.65	39.15	13.58	52.73	74.00	21.27	Vertical	PASS