



Project Information			
Mode:	802.11a	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7452.23	38.02	-0.51	37.51	54.00	16.49	Horizontal	PASS
2	11347.79	35.97	5.81	41.78	54.00	12.22	Horizontal	PASS
3	17840.14	33.04	13.27	46.31	54.00	7.69	Horizontal	PASS
4	5320.76	89.24	11.87	101.11	-	-	Horizontal	NA
5	7093.80	45.49	-0.41	45.08	68.20	23.12	Horizontal	PASS
6	11375.01	41.97	5.68	47.65	74.00	26.35	Horizontal	PASS
7	17977.38	39.72	13.35	53.07	74.00	20.93	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7459.52	37.96	-0.51	37.45	54.00	16.55	Vertical	PASS
2	11407.60	36.52	5.57	42.09	54.00	11.91	Vertical	PASS
3	17880.40	32.77	13.68	46.45	54.00	7.55	Vertical	PASS
4	5320.76	97.99	11.87	109.86	-	-	Vertical	NA
5	7180.06	44.23	0.03	44.26	68.20	23.94	Vertical	PASS
6	11553.65	41.94	5.83	47.77	74.00	26.23	Vertical	PASS
7	17932.53	38.88	13.66	52.54	74.00	21.46	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	UNII-2A
Bandwidth	20MHz	Channel	52
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7369.05	37.89	-0.32	37.57	54.00	16.43	Horizontal	PASS
2	11464.33	35.97	5.56	41.53	54.00	12.47	Horizontal	PASS
3	17811.01	33.44	12.97	46.41	54.00	7.59	Horizontal	PASS
4	5258.61	88.27	11.50	99.77	-	-	Horizontal	NA
5	7013.30	46.93	-0.81	46.12	68.20	22.08	Horizontal	PASS
6	11463.95	42.65	5.56	48.21	74.00	25.79	Horizontal	PASS
7	17977.77	39.46	13.35	52.81	74.00	21.19	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-2A
Bandwidth	20MHz	Channel	52
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7608.64	37.15	-0.33	36.82	54.00	17.18	Vertical	PASS
2	11503.05	36.10	5.56	41.66	54.00	12.34	Vertical	PASS
3	17886.15	32.23	13.74	45.97	54.00	8.03	Vertical	PASS
4	5260.44	96.85	11.51	108.36	-	-	Vertical	NA
5	7013.30	46.47	-0.81	45.66	68.20	22.54	Vertical	PASS
6	11484.27	42.41	5.55	47.96	74.00	26.04	Vertical	PASS
7	17923.71	39.77	13.71	53.48	74.00	20.52	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-2A
Bandwidth	20MHz	Channel	60
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7692.97	36.75	0.45	37.20	54.00	16.80	Horizontal	PASS
2	11466.63	36.14	5.55	41.69	54.00	12.31	Horizontal	PASS
3	17799.51	33.32	12.86	46.18	54.00	7.82	Horizontal	PASS
4	5302.24	88.74	11.70	100.44	-	-	Horizontal	NA
5	7066.59	46.82	-0.52	46.30	68.20	21.90	Horizontal	PASS
6	11211.32	42.20	5.92	48.12	74.00	25.88	Horizontal	PASS
7	17986.58	39.79	13.29	53.08	74.00	20.92	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	UNII-2A
Bandwidth	20MHz	Channel	60
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7721.34	36.99	0.51	37.50	54.00	16.50	Vertical	PASS
2	11286.08	35.21	6.01	41.22	54.00	12.78	Vertical	PASS
3	17830.94	33.07	13.17	46.24	54.00	7.76	Vertical	PASS
4	5300.78	97.18	11.69	108.87	-	-	Vertical	NA
5	7066.97	45.14	-0.52	44.62	68.20	23.58	Vertical	PASS
6	11446.70	42.23	5.56	47.79	74.00	26.21	Vertical	PASS
7	17973.55	39.54	13.38	52.92	74.00	21.08	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7351.80	37.68	-0.37	37.31	54.00	16.69	Horizontal	PASS
2	11284.54	34.80	6.00	40.80	54.00	13.20	Horizontal	PASS
3	17888.83	32.83	13.77	46.60	54.00	7.40	Horizontal	PASS
4	5319.11	88.57	11.85	100.42	-	-	Horizontal	NA
5	7093.42	47.32	-0.41	46.91	68.20	21.29	Horizontal	PASS
6	11541.77	41.91	5.76	47.67	74.00	26.33	Horizontal	PASS
7	17882.70	40.19	13.71	53.90	74.00	20.10	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7463.73	37.81	-0.51	37.30	54.00	16.70	Vertical	PASS
2	12637.75	35.22	6.88	42.10	54.00	11.90	Vertical	PASS
3	17883.85	32.54	13.72	46.26	54.00	7.74	Vertical	PASS
4	5319.66	97.95	11.86	109.81	-	-	Vertical	NA
5	6980.33	45.17	-0.89	44.28	68.20	23.92	Vertical	PASS
6	12049.70	42.79	5.79	48.58	74.00	25.42	Vertical	PASS
7	17799.51	40.25	12.86	53.11	74.00	20.89	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-2A
Bandwidth	40MHz	Channel	54
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7405.08	36.99	-0.24	36.75	54.00	17.25	Horizontal	PASS
2	11473.92	35.71	5.55	41.26	54.00	12.74	Horizontal	PASS
3	17913.75	33.16	13.78	46.94	54.00	7.06	Horizontal	PASS
4	5264.29	86.53	11.53	98.06	-	-	Horizontal	NA
5	7026.72	47.07	-0.74	46.33	68.20	21.87	Horizontal	PASS
6	11446.31	42.54	5.56	48.10	74.00	25.90	Horizontal	PASS
7	17966.27	39.26	13.43	52.69	74.00	21.31	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-2A
Bandwidth	40MHz	Channel	54
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7316.14	37.32	-0.36	36.96	54.00	17.04	Vertical	PASS
2	11334.76	35.02	5.87	40.89	54.00	13.11	Vertical	PASS
3	17895.35	32.64	13.83	46.47	54.00	7.53	Vertical	PASS
4	5267.59	95.17	11.54	106.71	-	-	Vertical	NA
5	7026.72	47.07	-0.74	46.33	68.20	21.87	Vertical	PASS
6	11514.17	42.03	5.62	47.65	74.00	26.35	Vertical	PASS
7	17894.96	38.69	13.83	52.52	74.00	21.48	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-2A
Bandwidth	40MHz	Channel	62
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7296.59	37.39	-0.33	37.06	54.00	16.94	Horizontal	PASS
2	12119.85	35.48	6.07	41.55	54.00	12.45	Horizontal	PASS
3	17977.77	33.14	13.35	46.49	54.00	7.51	Horizontal	PASS
4	5315.63	86.90	11.82	98.72	-	-	Horizontal	NA
5	7080.00	46.14	-0.46	45.68	68.20	22.52	Horizontal	PASS
6	12116.79	42.34	6.05	48.39	74.00	25.61	Horizontal	PASS
7	17893.81	39.36	13.82	53.18	74.00	20.82	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-2A
Bandwidth	40MHz	Channel	62
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7389.36	37.50	-0.25	37.25	54.00	16.75	Vertical	PASS
2	11467.78	35.41	5.55	40.96	54.00	13.04	Vertical	PASS
3	17990.42	33.18	13.26	46.44	54.00	7.56	Vertical	PASS
4	5311.23	95.47	11.78	107.25	-	-	Vertical	NA
5	7080.00	45.17	-0.46	44.71	68.20	23.49	Vertical	PASS
6	11524.52	42.11	5.67	47.78	74.00	26.22	Vertical	PASS
7	17886.91	38.85	13.74	52.59	74.00	21.41	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7311.93	37.98	-0.36	37.62	54.00	16.38	Horizontal	PASS
2	11393.80	35.88	5.61	41.49	54.00	12.51	Horizontal	PASS
3	17885.38	32.87	13.73	46.60	54.00	7.40	Horizontal	PASS
4	5293.99	82.82	11.66	94.48	-	-	Horizontal	NA
5	7053.17	46.95	-0.58	46.37	68.20	21.83	Horizontal	PASS
6	11299.49	41.40	6.02	47.42	74.00	26.58	Horizontal	PASS
7	17880.01	39.22	13.68	52.90	74.00	21.10	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7435.36	37.41	-0.42	36.99	54.00	17.01	Vertical	PASS
2	11476.98	36.25	5.55	41.80	54.00	12.20	Vertical	PASS
3	17883.46	32.84	13.71	46.55	54.00	7.45	Vertical	PASS
4	5295.83	92.09	11.66	103.75	-	-	Vertical	NA
5	7053.17	46.38	-0.58	45.80	68.20	22.40	Vertical	PASS
6	11492.70	42.83	5.55	48.38	74.00	25.62	Vertical	PASS
7	17915.28	38.95	13.77	52.72	74.00	21.28	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2A
Bandwidth	20MHz	Channel	52
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7449.16	37.63	-0.51	37.12	54.00	16.88	Horizontal	PASS
2	11541.00	35.30	5.76	41.06	54.00	12.94	Horizontal	PASS
3	17891.90	32.86	13.79	46.65	54.00	7.35	Horizontal	PASS
4	5259.34	90.53	11.51	102.04	-	-	Horizontal	NA
5	7013.30	47.80	-0.81	46.99	68.20	21.21	Horizontal	PASS
6	10926.88	42.37	5.08	47.45	74.00	26.55	Horizontal	PASS
7	17806.41	40.17	12.92	53.09	74.00	20.91	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	UNII-2A
Bandwidth	20MHz	Channel	52
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7610.17	36.99	-0.32	36.67	54.00	17.33	Vertical	PASS
2	11619.59	34.84	6.05	40.89	54.00	13.11	Vertical	PASS
3	17890.36	33.87	13.78	47.65	54.00	6.35	Vertical	PASS
4	5257.51	99.85	11.50	111.35	-	-	Vertical	NA
5	7013.30	46.30	-0.81	45.49	68.20	22.71	Vertical	PASS
6	11516.47	42.62	5.63	48.25	74.00	25.75	Vertical	PASS
7	17891.90	40.23	13.79	54.02	74.00	19.98	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2A
Bandwidth	20MHz	Channel	60
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7359.85	37.52	-0.35	37.17	54.00	16.83	Horizontal	PASS
2	11365.05	35.43	5.73	41.16	54.00	12.84	Horizontal	PASS
3	17799.13	33.68	12.85	46.53	54.00	7.47	Horizontal	PASS
4	5302.43	91.73	11.70	103.43	-	-	Horizontal	NA
5	7066.59	47.05	-0.52	46.53	68.20	21.67	Horizontal	PASS
6	11297.96	42.23	6.02	48.25	74.00	25.75	Horizontal	PASS
7	17849.73	39.56	13.37	52.93	74.00	21.07	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2A
Bandwidth	20MHz	Channel	60
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7687.99	36.58	0.40	36.98	54.00	17.02	Vertical	PASS
2	11519.92	35.75	5.65	41.40	54.00	12.60	Vertical	PASS
3	17787.24	33.31	12.72	46.03	54.00	7.97	Vertical	PASS
4	5298.03	101.01	11.67	112.68	-	-	Vertical	NA
5	7066.59	46.34	-0.52	45.82	68.20	22.38	Vertical	PASS
6	11217.84	41.86	5.93	47.79	74.00	26.21	Vertical	PASS
7	17877.71	39.12	13.66	52.78	74.00	21.22	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7457.22	37.94	-0.51	37.43	54.00	16.57	Horizontal	PASS
2	11183.34	35.40	5.86	41.26	54.00	12.74	Horizontal	PASS
3	17814.84	33.27	13.01	46.28	54.00	7.72	Horizontal	PASS
4	5319.48	91.36	11.86	103.22	-	-	Horizontal	NA
5	7093.42	47.05	-0.41	46.64	68.20	21.56	Horizontal	PASS
6	11458.97	42.04	5.56	47.60	74.00	26.40	Horizontal	PASS
7	17876.18	39.60	13.63	53.23	74.00	20.77	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2A
Bandwidth	20MHz	Channel	64
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7436.13	38.55	-0.42	38.13	54.00	15.87	Vertical	PASS
2	12127.52	35.29	6.10	41.39	54.00	12.61	Vertical	PASS
3	17798.74	33.13	12.85	45.98	54.00	8.02	Vertical	PASS
4	5321.49	101.50	11.87	113.37	-	-	Vertical	NA
5	7201.52	44.95	0.12	45.07	68.20	23.13	Vertical	PASS
6	12096.85	43.07	5.99	49.06	74.00	24.94	Vertical	PASS
7	17991.57	39.98	13.26	53.24	74.00	20.76	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-2A
Bandwidth	40MHz	Channel	54
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7450.70	37.32	-0.51	36.81	54.00	17.19	Horizontal	PASS
2	11332.08	35.75	5.88	41.63	54.00	12.37	Horizontal	PASS
3	17884.61	33.18	13.72	46.90	54.00	7.10	Horizontal	PASS
4	5271.44	88.64	11.56	100.20	-	-	Horizontal	NA
5	7026.72	47.15	-0.74	46.41	68.20	21.79	Horizontal	PASS
6	11192.54	42.18	5.89	48.07	74.00	25.93	Horizontal	PASS
7	17888.83	39.97	13.77	53.74	74.00	20.26	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	UNII-2A
Bandwidth	40MHz	Channel	54
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7440.73	37.42	-0.45	36.97	54.00	17.03	Vertical	PASS
2	11963.83	35.87	5.74	41.61	54.00	12.39	Vertical	PASS
3	17837.84	32.95	13.25	46.20	54.00	7.80	Vertical	PASS
4	5268.33	96.48	11.54	108.02	-	-	Vertical	NA
5	7026.72	46.66	-0.74	45.92	68.20	22.28	Vertical	PASS
6	12042.03	42.74	5.76	48.50	74.00	25.50	Vertical	PASS
7	17888.83	39.40	13.77	53.17	74.00	20.83	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-2A
Bandwidth	40MHz	Channel	62
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7324.19	37.55	-0.37	37.18	54.00	16.82	Horizontal	PASS
2	11312.91	35.16	5.97	41.13	54.00	12.87	Horizontal	PASS
3	17801.43	33.38	12.87	46.25	54.00	7.75	Horizontal	PASS
4	5311.96	89.26	11.79	101.05	-	-	Horizontal	NA
5	7080.00	46.63	-0.46	46.17	68.20	22.03	Horizontal	PASS
6	11498.07	42.10	5.54	47.64	74.00	26.36	Horizontal	PASS
7	17880.01	38.73	13.68	52.41	74.00	21.59	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	UNII-2A
Bandwidth	40MHz	Channel	62
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7342.98	37.10	-0.37	36.73	54.00	17.27	Vertical	PASS
2	11623.42	35.15	6.05	41.20	54.00	12.80	Vertical	PASS
3	17984.28	33.40	13.31	46.71	54.00	7.29	Vertical	PASS
4	5304.63	97.51	11.72	109.23	-	-	Vertical	NA
5	7080.00	46.06	-0.46	45.60	68.20	22.60	Vertical	PASS
6	11289.91	42.79	6.01	48.80	74.00	25.20	Vertical	PASS
7	17889.60	39.06	13.77	52.83	74.00	21.17	Vertical	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7472.55	37.35	-0.51	36.84	54.00	17.16	Horizontal	PASS
2	12117.17	35.60	6.05	41.65	54.00	12.35	Horizontal	PASS
3	17908.38	32.14	13.82	45.96	54.00	8.04	Horizontal	PASS
4	5291.98	84.57	11.65	96.22	-	-	Horizontal	NA
5	7053.17	48.37	-0.58	47.79	68.20	20.41	Horizontal	PASS
6	12070.40	42.23	5.88	48.11	74.00	25.89	Horizontal	PASS
7	17885.00	39.29	13.73	53.02	74.00	20.98	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	UNII-2A
Bandwidth	80MHz	Channel	58
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7411.98	37.68	-0.28	37.40	54.00	16.60	Vertical	PASS
2	11426.38	35.85	5.57	41.42	54.00	12.58	Vertical	PASS
3	17990.03	33.20	13.27	46.47	54.00	7.53	Vertical	PASS
4	5290.88	93.97	11.64	105.61	-	-	Vertical	NA
5	7053.17	46.51	-0.58	45.93	68.20	22.27	Vertical	PASS
6	11476.98	42.50	5.55	48.05	74.00	25.95	Vertical	PASS
7	17870.81	39.56	13.58	53.14	74.00	20.86	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7441.50	37.03	-0.46	36.57	54.00	17.43	Horizontal	PASS
2	11457.05	35.47	5.55	41.02	54.00	12.98	Horizontal	PASS
3	17987.73	32.52	13.28	45.80	54.00	8.20	Horizontal	PASS
4	5500.98	94.99	12.41	107.40	-	-	Horizontal	NA
5	7438.05	44.36	-0.44	43.92	74.00	30.08	Horizontal	PASS
6	11460.88	42.78	5.56	48.34	74.00	25.66	Horizontal	PASS
7	17809.09	39.75	12.95	52.70	74.00	21.30	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7701.02	37.09	0.52	37.61	54.00	16.39	Vertical	PASS
2	11495.38	35.75	5.54	41.29	54.00	12.71	Vertical	PASS
3	17888.83	32.13	13.77	45.90	54.00	8.10	Vertical	PASS
4	5498.78	98.17	12.41	110.58	-	-	Vertical	NA
5	7701.41	43.61	0.52	44.13	74.00	29.87	Vertical	PASS
6	11437.88	42.71	5.56	48.27	74.00	25.73	Vertical	PASS
7	17928.70	39.17	13.68	52.85	74.00	21.15	Vertical	PASS

Project Information

Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	120
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7391.66	37.44	-0.24	37.20	54.00	16.80	Horizontal	PASS
2	11350.48	35.64	5.80	41.44	54.00	12.56	Horizontal	PASS
3	17889.60	32.55	13.77	46.32	54.00	7.68	Horizontal	PASS
4	5599.07	94.79	12.73	107.52	-	-	Horizontal	NA
5	7451.85	43.79	-0.51	43.28	74.00	30.72	Horizontal	PASS
6	12108.74	42.28	6.03	48.31	74.00	25.69	Horizontal	PASS
7	17883.85	39.14	13.72	52.86	74.00	21.14	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	120
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7395.88	37.51	-0.22	37.29	54.00	16.71	Vertical	PASS
2	12115.64	35.81	6.05	41.86	54.00	12.14	Vertical	PASS
3	17824.81	33.39	13.11	46.50	54.00	7.50	Vertical	PASS
4	5599.25	96.12	12.73	108.85	-	-	Vertical	NA
5	7517.40	44.53	-0.50	44.03	74.00	29.97	Vertical	PASS
6	11997.95	43.05	5.60	48.65	74.00	25.35	Vertical	PASS
7	17840.14	39.32	13.27	52.59	74.00	21.41	Vertical	PASS

Project Information

Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7452.62	37.25	-0.51	36.74	54.00	17.26	Horizontal	PASS
2	11312.14	35.58	5.97	41.55	54.00	12.45	Horizontal	PASS
3	17893.43	32.58	13.82	46.40	54.00	7.60	Horizontal	PASS
4	5700.64	94.62	13.11	107.73	-	-	Horizontal	NA
5	7435.75	44.61	-0.42	44.19	74.00	29.81	Horizontal	PASS
6	11505.35	42.35	5.57	47.92	74.00	26.08	Horizontal	PASS
7	17838.23	39.54	13.25	52.79	74.00	21.21	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7467.95	38.12	-0.51	37.61	54.00	16.39	Vertical	PASS
2	12171.22	36.73	6.23	42.96	54.00	11.04	Vertical	PASS
3	17755.43	34.44	12.39	46.83	54.00	7.17	Vertical	PASS
4	5701.01	95.02	13.10	108.12	-	-	Vertical	NA
5	7594.07	44.19	-0.40	43.79	74.00	30.21	Vertical	PASS
6	12201.89	41.88	6.33	48.21	74.00	25.79	Vertical	PASS
7	17799.89	39.96	12.86	52.82	74.00	21.18	Vertical	PASS


Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7373.65	37.18	-0.30	36.88	54.00	17.12	Horizontal	PASS
2	11440.18	35.78	5.56	41.34	54.00	12.66	Horizontal	PASS
3	17888.83	32.74	13.77	46.51	54.00	7.49	Horizontal	PASS
4	5722.27	94.46	12.94	107.40	-	-	Horizontal	NA
5	7362.15	43.90	-0.34	43.56	74.00	30.44	Horizontal	PASS
6	11515.32	42.42	5.62	48.04	74.00	25.96	Horizontal	PASS
7	17861.23	39.75	13.48	53.23	74.00	20.77	Horizontal	PASS


Project Information			
Mode:	802.11a	Band:	UNII-2C
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7450.70	37.56	-0.51	37.05	54.00	16.95	Vertical	PASS
2	11283.39	35.79	6.00	41.79	54.00	12.21	Vertical	PASS
3	17888.06	32.99	13.76	46.75	54.00	7.25	Vertical	PASS
4	5719.34	95.39	12.96	108.35	-	-	Vertical	NA
5	7437.66	43.78	-0.44	43.34	74.00	30.66	Vertical	PASS
6	11535.25	42.07	5.73	47.80	74.00	26.20	Vertical	PASS
7	17804.49	40.07	12.91	52.98	74.00	21.02	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7447.63	37.42	-0.50	36.92	54.00	17.08	Horizontal	PASS
2	11348.18	35.44	5.81	41.25	54.00	12.75	Horizontal	PASS
3	17887.68	32.66	13.76	46.42	54.00	7.58	Horizontal	PASS
4	5500.80	95.46	12.41	107.87	-	-	Horizontal	NA
5	7387.06	44.74	-0.25	44.49	74.00	29.51	Horizontal	PASS
6	11500.75	42.57	5.54	48.11	74.00	25.89	Horizontal	PASS
7	17889.60	38.93	13.77	52.70	74.00	21.30	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7699.11	37.69	0.51	38.20	54.00	15.80	Vertical	PASS
2	11184.11	35.08	5.86	40.94	54.00	13.06	Vertical	PASS
3	17891.13	32.57	13.79	46.36	54.00	7.64	Vertical	PASS
4	5498.97	99.15	12.41	111.56	-	-	Vertical	NA
5	7695.27	44.32	0.47	44.79	74.00	29.21	Vertical	PASS
6	11435.96	43.00	5.56	48.56	74.00	25.44	Vertical	PASS
7	17886.91	40.03	13.74	53.77	74.00	20.23	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-2C
Bandwidth	20MHz	Channel	120
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7486.35	38.33	-0.51	37.82	54.00	16.18	Horizontal	PASS
2	12208.02	34.67	6.31	40.98	54.00	13.02	Horizontal	PASS
3	17800.28	33.25	12.86	46.11	54.00	7.89	Horizontal	PASS
4	5597.60	94.86	12.72	107.58	-	-	Horizontal	NA
5	7690.67	43.35	0.42	43.77	74.00	30.23	Horizontal	PASS
6	12040.50	42.49	5.76	48.25	74.00	25.75	Horizontal	PASS
7	17891.51	38.91	13.79	52.70	74.00	21.30	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-2C
Bandwidth	20MHz	Channel	120
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7587.55	37.11	-0.41	36.70	54.00	17.30	Vertical	PASS
2	11471.62	34.94	5.55	40.49	54.00	13.51	Vertical	PASS
3	17877.33	32.81	13.64	46.45	54.00	7.55	Vertical	PASS
4	5597.79	97.01	12.72	109.73	-	-	Vertical	NA
5	7329.56	43.80	-0.37	43.43	74.00	30.57	Vertical	PASS
6	11462.80	42.05	5.56	47.61	74.00	26.39	Vertical	PASS
7	17911.06	39.46	13.80	53.26	74.00	20.74	Vertical	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7263.24	37.09	-0.06	37.03	54.00	16.97	Horizontal	PASS
2	11365.43	35.95	5.73	41.68	54.00	12.32	Horizontal	PASS
3	17888.83	33.00	13.77	46.77	54.00	7.23	Horizontal	PASS
4	5698.99	95.70	13.11	108.81	-	-	Horizontal	NA
5	7390.90	43.96	-0.24	43.72	74.00	30.28	Horizontal	PASS
6	11324.41	42.16	5.92	48.08	74.00	25.92	Horizontal	PASS
7	17951.32	39.82	13.54	53.36	74.00	20.64	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7413.51	37.58	-0.29	37.29	54.00	16.71	Vertical	PASS
2	11394.18	35.81	5.61	41.42	54.00	12.58	Vertical	PASS
3	17936.36	33.12	13.64	46.76	54.00	7.24	Vertical	PASS
4	5698.99	95.85	13.11	108.96	-	-	Vertical	NA
5	7614.39	43.66	-0.28	43.38	74.00	30.62	Vertical	PASS
6	11503.43	42.17	5.56	47.73	74.00	26.27	Vertical	PASS
7	17928.70	38.58	13.68	52.26	74.00	21.74	Vertical	PASS


Project Information			
Mode:	802.11ac20	Band:	UNII-2C
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7456.45	38.25	-0.51	37.74	54.00	16.26	Horizontal	PASS
2	11443.25	36.13	5.57	41.70	54.00	12.30	Horizontal	PASS
3	17890.75	32.84	13.78	46.62	54.00	7.38	Horizontal	PASS
4	5719.16	95.15	12.96	108.11	-	-	Horizontal	NA
5	7438.05	44.74	-0.44	44.30	74.00	29.70	Horizontal	PASS
6	11373.48	41.81	5.70	47.51	74.00	26.49	Horizontal	PASS
7	17918.73	39.56	13.75	53.31	74.00	20.69	Horizontal	PASS

Project Information			
Mode:	802.11ac20	Band:	UNII-2C
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5719.16	95.55	12.96	108.51	-	-	Vertical	NA

Project Information

Mode:	802.11ac40	Band:	UNII-2C
Bandwidth	40MHz	Channel	102
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7441.11	39.32	-0.45	38.87	54.00	15.13	Horizontal	PASS
2	11366.58	35.23	5.72	40.95	54.00	13.05	Horizontal	PASS
3	17887.68	32.44	13.76	46.20	54.00	7.80	Horizontal	PASS
4	5508.87	92.66	12.41	105.07	-	-	Horizontal	NA
5	7410.45	44.68	-0.27	44.41	74.00	29.59	Horizontal	PASS
6	11289.14	42.52	6.01	48.53	74.00	25.47	Horizontal	PASS
7	17783.79	40.03	12.69	52.72	74.00	21.28	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-2C
Bandwidth	40MHz	Channel	102
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7365.98	37.09	-0.33	36.76	54.00	17.24	Vertical	PASS
2	12127.52	35.92	6.10	42.02	54.00	11.98	Vertical	PASS
3	17942.88	32.33	13.59	45.92	54.00	8.08	Vertical	PASS
4	5511.25	95.97	12.41	108.38	-	-	Vertical	NA
5	7455.30	44.09	-0.51	43.58	74.00	30.42	Vertical	PASS
6	12032.07	42.57	5.72	48.29	74.00	25.71	Vertical	PASS
7	17885.76	39.02	13.73	52.75	74.00	21.25	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	UNII-2C
Bandwidth	40MHz	Channel	118
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7351.80	37.28	-0.37	36.91	54.00	17.09	Horizontal	PASS
2	11500.37	36.09	5.54	41.63	54.00	12.37	Horizontal	PASS
3	17905.31	32.41	13.84	46.25	54.00	7.75	Horizontal	PASS
4	5588.07	92.60	12.66	105.26	-	-	Horizontal	NA
5	7342.59	43.95	-0.38	43.57	74.00	30.43	Horizontal	PASS
6	11501.90	42.27	5.55	47.82	74.00	26.18	Horizontal	PASS
7	17835.16	39.71	13.22	52.93	74.00	21.07	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-2C
Bandwidth	40MHz	Channel	118
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7574.52	37.36	-0.43	36.93	54.00	17.07	Vertical	PASS
2	11366.58	35.72	5.72	41.44	54.00	12.56	Vertical	PASS
3	17939.43	32.49	13.61	46.10	54.00	7.90	Vertical	PASS
4	5588.25	94.90	12.66	107.56	-	-	Vertical	NA
5	7461.43	44.13	-0.51	43.62	74.00	30.38	Vertical	PASS
6	11378.85	41.88	5.67	47.55	74.00	26.45	Vertical	PASS
7	17885.76	38.86	13.73	52.59	74.00	21.41	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-2C
Bandwidth	40MHz	Channel	134
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7448.78	38.15	-0.51	37.64	54.00	16.36	Horizontal	PASS
2	12117.55	36.23	6.06	42.29	54.00	11.71	Horizontal	PASS
3	17798.74	33.77	12.85	46.62	54.00	7.38	Horizontal	PASS
4	5671.12	92.50	13.13	105.63	-	-	Horizontal	NA
5	7365.60	44.74	-0.33	44.41	74.00	29.59	Horizontal	PASS
6	11970.73	42.28	5.71	47.99	74.00	26.01	Horizontal	PASS
7	17889.21	38.99	13.77	52.76	74.00	21.24	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-2C
Bandwidth	40MHz	Channel	134
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7450.32	37.95	-0.51	37.44	54.00	16.56	Vertical	PASS
2	11330.93	35.86	5.88	41.74	54.00	12.26	Vertical	PASS
3	17878.10	32.83	13.66	46.49	54.00	7.51	Vertical	PASS
4	5671.67	93.82	13.13	106.95	-	-	Vertical	NA
5	7449.93	45.04	-0.51	44.53	74.00	29.47	Vertical	PASS
6	11455.13	42.54	5.55	48.09	74.00	25.91	Vertical	PASS
7	17834.39	39.54	13.21	52.75	74.00	21.25	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-2C
Bandwidth	40MHz	Channel	142
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7458.37	37.34	-0.51	36.83	54.00	17.17	Horizontal	PASS
2	12110.27	35.42	6.03	41.45	54.00	12.55	Horizontal	PASS
3	17866.98	32.65	13.54	46.19	54.00	7.81	Horizontal	PASS
4	5711.27	92.32	13.02	105.34	-	-	Horizontal	NA
5	7540.40	44.30	-0.47	43.83	74.00	30.17	Horizontal	PASS
6	12164.32	42.16	6.21	48.37	74.00	25.63	Horizontal	PASS
7	17984.28	39.16	13.31	52.47	74.00	21.53	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	UNII-2C
Bandwidth	40MHz	Channel	142
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7395.88	37.34	-0.22	37.12	54.00	16.88	Vertical	PASS
2	11310.99	35.60	5.97	41.57	54.00	12.43	Vertical	PASS
3	17949.40	33.17	13.55	46.72	54.00	7.28	Vertical	PASS
4	5711.82	93.13	13.02	106.15	-	-	Vertical	NA
5	7438.05	44.07	-0.44	43.63	74.00	30.37	Vertical	PASS
6	11452.45	42.75	5.56	48.31	74.00	25.69	Vertical	PASS
7	17887.68	39.58	13.76	53.34	74.00	20.66	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	UNII-2C
Bandwidth	80MHz	Channel	106
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7457.60	38.57	-0.51	38.06	54.00	15.94	Horizontal	PASS
2	12037.82	35.81	5.75	41.56	54.00	12.44	Horizontal	PASS
3	17909.53	32.50	13.82	46.32	54.00	7.68	Horizontal	PASS
4	5526.47	91.12	12.41	103.53	-	-	Horizontal	NA
5	7415.43	43.84	-0.30	43.54	74.00	30.46	Horizontal	PASS
6	12181.96	42.44	6.27	48.71	74.00	25.29	Horizontal	PASS
7	17984.28	39.72	13.31	53.03	74.00	20.97	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	UNII-2C
Bandwidth	80MHz	Channel	106
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7466.03	36.92	-0.51	36.41	54.00	17.59	Vertical	PASS
2	11451.30	36.06	5.56	41.62	54.00	12.38	Vertical	PASS
3	17887.30	32.77	13.75	46.52	54.00	7.48	Vertical	PASS
4	5527.93	93.83	12.40	106.23	-	-	Vertical	NA
5	7435.36	43.89	-0.42	43.47	74.00	30.53	Vertical	PASS
6	11420.63	42.57	5.57	48.14	74.00	25.86	Vertical	PASS
7	17847.43	39.91	13.34	53.25	74.00	20.75	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	UNII-2C
Bandwidth	80MHz	Channel	122
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7600.20	37.56	-0.40	37.16	54.00	16.84	Horizontal	PASS
2	12106.82	36.00	6.02	42.02	54.00	11.98	Horizontal	PASS
3	17886.91	32.95	13.74	46.69	54.00	7.31	Horizontal	PASS
4	5611.90	89.56	12.83	102.39	-	-	Horizontal	NA
5	7577.97	43.84	-0.42	43.42	74.00	30.58	Horizontal	PASS
6	12189.62	42.32	6.30	48.62	74.00	25.38	Horizontal	PASS
7	17926.78	38.88	13.70	52.58	74.00	21.42	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	UNII-2C
Bandwidth	80MHz	Channel	122
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7469.87	37.34	-0.51	36.83	54.00	17.17	Vertical	PASS
2	11948.88	36.53	5.80	42.33	54.00	11.67	Vertical	PASS
3	17881.93	32.52	13.69	46.21	54.00	7.79	Vertical	PASS
4	5595.95	91.62	12.70	104.32	-	-	Vertical	NA
5	7454.92	44.85	-0.51	44.34	74.00	29.66	Vertical	PASS
6	11975.72	43.24	5.69	48.93	74.00	25.07	Vertical	PASS
7	17864.68	39.41	13.52	52.93	74.00	21.07	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	UNII-2C
Bandwidth	80MHz	Channel	138
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7492.48	37.80	-0.51	37.29	54.00	16.71	Horizontal	PASS
2	12187.32	35.52	6.28	41.80	54.00	12.20	Horizontal	PASS
3	17888.83	32.16	13.77	45.93	54.00	8.07	Horizontal	PASS
4	5686.34	90.82	13.12	103.94	-	-	Horizontal	NA
5	7502.45	44.55	-0.51	44.04	74.00	29.96	Horizontal	PASS
6	12165.86	42.54	6.22	48.76	74.00	25.24	Horizontal	PASS
7	17985.05	39.83	13.30	53.13	74.00	20.87	Horizontal	PASS

Project Information			
Mode:	802.11ac80	Band:	UNII-2C
Bandwidth	80MHz	Channel	138
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7398.56	37.10	-0.21	36.89	54.00	17.11	Vertical	PASS
2	11316.36	35.27	5.94	41.21	54.00	12.79	Vertical	PASS
3	17891.13	33.15	13.79	46.94	54.00	7.06	Vertical	PASS
4	5683.04	91.52	13.12	104.64	-	-	Vertical	NA
5	7344.13	43.94	-0.38	43.56	74.00	30.44	Vertical	PASS
6	11432.13	42.32	5.57	47.89	74.00	26.11	Vertical	PASS
7	17838.99	39.40	13.26	52.66	74.00	21.34	Vertical	PASS

Project Information

Mode:	802.11ac160	Band:	UNII-2C
Bandwidth	160MHz	Channel	114
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7597.90	37.91	-0.40	37.51	54.00	16.49	Horizontal	PASS
2	11542.53	35.30	5.77	41.07	54.00	12.93	Horizontal	PASS
3	17906.46	32.77	13.84	46.61	54.00	7.39	Horizontal	PASS
4	5565.52	84.90	12.50	97.40	-	-	Horizontal	NA
5	7387.06	43.68	-0.25	43.43	74.00	30.57	Horizontal	PASS
6	11381.91	42.41	5.66	48.07	74.00	25.93	Horizontal	PASS
7	17883.46	39.59	13.71	53.30	74.00	20.70	Horizontal	PASS

Project Information

Mode:	802.11ac160	Band:	UNII-2C
Bandwidth	160MHz	Channel	114
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7362.15	37.35	-0.34	37.01	54.00	16.99	Vertical	PASS
2	11501.90	35.80	5.55	41.35	54.00	12.65	Vertical	PASS
3	17960.52	33.16	13.47	46.63	54.00	7.37	Vertical	PASS
4	5555.62	88.22	12.44	100.66	-	-	Vertical	NA
5	7424.25	44.27	-0.36	43.91	74.00	30.09	Vertical	PASS
6	11220.14	42.78	5.93	48.71	74.00	25.29	Vertical	PASS
7	17961.67	39.78	13.46	53.24	74.00	20.76	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7698.72	39.44	0.51	39.95	54.00	14.05	Horizontal	PASS
2	12187.32	35.70	6.28	41.98	54.00	12.02	Horizontal	PASS
3	17980.45	33.43	13.33	46.76	54.00	7.24	Horizontal	PASS
4	5498.97	98.57	12.41	110.98	-	-	Horizontal	NA
5	7698.72	44.80	0.51	45.31	74.00	28.69	Horizontal	PASS
6	12155.89	43.16	6.18	49.34	74.00	24.66	Horizontal	PASS
7	17982.75	39.66	13.32	52.98	74.00	21.02	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2C
Bandwidth	20MHz	Channel	100
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7702.17	41.12	0.51	41.63	54.00	12.37	Vertical	PASS
2	11956.55	35.69	5.76	41.45	54.00	12.55	Vertical	PASS
3	17963.20	33.14	13.45	46.59	54.00	7.41	Vertical	PASS
4	5500.80	104.02	12.41	116.43	-	-	Vertical	NA
5	7700.64	47.92	0.52	48.44	74.00	25.56	Vertical	PASS
6	11992.20	42.89	5.62	48.51	74.00	25.49	Vertical	PASS
7	17936.36	39.19	13.64	52.83	74.00	21.17	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2C
Bandwidth	20MHz	Channel	120
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7476.77	37.65	-0.51	37.14	54.00	16.86	Horizontal	PASS
2	11092.87	35.58	5.56	41.14	54.00	12.86	Horizontal	PASS
3	17980.07	32.25	13.34	45.59	54.00	8.41	Horizontal	PASS
4	5599.25	98.93	12.73	111.66	-	-	Horizontal	NA
5	7344.51	44.17	-0.38	43.79	74.00	30.21	Horizontal	PASS
6	12057.75	42.03	5.83	47.86	74.00	26.14	Horizontal	PASS
7	17909.91	38.87	13.81	52.68	74.00	21.32	Horizontal	PASS

Project Information

Mode:	802.11ax20	Band:	UNII-2C
Bandwidth	20MHz	Channel	120
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7417.35	36.78	-0.31	36.47	54.00	17.53	Vertical	PASS
2	11372.33	35.21	5.70	40.91	54.00	13.09	Vertical	PASS
3	17984.28	33.13	13.31	46.44	54.00	7.56	Vertical	PASS
4	5599.25	100.08	12.73	112.81	-	-	Vertical	NA
5	7425.40	43.75	-0.36	43.39	74.00	30.61	Vertical	PASS
6	11424.85	42.41	5.57	47.98	74.00	26.02	Vertical	PASS
7	17822.13	39.35	13.08	52.43	74.00	21.57	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7394.35	36.98	-0.23	36.75	54.00	17.25	Horizontal	PASS
2	12257.86	35.24	6.21	41.45	54.00	12.55	Horizontal	PASS
3	17829.79	32.90	13.16	46.06	54.00	7.94	Horizontal	PASS
4	5697.71	98.76	13.11	111.87	-	-	Horizontal	NA
5	7412.36	43.58	-0.28	43.30	74.00	30.70	Horizontal	PASS
6	12125.22	42.04	6.08	48.12	74.00	25.88	Horizontal	PASS
7	17982.37	39.79	13.32	53.11	74.00	20.89	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2C
Bandwidth	20MHz	Channel	140
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7514.33	37.36	-0.49	36.87	54.00	17.13	Vertical	PASS
2	12190.77	35.27	6.30	41.57	54.00	12.43	Vertical	PASS
3	17883.46	32.29	13.71	46.00	54.00	8.00	Vertical	PASS
4	5701.01	97.69	13.10	110.79	-	-	Vertical	NA
5	7454.53	43.68	-0.51	43.17	74.00	30.83	Vertical	PASS
6	12073.47	42.41	5.89	48.30	74.00	25.70	Vertical	PASS
7	17998.08	39.70	13.21	52.91	74.00	21.09	Vertical	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2C
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7446.10	37.25	-0.48	36.77	54.00	17.23	Horizontal	PASS
2	12153.97	35.34	6.18	41.52	54.00	12.48	Horizontal	PASS
3	17807.18	33.81	12.93	46.74	54.00	7.26	Horizontal	PASS
4	5717.69	98.93	12.97	111.90	-	-	Horizontal	NA
5	7382.85	44.28	-0.27	44.01	74.00	29.99	Horizontal	PASS
6	12171.22	42.73	6.23	48.96	74.00	25.04	Horizontal	PASS
7	17810.24	40.07	12.96	53.03	74.00	20.97	Horizontal	PASS

Project Information			
Mode:	802.11ax20	Band:	UNII-2C
Bandwidth	20MHz	Channel	144
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7459.13	37.24	-0.51	36.73	54.00	17.27	Vertical	PASS
2	11491.17	36.15	5.54	41.69	54.00	12.31	Vertical	PASS
3	17928.31	32.78	13.68	46.46	54.00	7.54	Vertical	PASS
4	5717.69	99.07	12.97	112.04	-	-	Vertical	NA
5	7465.65	44.77	-0.51	44.26	74.00	29.74	Vertical	PASS
6	11403.38	42.59	5.58	48.17	74.00	25.83	Vertical	PASS
7	17874.65	39.12	13.62	52.74	74.00	21.26	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-2C
Bandwidth	40MHz	Channel	102
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7714.82	37.28	0.51	37.79	54.00	16.21	Horizontal	PASS
2	12126.37	35.34	6.08	41.42	54.00	12.58	Horizontal	PASS
3	17904.93	32.18	13.85	46.03	54.00	7.97	Horizontal	PASS
4	5508.87	94.27	12.41	106.68	-	-	Horizontal	NA
5	7597.90	44.10	-0.40	43.70	74.00	30.30	Horizontal	PASS
6	12100.69	42.27	6.00	48.27	74.00	25.73	Horizontal	PASS
7	17821.36	40.75	13.08	53.83	74.00	20.17	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-2C
Bandwidth	40MHz	Channel	102
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7712.14	38.38	0.51	38.89	54.00	15.11	Vertical	PASS
2	11455.13	36.34	5.55	41.89	54.00	12.11	Vertical	PASS
3	17984.67	32.91	13.31	46.22	54.00	7.78	Vertical	PASS
4	5508.50	98.31	12.41	110.72	-	-	Vertical	NA
5	7711.76	45.23	0.51	45.74	74.00	28.26	Vertical	PASS
6	11405.30	41.90	5.57	47.47	74.00	26.53	Vertical	PASS
7	17799.13	40.24	12.85	53.09	74.00	20.91	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-2C
Bandwidth	40MHz	Channel	118
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7408.91	37.93	-0.27	37.66	54.00	16.34	Horizontal	PASS
2	11468.93	36.07	5.55	41.62	54.00	12.38	Horizontal	PASS
3	17881.55	33.44	13.69	47.13	54.00	6.87	Horizontal	PASS
4	5599.07	92.78	12.73	105.51	-	-	Horizontal	NA
5	7442.26	44.32	-0.46	43.86	74.00	30.14	Horizontal	PASS
6	11355.46	42.08	5.77	47.85	74.00	26.15	Horizontal	PASS
7	17892.28	38.72	13.80	52.52	74.00	21.48	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	UNII-2C
Bandwidth	40MHz	Channel	118
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7466.42	37.25	-0.51	36.74	54.00	17.26	Vertical	PASS
2	11194.84	35.56	5.89	41.45	54.00	12.55	Vertical	PASS
3	17891.51	32.80	13.79	46.59	54.00	7.41	Vertical	PASS
4	5592.29	96.42	12.67	109.09	-	-	Vertical	NA
5	7489.42	44.34	-0.51	43.83	74.00	30.17	Vertical	PASS
6	11390.73	42.43	5.62	48.05	74.00	25.95	Vertical	PASS
7	17749.67	40.28	12.33	52.61	74.00	21.39	Vertical	PASS

Project Information

Mode:	802.11ax40	Band:	UNII-2C
Bandwidth	40MHz	Channel	134
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7403.16	37.22	-0.23	36.99	54.00	17.01	Horizontal	PASS
2	12205.72	35.12	6.31	41.43	54.00	12.57	Horizontal	PASS
3	17980.07	33.09	13.34	46.43	54.00	7.57	Horizontal	PASS
4	5672.22	94.20	13.13	107.33	-	-	Horizontal	NA
5	7433.06	44.50	-0.41	44.09	74.00	29.91	Horizontal	PASS
6	12101.84	41.91	6.00	47.91	74.00	26.09	Horizontal	PASS
7	17810.63	39.90	12.97	52.87	74.00	21.13	Horizontal	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-2C
Bandwidth	40MHz	Channel	134
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7413.51	37.54	-0.29	37.25	54.00	16.75	Vertical	PASS
2	12121.00	35.68	6.07	41.75	54.00	12.25	Vertical	PASS
3	17979.68	32.71	13.34	46.05	54.00	7.95	Vertical	PASS
4	5667.82	94.90	13.12	108.02	-	-	Vertical	NA
5	7406.23	44.24	-0.24	44.00	74.00	30.00	Vertical	PASS
6	12064.27	42.63	5.85	48.48	74.00	25.52	Vertical	PASS
7	17822.89	40.27	13.10	53.37	74.00	20.63	Vertical	PASS

Project Information			
Mode:	802.11ax40	Band:	UNII-2C
Bandwidth	40MHz	Channel	142
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7357.55	37.40	-0.35	37.05	54.00	16.95	Horizontal	PASS
2	11373.10	35.42	5.70	41.12	54.00	12.88	Horizontal	PASS
3	17885.76	32.45	13.73	46.18	54.00	7.82	Horizontal	PASS
4	5708.71	93.72	13.04	106.76	-	-	Horizontal	NA
5	7446.86	44.17	-0.49	43.68	74.00	30.32	Horizontal	PASS
6	11320.19	42.83	5.93	48.76	74.00	25.24	Horizontal	PASS
7	17976.62	40.16	13.36	53.52	74.00	20.48	Horizontal	PASS

Project Information

Mode:	802.11ax40	Band:	UNII-2C
Bandwidth	40MHz	Channel	142
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7416.58	37.50	-0.31	37.19	54.00	16.81	Vertical	PASS
2	12055.84	35.53	5.82	41.35	54.00	12.65	Vertical	PASS
3	17814.08	33.36	13.01	46.37	54.00	7.63	Vertical	PASS
4	5713.47	94.93	13.00	107.93	-	-	Vertical	NA
5	7479.83	44.29	-0.51	43.78	74.00	30.22	Vertical	PASS
6	11982.23	42.87	5.67	48.54	74.00	25.46	Vertical	PASS
7	17900.71	38.97	13.87	52.84	74.00	21.16	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	UNII-2C
Bandwidth	80MHz	Channel	106
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7438.05	38.37	-0.44	37.93	54.00	16.07	Horizontal	PASS
2	11348.94	35.65	5.80	41.45	54.00	12.55	Horizontal	PASS
3	17888.83	33.33	13.77	47.10	54.00	6.90	Horizontal	PASS
4	5531.97	90.00	12.41	102.41	-	-	Horizontal	NA
5	7378.63	45.00	-0.28	44.72	74.00	29.28	Horizontal	PASS
6	11182.19	42.59	5.85	48.44	74.00	25.56	Horizontal	PASS
7	17840.14	39.82	13.27	53.09	74.00	20.91	Horizontal	PASS

Project Information			
Mode:	802.11ax80	Band:	UNII-2C
Bandwidth	80MHz	Channel	106
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7408.15	37.85	-0.26	37.59	54.00	16.41	Vertical	PASS
2	12111.42	36.74	6.03	42.77	54.00	11.23	Vertical	PASS
3	17885.38	33.23	13.73	46.96	54.00	7.04	Vertical	PASS
4	5526.10	95.47	12.41	107.88	-	-	Vertical	NA
5	7311.54	44.20	-0.36	43.84	74.00	30.16	Vertical	PASS
6	12025.93	42.11	5.70	47.81	74.00	26.19	Vertical	PASS
7	17841.68	40.35	13.28	53.63	74.00	20.37	Vertical	PASS

Project Information

Mode:	802.11ax80	Band:	UNII-2C
Bandwidth	80MHz	Channel	122
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7433.45	38.09	-0.41	37.68	54.00	16.32	Horizontal	PASS
2	11401.08	35.96	5.58	41.54	54.00	12.46	Horizontal	PASS
3	17967.80	32.91	13.42	46.33	54.00	7.67	Horizontal	PASS
4	5612.64	88.79	12.83	101.62	-	-	Horizontal	NA
5	7494.78	44.98	-0.51	44.47	74.00	29.53	Horizontal	PASS
6	11282.63	42.45	6.00	48.45	74.00	25.55	Horizontal	PASS
7	17857.40	40.54	13.44	53.98	74.00	20.02	Horizontal	PASS

Project Information

Mode:	802.11ax80	Band:	UNII-2C
Bandwidth	80MHz	Channel	122
SN:	17aba958	Engineer:	Tian Shuo
Remark:	Y		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7388.60	38.10	-0.25	37.85	54.00	16.15	Vertical	PASS
2	11318.28	35.49	5.94	41.43	54.00	12.57	Vertical	PASS
3	17874.26	33.65	13.62	47.27	54.00	6.73	Vertical	PASS
4	5606.59	94.34	12.79	107.13	-	-	Vertical	NA
5	7460.28	44.47	-0.51	43.96	74.00	30.04	Vertical	PASS
6	12125.22	43.63	6.08	49.71	74.00	24.29	Vertical	PASS
7	17889.21	39.54	13.77	53.31	74.00	20.69	Vertical	PASS